

LTRCCT-2296

**From Good to Great: Enhancing Customer Experience with the Webex
Contact Center Flow Designer**

Dimitri Bokatonov, Yaroslav Bondar, Taylan Kucuk

Copyright © 2025 Cisco Systems Inc. All Rights Reserved.

Table of contents

1. Getting Started	3
1.1 Overview	3
1.2 Getting to know your environment	4
1.3 Choose Your Adventure	7
1.4 Chrome and Webex App Setup [Home Work]	11
2. CORE TRACK	16
2.1 Lab Guide	16
2.2 Conclusion	75
3. API TRACK	0
3.1 Lab Guide	0
3.2 Conclusion	0
4. CALLBACK TRACK	0
4.1 Lab Guide	0
4.2 Conclusion	0
5. Quick Links	0

1. Getting Started

1.0.1 Please submit the form below with your Attendee ID.

All configuration entries in the lab guide will be renamed to include your Attendee ID.

Attendee ID:

Your stored Attendee ID is: **No ID stored**

1.1 Overview

1.1.1 Learning Objectives

Welcome to "**From Good to Great - Enhancing Customer Experience with the Webex Contact Center Flow Designer**" instructor-led Lab!

This advanced lab is designed to empower you with the skills to craft exceptional customer journeys using the **Webex Contact Center Flow Designer**. Over the course of this lab, you'll work hands-on with features and integrations that bring intelligence and efficiency to every interaction. Take your time to explore and complete each step—you have 24 hours of pod access, and the lab content will remain available even after your pod expires for future reference. In this lab, you will:

- **Master Workflow Creation:** Learn how to build seamless workflows tailored to customer needs, including routing based on preferences and leveraging real-time data.
- **Optimize Routing Logic:** Implement advanced routing capabilities, such as callback handling, last agent routing and using Global Variables to facilitate routing logic .
- **Invoking Flow API:** Advance decision-making by using the Analyzer database on the fly.

Additionally, you will explore side missions for optional deep dives into:

- Event handling functionality for agent efficiency.
- Creating Post Call survey to measure customer satisfaction
- Changing Contact Center flow logic by using your phone only.

1.1.2 Disclaimer

The lab design and configuration examples provided are for educational purposes. For production design queries, please consult your Cisco representative or an authorized Cisco partner.

Let's get started and discover how **Webex Contact Center Flow Designer** takes customer experiences from good to great!

1.2 Getting to know your environment


ID 017 - LTRCCT-2296 Credentials

1.2.1 Learning Objectives

1. Ensure that you have **IDYour_Attendee_ID - LTRCCT-2296 Credentials.txt** file on your desktop with instructions and credentials to access your lab. If you do not, please ask your lab proctor now.
2. Understand your configuration instructions
3. Familiarize yourself how we will use Google Chrome profiles to simulate various scenarios covered in the next labs.

Know before you start

1. We will be using a shared lab tenant for simulations, meaning all attendees will work within the same Webex Contact Center environment. To avoid conflicts, ensure that any entities you configure are tagged with the Attendee ID assigned to you.



2. The majority of the configuration in Control Hub is already set up, allowing you to focus primarily on Flow Design. Of course, there may still be some elements to adjust, but these should be minimal, letting you concentrate on building and refining the flow logic rather than spending time on initial setup.

3. The Agents have been configured for you. You will be performing the rest of the configurations to route voice calls
4. All your configurations should contain your attendee ID so the lab users don't step over each other's configurations
5. Each of you has been provided with the phone number to dial (Entry Point DN), 1 Agent, 1 Supervisor and 1 Admin account.
6. We are going to use built-in Cisco Text to Speech for playing all messages in the lab.
7. Please ask for help when you need it. You can do it by clicking on "**Ask a Question**" or by raising your hand and calling the proctor.

Predefined configuration

Entry Point/Channels: **Your_Attendee_ID_Channel** 📄

Queue: **Your_Attendee_ID_Queue** 📄

Agent: **wxcclabs+agent_IDYour_Attendee_ID@gmail.com** 📄

Supervisor: **wxcclabs+supvr_IDYour_Attendee_ID@gmail.com** 📄

Business Hours: **Your_Attendee_ID_Business_Hours** 📄

Webex App has been pre-installed on your Lab PC

Assigned Inbound Channel Number: **Provided by Lab Instructor**

More pre-configured entities will be mentioned during the lab missions if they have any.

Testing

AGENT DESKTOP




Use Agent Desktop application  pre-installed on your workstation to login your agent. In addition, the Desktop profile has been set up so that you don't need to manually select a Team or Telephony option. By default, only the **Desktop** telephony option (also known as WebRTC) is enabled for each agent, allowing call audio to be delivered directly to the Agent Desktop app. Agents do not need to use any other tools, such as softphone, desk phone, or mobile phone to manage calls. Therefore, the Desktop telephony option, along with a pre-configured dedicated Team, will be automatically selected upon sign-in.

CALLING TO CONTACT CENTER

All calls to Webex Contact center should be done from Webex App which has been pre-installed for you as well as pre-logged in to it. To make a test just open Webex App and dial the provided Support Number assigned to you.

Note

- By default, the Support Number is not linked to any flow in Webex CC prior to this. Therefore, you will hear an error tone or prompt if you attempt to call that number before finishing corresponding lab task.
- International dialing is not allowed so you won't be able to dial your cell phones unless you have a US number.



1.3 Choose Your Adventure

1.3.1 Welcome to Your Lab Adventure!

Overview

In this session, we've designed 15 unique labs for you to explore, grouped into 4 distinct tracks to create a focused and engaging learning experience. Each track is crafted to help you develop specific skills.

Here's what you need to know:

Each track offers a different number of labs, guiding you through a cohesive learning journey.

Completing just one track is enough to achieve the session's goals.

Want to push further? Finish 2 tracks to excel, 3 tracks to become an expert, or take on all 4 tracks to earn the ultimate title of Mega Superstar!

Take a moment to review the tracks, choose the ones that excite you, and dive in. This is your adventure—make it unforgettable!

There's no set order—start with any track that interests you most, but we recommend starting with the **Core Track**.

1.3.2 Track 1: Core Track

This track introduces the fundamental features of Flow Designer. Participants will explore flow templates, business hours, and event flows while learning to utilize additional tools like the Debugger and Analyzer.

CORE	
1	Basic Call Routing
2	Skill-Based Routing
3	Using Business Hours
4	Work with Event Flow
5	Real-Time Transcription
6	Post Call Survey
7	<u>Subflow</u> and Variable Overrides
8	Flow Designer Tools

1.3.3 Track 2: API Track

In this track, participants will work on customizing flows using a variety of API requests to interact with different data sources.

API	
Intro to Developer Portal	
1	Emergency Config Change
2	Routing Facilitation
3	Last Agent Routing
4	Returning Agent
5	Using Functions

1.3.4 Track 3: CallBack Track

The Callback track includes a series of labs focused on various callback scenarios. It begins with basic callback configuration and progresses to advanced GraphQL techniques to eliminate duplicate callbacks.

CALLBACK

1

Basic Call Routing

2

Adding Callback

3

Preventing Callback
duplication

4

Callback on Global
Error

5

Addin Scheduled IVR
Callback

6

Adding Personalized
Callback

1.4 Chrome and Webex App Setup [Home Work]


Browser Setup

Since we will be using the same Chrome browser for different roles we will use the **Chrome Browser profiles** to allow multiple logins into the different components of the Webex contact center. For the control hub, use the Administrator profile created for you in the Chrome browser. Always offer Chrome to **remember your credentials and password** for this lab. For Agent



Desktop, use Agent Desktop Application pre-installed on your working station by using Agent profile.

We will create the user profiles below - Admin, Agent.



Creating Chrome user profiles

Open the Windows Terminal (Windows key and type **Powershell**). Paste and run the following code. You will see 2 new Chrome shortcut icons on the desktop


```
$DesktopPath = [Environment]::GetFolderPath("Desktop")
$shell = New-Object -ComObject WScript.Shell
$shortcut = $shell.CreateShortcut("$DesktopPath\WxCC Admin.lnk")
$shortcut.TargetPath = "%PROGRAMFILES%\Google\Chrome\Application\chrome.exe"
```



```


$Shortcut.Arguments = "--user-data-dir=%USERPROFILE%\chromeProfiles\admin"
$Shortcut.Save()
$Shortcut = $shell.CreateShortcut("$DesktopPath\WxCC Agent1.lnk")
$Shortcut.TargetPath = "%PROGRAMFILES%\Google\Chrome\Application\chrome.exe"
$Shortcut.Arguments = "--user-data-dir=%USERPROFILE%\chromeProfiles\Agent1"
$Shortcut.Save()

```




Check the desktop of your lab PC. You should find 2 Chrome shortcuts created - **WxCC Admin** and **WxCC Agent1**

When you click on the links



You can customize each profile to be easily identifiable with a name and/or icon of your choice



We will use the **Admin** profile first in the next section.

2. CORE TRACK

2.1 Lab Guide

2.1.1 Mission 1: Basic Call Routing (Flow Template, TTS, Language)

!!! Note: The input in the images that follow are only examples. They do not reflect the input you need to use in the lab exercises. In some cases, the input in the images may not follow the same attendee or pod ID from previous images. They are for representation only

Story

Imagine calling a contact center, seeking quick, personalized help. Behind the scenes, a flow smoothly routes your call based on your needs.

CALL FLOW OVERVIEW

1. A new call enters the flow. *(This initiates the interaction and triggers the defined call-handling process.)*
2. The flow determines the caller's language preference and plays a preconfigured Text-to-Speech (TTS) prompt. *(This ensures the caller receives information in their preferred language.)*
3. The call is routed to the appropriate queue. *(This directs the caller to the right team on the flow logic.)*

MISSION DETAILS

Your mission is to:

1. Configure key flow elements for efficient caller journeys.
2. Explore Flow Templates to streamline flow creation.
3. Set up routing with conditions, such as language preference.
4. Gain the skills to design flows for real-world scenarios.

Why Flow Templates? [Optional]


Flow Templates in Webex Contact Center are an essential feature for flow developers, offering a range of benefits that streamline the development process and enhance the efficiency and consistency of flow creation. Here's what they bring to the table:

- **Consistency and Standards:** Templates ensure that flows adhere to best practices, creating consistent experiences across multiple projects.
- **Time Savings:** Prebuilt structures reduce the need to start from scratch, enabling faster setup and allowing more focus on customization.
- **Reduced Errors:** Using tested templates lowers the risk of mistakes and minimizes troubleshooting.
- **Easy Onboarding:** New developers or partners can learn quickly by using templates as guides.
- **Scalability:** Templates allow developers to replicate and adapt solutions efficiently across different flows or deployments.
- **Innovation:** Developers can spend more time on unique features and integrations rather than reconfiguring basics.

Flow Templates are designed to empower developers, speed up the development lifecycle, and maintain high-quality standards across flows, making them a core asset in Webex Contact Center flow design.

BUILD

1. Login into Webex Control Hub by using your Admin profile. Your login will be of the format **wxcclabs+admin_IDYour_Attendee_ID@gmail.com** 📧. You will see another login screen with Webex logo on it where you may need to enter the email address again and the password provided to you.



Note


Remember to take up the offer from Chrome to save your password

2. This is the **Administration interface** for Webex Contact Center and is also known as the Control Hub. Look for the contact center option in the left pane under **SERVICES - Contact Center** and click on it.
3. Navigate to **Flows**, click on **Manage Flows** dropdown list and select **Create Flows**.
4. **Create a new flow** tab will be opened. Navigate to **Flow Templates**.
5. Choose **Simple Inbound Call to Queue** template and click **Next**.

Note

You can press **View Details** link under the template name to observe flow structure and read flow description before proceeding with the template.


6. Name your flow as **Main_Flow_Your_Attendee_ID** 🗨️ Then click on **Create Flow**.



7. If **Discover New Features** popup window appears in front of flow canvas, set the checkbox **Don't show this again** at the bottom and press **Get Started** button to close it and and go to the flow designer.

**Note**

Edit should be set to **On** when you create new flow, but if not switch it from **Edit: Off** mode to **Edit: On** at the top of the page.




8. Select **Play Message** node with label **WelcomePrompt** and on the node settings modify **Text-to-Speech Message** to any greetings you like. This message will be the first message you hear while calling to your script.
9. Select **Queue** node. On the **General settings** keep Static Queue checked and select queue **Your_Attendee_ID_Queue** from the dropdown list

Note


As mentioned in **Getting Started**, all queues have been preconfigured so you don't need to change them at current step.

10. [Optional] Select **Play Message** node (the one which goes after **Queue** and **Play Music** nodes) and on the **Node settings** modify **Text-to-Speech Message** to any message you like. This message will be played while the caller is waiting in the queue.
11. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.



12. Return to Control Hub to assign the Flow to your **Channel (Entry Point)**. Go to **Channels**, search for your channel **Your_Attendee_ID_Channel**
13. Click on **Your_Attendee_ID_Channel**
14. In **Entry Point** settings section change the following, then click **Save** button:
 - Routing flow: **Main_Flow_Your_Attendee_ID**
 - Music on hold: **defaultmusic_on_hold.wav**
 - Version label: **Latest**



CHECKPOINT TEST

1.


Launch Webex CC Desktop application  and login with agent credentials you have been provided **wxcclabs+agent_IDYour_Attendee_ID@gmail.com**  You will see another login screen with Webex icon on it where you may need to enter the email address again and the password provided to you.

2. Allow notifications and browser to access Microphone by clicking **Allow** in the relevant pop-up prompts.


3. Make your agent **Available** and you're ready to make a call.

 Note


This is the only time during the lab when you need to log in to the Webex CC Desktop application. It has been configured to keep your agent logged into the application for the entire duration of the lab. If, for any reason, you are logged out manually or due to a network error, please log in again as explained above.



4. Open your Webex App and dial the Support Number provided to you, which is configured in your **Your_Attendee_ID_Channel** configuration.



5. Ensure that you hear a welcome prompt configured in your flow and receive an incoming call in your agent desktop. Answer the call in the agent desktop and confirm that it has been successfully established. Then end the call, select any value from the **Wrap Up Reasons** dropdown list on the agent desktop, and press the **Submit Wrap Up** button.



Enhance your flow with Language and Voice Name

ENHANCEMENT DETAILS

Your mission is to:


- Use the same flow created in the previous section.
- Add Language and Voice Name global variables to the flow.
- Modify Text-To-Speech (TTS) settings to use Australian English language and Male Voice.
- Place a call to verify and validate the speech functionality.

Text-to-Speech (TTS) in Webex Contact Center [Optional]

All supported TTS Languages and Voice Names can be found in the table here: [Text-to-Speech-\(TTS\)-in-Webex-Contact-Center](#)


BUILD

1. Open your flow **Main_Flow_Your_Attendee_ID**. Make sure **Edit** toggle is **ON**.
2. Navigate to the **Global Flow Properties** panel on the right-hand side.
 - Scroll down and Locate the **Predefined Variables** section.
 - Click on the **Add Global Variables** button.
 - Search for **Global_Language** variable and click on **Add** button.
 - Click on the **Add Global Variables** button one more time.
 - Search for **Global_VoiceName** variable and click on **Add** button.



3. Add a **Set Variable** node from the activity library on the left with following configuration:

- Navigate to the **Variable Settings** section.
- Click on the **Variable** drop-down list and select **Global_Language**.
- Set Value: **en-AU** 🇺🇸.
- Click on the **+ Add New** button under the variable you have just added to add another one.
- Click on the **Variable** drop-down list and select **Global_VoiceName**.
- Set Value: **en-AU-Chris** 🇺🇸.
- Return to the flow canvas and delete connection between **NewPhoneContact** and **WelcomePrompt** nodes.
- Connect **NewPhoneContact** to **Set Variable**.
- Connect **Set Variable** to **WelcomePrompt**.




4. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.

TESTING

1. Open your Webex Desktop and make your agent is **Available**, and you're ready to make a call.
2. Open your Webex App and dial the Support Number provided to you, which is configured in your **Your_Attendee_ID_Channel** configuration.



3. Listen to the welcome prompt to confirm the TTS language and voice have changed.

Congratulations, you have successfully completed Basic Call Routing mission! 🎉🎉

2.1.2 Mission 2: Skill-Based Routing

Story

Skill-Based Routing (SBR) intelligently matches customer contacts with agents who have the specific expertise needed (e.g., language, product knowledge, service level), using configurable skill requirements and relaxation rules to ensure the best fit, which improves resolution and satisfaction by avoiding simple "first-available" routing.

This mission focuses on enhancing customer satisfaction by enabling Skill-Based Routing in Webex Contact Center call flow to direct the call to the qualified agent. At the same time, we will look into the effectiveness of skill relaxation rules to reduce the waiting time for callers if all more qualified agents are busy.

Call Flow Overview

1. A new call enters the flow.
2. The flow executes the logic and places the call into a skill-based queue, applying the skill requirements and relaxation rules defined for the queue.
3. Once the call is placed in the queue, the following logic applies:
 - If there is an available agent with matching skills, the call is routed to that person.
 - If there are no available agents with matching skills, the call waits in the queue until the skill-relaxation rule is applied.
 - If the skill-relaxation rule is applied, it lowers the skill requirements for the call, and Webex Contact Center starts looking for an agent using the updated requirements.

Mission Details

Your mission is to:

1. Switch to a skill-based queue and define the skill requirement for it.
2. Configure a skill relaxation rule to lower skill requirement after a time interval.
3. Make test calls and verify the agent selection logic before and after skill relaxation.

Note

The Skill Definition and Skill Profile are preconfigured for you and linked to your agent account. Your task is to focus on configuring the flow and ensuring the agent is selected properly depending on current skill requirements.

PRECONFIGURED ENTITIES

- Skill Definition: **Webex CC Lab Expert**.
- Skill Profile: **Webex CC Lab Skill Profile** with **Webex CC Lab Expert** skill set as 5.
- Skill Profile is associated with your agent account **wxcclabs+agent_IDYour_Attendee_ID@gmail.com**.

Part 1 - Add Skill-Based Queue

BUILD


1. Switch to the Flow Designer tab with your **Main_Flow_Your_Attendee_ID** , make sure **Edit** toggle is **ON**.

Note

If you closed browser tab with Flow Designer before, switch to Webex Control Hub. Look for the contact center option in the left pane under **SERVICES - Contact Center** and click on it. Then navigate to **Flows**, search for your flow **Main_Flow_Your_Attendee_ID** and click on it to open it in the flow designer.

2. Click on **Queue** node and select **Your_Attendee_ID_SBR_Queue**. Then scroll down to the **Skill Requirements** section and configure the following fields in the **Skill Requirement** block:

- Select the skill name: **Static**
- Skill (drop-down list): **Webex CC Lab Expert**
- Select the condition: **Static**
- Condition (drop-down list): **>=**
- Select the value: **Static**
- Value (drop-down list): **3**



3. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.

CHECKPOINT TEST

Note

The skill requirement we have set for **Your_Attendee_ID_SBR_Queue** is applied to every call that lands in that queue.

Since we set the requirement **Webex CC Lab Expert** ≥ 3 and the current value of **Webex CC Lab Expert** skill configured under the skill profile **Webex CC Lab Skill Profile** assigned to your agent account is **5**, the agent meets skill requirement for the call and should be selected to take it.

Let's test this.

1.

Your Agent desktop session should be still active but if not, use Webex CC Desktop application  and login with agent credentials you have been provided **wxcclabs+agent_IDYour_Attendee_ID@gmail.com** and become **Available**

2. Make a test call to the Support Number, ensure the call is assigned to your Agent and answer it.

3. Finish the call.

Part 2 - Raise Skill Requirement


Note

Let's raise skill requirement to see what happens if there are no agents with the appropriate skill level available.

BUILD

1. Switch to your flow and make the following changes to raise skill requirement:

- Click on **Queue** node - you should see **Your_Attendee_ID_SBR_Queue** skill-based queue configured there.
- Scroll down to the **Skill Requirements** section and update the required value for **Webex CC Lab Expert** skill from 3 to 7. The full requirement should be **Webex CC Lab Expert** ≥ 7 :



2. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.

CHECKPOINT TEST #2



Since we have raised the requirement **Webex CC Lab Expert** ≥ 7 and the current value of **Webex CC Lab Expert** skill for your agent is still **5**, the agent no longer meets the skill requirement for the call and **should not** be selected to pick it up.

Let's test this.

1.



Open your Webex CC Desktop application  and make sure your agent is in the **Available** state.

2. Make a test call to the Support Number. Ensure the caller hears the welcome prompt, then the call is placed in a queue and the caller hears music in queue.
3. Make sure the call stays in the queue and not assigned to your agent even though the agent is available.
4. Finish the call.

Part 3 - Add Skill Relaxation Rule



The skill relaxation rule allows for lowering the skill requirements for the call after a certain period of time. This helps to reduce the waiting time for callers by engaging less qualified agents when all more qualified agents are busy.


Since our current skill requirement is **Webex CC Lab Expert** ≥ 7 and our agent account has skill proficiency **Webex CC Lab Expert** = **5**, let's configure the skill relaxation rule to lower the skill requirement to **Webex CC Lab Expert** ≥ 4 after 15 seconds.

BUILD

1. Switch to your flow and click on **Queue** node - you should see **Your_Attendee_ID_SBR_Queue** skill-based queue configured there along with skill requirement **Webex CC Lab Expert** ≥ 7 .

Scroll down to the **Skill Relaxation** section, turn on **Enable Skill Relaxation** toggle and lower skill requirement **Webex CC Lab Expert** by configuring the following fields of **Skill Relaxation Step 1** block:

- After waiting in queue for: **15** seconds
- Select the skill name: **Static**
- Skill (drop-down list): **Webex CC Lab Expert**
- Select the condition: **Static**
- Condition (drop-down list): $\geq$
- Select the value: **Static**
- Value (drop-down list): **4**



2. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.

FINAL MISSION TEST

Note

We have lowered the skill requirement for **Webex CC Lab Expert** from ≥ 7 to ≥ 4 after 15 seconds in the queue.

Since the current skill proficiency of **Webex CC Lab Expert** for your agent is still **5**, the agent does not meet the skill requirement for the call when it lands in the queue and **should not** be selected to answer it. Therefore, the call will remain in the queue. However, after 15 seconds, the skill requirement will be lowered to **Webex CC Lab Expert** ≥ 4 , and the agent should be selected to answer it.

Let's test this.

1.




Open your Webex CC Desktop application and make sure your agent is in the **Available** state.

2. Make a test call to the Support Number. Ensure that the caller hears the welcome prompt, then the call is placed in a queue and caller hears music in queue.
3. Make sure the call stays in the queue for 15 seconds before being assigned to your agent.
4. Answer the call and verify that it works.
5. Finish the call.

Post Testing steps

1. **[IMPORTANT]** Now we need to revert the configuration of **Queue** node in your flow to the non-SBR queue **Your_Attendee_ID_Queue** as we are going to use same flow in upcoming tasks:

- Click on the **Queue** node on the flow canvas.
- Navigate to the node settings panel on the right.
- Scroll down and select **Your_Attendee_ID_Queue** from **Queue** dropdown list.



2. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.

- 3.



Open your Webex CC Desktop application and make sure your agent is in the **Available** state.

4. Make another test call to the Support Number and confirm that the caller hears the welcome message, and then the call is instantly assigned to your agent after entering the queue.

Congratulations, you have successfully completed Skill-Based Routing mission! 🎉🎉🎉

2.1.3 Mission 3: Using Business Hours

Story

Business Hours allows you to configure the operational hours of the contact center, offering an enhanced experience in routing strategy configuration and simplifying the routing flow for improved efficiency and customer satisfaction.

Call Flow Overview

1. A new call enters the flow.
2. The flow determines the caller's language preference and plays a preconfigured Text-to-Speech (TTS) prompt.
3. The flow determines whether it is currently within working hours and routes the call appropriately.
4. The call is routed to the appropriate queue.

Mission Details

Your mission is to:

- Continue to use same flow **Main_Flow_Your_Attendee_ID** we created in previous Mission.
- Add Business Hours functionality **Your_Attendee_ID_Business_Hours** to your flow. Business Hours entity has been configured for you and contains the following settings:
- **Working Hours** - Define the time during which the contact center will be operational. Each working hour configuration can include one or more shifts. Different schedules can be set for various time zones.
- **Holidays** - Specify a day or range of days declared as holidays. The entire 24 hours of the selected day(s) are marked as non-operational.
- **Overrides** - Configure working hours for special cases, such as emergencies or occasions like Christmas, when the contact center operates for additional hours.

Build


1. Switch to **Control Hub** and navigate to **Business Hours** under Customer Experience section. Locate your **Your_Attendee_ID_Business_Hours** 📌 You will see that currently only **Working Hours** are configured for every working day between 12:00 AM to 11:59 PM".

The screenshot shows the Webex Control Hub interface. The top navigation bar includes the Webex logo and a search bar. A yellow banner at the top contains a warning: "Set up emergency call settings for US locations in your organization to meet the requirements defined for your state and federal regulations." The left sidebar is titled "Main Menu" and lists various sections: "Contact Center" (with "Overview" selected), "CUSTOMER EXPERIENCE" (Channels, Queues, Business Hours, Audio Prompts, Flows, Call Recording Schedules, Surveys), "DIGITAL SETTINGS" (Web Chat Assets), "USER MANAGEMENT" (Sites, Skill Definitions, Skill Profiles, Teams, User Profiles, Contact Center Users), and "DESKTOP EXPERIENCE" (Cisco AI Assistant & fea...). The main content area is titled "Contact Center Overview" and contains three main sections: "Current cycle agent license usage" (with a "View daily details" button and a "No license data" message), "What's new" (with links for Multimedia Profiles, Sites, Teams, Skill Profiles, Desktop Profiles, and User Profiles), and "Helpful resources" (with links for What's new in Webex Contact Center, Agent Desktop User Guide, Supervisor Desktop User Guide, Analyzer Desktop User Guide, Flow Designer Guide, and Google CCAI Guide). A "Quick Links" section on the right lists links for Contact Center Suite, Desktop, Analyzer, Create new flow, Webex Contact Center Management Portal, Topic Analytics, Webex AI Agent, Digital Channels, Webex Connect, and Webex Engage. A "Get started" button is also present.

2. Switch to Flow Designer. Open your flow **Main_Flow_Your_Attendee_ID** and make sure **Edit** toggle is **ON**.


3. Drag and drop following nodes to the canvas:

- **Business Hours**
- **Play Message**
- **Disconnect Contact**



4. Connect **Set Variable** node to **Business Hours** and **Business Hours** node exits as follows:

- **Working Hours** connect to **WelcomePrompt** node.
- **Holidays**, **Overrides** and **Default** connect to new added **Play Message** node.
- New added **Play Message** connect to **Disconnect Contact** node.



5. Click on **Business Hours** node and select preconfigured Business Hours Entity **Your_Attendee_ID_Business_Hours**.

6. Configure **Play Message** node as follows:


- Turn on **Enable Text-To-Speech** toggle
- Select the Connector: **Cisco Cloud Text-to-Speech**
- Click the **Add Text-to-Speech Message** button and paste text: *It's not working hours currently. Please call later. Goodbye.*
- Delete the selection for Audio File

7. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.

Note


We haven't changed the flow behavior yet as Working Hours covers the current time. You can make a call and accept it on agent desktop to verify.



8. We are going to use **Override** option to change the logic. Overrides as well as Business hours have been preconfigured for you. Now we need to apply it on your **Your_Attendee_ID_Business_Hours** entity. Switch to Control Hub and open **Your_Attendee_ID_Business_Hours** in **Control Hub**, scroll down to **Additional Settings** and select **Overrides_Hours** from Override dropdown list. Then click **Save**.

Note

Override Hours entity was configured to overwrite Working Hours and set to duration of current Cisco Live lab




Testing

1. Open your Webex App and dial the Support Number provided to you, which is configured in your **Your_Attendee_ID_Channel** configuration. Make sure you hear the message we set in **Step 6**.

POST TESTING STEPS

1. **[IMPORTANT]** Now we need to revert the configuration we made in **Step 8** as we are going to use same flow in upcoming tasks. Open **Your_Attendee_ID_Business_Hours** in **Control Hub**, scroll down to Additional Settings and select **None** from **Override** dropdown list. Then click **Save**.



2. Make one more call from Webex App to make sure you hear the original Welcome message you set on first steps of previous Mission.

Congratulations, you have succesfully completed Using Business Hours mission! 🎉🎊🥳

2.1.4 Mission 4: Work with Event Flow

Story

An Event Flow in Webex Contact Center is a workflow triggered by specific events in the customer interaction process, such as call arrival, agent assignment, call disconnection or actions within the IVR.

Event flows enable a wide range of scenarios, with one common use case being the ability to update an external database with data collected during a call—either from the IVR or through interaction with a live agent.

Call Flow Overview

1. A new call enters the flow.
2. The flow executes the logic configured in previous steps.
3. When the agent answers the call, they receive a screen pop and can adjust call details on the interaction panel.
4. The flow triggers an event when the agent disconnects from the call.

Mission Details

1. Continue to use same flow **Main_Flow_Your_Attendee_ID**
2. Configure a screen pop in your flow.
3. Configure an API call to trigger on the AgentDisconnect event.


 Note

In this mission, we'll utilize **UseWebhook site**, a free online tool that generates a temporary, unique URL for capturing and inspecting HTTP requests. It's widely used by developers and testers for debugging and testing webhooks or other HTTP-based APIs.


Build **Note**

The **Global Variable** with name **WhoIsCalling** that we are going to use in this mission has been already created. Switch to **Control Hub** and navigate to **Flows** under Customer Experience section. Select Global Variables on top and search for **WhoIsCalling** to observe it's configuration. Please **DO NOT** modify it here.

1. Open your **Main_Flow_Your_Attendee_ID** or refresh the Flow Designer page to make sure new created Global Variables are being populated. Make sure **Edit** toggle is **ON**
2. Add **WhoIsCalling** Global Variable to the flow.



3. Open New Browser tab and paste the following URL **UseWebhook site**. Then click on **Copy URL** button next to the webhook URL at the top of the page to make a copy of URL. **Please keep this browser tab open to avoid changing your unique Webhook URL.**



4. Go back to your flow and navigate to **Event Flows** tab, delete **EndFlow** node connected to **AgentDisconnect** event.
5. Add **HTTPRequest** and **DisconnectContact** node in between these nodes.
 - Connect **AgentDisconnect** to **HTTPRequest** node.
 - Connect **HTTPRequest** to **DisconnectContact**.

6. Modify **HTTPRequest** node settings:


- Use Authenticated Endpoint: **Off**
- Request URL: *Paste your unique URL copied on Step 3 from <https://usewebhook.com/>*
- Method: **POST**
- Content Type: **Application/JSON**

Request Body:

```
{
  "DNIS": "{{NewPhoneContact.DNIS}}",
  "ANI": "{{NewPhoneContact.ANI}}",
  "InteractionId": "{{NewPhoneContact.InteractionId}}",
  "Language": "{{Global_Language}}",
  "WhoCalls": "{{WhoIsCalling}}"
}
```

Note


We are building a dictionary with values generated by flow, language we set in main lab and also WhoIsCalling value which will be provided by agent in agent desktop.

7. Modify the settings of **ScreenPop** node connected to the **AgentAnswered** event in the same flow:

- Screen Pop URL: **<https://www.webex.com/us/en/products/customer-experience/contact-center.html>**
- Screen Pop Desktop Label: **Webex Contact Center**
- Display Settings: **New browser tab**


8. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.



Testing


1. Make sure you're logged into Webex CC Desktop application as Agent **wxcclabs+agent_IDYour_Attendee_ID@gmail.com** and set status to **Available**.
2. Make a call to the Support Number and if success you should hear Welcome message and then accept the call by agent.
3. Upon accepting the call, a new browser tab will be opened with the Screen Pop URL configured in **Step 4**.
4. Switch back to the Agent Desktop. In agent interaction panel change **Who Is Calling?** to any name you like then click **Save** and **end the call in the agent desktop**.
5. Switch to the **UseWebhook site** tab in your browser - you should see the request which came right after Agent dropped the call with all the needed data.



Post Testing Steps

We recommend removing the ScreenPop node after testing. Otherwise, every time you make a new call to the Main Flow, a pop-up will appear, which may be distracting.

1. Open your flow **Main_Flow_Your_Attendee_ID**. Make sure **Edit** toggle is **ON**.
2. Navigate to **Event Flows** and delete **ScreenPop** node connected to the **AgentAnswered** event node.
3. Connect **AgentAnswered** event node to the corresponding **EndFlow** node.
4. Validate and publish the flow:
 - Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
 - If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
 - In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.



Congratulations, you have successfully completed Work with Event Flow mission! 🎉

2.1.5 Mission 5: Adding Real-Time Transcript

Feature Description

You can enhance communication efficiency and quality assurance in your contact center with the real-time transcripts feature. It allows agents to access real-time transcriptions of customer interactions directly on their Agent Desktop, enabling them to follow conversations more accurately and respond effectively.

BENEFITS

- **Accurate communication:** Captures conversations precisely, aiding understanding, especially with diverse accents or non-native speakers.
- **Improved efficiency:** Eliminates manual note-taking, enabling agents to focus and resolve issues faster.
- **Better performance:** Helps agents deliver timely, accurate solutions, boosting customer trust.
- **Higher customer satisfaction:** Reduces misunderstandings, improving CSAT scores and experiences.
- **Training and quality assurance:** Provides reliable references for coaching, evaluations, and compliance checks.
- **Seamless integration:** Easily integrates with systems, optimizing queue-level management.
- **AI support:** Enhances decision-making with complementary AI Assistant features.

MISSION DETAILS

Your mission is to:

1. Verify Real-Time Transcript feature configuration
2. Configure flow with **Start Media Stream** functionality
3. Test Real-Time Transcript feature

Verify feature configuration

1. Switch to Control Hub and navigate to **AI Assistant** under Desktop Experience section. Make sure **Real-time Transcriptions** feature is turned on.

The screenshot shows the Cisco AI Assistant configuration interface. On the left is a sidebar with navigation options: USER MANAGEMENT (Sites, Skill Definitions, Skill Profiles, Teams, User Profiles, Contact Center Users) and DESKTOP EXPERIENCE (AI Assistant, Multimedia Profiles, Outdial ANI, Desktop Layouts, Dial Plans, Address Books, Desktop Profiles, Idle/Wrap-up Codes). The main content area is titled 'Cisco AI Assistant' and has two tabs: 'Experience management' and 'Global variable' (selected). Under 'Global variable', there is a dropdown menu showing 'AutoCSAT_GV'. Below this, there are two sections. The first section, 'Generated summaries', has a description 'Streamline agent collaboration and ensure smoother customer experiences with AI-generated call summaries.' and a link 'How does this work?'. It contains two toggle switches, both of which are turned on: 'Call Drop Summary' and 'Virtual Agent Transfer Summary'. The second section, 'Real-time Transcriptions', has a description 'Boost efficiency with accurate real-time transcriptions of customer interactions.' and a link 'How does this work?'. It contains one toggle switch, 'Real-time transcriptions', which is also turned on. This toggle switch and its description are highlighted with a blue rectangular box.

2. The agent's team has been preconfigured with the Global Layout, which already includes the AI Assistant functionality. You can verify it visiting the following configuration pages in Control Hub:

a. Contact Center -> Teams (under User Management section) -> search for your team **Your_Attendee_ID_Team** 📌

webex Control Hub AI-powered smart search

CUSTOMER EXPERIENCE

- Channels
- Queues
- Business Hours
- AI Agents
- Audio Files
- Flows
- Call Recording Schedules
- Functions
- Surveys

DIGITAL SETTINGS

- Web Chat Assets

USER MANAGEMENT

- Sites
- Skill Definitions
- Skill Profiles
- Teams**
- Access
- Contact Center Users

DESKTOP EXPERIENCE

- AI Assistant
- Multimedia Profiles
- Outdial ANI
- Desktop Layouts
- Dial Plans
- Address Books
- Desktop Profiles

< Teams

140_Team
ID: 7493d06d-05a2-4d8c-aa58-acb6d83d6e76 - Last Modified: January 29, 2026 12:47 PM

General

Name *

Description

Parent Site *

Referenced by [Go to the list to view all references by entity type.](#)
[Reference list](#)

Team settings

Team type * ☐ Capacity Based ☒ Agent Based

Skill profile
Select if this team will support skills-based routing with assigned skills in flows. [How does this work?](#)

Multimedia profile

Desktop layout

Agents [x](#)

1 Agents [Clear All](#)

b. Contact Center -> Desktop Layout (under Desktop Experience section) -> search for **Global Layout**

Global Layout

ID: b8792ed0-4e74-4c03-aeb8-d83796eb41f3 • Last Modified: September 13, 2025 16:23 PM

Layout Details

Name *

Global Layout

Description

This is the global layout

JSON File *

Please use the default desktop layout to customize your desktop.

Download default desktop layout

File is ready for import

Default Desktop Layout(3).json uploaded

[Replace file](#)

This is an unmodified Desktop Layout. Therefore, new layout features appear on the Desktop upon reload or when the user

c. Click **Download default desktop layout**. Make sure **RT_TRANSCRIPT** widget is configured.

```

140         "name": "CONTACT_HISTORY"
141     }
142 }
143 ]
144 },
145 {
146     "comp": "md-tab",
147     "attributes": {
148         "slot": "tab",
149         "class": "widget-pane-tab"
150     },
151     "children": [
152         {
153             "comp": "slot",
154             "attributes": {
155                 "name": "RT_TRANSCRIPT_TAB"
156             }
157         }
158     ],
159     "visibility": "RT_TRANSCRIPT"
160 },
161 {
162     "comp": "md-tab-panel",
163     "attributes": {
164         "slot": "panel",
165         "class": "widget-pane"
166     },
167     "children": [
168         {
169             "comp": "slot",
170             "attributes": {
171                 "name": "RT_TRANSCRIPT"
172             }
173         }
174     ],
175     "visibility": "RT_TRANSCRIPT"
176 },
177 {
178     "comp": "md-tab",

```

Or you can download preconfigured desktop layout here: [Desktop Layout](#)

Build

1. Open up your voice flow **Main_Flow_Your_Attendee_ID** and click on **Edit**.

webex

Control Hub

AI-powered smart search

Main Menu

Contact Center

Overview

CUSTOMER EXPERIENCE

Channels

Queues

Business Hours

AI Agents

Audio Files

Flows

Call Recording Schedules

Functions

Surveys

DIGITAL SETTINGS

Web Chat Assets

USER MANAGEMENT

Sites

Skill Definitions

Skill Profiles

Teams

Access

Contact Center Users

DESKTOP EXPERIENCE

AI Assistant

Multimedia Profiles

Outdial ANI

Flows

FlowsSubflowsGlobal Variables

Search by name

All

111 Flows

Manage Flows

Flow	Team	Description	Status	Last edited by	Last modified
AutonomousAI	Normal_Working_Hours		Draft	wxcclabs+admin_ID148@gmail.com	November 10, 2025 13:49 PM
AutonomousAI	099		Draft	wxcclabs+admin_ID148@gmail.com	November 10, 2025 13:49 PM
AutonomousAI	agent121		Draft	wxcclabs@gmail.com	January 21, 2026 13:01 PM
CCBU_AvoidD	137		Draft	wxcclabs@gmail.com	January 16, 2026 20:35 PM
CCBU_DIMITRI	sl68nd		Draft	wxcclabs@gmail.com	January 02, 2026 15:34 PM
CCBU_Dimitri2			Draft	wxcclabs@gmail.com	January 19, 2026 17:45 PM
CCBU_Dimitri_AutonomousAI_Flow_2000_150_6...			Draft	wxcclabs@gmail.com	January 19, 2026 21:20 PM
CCBU_Dimitri_Main_Flow		To learn how to configure, see supporting documentation her...	Draft	wxcclabs@gmail.com	May 19, 2025 11:25 AM
CCBU_IntelligentRouting			Draft	wxcclabs@gmail.com	August 19, 2025 11:48 AM
CCBU_ParseAI_Input			Draft	wxcclabs@gmail.com	March 14, 2025 16:38 PM
CCBU_Recording_Template		To learn how to configure, see supporting documentation her...	Draft	wxcclabs@gmail.com	October 16, 2025 09:16 AM
CCBU_SBR_Yarek			Draft	wxcclabs@gmail.com	December 24, 2025 17:22 PM
CCBU_Subflow		To learn how to configure, see supporting documentation her...	Draft	wxcclabs@gmail.com	December 24, 2025 19:46 PM
CCBU_Subflow_v2		To learn how to configure, see supporting documentation her...	Draft	wxcclabs@gmail.com	November 04, 2025 01:52 AM
AutonomousAI_Flow_091			Publis...	wxcclabs+admin_ID091@gmail.com	October 16, 2025 20:49 PM
AutonomousAI_Flow_140			Publis...	wxcclabs+admin_ID151@gmail.com	November 13, 2025 01:27 AM
AutonomousAI_Flow_2000_151			Publis...	wxcclabs+admin_ID156@gmail.com	November 13, 2025 01:38 AM
AutonomousAI_Flow_2000_156			Publis...	wxcclabs+admin_ID157@gmail.com	November 13, 2025 01:42 AM
AutonomousAI_Flow_2000_157			Publis...	wxcclabs+admin_ID159@gmail.com	November 17, 2025 01:04 AM
AutonomousAI_Flow_2000_159			Publis...		


2. Click on the **Event Flow**.

3. Drag and drop **Start Media Stream** node and connect **AgentAnswer** node to the **Start Media Stream** node.

4. Drag and drop **End Flow** node and connect **Start Media Stream** to **End Flow**.


5. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.



Test Real-Time Transcript feature

1. Make your agent **Available**.



2. Place the test call to the number that is associated with your **Your_Attendee_ID_Channel** 📞, and ask to talk to an agent.

3. Answer the call and begin speaking. The Live Transcripts panel will display the most recent real-time transcript of the conversation between the caller and the agent.

The screenshot displays the Webex Contact Center interface. At the top, the header shows 'Webex Contact Center' and a status bar with 'Engaged' and a dropdown arrow. Below the header, a contact card for '+13477579850' is visible, including a timer '00:09' and buttons for 'Keypad', 'Mute', 'Hold', 'Consult', 'Transfer', and 'End'. The contact card also lists 'Phone Number +13477579850', 'DNIS +15206603129', 'Queue 182_2000_Voice_Queue', and 'Customer Language en-US'. Below the contact card, a navigation bar includes 'IVR Transcript', 'Customer Journey', 'Contact History', and 'Live Transcript' (which is highlighted with a blue box). The 'Live Transcript' panel shows a chat history with two messages: 'Customer 08:20 PM Okay.' and 'Customer 08:20 PM You're welcome. How can I help you?'. The panel also includes a 'Rate this transcript. Your feedback helps us improve' prompt and icons for sharing and printing.

Congratulations, you have succesfully completed Adding Real-Time Transcript mission! 🎉🎊

2.1.6 Mission 6: Post Call Survey

Story

In this lab, you will complete a mission to enhance customer feedback collection by integrating a survey into the Webex Contact Center call flow. The lab is designed to be simple yet practical, focusing on minimal configuration within the Flow Designer, while leveraging a preconfigured survey template.

What You Need to Know [Optional] ▾

Supported Survey Question Types in Webex Contact Center

1. Customer Satisfaction (CSAT):

- Purpose: Measure satisfaction with a specific interaction or service.
- Example Question: "On a scale of 1 to 5, how satisfied are you with the service you received today?"
- Use Case: Assess overall satisfaction at the end of a call or interaction.

2. Customer Effort Score (CES):

- Purpose: Evaluate the ease of resolving a customer's issue or completing a task.
- Example Question: "On a scale of 1 to 5, how easy was it to complete your task today?"
- Use Case: Identify pain points in the customer journey or process efficiency.

3. Net Promoter Score (NPS):

- Purpose: Measure customer loyalty and the likelihood of recommending the service.
- Example Question: "On a scale of 0 to 10, how likely are you to recommend our service to a friend or colleague?"

4. Use Case: Gauge long-term customer loyalty and brand advocacy.

Call Flow Overview

1. A new call enters the flow.
2. The flow executes the logic to enable survey functionality.
3. Agent answers the call.
4. The flow triggers an event when the agent disconnects from the call.
5. The caller remains on the line and hears the survey menu.

Mission Details

Your mission is to:

1. Integrate a preconfigured survey into the call flow using the Flow Designer.
2. Configure basic logic to determine when to route customers to the survey (e.g., after a call ends).
3. Understand how Webex Contact Center supports various survey question types, including CSAT, CES, and NPS.



Note

The survey is prebuilt and includes key questions designed to gather actionable insights from customers. Your task is to focus on configuring the flow and ensuring the survey is triggered seamlessly during the customer journey.


PRECONFIGURED ENTITIES

- Survey: **Webex CC 2025**
- System defined GlobalVariable: **Global_FeedbackSurveyOptIn**


[Optional] In case you don't want to use preconfigured Survey you can configure your own. Expand below section to create your own Survey otherwise proceed to **Build** section below

Create your own Survey [Optional]


- Download audio prompts from the shared folder.
- In **Control Hub** -> **Contact Center** open a **Survey** configuration page under **Customer Experience**. Then click **Create new survey**.
- Enter survey name as **PCS_Your_Attendee_ID** in **Survey name** field. Make sure **IVR survey** is selected. Then click next.



- Edit **Welcome note** and **Thank you note** by uploading respective audio prompts to the survey.




- Click on **Add a question** which is in the middle between **Welcome note** and **Thank you note**. Choose either NPS, CSAT or CES type of question and upload respective audio prompt to the survey.
- Add more questions if you want.
- Click **Next**. You can ignore **Error Handling** configuration page. Click **Save**.




Build

1. Switch to the Control Hub then go to **Contact Center**. Navigate to the **Surveys** under the **Customer Experience** section. Locate **Webex CC PCS** survey and click on it to familiarise yourself with its configuration.



1. Switch to the Flow Designer. Open your **Main_Flow_Your_Attendee_ID** , make sure **Edit** toggle is **ON**.
2. Add Global Variable **Global_FeedbackSurveyOptIn** to your flow.



1. Delete the connection between the **NewPhoneContact** node and the first **Set Variable** node we used to set language preference. Then drag new **Set Variable** node from the activity library on the left to flow canvas, put it between **NewPhoneContact** and existing **Set Variable** nodes and connect all three nodes into a chain.

Cisco Webex
Flow Designer

Main_Flow_089 Draft Edit: On

Activities Subflows Functions

Call Handling

Disconnect Contact

Virtual Agent

Blind Transfer

Play Message

Collect Digits

Play Music

Feedback

Get Queue Info

Callback

Screen Pop

Queue Contact

Menu


Feedback V2

Queue To Agent

Virtual Agent V2

Main Flow Event Flows Help

Search Flow Ctrl K



Main_Flow_089

Global Flow Properties

Configuration Desktop Viewability & Order

Custom Variables

Flow Variables

Predefined Variables

Global Variables

Event Output Variables


Autosave Validation: Off Publish Flow

- 58/75 -

Copyright © 2025 Cisco Systems Inc. All Rights Reserved.


1. Click on the new **Set Variable** node you have just added and configure the following fields:

- Variable: **Global_FeedbackSurveyOptIn**
- Set Value: **true**



2. Add a Post Call Survey functionality to the flow:

- Open **Event Flows** tab and locate predefined **AgentDisconnected** event node marked with light green crossed-out headset icon. If you completed previous mission you should have **HTTP Request** node connected to it.
- Delete the connection between **HTTP Request** and **DisconnectContact** nodes.
- Drag **Feedback V2** from the activity library on the left, place it between **HTTP Request** and **DisconnectContact** nodes and connect all three nodes into a chain.
- Click on **Feedback V2** node and configure Survey Method as **Voice Based** and select **Webex CC PCS** from the dropdown list.



3. Let's configure the voice message that will be played to the caller if something goes wrong with **Webex CC PCS** survey:


- Drag **Play Message** node from the activity library and place it below **Feedback V2** node you have just added.
- Connect **Undefined Error** output of the **Feedback V2** node to the input of the **Play Message** node
- Connect the output of the **Play Message** node to the **DisconnectContact** node.

Then click on the **Play Message** node and configure the following fields:

- Enable Text-To-Speech
- Connector: Cisco Cloud Text-to-Speech
- Click the Add Text-to-Speech Message button and paste text: **Something went wrong on Feedback node. Please call later.** 
- Delete the selection for Audio File

4. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.



Testing

1.

Your Agent desktop session should be still active but if not, use Webex CC Desktop application  and login with agent credentials you have been provided **wxclabs+agent_IDYour_Attendee_ID@gmail.com** and become **Available**

2. Make a test call to the Support Number and accept the call by Agent.

3. Finish the call by Agent, so the caller could stay on the line.

4. Now the caller should hear prompts configured in **Webex CC PCS**. Complete the survey.

5. To check survey responses, switch to the **Control Hub** and navigate to the **Surveys** under **Customer Experience** section. Locate the **Webex CC PCS** survey and click on the **Download** button on the right-hand side to download a CSV file with the provided Survey responses.

 Note

If you create your own survey, as described in the Optional section of this mission, you might not see the survey responses immediately, as there is a delay in edited surveys.

Congratulations, you have successfully completed Post Call Survey mission! 🎉🎊

2.1.7 Mission 7: Subflow and Variable Override

Story

In Webex Contact Center, subflows modularize complex workflows by packaging reusable, independent functions (like business hour checks, queue treatment callback collection, error handling, etc.) into separate mini-flows, which are then called from main flows. Their purpose is to simplify development, reduce main flow size, improve organization, and ensure consistency by promoting code reuse for common tasks, making flows cleaner and easier to manage. In the scope of this mission you will use a subflow template to automate queue treatment in the Webex Contact Center environment. You will configure and test two ways of how to define parameters necessary to call the subflow - define them at the main flow level and override at the channel level. The main goal is to improve the customer experience while waiting in a queue by playing music, delivering messages, and looping until a predefined condition is met.

Call Flow Overview

1. A new call enters the flow.
2. The flow executes the logic and places the call into a queue.
3. Once the call is placed in the queue, the main flow calls the Subflow sending few parameters to it.
4. The Subflow executes the following logic **two times** based on the received parameters:
 - Plays a music in queue. The duration is defined by the parameter.
 - Plays a Text-To-Speech message. The text is fetched from the parameter.
 - Plays a music in queue of the same duration again.

Mission Details

Your mission is to:

1. Create a Subflow from the template.
2. Call the Subflow from the main flow with proper parameters.
3. Override the Subflow calling parameters at the Channel level.
4. Make test calls and verify queue treatment done by the Subflow.

Part 1 - Integrate a Subflow with your Main Flow

BUILD

1. Switch to Webex Control Hub. Look for the contact center option in the left pane under **SERVICES - Contact Center** and click on it.
2. Navigate to **Flows** in the left pane and click on **Subflows** tab at the top of the main window. Then click on **Manage Subflows** dropdown list at the top-right part of the main window and select **Create Subflows**.
3. **Create a new subflow** tab will be opened. Navigate to **Subflow Templates**.
4. Choose **Queue Treatment Subflow** template and click **Next**.


Note

You can press **View Details** link under the template name to observe flow structure and read flow description before proceeding with the template.

5. Name your subflow as **Subflow_Your_Attendee_ID** 📌 Then click on **Create Subflow**.

Note

Edit should be set to **On** when you create new flow, but if not switch it from **Edit: Off** mode to **Edit: On** at the top of the page.




6. In the bottom right corner toggle **Validation** from **Off** to **On** to check for any potential flow errors and recommendations.

Note

You can ignore recommendations but cannot skip errors.

7. Click **Publish Subflow**. In popped-up window, make sure the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Subflow**.




8. Switch to the Flow Designer tab with your **Main_Flow_Your_Attendee_ID** opened and make sure **Edit** toggle is **ON**.

Note


If you closed browser tab with Flow Designer before, switch to Webex Control Hub. Look for the contact center option in the left pane under **SERVICES - Contact Center** and click on it. Then navigate to **Flows**, search for your flow **Main_Flow_Your_Attendee_ID** and click on it to open it in the flow designer.

9. Click on any empty place at flow canvas and make sure you see **General Settings** appeared on the right pane. The scroll down to the **Variable Definition** section and add the following two **Flow Variables** by pressing **Add Flow Variable** button:

- Name: **subflowDuration**
- Variable Type: **Integer**
- Default Value: **5**
- Turn on the toggle **Enable External Override**. Make sure **Resource Type** is set as **None (default)**
- Name: **subflowMessage**
- Variable Type: **String**
- Default Value: **Thanks for your patience. Please hold on while we find an expert for you.**
- Turn on the toggle **Enable External Override**. Make sure **Resource Type** is set as **None (default)**



10. Delete the **Music** node connected to the **Queue** node. The **EndFlow** node which was connected to the **Music** node becomes unconnected at this step.
11. Go to the activity library pane on the left, scroll up to the top and click on the **Subflow** tab.
12. Find your subflow **Subflow_Your_Attendee_ID**, drag it to flow canvas and place right after your **Queue** node. Connect it to the other nodes in the following way:
 - The output of the **Queue** node to the input of the **Subflow_Your_Attendee_ID**.
 - The main (aka, top) output of the **Subflow_Your_Attendee_ID** node to the input of **PlayMessage** node.
 - The **Undefined Error** (aka, bottom) output of the **Subflow_Your_Attendee_ID** node to the input of unconnected **EndFlow** node.
 - The output of the **PlayMessage** node to the input of the **Subflow_Your_Attendee_ID** node.




13. Click on the **Subflow_Your_Attendee_ID** node. Go to the node settings pane on the right and set the following parameters:
 - Subflow Label: **Latest**

Scroll down to the **Subflow Input Variables** section and configure the following mapping:

- Current flow variable: **subflowDuration**
- Subflow Input Variable: **musicDuration**

Press **Add New** button to configure the mapping for the second variable:

- Current flow variable: **subflowMessage**
- Subflow Input Variable: **queueMessage**




14. Click on the **PlayMessage** node. Go to the node settings pane on the right and paste the following message into the **Text-to-Speech Message** field:

- ***We apologize, but all our agents are currently busy. Your waiting time may be longer than expected.*** 🗣️

15. Validate and publish the flow:

- Enable the **Validation** toggle in the bottom right corner of the flow designer window to check for any potential flow errors and recommendations.
- If there are no **Flow Errors** after validation is complete, click on **Publish Flow** next to it.
- In the pop-up window, ensure that the **Latest** label is selected in the **Add Version Label(s)** list, then click **Publish Flow**.



CHECKPOINT TEST

Note

Since we called the **Subflow_Your_Attendee_ID** with our custom parameters the caller should hear the following:

- Repeated two times: 5 seconds of music in queue + our custom message for the subflow ***Thanks for your patience. Please hold on while we find an expert for you.*** + 5 more seconds of music in queue.
- The message in the main flow: ***We apologize, but all our agents are currently busy. Your waiting time may be longer than expected.***
- Then the subflow should be called again and start playing 5 seconds of music in queue again.

Let's test this.

1. **[IMPORTANT]** Please keep in mind that the agent **does not** need to take call during this mission. Thus, if you logged in to Webex CC Desktop application, please select any Idle state there before making test calls. For example, **Busy**.
2. Make a test call to the Support Number, ensure that the caller hears all voice prompts described in the note above.
3. Finish the call.

Part 2 - Override flow variables at the Channel level

BUILD

1. Switch back to **Contact Center** settings on Webex Control Hub.
2. Navigate to **Channels** in the left pane. Search for your channel **Your_Attendee_ID_Channel** and click on it.
3. Scroll down to the **Entry point settings** section and look at **Override flow settings** part of it. You should see two variables there:
 - **subDuration**
 - **subMessage**
4. Modify these variables in the following way and save changes.

Variable **subflowDuration**:

- Turn on **Override value** toggle in the **Value** column.
- Set new value as **10**.

Variable **subflowMessage**:

- Turn on **Override value** toggle in the **Value** column.
- Set new value as *Thanks for staying with us. Your call will be answered by the next available agent..*

Note

Please keep in mind that there is **no need to validate and publish your flow** one more time after you have overridden flow variables at the channel level.

webex

Control Hub

Q AI-powered smart search

< Main Menu

Contact Center

Overview

CUSTOMER EXPERIENCE

Channels

Queues

Business Hours

AI Agents

Audio Files

Flows

Call Recording Schedules

Functions

Surveys

DIGITAL SETTINGS

Web Chat Assets

USER MANAGEMENT

Sites

Skill Definitions

Skill Profiles

Contact Center Overview

Current cycle agent license usage

Billing cycle: n/a



No license data

Please contact partner for more license information.

View daily details

[Learn more about license consumption](#)

What's new

Multimedia Profiles

Create new and manage existing Multimedia Profiles.

Sites

Create new and manage existing Site. Associate your sites with multimedia profiles.

Teams

Create new and manage existing Team. Associate your teams with sites.

Skill Profiles

Create new and manage existing Skill Profiles.

Desktop Profiles

Create new and manage existing Desktop Profiles.

User Profiles

Create new and manage existing User Profiles.

Helpful resources

[What's new in Webex Contact Center](#)

[Agent Desktop User Guide](#)

[Supervisor Desktop User Guide](#)

[Analyzer Desktop User Guide](#)

[Flow Designer Guide](#)

[Google CCAI Guide](#)

Quick Links

Contact Center Suite

[Desktop](#)

[Analyzer](#)

[Create new flow](#)

[Webex Contact Center Management Portal](#)

[Topic Analytics](#)

[Webex AI Agent](#)

Digital Channels

[Webex Connect](#)

[Webex Engage](#)

[Manage proactive chats](#)

Get started

Resume

CHECKPOINT TEST

 Note

Since we have overridden **subDuration** and **subMessage** variables at the channel level the **Subflow_Your_Attendee_ID** is now being called with these new values. Thus, the caller should hear updated music duration and new message:

- Repeated two times: 10 seconds of music in queue + our overridden custom message for the subflow ***Thanks for staying with us. Your call will be answered by the next available agent.*** + 10 more seconds of music in queue.
- The same message in the main flow: ***We apologize, but all our agents are currently busy. Your waiting time may be longer than expected.***
- Then the subflow should be called again and start playing 15 seconds of music in queue again.

Let's test this.

1. **[IMPORTANT]** Please keep in mind that the agent **does not** need to take call during this mission. Thus if you logged in to Webex CC Desktop application, please select any Idle state there before making test calls. For example, **Busy**.
2. Make a test call to the Support Number, ensure that the caller hears all voice prompts described in the note above.
3. Finish the call.

Congratulations, you have successfully completed Subflow and Variable Override mission! 🎉🎊🎈

2.1.8 Mission 8: Using Flow Designer Tools



Note

The current mission does not include any configuration steps, but it focuses on additional Flow Designer tools that facilitate flow troubleshooting and might provide you with ideas on how to optimize your flow logic.

Debug Overview

The Debug Tool is an essential feature in the Webex Contact Center Flow Designer, designed to simplify troubleshooting and enhance visibility into the call flow behavior. Its importance lies in its ability to provide real-time insights, enabling administrators and developers to quickly identify and resolve issues that could impact customer experience.

What to Know [Optional]

Why Debug is Important?

1. **Real-Time Analysis:** Tracks the call flow execution step by step, showing which nodes are executed and the data passed between them.
2. **Error Identification:** Quickly pinpoint errors, such as misconfigured nodes, incorrect variable usage, or unexpected call routing.
3. **Optimization:** Provides insights into flow performance, allowing you to optimize for efficiency and accuracy.

HOW TO USE THE DEBUG TOOL

1. Switch to the Flow Designer and open your flow, **Main_Flow_Your_Attendee_ID** 📄. Then, click the **Debug** button at the bottom of the Flow Designer.
2. You can view the calls you've made today during the previous exercises. Please click on the one at the top.
 - a. You can search your call by **Interaction ID**
 - b. Filter by **Date Range** and by **Label**




Note

You might see an alert as on the following screenshot. Click refresh button to reload the diagram.

The interaction you selected belongs to version undefined of the flow. Click button below to reload the diagram with version undefined.



- Observe the execution path, with visual indicators highlighting the flow nodes being executed. You can switch between Event Flows and Main Flows to see all nodes executed.
- By clicking on each activity name you will see it's details. **Examples: Entry point ID, Flow Label, DNIS, selected Business Hours, also TTS value and what events were triggered.**



- Spend some time to explore the tool. Identify bottlenecks, loops, or errors if any.
- As an option, you can break something in your flow and see how Debug tool shows that error.

By leveraging the **Debug Tool** effectively, you can ensure your call flows function as intended, providing a seamless experience for both customers and agents.

Flow Analytics Overview

Flow Analytics feature is designed to provide flow developer, administrators and supervisors with a comprehensive, graphical view of how Flow paths are being utilized across all customer interactions. This feature enables better analysis of IVR flow operations, helping to identify areas for improvement and increase self-service containment. The feature provides an aggregated view that allows users to:

- Analyze traces aggregated over a period of time.
- Visualize the aggregated data in a flow diagram, with various metrics like, average call duration, error percentage, along with some activities level metrics.
- Show interaction traces for a selected activity.
- Switch between multiple versions of analytics views.
- Color-coded links between activities based on the number of activity executions, and status.

What to Know [Optional]


Why Flow Analytics is Important?

1. **Performance Monitoring:** Tracks key metrics, such as flow usage, execution frequency, and processing times, helping you assess flow efficiency.
2. **Behavior Analysis:** Identifies patterns in customer interactions and highlights potential issues, such as abandoned calls or potential loops.
3. **Proactive Optimization:** Offers data-driven insights to fine-tune flow configurations, ensuring optimal performance and alignment with business objectives.


HOW TO USE THE FLOW ANALYTICS TOOL

1. On the Flow Designer, click on the **Analyze** tab at the bottom of the Flow Designer to open the Flow Analytics Tool
2. Specify a DateTime range for the report. All calls we made happened today hence select **Today** option.
3. Review visualizations and reports showing flow metrics, such as:


- Total flow Executions
- Execution paths and their frequency
- Average flow duration
- Average activities per contact
- Activity errors | Activity error %



4. Drill down into specific interactions by clicking on desired node.
5. If you spot any errors, click on that node. In the popped-up Activity Usage Details window, you can find call details, including Interaction ID, Start and End time, Duration, and a cross-launch link to the Debugger.



6. Observe older flow versions by selecting **Version History**. Then expand **Other Versions**. Choose anyone you like and click **View**. You might need to specify DateTime range again if the selected flow version was never executed within the chosen range in **Step 2**.



By leveraging the Flow Analytics Tool, you gain a comprehensive understanding of how your flows perform and interact with customers, enabling you to make data-backed decisions to improve both efficiency and user satisfaction.

Congratulations, you have successfully completed Using Flow Designer Tools mission! 🎉🎊

2.2 Conclusion

We hope you enjoyed the hands-on experience of the CORE Track of Webex Contact Center lab. Throughout this lab, you've gained valuable insights into building and configuring essential elements of Webex Contact Center workflows. Starting with the Basic Call Routing mission, you explored foundational features like flow templates, Text-to-Speech (TTS) capabilities, language and voice options.

From there, you enhanced your skills with missions such as:

- **Using Business Hours** to introduce flexibility and adaptability to your flows.
- **Implementing skill-based routing** to select proper agent based on their skills and proficiency level.
- **Leveraging Event Flows** to dynamically handle real-time events.
- **Designing and implementing a Post Call Survey** to gather actionable customer feedback.
- **Embedding a subflow into the main flow** to simplify flow development, reduce main flow size making it cleaner and easier to manage.
- You also worked extensively with the Flow Designer Tools, gaining confidence in navigating, troubleshooting, and optimizing flows.

By completing these missions, you've not only developed a deep understanding of Webex Contact Center features but also acquired practical skills to harness its capabilities in real-world scenarios.

Should you need further assistance or have questions, feel free to reach out or join discussions in the Webex community. We're here to support your success as you continue to explore and implement these powerful tools in your future projects.

Thank you for participating in the CORE Track, and we encourage you to continue exploring and building on these foundational skills as you progress through the next stages of the Webex Contact Center Flow Designer Lab!