```php
<?PHP

        //print_r ($USER_ID);

   include("def/portals/info.php");

   $find_id = $rdsql->exec_query("SELECT id FROM eav_addon_exa_token WHERE ea_code = 'COGE'
AND user_id = $USER_ID","Selection Fails");

   $value = $rdsql->data_fetch_row($find_id);

   if(($value[0]==NULL)|| (!$value[0])){

                $find_co_id = $rdsql->exec_query("SELECT is_internal FROM user_info WHERE id =
$USER_ID","Selection Fails");

                $user_key = $rdsql->data_fetch_row($find_co_id);

                header('Location:?fx=my_profile&default_addon=profile&key='.$user_key[0]);
   }

        $LAYOUT                 = 'layout_full';

   $D_SERIES     =  array(

                'title'=>'Programme',
```

```
#query display depend on the user

'is_user_base_query'=>0,

    'gx' => 1,


#table data


'data'=> array(


                    1=>array('th'=>'Programme',

                        'field' =>"ln",

                        'td_attr' => ' class="clr_gray_8
align_LM" width="10%"',

                        'is_sort' => 1,

                        ),
```

```php
                                                0=>array('th'=>'Reference No',

                                                    'field' =>"concat(code,':',$USER_ID)",

                                                    'td_attr' => ' class="num align_LM"
width="10%"',

                                                    'is_sort' => 0,

                                                    'filter_out'=>function($data_in){

                                                        global $rdsql;

                                                        $temp =
explode(':',$data_in);

                                                        //$token =
$temp[0].'RF';

                                                        $find_status = $rdsql-
>exec_query("SELECT exa_value FROM exav_addon_varchar WHERE exa_token = 'REFN' AND parent_id
=
        (SELECT id FROM entity_child WHERE entity_code = '$temp[0]' AND user_id =
$temp[1])","Selection Fails");

                                                        $value = $rdsql-
>data_fetch_row($find_status);
```

```php
                                            if(!$value[0]){

                                                return
'<span class="clr_gray_a">NA</span>';

                                            }else{

                                                return
$value[0];

                                            }

                                        }

                                    ),


                                6=>array('th'=>'Title',

                                    'field' =>"concat(code,':',$USER_ID)",

                                    'td_attr' => ' class="align_LM"
width="25%"',

                                    'is_sort' => 0,

                                    'filter_out'=>function($data_in){

                                        global $rdsql;
```

```php
					$temp = explode(':',$data_in);

					$find_title = $rdsql->exec_query("SELECT exa_value FROM exav_addon_varchar WHERE exa_token = 'TITLE'

			AND parent_id = (SELECT id FROM entity_child WHERE entity_code = '$temp[0]' AND user_id = $temp[1])","Selection Fails");

					$find_title_val = $rdsql->data_fetch_row($find_title);

					if(!$find_title_val[0]){

						return '<span class="clr_gray_a">NA</span>';

					}else{

						return "<span class='txt_size_13'>$find_title_val[0]</span>";

					}

				}

			),

			2=>array('th'=>'Action ',

				'field' =>"concat(code,':',$USER_ID)",
```

```php
                                                        'td_attr' => ' class=" align_CM"
width="15%"',


                                                    'filter_out'=>function($data_in){


                                                        global $rdsql;


                                                        $temp =
explode(':',$data_in);


                                                        $find_id = $rdsql-
>exec_query("SELECT id FROM entity_child WHERE entity_code = '$temp[0]' AND user_id =
$temp[1]","Selection Fails");


                                                        $value = $rdsql-
>data_fetch_row($find_id);


                                                        $prog_status = $rdsql-
>exec_query("SELECT is_active FROM entity_child_base WHERE token = '$temp[0]'","Selection of
program status Fails");


                                                        $prog_status_value =
$rdsql->data_fetch_row($prog_status);


        if(($prog_status_value[0]==0)&&($value[0]==NULL)){


                                                            return '<a>
```

```php
        Closed</a>';

                                                            }



        elseif(($value[0]==NULL)&&($prog_status_value[0]==1)){



        $temp_file_name  = "doc/$temp[0].pdf";



        $temp_content    = '';



        if(is_file($temp_file_name)){

        $temp_content   ='<div class="pad_tb_5"><span class="clr_red">*</span>'.

'<a class="clr_gray_9 txt_size_11" target="_blank" href="'.$temp_file_name.'">Check Eligibility
Guideline</a></div>';

                                                            }



                                                            return
'<a class="btn btn-success clr_gray_f w_100" onclick="JavaScript:project_doc('."'$temp[0]'".');">'.

                                                            '<i
class="fa fa-chevron-circle-right " aria-hidden="true"></i> '.

        'Apply</a>'.$temp_content;
```

```php
                                                            }

                                                elseif($temp[0]=='CI'){

                                                        return 'Not
Applicable';

                                                    }


                                                else{

                                                        $to_pass=
$data_in.":".$value[0];


                                                        return '<a
class="pointer clr_gray_b txt_size_11 tip_bottom"
onclick="JavaScript:view_project_doc(\'."\'$to_pass\'".\');">'.

                                                                '<i
class="fa fa-file-pdf-o clr_red txt_size_15" aria-hidden="true"></i> '.

'View</a><span class="tooltiptext">View Project Report</span>';

                                                    }
                                    }
                            ),
```

```php
4=>array('th'=>'Status',

                'field' =>"concat(code,':',$USER_ID)",

                'td_attr' => ' class="clr_gray_a txt_case_upper align_LM" width="10%"',

                'is_sort' => 0,

                'filter_out'=>function($data_in){

                        global $rdsql;

                        $temp = explode(':',$data_in);

                        //$token = $temp[0].'ST';

                        $find_status = $rdsql->exec_query("SELECT exa_value_token FROM exav_addon_exa_token WHERE exa_token = 'STAT' AND parent_id =
```

```php
        (SELECT id FROM entity_child WHERE entity_code = '$temp[0]' AND user_id =
$temp[1])","Selection Fails");


                                                            $value = $rdsql-
>data_fetch_row($find_status);


                                                            $code_val = $rdsql-
>exec_query("SELECT upper(sn) FROM entity_child_base WHERE token = '$value[0]'","Selection Fails");


                                                            $code_value = $rdsql-
>data_fetch_row($code_val);


                                                            if(!$code_value[0]){

                                                                    return
'<span class="clr_gray_a">NA</span>';

                                                            }


        //elseif($value[0]=='SASU'){

                                                            //

                                                            //      return
"<span><i class='fa fa-star txt_size_15' aria-hidden='true'>  </i>under review</span>";

                                                            //      //return 'On
Review Process';

                                                            //

                                                            //}


                                                            else{
```

```php
                $temp_status_code=$code_value[0];


                $temp=['NEW'=>'file-o clr_orange','SUBMITTED'=>'file-text-o clr_dark_blue',

                                                                          'UNDER
REVIEW'=>'fa fa-pencil clr_red','REVIEWED'=>'fas fa-battery-full clr_green',


'ACCEPTED'=>'far fa-check clr_green','REJECTED'=>'fal fa-times clr_red','RE-SUBMIT'=>'fa fa-retweet
clr_yellow',];


                                                                  return
"<span><i class='fa fa-$temp[$temp_status_code] txt_size_15' aria-hidden='true'>  </i>".


"$temp_status_code</span>";


                                                    }


                                        }


                                ),


                        5=>array('th'=>'Updated On',


                                'field' =>"concat(code,':',$USER_ID)",


                                'td_attr' => ' class="clr_gray_a
txt_size_11 align_RM no_wrap" width="10%"',
```

```php
'is_sort' => 0,

'filter_out'=>function($data_in){

    global $rdsql;

    $temp = explode(':',$data_in);

    $find_upd_on = $rdsql->exec_query("SELECT date_format(updated_on,'%d-%b-%Y-%T') FROM entity_child WHERE entity_code = '$temp[0]' AND user_id = $temp[1]","Selection Fails");

    $value_upd = $rdsql->data_fetch_row($find_upd_on);

    if(!$value_upd[0]){
        return '<span class="clr_gray_a">NA</span>';
    }else{
        return $value_upd[0];
    }

}
),
```

```php
3=>array('th'=>'Edit ',

    'field' =>"concat(code,':',$USER_ID)",

    'td_attr' => ' class=" align_RM" width="10%"',

    'filter_out'=>function($data_in){

        global $rdsql;

        $temp = explode(':',$data_in);

        //$token = $temp[0].'ST';

        $find_id = $rdsql->exec_query("SELECT id FROM entity_child WHERE entity_code = '$temp[0]' AND user_id = $temp[1]","Selection Fails");

        $value = $rdsql->data_fetch_row($find_id);

        $find_status = $rdsql->exec_query("SELECT exa_value_token FROM exav_addon_exa_token WHERE exa_token = 'STAT' AND parent_id =
```

```php
        (SELECT id FROM entity_child WHERE entity_code = '$temp[0]' AND user_id =
$temp[1])","Selection Fails");



                                                    $status_value = $rdsql-
>data_fetch_row($find_status);










                                                    //print_r
($status_value[0]);




        //if(($value[0]!=NULL)&&($status_value[0]=='SANW')||($value[0]!=NULL)&&($status_value[0]=
='SARS')){




        if($status_value[0]=='SASU'){




                                                    $to_pass=
$data_in.":".$value[0];




                                                    return '<a
class="pointer clr_gray_b tip_bottom" onclick="JavaScript:project_doc_edit('."'$to_pass'".');">'.
```

```php
                                                              '<i
class="fa fa-edit clr_green txt_size_15" aria-hidden="true"></i> '.


        'Edit</a><span class="tooltiptext">Edit Application</span>';


                                                              }


                                                              else{

                                                                  return '<span
class="clr_gray_a">NA</span>';


                                                              }

                                                      }

                                              ),


                                      12=>array(      'th'=>'Comments',


                                                      'field'
=>"concat(code,':',$USER_ID,':',id)",


        'filter_out'=>function($data_in){


global $rdsql;
```

```php
$temp = explode(':',$data_in);


$find_id = $rdsql->exec_query("SELECT id FROM entity_child WHERE entity_code = '$temp[0]'
AND user_id = $temp[1]","Selection Fails");


$id_value = $rdsql->data_fetch_row($find_id);


$find_status = $rdsql->exec_query("SELECT exa_value_token FROM exav_addon_exa_token
WHERE exa_token = 'STAT' AND parent_id =

                                (SELECT id FROM entity_child WHERE entity_code = '$temp[0]'
AND user_id = $temp[1])","Selection Fails");


$status_value = $rdsql->data_fetch_row($find_status);


if($status_value[0]=='SASU'){


$data_out = array(      'id'  => $temp[2],

                        'link_title'=>'View comments',

                        'is_fa'=>'fa-comments-o txt_size_24 clr_orange ',
```

```php
                              'title'=>'View comments',

        'src'=>"?dx=review_comments&menu_off=1&mode=simple&default_addon=$id_value[0]",

                              'style'=>"border:none;width:100%;height:600px;",

                              'refresh_on_close'=>0

                    );

                    return json_encode($data_out);

        }


        else{

                $data_out = array(        'id'   => $temp[2],

                                'link_title'=>'Not Applicable',

                                'is_fa'=>'fa-ban txt_size_12 clr_orange ',

                                'title'=>'Not Applicable',

                                'src'=>"",

                                'style'=>"border:none;width:100%;height:600px;",

                                'refresh_on_close'=>0
```

```php
                );

        return json_encode($data_out);



}

                                                                },



                        'js_call'=>'d_series.set_nd'



                                        ),



                ),



        #Table Info



        'table_name' =>'entity',



        'key_id'    =>'id',



        # Default Additional Column



        'is_user_id'     => 'user_id',
```

```
//

                                'key_filter'    =>          " AND code IN (SELECT token FROM
entity_child_base WHERE entity_code='$COACH[portal]' AND is_active = 1)

                                                OR code IN (SELECT token FROM
entity_child_base WHERE entity_code='$COACH[portal]' AND is_active = 0 AND token IN

                                                (SELECT entity_code FROM entity_child
WHERE user_id = $USER_ID))",




                        //'key_filter'    =>       " AND (code= 'EI' OR code='NP' OR code='NA')",




                        'order_by'  =>"ORDER BY (select line_order FROM entity_child_base
WHERE token = entity.code)",



                        'is_narrow_down' => 0,



                        'js' => array('is_top' => 1, 'top_js' => "def/programme/dx"),


        # Communication


        'prime_index'  => 1,


                #check_field


                        'check_field'  => array('user_id' =>
@$_GET['user_id'],'page_code' => @$_GET['page_code']),
```

```php
                            'add_button' => array( 'is_add' =>0,'page_link'=>'', 'b_name' =>
'' ),


                            'del_permission' => array('able_del'=>0,'user_flage'=>0),


                            'date_filter'  => array( 'is_date_filter' =>0,'date_field' =>  ''),


                #export data


                            'export_csv'   => array('is_export_file' => 0, 'button_name'=>'Create
CSV','csv_file_name' => 'csv/log_'.time().'.csv'  ),


                            'page_code'    => 'CHKPAYMENT',


                            'show_query'=>0,


                            'hide_show_all' => 1,


                            'hide_pager'    =>1,


                            'filter_off' =>0,


                            'search_filter_off'        =>1,


                );
```

```php
        unset($D_SERIES['data'][12]);


?>
```