Solarbio®
LIFE SCIENCES

Sri Saradi Scientific

Histological Staining



Beijing Solarbio Science & Technology Co.,Ltd.

Product Introduction

With the progress and development of the times, Solarbio has been constantly carrying out product innovation and product optimization, and is committed to producing dyeing reagents with high quality, convenient operation, stable quality and strong specificity, so as to escort the scientific research career of researchers.

At present, the number of Solarbio staining reagent products is 1000+, mainly self-developed products. It covers the product classification of **Dyeing Raw Materials, HE Stain, Enzymatic Stain, Fluorescent Stain, Plant Stain**, etc., and constantly innovates and iterates. At present, some products on sale have obtained invention patents, and several product invention patents are being applied. The production process of the product has passed the quality system certification, and some products have passed the in vitro diagnostic reagent registration to meet the dual needs of product quality and batch stability. It provides one-stop service from sample preparation to staining and sealing, and is widely applied to the staining and detection of animals and plants, cells, tissues, microorganisms and others. In addition, we also provide product customization and CRO services for you to save time and effort and easy scientific research.

PRODUCT CATALOG

Product Catalog 01

Part 1. 02

Dye

•Optical Dye •Fluorescent Dye

Part 2. 02

Fluorescent Stain

•Nuclear Labeling Stain •Viability Detection Stain
•Other Labeling Stain

Part 3. 03

HE Stain

•Hematoxylin Stain •Eosin Stain •HE Stain Suit
•Differentiation •Bluing Solution

Part 4. 04

Tissue Stain

•Connective Tissue Stain •Bone Tissue Stain
•Nerve Tissue Stain

Part 5. 07

Plant Stain

•Cell Wall Stain •Damage Detection Stain
•Cell Inclusions Stain •Auxiliary Reagent
•Plant Fixative Solution •Pollen Stain

Part 6. 08

Enzymatic Stain

•AP/ALP Stain •ACP/TRAP Stain •SA-β-Gal Stain
•ATPase Stain •SDH Stain •COX Stain
•α-NAE Stain •G-6-Pase Stain

Part 7. 09

Special Cell Stain

•Mast Cell Stain •Blood Cell Stain •Shed Cell Stain
•Cell Viability Stain •Sperm Cell Stain
•Eosinophil Stain •Paneth Cell Stain

Part 8. 10

Intracellular Component Stain

•Sugar & Glycoprotein Stain •Nucleic Acid Stain
•Metal Salt Stain •Pigment Stain
•Lipid Stain •Amyloid Substance Stain
•Subcellular Organelle Stain

Part 9. 11

Microbial Stain

•Gram Stain •Capsule Stain •Spore Stain
•Flagellum Stain •Acid-Fast Stain
•Special Microorganism Stain
•Indole Test Reagent •Bacteria Inhibitor

Part 10. 12

Auxiliary Reagent

•Labeling Solution •Removal Solution
•Indicator •Counting Solution
•Other Reagents

Part 11. 12

Section Preparation Reagent

•Fixative Solution •Decalcifying Solution
•Dehydrating Agent
•How to prepare tissue sections

Part 12. 14

Product FAQs

Part 13. 15

Literature Citation

Part 14. 16

Hot-Sale Products

Dye Part 1.

Optical Dye

O8010-oil Red

T8070-Trypan Blue

B8120-Bromphenol Blue

Fluorescent Dye



D8700-DiI
Fluorescent Probe



J8030-JC-1
Fluorescent Probe



D6470-DCFH-DA
Fluorescent Probe

The staining raw materials of Solarbio cover research fields such as molecular biology, cell biology, protein and immunology, etc. They are rich in variety and can provide optical dyes required for conventional staining, special pathological staining, Western Blot (WB) and other related staining. They can also provide fluorescent probes used for the labeling of cellular microscopic structures (nucleus, membrane, cytoplasm, subcellular organelles, etc.) and viability detection.

Scan code to see series details

Fluorescent Stain Part 2.

Solarbio's Fluorescent Stain Products is truly a powerful aid in biological research. One bottle contains multiple functional staining solutions, which can meet the research needs of various fields such as bacteria, cells, and tissues.

In the study of bacteria, it can clearly outline the cell wall, cell membrane, and organelles of bacteria, helping to explore the microscopic world. For cell research, it can accurately label structures such as the cell nucleus and cytoskeleton, making important contributions to cell experiments. When dealing with various tissues such as muscles and nerves, it can specifically label special structures, and the results are accurate and reliable.

Its fluorescent signal is as intense as the shining stars in the night sky, and it has excellent stability, being less likely to decay. It provides researchers with a continuously clear observation experience. Choosing Solarbio's fluorescent staining solution means immediately embarking on a new journey of biological research!

Scan code to see series details

Nuclear Labeling Stain	
C0020	Hoechst 33258 Stain solution(ready-to-use)
C0021	Hoechst 33258 Stain solution(1mg/ml)
C0030	Hoechst 33342 Stain solution(ready-to-use)
C0031	Hoechst 33342 Stain solution(1mg/ml)
C0060	DAPI solution, 1mg/ml
C0065	DAPI solution(ready-to-use)
C0080	Propidium solution, 1mg/ml

Viability Detection Stain	
CA1060	Caspase-3 Assay Kit for Live Cells
CA1142	AO Fluorescent Stain Kit
CA1143	AO Stain Solution
CA1630	Calcein-AM/PI,Live/Dead Cell Double Stain Kit
CA1631	Calceiin-AM/EthD-I,Live/Dead Cell Double Stain Kit
CA1632	Calceiin-AM/EthD-III,Live/Dead Cell Double Stain Kit
EX3000	Live/Dead Bacteria Staining Kit

Staining Results



C0065-DAPI Stain (Hela cell)



C0020-Hoechst 33258 Stain (Hela cell)



CA1142-AO Stain (MCF7 cell)

HE Stain

Part 3.

Solarbio's HE Stain Products has undergone repeated verification and continuous optimization. In addition to the conventional HE staining kit, there are also hematoxylin and eosin staining solutions of different grades, which are suitable for morphological staining of a variety of animal and plant samples as well as cell samples. The operation is safe and simple, and the staining results show a clear contrast.Our company has 19 types of hematoxylin staining solutions, 6 types of eosin staining solutions, as well as various differentiation solutions and bluing solutions with different speeds and intensities.

We can customize HE staining combinations according to your samples to achieve the best presentation effect, providing you with a satisfactory detection method for morphological staining.

Scan code to see series details

Hot Sale Hematoxylin Stain	
G1080	Mayer's Hematoxylin Stain Solution, For IHC
G1140	Cole's Hematoxylin Solution(For Conventional Stain)
G1150	Modified Harris Hematoxylin Stain Solution
G4070	Modified Lillie-Mayer Hematoxylin Stain Solution
G1142	Weigert's Hematoxylin Stain Kit
G4491	Hematoxylin Stain Solution, Gill I

Hot Sale Eosin Stain	
G1100	Eosin Y Stain Solution, For HE
G1102	Eosin Y Aqueous Solution, 0.5%
G1103	Eosin Y Aqueous Solution, 2%
G1105	Eosin Y Aqueous Solution, 5%
G1106	Sodium-Free Eosin Y Alcoholic Solution, 0.5%
G1108	Eosin Y Alcoholic Solution, 0.5%

Hot Sale HE Stain Kit	
G1120	Hematoxylin-Eosin(HE) Stain Kit
G1121	Modified Hematoxylin-Eosin(HE) Stain Kit
G1126	Hematoxylin-Eosin(HE) Stain Kit III

Hot Sale Differentiation/Bluing Solution	
G1861	Acid Alcohol Differentiation Solution, 1%
G1862	Hematoxylin-Eosin(HE) Differentiation Solution
G1865	Scott's Bluing Solution

Staining Results



G1080-Mayer Hematoxylin Stain



G4070-Modified Mayer Hematoxylin Stain



G1120-Hematoxylin-Eosin(HE) Stain



G1121-Hematoxylin-Eosin(HE) Stain

Tissue Stain Part 4.

Solarbio's Tissue Stain Products fall into three main applications: connective tissue, bone tissue, and nerve tissue staining solutions.

Connective tissue staining solutions cover collagen, reticular, elastic, muscle fiber stains and combined ones (including Masson, modified Sirius red, MSB, Movat kits), suiting various sample staining.

Bone tissue staining solutions are used for three main purposes: differentiating cartilage & mineralized bone, mature & new bone, and single cartilage staining. They're applicable to decalcified paraffin, undecalcified plastic - embedded bone sections, ground and semi - thin sections.

Nerve tissue staining solutions mainly consist of Nissl body, myelin sheath and nerve stains. These help detect brain tissue degeneration or aging and are important in current research.

Scan code to see series details

Connective Tissue Stain

Collagen Fiber Stain	
G1340	Masson's Trichrome Stain Kit
G1343	Masson's Trichrome Stain Kit(Fast Green FCF Method)
G1346	Modified Masson's Trichrome Stain Kit
G1472	Modified Sirius Red Stain Kit(No Picric Acid)
G1473	Modified Sirius Red Staining Solution(For Collagen Fiber)
G1475	Herovici Collagen Stain Kit
G1790	Modified Aniline Blue Stain Kit(PAB Method)

Elastic Fiber Stain	
G1588	Victoria Blue Stain Solution
G1589	Elastic Fiber Stain Kit(Orcein Method)
G1592	Resorcin-Fuchsin Solution
G1593	Elastic Fiber Stain Kit(Aldehyde-Fuchsin Method)
G1594	Aldehyde-Fuchsin Stain Solution
G1596	Elastic Fiber Stain Kit(Victoria Blue Method)
G1598	Elastic Fiber Stain Kit(Verhoeff Method)

Reticular Fiber Stain	
G3520	Gordon-Sweet's Ammoniacal Silver Stain Solution
G3525	Reticulin Stain Kit(Gordon-Sweet Sliver Method)
G3530	Gomori Ammoniacal Silver Stain Solution
G3535	Reticulin Stain Kit(Gomori Sliver Method)

Multicolor Stain	
G1355	Mallory's Trichrome Stain Kit
G2040	Fibrin Stain Kit(Modified MSB Method)
G2041	Fibrin Stain Kit(Gram Method)
G3701	Movat-Russell Modified Pentachrome Stain Kit

Elastic-Van Gieson (EVG) Staining Series	
G1590	Collagen Fiber And Elastic Fiber Staining Kit (EVG-Weigert Method)
G1595	Collagen Fiber And Elastic Fiber Staining Kit (EVG-Victoria Method)
G1597	Collagen Fiber And Elastic Fiber Staining Kit (EVG-Verhöeff Method)

Muscle Fiber Stain	
G1380	Mallory's Acid Hematoxylin(PTAH) Stain Kit (Natural Oxidation)
G1382	Mallory's Acid Hematoxylin(PTAH) Stain Kit (Chemical Oxidation)
G3470	Phosphomolybdic Acid Aqueous Solution,1%
G3475	Azophloxine Stain Solution

Staining Results



G1472-Modified Sirius Red Stain (Skin)



G1346-Modified Masson's Trichrome Stain (Skin cancer)



G1597-EVG-Verhöeff stain (Mouse ovary)



G3525-Gordon-Sweets stain (Mouse kidney)

Bone Tissue Stain

Cartilage Stain	
G2540	Safranine O Cartilage Stain Solution
G2541	Alcian Blue Cartilage Stain Kit,pH 1.0
G2542	Alcian Blue Cartilage Stain Kit,pH 2.5
G2543	Toluidine Blue Cartilage Stain Solution
G4810	Safranin O Stain Solution,1%

Bone Quality Differential Stain	
G1371	Modified Saffron-O and Fast Green Stain Kit(For Bone)
G3500	Pollak's Trichrome Stain Kit
G3550	Goldner Trichrome Stain Kit
G3551	Methylene Blue-Acid Fuchsin Stain Kit
G3663	Toluidine Blue O Solution,1% in Sodium Borate

Staining Results



G2542-Alcian Blue Cartilage Stain (Mouse knee)



G1371-Modified Saffron-O and Fast Green Stain (Mouse knee)



G3550-Goldner Trichrome Stain (Mouse knee)



G3551-Methylene Blue-Acid Fuchsin Stain (Mouse knee)

Nerve Tissue Stain

Nissl Body Stain	
G1430	Nissl Stain Kit(Cresyl Violet Method)
G1432	Nissl Stain Kit(Methyl Violet Method)
G1434	Nissl Stain Kit(Methylene Blue Method)
G1436	Nissl Stain Solution(Toluidine Blue Method)
G1438	Nissl Stain Solution(Thionin Method)

Neuron Stain	
G3260	Modified Bielschowsky's Stain Kit
G3262	Degenerating Neurons Stain Kit(FJC Method)

Myelin Sheath Stain	
G3240	Luxol Fast Blue Myelin Stain Kit(Eosin Method)
G3242	Luxol Fast Blue Stain Solution
G3245	Luxol Fast Blue Myelin Stain Kit(Cresyl Violet Method)
G3246	Myelin Stain Kit(Fast Green FCF Method)
G3247	Myelin Stain Kit(Chromotrope 2R Method)
G3270	Weil's Myelin Stain Kit
G3272	Weil's Iron Hematoxylin Stain Kit
G3275	Modified Page Myelin Stain Kit

Staining Results



G1430-Nissl Cresyl Violet Stain (Mouse brain)



G3242-Luxol Fast Blue Stain (Mouse brain)



G1434-Nissl Methylene Blue Stain (Mouse brain)



G3260-Modified Bielschowsky Stain (Nerve)

Plant Stain Part 5.

Solarbio's Plant Stain Products are self - developed and repeatedly verified. They mainly include cell wall, special structure, pollen, and viability staining solutions, covering methods like safranin - fast green, GUS, trypan blue, pollen TTC, and reactive oxygen species staining to meet diverse needs.

Moreover, Solarbio offers fixatives, clearing and preservation agents for plant tissue staining, aiming to provide one - stop service.

Scan code to see series details

Cell Wall Stain	
G1375	Saffron-O and Fast Green Stain Kit(For Plant)
G1525	Plant Cork Cell Wall Stain Solution(Sudan Method)
G4805	Plant Callose Staining Solution(Aniline Blue Method)
G4807	Plant Tissue Staining Solution(Toluidine Blue Method)
G4813	Casparian Strip Stain Kit

Damage Detection Stain	
G3060	GUS Stain Kit
G3061	GUS Stain Kit,Ready-To-Use
G4808	Plant Tissue Stain Kit(Trypan Blue Method)
G4815	Plant Tissue ROS Detection Kit(DAB Method)
G4816	Plant Tissue ROS Detection Kit(NBT Method)

Cell Inclusions Stain	
G4809	Plant Tissue Stain Kit(PAS-NYS method)
G4812	Plant Tissue Iron Stain Kit

Auxiliary Reagent	
G4821	Plant Tissue Decolorization Solution
G4822	Plant Tissue Transparent Solution(Fast)

Plant Fixative Solution	
G2310	Carnoy Fixative II
G2350	Alcohol Acetate Formalin(AAF) Mixed Fixative, 70%
G2355	Alcohol Acetate Formalin(AAF) Mixed Fixative, 50%

Pollen Stain	
G3050	Alexander Stain Solution
G4800	Pollen Viability Stain Solution(TTC Method)
G4801	Pollen Viability Stain Solution(Iodine-Potassium Iodide Method)

Staining Results



G1375-Saffron-O and Fast Green Stain (Pine needle)



G4800-TTC Stain (Rapeseed pollen)

G4816-NBT Stain (Hibiscus leaves)



G1525-Plant Cork Cell Wall Stain (Cabbage stem)

Enzymatic Stain

Part 6.

Solarbio's Enzymatic Stain Products operate on two main principles: in - situ and indirect displacement. In in - situ staining, the enzyme hydrolyzes the substrate, reacting with a chromogenic agent to form a colored precipitate in - situ. The indirect displacement method involves the enzyme releasing a colorless product from substrate hydrolysis, which is then replaced by metal ions to form a colored precipitate.

These staining solutions target various marker enzymes in cells and tissues. ALP staining shows osteogenesis degree and cycle. β - Galactosidase staining reveals senescent cell expression. ATP enzyme staining differentiates muscle fiber types, indicating activity levels.

Scan code to see series details

Hot Selling Enzymatic Stain	
G1480	Alkaline Phophatase Stain Kit(Kaplow's/Azo Coupling Method)
G1481	Alkaline Phophatase Stain Kit(Modified Gomori Ca-CoS Method)
G1492	Tartrate-Resistant Acid Phosphatase(TRAP) Stain Kit
G1495	TRAP-ALP Stain Kit
G1580	Senescence-Associated β-Galactosidase(SA-β-Gal) Stain Kit
G2000	Succinate Dehydrogenase Stain Kit(Tetrazole Salt Method)
G2005	COX-SDH Stain Kit
G2370	Peroxidase Stain Kit(DAB Method)
G2380	ATPase Stain Kit(Calcium-Cobalt Method)

Marker Enzymatic Stain	
G1500	Glucose-6-Phosphatase Stain Kit(Metal Precipitation Method)
G1581	Lysosomal Galactosidase Staining Kit
G2110	Acetylcholinesterase Stain Kit(Copper Ferricyanide Method)
G2111	Acetylcholinesterase Stain Kit(Metal Precipitation Method)
G2390	Acid α-Naphthol Acetate Esterase Stain Kit(ANAE Method)
G2400	α-Naphthol Acetate Esterase Stain Kit(α-NAE Method)
G2410	Cytochrome Oxidase Stain Kit(DAB method)
G2415	Monoamine Oxidase(MAO)Stain Kit(NBT Method)
G3510	Modified Gomori Trichromatic Stain Kit

Staining Results



G1480-ALP Stain (Bone frozen section)



G2410-COX Stain (Muscle frozen section)



G1580-SA-β-Gal Stain (Hela cell)



G2000-SDH Stain (Muscle frozen section)

Special Cell Stain

Part 7.

Solarbio's Special Cell Stain Products are mainly divided into series such as cell viability staining solutions, sperm cell staining solutions, exfoliated cell staining solutions, blood cell staining solutions, and inflammatory cell staining solutions (such as mast cells, eosinophils, and neutrophils). It includes a variety of staining products, such as live cell neutral red/trypan blue staining, Wright-Giemsa staining, Papanicolaou staining, and sperm eosin-aniline blue staining. These products are complete in variety and excellent in quality.

Scan code to see series details

Cell Viability Stain	
G0170	Autophagy/Cytotoxicity Dual Stain Kit(MDC Method)
C0040	Trypan Blue Stain Solution,0.4%
G1314	Neutral Red Sterile Solution,For Vacuolar
G1810	Evan's Blue Stain Solution,0.5%
G3005	TTC Solution,2%

Shed Cell Stain	
G1555	Rakoff Stain Solution,For Exfoliated Cells
G1610	Papanicolaou EA50 Stain Kit
G1612	Papanicolaou EA36 Stain Kit
G1614	Papanicolaou EA65 Stain Kit
G1617	Fast Papanicolaou Stain Kit

Mast Cell Stain	
G3670	Mast Cells Stain Solution(Toluidine Blue Method)
G3672	Mast Cells Stain Kit(Alcian Blue-Safranin Method)
G3674	Mast Cells Stain Kit(Aldehyde Fuchsin-Orange G Method)
G3676	Mast Cells Stain Kit(Allen Method)

Sperm Cell Stain	
G2570	Sperm Morphology Stain Kit(Shorr Method)
G2571	Sperm Morphology Stain Kit(Papanicolaou Method)
G2580	Sperm Vitality Detection Solution(HOS Method)
G2582	Sperm Vitality Detection Solution(Eosin Method)

Blood Cell Stain	
G1010	Giemsa Stain Solution(Working Solution)
G1021	Wright-Giemsa Stain Kit
G1040	Wright Stain Solution
G1540	Diff-Quick Stain Kit(With Fixative)

Eosinophil Stain	
G3630	Eosinophil Stain Kit(Chromotropic acid 2R Method)
G3631	Eosinophil Stain Kit(Congo Red Method)
G3632	Eosinophil Stain Kit(Sirius Red Method)

Staining Results



C0041-Trypan Blue Stain (Hela cell)



G1617-Fast Papanicolaou Stain (Oral epithelial cells)



G3676-Mast Cells Allen Stain (Mouse lung)



G1020-Wright-Giemsa Stain (Mouse blood smear)

Intracellular Component Stain

Part 8.

Solarbio's Intracellular Component Stain Products are mainly divided into series such as sugar & glycoprotein staining solutions, metal salt staining solutions, nucleic acid staining solutions, pigment staining solutions, amyloid substance staining solutions, and lipid staining solutions. These solutions cover the staining needs of glycogen, mucin, metal salt deposition, cell nuclei, lipofuscin, melanin, subcellular organelles, etc. High-quality and high-purity raw materials are selected for production and preparation, and the staining effects are trustworthy.

Scan code to see series details

Sugar & Glycoprotein Stain	
G1281	Periodic Acid Schiff(PAS) Stain Kit,with Hematoxylin
G1285	Alcian Blue Periodic Acid Schiff(AB-PAS) Stain Kit
G1286	Schiff Reagent
G1366	Glycogen Periodic Acid Schiff(PAS) Stain Kit(For Fungus)
G1560	Alcian Blue Stain Kit,pH 2.5
G1563	Alcian Blue Stain Kit,pH 1.0
G2070	High Iron Diamine/Alcian Blue(HID/AB) Mucins Stain Kit

Pigment Stain	
G1422	Prussian Blue Iron Stain Kit(With Nuclear Fast Red)
G1428	Prussian Blue Iron Stain Kit(Ferric Iron,Enhance With DAB)
G1429	Prussian Blue Iron Stain Kit(Ferrous Iron,Enhance With DAB)
G2020	Lipofuscin Stain Kit(Long Ziehl-Neelsen Method)
G2032	Masson-Fontana Melanin Stain Kit
G2033	Melanin And Lipofuscin Stain Kit(Schmorl Method)

Lipid Stain	
G1261	Modified Oil Red O Stain Kit
G1262	Oil Red O Stain Kit,For Cultured Cells
G1263	Modified Oil Red O Stain Kit,Environmental Friendly
G1264	Lipid Fluorescent Staining Kit(Nile Red Method)
G1511	Sudan III Stain Kit
G1520	Sudan IV Stain Kit

Amyloid Substance Stain	
G1530	Congo Red Amyloid Stain Kit(Bennhold Method)
G1531	Congo Red Stain Solution,1%
G1532	Congo Red Amyloid Stain Kit(Modified Stores Method)
G1533	Congo Red Amyloid Stain Kit(Puchtler Method)
G1534	Congo Red Amyloid Stain Kit(Modified Highman Method)
G1535	Congo Red Amyloid Stain Kit(Highman Method)

Metal Salt Stain	
G1452	Alizarin Red S Solution,1%,pH4.2
G1453	Alizarin Red S Staining Extraction Solution(CPC,10%)
G3280	Calcium Stain Kit(Modified Alizarin Red S Method)
G3281	Calcium Stain Kit(Alizarin Red S Method)
G3282	Calcium Stain Kit(Von Kossa Method)
G3283	Alizarin Red S Staining Quantitative Detection Kit(CPC Method)

Nucleic Acid Stain	
G1165	Modified Carbol-Fuchsin Solution
G1303	Methylene Blue Solution,1%
G1320	Nuclear Fast Red Solution,0.1%
G1390	Carmine Acetate Stain Solution
G1652	Methyl Green Stain Solution,1%
G1670	Methyl Green-Pyronin(MGP) Stain Solution

Staining Results



G2020-Lipofuscin Stain (Mouse ovary)



G1428-Enhanced DAB Stain (Mouse liver)



G1264-Lipid Nile Red Stain (Adipocyte)

Microbial Stain

Part 9.

Solarbio's Microbial Stain Products are divided into two major categories: bacterial identification staining and bacterial substructure staining. Specifically, they include series such as Gram staining solution, flagella staining solution, spore staining solution, capsule staining solution, acid-fast staining solution, and staining solutions for special pathogenic microorganisms. According to different samples, you can choose the appropriate staining solution and staining method on your own.

Scan code to see series details

Gram Stain	
G1060	Gram Stain Kit
G1066	Lugol Solution,0.33%,For Gram Stain
G1067	Safranin O Stain Solution,0.5%,For Gram Stain
G3220	Weigert's Gram Stain Kit(Conn Modified)
G3225	Tissue Gram Staining Kit
G3230	Modified Weigert-Gram Stain Kit

Capsule /Flagellum Spore Stain	
G1132	Spore Stain Kit
G1133	Spore Stain Kit(Scharffer-Fulton Method)
G1134	Flagella Stain Kit(Modified Ryu Method)
G1135	Flagella Stain Kit(Leifson Method)
G1136	Flagella Stain Kit(Silver Method)
G1130	Capsul Stain Kit

Acid-Fast Stain	
G0032	Carbol Fuchsin Stain Solution,5%/0.5%
G1170	Acid-Fast Bacillus(AFB) Stain Kit
G1272	Acid-Fast Bacillus(AFB)Stain Kit(Auramine O Method)
G1273	Acid-Fast Bacillus(AFB)Stain Kit(Modified Kinyoun's Method)
G1274	Acid-Fast Bacillus(AFB)Stain Kit(Ziehl-Neelsen's Method)
G3190	Brucella Stain Kit(Kirschner Method)

Special Microorganism Stain	
G0980	Mycoplasma Stain Solution(Dienes Method)
G1600	Lactophenol Cotton Blue Stain solution
G1920	Hepatitis B Virus Stain Kit(Gomori Aldehyde-Fuchsin Method)
G1930	Helicobacter Pylori Stain Kit(MGG Method)
G3205	Cryptococcus Neoformans Stain Kit(Steedman-Lison Method)
G3235	Fungal Fluorescence Stain Kit(CFW Method)

Bacteria Inhibitor	
G0160	Sodium Deoxycholic Acid Solution,1%
G0161	Sodium Deoxycholic Acid Solution,1%,pH8.0

Indole Test Reagent	
G1290	Ehrlich Reagent
G3180	Kovac Reagent

Staining Results

G1060-Gram Stain (Ecoli/S. aureus)



G1133-Spore Stain (Bacillus)



G3235-Fungal CFW Stain (Mould)



G1136-Flagella Stain (Bacillus subtilis)

Auxiliary Reagent Part 10.

In addition to regular Auxiliary Reagents, Solarbio also provides auxiliary reagents required during experimental operations, such as labeling solutions for distinguishing tissues or cells, cell counting solutions, acid-base indicators, buffers, pigment/protein removal solutions, and other auxiliary reagents that are not directly used for staining.

Scan code to see series details

PEG Series Solution[NEW]	
G0561	PEG8000-NaCl Solution(30%, Sterilized)
G0562	PEG8000-MgCl2 Solution(40%, Sterilized)
G0563	PEG8000 Solution(50%, Sterilized)
G0564	PEG6000-NaCl Solution(20%, Sterilized)
G0565	PEG6000 Solution(50%, Sterilized)
G0566	PEG4000 Solution(50%, Sterilized)
G0567	Lentivirus Concentrated Solution (5×, Sterilized)

Counting Solution	
G2950	Turk's Solution
G3571	Sperm Counting Solution(with Trypan Blue)
G3580	Eosinophilic Dilution
G3590	Platelet Dilution
G3600	White Blood Cell Dilution
G3610	Red Blood Cell Dilution
G3620	Dacie's Solution

Other Reagents	
G0450	Ringer's Buffer,For Animal
G0451	Ringer's Buffer,For Amphibian
G2640	Sodium Lactate Aqueous Solution,4%
G2641	Sodium Lactate Aqueous Solution,1%
G4710	SDS Residue Detection Kit

Removal Solution	
G0121	Serum/Plasma Albumin Removal Kit(Precipitation Method)
G2870	Mercury Pigment Removal Kit
G2890	Malaria Pigment Removal Solution
G2900	Formalin Pigment Removal Solution
G2910	Melanin Removal Kit

Labeling Solution	
G4750	Laboratory Animal Marker Solution,Violet
G4859	Tissue-Marking Dye,Tricolor

Indicator	
G1210	Bromcresol Green-Methyl Red Indicator Solution
G2860	Phenolphthalein Indicator Solution,8.2-10.0

Section Preparation Reagent Part 11.

Solarbio's Section Preparation Reagent mainly include fixatives, dehydrating agents, decalcifying agents and embedding agents, covering all reagents for paraffin and frozen section preps.

Fixed solutions are divided into aldehyde and alcohol fixed solutions, which can meet the fixation needs of different tissues; Dehydrating agents are mainly sucrose solutions of different concentrations, which can be used for tissue dehydration before preparing frozen sections; Decalcification solutions are mainly divided into organic strong acids, inorganic strong acids, and EDTA decalcification solutions. Among them, EDTA decalcification solution has minimal tissue damage and good enzyme activity preservation, and is often used as the preferred decalcification solution for bone tissue immunohistochemistry or enzyme staining.

Scan code to see series details

Hot Selling Fixative Solution	
G2145	Formalin-Zinc(ZF) Fixative
G2146	Formalin-Calcium Fixative
G2147	Neutral Formalin-Calcium Fixative
G2160	Formalin Fixative,10%
G2161	Neutral Buffered Formalin Fixative, 10%
G2162	Neutral Buffered Formalin Fixative,10%, RNase free
G2195	β-Galactosidase Colorimetric Solution
P1110	Paraformaldehyde,4%

Hot Selling Decalcifying Solution	
G2470	JYBL- I Decalcifying Solution
G2471	JYBL- II Decalcifying Solution
G2472	JYBL-III Decalcifying Solution
G2473	JYBL-IV Decalcifying Solution
G2474	Plank-Rychlo Decalcifying Solution
G2520	Formalin-EDTA Decalcifying Solution
G2521	EDTA Decalcifying Solution(Enzyme Protection)
G2700	Citrate Decalcification Solution

Dehydrating Solution	
G2130	Sucrose-PFA Solution,5%
G2131	Sucrose-PFA Solution,10%
G2132	Sucrose-PFA Solution,20%
G2133	Sucrose-PFA Solution,30%

Dehydrating Solution	
G2460	Sucrose-PBS Solution,30%
G2461	Sucrose-PBS Solution,20%
G2462	Sucrose-PBS Solution,10%
G2463	Sucrose-PBS Solution,5%

How to prepare tissue sections

There are numerous scientific research projects, and the types of samples are complex and diverse. Selecting an appropriate combination of tissue section preparation reagents is crucial to ensuring the smooth progress of subsequent related detections, such as Fluorescence in Situ Hybridization (FISH) detection, Immunohistochemistry (IHC) detection, morphological staining detection, and electron microscopy detection. Based on years of research and development and technical service experience, Solarbio has compiled a set of tissue section preparation procedures for reference.

We have compiled a flowchart for the preparation and subsequent staining of paraffin and frozen sections, and listed the reagents that may be required at each step of the process for your reference and selection. For specific reagents, please consult our sales personnel.

Figure 1--for Paraffin Section



Figure 2--for Frozen Section



Product FAQs Part 12.

01

Q: What can I obtain from the instruction manual? Are there any channels to obtain more product information?
A: Click on the product details page on the official website, and under the product image display, click on the button below to obtain the instruction manual.

02

Q: Can the staining kit be used for plant samples, bacteria, or fungi?
A: There are specialized plant staining solutions and microbial staining solutions to choose from, while conventional staining kits mainly focus on staining mammalian tissue sections or cell smears. For specific staining requirements of special samples, please consult 0086-400-968-6088 for technical support to confirm a staining scheme that better meets your needs.

03

Q: How to choose the specifications of the staining kit?
A: Firstly, it is necessary to calculate the required volume of staining solution based on one's own sample size. For some staining solutions with short staining time and low volatility, drip dyeing can be used. The drip amount only needs to cover the sample, and it is not recommended to recycle them after staining; However, for some staining solutions that have a long staining time and are prone to volatilization, immersion staining is required. The amount of staining solution used for a 5-piece upright slicing box should not be less than 15mL, and for a 25 slice staining cylinder, the amount of staining solution used should not be less than 150mL. The immersion staining solution can generally be reused 3-5 times, except for the reagents that cannot be recycled. The actual number of repetitions depends on the staining effect. If there is a significant decrease in staining effectiveness, the staining solution needs to be discarded.

04

Q: Why is the dyeing effect of the product good when it is first opened, but after a period of time, the dyeing effect may not be good, but the product is still within its shelf life?
A: The shelf life of a product refers to the shelf life of the product in an unopened state. Once the product is opened, unpredictable reactions may occur due to humidity or exposure to air, which can affect the stability of the product. So the shelf life of the product after opening is usually halved. It is recommended to avoid prolonged exposure and use the product as soon as possible after opening.

05

Q: What issues should be noted during the process of fluorescent dye dyeing?
A: Fluorescent dyes are easily quenched, so attention should be paid to avoiding light during the dyeing process. Some fluorescent dyes are not easy to dye during the dyeing process, and can be permeabilized with a permeabilizer to make cells or tissues easier to dye.

06

Q: Is the price displayed on the official website the final price of the product, and will there be a certain discount?
A: Regarding product prices, you can consult our business personnel for inquiries, and they will communicate with you regarding discounts.

07

Q: What is the specific time for the conventional dewaxing and rehydration process mentioned in the dye instructions?
A: This process is for reference only: Slice and bake at 56-65℃ for 1-2 hours, then remove and place xylene I, II, III, and IV for 5 minutes each. Then, pass 100% ethanol I, 100% ethanol II, 95% ethanol, 85% ethanol, and 75% ethanol in sequence for 3 minutes each. Finally, transfer the slices to distilled water and rinse twice to complete rehydration. If the laboratory has its own dewaxing and rehydration process, it can be operated according to the laboratory procedures.

08

Q: What is the amount of dye solution used for 6-well plates, 12 well plates, 24 well plates, etc?
A: Generally, for 6-well plates, it is recommended to add 1mL of staining solution per well; For a 12 well plate, it is recommended to add 0.6mL of staining solution per well; For a 24 well plate, it is recommended to add 0.4mL of staining solution per well; For 48 well plates, it is recommended to add 0.2mL of staining solution per well; For 96 well plates, it is recommended to add 0.1mL of staining solution per well.

Literature Citation Part 13.

High Score Literature

IF: 42.5

Gut symbionts alleviate MASH through a secondary bile acid biosynthetic pathway

G1472: Modified Sirius Red Stain Kit(No Picric Acid)

IF: 52.7

OTUB1 promotes osteoblastic bone formation through stabilizing FGFR2

G1371: Modified Saffron-O and Fast Green Stain Kit(For Bone)

IF: 25.9

α-myosin heavy chain lactylation maintains sarcomeric structure and function and alleviates the development of heart failure

G1340: Masson's Trichrome Stain Kit

IF: 12.5

Treatment of SARS-CoV-2-induced pneumonia with NAD+ and NMN in two mouse models

G1120: Hematoxylin-Eosin(HE) Stain Kit

IF: 42.5

Glycogen accumulation and phase separation drives liver tumor initiation

G1281: Periodic Acid Schiff(PAS) Stain Kit, with Hematoxylin

IF: 52.7

Infection with SARS-CoV-2 can cause pancreatic impairment

G1346: Modified Masson's Trichrome Stain Kit

Other Literatures

Cat.NO.	Product Name	Journal	IF	Article Title
C0040	Trypan Blue Stain Solution, 0.4%	Signal Transduction and Targeted Therapy	52.7	Microcolin H, a novel autophagy inducer, exerts potent antitumour activity by targeting PITPα/β
G1540	Diff-Quick Stain Kit(With Fixative)	Signal Transduction and Targeted Therapy	52.7	Tripterin liposome relieves severe acute respiratory syndrome as a potent COVID-19 treatment
P1110	Paraformaldehyde, 4%	Nature	48.5	Glutamate acts on acid-sensing ion channels to worsen ischaemic brain injury
G2161	Neutral Buffered Formalin Fixative, 10%	Cancer Cell	44.5	PDGFRαITGA11 fibroblasts foster early-stage cancer lymphovascular invasion and lymphatic metastasis via ITGA11-SELE interplay++
G1285	Alcian Blue Periodic Acid Schiff (AB-PAS) Stain Kit	Cell	42.5	A two-front nutrient supply environment fuels small intestinal physiology through differential regulation of nutrient
G1140	Cole's Hematoxylin Solution (For Conventional Stain)	Cell	42.5	Identification, structure, and agonist design of an androgen membrane receptor
G3005	TTC Solution, 2%	Nature Nanotechnology	34.9	Oral mitochondrial transplantation using nanomotors to treat ischaemic heart disease
G1452	Alizarin Red S Solution, 1%, pH4.2	Advanced Materials	26.8	A Janus-ROS Healing System Promoting Infectious Bone Regeneration via Sono-Epigenetic Modulation
G1262	Oil Red O Stain Kit, For Cultured Cells	Advanced Materials	26.8	Silk Fibroin and Sericin Differentially Potentiate the Paracrine and Regenerative Functions of Stem Cells Through Multiomics Analysis
G1428	Prussian Blue Iron Stain Kit(Ferric Iron, Enhance With DAB)	The Innovation	25.7	Magnetically driven bionic nanorobots enhance chemotherapeutic efficacy and the tumor immune response via precise targeting
G3242	Luxol Fast Blue Stain Solution	Cell Stem Cell	20.4	Harnessing developmental dynamics of spinal cord extracellular matrix improves regenerative potential of spinal cord organoids
G1010	Giemsa Stain Solution(Working Solution)	Cell Discovery	12.5	A novel recombination protein C12ORF40/REDIC1 is required for meiotic crossover formation

Hot-Sale Products Part 14.

Cat.NO.	Size	Product name	Application
G1080	10mL/100mL/500mL	Mayer's Hematoxylin Stain Solution, For IHC	Used for morphological staining of tissues and cells
G1120	3×10mL/3×100mL/ 3×500mL	Hematoxylin-Eosin(HE) Stain Kit	
G1285	6×50mL/6×100mL	Alcian Blue Periodic Acid Schiff(AB-PAS) Stain Kit	Used for differential staining of different glycoproteins and mucinous substances
G1340	7×50mL/7×100mL	Masson's Trichrome Stain Kit	Used for distinguishing staining between collagen fibers and muscle fibers
G1346	8×50mL/8×100mL	Modified Masson's Trichrome Stain Kit	
G1472	2×50mL/2×100mL	Modified Sirius Red Stain Kit(No Picric Acid)	
G1371	5×50mL/5×100mL	Modified Saffron-O and Fast Green Stain Kit(For Bone)	Used for distinguishing staining between cartilage and mineralized bone
G2040	9×50mL	Fibrin Stain Kit(Modified MSB Method)	Used for cellulose staining and type identification
G1597	3×50mL/3×100mL	Collagen Fiber And Elastic Fiber Staining Kit (EVG-Verhoeff Method)	Used for distinguishing staining between collagen fibers and elastic fibers
G3701	10×50mL	Movat-Russell Modified Pentachrome Stain Kit	Used for identification and staining of vascular or aortic atherosclerosis
G1060	4×10mL/4×100mL/ 4×500mL	Gram Stain Kit	Used for differential staining between Gram positive and Gram negative bacteria
G1136	2×100mL	Flagella Stain Kit(Silver Method)	Observation of flagellar structure staining for bacteria
G1272	4×100mL	Acid-Fast Bacillus(AFB)Stain Kit(Auramine O Method)	Used for identification and staining of other acid resistant bacteria such as mycobacteria
G1274	3×50mL	Acid-Fast Bacillus(AFB)Stain Kit(Ziehl-Neelsen's Method)	
G1452	100mL	Alizarin Red S Solution, 1%, pH4.2	Used for calcification staining of tissues such as blood vessels, aorta, or kidneys
G3282	2×50mL	Calcium Stain Kit(Von Kossa Method)	
G1422	2×50mL/2×100mL	Prussian Blue Iron Stain Kit(With Nuclear Fast Red)	Used for staining iron ions (divalent iron or trivalent iron) distributed within tissues, and can be used to stain iron death samples
G1426	2×20mL/2×50mL	Prussian Blue Iron Stain Kit(For Cells)	
G1428	4×10mL/4×20mL	Prussian Blue Iron Stain Kit(Ferric Iron, Enhance With DAB)	
G1429	4×20mL	Prussian Blue Iron Stain Kit(Ferrous Iron, Enhance With DAB)	
G1480	4×2mL/4×10mL/ 4×20mL	Alkaline Phophatase Stain Kit(Kaplow's/Azo Coupling Method)	Used for cell osteogenic induction or ALP level detection in normal tissues
G1492	4×10mL/4×20mL	Tartrate-Resistant Acid Phosphatase(TRAP) Stain Kit	Used to identify the success or failure of osteoclast induction or TRAP enzyme staining in normal tissues
G1580	100T	Senescence-Associated β-Galactosidase(SA-β-Gal) Stain Kit	Identification staining for aging staining or aging models used for culturing cells or tissues
G2000	60mL	Succinate Dehydrogenase Stain Kit(Tetrazole Salt Method)	Used for distinguishing fast and slow muscle fibers and staining different types of muscle fibers
G2380	5×50mL	ATPase Stain Kit(Calcium-Cobalt Method)	
G2410	4×50mL	Cytochrome Oxidase Stain Kit(DAB method)	
G1375	2×50mL/2×100mL	Saffron-O and Fast Green Stain Kit(For Plant)	Used for staining normal and lignified cell walls in plant tissues
G4807	100mL	Plant Tissue Staining Solution(Toluidine Blue Method)	
G4800	10mL/50mL	Pollen Viability Stain Solution(TTC Method)	Used for identification and staining of plant pollen vitality and germination ability
G4801	50mL	Pollen Viability Stain Solution(Iodine-Potassium Iodide Method)	

Cat.NO.	Size	Product name	Application
G3060	100mL	GUS Stain Kit	Detection of GUS enzyme expression levels in transgenic plant tissues
G3061	20mL/100mL	GUS Stain Kit, Ready-To-Use	
G4815	3×100mL	Plant Tissue ROS Detection Kit(DAB Method)	Used for staining and detecting ROS levels in plant or animal tissues
G4816	3×100mL	Plant Tissue ROS Detection Kit(NBT Method)	
G4817	100T	Frozen Section ROS Stain Kit, With Red Fluorescence	
C0040	50mL/100mL	Trypan Blue Stain Solution, Ready To Use	Used for staining identification of live and dead cells, reflecting cell viability
C0041	100mL	Autophagy/Cytotoxicity Dual Stain Kit(MDC Method)	
G1610	4×100mL/4×500mL	Papanicolaou EA50 Stain Kit	Used for staining exfoliated cells (such as gynecological cells or non gynecological cells such as pleural fluid, ascites, sputum, etc.) on smears to identify keratinized and non keratinized cells
G1612	4×100mL/4×500mL	Papanicolaou EA36 Stain Kit	
G1614	4×100mL/4×500mL	Papanicolaou EA65 Stain Kit	
G1617	4×100mL/4×500mL	Fast Papanicolaou Stain Kit	
G1010	100mL/500mL	Giemsa Stain Solution(Working Solution)	Used for identification and staining of red blood cells and different types of white blood cells in blood smears
G1021	2×50mL/2×100mL/ 2×500mL	Wright-Giemsa Stain Kit	
G1040	50mL/100mL/500mL	Wright Stain Solution	
G1540	3×100mL/3×500mL	Diff-Quick Stain Kit(With Fixative)	
G1260	100mL/500mL	Oil Red O Saturated Solution, 0.5%	Staining of neutral fat in cultured cells or animal tissues
G1262	4×20mL/4×50mL	Oil Red O Stain Kit, For Cultured Cells	
G1263	4×50mL	Modified Oil Red O Stain Kit, Environmental Friendly	
G1264	2×50mL	Lipid Fluorescent Staining Kit(Nile Red Method)	
G1530	5×50mL	Congo Red Amyloid Stain Kit(Bennhold Method)	Used for staining identification of organ amyloidosis or auxiliary diagnosis of Alzheimer's disease
G1538	2×20mL/2×50mL	Amyloid Stain Kit(Thioflavin T Method)	
G3670	100mL	Mast Cells Stain Solution(Toluidine Blue Method)	Used for distinguishing and staining mast cells
G3672	3×50mL	Mast Cells Stain Kit(Alcian Blue-Safranin Method)	
G3676	3×50mL	Mast Cells Stain Kit(Allen Method)	
G2570	3×20mL/3×100mL	Sperm Morphology Stain Kit(Shorr Method)	Used for sperm morphology staining and special structure identification staining
G2571	4×20mL	Sperm Morphology Stain Kit(Papanicolaou Method)	
G2572	3×20mL/3×100mL	Sperm Morphology Stain Kit(Diff-Quik Method)	
P1110	500mL/5L	Paraformaldehyde, 4%	Broad spectrum fixative, suitable for fixing samples of animals, plants, cells, etc.
P1117	500mL	4% PFA Fixative, RNase Free	
G2161	500mL/50×5mL/5L	Neutral Buffered Formalin Fixative, 10%	
G2162	500mL	Neutral Buffered Formalin Fixative, 10%, RNase Free	
G2310	100mL	Carnoy Fixative II	Used for fixing plant tissue or animal tissue intestinal mucus layer
G2350	500mL	Alcohol Acetate Formalin(AAF) Mixed Fixative, 70%	
G2355	500mL	Alcohol Acetate Formalin(AAF) Mixed Fixative, 50%	
G2150	500mL/5L	Tissue Transparent Dewaxing Solution, Benzene Free	Used for dewaxing and transparency of paraffin tissue sections, can replace xylene for use
G8593	100mL	Neutral Balsam, No Xylene(D Type)	Used for sealing after dyeing, it can replace traditional neutral gum
I7830	120mL	Frozen Section Embedding Agent	Used for tissue embedding in frozen sections, with the same effect as cherry blossom OCT

Sri Saradi Scientific

Authorised Exclusive Partner of Solarbio in India.

Beijing Solarbio Science & Technology Co.,Ltd.

Building 85, Lian Dong U Valley, Tongzhou District, Beijing, China

info@solarbio.com solarbio.com