

FILE NO : KSPCB/MA/ICE/10098848/2025

Date of issue : 09-06-2025



KERALA STATE POLLUTION CONTROL BOARD

CONSENT TO ESTABLISH

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974

The Air (Prevention & Control of Pollution) Act, 1981

and

The Environment (Protection) Act, 1986

As per Application No. : 10098848

Dated : 23-05-2025

To

**GREEN MOUNT AQUA PRODUCT
VARANAKARA,,KANMANAM,,PO
VALAVANNUR,,KALPAKANCHERI,,MALAPPURAM DT.**

Consent No. : KSPCB/MA/ICE/10098848/2025

Valid Upto : 28-02-2030

1. GENERAL

1.1. This integrated consent is granted subject to the power of the Board to withdraw consent, review and make variation in or revoke all or any of the conditions as the Board deems fit

1	VALIDITY	28-02-2030
2	Name and Address of the establishment	GREEN MOUNT AQUA PRODUCTS VARANAKARA,,KANMANAM,,PO VALAVANNUR,,KALPAKANCHERI,,MALAPPUR AM DT. E-Mail : sslk.9895@gmail.com Contact Number : 9605559911
3	Occupier Details	RASEENA , W/O SHAMEER BABU , CHERUKATTUVALAPPIL, VARANAKKARA, KANMANAM PO, VALAVANNUR, KALPAKANCHERI, MALAPPURAM DT. E-Mail : sslk.9895@gmail.com Contact Number :
4	Local Body	VALAVANNUR
5	Survey Number	8/3-1,8/3-4,8/3-5
6	Village	Valavanoor
7	Taluk	Thirur
8	District	MALAPPURAM
9	Capital Investment(Rs in Lakhs)	48.3
10	Scale	Small
11	Category	GREEN
12	Annual fee(Rs)	5500.0
	Total Fee remitted(Rs)	30250.0
13	Activity	PACKAGED DRINKING WATER - 15 Kilo Liters/Day
14	Machinery details	58 HP

2. GENERAL CONDITIONS

2.1. This consent is granted on the basis of the application, site plan, affidavit and other documents furnished by the applicant. The consent is liable to be revoked if the documents submitted are forged and/or in case of non compliance with the Board's norms.

2.2. This consent unless withdrawn earlier and subject to condition no. 1 shall be valid for five years from the date of issue. At the end of the validity period if the construction is in progress, consent to establish shall be renewed. If the construction is yet to be started, the applicant shall apply afresh for Consent to Establish.

2.3. The application for renewal of consent shall be submitted online two months in advance of the expiry date of the validity of the consent. Late application will be accepted only with a fine as applicable.

2.4. The applicant shall comply with the instructions that the Board may issue from time to time regarding the prevention and control of air, water, land and sound pollution.

2.5. The location of the establishment/ outlet shall be as per the site plan attached. No change or alteration of the unit is to be made without the prior written permission of the Board. Any change in the particulars furnished and/or in the identity of the occupier/authorized agent is to be intimated to the Board forthwith.

2.6. Consent to Operate / Authorization shall be obtained, before commissioning the industry, under the Water (Prevention and Control of Pollution) Act 1974, the Air (Prevention and Control of Pollution) Act 1981 and the relevant Rules under Environment (Protection) Act 1986 .

2.7. For the rented building, consent will be valid only during the period the rent agreement is valid. The rent agreement shall be renewed from time to time.

2.8. Statutory clearance required for operating the unit shall be obtained from the concerned departments before commissioning the unit.

2.9. The consentee shall put up a sign board of size 6x4 ft. near the main entrance of the plant to display the name of the unit and important consent conditions.

3. CONDITIONS AS PER Water (Prevention and Control of Pollution) Act, 1974

3.1. Water Consumption : 20 KLD

3.2. Effluent Generation : 5 KLD

3.3. Mode of disposal of treated effluent : Septic tank, Soak pit

3.4. Soak pits shall be provided for the disposal of excess treated water. Soak pit shall have concreted bottom, honey comb brick work or perforated ring side wall, 75cm thick 2mm sand envelope outside it.

4. CONDITIONS AS PER Air (Prevention and Control of Pollution) Act, 1981

4.1. Adequate air pollution control measures shall be provided before commissioning of the industry. Additional facilities required, if any, to achieve the standards laid down by the Board shall also be made along with.

Stack No	Source of emission	Emission Rate (Nm ³ / Hr)	Stack height above ground level	Stack height above roof level	Control equipment
1	NIL	-	-	-	-

4.2. The D. G. sets shall be provided with a minimum chimney height $0.2 * \text{sq.root (kVA)}$ meters above roof level of the highest nearby building (Where kVA is the highest capacity of the DG sets). The D. G. sets shall be placed at a minimum distance of $\text{sq.root of (kVA/2)}$ metre from the neighbouring residences / worship places /institutions (where kVA is the capacity of DG sets).

4.3. The DG set shall be provided with acoustic enclosure/acoustic treatment.

- 4.4. All operations likely to produce dust or noise shall be carried out within sufficiently closed and insulated premises.
- 4.5. The ambient air quality measured at the boundary of the premises shall not exceed the National Ambient Air Quality standards applicable to the adjoining area.
- 4.6. The sound level (dB(A) Leq) measured 1 m outside the boundary of the premises shall not exceed ambient standards in respect of noise specified for that area
- 4.7. There shall be no fugitive emissions from the premises.
- 4.8. DG sets shall have emission control measures as specified in circular number KSPCB/517/2023/ SEE-3 dated 15.05.2023

5. CONDITIONS AS PER Environment (Protection) Act, 1986

- 5.1. Necessary arrangement for collection, segregation, storage, handling and disposal of solid waste including garbage shall be provided in accordance with the provisions of the Solid Waste Management Rules, 2016.
- 5.2. Biodegradable waste shall be segregated from non biodegradable waste at source. Facilities namely bio-bins/aero-bins/biogas plant shall be provided for the biodegradable waste. Facility shall be provided for the disposal of non biodegradable wastes to authorised collectors namely Haritha Karma Sena for the disposal of wastes for authroised treatment.
- 5.3. Plastic Waste Management Rules, 2016 and amendments shall be followed for the management of plastic waste. Single use plastic ban as per notifications and orders for Kerala shall be strictly be followed.
- 5.4. Construction activities shall be carried out strictly in compliance with Construction and Demolition Rules, 2016.
- 5.5. Waste batteries shall be disposed of as per the Battery Waste Management Rules,2022.
- 5.6. E-wastes shall be disposed of as per the provisions of E-waste management Rules, 2016 and amendments.
- 5.7. The provisions of the Noise Pollution (Regulation and Control) Rules 2000 shall be followed with.
- 5.8. Hazardous waste generated if any, shall be disposed of in compliance with the provisions of the Hazardous and other Wastes (Management and Trans boundary Movement) Rules, 2016.
- 5.9. The hazardous waste generated in the unit shall be sent to the authorised recycler/ CTSDf owned by KEIL for disposal and shall not be stored in the unit beyond the period specified in the rules.
- 5.10. A board displaying the details of hazardous waste viz. category, quantity, mode of storage and disposal shall be provided at the entrance of the unit.
- 5.11. Environmental Clearance as per EIA notification, if required, shall be obtained before commencing construction activities.
- 5.12. Adequate safety measures shall be provided in accordance with fire safety regulation.
- 5.13. Trees and curtain plants shall be planted within and along the boundary of the premises and shall be maintained with due care.
- 5.14. Water and energy conservation measures shall be adopted.
- 5.15. Rainwater harvesting and utilization of harvested water shall be done.

6. SPECIFIC CONDITIONS

- 6.1. Unit shall not use any banned plastic item under the Govt.order G/O.(MS).NO.2/2020 ENVT DATED 27/01/2020.
- 6.2. NOC from GWD and the agreement with KWA shall be produced before the commissioning of the unit.
- 6.3. The quality of product shall be analysed and certified by the concerned Health Authority of the Panchayath as per circular No: 46836/RC3/2005/LSGD dated 13.05.2007.
- 6.4. Raw materials shall be transported with proper cover or after wetting to prevent spreading of dust

during transportation.

6.5. There shall be no fugitive emission from the premises.

6.6. Extraction of ground water shall be in accordance with the regulations of the Ground Water Department

6.7. No machineries other than the following shall be established/ operated without prior approval of the Board.

MACHINERY DETAILS

1. SEMI AUTO BLOW MOLDING MACHINE-1100 BPH (2CAVITY) - 5 HP
2. COMPRESSOR X 2 - 20 HP
3. CHILLER - 2 HP
4. BLOWER - 3 HP
5. HEATER - 3 HP
6. BOTTLE FILLING MACHINE - 3 HP
7. SHRINK WRAPING MACHINE - 5 HP
8. PRE FILTRATION (12000 LPH) - 3 HP
9. RO PLANT (6000 LPH) - 10 HP
10. ULTRA FILTRATION - 1.5 HP
11. JAR WASHING MACHINE X 2 - 1 HP
12. JAR FILLING MACHINE - 1.5 HP

TOTAL 58 HP

SIGNATURE OF ISSUING AUTHORITY

ENVIRONMENTAL ENGINEER



To

M/s GREEN MOUNT AQUA PRODUCTS

VARANAKARA, KANMANAM, PO VALAVANNUR, KALPAKANCHERI, MALAPPURAM DT.

E-Mail : sslk.9895@gmail.com

Contact Number : 9605559911

1.This digitally signed document is legally valid as per the Information Technology Act 2000

2. For verifying this document please go to www.keralapcbonline.com and search using Certificate

Number/name of the unit/Application Number in “Certificate Verification” link in the home page of the Board’s Phoenix website.

SANITARY CALCULATION

Sanitary calculation as per Kerala Panchayath Building Rule 2019 for Commercial building is:

As per KPBR-2019 Sanitary calculation for Commercial building

5.9 Sqm of Floor area required 1 Person
Total Built-up area of the building - 114.01 Sq.m
Total Floor area of the Building - 114.01 Sq.m

There for ,

$$235.85/5.9 = 40 \text{ person}$$

$\frac{2}{3}$ of total people men - 27 men

$\frac{1}{3}$ of women - 13 women

25 men required 1 toilet - $\frac{27}{25} = 1.08$ there fore 1 toilet for men

15 women required 1 toilet - $\frac{13}{15} = 0.87$ there fore 1 toilet for women

1 toilet for PH

40 men required 1 urinal - here 1 urinal

PARKING CALCULATION

Parking space calculation as per Kerala Panchayath Building Rule 2019 for Commercial building is:

As per KPBR-2019 Parking for the Commercial building

90 Sqm of Floor area required 1 Parking
Total Built-up area of the building - 235.85 Sq.m
Total Floor area of the Building - 235.85 Sq.m

There for ,

$$235.85/90 = 2.62 \text{ parking}$$

235.85 sqm of commercial needs 3 Parking
including 1 Parking for PH

25 % of 1 Parking (12.37 m²) required for Two wheelers

15 % of 1 Parking required (7.42 m²) for visitors

Total Parking for the building 4 parking


SITE PLAN OF THE PROPOSED
COMMERCIAL BUILDING
(DRINKING WATER PAKING UNIT)
IN R.S. NO:8/3-5, 8/3-4, 8/3-1 WARD
NO: 13 AT VALAVANNUR GRAMA
PANCHAYATH

PROPOSED WORK

BOUNDARY

ROAD

EXISTING WORK



SCALE 1:400
ALL DIMENSIONS IN 'CM'

FSI & COVERAGE

Plot area (in Ares) - 7.62 Ares

Plot area (in Sq.m) - 762.00 m²

FSI - $\frac{\text{Total Floor area}}{\text{Total plot area}}$

$$\frac{235.85}{762.00} = 0.31$$

$$\text{Coverage} = \frac{\text{Max.Perm. area}}{\text{Total plot area}} \times 100$$

$$\frac{235.85}{762.00} \times 100 = 30.95 \%$$

CERTIFICATE

APPENDIX – J1 [See rule 6(3)]

CERTIFICATE

(To be recorded in the drawings)

Certified that:

- the plot boundaries, measurements and other details shown in the site plan are correct
- the drawings are in conformity with the provisions of the Master Plan/Detailed Town Planning Scheme/Interim Development Order as applicable under the Kerala Town and Country Planning Act 2016.
- the drawings are in conformity with the provisions of the Kerala Panchayath Building Rules, 2019 and other applicable statutes.

APPENDIX – J2 [See rule 9(2)]

CERTIFICATE

(To be recorded in the drawings)

Certified that:

- the document(s) in support of the ownership of the plot has/have been verified and that the applicant (s) has/have every right of construction in this plot;
- the plot boundaries, measurements and other details shown in the site plan have been verified at site and found correct and
- the drawings are in conformity with the provisions of the Master Plan/Detailed Town Planning Scheme/ Interim Development Order as applicable under the Kerala Town and Country Planning Act 2016.
- the drawings are in conformity with the provisions of the Kerala Panchayat Building Rules, 2019 and other applicable statutes.

(Signature)

Secretary

..... Panchayat

Office Seal

APPLICANT

FATHIMA

AUTHORITY

PREPARED BY



SITE LOCATION PLAN

ENVIRONMENTAL ENGINEER