



BRNO UNIVERSITY OF TECHNOLOGY

VYSOKÉ UČENÍ TECHNICKÉ V BRNĚ

FACULTY OF INFORMATION TECHNOLOGY

FAKULTA INFORMAČNÍCH TECHNOLOGIÍ

DEPARTMENT OF INTELLIGENT SYSTEMS

ÚSTAV INTELIGENTNÍCH SYSTÉMŮ

ADAPTIVE TRADING STRATEGIES FOR CRYPTOCURRENCIES

ADAPTIVNÍ OBCHODNÍ STRATEGIE PRO KRYPTOMĚNY

BACHELOR'S THESIS

BAKALÁŘSKÁ PRÁCE

AUTHOR

AUTOR PRÁCE

MAREK FILIP

SUPERVISOR

VEDOUCÍ PRÁCE

Ing. IVAN HOMOLIAK, Ph.D.

BRNO 2022

Bachelor's Thesis Specification



Student: **Filip Marek**

Programme: Information Technology

Title: **Adaptive Trading Strategies for Cryptocurrencies**

Category: Modelling and Simulation

Assignment:

1. Study existing trading strategies for cryptocurrencies and other instruments, including rebalance and HODL. Analyze achieved results of the studied strategies and their assumptions.
2. Study existing simulation tools suitable for testing trading strategies.
3. Analyze the backlog of cryptocurrency trading data provided by the supervisor and summarize observed events.
4. Propose several (adaptive) trading strategies assuming the backlog.
5. Implement and evaluate proposed strategies vs. traditional approaches such as HODL and rebalance.
6. Discuss further improvements and limitations of the practical deployment.

Recommended literature:

- Bankless: "How to make money trading stablecoins", <https://newsletter.banklesshq.com/p/how-to-make-money-trading-stablecoins>
- HodlBlog: "When Does Portfolio Rebalancing Improve Returns?", <https://www.hodlbot.io/blog/when-does-portfolio-rebalancing-improve-returns>
- The Shrimpy Team: "What is Portfolio Rebalancing?", <https://blog.shrimpy.io/blog/portfolio-rebalancing-for-cryptocurrency>
- Holderlab.io: "Rebalancing Strategy For Your Crypto Portfolio", <https://medium.com/coinmonks/rebalancing-strategy-for-your-crypto-portfolio-590397f2282b>
- The Shrimpy Team: "Crypto Users who Diversify Perform Better", <https://hackernoon.com/crypto-users-who-diversify-perform-better-new-research-ebf775d348dd>
- The Shrimpy Team: "Portfolio Diversity: A Technical Analysis" <https://hackernoon.com/portfolio-diversity-a-technical-analysis-c2c49f4d3a77>

Requirements for the first semester:

- Items 1 to 3.

Detailed formal requirements can be found at <https://www.fit.vut.cz/study/theses/>

Supervisor: **Homoliak Ivan, Ing., Ph.D.**

Head of Department: Hanáček Petr, doc. Dr. Ing.

Beginning of work: November 1, 2021

Submission deadline: May 11, 2022

Approval date: November 3, 2021

Abstract

This bachelor thesis explores the idea of trading cryptocurrencies with strategies that adapt to the rising and falling crypto markets. There are many successful trading strategies, none of which guarantees profit in both rising and falling markets. I try to deal with this problem by creating the aforementioned adaptive trading strategy.

Abstrakt

Tato bakalářská práce se zabývá možností obchodovat s kryptoměnami adaptivní strategií, která se přizpůsobuje na klesající a stoupající trh. Existuje řada úspěšných obchodních strategií, žádná z nich ale nedokáže zajistit zisk v klesajícím i stoupajícím trhu zároveň. S tímto problémem se snažím vypořádat vytvořením již zmíněné adaptivní obchodní strategie.

Keywords

cryptocurrency, trading, investing, trading strategies, simulation, adaptive trading strategy, simulation tool

Klíčová slova

kryptoměny, obchodování, investování, obchodní strategie, simulace, adaptivní obchodní strategie, simulační nástroj

Reference

FILIP, Marek. *Adaptive Trading Strategies for Cryptocurrencies*. Brno, 2022. Bachelor's thesis. Brno University of Technology, Faculty of Information Technology. Supervisor Ing. Ivan Homoliak, Ph.D.

Rozšířený abstrakt

Do tohoto odstavce bude zapsán rozšířený výtah (abstrakt) práce v českém (slovenském) jazyce.

Adaptive Trading Strategies for Cryptocurrencies

Declaration

I hereby declare that this Bachelor's thesis was prepared as an original work by the author under the supervision of Ing. Ivan Homoliak Phd. The supplementary information was provided by Mr. Y (TODO) I have listed all the literary sources, publications and other sources, which were used during the preparation of this thesis.

.....

Marek Filip
April 28, 2022

Acknowledgements

Here it is possible to express thanks to the supervisor and to the people which provided professional help (external submitter, consultant, etc.).

Contents

1	Introduction	3
2	Background	4
2.1	What is a cryptocurrency?	4
2.2	What are bear and bull markets?	5
2.3	What is a trading strategy?	6
3	Trading Strategies for Cryptocurrencies	8
3.1	HODL	8
3.2	Rebalance	8
3.3	Dollar Cost Averaging	10
3.4	Day Trading	10
3.5	Range Trading	11
3.6	Scalping	11
3.7	Automated Trading Systems or Bots	12
3.8	Arbitrage	12
3.9	Stablecoin Trading	13
4	Existing Simulation Tools for Testing Trading Strategies	15
4.1	What is Backtesting?	16
4.2	Data Requirements for Backtesting	17
4.3	Performance Analysis	19
4.4	Popular Simulation Tools	20
4.5	What type of cryptocurrency simulation tool should we use?	20
5	Trading Data Analyzation	22
5.1	Types of Analysis	22
5.2	Bitcoin Price Analysis	23
5.3	Data Analysis Provided by Supervisor	23
6	Adaptive Trading Strategy Proposals	25
6.1	Proposals	25
6.2	Bull Market Behaviour	25
6.3	Bear Market Behaviour	26
6.4	Bitcoin Risk Metric	26
6.5	Adjusted Risk Metric	26
6.6	Other optimizations	26
6.7	Combinations	26

7	Adaptive Strategy Design and Implementation	27
7.1	Design	27
7.2	Fetch of trading data	28
7.3	Usage	30
7.4	Data Input	30
7.5	Other helpful structures	31
7.6	Testing	31
7.7	Deployment and Development	32
7.7.1	Makefile	32
8	Adaptive Strategy Experiments	33
8.1	Basic evaluation strategy	33
8.2	Testing out the Bitcoin Risk Metric	33
9	Limitations and Further Improvements of Practical Deployment	35
9.1	Further Ideas	35
9.2	TODO: Comparison to existing solutions	35
10	Conclusion	36
	Bibliography	37

Chapter 1

Introduction

When we look at cryptocurrencies, there is a very lucrative market. That is why people have always found new ways to make money from trading cryptocurrencies. There are many trading strategies for cryptocurrencies available, but no such strategy survives both rising (bull) and falling (bear) market. That is why there is a need for adaptive strategies that can prosper through both of them.

I will explore the idea of the adaptive trading strategies for cryptocurrencies in this thesis. Firstly we need to find a way how to predict if the market will go up or down. Then we need to apply sufficient trading strategies regarding the percentage probability of market going up or down. That is the basic idea.

To get to this point I will explore the current trading strategies that are used for trading cryptocurrencies. Analyze current simulation tools available today and analyze the historic trading data to find some patterns. Looking at current state of adaptive strategies for cryptocurrencies is also necessary.

Organization

The rest of this work is divided into several chapters.

Firstly, there is the chapter 2, which gives the reader a sufficient theoretical background that is required to understand the later chapters of the thesis. In the chapter 3 I look at the existing trading strategies and analyze their effectiveness. In the chapter ?? several existing simulation tools are explored and compared. During chapter 5 the backlog of cryptocurrency trading data provided by the supervisor is analyzed and the important events summarized.

After these chapters the thesis becomes more oriented towards the project goal of the backtester itself. In chapter 6, several adaptive strategies are proposed. In chapter ?? the design, development and implementation of the backtester itself is detailed. After that, in chapter ?? the proposed adaptive trading strategies are tested out using the developed backtester and results are evaluated. Finally, limitations and further improvements of practical deployment are discussed in chapter ??

Chapter 2

Background

There are some prerequisites that the reader must be familiarized with in order to understand the thesis. The basic knowledge of what a cryptocurrency is must be explained. As well as clear understanding of some terms that are regularly used in the thesis.

List of terms generally used in the thesis and among crypto investors

- Best strategy = A strategy that yields the most money – has the best profit.
- Bear market = A market in which prices are falling, encouraging selling.
- Bull market = A market in which prices are rising, encouraging buying.
- FOMO = Fear of missing out.
- FUD = Fear, uncertainty, doubt.
- Fiat currency = Government-issued money.
- ROI = Return of investment.
- spread = Difference between buy and sell value of an asset.

2.1 What is a cryptocurrency?

Cryptocurrency is a digital currency that is secured by cryptography [15]. There are algorithms in place that make it nearly impossible to counterfeit or double-spend the currency. Cryptocurrencies are based on a decentralized networks based on the blockchain (see 2.1) technology. Because of this the cryptocurrencies are not issued by any central authority (unlike conventional currency). This makes them theoretically immune to government interference or manipulation.

Types of Cryptocurrency

Bitcoin is the original and to this day the most popular and valuable cryptocurrency. It was invented by an anonymous person called *Satoshi Nakamoto* in 2008 via a white paper [26]. As of 12th January 2022, there are over 18.9 million bitcoins in circulation with a total market capitalization of around \$810 million [10], making it roughly 40% of the total cryptocurrency market.

Each new cryptocurrency claims to have different function and specification. New cryptocurrencies are created daily. Most are not lucrative to investors at all while others surprise the market with their new innovations. For example, Ethereum's *ether* markets itself as a gas for their underlying smart contract¹ platform. Another example is Ripple's *XRP* which aims to facilitate international bank transfers. New cryptocurrencies started to rise due to bitcoin's many unsuitable aspects.

A *stablecoin* is another important type of cryptocurrency. It aims to offer price stability and is backed by a reverse asset² like the US dollar. They attempt to offer the best of both worlds—the instant processing and security of privacy payments of cryptocurrencies, and the non-volatile character of fiat currencies [20].

What is FIAT money?

Fiat money or currency is money that is issued by the government and is not backed by any gold or other physical commodity. Its value is derived between the relationship of supply and demand and the stability of the government that issued it [8]. It represents today's currencies of the world. Many crypto enthusiasts believe that cryptocurrencies will replace fiat currencies in the future.

Blockchain

Blockchain or a distributed ledger³ is a digital database that is shared and synchronized across a distributed network consisting of very large number of computers [21]. Distributed networks eliminate the need for central authority to keep a check against manipulation. You can see the blockchain's basic structure in Figure 2.1.

2.2 What are bear and bull markets?

While you may know that the bear and bull markets stand for falling and rising markets, there is more to these terms that must be explained. The origin of the terms themselves is believed to be tied to the way the two animals attack their opponents. A bull thrusts its horns up, while a bear swipes its pawns downwards [19]. Herd behavior is important to consider when talking about the terms.

¹<https://www.investopedia.com/terms/s/smart-contracts.asp>

²<https://www.investopedia.com/terms/r/reserve-assets.asp>

³<https://www.investopedia.com/terms/d/distributed-ledger-technology-dlt.asp>




Figure 2.1: Blockchain structure, attribution: Wikimedia

Bear Market

As growth prospects wane and expectations are unmet, prices decline [6]. Bear markets are viewed as pessimistic with investors scared to open new positions. But to talk about bear or bull market we usually ascribe longer time periods than the usual and always present volatility of the crypto market. For example when China declared all of the cryptocurrency transactions illegal [2], a fall of crypto markets quickly ensued.

A bearish investor or bear is then a type of investor that believes that a specific coin is likely to decline in the future [7].

Bull Market

Bull markets are characterized by optimism, investor confidence and expectations in strong results that will continue for a long period of time [19]. FOMO⁴ is present among investors. Both bull and bear markets are hard to define, bull market is usually specified to occur when prices rise by 20% after a previous 20% drop and before another 20% drop—these values are defined for stock markets only, so the margins should be higher for the volatile cryptocurrency market.

A bullish investor or bull is a type of investor that believes that a specific coin is likely to rise [7].

2.3 What is a trading strategy?

Trading strategy is traditionally defined as a systematic methodology that is used for buying and selling the selected assets in a market. It is based on predefined rules and criteria that are used to execute a trading decision. [18]

⁴Fear of missing out.

In this thesis, a trading strategy is considered a method which tells us whether to buy or sell on given day based on indicators, such as the current cryptocurrency price, or total market capitalization.

Chapter 3

Trading Strategies for Cryptocurrencies

There are various trading strategies available regarding cryptocurrencies. In this chapter we will go through those that are considered the most well-known and consider their ups and downs.

3.1 HODL

This is the strategy that is one of the most prominent in the cryptocurrency market, especially by beginners to trading. It is jokingly derived from misspelling of the word „hold“. The original post by the user GameKyuubi [16] containing the misspelling was originally posted on 18th December 2013, from which it quickly spread on.

HODL or „hodl on for dear life“ has become a slogan among crypto enthusiasts, representing long-term approach to cryptocurrency trading. It implies that the novice traders are not successful in timing the market so they should simply hold the coin until the prices significantly rises.

Cryptocurrency maximalists keep HODLing, because they believe that cryptocurrencies will eventually replace the government-issued fiat currencies as the basis of all economic structures [14].

3.2 Rebalance

Rebalancing is the process of realigning the weightings of portfolio of assets—in our case cryptocurrencies. It involves periodically buying or selling the assets in portfolio so that the original level of asset allocation is maintained[5].

For example if we set portfolio allocation 50/50 to BTC and ETH coins. And the BTC coin risen by 20 % so that the new ratio would be 70/30, we would sell the 20 % of the BTC and for the value we got we would buy additional ETH coins, so that the ratio is again 50/50.

Rebalancing gives investors the opportunity to sell high and buy low. It takes gains from high-performing investments and reinvests them in areas that have not yet grown that much.

One study [32], conducted by the Shrimpy Team, has found that rebalancing beats hodl by a median of 64%. The analysis was performed with 1-year period real trading data.

There many types of rebalancing strategies. We will look at some of them now.

Periodic Rebalancing

This is the simplest rebalancing to use. The rebalance happens after a fixed amount of time. For cryptocurrencies it makes sense to set shorter time due to rapid price fluctuations, something like 1 day. An example of periodic rebalancing can be seen in Figure 3.1.




Figure 3.1: Periodic rebalance visualization, attribution: Shrimpy [32]

Threshold Rebalancing

A more interesting approach is threshold rebalancing where we set some threshold deviation. When an allocation deviates by that set threshold from the original allocation, a rebalance happens, setting all the allocations to their original values [32].

Let's say we once again have 50/50 BTC/ETH allocations. Let's set the threshold deviation to 20%. If the price of BTC or ETH reaches over 60% or under 40%, a rebalance takes place. 20% out of 50% is 10%, that is why the rebalance happens at those points. When both coins grow or decline in the same rate, no rebalance happens.

An example of threshold rebalancing can be seen in Figure 3.2.

Assumptions

One study around rebalancing has been already mentioned, let's look into some of them in more detail now. The studies [31] and [30] conducted by the Shrimpy organization have found some interesting results. Both of the studies took into account only periodic rebalancing. They have found that the shorter the time period for rebalance, the better the results, maximizing them at 1 hour period. The other interesting discovery was that if




Figure 3.2: Threshold rebalance visualization, attribution: Shrimpy [32]

the portfolio had more assets in it—was more diversified—the better were the results. The diversification really took advantage of the sell high buy low formula.

Another study [23] confirmed that a portfolio with a larger number of assets performs better. Some other interesting facts have been observed during the simulations that improve the performance of the portfolio:

- Equal weightings of the allocated assets.
- Assets that are uncorrelated or negatively correlated with each other. That means if one rises, the other should go down.
- Assets that have similar rates of return, though volatility also improves the performance.

3.3 Dollar Cost Averaging

Dollar Cost Averaging (DCA) is a strategy often recommended to the beginner investors. The investor makes periodic purchases of the asset in an effort to reduce the volatility of the market. This removes much of the detailed work needed to time the market in order to make purchases at the best price.

Through studies [9] it seems that the advantage of DCA lies more in the reduced psychological effort in order to time the market than in the actual results. Single buy-and-hold strategy seems to outperform DCA in more cases.

Sometimes DCA is used as a mean to invest into trusted assets on weekly/monthly basis—when employees get money. It is also used in some employment plans¹ across the world.

3.4 Day Trading

Day trading are the investors that buy and sell the same asset over the span of one day. They might even buy and sell the assets multiple times. They mostly use technical analysis

¹For example the American 401(k) plan

of the market to achieve this goal. It is not recommended for beginner investors to choose this type of trading as it is much more risky than strategies described before.

3.5 Range Trading

Asset move in certain ranges, as you can see in Figure 3.3. Range trading assumes that and tries to take guesses where are the limits using candlestick charts and support and resistance levels. Investors want to buy when prices reach the support level and sell when they reach the resistance level [28]. The support and resistance levels can be seen in Figure 3.4.




Figure 3.3: Trading range visualization, attribution: Investopedia [17]

3.6 Scalping

In scalping you try to profit from very small price movements over short periods, you might exit a trade seconds after entering it. It is best to use automated bots to increase the buying frequency. Scalpers take advantage of increased trading volume to profit. They want to exit before any news or short-term fluctuation changes the market's view of the coin [11].

It is needed to have a large bankroll to use this strategy effectively. Since the return of investment is really low, the amount gain must be significant enough. It also needs to cover trading fees.

In Figure ?? it can be seen how scalping can take quick and short advantages of the market.



Figure 3.4: Support and resistance levels, attribution: Investopedia [17]

3.7 Automated Trading Systems or Bots

Automated trading systems—also referred as algorithmic trading—allow investors to set specific rules for enter and exit of a trade that can be automatically executed via computer program. Some platforms claim that 70% to 80% of trading done comes from the automated systems [13].

One of the advantages is that the automated trading systems take emotions out of the trading—they only work on a specific criteria. The automated trading systems need to use software or APIs available from the broker. The outcome made in this thesis is expected to be used by some automated trading system.

Automated trading systems are one of the only options to use when considering strategies like scalping due to the ease of getting in and out of a trade in seconds without room for failure. The software also allows backtesting the chosen strategy on historical data from which it can be seen how well it does perform.

3.8 Arbitrage

Arbitrage involves buying cryptocurrency in one market and selling it for higher price in another one. Since the cryptocurrency market is usually unregulated, anyone can make an exchange. This can lead to major differences in the spread of the asset.

There are two types of arbitrage when it comes to cryptocurrencies. The first one focuses on finding prices mismatches across different trading pairs on a single exchange. The other is the one that was already described—locating significant price differences on multiple exchanges. Both types take advantage of an automated trading system that monitors the



Figure 3.5: Scalping visualization, attribution: Quora [11]

exchanges and looks for price differences. In Figure 3.6 you can see how the first type can be profitable.

Regarding the second type of exchange. In January a legendary *kimchi premium*² happened. Bitcoin traded almost 40% higher on the Korean exchanges than the US exchanges. This led to arbitrage investors taking advantage of this fact, buying bitcoin on US exchanges and selling it on the Korean ones for profit [22].

3.9 Stablecoin Trading

When talking about different trading strategies, the focus is usually on the method of the strategy, not the asset themselves. But when it comes to specific things like stable coins, there is an opportunity to handle them in such a way to generate profits for us. The term stablecoin has already been explained in 2.1. It is a coin which has its value pegged to some external reference.

For example it was found in [1] that a de-pegging of stablecoins happens periodically often as a result of temporary shock to the crypto system. During those events profit can be made when trading pegged and de-pegged stablecoins between each other. The author chose DAI and USDC pair for their experiments. It was shown that between August 2019 and March 2020 the spread between DAI and USDC has been fluctuating between 2 to 3%. Advantage

²<https://www.investopedia.com/terms/k/kimchi-premium.asp>




Figure 3.6: Arbitrage execution via multiple trading pairs, attribution: HodlBot [22]

could be taken of this fact—selling DAI for USDC when the price is high and buy it back for USDC when the price returns to the peg.

One thing to remember is to only trade when the spread is sufficient so that the trading fees won't make the profit diminish.

Chapter 4

Existing Simulation Tools for Testing Trading Strategies

In this chapter different simulation tools, their application, usefulness and differences, are discussed. We must distinguish few types of simulation tools when talking about them. When a novice investors first sets foot in the cryptocurrency market, they might be startled by the complexity of the market. They want to learn, but maybe they do not want to lose all their money in the process. That is the perfect opportunity for a manual simulated tool. Investors can invest fake virtual money while all of the market's trading data is accurate and up to date.

Types of cryptocurrency simulators

1. Cryptocurrency market games
2. Virtual trading simulators
3. Backtesting simulation tools

Cryptocurrency market games are games that have less emphasis on the trading skills and more on the entertainment of trading. They are mostly fun way to compete with your friends or strangers. The player that creates the strongest portfolio is considered the best. The winner is then the player with the best investments at the end of the specific game. [27].

Virtual trading simulators are simulators where users can closely track the real market and actively trade cryptocurrencies for virtual profit [27]. The main goal is to use the simulated experience for building and improving the real life trading skills of the user. You can test-drive and backtest your strategy here.

Backtesting simulation tools are similar to the virtual trading simulators in a way, that it aims to make its users better at trading. While the conventional trading simulators only work in real time, there are simulation tools where its users can input chosen strategy and see it run across multiple years of historical data and see how it performed in seconds. This

is the type of simulation tools that will be used in this thesis. It basically uses backtesting for the cryptocurrency strategy's validation.

4.1 What is Backtesting?

The section was inspired by this source [4].

Backtesting means applying a trading strategy or some analytical method on a historical data and analyzing the performance of the current strategy or method. If the strategy shows promise, the trader may use it in a live environment on an exchange. Backtesting does not guarantee future results, but can be a good indicator and filter the effective strategies from the ineffective ones. Backtesting can also detect recurring patterns and exploit those patterns for profits.

Discretionary Backtesting

Discretionary backtesting is a manual form of backtesting. The trader manually places buy and sell order with each signal they receive. They trader may decide to conduct the testing using software such as TradingView¹.

The trader will set a strategy in place, then he will press the replay button (shown in Figure 4.1) and select period of history to test on. The trader will then make discretionary decisions to buy or sell based on the signals.

Manual testing is a great way to control trader's emotions since they may feel the same emotions as in live environment. The disadvantage is that it is quite time-consuming. Trader may run a test for hours only to find out it was not a good strategy (though this result is also valuable). Secondly the amount of data the trader can test the strategy on is limited.

Systems Backtesting

Systems backtesting offers the trader the true power of technology. Systems traders will have a strategy coded and the program will test the strategy against the historical data while generated statistics of the achieved results in manner of seconds. This will show the trader useful statistics about the strategy and help him decide if it is robust and well-performing enough to use in a live environment.

The challenge of systems backtesting is to have sufficient technical knowledge on how to create such algorithmic strategies. And also the analytical knowledge to determine if the strategy performed well or not.

Automated Backtesting

Automated or *algorithmic* trading refers to traders who use a computer program to execute a trade, as explained in 3.7. Backtesting of strategies can also be automated this way

¹<https://www.tradingview.com/>



Figure 4.1: TradingView replay functionality, attribution: TradingView [4]

and is usually just another name for systems backtesting. We automate the results to arrive at helpful statistic to help us determine effective strategies. It is conducted using a programming language.

Simulated Backtesting

Simulated backtesting simply means running a test over a historical data that simulates the real market environment. In this example the system is market environment and the model is the simulated environment.


4.2 Data Requirements for Backtesting

Systems traders will want to simulate the real-world data as closely as possible. Trading costs such as commissions, exchange spreads and slippages can chew away the expected returns. This costs can throw off the backtest results if ignored.

Both *candlestick* and *order book data* are used in backtests, though order book data is usually more reliable.

Timestamp	Open	High	Low	Close	Volume
1575158460000	7554.2	7554.2	7546.14	7546.14	0.05786579
1575158520000	7546.02	7546.1	7546.02	7546.02	0.02604071
1575158580000	7546.02	7553.18	7545.09	7545.09	2.25604269
1575158640000	7543.63	7543.63	7543.63	7543.63	0.00778743
1575158700000	7543.5	7543.5	7532.83	7532.83	0.06064193
1575158760000	7535.92	7541.59	7535.92	7535.93	4.02772332
1575158820000	7543.05	7543.05	7543.05	7543.05	0.00519001
1575158880000	7536.15	7536.15	7536.15	7536.15	0.10575346
1575158940000	7541.85	7541.85	7532.67	7532.67	1.31539777
1575159000000	7529.6	7533.67	7529.6	7529.8	0.18649237
1575159060000	7527.43	7537.32	7527.43	7536.49	0.22423009

(a) How can OHLCV data look like, attribution: Kaiko [24]



(b) Candlestick explained, attribution: Investopedia [25]

Figure 4.2: OHLCV Candlestick Data

OHLCV Candlestick Data

OHLCV stands for Open-High-Low-Close-Volume, you can see how they can be represented in Figure 4.2a. The candlestick data itself is visualized in Figure 4.2b. It is essentially a spreadsheet of price data of the chart time frame. If you pull the candlestick data for the daily chart of Bitcoin, you will receive each day's open, high, low and close price data. If you request 1-minute data, the spreadsheet will include each minute's open, high, low and close price for Bitcoin on that particular day.

OHLCV abbreviations explained [24]:

- Open: Price at which the asset started at the time interval.
- High: Highest price reached during the time interval.
- Low: Lowest price reached during the time interval.
- Close: Price at which the asset ended after the time interval.
- Volume: Quantity of asset bought or sold, displayed in base currency.

There are several imperfection to the OHLCV candlestick data. Firstly, there is no information which prices have been traded for which volume. Additionally, if a trader has a large account, there might not be enough cryptocurrency available to trade without moving the market price—negatively impacting the backtest results. Traders typically use candlestick data because it is easiest to acquire.

Order Book Data

An order book is one of the best data sources and resolves some challenges of the candlestick data. It includes snapshots of the market, including the market's price, volume and depth. With this type of data traders have a better representation of what orders are available at any given time.

It allows testers to simulate bid-ask spread, slippage and liquidity when testing a particular strategy. All of these unavailable to testers using candlestick data. The challenge with order book data is that it is hard to come by. There is tremendous amount of data with order book snapshots so the exchanges choose not to hold the data, as it would be too expensive to store. Therefore usually the developers needs to collect and store the data from the exchange themselves or access the snapshots through a third-party service.

4.3 Performance Analysis

This section was again inspired by the [4] source.

Performance of the given trading system or strategy is commonly gauged against parameters such as profit and loss (P&L), success ratio, and Sharpe ratio.

Profit and Loss – P&L

Once the desired strategy has been created and backtest executed, the big number traders will be interested in is the profit. The backtest should spit out P&L analysis by trade and day. That way an equity curve can be created, showing what the balance would have been if it were traded live. Equity curve is just a time series chart showing what the value of the account would have been after each passed day.

P&L analysis also generates the size of the average winning and the size of the average losing trade. Taking the ratio of those two averages you get a useful average risk-to-reward ratio. For example if the average winning trade is \$100 and the average losing trade is \$50 you get a 1 : 2 risk-to-reward ratio.

Success Ratio

The success ratio is the win ratio of the strategy. Let's say a strategy makes 100 trades. If 72 of those trades are profitable, it has 72% success (or win) ratio. By itself the ratio does not tell much and might be misleading. It is best coupled with the average winner and the average losing trade ratios mentioned in P&L.

For example, a success ratio of 58% and 1:2 risk-to-reward ratio indicates a very good strategy.

Sharpe Ratio

This subsection was sourced from [12]

The Sharpe ratio, developed by *William F. Sharpe*, is used to understand the return of an investment (ROI) compared to its risk. The ratio is the average return earned in excess of the risk-free rate per unit of volatility or total risk.

$$Sharpe\ ratio = \frac{R_p - R_f}{\sigma_p}$$

where:

- R_p = return of portfolio
- R_f = risk-free rate
- σ_p = standard deviation of the portfolio's excess return

Generally, the greater the value of the Sharpe ratio, the more attractive the risk-adjusted return. The yield for the US Treasury bond is often used as the risk-free rate. One of the limitations of the Sharpe ratio is that it assumes that the returns are normally distributed, which is simply not true.

4.4 Popular Simulation Tools

Some popular and easily available simulation tools are Holderlab², Zenbot³, Gekko⁴, Altrady⁵, and Binance's Python backtesting⁶.

4.5 What type of cryptocurrency simulation tool should we use?

When looking at the explored simulation tools it is clear that an automated backtesting program will be used to test the proposed adaptive trading strategy. I will use the OHLCV candlestick data provided by the supervisor and look for order book data if needed. When evaluating the strategy I will not only look at P&L ratio, but also the average winner and losing trades, risk-to-reward ratio and more complex tools like Sharpe ratio.

Programming language

When looking at possible languages to use I consider available libraries and frameworks. I decided to use Python for its many available trading and backtesting frameworks and because of my personal experience with it for data collection.

Backtesting frameworks

Let's look at the available backtesting frameworks for Python. Using frameworks might make things easier for us. Between the candidates for backtesting frameworks I put PyAlgoTrade, bt, backtrader, zipline and Blueshift. Apart from that *numpy*⁷, *pandas*⁸ and

²<https://holderlab.io/>

³<https://github.com/DeviaVir/zenbot>

⁴<https://gekko.wizb.it/>

⁵<https://www.altrady.com/>

⁶<https://www.binance.com/>

⁷<https://numpy.org/>

⁸<https://pandas.pydata.org/>

*matplotlib*⁹ libraries will be probably of great use for general data transformation and visualization. Following section's lines have been inspired by [29] source.

When reviewing backtesting frameworks it's always good to ask what asset classes you are trading, what data frequency and detail is required and what order type should be supported by the chosen framework. Some frameworks go beyond backtesting and include live trading capabilities that make it easier for potential deployment.

The framework should have a way to consume trading data in a convenient way. It should calculate a broad range of risk and performance metrics as explained in 4.3, including the max drawdown and Sharpe and Sortino ratios.

Computer resources may be a problem sometimes. Traders can opt for frameworks with distributed or parallel processing in those scenarios. When it comes to strategy optimization, program may attempt to find the optimal parameters for each technical indicator, testing various combinations. In portfolio context, the program may try to find the best weighting of every asset in the portfolio for the ideal rebalance.

We will now look at a few backtesting frameworks for Python and lightly compare them. The common capabilities of the frameworks is that they are event driven, with flexible licenses, having decent number of pre-defined technical indicators and standard performance metric calculation, visualization and reporting capabilities.

*PyAlgoTrade*¹⁰ is a fully documented framework with paper and live trading capabilities. Its data support includes Yahoo! Finance, Google Finance, NinjaTrader and any type of CSV-based time series.

*bt*¹¹ is used to test quantitative trading strategies. It allows traders to easily create strategies that mix and match different algorithms. It aims to save developers time re-inventing the wheel and instead focus on the strategy development.

*backtrader*¹² is a feature-rich backtesting framework. It allows you to focus on writing reusable trading strategies, indicators and analyzers rather than on building the infrastructure itself.

*Blueshift*¹³ is a platform to research and test systematic investment strategies. It is asset-class and instruments agnostics. It is not meant for HFT—high frequency trading.

*Zipline*¹⁴ is a event-driven system for backtesting. It is accessible through the browser-based IPython Notebook interface, which makes it available to developers who do not prefer the command line.

⁹<https://matplotlib.org/>

¹⁰<https://github.com/gbeced/pyalgotrade>

¹¹<https://pmorisette.github.io/bt/>

¹²<https://www.backtrader.com/>

¹³<https://blueshift.quantinsti.com/docs/>

¹⁴<https://github.com/quantopian/zipline>

Chapter 5

Trading Data Analyzation

In this chapter the history data of cryptocurrency market is analyzed. We try to find trends and patterns that we can then use to our advantage when coming up with an adaptive trading strategy.

5.1 Types of Analysis

This section was inspired by the [\[3\]](#) source.

Before we analyze the cryptocurrencies themselves, let's take a look at ways how to analyze them. There are generally three possible methods: technical, fundamental and sentiment analysis. Each type has its strength and weaknesses. Combining them together creates a clearer picture.

Technical Analysis – TA

The main focus here is on the historical price and volume data. We can create 50-day moving average (SMA) by taking the last 50 days' prices and averaging them. If a cryptocurrency has been trading under its 50-day SMA for a few weeks and suddenly breaks through, it may be seen as a sign of possible recovery.

Fundamental Analysis – FA

Fundamental analysis takes its merits from the fundamental, intrinsic value of a project or cryptocurrency. It concentrates on internal and external factors to try to establish the asset's actual value. For example, you could take a look at daily cryptocurrency's transaction to measure the network's popularity. If the number of transactions rises over time, it may suggest the value of the project and that its price may rise.

Sentiment Analysis – SA

Sentiment analysis is the use of market sentiment to predict the price movements. Market sentiment represents the feelings and mood of investors towards an asset. These are typically categorized into bullish and bearish sentiments. A significant increase in google searches about purchasing some cryptocurrency may suggest a market sentiment.

5.2 Bitcoin Price Analysis

This section was inspired by the [3] source.

First thing to analyze is Bitcoin in particular. No other cryptocurrency has such an impact on the cryptocurrency market and still remains to have impact to this day. Bitcoin has started it all, so it is only appropriate to analyze it completely. We can see the linear and logarithmic graphs in Figures 5.1 and 5.2 respectively.

While the linear graph shows us the actual price changes, the logarithmic graph is also useful to us. It shows us relative price increases of the Bitcoin. It represents a percentage increase in price, change from \$10 to \$20 is the same as \$1000 to \$2000 since the investor will in both cases gain a profit of 100%. Because of this, logarithmic scale is usually often for technical analysis.



Figure 5.1: Bitcoin linear price graph, attribution: CoinMarketCap [10]

5.3 Data Analysis Provided by Supervisor

TODO: Is this needed at all?

The provided data were in the OHLCV 4.2 candlestick structure. A Python script converting these CSV data to a graph had to be created.

Data is analyzed in several ways:

1. Correlation between coin's market price and its market capitalization.



Figure 5.2: Bitcoin logarithmic price graph, attribution: CoinMarketCap [10]

2. Correlation between coin's market price and the total market capitalization of the cryptocurrency market.
3. Correlation between coin's market price and BTC price.
4. Fundamental analysis of some bigger assets.

Chapter 6

Adaptive Trading Strategy Proposals

6.1 Proposals

Adaptive Trading Strategy Proposals:

1. Risk metric
2. Simple Moving Average crossover
3. Machine Learning Series prediction
4. [BONUS] Stablecoin shock peg/de-peg

Variables to consider:

1. strategies combinations
2. adaptive vs classic model behavior ratio
3. rebalance weights ratio and frequency
4. different time intervals
5. different size of coin portfolio

Idea is to have e.g. 80% of adaptive model behavior and 20% of classic model behavior.

6.2 Bull Market Behaviour

During the possible Bull Market we hold coins, rebalance and buy more of them.

6.3 Bear Market Behaviour

During Bear Market we transfer our holding to stablecoins (in certain percentage) so that the market fall does not impede us.

6.4 Bitcoin Risk Metric

This term was coined and invented by Benjamin Cowen on his youtube channel ¹. It is an algorithm that prescribes a certain risk value, between 0 and 1, to each day of bitcoin price. It takes into account the maximum value that has already occurred so far in the history. This strategy is often favourable by DCA. Depending on the risk scale, you either invest more if the risk is lower and invest less (or not at all) if the risk is high.

The metric oscillates between highs and lows. There have been 5 high points of the metric since the year 2015.

Raven

DCA

6.5 Adjusted Risk Metric

6.6 Other optimizations

24H volume—correlation

Number of larger drops in market

Machine Learning Time Series Optimizations

6.7 Combinations

¹<https://www.youtube.com/channel/UCRvqjQPSeaWn-uEx-w0X0Ig>

Chapter 7

Adaptive Strategy Design and Implementation

7.1 Design

During my search, I initially tinkered with several frameworks to test out their capabilities. The basic idea was that if a framework would prove satisfactory I would use it and tweak it to my needs so I do not reinvent the wheel again.

Alas, during my tinker with Python frameworks as *PyAlgoTrade*, *backtrader* or *zipline*, the frameworks were either outdated or they did not meet my needs of adaptive strategies.

vectorbt

One of the more promising frameworks was the *vectorbt* library. I did a few basic graphs and strategies with it like HODL and MA (moving average) crossover, the examples can be seen in the code. Unfortunately, the library also proved to be insufficient, or more well put, overly complicated, when it came to my needs. Rather than spending days trying to understand a few functions from the library I decided it would be faster to create my own backtesting framework that would serve the strategies perfectly while still understanding the inner working of the framework completely. This point was also supported by the thesis supervisor and discussions I found on the internet¹.

General Design

The general idea is to build a backtesting command line interface application. It takes input arguments from the CLI or a configuration file and passes it to the argument parser. The parser parses the arguments, it then gets all the requested data either via API calls, or if the data already exists, fetch them from the local filesystem. All of the arguments, data range and data itself is then converted to a trading data data structure and passed to the simulator. The simulator calls several strategies and aggregates the results into a strategy

¹https://www.reddit.com/r/algotrading/comments/i2wo3u/why_everyone_is_building_custom_backtesting/

result data structure. That is then passed to the Plotter class. Plotter plots the results and optionally prints out the strategies stats. The visualization can be seen in Figure 7.1.




Figure 7.1: General design structure of the backtester

Strategy Class

All strategies are derived from the base strategy abstract class. The class provides the common functions, constants and data initialization. The inherited classes usually overwrite the `execute_step` method which does a singular step of the strategy (1 day if the data is days apart).

One interesting strategy in particular is the StrategyMerger class that allows merging the behaviour of several strategies. It basically combines the `execute_step` of the strategies in the order they are defined.

Strategy classes with their most important attributes are shown in Figure 7.2

7.2 Fetch of trading data

Initial trading data that was used for the experiments were initially provided by the supervisor. Due to their incompleteness and due to them being out-of-date, a need for more complete data was created.

I designed the data fetch into a few categories. I then researched each category and chose the best suited API provider for the thesis.




Figure 7.2: Class diagram of strategies of the backtester

OHLCV data

I needed OHLCV 5 minute and 1 hour data to test various strategies this way. After going through some recommendations I settled with Binance API² for OHLCV data since I already had an account with them. All that is needed are public and secret API keys to make the requests.

Historical BTC

One of the disadvantages of Binance API is that it only goes as far back as it started. That is to the July 2018. When calculating things like bitcoin risk metric it is advantageous to have earlier data available. To this end I used the free and public CoinGecko API³. The `coins/market_chart` endpoint was ideal for this use case.

Historical data have daily interval and include only the price and volume of each day, so it is not the standard OHLCV data. The data dates to the year 2013.

Global Metrics

Another need due to the alternative risk metric was created for the total crypto market capitalization. This data is not present in Binance nor CoinGekco API. The perfect infor-

²<https://www.binance.com/en/support/faq/c-6>

³<https://www.coingecko.com/en/api/documentation>

mation was found at CoinMarketCap website⁴. After a bit of web scraping I got to the original API call⁵.

The data includes several useful metrics. The most important one is the total market capitalization of each day dating to year 2013. Other useful ones are 24 hour volume and bth/eth dominance for each day.

Implementing the fetch

Ideally, we would get all of our data from single API provider. Unfortunately, I have found no single provider that provides the needed data in the requested format.

`python-binance`⁶ 3rd party module is used to ease the getting the data from Binance API. `pycoingecko`⁷ does the same thing for the CoinGecko API. Data got from CoinMarketCap are fetched via the interface of the 3rd party module `requests`⁸

The only API that needs public and private keys is the Binance API. The keys are hidden in the `.env` file and got from the configuration library called `python-decouple`⁹

7.3 Usage

Usage is defined in the standard environment of bash command line interface. All needed commands are provided by the Makefile and can be listed by running `make`.

Install dependencies:

```
make installdeps
```

Run the project:

```
# using Makefile
make run
```

```
# using the module itself + argument file
python -m backtester -f args.yaml
```

```
# using the module itself + CLI arguments
python -m backtester -s 2020-01-01 -e 2022-01-01 -i 1d -p BTCUSDT ETHUSDT
```

7.4 Data Input

There are a few different program arguments that are needed to be specified.

⁴<https://coinmarketcap.com/charts/>

⁵<https://api.coinmarketcap.com/data-api/v3/global-metrics/quotes/historical?interval=1d>

⁶<https://pypi.org/project/python-binance/>

⁷<https://pypi.org/project/pycoingecko/>

⁸<https://pypi.org/project/requests/>

⁹<https://pypi.org/project/python-decouple/>

Pairs are used to select the cryptocurrency pairs we want to trade. Since Binance requires both of the assets to be cryptocurrencies we cannot select \$USD. Closest asset to it is the token that is pegged against \$USD, USDT. So if you want to choose trading pair where the price of bitcoin and \$USD is compared, choose BTCUSDT.

Starting and ending date do exactly as the name suggests, they define the data range in which the data is fetched. The interval argument defines the OHLCV interval between each data, it uses Binance abbreviations and there are several possible values. The values I mostly used were 5m and 1h interval, that means that the OHLCV data fetched will be either 5 minute or 1 hour apart.

Due to a possible long list of argument values, the arguments can be saved into a file in the YAML¹⁰ format. Its schema is then validated and arguments dictionary got via the schema¹¹ and PyYAML¹² Python libraries respectively.

Among optional arguments belongs the logging level. It defines the logging level used for logging that informs the users of filesystem manipulations, simulation progress and results, or errors and debug information. Defaultly it is set to level INFO.

Data Structures

Several data structures are defined to ease the work with data transformations. They are explained in the thesis so the reader is aware of the inner workings of the project, should he try to develop it.

TODO: Define if it is really needed.

7.5 Other helpful structures

Plotter

plotly¹³ is used for plotting the final graphs. It works natively with the dataframe data used in pandas.

7.6 Testing

Simple testing was set up using the pytest framework¹⁴. The test files can be found in the `tests` folder. The tests serve to verify the basic functionality of the implemented trading strategies.

¹⁰<https://yaml.org/>

¹¹<https://pypi.org/project/schema/>

¹²<https://pypi.org/project/PyYAML/>

¹³<https://pypi.org/project/plotly/>

¹⁴<https://docs.pytest.org/>

7.7 Deployment and Development

During the development of the project, code standards were enforced via various programming tools, such as linters, formatters, pre-commit and CI checks. All the selected technologies can be viewed in the repository of the project.

Containerization–Docker

For ease of development and deployment, the project has been packaged into a container that can be run via the docker command. This way anyone can easily try out the program or develop it having only the required docker command installed.

Other containerization benefits include:

- Runtime Environment Agnosticism
- Isolation from other processes
- Portability
- Ease of delivery
- Scalability

Virtual Environment

Other option on how to develop the project is to use the Python virtual environment. `virtualenv`¹⁵ is used in the project, but other tools like `venv`¹⁶ and `conda`¹⁷ could be used.

After activating the environment and installing the required packages via `pip`. The project is ready to be run and developed. Of course the project can be developed without ever activating the virtual environment. Conflicting Python packages and versions may cause a dependency problem though. This way the whole project is separated from the local installation of the operating system.

7.7.1 Makefile

Makefile is used to put a common interface for all the other commands and tools. It is recommended to use the targets from Makefile for running and developing the project. All lint, format, containerization, testing, latex translation targets are located there.

¹⁵<https://pypi.org/project/virtualenv/>

¹⁶<https://docs.python.org/3/library/venv.html>

¹⁷<https://docs.conda.io/en/latest/>

Chapter 8

Adaptive Strategy Experiments

Before we can dive into the individual adaptive strategy experiments we need some traditional strategies that we can compare the adaptive results against. HODL and Rebalance will serve as such strategies. Both are very simple to implement and highly used. That makes them the perfect candidate for this purpose.

Let us dive into it.

8.1 Basic evaluation strategy

Before we get to the individual experiments, the main process for evaluating the experiments must be described. There are 2 caveats to this process. Firstly we need to define the strategy that tells the probability of market going up or down, let us call it the risk metric. And secondly we need to find the optimal strategy that works with this metric—that means an algorithm that decides what to do when the metric is at such level and what to do if it is in a different level—finite state machine.

Basically, the thesis can be split into a function and a finite state machine. The function's inputs is the today date and some kind of other data used for calculating the metric (e.g. historical price of Bitcoin). Function then calculates the risk for the current day and passes the value to the finite state machine. The automata then decides on what to do, taking the previous step into the account.

Finite state machine behaviour

The most basic idea is to transfer the coins to stablecoins.

8.2 Testing out the Bitcoin Risk Metric

1. <https://www.youtube.com/watch?v=ocQTqM4IL3k>
2. <https://github.com/BitcoinRaven/Bitcoin-Risk-Metric-V2>

Unfortunately, Benjamin Cowen does not have his risk metric calculation formula publicly available. In a past video [TODO: link](#), he hinted that one piece used are the moving averages. Specifically when you take 50 day MA and you divide it by 50 week MA. That is the first value used.

Optimizing for diminishing returns

Chapter 9

Limitations and Further Improvements of Practical Deployment

So far we have only discussed the backtesting framework developed. For practical use, actual API calls to cryptomarket exchanges such as Binance¹ or Coinbase² would be needed.

This would require either heavily changing the existing framework or creating a new project entirely. I would design in such a way, that the working backtesting framework would be solely for experimenting with new strategies or validating the chosen strategies for the current day. The projects could work in conjecture this way. The practical deployment would send the new daily data to the backtesting framework which would then send a signal to the deployment on what to do—buy, sell, rebalance, etc.

This would also require working with always up-to-date data, not just historical. Some different API endpoints may be used.

9.1 Further Ideas

The API endpoint from CoinGecko for the top 7 trending coins searched by their users could be used to expects pumps of the selected coins.

9.2 TODO: Comparison to existing solutions

1. 3Commas
2. Cowen Risk Metric

¹<https://www.binance.com/>

²<https://www.coinbase.com/>

Chapter 10

Conclusion

Bibliography

- [1] ADAMS, R. S. *How to make money trading stablecoins* [online], 28. april 2020 [cit. 2021-12-28]. Available at: <https://newsletter.banklesshq.com/p/how-to-make-money-trading-stablecoins>.
- [2] BBC. *China declares all crypto-currency transactions illegal* [online], 24. september 2021 [cit. 2022-01-12]. Available at: <https://www.bbc.com/news/technology-58678907>.
- [3] BINANCE. *An Overview of Bitcoin's Price History* [online], 5. august 2021. revised 28. 10. 2021 [cit. 2022-01-17]. Available at: <https://academy.binance.com/en/articles/an-overview-of-bitcoin-s-price-history>.
- [4] BYBIT. *How to Backtest a Crypto Trading Strategy Correctly Like a Pro* [online], 8. july 2021 [cit. 2022-01-16]. Available at: <https://learn.bybit.com/trading/backtesting-crypto-trading-strategies/?amp>.
- [5] CHEN, J. *Rebalancing* [online], 26. april 2020. revised 26. 4. 2020 [cit. 2021-12-29]. Available at: <https://www.investopedia.com/terms/r/rebalancing.asp>.
- [6] CHEN, J. *Bear Market* [online], 28. august 2021. revised 28. 8. 2021 [cit. 2022-01-12]. Available at: <https://www.investopedia.com/terms/b/bearmarket.asp>.
- [7] CHEN, J. *Bull* [online], 28. june 2021. revised 28. 6. 2021 [cit. 2022-01-12]. Available at: <https://www.investopedia.com/terms/b/bull.asp>.
- [8] CHEN, J. *Fiat Money* [online], 26. october 2021. revised 26. 10. 2021 [cit. 2022-01-12]. Available at: <https://www.investopedia.com/articles/stocks/11/rebalancing-strategies.asp>.
- [9] CHOW, C. *Dollar-Cost Averaging vs. Buy-and-Hold* [online], 20. october 2018 [cit. 2022-01-12]. Available at: <https://chrischow.github.io/dataandstuff/2018-10-20-dollar-cost-averaging/>.
- [10] COINMARKETCAP. *CoinMarketCap* [online]. [cit. 2022-01-12]. Available at: <https://coinmarketcap.com/>.
- [11] DAVIS, C. *Best Crypto Day Trading Strategies* [online], 15. december 2021 [cit. 2022-01-15]. Available at: <https://www.benzinga.com/money/best-crypto-day-trading-strategies/>.
- [12] FERNANDO, J. *Sharpe Ratio* [online], 26. november 2003. revised 10. 1. 2022 [cit. 2022-01-16]. Available at: <https://www.investopedia.com/terms/s/sharperatio.asp>.

- [13] FOLGER, J. *Automated Trading Systems: The Pros and Cons* [online], 12. may 2019. revised 12. 5. 2019 [cit. 2021-01-15]. Available at: <https://www.investopedia.com/articles/trading/11/automated-trading-systems.asp>.
- [14] FRANKENFIELD, J. *HODL* [online], 18. december 2021. revised 18. 12. 2021 [cit. 2021-12-29]. Available at: <https://www.investopedia.com/terms/h/hodl.asp>.
- [15] FRANKENFIELD, J. *Cryptocurrency* [online], 11. january 2022. revised 11. 1. 2022 [cit. 2022-01-11]. Available at: <https://www.investopedia.com/articles/stocks/11/rebalancing-strategies.asp>.
- [16] GAMEKYUUBI. *I AM HODLING* [online], 18. december 2013 [cit. 2022-01-11]. Available at: <https://bitcointalk.org/index.php?topic=375643.0>.
- [17] HAYES, A. *Trading Range* [online], 24. november 2003. revised 15. 6. 2021 [cit. 2022-01-17]. Available at: <https://www.investopedia.com/terms/t/tradingrange.asp>.
- [18] HAYES, A. *Trading Strategy* [online], 13. july 2010. revised 8. 4. 2021 [cit. 2022-04-27]. Available at: <https://www.investopedia.com/terms/t/trading-strategy.asp>.
- [19] HAYES, A. *Bull Market* [online], 24. february 2021. revised 24. 2. 2021. Available at: <https://www.investopedia.com/terms/b/bullmarket.asp>.
- [20] HAYES, A. *Stablecoin* [online], 12. november 2021. revised 12. 11. 2021. Available at: <https://www.investopedia.com/terms/s/stablecoin.asp>.
- [21] HAYES, A. *Blockchain Explained* [online], 7. january 2022. revised 7. 1. 2022 [cit. 2022-01-12]. Available at: <https://www.investopedia.com/terms/b/blockchain.asp>.
- [22] HODLBOT. *Day Trading Cryptocurrency - Strategy Guide for Beginners* [online], 29. january 2020 [cit. 2022-01-15]. Available at: <https://www.hodlbot.io/blog/day-trading-cryptocurrency>.
- [23] HOLDERLAB.IO. *Rebalancing Strategy For Your Crypto Portfolio* [online], 28. january 2020 [cit. 2021-12-28]. Available at: <https://medium.com/coinmonks/rebalancing-strategy-for-your-crypto-portfolio-590397f2282b>.
- [24] KAIKO. *Cryptocurrency OHLCV Data* [online], 8. july 2021 [cit. 2022-01-16]. Available at: <https://www.kaiko.com/collections/ohlcv>.
- [25] MITCHELL, C. *Understanding Basic Candlestick Charts* [online], 11. may 2018. revised 25. 3. 2021 [cit. 2022-01-17]. Available at: <https://www.investopedia.com/trading/candlestick-charting-what-is-it/>.
- [26] NAKAMOTO, S. *Bitcoin: A Peer-to-Peer Electronic Cash System*. October 2008. Available at: <https://bitcoin.org/bitcoin.pdf>.
- [27] NETRESORT. *Best Stock, Bitcoin & Crypto Trading Simulator to Learn* [online], 28. july 2021 [cit. 2022-01-16]. Available at: <https://www.start-business-online.com/top-stocks-crypto-trading-simulators>.
- [28] NIBLEY, B. *5 Strategies for Day Trading Cryptocurrency* [online], 30. july 2021 [cit. 2022-01-15]. Available at: https://www.sofi.com/learn/content/day-trading-cryptocurrency-strategies/?cf_chl_jschl_tk=QVGtzZQJ6XV12WwtWEJa1r0rpP3b.KUrKqN98TCorSQ-1641902451-0-gaNycGzNCH0.

- [29] QUANTSTART. *Backtesting Systematic Trading Strategies in Python: Considerations and Open Source Frameworks* [online], 18. july 2018 [cit. 2022-01-16]. Available at: <https://www.quantstart.com/articles/backtesting-systematic-trading-strategies-in-python-considerations-and-open-source-frameworks/>.
- [30] SHRIMPY. *Crypto Users who Diversify Perform Better* [online], 17. may 2018 [cit. 2021-12-28]. Available at: <https://hackernoon.com/crypto-users-who-diversify-perform-better-new-research-ebf775d348dd>.
- [31] SHRIMPY. *Portfolio Diversity: A Technical Analysis* [online], 8. may 2018 [cit. 2021-12-28]. Available at: <https://hackernoon.com/portfolio-diversity-a-technical-analysis-c2c49f4d3a77>.
- [32] TEAM, T. S. *What is Portfolio Rebalancing?* [online], 20. april 2021 [cit. 2021-12-28]. Available at: <https://academy.shrimpy.io/post/what-is-portfolio-rebalancing>.