S&P Capital IQ Real-Time Solutions

FeedOS™ Feed Description

BATS US Feed

Reference n°: 20150422 – 24473 – 25354 – 26380

S&P CAPITAL IQ
McGRAW HILL FINANCIAL

S&P Capital IQ Real-Time Solutions
FeedOS™ Feed Description: BATS US Feed
Reference 20150422 – 24473 – 25354 – 26380
April 22, 2015

France Offices
52 Rue de la Victoire
75009 Paris
France
Tel: +33 (0) 1 73 02 32 11

US Offices
55 Water Street, 44th floor
New York, NY 10041
United States of America
Tel: +1-(212)-438-4346

130 East Randolph
One Prudential Plaza, Suite 2900
Chicago, IL 60601
United States of America
Tel: +1-(312)-233-7129

UK Offices
20 Canada Square
Canary Wharf
London E14 5LH
United Kingdom
Tel: +44 (0) 203 107 1676

Singapore Offices
12 Marina Boulevard
#23-01 Marina Bay
Financial Centre Tower 3
Singapore 018982
Tel: +65 6530 6546

www.capitaliq.com

TABLE OF CONTENTS

FEEDOS™ BATS US FEED DESCRIPTION

As part of S&P Capital IQ Real-Time Solutions FeedOS™ documentation, this feed description provides you with details about the types of data broadcast on the BATS US market data stream, their possible values and current FeedOS technical implementation.

The topics this feed description covers include:

- 1. Referential Data
- 2. Quotation Data
- 3. Official Closing Price
- 5. Finding the Latest Information.

1. Referential Data

The following sections describe the characteristics of the referential data on the BATS US market data stream, in terms of:

- 1.1. Available Markets and Branches
- 1.2. Types of Instruments
- 1.3. Specific Referential Tags.

1.1. Available Markets and Branches

This section details the list of markets and branches available on the BATS US market data stream:

- 1.1.1. Markets
- 1.1.2. Branches.

1.1.1. Markets

The BATS US market data stream broadcasts informations about the following markets:

Table 1 List of markets available on BATS US market data stream

FeedOS Market ID	Market
BATS	BATS US

The following example shows the list of markets available on the BATS US market data stream and their IDs, returned by the command `dumps`:

```
MARKETS
market # 444    CC=US/UNITED STATES OF AMERICA/KANSAS CITY,DESCR=BATS
EXCHANGE,WEB=www.batstrading.com
    MIC = BATS
    TimeZone =
    Country =
    NbMaxInstruments = 1000000
```

1.1.2. Branches

The example below shows the list of branches available on the BATS US market data stream, returned by the command `dumps`. Each branch displays the following details: `FOSMarketID`, `SecurityType`, `CFICode` and `Quantity` (of instruments):

```
BRANCHES
    { BATS CS   ESXXXX } qty: 7692
    { BATS MF   EUXXXX } qty: 1
    { BATS NONE EXXXXX } qty: 2
    { BATS NONE RXXXXX } qty: 4
    { BATS PS   EPXXXX } qty: 476
    { BATS WAR  RWXXXX } qty: 37
```

1.2. Types of Instruments

The following sections describe the instruments available on the BATS US market data stream, according to their type:

- 1.2.1. Equities
- 1.2.2. Rights
- 1.2.3. Warrants.

1.2.1. Equities

The sample below illustrates the details of an equity:

```
instr # 444/750094 = 931885582
    PriceCurrency               string{USD}
    Symbol                      string{HLTH}
    SecurityType                string{CS}
    FOSMarketId                 BATS
    CFICode                     string{ESXXXX}
    SecurityGroup               string{13}
    InternalCreationDate        Timestamp{2015-04-20 11:45:01:618}
    InternalModificationDate    Timestamp{2015-04-20 11:45:01:618}
    InternalSourceId            uint16{113}
    InternalEntitlementId       int32{1009}
    LocalCodeStr                string{HLTH}
    ForeignFOSMarketId          XASE
    ForeignMarketId             string{XASE}
    PriceIncrement_dynamic_TableId  uint32{2031716}
    UMTF                        string{HLTH}
    OperatingMIC                string{BATS}
```

1.2.2. Rights

The sample below illustrates the details of a right:

```
instr # 444/750034 = 931885522
    PriceCurrency               string{USD}
    Symbol                      string{TTM^}
    SecurityType                string{NONE}
    FOSMarketId                 BATS
    CFICode                     string{RXXXXX}
    SecurityGroup               string{27}
    InternalCreationDate        Timestamp{2015-04-15 09:55:55:728}
    InternalModificationDate    Timestamp{2015-04-15 09:55:55:728}
    InternalSourceId            uint16{113}
    InternalEntitlementId       int32{1009}
    LocalCodeStr                string{TTM^}
    PriceIncrement_dynamic_TableId      uint32{2031716}
    UMTF                        string{TTM^}
    OperatingMIC                string{BATS}
```

1.2.3. Warrants

The sample below illustrates the details of a warrant:

```
instr # 444/759133 = 931894621
    PriceCurrency                string{USD}
    Symbol                       string{WBS+}
    SecurityType                 string{WAR}
    FOSMarketId                  BATS
    CFICode                      string{RWXXXX}
    SecurityGroup                string{30}
    InternalCreationDate         Timestamp{2015-04-15 09:55:55:908}
    InternalModificationDate     Timestamp{2015-04-15 09:55:55:908}
    InternalSourceId             uint16{113}
    InternalEntitlementId        int32{1009}
    LocalCodeStr                 string{WBS+}
    PriceIncrement_dynamic_TableId      uint32{2031716}
    UMTF                         string{WBS+}
    OperatingMIC                 string{BATS}
```

1.3. Specific Referential Tags

The following sections detail the specific referential tags available on the BATS US market data stream:

- 1.3.1. PriceCurrency
- 1.3.2. ForeignFOSMarketId.

1.3.1. PriceCurrency

The values of the referential tag **PriceCurrency** conveyed on the BATS US market data stream are disseminated via FeedOS data stream in *Referential* to specify the currency of the price.

FeedOS implementation of the tag `PriceCurrency` is described in the table below:

Table 2 PriceCurrency – technical implementation in FeedOS

Component	Value	Description
Tag Name	`PriceCurrency`	FeedOS tag name.
Numeric ID	`15`	FeedOS unique ID disseminated on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`String`	String data type.
Format	*`[Exchange Specific Value]`*	An ***exchange specific value***, specifying the currency of the price.
Possible Values	`USD`	United States Dollar

1.3.2. ForeignFOSMarketId

The values of the referential tag **ForeignFOSMarketId** conveyed on the BATS US market data stream are disseminated via FeedOS data stream in *Referential* to internally specify the foreign market of a security.

FeedOS implementation of the tag `ForeignFOSMarketId` is described in the table below:

Table 3 ForeignFOSMarketId – technical implementation in FeedOS

Component	Value	Description
Tag Name	`ForeignFOSMarketId`	FeedOS tag name.
Numeric ID	`9501`	FeedOS unique ID disseminated on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`UInt16`	UInt16 data type.
Format	*`[Exchange Specific Value]`*	An ***exchange specific value***, internally specifying the foreign market of a security.
Possible Values	`ARCX`	NYSE Arca
	`XASE`	NYSE Market LLC
	`XNAS`	NASDAQ - All Markets
	`XNYS`	New York Stock Exchange

2. Quotation Data

The following sections describe the characteristics of the quotation data on the BATS US market data stream, in terms of:

- 2.1. Quotation Values
- 2.2. TradingStatus
- 2.3. Specific Quotation Tags.

2.1. Quotation Values

The examples below shows the possible values of an instrument on BATS US market data stream:

```
-- 444/750000
        BID: 57.09      0       *NO ORDER*
        ASK: 58.22      0       *NO ORDER*
        LastPrice                       float64{57.68}
        LastTradeQty                    float64{19}
        DailyTotalVolumeTraded          float64{0}
        DailyTotalAssetTraded           float64{0}
        LastTradePrice                  float64{57.68}
        LastTradeTimestamp              Timestamp{2015-04-15 19:59:58:986}
        InternalDailyOpenTimestamp      Timestamp{2015-04-16 12:00:00:432}
        InternalDailyCloseTimestamp     Timestamp{2015-04-15 21:01:00:400}
        InternalDailyHighTimestamp      Timestamp{2015-04-15 17:12:15:328}
        InternalDailyLowTimestamp       Timestamp{2015-04-15 14:19:38:200}
        InternalPriceActivityTimestamp  Timestamp{2015-04-16 11:14:04:111}
        TradingStatus                   17=ReadyToTrade
        LastOffBookTradePrice           float64{57.685}
        LastOffBookTradeQty             float64{100}
        LastOffBookTradeTimestamp       Timestamp{2015-04-15 19:59:59:585}
        PreviousDailyTotalVolumeTraded  float64{53767}
        PreviousDailyTotalAssetTraded   float64{3092752.86}
        PreviousDailyClosingPrice       float64{57.68}
        PreviousBusinessDay             Timestamp{2015-04-15}
        CurrentBusinessDay              Timestamp{2015-04-16}
        DailyTotalOffBookVolumeTraded   float64{0}
        DailyTotalOffBookAssetTraded    float64{0}
        InternalDailyClosingPriceType   char{d}
        PriceActivityMarketTimestamp    Timestamp{2015-04-16 07:58:47:676}
```

For more details about the fields and tags available in quotation data type, and their possible values, see *FeedOS Quotation Tags Guide*.

2.2. TradingStatus

Each time a modification of the trading status occurs, the values of the quotation tag **TradingStatus** conveyed on the BATS US market data stream are disseminated via FeedOS data stream in *Other Values*:

- in the callback carrying the Level1 event `notif_TradeEventExt()`, for C++
- in the event handler `TradeEventExtEventHandler`, for C#
- in the callback carrying the Level1 event `quotNotifTradeEventExt`, for Java.

FeedOS implementation of the tag `TradingStatus` is described in the following table:

Table 4 TradingStatus – technical implementation in FeedOS

Component	Value	Description
Tag Name	`TradingStatus`	FeedOS tag name.
Numeric ID	9100	FeedOS unique ID disseminated on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`Enum`	Enum data type.
Format	*`[Exchange Specific Value]`*	An ***exchange specific value***, detailing the characteristics of the trading status.
Possible Values	17	Ready to Trade
	18	Not Available for Trading

2.3. Specific Quotation Tags

The following sections describe additional, specific quotation tags available on the BATS US market data stream:

- 2.3.1. Other Values.

2.3.1. Other Values

The following subsections describe the trade conditions on the BATS US market data stream:

- 2.3.1.1. RegSHOAction
- 2.3.1.2. InternalDailyClosingPriceType
- 2.3.1.3. RetailPriceImprovement
- 2.3.1.4. MARKET_BATS_AuctionType.

2.3.1.1. RegSHOAction

Each time a short sale price restriction occurs, the values of the quotation tag **RegSHOAction** conveyed on the BATS US market data stream are disseminated via FeedOS data stream in *Other Values*:

- in the callback carrying the Level1 event `notif_TradeEventExt()`, for C++
- in the event handler `TradeEventExtEventHandler`, for C#
- in the callback carrying the Level1 event `quotNotifTradeEventExt`, for Java.

FeedOS implementation of the tag `RegSHOAction` is described in the table below:

Table 5 RegSHOAction – technical implementation in FeedOS

Component	Value	Description
Tag Name	`RegSHOAction`	FeedOS tag name.
Numeric ID	9113	FeedOS unique ID broadcast on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`Enum`	Enum data type.

Table 5 RegSHOAction – technical implementation in FeedOS (Continued)

Component	Value	Description
Format	*[Exchange Specific Value]*	An ***exchange specific value***, detailing the short sale price restriction status.
Possible Values	1	No short sale price restriction.
	2	Short sale price restriction in progress.
	3	Short sale price restriction remains in effect for a second business day.

2.3.1.2. InternalDailyClosingPriceType

The values of the quotation tag **InternalDailyClosingPriceType** conveyed on the BATS US market data stream are disseminated via FeedOS data stream in *Other Values* to indicate the type of the internal daily closing price:

- in the callback carrying the Level1 event `notif_TradeEventExt()`, for C++
- in the event handler `TradeEventExtEventHandler`, for C#
- in the callback carrying the Level1 event `quotNotifTradeEventExt`, for Java.

FeedOS implementation of the tag `InternalDailyClosingPriceType` is described in the table below (the values currently disseminated are highlighted in `green`):

Table 6 InternalDailyClosingPriceType – technical implementation in FeedOS

Component	Value	Description
Tag Name	`InternalDailyClosingPriceType`	FeedOS tag name.
Numeric ID	9155	FeedOS unique ID disseminated on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`Char`	Char data type.
Format	*[Internal Specific Value]*	An ***internal specific value***, detailing the type of daily closing price, as described below.
Possible Values	0	**Undefined**
	a	**Official Close** – Explicit closing price value calculated and distributed by an exchange for the main trading session of a given trading day.
	b	**Official Indicative** – Exchange has provided an indicative price and marked it as indicative, however no trading activity is observed.
	c	**Official Carry Over** – Explicit Closing price value from a previous trading day carried forward by the exchange to the given trading day.
	d	**Last Price** – Final price disseminated by the exchange for the main trading session or dissemination period of a given trading day (for indices).
	e	**Last Eligible Price** – Execution price of the final trade (subject to trade qualifiers) accepted by the exchange for the main trading session of a given trading day.
	z	**Manual** – Price disseminated manually (in case of production correction).

2.3.1.3. RetailPriceImprovement

The values of the quotation tag **RetailPriceImprovement** conveyed on the `BATY` market are disseminated via FeedOS data stream in *Other Values* to indicate when an RPI (Retail Price Improvement) is present for a symbol on the BYX Exchange order book or an RPI order is no longer available:

- in the callback carrying the Level1 event `notif_TradeEventExt()`, for C++
- in the event handler `TradeEventExtEventHandler`, for C#
- in the callback carrying the Level1 event `quotNotifTradeEventExt`, for Java.

FeedOS implementation of the tag `RetailPriceImprovement` is described in the following table:

Table 7 RetailPriceImprovement – technical implementation in FeedOS

Component	Value	Description
Tag Name	`RetailPriceImprovement`	FeedOS tag name.
Numeric ID	`9364`	FeedOS unique ID disseminated on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`Char`	Char data type.
Format	*`[Exchange Specific Value]`*	An ***exchange specific value***, indicating when an RPI (Retail Price Improvement) is present for a symbol on the BYX Exchange order book or an RPI order is no longer available..
Possible Values	`B`	Buy Side RPI
	`S`	Sell Side RPI
	`A`	Buy & Sell Side RPI
	`N`	No RPI

2.3.1.4. MARKET_BATS_AuctionType

Each time a trade occurs, the values of the quotation tag **MARKET_BATS_AuctionType** conveyed on the BATS US market data stream are disseminated via FeedOS data stream in *Other Values* to indicate the type of auction:

- in the callback carrying the Level1 event `notif_TradeEventExt()`, for C++
- in the event handler `TradeEventExtEventHandler`, for C#
- in the callback carrying the Level1 event `quotNotifTradeEventExt`, for Java.

FeedOS implementation of the tag `MARKET_BATS_AuctionType` is described in the table below:

Table 8 MARKET_BATS_AuctionType – technical implementation in FeedOS

Component	Value	Description
Tag Name	`MARKET_BATS_AuctionType`	FeedOS tag name.
Numeric ID	`14850`	FeedOS unique ID broadcast on the S&P Capital IQ Real-Time Solutions data stream. This is the numeric equivalent of the tag name.
Type	`Enum`	Enum data type.
Format	*`[Exchange Specific Value]`*	An ***exchange specific value***, indicating the type of auction.
Possible Values	`O`	Opening Auction
	`C`	Closing Auction
	`H`	Halt Auction
	`I`	IPO Auction

3. Official Closing Price

The closing price is the last trade price upon close. If the instrument has an auction phase, the market sends the last auction price which becomes the closing price. There is no correction or settlement price.

4. Special Behavior

The following sections detail the special behavior of the BATS US market data stream:

- 4.1. Update of the Level1 Market Data Kinematics – Halted Instruments Behavior
- 4.2. Update of the Level1 Market Data Kinematics – Opening Auctions
- 4.3. Microsecond Timestamp Precision on the Level1 Market Data.

4.1. Update of the Level1 Market Data Kinematics – Halted Instruments Behavior

In the Level1 Market Data Kinematics **before 2015-05-04**, the exchange sent the OPEN signal for all instruments, including those on halt, as shown in the example below:

```
“TE (TradeEvent) : MARKET_TIME INSTRUMENT LAST_PRICE TRADE_QTY BID_PRICE BID_QTY ASK_PRICE
ASK_QTY *CONTENT_MASK* *FLAGS*"
"VU (ValuesUpdate) : SERVER_TIME INSTRUMENT VALUES..."
"SI (TradeEvent) *SIGNAL* : SERVER_TIME INSTRUMENT SIGNAL LAST_PRICE"

VU   11:20:52:052   931897945   RegSHOAction=1  TradingStatus=2
SI   12:00:00:227   931897945   OPEN    *
TE   12:00:00:227   931897945   *       *       *       *       *       *       O
VU   12:00:00:227   931897945   TradingStatus=17
VU   14:50:16:914   931897945   RegSHOAction=1  TradingStatus=5
VU   14:50:16:914   931897945   TradingStatus=17
TE   14:50:16:915   931897945   *       *       11.6    100@1   *       *
TE   14:50:16:916   931897945   *       *       *       *       21.04   100@1
```

In the Level1 Market Data Kinematics **after 2015-05-04**, the exchange sends the OPEN signal only for non-halted instruments, as shown in the example below:

```
“TE (TradeEvent) : MARKET_TIME INSTRUMENT LAST_PRICE TRADE_QTY BID_PRICE BID_QTY ASK_PRICE
ASK_QTY *CONTENT_MASK* *FLAGS*"
"VU (ValuesUpdate) : SERVER_TIME INSTRUMENT VALUES..."
"SI (TradeEvent) *SIGNAL* : SERVER_TIME INSTRUMENT SIGNAL LAST_PRICE"

VU   11:20:52:039.625   931897945   RegSHOAction=1  TradingStatus=2
VU   14:50:16:914.328   931897945   TradingStatus=5
SI   14:50:16:914.328   931897945   OPEN    *
TE   14:50:16:914.328   931897945   *       *       *       *       *       *       O
VU   14:50:16:914.328   931897945   RegSHOAction=1  TradingStatus=17
TE   14:50:16:915.451   931897945   *       *       11.6    100@1   *       *
TE   14:50:16:915.564   931897945   *       *       *       *       21.04   100@1
```

4.2. Update of the Level1 Market Data Kinematics – Opening Auctions

In the Level1 Market Data Kinematics **before 2015-05-04**, the Trading Status of all auction eligible instruments was set to `5=PriceIndication` at 08:00 New York Time (EDST):

```
“TE (TradeEvent) : MARKET_TIME INSTRUMENT LAST_PRICE TRADE_QTY BID_PRICE BID_QTY ASK_PRICE
ASK_QTY *CONTENT_MASK* *FLAGS*"
"VU (ValuesUpdate) : SERVER_TIME INSTRUMENT VALUES..."
"SI (TradeEvent) *SIGNAL* : SERVER_TIME INSTRUMENT SIGNAL LAST_PRICE"

TE   11:16:00:747   931897945    *       *       !       0       !       0
VU   11:20:52:052   931897945    RegSHOAction=1
VU   12:00:00:001   931897945    TradingStatus=17
SI   12:00:00:227   931897945    OPEN    *
TE   12:00:00:227   931897945    *       *       *       *       *       *       O
VU   12:00:00:227   931897945    TradingStatus=5
TE   12:47:45:471   931897945    *       *       20.55   100@1   *       *
TE   12:47:45:472   931897945    *       *       *       *       61.65   100@1
--
TE   13:29:56:966   931897945    *       *       *       *       41.44   300@1
TE   13:29:56:966   931897945    *       *       *       *       41.39   300@1
VU   13:30:00:018   931897945    LastAuctionPrice=41.25
VU   13:30:00:018   931897945    LastAuctionPrice=41.1   LastAuctionVolume=0
DailyOpeningPrice=41.1  TradingStatus=17
TE   13:30:00:021   931897945    *       *       41.06   200@1   *       *
TE   13:30:00:021   931897945    *       *       41.04   200@1   *       *
--
TE   19:54:58:403   931897945    *       *       *       *       41.27   1700@3
TE   19:54:59:197   931897945    *       *       41.22   1500@1  *       *
TE   19:54:59:412   931897945    *       *       *       *       41.27   700@2
VU   19:55:00:001   931897945    LastAuctionPrice=41.245 MARKET_BATS_AuctionType=C
TradingStatus=5
TE   19:55:01:018   931897945    *       *       41.22   2100@2  *       *
TE   19:55:07:162   931897945    *       *       *       *       41.27   100@1
TE   19:55:07:164   931897945    *       *       *       *       41.27   700@2
```

In the Level1 Market Data Kinematics **after 2015-05-04**, the Trading Status of all auction eligible instruments will be set to `5=PriceIndication`, two minutes before 09:30 New York Time (EDST) or upon receiving the Auction information, as shown below (the Trading Status will change back to `17=ReadyToTrade` only when a trade occurs or upon receiving the Auction summary message – reset of the auction information):

```
"TE (TradeEvent) : MARKET_TIME INSTRUMENT LAST_PRICE TRADE_QTY BID_PRICE BID_QTY ASK_PRICE
ASK_QTY *CONTENT_MASK* *FLAGS*"
"VU (ValuesUpdate) : SERVER_TIME INSTRUMENT VALUES..."
"SI (TradeEvent) *SIGNAL* : SERVER_TIME INSTRUMENT SIGNAL LAST_PRICE"

TE   11:16:00:747.828   931897945    *       *       !       0       !       0
VU   11:20:52:039.635   931897945    RegSHOAction=1
SI   12:00:00:001.123   931897945    OPEN    *
TE   12:00:00:001.123   931897945    *       *       *       *       *       *       O
VU   12:00:00:001.123   931897945    RegSHOAction=1  TradingStatus=17
TE   12:47:45:471.421   931897945    *       *       20.55   100@1   *       *
TE   12:47:45:471.421   931897945    *       *       *       *       61.65   100@1
--
TE   13:27:31:663.335   931897945    *       *       40.02   400@1   *       *
TE   13:27:45:998.721   931897945    *       *       40.01   400@1   *       *
TE   13:27:45:998.721   931897945    *       *       *       *       42.17   400@1
VU   13:28:00:007.195   931897945    LastAuctionPrice=41.09  MARKET_BATS_AuctionType=O
TradingStatus=5
TE   13:28:00:036.387   931897945    *       *       40.01   500@2   *       *
TE   13:28:00:036.387   931897945    *       *       *       *       42.17   500@2
TE   13:28:00:329.564   931897945    *       *       40.02   400@1   *       *
TE   13:28:00:332.648   931897945    *       *       40.02   500@2   *       *
VU   13:28:05:049.874   931897945    LastAuctionPrice=41.095
--
TE   13:29:56:965.329   931897945    *       *       *       *       41.44   300@1
TE   13:29:56:965.330   931897945    *       *       *       *       41.39   300@1
VU   13:30:00:365.235   931897945    LastAuctionPrice=41.25
VU   13:30:00:365.311   931897945    LastAuctionPrice=41.1   LastAuctionVolume=0
TradingStatus=17
TE   13:30:00:365.707   931897945    *       *       41.06   200@1   *       *
TE   13:30:00:365.707   931897945    *       *       41.04   200@1   *       *
TE   13:30:00:365.707   931897945    *       *       *       *       41.41   300@1
--
TE   19:54:58:436.083   931897945    *       *       *       *       41.27   1700@3
TE   19:54:59:197.085   931897945    *       *       41.22   1500@1  *       *
TE   19:54:59:412.086   931897945    *       *       *       *       41.27   700@2
VU   19:55:00:137.577   931897945    LastAuctionPrice=41.245 MARKET_BATS_AuctionType=C
TradingStatus=5
TE   19:55:01:815.128   931897945    *       *       41.22   2100@2  *       *
TE   19:55:07:508.328   931897945    *       *       *       *       41.27   100@1
TE   19:55:07:508.521   931897945    *       *       *       *       41.27   700@2
--
TE   20:00:48:238.168   931897945    *       *       *       *       47.22   100@1
TE   20:00:48:240.254   931897945    *       *       *       *       48.31   100@1
TE   20:02:02:333.687   931897945    *       *       *       *       !       0
TE   21:00:00:001.495   931897945    *       *       !       0       *       *
VU   21:00:00:565.348   931897945    TradingStatus=18
TE   23:30:00:920.684   931897945    *       *       !       0       !       0
```

4.3. Microsecond Timestamp Precision on the Level1 Market Data

Effective **2015-05-04**, the server timestamps will display microsecond units on the Level1 Market Data, as shown in the example below (highlighted in `green`):

```
"TE (TradeEvent) : MARKET_TIME INSTRUMENT LAST_PRICE TRADE_QTY BID_PRICE BID_QTY ASK_PRICE
ASK_QTY *CONTENT_MASK* *FLAGS*"

TE   19:55:07:508.521   931897945    *       *       *       *       41.27   700@2
TE   20:00:48:238.168   931897945    *       *       *       *       47.22   100@1
TE   20:00:48:240.254   931897945    *       *       *       *       48.31   100@1
```

5. Finding the Latest Information

For the latest documentation and product updates, additional support and training, please contact our support services one of the following ways:

- E-mail: rts-support@spcapitaliq.com
- Web: https://support.quanthouse.com.