





One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH01/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 2/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH02/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 3/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH03/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 4/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH04/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:

Id: 5/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH05/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 6/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH06/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 7/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH07/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 8/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH08/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 9/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH09/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 10/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH10/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 11/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH11/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 12/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH12/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 13/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH13/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 14/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH14/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 15/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH15/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 16/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH16/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 17/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH17/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 18/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH18/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 19/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH19/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 20/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH20/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 21/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH21/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 22/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH22/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 23/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH23/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 24/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH24/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 25/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH25/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 26/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH26/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 27/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH27/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3


Rev:

Id: 28/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH28/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 29/97	

[illegible]

Title: Well: LED + NTC


Rev:
Id: 30/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH30/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 31/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH31/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 32/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH32/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 33/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH33/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 34/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).

#PWR0134
+3V3
TH34
NTC 10k B3434
LED34
HL-C3535F15R3GA-ZW 660nm
LED_K 2.2k
LED_A
NTCCLOUT
R34
10k 1%
#PWR0234
GND


Sheet: /CH34/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 35/97	



Title: Well: LED + NTC


Rev:
Id: 35/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH35/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 36/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH36/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 37/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH37/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 38/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH38/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 39/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH39/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 40/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH40/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 41/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH41/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 42/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH42/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 43/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH43/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 44/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH44/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 45/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH45/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 46/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH46/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 47/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH47/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 48/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH48/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 49/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH49/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 50/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH50/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 51/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH51/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 52/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH52/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 53/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH53/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 54/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH54/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 55/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH55/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 56/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH56/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 57/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH57/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 58/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH58/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 59/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH59/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 60/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH60/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 61/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH61/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 62/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH62/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 63/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH63/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 64/97	

[illegible]

Title: Well: LED + NTC


Rev:
Id: 65/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH65/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 66/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH66/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 67/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH67/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 68/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH68/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 69/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH69/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 70/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH70/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 71/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH71/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 72/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH72/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 73/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH73/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 74/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH74/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 75/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH75/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 76/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH76/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 77/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH77/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 78/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH78/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 79/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH79/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 80/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH80/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 81/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH81/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 82/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH82/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 83/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).


The schematic diagram illustrates the electrical connection for a well. It features a 660nm LED (LED83, HL-C3535F15R3GA-ZW) connected to a 3V3 supply (#PWR0183) through a 10k 1% resistor (R83) and an NTC thermistor (TH83, NTC 10k B3434). The LED is also connected to a 10k 1% resistor (R83) and an NTC thermistor (TH83, NTC 10k B3434). The LED is connected to a 10k 1% resistor (R83) and an NTC thermistor (TH83, NTC 10k B3434).

Sheet: /CH83/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 84/97




Rev:
Id: 84/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH84/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 85/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH85/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 86/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH86/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 87/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH87/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 88/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH88/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 89/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH89/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 90/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH90/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 91/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH91/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 92/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH92/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 93/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH93/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 94/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH94/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 95/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH95/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 96/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH96/		Date: 2026-07-13	
File: well.kicad_sch		Rev:	
Size: A4		Id: 97/97	
KiCad E.D.A. 10.0.3			