





One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH01/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 2/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH02/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 3/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH03/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 4/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH04/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 5/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH05/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 6/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH06/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 7/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH07/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 8/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH08/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 9/97	

[illegible]

Title: Well: LED + NTC


Rev:
Id: 10/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH10/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 11/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH11/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 12/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH12/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 13/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH13/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 14/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH14/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 15/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH15/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 16/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH16/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 17/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).

#PWR0117
+3V3
TH17
NTC 10k B3434
NTC17
R17
10k 1%
#PWR0217
GND
LED17
HL-C3535F15R3GA-ZW 660nm
LED_K
LED_A


Sheet: /CH17/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 18/97	



Title: Well: LED + NTC


Rev:
Id: 18/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH18/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 19/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH19/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 20/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH20/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 21/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH21/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 22/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH22/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 23/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH23/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 24/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH24/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 25/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH25/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 26/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH26/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 27/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH27/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 28/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH28/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 29/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH29/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 30/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH30/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 31/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).

#PWR0131
+3V3
TH31
NTC 10k B3434
LED31
HL-C3535F15R3GA-ZW 660nm
LED_K
LED_A
R31
10k 1%
#PWR0231
GND
NTCOUT


Sheet: /CH31/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 32/97



Title: Well: LED + NTC


Rev:
Id: 32/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH32/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 33/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH33/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 34/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH34/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 35/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH35/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 36/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH36/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 37/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH37/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 38/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH38/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 39/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH39/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 40/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH40/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 41/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH41/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 42/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH42/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 43/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH43/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 44/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH44/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 45/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH45/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 46/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH46/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 47/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH47/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 48/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH48/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 49/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH49/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 50/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH50/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 51/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH51/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 52/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH52/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 53/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH53/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 54/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH54/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 55/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH55/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 56/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).


#PWR0156
+3V3
TH56
NTC 10k B3434

LED56
HL-C3535F15R3GA-ZW 660nm

LED_K 2 1 1 LED_A

NTCCLOUT
R56
10k 1%
#PWR0256
GND


Sheet: /CH56/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 57/97	



Title: Well: LED + NTC


Rev:
Id: 57/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH57/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 58/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH58/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 59/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH59/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 60/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH60/
File: well.kicad_sch

Title: Well: LED + NTC


Size: A4 Date: 2026-07-13

KiCad E.D.A. 10.0.3

Rev:


Id: 61/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH61/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 62/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH62/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 63/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH63/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 64/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH64/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 65/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH65/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 66/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH66/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 67/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH67/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 68/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH68/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 69/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH69/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 70/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH70/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 71/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).

The schematic diagram illustrates the electrical connection for a single well. It features a 660nm LED (LED71, HL-C3535F15R3GA-ZW) whose pad3 thermal is tied to its cathode. The LED is powered by a 3V3 supply (#PWR0171) through a 10k 1% resistor (R71). The LED's cathode is connected to ground (#PWR0271 GND). A 10k NTC thermistor (TH71, B3434) is connected between the 3V3 supply and ground. The LED is labeled with 'LED_K' and 'LED_A' pins.

Sheet: /CH71/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 72/97




Title: Well: LED + NTC	
Size: A4	Date: 2026-07-13
KiCad E.D.A. 10.0.3	

Size: A4	Date: 2026-07-13
----------	------------------


Rev:
Id: 72/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH72/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 73/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH73/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 74/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH74/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 75/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH75/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 76/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH76/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 77/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH77/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 78/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH78/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 79/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH79/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 80/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH80/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 81/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH81/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 82/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).

The schematic diagram illustrates the electrical connection for a well. It features a 660nm LED (LED82, HL-C3535F15R3GA-ZW) connected to a 3V3 supply (#PWR0182) through a 10k 1% resistor (R82) and an NTC thermistor (TH82, NTC 10k B3434). The LED is also connected to ground (#PWR0282). The circuit is labeled with various components and their values.

Sheet: /CH82/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 83/97	




Title: Well: LED + NTC	
Size: A4	Date: 2026-07-13
KiCad E.D.A. 10.0.3	

Size: A4	Date: 2026-07-13
----------	------------------


Rev:
Id: 83/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH83/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 84/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH84/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 85/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH85/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 86/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH86/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 87/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).

#PWR0187
+3V3
TH87
NTC 10k B3434
NTCOUT
R87
10k 1%
#PWR0287
GND
LED87
HL-C3535F15R3GA-ZW 660nm
LED_K
LED_A

Sheet: /CH87/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 88/97




Title: Well: LED + NTC

Rev:
Id: 88/97


SIZE: A1	5
KiCad E.D.A. 10.0.3	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH88/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 89/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH89/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 90/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH90/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3		Id: 91/97

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH91/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 92/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH92/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 93/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH93/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 94/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).




Sheet: /CH94/ File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 95/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH95/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 96/97	

One well: 660nm LED (pad3 thermal tied to cathode) + 10k NTC / 10k 1% divider from 3V3.
Instantiated 96x from the root sheet (CH01..CH96).



Sheet: /CH96/		
File: well.kicad_sch		
Title: Well: LED + NTC		
Size: A4	Date: 2026-07-13	Rev:
KiCad E.D.A. 10.0.3	Id: 97/97	