






Auto Test Tool




Auto Test Tool

自動化測試工具
控制Pattern Gen
投影機







	RS232	Capture	Pattern Gen	Telnet	Random Delay	Application
Auto Test Tool	✓	✓	✓	✓	✓	複合式應用 自動化測試 (RS232/PG/Telnet) RD及工廠導入
Octopus	✓	✓				RS232 自動化測試





Demo



Output Log

```
[LOAD SCRIPT] Loaded from D:/AutoTestTool/scripts/FinalTest.yaml
[TEST STARTED]
[WARN] Proj.COM port not selected.
[2025-08-22 09:07:53.407] [Send:] PG: LOAD TIM 632; [CTA-2880X288P-50 4:3](delay 1000ms)
[2025-08-22 09:07:53.947] [UART] ok;
[2025-08-22 09:07:54.957] [Send:] PG: RUN; (delay 1000ms)
[2025-08-22 09:07:55.321] [UART] ok;
[2025-08-22 09:07:56.322] [Send:] PG: LOAD PTN 1; [GENERAL-1](delay 1000ms)
[2025-08-22 09:07:56.344] [UART] ok;
[2025-08-22 09:07:57.344] [Send:] PG: RUN; (delay 1000ms)
[2025-08-22 09:07:57.621] [UART] ok;
[2025-08-22 09:07:58.623] [Send:] PG: LOAD PTN 25; [COLOR-GRID](delay 1000ms)
[2025-08-22 09:07:59.666] [UART] ok;
[2025-08-22 09:07:59.667] [Send:] PG: RUN; (delay 1000ms)
[2025-08-22 09:07:59.942] [UART] ok;
[2025-08-22 09:08:00.944] [Send:] PG: R OFF; (delay 1000ms)
[2025-08-22 09:08:00.986] [UART] ok;
[2025-08-22 09:08:01.987] [Send:] PG: R ON; (delay 1000ms)
[2025-08-22 09:08:02.039] [UART] ok;
[2025-08-22 09:08:03.041] [Send:] PG: G OFF; (delay 1000ms)
[2025-08-22 09:08:03.074] [UART] ok;
[2025-08-22 09:08:04.076] [Send:] PG: G ON; (delay 1000ms)
[2025-08-22 09:08:04.131] [UART] ok;
[2025-08-22 09:08:05.131] [Send:] PG: B OFF; (delay 1000ms)
[2025-08-22 09:08:05.153] [UART] ok;
[2025-08-22 09:08:06.154] [Send:] PG: B ON; (delay 1000ms)
[2025-08-22 09:08:06.207] [UART] ok;
[TEST FINISHED]
```

傳送的指令

裝置回傳

時戳



End