

P1

The screenshot shows a developer's workspace on a Mac OS X system. On the left, a code editor window displays `app.js` with code related to a 'reviews' application. In the center, a browser window shows a circular profile picture of a man with a speech bubble icon, identified as 'Bill Anderson THE BOSS'. Below the image are navigation arrows and a 'Surprise Me' button. On the right, a sidebar displays a list of issues or logs, mostly labeled 'person 0' through 'person 3' with file paths like `app.js:60`. At the bottom, the Mac OS X dock is visible with various application icons.

```
app.js — reviews_starter_xx
js > prevBtn.addEventListener('click') callback

//load initial item
window.addEventListener('DOMContentLoaded', () => {
  showPerson(currentItem);
});

const showPerson = (person) => {
  console.log('person', person);
  const item = reviews[currentItem];
  img.src = item.img;
  author.textContent = item.name;
  job.textContent = item.job;
  info.textContent = item.text;
}

nextBtn.addEventListener('click', () => {
  currentItem++;
  if (currentItem >= reviews.length) {
    currentItem = 0;
  }
  showPerson(currentItem);
});

prevBtn.addEventListener('click', () => {
  currentItem--;
  if (currentItem < 0) {
    currentItem = reviews.length - 1;
  }
  showPerson(currentItem);
});

randomBtn.addEventListener('click', () => {
  currentItem = Math.floor(Math.random() * reviews.length);
  showPerson(currentItem);
});
```