**Quick Links** 

**Online Demo** 



Download



**FAQ** 



**Latest Docs** 



Ask a

**Question** 



Report a Bug



**Screenshots** 

This page in other versions: <u>Latest</u> (4.19) | 4.18 | 4.17 | 3.6 | 2.1 | 1.6 | <u>Development</u>

pgAdmin 4 4.19 documentation » Managing Database Objects » previous | next | index

Warning: This documentation is for a pre-release version of pgAdmin 4


## **Contents**

- Getting Started
- Connecting To A Server
- Managing Cluster Objects
- Managing Database Objects
  - Cast Dialog
  - Collation Dialog
  - Domain Dialog
  - Domain Constraints Dialog
  - Event Trigger Dialog
  - Extension Dialog
  - Foreign Data Wrapper Dialog
  - Foreign Server Dialog
  - Foreign Table Dialog
  - FTS Configuration Dialog
  - FTS Dictionary Dialog
  - FTS Parser Dialog
  - FTS Template Dialog
  - Function Dialog
  - Language Dialog
  - Materialized View Dialog
  - Package Dialog
  - Procedure Dialog
  - Schema Dialog
  - Sequence Dialog
  - Synonym Dialog
  - Trigger Function Dialog
  - Type Dialog
  - User Mapping Dialog
  - View Dialog
- Creating or Modifying a Table
- Management Basics
- Backup and Restore
- <u>Developer Tools</u>
- pgAgent
- pgAdmin Project Contributions
- Release Notes
- Licence

## Synonym Dialog ¶

Use the *Synonym* dialog to substitute the name of a target object with a user-defined synonym.

The *Synonym* dialog organizes the development of a synonym through the *General* tab. The *SQL* tab displays the SQL code generated by dialog selections.



Use the fields in the *General* tab to identify the synonym:


- Use the *Name* field to specify the name of synonym. The name will be displayed in the *pgAdmin* tree control.
- Select the name of the schema in which the synonym will reside from the drop-down listbox in the *Schema* field.

In the definition panel, identify the target:

- Use the drop-down listbox next to *Target Type* to select the the type of object referenced by the synonym.
- Use the drop-down listbox next to *Target Schema* to select the name of the schema in which the object resides.
- Use the drop-down listbox next to *Target Object* to select the name of the object referenced by the synonym.

Click the SQL tab to continue.

Your selections and entries in the *Synonym* dialog generate a SQL command.



The example creates a synonym for the *emp* table named *emp\_hist*.

- Click the Save button to save work.
- Click the Cancel button to exit without saving work.
- Click the *Reset* button to restore configuration parameters.