Quick Links



Online Demo



Download



FAQ



Latest Docs



Ask a
Question



Report a Bug



Screenshots

This page in other versions: <u>Latest</u> (4.19) | 4.18 | 4.17 | <u>Development</u>

pgAdmin 4 4.19 documentation » Getting Started »

Warning: This documentation is for a pre-release version of pgAdmin 4

previous | next | index


Contents

- Menu Bar
 - The File Menu
 - The Object Menu
 - The Tools Menu
 - The Help Menu
- Getting Started
 - Deployment
 - Login Dialog
 - <u>User Management Dialog</u>
 - Change User Password Dialog
 - User Interface
 - Menu Bar
 - Toolbar
 - Tabbed Browser
 - Tree Control
 - Preferences Dialog
 - Keyboard Shortcuts
- Connecting To A Server
- Managing Cluster Objects
- Managing Database Objects
- Creating or Modifying a Table
- Management Basics
- Backup and Restore
- <u>Developer Tools</u>
- pgAgent
- pgAdmin Project Contributions
- Release Notes
- Licence

Menu Bar ¶

The pgAdmin menu bar provides drop-down menus for access to options, commands, and utilities. The menu bar displays the following selections: *File*, *Object*, Tools*, and *Help*. Selections may be grayed out which indicates they are disabled for the object currently selected in the *pgAdmin* tree control.


The File Menu ¶



Use the File menu to access the following options:

Option	Action
Preferences	Click to open the <u>Preferences</u> dialog to to customize your pgAdmin settings.
Reset Layout	If you have modified the workspace, click to restore the default layout.
Lock Layout	Click to open a submenu to select the level for locking the UI layout This can also be changed from browser display preferences

The Object Menu ¶



The *Object* menu is context-sensitive. Use the *Object* menu to access the following options (in alphabetical order):

Option	Action
Change Password	Click to open the <u>Change Password</u> dialog to change your password.
Clear Saved Password	If you have saved the database server password, click to clear the saved password. Enable only when password is already saved.

Option	Action
Clear SSH Tunnel Password	If you have saved the ssh tunnel password, click to clear the saved password. Enable only when password is already saved.
Connect Server	Click to open the <u>Connect to Server</u> dialog to establish a connection with a server.
Create	Click <i>Create</i> to access a context menu that provides context-sensitive selections. Your selection opens a <i>Create</i> dialog for creating a new object.
Delete/Drop	Click to delete the currently selected object from the server.
Disconnect Server	Click to disconnect the currently selected server.
Drop Cascade	Click to delete the currently selected object and all dependent objects from the server.
Properties	Click to review or modify the currently selected object's properties.
Refresh	Click to refresh the currently selected object.
Remove Server	Click to remove the currently selected server.
Scripts	Click to open the Query tool to edit or view the selected script from the flyout menu.
Trigger(s)	Click to <i>Disable</i> or <i>Enable</i> trigger(s) for the currently selected table. Options are displayed on the flyout menu.
Truncate	Click to remove all rows from a table (<i>Truncate</i>) or to remove all rows from a table and its child tables (<i>Truncate Cascade</i>). Options are displayed on the flyout menu.
View Data	Click to access a context menu that provides several options for viewing data (see below).


The Tools Menu ¶

PG Admin	File 🗸	Object 🗸	Tools ∨ Help ∨
			Query Tool
			Reload Configuration
			Pause Replay of WAL
			Resume Replay of WAL
			Add Named Restore Point
			Import/Export
			Maintenance
			Backup
			Backup Globals
			Backup Server
			Restore
			Grant Wizard

Use the *Tools* menu to access the following options (in alphabetical order):

Option	Action		
Add named restore point	Click to open the <u>Add named restore point</u> dialog to take a point-in-time snapshot of the current server state.		
Backup	Click to open the <u>Backup</u> dialog to backup database objects.		
Backup Globals	Click to open the <u>Backup Globals</u> dialog to backup cluster objects.		
Backup Server	Click to open the <u>Backup Server</u> dialog to backup a server.		
Grant Wizard	Click to access the <u>Grant Wizard</u> tool.		
Import/Export	Click to open the <u>Import/Export data</u> dialog to import or export data from a table.		
Maintenance	Click to open the <u>Maintenance</u> dialog to VACUUM, ANALYZE, REINDEX, or CLUSTER.		
Pause replay of WAL	Click to pause the replay of the WAL log.		
Query tool	Click to open the Query tool for the currently selected object.		
Reload Configuration	Click to update configuration files without restarting the server.		
Restore	Click to access the <u>Restore</u> dialog to restore database files from a backup.		
Resume replay of WAL	Click to resume the replay of the WAL log.		

The Help Menu ¶



Use the options on the *Help* menu to access online help documents, or to review information about the pgAdmin installation (in alphabetical order):

Option	Action
About pgAdmin 4	Click to open a window where you will find information about pgAdmin; this includes the current version and the current user.
Online Help	Click to open documentation support for using pgAdmin utilities, tools and dialogs. Navigate (in the newly opened tab?) help documents in the left browser pane or use the search bar to specify a topic.

Option	Action
pgAdmin Website	Click to open the <i>pgAdmin.org</i> website in a browser window.
PostgreSQL Website	Click to access the PostgreSQL core documentation hosted at the PostgreSQL site. The site also offers guides, tutorials, and resources.