This document is a Work-In-Progress and may contain errors, typo's, etc.. Please email shaun@copscorp.com.au with any corrections or to request any additions or changes

## Reset Passwords

${f W}$	$\sin$	$\mathrm{do}$	ws

Method 1: Tools

Medicat

PC Unlocker

#### Method 2: Manual

#### Exploit Utilman.exe

- Hold Shift key + click Restart
   Continue to hold shift until the screen goes black
   Windows should reboot in to the Recovery Environment
- Click Troubleshoot
- Click Advanced
- Click Command Prompt
- Navigate to the System32 directory

cd c:\windows\system32

Depending on the number logical volumes the computer has connected at the time, the volume that contains the Windows directory may be mounted to a different drive letter, but it's usually mounted as C:

How to find the correct drive letter that contains the Windows directory If C: does not contain the Windows directory, then you can repeat the following steps with different letters to locate which drive does:

- Run D:
  - Run dir
  - Check the output of dir for both the Users and Windows directories
- Backup Utility Manager copy utilman.exe.bak
- Replace Utility Manager with Command Prompt copy cmd.exe utilman.exe
- Reboot wpeutil reboot

### Create Temporary Local Admin Account

- Click the Utility Manager icon

  Command Prompt should now open instead of the Utility Manager
- Enter the following commands: net user temp /add net localground administrators temp /add exit

#### Reset User Password

- Sign in to the new temp user account

  If you don't see the temp user account, restart Windows and check again
- Run netplwiz
- Select the target user account
- Click Reset Password
- Enter new password or leave empty for no password
- Click OK
- Sign Out

## Remove Temporary Local Admin Account

- Sign in to an admin user account not the temp user account
- Run netplwiz
- Select the temp user account
- Click Remove
- Click Yes
- Click OK

#### Restore Utilman.exe

- Hold Shift key + click Restart
   Continue to hold shift until the screen goes black
   Windows should reboot in to the Recovery Environment
- Click Troubleshoot
- Click Advanced
- Click Command Prompt
- Navigate to the System32 directory
  - cd c:\windows\system32

Depending on the number logical volumes the computer has connected at the time, the volume that contains the Windows directory may be mounted to a different drive letter, but it's usually mounted as C:

How to find the correct drive letter that contains the Windows directory If C: does not contain the Windows directory, then you can repeat the following steps with different letters to locate which drive does:

- Run D:
  - Run dir
  - Check the output of dir for both the Users and Windows directories
- Restore Utility Manager copy utilman.exe.bak utilman.exe

# System Service

### Windows

#### Software

• Restart Windows

Force Restart Windows now to provide a clean environment befor proceeding shutdown -r -f -t 00

- System Restore
  - Check System Restore configuration

    Make sure System Restore is Enabled on C: and set the allocation to

    7%
  - Create a new System Restore point COPS Pre System Service
- Task Manager
  - Disable unwanted startup items
- Wintoys
  - Install Wintoys
     winget install wintoys
     or
     winget install 9P8LTPGCBZXD
     or
     ms-windows-store://pdp/?ProductId=9P8LTPGCBZXD
  - Performance Tab
    - Ultimate performance power plan Turn ON if Desktop Turn OFF if Laptop
    - HAGS (hardware-accelerated GPU scheduling) | Turn ON
    - VBS (virtualization-base security) | Turn ON
    - Startup apps | Disable unwanted startup items
    - $\bullet$  Search indexing  $\mid \mathrm{Turn}\ \mathrm{ON}$

- Delivery optimization | Turn ON
- Network adapter onboard processor | Turn ON
- Health Tab
  - Fast startup | Turn ON
  - Drive optimization | Turn ON and run (click config icon and optimise each drive)
  - Storage sense | Turn ON and run (click config icon and click 'Run Storage Sense now')

  - System updates | Set to 'Default'
  - App updates | Turn ON
  - Graphics driver | Click 'Restart'
  - Icons cache | Click 'Rebuild'
- Tweaks Tab
  - Desktop | Turn ON 'This PC' + 'Recycle Bin'

#### • Updates

- Update Windows old Windows 10 builds can use the Windows 10 Update Assistant to jump to the latest build
- Update Apps via Winget
- Update Apps via Microsoft Store
- Update Office Apps

"C:\Program Files\Common Files\microsoft shared\ClickToRun\OfficeC2RClient.exe" /update user forceappshutdown=true

#### • Drivers

- Update Drivers using SDIO
- Verify Drivers using verifier

## • System Maintenance/Repair

- Open a Terminal as Administrator Run wt or powershell or cmd
- Run the following commands:

```
winget source reset --force
winget source update
winget upgrade --all --silent
sfc /scannow
dism /online /cleanup-image /startcomponentcleanup
/resetbase
dism /online /cleanup-image /restorehealth
sfc /scannow
defrag /c /o
chkdsk c: /r /scan /perf
```

- Disk Cleanup
  - Run cleanmgr /sageset:10
  - Click Clean up system files
  - Tick all checkboxes EXCEPT: System error memory dump files System error minidump files Windows error reports and feedback diagnostics User file history
  - Click OK
  - Run cleanmgr /sagerun:10
- Memory Diagnostics
  - Run Windows Memory Diagnostics
  - Click 'Restart now and check for problems (recommended)'
  - After Windows boots back up, check results: Event Viewer Windows Logs System Filter Current Log... Event sources Tick 'MemoryDiagnostics-Results' Click OK
- Create a new System Restore point COPS Post System Service

#### Hardware

- Check all buttons and ports are free from debris and working functioning correctly
- Air compress out system as required
- Wipe down device and clean surfaces
- Add a Serviced by COPS sticker or replace old worn stickers as required

## **Data Transfer**

${f Windows}$				
	_			

#### **Backup**

#### Windows

- Restart Windows
  - Force Restart Windows now to provide a clean environment befor proceeding shutdown -r -f -t 00
- [OPTIONAL] Create a new System Restore point

#### Antivirus

• Disable the Antivirus

Some of our extraction tools prompt false positives in the majority of security software

#### Transfer Drive

- Create a Job folder on the Transfer Drive naming convention:

  Job#5000
  - Create a new folder with the current job number to save User Data to

#### **User Profiles**

• Copy C:\Users\ folder to the Job folder on the Transfer Drive

Web Browsers For each installed web browser complete the following:

#### • Export Bookmarks

naming convention:

```
Web Browser - Google Chrome - Bookmarks - 2024-07-15.html
```

web-browser\_google-chrome\_bookmarks\_2024-07-15.html

- Google Chrome URL: chrome://bookmarks
- Microsoft Edge URL: edge://favorites
- AVG Secure Browser URL: secure://bookmarks
- Mozilla Firefox Hotkey: Ctrl+Shift+0
- Microsoft Internet Explorer: %USERPROFILE%\Favorites

### • Export Passwords

naming convention:

```
Web Browser - Google Chrome - Passwords - 2024-07-15.csv or
```

web-browser\_google-chrome\_passwords-2024-07-15.csv

- Google Chrome URL: chrome://password-manager or chrome://settings/passwords (older Chrome versions)
- Microsoft Edge URL: edge://wallet/passwords or edge://settings/passwords (older Edge versions)
- AVG Secure Browser URL: secure://password-manager or secure://settings/passwords (older Secure Browser versions)
- Mozilla Firefox URL: about:logins
- Microsoft Internet Explorer: use Nirsoft IE PassView

#### • Sync Accounts

Try to sync each browser with their relevant accounts if available Manual exports of Bookmarks + Passwords is good, but syncing the entire browser is better

- Google Chrome: Google Account
  - chrome://sync-internals
  - Check Enabled: Sync Feature Enabled = true
  - Check Account: Username
  - Checked Synced: Last Synced = Just now
  - Check Not Actively Syncing: Sync Cycle Ongoing = false
  - Force Sync (if required): chrome://extensions enable Developer mode click Update
- Microsoft Edge: Microsoft Account
  - edge://sync-internals
  - Check Enabled: Sync Feature Enabled = true
  - Check Account: Username
  - Checked Synced: Last Synced = Just now
  - Check Not Actively Syncing: Sync Cycle Ongoing = false
  - Force Sync (if required): edge://extensions enable Developer mode click Update
- AVG Secure Browser: AVG Account
- Mozilla Firefox: \_\_ Mozilla Account

#### **Programs**

• Export Installed Programs List

naming convention:

Installed Programs - Nirsoft Uninstallview - 2024-07-15.html

installed-programs\_nirsoft-uninstallview\_2024-07-15.html

- Use Nirsoft UninstallView, save all as Horizontal HTML
- Export Winget

naming convention:

Winget - Export - 2024-07-15.json or

winget\_export\_2024-07-15.json

• Open a Terminal as Administrator Run wt or powershell or cmd

- Check Winget is installed winget -v (this will throw an error if winget is unavailable)
- Update Winget winget source update
- Export Winget's list of installed programs winget export -o "REPLACE-WITH-TARGET-FILE" (update REPLACE-WITH-TARGET-FILE with the target winget export file on the transfer drive)
- Optionally export a list of all programs that Winget does cannot re-install at the same time with this extended command winget export -o "REPLACE-WITH-TARGET-FILE" >-"winget\_unnavailable.txt"

**Licenses** naming convention:

License Keys - Nirsoft Product Key Scanner - 2024-07-15.html

license-keys\_nirsoft-product-key-scanner\_2024-07-15.html - use Nirsoft Product Key Scanner or Nirsoft ProduKey, save all as Horizontal HTML

### Emails / Calendars / Contacts

- Extract Passwords and Server Settings
  - Nirsoft Mail PassView
  - Nirsoft WinMailPassRec
  - Nirsoft PstPassword
- Backup any accounts set up as POP
  - How to export emails to file in Outlook
- Export Calendars
- Export Contacts

Drivers TRANSFERDRIVE:\\Job#5000\Drivers - 2024-07-15\

TRANSFERDRIVER:\\Job#5000\drivers\_2024-07-15\\ - Open PowerShell as an Administrator and run the following script:

 $(update\ REPLACE\text{-}WITH\text{-}TARGET\text{-}FOLDER\ with\ the\ target\ drivers\ folder\ on\ the\ transfer\ drive})$ 

## Other

- Check C: Drive for unusual files/folders
  - copy to Job folder copying the C: Drive file structure (Transfer-Drive:\Job#5000\C\FolderToSave)
- [ OPTIONAL ] Create Winget Install Script

• https://winstall.app/ - Select Desired Programs - Generate Script - Download both Batch (.bat) and PowerShell (.ps1) scripts

### Prepare New Device (if required)

- Create a Local Account during Windows 10/11 Out of Box Experience (OOBE)
  - Option 1: No Internet Connected

Bypass Network Registration

- Open Command Prompt: Shift+F10 (may require pressing Fn on some devices)
- Run command: OOBE\BYPASSNRO (this will restart the OOBE if successful)
- Proceed through OOBE like normal until you get to the Network Selection screen
- Select I don't have an internet connection (if this button is not available the bypass didn't work, proceed to Option 2)
- ullet Select Continue with limited setup
- Create a Local Account: COPS (no password)
- Complete the OOBE as normal
- Option 2: Internet Connected

Force Local Account Creation

- Proceed though OOBE like normal until you get to the Login with a Microsoft Account screen
- Open Command Prompt: Shift+F10 (may require pressing Fn on some devices)
- Run command: start ms-cxh:localonly
- Create a Local Account: COPS (no password)
- Complete the OOBE as normal
- Note regarding Windows 10/11 S Mode

In some cases you won't be able to open the Command Prompt, you may only see it's black box flash up on the screen and quickly dissapear. This is could be a indication of the Windows 10/11 install being in S Mode (Store Mode), which disables access to terminals (i.e. Command Prompt) and execution of non Microsoft Store apps. If you encounter this, you will not be able create a Local Account during the OOBE, and you will need to complete the OOBE with

the customer's Microsoft Account. After the OOBE is complete and you've reached the Windows Desktop environment, you may need to Switch Out of S Mode to proceed with the Data Transfer, as S Mode restricts us from running our tools if required.

- [ OPTIONAL ] Switch Out of S Mode WARNING: SWITCHING OUT OF S MODE IS A PER-MANANT CHANGE AND CANNOT BE REVERTED
  - Connect to the internet
  - $\bullet \ \mathit{Run} \ \mathtt{ms-windows-store://pdp/?productid=BF712690PMLF\&OCID=windowssmodesupportpart} \\$
  - Follow the prompts to Switch Out of S Mode (this will change the Windows edition installed to Windows 10/11 Home or Pro as per it's installed license)
- Configure System Restore
- Check installed Windows' Edition
  - Run winver
- Create a new System Restore point COPS - Fresh Windows 10/11 Home/Pro Install (use 10 or 11 and Home or Pro as per winver)
- Connect to the Internet (if not already)
- Check Windows is activated

 $TODO: \verb|ms-settings:| activation| or \verb|ms-settings:| activation| activation| Source = SMC-Article - 12440$ 

- Configure Time/Date
- Configure Windows Update
  - Open Windows Update Run control update
  - Click Resume updates if updates are currently paused
  - Disable Get the latest updates as soon as they're available
  - Advanced options
    - Enable Receive update for other Microsoft products
    - Disable Get me up to date
    - Enable Notify me when a restart is required to finish updating
    - Delivery Optimization
      - Enable Allow downloads from other devices
        - Select Devices on my local network
- Update Microsoft Store Apps
  - Open Microsoft Store

Run ms-windows-store:

- Click Downloads
- Click Check for updates

- Click Update all
- Update Winget Apps
  - Open a Terminal Run wt or powershell or cmd
  - Run the following commands:
     winget source update
     winget upgrade --all --silent
- Update Windows
  - control update
- Update Office apps
  - Run "C:\Program Files\Common Files\microsoft shared\ClickToRun\OfficeC2RClient.exe' /update user forceappshutdown=true
- Check Drivers

 $Bangs(!)\ exclamation\ marks\ in\ Device\ Manager\ indicates\ missing,\ incorrect,$  or corrupt drivers

- Open Device Manager to check for Bangs(!)
- Run Snappy Driver Installer Origin (SDIO) as an Administrator
- Select TODO: Create a new system restore point
- Select all missing/incorrect/corrupt drivers (as per bangs! in Device Manager)
- Click Install
- [OPTIONAL] Update Outdated Drivers
- Verify Drivers
  - Turn On Windows Verifier:
    - Run verifier
    - Select Create standard settings
    - Click Next
    - Select Automatically select all drivers on this computer
    - Click Finish
    - Restart Windows shutdown -r -f -t 00
      - Windows Verifier works by stressing out drivers as they're loaded (it is expected that the computer's performance will be impacted while verifier is enabled)
      - If Windows loads into the desktop OK and does not crash with Verifier enabled, then all is good and you can proceed to turn it off
      - If Verifier induces a crash, Windows should produce a Blue Screen of Death (BSOD) with a STOP Code error and information on the driver that crashed, you can use this information

to identify the faulty driver that caused the crash and replace it

- Turn Off Windows Verifier:
  - Run verifier
  - Select Delete existing settings
  - Click Finish
  - Restart Windows shutdown -r -f -t 00

#### Restore

- Install Programs
  - you can use the winget install script for this if you made one install programs before restoring the user profile, as otherwise some required registry entries may not exist yet
- Restore User Profiles
  - make Administrator, make default user, set no password and set password does NOT expire
- Copy over any C: Drive files/folders that were backed up
- Restart Windows (this should log in to the restored user profile)
  - open a command prompt window (or similar) as Administrator to ensure account has admin priviledges
- Install Printer Drivers
  - If you can not install the printer drivers + software without the printer present, save the printer package installer to C:\COPS\ and create a shortcut to it on the customer's desktop
- Check Web Browsers and restore Bookmarks and Passwords from backups as required
- Activate software using extracted keys or accounts as required
- Configure email accounts as required
- Install additional drivers as required
- Move any USB Dongles from the old device (Wireless mice, wifi, blue adapters, etc...)
- Update Apps

via Microsoft Store via Winget

- Update Windows
- Update Office apps (if installed)
- Restart Windows
- Remove 'COPS' user account
  - Run netplwiz Select COPS Click Remove
  - Delete C:\Users\COPS\ folder Windows may prevent you from removing this folder if it's currently accessing it in the background, if this happens just restart Windows and try to remove it again
  - Empty Recycle Bin
- System Maintenance/Repair

- Open a Terminal as Administrator Run wt or powershell or cmd
- Run the following commands:

```
winget source reset --force
winget source update
winget upgrade --all --silent
sfc /scannow
dism /online /cleanup-image /startcomponentcleanup
/resetbase
dism /online /cleanup-image /restorehealth
sfc /scannow
defrag /c /o
chkdsk c: /r /scan /perf
```

Useful Tip

You can queue up multiple commands in PowerShell by pressing Shift+Enter to add a new line before pressing Enter to execute the all of the queued up commands one after another

- Restart Windows
- Create a new System Restore point COPS Completed Data Transfer

# Virus/Malware Removal

Windows			

#### Pre Scans

• [IMPORTANT] Air Gap Device

Ensure device is disconnected from all networks before RKill is run successfully and RATs (Remote Access Tools) removed, to ensure malicious actors do not re-connect to the device while it's still compromised

- Enable System Restore (set to 7% allocation if enough free disk space)
- [OPTIONAL] Create a new System Restore point
  COPS Pre Virus/Malware Removal

This System Restore point will be wiped out in a later step (post-virus/mal-ware removal), as malware can persist in old System Restore points

• Restart Windows

Force Restart Windows now to provide a clean environment befor proceeding shutdown  $\neg r$   $\neg f$   $\neg t$  00

• COPS Folder

Create C:\COPS\ folder on the system

 $\bullet$  [ OPTIONAL ] Add C:\COPS\ to the installed antivirus's exclusion list

Trend Micro

Windows Security

#### • Disable Antivirus

Trend Micro Windows Security

#### RKill

- Copy RKill folder from your USB Tool to the COPS folder RKill can't run from a write-blocked drive, so you'll usually need to copy the executables out first
- [ IMPORTANT ] Run any RKill executable as Admininstrator
- Wait for RKill to complete, it will then generate a report RKill.txt on the current user's desktop
- Move RKill.txt from %USERPROFILE%\Desktop to COPS folder
- Revo Uninstaller
- Disk Cleanup
  - Run cleanmgr /sageset:10 This will open the Disk Cleanup utility to create settings for Profile 10
  - Click Clean up system files
  - Select all checkboxes except for the following system error options: System error memory dump files System error minidump files

Useful Tip

You can click on an option, and then use the UP + DOWN arrows + Space Bar to quickly check or uncheck options

- Click OK
- Run cleanmgr /sagerun:10
  This will run the Disk Cleanup utility to using Profile 10's settings

## Scans

- Connect to Internet
- [OPTIONAL] AdwCleaner

  AdwCleaner crashes out of UVK's automation, so run it now instead if

  you want to use it
- [OPTIONAL] Spybot Search & Destroy Spybot is a thorough malware removal tool, but it can take a very long time to complete it's scans
- [ OPTIONAL ] Windows Defender Offline Scan
- [ OPTIONAL ] Create a new System Restore point COPS Pre Virus/Malware Removal
- Ultra Virus Killer (UVK)

- Install UVK
- Open UVK
  - Do not disable Hybrid Shutdown if asked when opening UVK
  - Do Update UVK if asked when opening UVK
- Click System Repair
- Select the following repair actions: (left menu)
  Useful Tip

You can click on an option, and then use the UP + DOWN arrows + Space Bar to quickly check or uncheck options

- Pre-Repair Actions 1. Set technician power settings 2. Kill all non system processes 3. Delete all restore points 4. 5. Free physical memory Create a system restore point 6. Backup the registry 7. Un-immunize all areas 8. Disable the User Account Control 9. Enable the legacy (F8) boot menu 10. Enable Windows Recovery Environment Prevent rebooting until all is done
- Third-Party Built-in Apps 12. Ultra Adware Killer scan 13. MalwareBytes AntiMalware scan 14. Super AntiSpyware scan 15. RogueKiller scan 16. Kaspersky TDSSKiller scan 17. Avast! Browser Cleanup
- Reset Actions 18. Reset the DNS cache 19. Reset the Windows Store 20. Reset all print jobs
- Fixes for Common Windows Problems n/a
- File System Related Actions 21. Rebuild icon cache
- Essential Installes/Updates [If Google Chrome is installed] 22. Insall/Update Chrome 23. Install uBlock Origin for Chrome [If Mozilla Firefox is installed] 24. Install/Update Firefox 25. Install uBlock Origin for Firefox 26. Install uBlock Origin for Edge 27. PatchMyPC Update all apps
- Privacy Cleanup 28. Clear all browsers history (all users) 29. Delete browsers cookies (all users)
- Maintenance Actions 30. Empty all users temp folders 31. Empty browsers cache (all users) 32. Unattended disk cleanup
- System Repair and Optimization n/a
- Windows Troubleshooters n/a
- Post-Repair Actions 33. Restore the previous UAC state 34. Restore previous immunization 35. Delete all restore points (post repair) 36. Create restore point (post repair) 37. Reset power settings 38. Uninstall Malwarebytes Antimalware 39. Uninstall Super AntiSpyware 40. Uinstall RogueKiller 41. Uninstall this application 42. Restore normal boot
- Select the following loadout settings: (right menu) 1. Third party full scans 2. Use unattended mode
- Click Run selected fixes/apps

#### Post Scans

- [OPTIONAL] Create a new System Restore point COPS Pre Windows Update
- Update Windows (no preview updates)
- Update Apps via Microsoft Store
- Update Apps via Windows Package Manager (winget) winget source update winget upgrade --all --silent

#### Useful Tip

You can queue up multiple commands in PowerShell by pressing Shift+Enter to add a new line before pressing Enter to execute the all of the queued up commands one after another

- [OPTIONAL] Create a new System Restore point COPS Pre Driver Update
- Update Drivers (SDIO)
- Verify Drivers
  - Turn On Windows Verifier:
    - Run verifier
    - Select Create standard settings
    - Click Next
    - Select Automatically select all drivers on this computer
    - Click Finish
    - Restart Windows (shutdown -r -f -t 00)

Windows Verifier works by stressing out drivers as they're loaded (it is expected that the computer's performance will be impacted while verifier is enabled)

If Windows loads into the desktop OK and does not crash with verifier enabled, then all is good and you can proceed to turn it off

#### • Turn Off Windows Verifier:

- Run verifier
- Select Delete existing settings
- Click Finish
- Restart Windows shutdown -r -f -t 00
- System Maintenance/Repair
  - Open a Terminal as Administrator Run wt or powershell or cmd
  - Run the following commands:
     winget source reset --force
     winget source update
     winget upgrade --all --silent

sfc /scannow
dism /online /cleanup-image /startcomponentcleanup
/resetbase
dism /online /cleanup-image /restorehealth
sfc /scannow
defrag /c /o
chkdsk c: /r /scan /perf

Useful Tip

You can queue up multiple commands in PowerShell by pressing Shift+Enter to add a new line before pressing Enter to execute the all of the queued up commands one after another

• Create a new System Restore point COPS - Post Virus/Malware Removal

### Android

#### Pre Scans

• Remove Intrusive Full-Screen Pop-Ups

These relentless pop-ups make the device impossible to work with, so deal with these first (if applicable)

More Info

These full screen pop-ups/ads aren't a sign of an injection, but merely a malicious use of the native Android notification system.

Users don't intentionally give these apps permission to do this, but it's often caused by Tapjacking or simply users ignorantly agreeing to permission prompts.

- Open Play Store
  - Install Ad Virus Cleaner ROX Security
- Open ROX Security
  - Tap Scan
  - Wait for the scan to complete
  - Tap on Pop-up Ad Detector
    - Tap on Give Permissions

This will open a required permissions settings panel

- Enable ROX Security
- Tap < (back button)
- $\bullet$  Wait for an intrusive full-screen pop-up
- Tap | | | (app switch button)
  - Switch back to Rox Security Rox Security should have logged recent app activity under it's Pop-up Ad Detector
- Tap: (kebab button) next to the offending app

- Tap Show in Play Store
- Verify the app is not important

  If the app is published by Google or the device's manufacturer

  (i.e. Samsung) think twice before removing
- Tap Uninstall
- Uninstall ROX Security when done
- Safe Mode

Reboot the device in Safe-Mode (if available)

- Malicious or Suspicious Apps
  - Remove any remote access apps (i.e. AnyDesk, TeamViewer, etc..)

    These are used by scammers to access devices remotely
  - Remove any malicious or bloatware apps

    The following are common types of apps that are unnecessary often
    load their own malware
    - Any free 3rd-party "Cleaner" apps
    - Any free 3rd-party "QR Scanner" apps
    - Any free 3rd-party "PDF Reader" apps (excluding Adobe Acrobat Reader)
    - Any free 3rd-party "File Manager" apps
  - Remove any "Crypto" apps (after verifying the customer does not genuinely use them)

Scammers often load on crypto apps to try and steal currencies the device has access to

#### • Web Browsers

Clear Cache + Data for all Web Browsers installed on the device.

The following steps are for Google Chrome, but other apps are managed that same way

- Open Settings
  - Tap Apps
    - Tap Chrome
      - Tap Storage
      - Tap Clear cache
        - Tap Clear data

#### 1st Party Scans

- Play Protect Scan
- [ If Samsung Device ]
  - $\bullet$   $\operatorname{Samsung}$  Device Care  $\operatorname{Scan}$

## 3rd Party Scans

- Install and Run at least 3 of the following free malware scanners:
  - Malwarebytes Mobile Security
  - AVG AntiVirus & Security

- Bitdefender Antivirus
- Sophos Intercept X for Mobile
- Avira Security Antivirus & VPN
- Trend Micro Mobile Security & Antivirus
- ESET Mobile Security Antivirus
- TotalAV Mobile Security untested if can be used without an account
- Panda Dome Antivirus and VPN untested if can be used without an account
- Avast Antivirus & Security untested if can be used without an account

## Updates

- Update Apps via Play Store
- [ If Samsung Device ]
  - Update Apps via Galaxy Store
- Update Android OS

This may take multiple updates and reboots, as customers often neglect updating their devices

Backup / Export	
Windows	
macOS	
Backup Device	
• Use Time Machine	
iOS	
Export Messages	

## **Export Photos**

• imessage-exporter

- Connect the iOS device to a macOS device You may need to unlock the iOS device and tap Trust if prompted
- Open Image Capture app

- Click on the iOS device

  The connected iOS device should show up under DEVICES on the left
- Change Import To: folder

  Make a Job# folder to import the photos/videos to
- Click Download All

#### Backup iCloud Photos

- Submit Apple Privacy Data Request
  - Sign in Apple's Data and Privacy page with the customer's Apple Account
  - Click Request a copy of your data
  - Tick iCloud Photos
  - Click Continue
  - Choose the largest bundle/zip size (this will make downloading the files easier, as you can only download 3 of the part files at a time)
- Check confirmation email

Apple will send a confirmation email to the customer's Apple Account email address, if this does not come through now then you may have issues receiving the download link email later

- Wait for the download link email Apple will have to compile and zip up all of the data you requested, this can take many days
- Open download link
- Download all .zip files Apple prepared for download
- Unzip all .zip files
- Combine the unzipped data in to one folder

Android		
OS Install Windows	Media Creation	
Williaows		
Download		
• Download fr	rom massgrave.dev	

## Verify

• Verify checksums against rg-adguard.net

#### Flash

• Flash image to USB using Rufus winget install rufus.rufus

#### **Inject Drivers**

- Prep
  - Have a folder with extracted drivers ready to go
     C:\drivers\ for this example
  - Create an empty directory ready to mount the Windows image to for editing
    - C:\mount\ for this example
  - Have a Windows image ready to go F:\sources\install.wim for this example
- Mount
  - Open Powershell as admin
  - Find index of the Windows image you want to mount Get-WindowsImage -ImagePath F:\sources\install.wim
  - Mount the Windows image
     Mount-WindowsImage -Path C:\mount\ -ImagePath F:\sources\install.wim
     -Index 1
- Add Drivers
  - Add-WindowsDriver -Path C:\mount\ -Driver C:\drivers\ -Recurse -ForceUnsigned
- Unmount
  - Dismount-WindowsImage -Path C:\mount\ -Save

# Sideloading

Android			

## Download

- Download desired .APK from 3rd party source or directly from the Google Play store using Aurora Store
- [ If you can only download an App Bundle (.APKS, .XAPK, .APKM) ]
  - Use AntiSplit M to merge the bundle components back in to a .APK file

#### Upload

- Connect the Android device to a computer
- Navigate to it's mounted file system (i.e. in This PC)
- Open Downloads folder

 $\bullet$  Copy .APK file in to the  ${\tt Downloads}$  folder

## Install

- Enable Sideloading

  Depending on the manufacturer of the device, you may need to enable

  Sideloading before you can install .APK files

  Samsung
- Open Files app
- Navigate to Downloads folder
- Tap on the .APK file
- Tap Install

# **USB Tool**

Ventoy

Medicat

**Bootable Tools** 

Windows Tools

COPS Extras (scripts, etc..)

## Reference

Apps

## Windows

App	Install	Description	Use Case
7-Zip			
AMD Adrenalin			
AltSnap			
Apple Devices	winget install		
	"Apple		
	Devices"		
Apple iTunes	winget install		DEPRECATE-
	Apple.iTunes		$\mathrm{DUse}\ \mathtt{Apple}$
			Devices instead
Audacity			
balenaEtcher			
BandiView			

App	Install	Description	Use Case
BandiZip			
Bitwarden			
Chocolatey			DEPRECATE-
			$\mathrm{DUse}\ \mathtt{Winget}$
			instead
Cinebench	winget instal		
	Maxon.Cineber		
Clear Disk Info	winget insta		
	Carifred.Cle		
CPUID CPU-Z	winget insta	11	
	CPUID.CPU-Z		
CPUID	winget insta		
HWMonitor	CPUID.HWMoni		D = D D = C + = D
CrystalDiskInfo	winget instal		DEPRECATE-
	CrystalDewWo	rld.CrystalDiskInfo	DUse Clear
			Disk Info
C			instead
CrystalDiskMark	winget instal		
D W D 1	CrystalDewWor	rld.CrystalDiskMark	
DaVinci Resolve Disk Drill		17	
Disk Drill	winget instal CleverFiles.		
Diapler Driver			
Display Driver Uninstaller	Winget instal	rr DisplayDriverUninsta	llor
(DDU)	wagnarusor	DispiayDriveroninsta	ITEI
DropBox			
eM Client	winget instal	11	
CIVI CIICIII	eMClient.eMC		
Exact Audio	enorienc.eno.	116110	
Copy (EAC)			
Everything			
FFmpeg			
FileBot			
FileZilla			
ForensiT	winget instal	11	DEPRECATED-
Transwiz	ForensiT.Tra		Сору
			%USERPROFILE%
			instead
Furmark	winget insta	11	
	Geeks3D.FurMa		
Gimp			
Git	winget instal	11	
	Git.Git		

App	Install	Description	Use Case
GitHub Desktop	winget install		
	GitHub.GitHubI	=	
Google Chrome	winget install	_	
C 1 D:	Google.Chrome		
Google Drive			
GPU-Z	winget install		
	TechPowerUp.GF Z	70-	
HandBrake	4		
HashCheck Shell	winget install	_	
Extension	O	neckShellExtension	
HD Tune Pro	winget install		Benchmark drive
	EFDSoftware.HI	•	speed over time
		·	with graph
HexChat			
HWiNFO	winget install	_	
	REALIX.HWiNFO		
iMazing	winget install		
	DigiDNA.iMazir	•	
iMazing	winget install		
Converter	DigiDNA.iMazir	ngHEICConverter	
ImgBurn			
Inkscape	winget install		
T . 1.IID	Inkscape.Inksc	cape	
Intel HD			
Graphics			
Intel PresentMon			
iPerf			
JDownloader			
Libre Office	winget install		
M - 1: - I - C-	IneDocumentrou	undation.LibreOffice	
MediaInfo MakeMKV	inmot inatall		
wakewik v	winget install GuinpinSoft.Ma		
Microsoft Office	winget install		
Wherosoft Office	Microsoft.Offi		
Microsoft	MICIOSOIC.UIII	ice	
OneDrive			
Microsoft PC	winget install		
Health Check	•	lowsPCHealthCheck	
Microsoft	microbor o. wind	towor oneurononeen	
PowerToys			
Microsoft Visual	winget install		
Studio Code	Microsoft.Vist		
214410 0040			

App	Install	Description	Use Case
Microsoft	winget instal	1	
Windows	Microsoft.Win		
Terminal			
Microsoft Verifier			
MiniTool	winget instal	1	
Partition Wizard	MiniTool.Part	itionWizard.Free	
Mozilla Firefox	winget instal	1	
	Mozilla.Firef	ox	
Mozilla	winget instal	1	
Thunderbird	Mozilla.Thund	erbird	
NirSoft	winget instal	1	
BlueScreenView	NirSoft.BlueS	creenView	
NirSoft Product			
Key Scanner			
NirSoft			
ProduKey			
Nvidia App			
NVIDIA GeForce			DEPRECATE-
Experience			DUse NVIDIA
			App instead
OpenOffice			
Papa's Best STL			
Viewer			
Proton VPN			
qBittorrent			
Raspberry Pi			
Imager			
ReNamer			
RevoUninstaller	winget instal	1	
	RevoUninstall	er.RevoUninstaller	
Rufus			
SD Card			
Formatter			
Scoop			DEPRECATE-
			$\mathrm{DUse}\ \mathtt{Winget}$
			instead
Snappy Driver	winget instal	1	
Installer Origin	GlennDelahoy.	${f SnappyDriverInstall}$	lerOrigin
(SDIO)	•		•
Sublime Text	winget instal	1	
	SublimeHQ.Sub		
TeamViewer	winget instal		
	TeamViewer.Te	amViewer	

App	Install	Description	Use Case
Trend Micro	winget install		
Internet Security	"Trend Micro		
	Internet		
	Security"		
Trend Micro	winget install		
Maximum	"Trend Micro		
Security	Maximum		
	Security"		
UltraViewer	winget install		
	DucFabulous.Ult	raViewer	
Ultra Virus Killer			
(UVK)			
uTorrent			DEPRECATE-
			DUse
			qBittorrent
			instead
VLC Media	winget install		
Player	VideoLAN.VLC		
Win32 Disk			
Imager			
WinDirStat			DEPRECATE-
			$\mathrm{DUse}\ \mathtt{WizTree}$
			instead
Winget			
WinRAR			
WizTree			
yt-dlp	winget install		
• •	yt-dlp.yt-dlp		

# macOS

App	Install	Description	Use Case
Apple Image Capture		Download photos/videos from digital cameras or iOS devices	Useful for backing up photos/videos from iOS devices, even if their iCloud account isn't working, as it treats the iOS device like a digital camera and simply imports the local copies on the device
Microsoft Remote Desktop			DEPRECATE- DUse Microsoft Windows App instead
Microsoft Windows App			III ococc

# iOS

## Android

App	Description	Use Case
Appwatch	Snitch on app activity	DEPRECATEDUse Rox Security instead
Aurora Store	Alternative Google	Install apps from the
	Play Store app	Play Store repository without needing to log in with a Google
		Account, and can download .APKs from
		the Play Store for later sideloading
Rox Security	Multi-tool for identifying unusual/unwanted app	Identify apps that are responsible for instrusive
	behaviour, including snitching on app activity	full-screen pop-ups

# Commands

# Windows

Command	Description	Use Case
\	Opens %SYSTEMDRIVE% folder	Quick access to C:\
appwiz.cpl	Opens Programs and Features control panel window	
calc	$\operatorname{Opens}$ Calculator $\operatorname{app}$	
charmap	Opens Character Map app	
chrome	Opens Google Chrome app (if installed)	
cmd	Opens Command Prompt app (if installed)	
code	$\operatorname{Opens}$ Visual Studio Code $\operatorname{app}$	
compmgmt.msc	$\operatorname{Opens}$ Computer Management $\operatorname{snap}$ in	
control	$\operatorname{Opens}$ Control Panel	
control folders	$\operatorname{Opens}$ File Explorer Options window	
control keyboard	$\operatorname{Opens}$ Keyboard $\operatorname{Properties}$ window	
control printers	Opens Bluetooth & devices settings window	Quick access to Printers & scanners
control update	Opens Windows Update settings window	
desk.cpl	Opens Display settings window	Quick access to Resolution + Multi-Montior settings
devmgmt.msc	${ m Opens}$ Device Manager ${ m snap}$ in	Check Drivers
diskmgmt.msc	Opens Disk Management snap in	Check connected drives
diskpart	Opens Microsoft DiskPart command line interface	
documents	Opens current user's Documents folder	
downloads	Opens current user's Downloads folder	
dxdiag	Opens DirectX Diagnostic Tool app	

Command	Description	Use Case
eventvwr.msc	Opens Event Viewer snap in	
explorer	Opens Windows Explorer	
firefox	Opens Mozilla Firefox app (if installed)	
firewall.cpl	Opens Windows Defender Firewall control panel window	
fonts	Opens Fonts folder	
<pre>gpedit.msc</pre>	Opens Local Group Policy Editor snap in	
iexplore	Opens Internet Explorer app	
inetcpl.cpl	Opens Internet Properties window	Quick access to Proxy server settings
joy.cpl	${ m Opens}$ Game ${ m Controllers}$ window	Use to test game controller inputs
lusrmgr.msc	Opens Local Users and Groups snap in	Powerful control over User Accounts and Groups, but does not work on Windows Home editions
main.cpl	Opens Mouse Properties window	
manage-bde c: -off	Run in a terminal to decrypt and disable BitLocker on C: drive	
manage-bde -status	Run in a terminal to show BitLocker status of all drives	
mdsched	Opens Windows Memory Diagnostic app	
mmc	Opens empty Microsoft Management Console snap in	
mmsys.cpl mrt	Opens Sound window Opens Microsoft Windows Malicious Software Removal Tool app	

Command	Description	Use Case
msconfig	Opens System Configuration window	Quick access to Safe boot or Windows boot entries
msedge	Opens Microsoft Edge app	
msinfo32	Opens System Information	
mstsc	Opens Remote Desktop Connection app	
ms-windows-store:	Opens Microsoft Store app	
ncpa.cpl	Opens Network Connections control panel window	
netplwiz	Opens User Accounts window	Less powerful control over User Accounts, but does work on Windows Home editions
notepad	Opens Notepad app	
onedrive	Opens current user's	
	OneDrive folder	
osk	Opens On-Screen	
	Keyboard	
pictures	Opens current user's	
	Pictures folder	
powercfg.cpl	Opens Power Options	
	control panel window	
powershell	Opens Powershell app	
regedit	Opens Registry	
	Editor app	
resmon	Opens Resource	
	Monitor app	
services.msc	Opens Services snap in	
shell:appsfolder	Opens Applications folder	Useful for creating shortcuts to Microsoft
		Store apps
shell:mycomputerfolder		
shell:recyclebinfolder	Opens Recycle Bin folder	
shell:startup	Opens Startup folder	
shutdown -h	Hibernate computer	
shutdown -1	Log off	
shutdown -r -fw	Restart Windows and	
	boot in to BIOS / UEFI	

Command	Description	Use Case
shutdown -r -o	Restart Windows and boot in to Recovery	
shutdown -r -f -t 00	Environment Force Restarts Windows immediately	
shutdown -s -f -t 00	Force Shuts down Windows immediately	
snippingtool	Opens Snipping Tool app	
sysdm.cpl	Opens System Properties window	Quick access to System Restore
taskmgr	Opens Task Manager app	
taskschd.msc	Opens Task Scheduler snap in	
timedate.cpl	Opens Date and Time window	
verifier	Opens Driver Verifier Manager app	
videos	Opens current user's Videos folder	
vlc	Opens VLC Media Player app (if installed)	
winver	Opens About Windows window	Quick way to check installed Windows edition (Home/Pro/Enterprise), version, and build
wt	Opens Windows Terminal app	rozzion, and zand
%APPDATA%	Opens current user's AppData\Roaming folder	
%LOCALAPPDATA%	Opens current user's AppData\Local folder	
%SYSTEMDRIVE%	Opens the root folder of the system drive	
%TEMP%	Opens current user's Temp folder	
%USERPROFILE%	Opens current user's profile folder	
%WINDIR%	Opens Windows folder	

# Hotkeys

# Windows

## Resources

## Hardware

iFixIt - Electronics Skills	Learn general device repair and	
	electronics skills	
iFixIt - Repair Guides	Repository of repair guides for specific	
	devices	
Repair Wiki	Guides for troubleshooting more	
	specific or niche device issues	
Keyboard Checker	Keyboard tester	
HardwareTester - Midi Tester	Test MIDI input devices	
HardwareTester - Gamepad Tester	Test Gamepads / Controllers	
HardwareTester - Microphone Tester	Test Microphones	
PassMark - CPU Benchmarks	Compare CPU's	
PassMark - Videocard Benchmarks	Compare Videocards	
PassMark - Memory Benchmarks	Compare Memory Modules	
PassMark - Hard Drive Benchmarks	Compare HDD's / SSD's	

# Networking

Port Forward	Repository of router port forwarding guides and ports for common software
Router Passwords	Repository of default router usernames/passwords and IP addresses
SpeedTest	Test internet connection download, upload, ping speeds

# chr ### Security

Bitwarden Password Generator	Great password generator to create unique Passphrases
Have I Been Pwned	

## Software

winstall	Make winget install scripts to batch	
	install software	

Ninite	Make standalone batch software
	installers
Adobe PDF Tools	Free to use PDF tools, use
	Incognito/Private mode to exceed free
	'try' limits
Photopea	Free Photoshop alternative that runs
•	in the web browser
PrintFriendly	Convert various file formats to PDF
Watermark Remover	AI watermark removing tool, use
	Incognito/Private mode to exceed free
	'try' limits

# Phonetic Alphabet

The NATO Phonetic Alphabet can be very useful when trying to provide remote support over the phone

A	Aplha	N	November
В	Bravo	Ο	Oscar
$\mathbf{C}$	Charlie	Ρ	Papa
D	Delta	Q	Quebec
$\mathbf{E}$	Echo	$\mathbf{R}$	Romeo
F	Foxtrot	$\mathbf{S}$	Sierra
G	Golf	$\mathbf{T}$	Tango
Η	Hotel	U	Uniform
Ι	India	V	Victor
J	$\operatorname{Juliett}$	W	Whiskey
K	Kilo	X	X-ray
$\mathbf{L}$	Lima	Y	Yankee
Μ	Mike	$\mathbf{Z}$	Zulu