Barangay Management System API Documentation

1. API Overview

This API is developed using Laravel and serves as the backend of a Barangay Management System. It manages residents, incidents, certificates, and social assistance programs. The API follows RESTful principles and uses JSON format.

2. Base URL

http://localhost:8000

3. Endpoint Descriptions

Authentication:
POST /residents/register
POST /residents/login

Residents:
GET /residents
POST /residents
GET /residents/{id}
PUT/PATCH /residents/{id}
DELETE /residents/{id}

Incidents:
GET /incidents
POST /incidents
GET /incidents/{id}
PUT/PATCH /incidents/{id}
DELETE /incidents/{id}

Certificates:
GET /certificates
POST /certificates
GET /certificates/{id}
PUT/PATCH /certificates/{id}
DELETE /certificates/{id}

Programs:
GET /programs

POST /programs
GET /programs/{id}
PUT/PATCH /programs/{id}
DELETE /programs/{id}

Enrollments:
GET /enrollments
POST /enrollments
GET /enrollments/{id}
PUT/PATCH /enrollments/{id}
DELETE /enrollments/{id}

Custom:
POST /programs/{program}/enroll

4. Request Parameters

Path Parameters: {id}, {program}
Example: /programs?page=1

5. Request Body Format

Content-Type: application/json
Example:
{"first_name":"Juan","last_name":"Dela Cruz","address":"Quezon City"}

6. Response Format

Success:
{"status":"success","data":{}}

Error:
{"status":"error","message":"Invalid request"}

7. Error Codes

200	OK
201	Created
400	Bad Request
401	Unauthorized
404	Not Found


500	Internal Server Error

8. Authentication Mechanism


The system uses login and registration endpoints for authentication. Token-based authentication (such as Laravel Sanctum or JWT) is not implemented. The login process validates user credentials and returns user information only.

DIAGRAMS


C4



System Architecture



Integration



BPMN Diagram

