Welcome!
Please input this command into R:

```
usethis::use_course("https://bit.ly/2L95hCb")
```

Introduction to

and

Sam Albers
sam.albers@gov.bc.ca
@big_bag_sam

Schedule

- Getting Started (1:00 – 1:45)
- Intro to tidyhydat (1:45 – 2:15)
- Transforming data (2:15 – 3:00)
- Break (3:00 – 3:30)
- Dates and Joins (3:30 – 3:45)
- Visualizations (3:45 – 4:50)
- How to ask for help – Where do you go next? (4:50 – 5:00)

Introductions

Introductions

Sam Albers

Knowledge Management Branch

Ministry of Environment and Climate Change Strategy
sam.albers@gov.bc.ca

@big_bag_sam

Introductions

Joel Trubilowicz

Northwest Hydraulic Consultants

Kamloops, BC

jtrubilowicz@nhcweb.com

Jon Goetz

Water Protection & Sustainability Branch

Ministry of Environment and Climate Change Strategy

jon.goetz@gov.bc.ca

What this workshop is not...

A comprehensive course on all of R

What this course is…

A specific starting point in R

A chance for you to code

Your turn

Introduce yourself to your neighbour

- Who are you?
- Why are you here?
- What is your experience with R?

Your turn

I’m stuck

I’m done

R – A programming language for data



Adapted from 'Master the tidyverse' CC by RStudio

The Data Analysis Process



Adapted from Wickham and Grolemund 2017

The Data Analysis Process



Adapted from Wickham and Grolemund 2017

Focus less time of coding and more time on data analysis

Why use R?

- Free
- Efficient
- Reproducible
- Scalable

Base R

Packages

RStudio



Anatomy of an R function

```
fraser <- hy_daily_flows(station_number = "08MF005")
```




Object Function Argument Value

Anatomy of an R function

```
fraser <- hy_daily_flows(station_number = "08MF005")
```




Object Function Argument Value

"To understand computations in R, two slogans are helpful:

Everything that exists is an object.

Everything that happens is a function call."

— John Chambers

RStudio


C:/_dev/Git_repos/rstudio_ide - RStudio
File Edit Code View Plots Session Build Debug Profile Tools Help
Addins
rstudio_ide
fraser_flow_script.R
Source on Save
Run
Source
1 library(tidyhydat)
2
3 fraser_flows <- hy_daily_flows(station_number = "08MF005")
4
A) This is where you type and save code
4:1
(Top Level)
R Script
Console
Terminal
C:/_dev/Git_repos/rstudio_ide/
R version 3.5.0 (2018-04-23) -- "Joy in Playing"
Copyright (C) 2018 The R Foundation for Statistical Computing
Platform: x86_64-w64-mingw32/x64 (64-bit)
R is free software and comes with ABSOLUTELY NO WARRANTY.
You are welcome to redistribute it under certain conditions.
Type 'license()' or 'licence()' for distribution details.
R is a collaborative project with many contributors.
Type 'contributors()' for more information and
'citation()' on how to cite R or R packages in publications.
Type 'demo()' for some demos, 'help()' for on-line help, or
'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.
>
B) This is where you run code
Environment
History
Connections
Import Dataset
List
Global Environment
Values
.Last.value
TRUE
C) These are the objects you've loaded in R
Files
Plots
Packages
Help
Viewer
New Folder
Delete
Rename
More
C: _dev Git_repos rstudio_ide
Name
Size
Modified
..
rstudio_ide.Rproj
218 B
May 2, 2018, 9:54 AM
fraser_flow_script.R
82 B
May 2, 2018, 9:54 AM
D) This is where you get help, see output and interact with files

Your turn

- Open the file intro-to-tidyhydat-and-tidyverse.Rproj
- Open 00-Getting-started.Rmd and start doing analysis!

A quick word on Notebooks

- Integrates:
  - Code
  - Text
  - Output



Click to run code in chunk

Click to run all code chunks above

Code output

Adapted from 'Master the tidyverse' CC by RStudio