



□ 常用分类回归数据集介绍



Kaggle平台数据

Kaggle介绍



Kaggle 是一个全球知名的数据分析与机器学习竞赛平台（网址：<https://www.kaggle.com/>）。

其运作模式主要分为以下几个环节：

- ① 发布问题：企业或研究者将实际业务中的数据、问题描述以及期望的评价指标发布到 Kaggle 上。
- ② 众包方案：平台以竞赛的形式向全球广大的数据科学家征集解决方案，性质类似于传统的 KDD-CUP（国际知识发现和数据挖掘竞赛）。
- ③ 参赛竞技：参赛者下载数据并进行深入分析，运用机器学习、数据挖掘等专业知识建立算法模型。
- ④ 提交与评奖：参赛者提交预测结果，系统根据指标进行实时排名。如果提交的结果符合指标要求且最终排名领先，参赛者将获得由发布方提供的丰厚奖金。

The World's AI Proving Ground

Discover what actually works in AI. Join 30M+ builders, researchers, and labs evaluating agents, models, and frontier technology through crowdsourced benchmarks, competitions, and hackathons.

 Register with Google

Register with Email



数据科学界的 GitHub，集海量开源数据集托管、高水平算法竞赛与社区协作于一体的开放式资源平台



Home Credit Default Risk

任务类型：二分类

标签：违约 / 不违约

训练集：307k

测试集：48.7k

链接：
<https://www.kaggle.com/datasets/datuman/home-credit-default-risk-train-data-tabular>

Data CardCode (0)Discussion (0)Suggestions (0)

DetailCompactColumn

10 of 121 columns

# SK_ID_CURR	NAME_CONTRACT...	CODE_GENDER	FLAG_OWN_CAR	FLAG_OWN_REAL...	CNT_CHILDREN	AMT_INCOME_TO...
	Cash loans 99% Revolving loans 1%	F 67% M 33%				
100042	Cash loans	F	Y	Y	0	270000.0
100057	Cash loans	M	Y	Y	2	180000.0
100065	Cash loans	M	N	Y	0	166500.0
100066	Cash loans	F	N	Y	0	315000.0
100067	Cash loans	F	Y	Y	1	162000.0
100074	Cash loans	F	N	Y	0	67500.0
100090	Cash loans	F	N	Y	0	135000.0
100091	Cash loans	F	N	Y	0	247500.0
100092	Cash loans	F	Y	Y	0	90000.0
100106	Revolving loans	M	N	Y	0	180000.0
100107	Cash loans	M	Y	Y	0	180000.0



House Prices: Advanced Regression Techniques

任务类型：回归预测

标签：房价连续值 (SalePrice)

训练集：1460

测试集：1459

链接：
<https://www.kaggle.com/datasets/hassanjameelahmed/house-prices-advanced-regression-dataset>

house-prices-advanced-regression-dataset

Data Card Code (2) Discussion (0) Suggestions (0)

submission.csv (35.93 kB)

Detail Compact Column

About this file

Attribute	Details
File Type	CSV submission format
Records	1,459 predictions (Test set IDs: 1461–2919)
Columns	Id (Property ID), SalePrice (Predicted price in USD)
Price Range	~\ \$47,000 – ~\ \$535,000
Format	Comma-separated with header row

Id Unique identifier for each property 1461 2919	# SalePrice Target Variable - Property sale price in USD 45.5k 535k
1461	124636.85592958445
1462	159466.85376680293
1463	186280.97499493865
1464	197646.69063023545
1465	191808.99014389125
1466	172766.21234983008
1467	179186.62572596173
1468	166563.51452393204
1469	182910.54245220928
1470	124893.65464433961



Rossmann Store Sales

任务类型： 销量回归预测

标签： 门店日销售额连续值
(Sales)

训练集： 1017k

测试集： 41k

链接：
<https://www.kaggle.com/c/rossmann-store-sales>

描述

罗斯曼在欧洲7个国家拥有超过3000家药店。目前，罗斯曼的门店经理需要提前六周预测每日销售额。门店销售额受多种因素影响，包括促销活动、竞争、学校和法定假日、季节性以及地理位置。由于数千名经理根据各自不同的情况预测销售额，因此预测结果的准确性可能存在很大差异。

在 Rossmann 的首届 Kaggle 竞赛中，他们邀请您预测德国各地 1115 家门店未来六周的每日销售额。可靠的销售预测能够帮助门店经理制定高效的员工排班计划，从而提高员工的工作效率和积极性。通过帮助 Rossmann 构建稳健的预测模型，您将助力门店经理专注于对他们而言最重要的事：顾客和团队！



评估

提交的作品将根据均方根百分比误差 (RMSPE) 进行评估。RMSPE 的计算方法如下：

$$\text{RMSPE} = \sqrt{\frac{1}{n} \sum_{i=1}^n \left(\frac{y_i - \hat{y}_i}{y_i} \right)^2},$$

其中 y_i 表示单家门店单日销售额， $\hat{y}_i$ 表示相应的预测值。销售额为 0 的门店和日期在评分时将被忽略。

Data fields

Most of the fields are self-explanatory. The following are descriptions for those that aren't.

- **Id** - an Id that represents a (Store, Date) tuple within the test set
- **Store** - a unique Id for each store
- **Sales** - the turnover for any given day (this is what you are predicting)
- **Customers** - the number of customers on a given day
- **Open** - an indicator for whether the store was open: 0 = closed, 1 = open
- **StateHoliday** - indicates a state holiday. Normally all stores, with few exceptions, are closed on state holidays. Note that all schools are closed on public holidays and weekends. a = public holiday, b = Easter holiday, c = Christmas, 0 = None
- **SchoolHoliday** - indicates if the (Store, Date) was affected by the closure of public schools
- **StoreType** - differentiates between 4 different store models: a, b, c, d
- **Assortment** - describes an assortment level: a = basic, b = extra, c = extended
- **CompetitionDistance** - distance in meters to the nearest competitor store
- **CompetitionOpenSince[Month/Year]** - gives the approximate year and month of the time the nearest competitor was opened
- **Promo** - indicates whether a store is running a promo on that day
- **Promo2** - Promo2 is a continuing and consecutive promotion for some stores: 0 = store is not participating, 1 = store is participating
- **Promo2Since[Year/Week]** - describes the year and calendar week when the store started participating in Promo2
- **PromoInterval** - describes the consecutive intervals Promo2 is started, naming the months the promotion is started anew. E.g. "Feb,May,Aug,Nov" means each round starts in February, May, August, November of any given year for that store

Huggingface Dataset

<https://huggingface.co/datasets>



Hugging Face

Search models, datasets, users...

Models

Datasets

Hugging Face is way more fun with friends and colleagues! 🧑🏻‍🤝‍🧑🏻 [Join an organization](#)

Main

Tasks

Libraries

Languages

Licenses

Other

Modalities

3D

Audio

Document

Geospatial

Image

Tabular

Text

Time-series

Video

Size (rows)

< 1K

> 1T

Format

json

csv

parquet

optimized-parquet

imagefolder

soundfolder

webdataset

text

arrow

Datasets 970,233

Filter by name

Jackrong/GLM-5.1-Reasoning-1M-Cleaned

Viewer • Updated 5 days ago • 572k • 1.69k • 65

lambda/hermes-agent-reasoning-traces

Viewer • Updated 7 days ago • 14.7k • 7.48k • 225

Kassadin88/GLM-5.1-1000000x

Viewer • Updated 7 days ago • 471k • 1.13k • 38

TeraflopAI/SEC-EDGAR

Viewer • Updated 6 days ago • 8.06M • 4.94k • 38

llamaindex/ParseBench

Benchmark • Updated 5 days ago • 169k • 13.9k • 70

ianncity/KIMI-K2.5-1000000x

Viewer • Updated 17 days ago • 733k • 5.18k • 242

开源、开放、丰富的数据集仓库，支持用户发布自定义数据



文本数据

图像数据

其它多模态数据



SST-2 (Stanford Sentiment Treebank)


任务类型：情感分类

标签：Positive/Negative

训练集：67.3k

测试集：1.82k

链接：
<https://huggingface.co/datasets/nyu-mll/glue/viewer/sst2>



CoLA (Corpus of Linguistic Acceptability)



任务类型：语法可接受性分类

标签：acceptable / unacceptable

训练集：8,551

测试集：1,063

链接：

<https://huggingface.co/datasets/nyu-mll/glue/viewer/cola>

Subset (12) cola · 10.7k rows		Split (3) train · 8.55k rows
Q Search this dataset		
sentence string · lengths 		label class label  2 classes
The witch vanished into the forest.		1 acceptable
Bill disappeared down the road.		1 acceptable
The witch went into the forest by vanishing.		0 unacceptable
The witch went into the forest and thereby vanished.		1 acceptable
The building is tall and wide.		1 acceptable
The building is tall and tall.		0 unacceptable
This building is taller and wider than that one.		1 acceptable
This building got taller and wider than that one.		1 acceptable
This building got taller and taller.		1 acceptable
This building is taller and taller.		0 unacceptable



QQP (Quora Question Pairs Dataset)


任务类型：问句对语义重复判别

标签：duplicate / not_duplicate

训练集：约 364k

测试集：约 391k

链接：
<https://huggingface.co/datasets/glue/viewer/qqp>



IMDB (Internet Movie Database)



任务类型：影评情感分类

标签：pos / neg

训练集：25k

测试集：25k

链接：

<https://huggingface.co/datasets/stanfordnlp/imdb>

The screenshot shows the Hugging Face dataset page for 'stanfordnlp/imdb'. At the top, it indicates the dataset is for 'Text Classification' with 'Text' modality and 'parquet' format. The sub-task is 'sentiment-classification'. Below this, the 'Dataset card' is selected, showing 'Data Studio', 'Files and versions', and 'Community' tabs. The 'Dataset Viewer' section shows the dataset is split into 'train' (25k rows) and 'test' (25k rows). A search bar is present. The 'text' column is shown as a string with a length distribution bar chart. The 'label' column is shown as a class label with a bar chart indicating 2 classes. Three sample rows are displayed, each with a text snippet and a label '0 neg'.

text	label
I rented I AM CURIOUS-YELLOW from my video store because of all the controversy that surrounded it when it was first released in 1967. I also...	0 neg
"I Am Curious: Yellow" is a risible and pretentious steaming pile. It doesn't matter what one's political views are because this film can hardly be taken...	0 neg
If only to avoid making this type of film in the future. This film is interesting as an experiment but tells no cogent story. One might...	0 neg

AG News



任务类型：新闻主题分类

标签：World / Sports /
Business / Sci Tech

训练集：120k

测试集：7.6k

链接：
https://huggingface.co/datasets/fancyzhx/ag_news

Datasets: fancyzhx/ag_news

like 187

Tasks: Text Classification

Modalities: Text

Formats: parquet

Sub-tasks: topic-classification

Languages: English

Size: 100K - 1M

License: unknown

Dataset card

Data Studio

Files and versions

xet

Community 10

Dataset Viewer

Auto-converted to Parquet

API

Embed

Duplicate

Data Studio

Split (2)

train · 120k rows

Search this dataset

text

string · lengths

label

class label

1001.01k

4 classes

Wall St. Bears Claw Back Into the Black (Reuters) Reuters - Short-sellers, Wall Street's dwindling\band of ultra-cynics, are seeing green again.	2 Business
Carlyle Looks Toward Commercial Aerospace (Reuters) Reuters - Private investment firm Carlyle Group,\which has a reputation for making well-timed and occasionally\controversial plays in th...	2 Business
Oil and Economy Cloud Stocks' Outlook (Reuters) Reuters - Soaring crude prices plus worries\about the economy and the outlook for earnings are expected to\hang over the stock...	2 Business
Iraq Halts Oil Exports from Main Southern Pipeline (Reuters) Reuters - Authorities have halted oil export\flows from the main pipeline in southern Iraq after\intelligence showed a rebel...	2 Business
Oil prices soar to all-time record, posing new menace to US economy (AFP) AFP - Tearaway world oil prices, toppling records and straining wallets, present a new economic menace barely three...	2 Business



STS17 (Semantic Textual Similarity)

任务类型：语义文本相似度

标签：0 到 5 之间的数字

测试集：5.35k

链接：
<https://huggingface.co/datasets/mteb/sts17-crosslingual-sts>

score float64	sentence1 string · lengths	sentence2 string · lengths
5	A plane is taking off.	An air plane is taking off.
3.8	A man is playing a large flute.	A man is playing a flute.
3.8	A man is spreading shredded cheese on a pizza.	A man is spreading shredded cheese on an uncooked pizza.
2.6	Three men are playing chess.	Two men are playing chess.
4.25	A man is playing the cello.	A man seated is playing the cello.
4.25	Some men are fighting.	Two men are fighting.
0.5	A man is smoking.	A man is skating.
1.6	The man is playing the piano.	The man is playing the guitar.
2.2	A man is playing on a guitar and singing.	A woman is playing an acoustic guitar and singing.
5	A person is throwing a cat on to the ceiling.	A person throws a cat on the ceiling.
4.2	The man hit the other man with a stick.	The man spanked the other man with a stick.
4.6	A woman picks up and holds a baby kangaroo.	A woman picks up and holds a baby kangaroo in her arms.

ChnSentiCorp



任务类型：二分类电商评论情感分析

标签：Positive/Negative

训练集：9.6k

测试集：1.2k

链接：

<https://huggingface.co/datasets/ansinuate/ChnSentiCorp>

Dataset card

Data Studio

Files and versions

xet

Community 1

Dataset Viewer

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Split (3)

train · 9.6k rows

Search this dataset

text

string · lengths

41.99k

label

class label

01

选择珠江花园的原因就是方便,有电动扶梯直接到达海边,周围餐馆、食廊、商场、超市、摊位一应俱全。酒店装修一般,但还算整洁。泳池在大堂的屋顶,因此很小,不过女儿倒是喜欢。包的早餐是西式的,还算丰富。服务吗,一般

1 positive

15.4寸笔记本的键盘确实爽,基本跟台式机差不多了,蛮喜欢数字小键盘,输数字特方便,样子也很美观,做工也相当不错

1 positive

房间太小。其他的都一般。。。。。。。。

0 negative

1.接电源没有几分钟,电源适配器热的不行。2.摄像头用不起来。3.机盖的钢琴漆,手不能摸,一摸一个印。4.硬盘分区不好办。

0 negative

今天才知道这书还有第6卷,真有点郁闷:为什么同一套书有两种版本呢?当当网是不是该跟出版社商量商量,单独出个第6卷,让我们的孩子不会有所遗憾。

1 positive

机器背面似乎被撕了张什么标签,残胶还在。但是又看不出是什么标签不见了,该有的都在,怪

0 negative

呵呵,虽然表皮看上去不错很精致,但是我还是能看得出来是盗的。但是里面的内容真的不错,我妈爱看,我自己也学着找一些穴位。

0 negative

< Previous

1

2

3

...

96

Next >

MNIST



任务类型：图像多分类任务


标签：0-9

训练集：60k

测试集：10k

链接：

<https://huggingface.co/datasets/ylecun/mnist>



The screenshot shows the Hugging Face Dataset Viewer interface for the MNIST dataset. The top navigation bar includes links for 'Dataset card', 'Data Studio', 'Files and versions', 'xet', and 'Community' with a notification badge. The main section is titled 'Dataset Viewer' and includes a dropdown for 'Split (2)' showing 'train' with 60k rows. A message states 'Search is not available for this dataset'. Below this, there are two columns: 'image' and 'label'. The 'image' column shows a 28x28 pixel grayscale image of the digit '5'. The 'label' column shows the class label '5'. A progress bar indicates '10 classes'. The bottom of the interface shows a pagination bar with 'Previous', '1', '2', '3', '...', '600', and 'Next'.

image	label
image · width (px)	class label
	5 5
	0 0
	4 4
	1 1
	



Fashion-MNIST

任务类型：图像多分类

标签：0-9

训练集：60k

测试集：10k

链接：

https://huggingface.co/datasets/zalando-datasets/fashion_mnist

Dataset card

Data Studio

Files and versions

xet

Community7

Dataset Viewer

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Split (2)

train · 60k rows

Search is not available for this dataset

image

image · width (px)

28

28









label

class label

10 classes

9 Ankle boot

0 T - shirt / top

0 T - shirt / top

3 Dress

ImageNet-1K



任务类型：大规模图像分类

标签：0-999

训练集：43.3k

链接：
<https://huggingface.co/datasets/ILSVRC/imagenet-1k>

Dataset card

Data Studio

Files and versions

xet

Community

Dataset Viewer (First 5GB)

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Split (1)

train · 43.3k rows

Search is not available for this dataset

image

image · width (px)

55

4.29k

label

class label

34 classes



n01440764



n01440764



n01440764



n01440764



CIFAR-10



任务类型：图像多分类

标签：0-9

训练集：50k

测试集：10k

链接：

<https://huggingface.co/datasets/uoft-cs/cifar10>

Dataset card

Data Studio

Files and versions

xet

Community8

Dataset Viewer

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Split (2)

train · 50k rows

▼

Search is not available for this dataset

img	label
image · width (px)	class label
3232	10 classes
	0 airplane
	6 frog
	0 airplane
	2 bird
	

Country211



任务类型：地理定位 / 国家分类


标签：211 个国家

训练集：31.7k

测试集：21.1k

链接：

<https://huggingface.co/datasets/jxie/country211>



EuroSAT



任务类型：遥感图像分类

标签：10 类（工业建筑、牧场、铁路、河流、植被等）

训练集：21.6k

测试集：2.7k

链接：

<https://huggingface.co/datasets/tanganke/eurosat>

Dataset card

Data Studio

Files and versions

xet

Community 2

Dataset Viewer

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Split (9)

train · 21.6k rows

Search is not available for this dataset

image

image · width (px)

6464

label

class label

10 classes



0 annual crop land



0 annual crop land



0 annual crop land



0 annual crop land



< Previous

1

2

3

...

216

Next >

PatchCamelyon



任务类型：病理图像二分类

标签：tumor / normal

训练集：262k

测试集：32.8k

链接：

<https://huggingface.co/datasets/zacharielegault/PatchCamelyon>


The screenshot shows the Hugging Face Dataset Viewer interface for the PatchCamelyon dataset. At the top, there are navigation tabs: 'Dataset card' (selected), 'Data Studio', 'Files and versions', 'xet', and 'Community'. Below the tabs, the 'Dataset Viewer' section is active. It shows the dataset is split into 'train' with 262k rows. A search bar indicates 'Search is not available for this dataset'. The main table has two columns: 'image' and 'label'. The 'image' column shows a preview of a histopathology image with a width of 96 pixels. The 'label' column shows the class label, with a bar chart indicating 2 classes. The table is paginated, showing rows 1, 2, 3, ..., 2,622, with 'Previous' and 'Next' buttons.

image	label
	0 0
	0 0
	0 0
	0 0
	0 0

ModelNet40

任务类型：3D 形状分类

标签：0-39

训练集：9.84k

测试集：2.47k

链接：
<https://huggingface.co/datasets/jxie/modelnet40>




Dataset Viewer

Split (2)
train · 9.84k rows

Search is not available for this dataset

inputs	label
sequence	int32
[[0.3783285319805145, 0.20441561937332153, 0.09830210357904434], [-0.945515513420105, -0.098216369748115 (...TRUNCATED)]]	0
[[[-0.14503850042819977, -0.10795868188142776, -0.2698745131492615], [0.9147375226020813, 0.1057785004377 (...TRUNCATED)]]]	0
[[[-0.3571048378944397, -0.07772565633058548, -0.004245768301188946], [0.8951393961906433, -0.03234550729 (...TRUNCATED)]]]	0
[[[-0.26952168345451355, -0.025754714384675026, 0.2494998276233673], [-0.03882519155740738, 0.01960377208 (...TRUNCATED)]]]	0
[[[0.6670098304748535, -0.08305872976779938, 0.012004311196506023], [-0.9988150000572205, -0.048642966896 (...TRUNCATED)]]]	0
[[[0.0796017274260521, 0.0028515218291431665, -0.14154990017414093], [-0.8370640277862549, 0.016448488458 (...TRUNCATED)]]]	0

< Previous 1 2 3 ... 99 Next >



ScanObjectNN



任务类型：点云 / 真实扫描物体分类

标签：0-14

训练集：11.4k

测试集：2.9k

链接：

<https://huggingface.co/datasets/jxie/scanobjectnn>



AudioSet



任务类型：音频事件多标签分类

标签：527 类音频事件

训练集：18.7k

测试集：17.1k

链接：

<https://huggingface.co/datasets/agkphysics/AudioSet>

Dataset card

Data Studio

Files and versions

xet

Community 6

Dataset Viewer

Auto-converted to Parquet

</> API

Embed

Duplicate

Data Studio

Subset (3)

balanced · 35.8k rows

Split (2)

train · 18.7k rows

Search this dataset

video_id string · lengths	audio audio · duration (s)	labels list · lengths	human_labels list · lengths
1111	1.4710	19	19
--PJHxphWEs	▶ 0:00 / 0:10	["/m/09x0r", "/t/dd00088"]	["Speech", "Gush"]
--aE205G5WE	▶ 0:00 / 0:10	["/m/03fw1", "/m/04rlf", "/m/09x0r"]	["Goat", "Music", "Speech"]
--cB2ZVjpnA	▶ 0:00 / 0:10	["/m/01y3hg"]	["Smoke detector, smoke alarm"]
--aaIL0rkII	▶ 0:00 / 0:10	["/m/032s66", "/m/073cg4"]	["Gunshot, gunfire", "Cap gun"]
-0DLPzsiXXE	▶ 0:00 / 0:10	["/m/04rlf", "/m/07qwdck"]	["Music", "Ping"]
		["/m/0151z1", "/m/07pws3f"]	["Singing", "Bang"]

< Previous

123...187

Next >

UCI HAR



任务类型：传感器时序分类 / 人体活动识别


标签：6 类人体活动（上楼梯、下楼梯、慢跑、坐、站、走）

训练集：7.3k

测试集：2.9k

链接：

<https://huggingface.co/datasets/Beothuk/uci-har-federated>



三轴加速度传感器（X、Y、Z轴）随时间变化的原始信号时序波形图



C-MAPSS RUL

任务类型：工业时序回归 / 剩余寿命预测


标签：RUL 连续值

训练集：160k

测试集：104k

链接：

<https://huggingface.co/datasets/kemhug11/nasa-cmapss-rul>



剩余寿命预测中常用的分段线性 (Piecewise Linear) 标签策略



Thanks