UNIVERSIDADE FEDERAL DO CEARÁ

**LABORATÓRIO 2:**

**LINHAS DE COMANDO**

**Aluno:** Francisco Werley da Silva - 553948

**Professor**: Emanuel Coutinho
**Disciplina**: Computação em Nuvem

# 1. Questão 1

Nome: Francisco Werley da Silva
DNS público: ec2-3-94-108-45.compute-1.amazonaws.com
ID: i-0974890291e650252




# 2. Questão 2

- aws ec2 describe-instances
- **Resultado:** Retorna um JSON contendo informações de todas as instâncias EC2 da região configurada



- aws ec2 describe-instances --instance-ids i-1234567890abcdef0
- **Resultado:** Retorna as informações de uma instância específica (pelo id)

```
    "SourceDestCheck": true,
    "Tags": [
        {
            "Key": "Name",
            "Value": "Francisco Werley da Silva"
        }
    ],
    "VirtualizationType": "hvm",
```

- aws ec2 describe-instances --output yaml --region us-east-1
- **Resultado:** Mesmo conteúdo do primeiro comando, mas formatado em YAML




```
~ $ aws ec2 describe-instances --output yaml --region us-east-1
Reservations:
- Groups: []
  Instances:
  - AmiLaunchIndex: 0
    Architecture: x86_64
    BlockDeviceMappings:
    - DeviceName: /dev/xvda
      Ebs:
        AttachTime: '2026-06-02T17:05:46+00:00'
        DeleteOnTermination: true
        EbsCardIndex: 0
        Status: attached
        VolumeId: vol-0e7ced826ef6ba9ed
    BootMode: uefi-preferred
    CapacityReservationSpecification:
      CapacityReservationPreference: open
    ClientToken: 6dfbbc76-3800-6101-51d3-b3f680afe8db
    CpuOptions:
      CoreCount: 1
      ThreadsPerCore: 1
    CurrentInstanceBootMode: legacy-bios
    EbsOptimized: false
    EnaSupport: true
    EnclaveOptions:
      Enabled: false
    HibernationOptions:
      Configured: false
    Hypervisor: xen
    IamInstanceProfile:
      Arn: arn:aws:iam::269981523102:instance-profile/Work-Role
      Id: AIPAT5XBHDSPJTTEP6LV4
    ImageId: ami-00e801948462f718a
    InstanceId: i-0a8af7cd9f978dc3f
    InstanceType: t2.micro
    KeyName: vockey
    LaunchTime: '2026-06-02T17:05:45+00:00'
    MaintenanceOptions:
      AutoRecovery: default
      RebootMigration: default
    MetadataOptions:
      HttpEndpoint: enabled
:
```

- aws ec2 describe-instances --filters "Name=instance-type,Values=t2.nano"
- **Resultado:** Retorna apenas instâncias do tipo: t2.nano

```
~ $
~ $ aws ec2 describe-instances --filters "Name=instance-type,Values=t2.nano"
{
    "Reservations": []
}
~ $
```

Feedback

- aws ec2 describe-instances --filters "Name=instance-type,Values=t3.micro"
- **Resultado:** Lista apenas instâncias com: InstanceType = t3.micro

```
~ $ aws ec2 describe-instances --filters "Name=instance-type,Values=t3.micro"
{
    "Reservations": [
        {
            "ReservationId": "r-0b20b9b05cd726d11",
            "OwnerId": "269981523102",
            "Groups": [],
            "Instances": [
                {
                    "Architecture": "x86_64",
                    "BlockDeviceMappings": [
                        {
                            "DeviceName": "/dev/xvda",
                            "Ebs": {
                                "AttachTime": "2026-06-02T17:12:19+00:00",
                                "DeleteOnTermination": true,
                                "Status": "attached",
                                "VolumeId": "vol-0a08ccb5a9da716f9",
                                "EbsCardIndex": 0
                            }
                        }
                    ],
                    "ClientToken": "d9a6ffb6-b7ed-41ee-ab58-6bf8fddff0fb",
                    "EbsOptimized": true,
                    "EnaSupport": true,
                    "Hypervisor": "xen",
                    "NetworkInterfaces": [
                        {
                            "Association": {
                                "IpOwnerId": "amazon",
                                "PublicDnsName": "ec2-3-94-108-45.compute-1.amazonaws.com",
                                "PublicIp": "3.94.108.45"
                            },
                            "Attachment": {
                                "AttachTime": "2026-06-02T17:12:18+00:00",
                                "AttachmentId": "eni-attach-0ec7186e89239ca20",
                                "DeleteOnTermination": true,
                                "DeviceIndex": 0,
                                "Status": "attached",
                                "NetworkCardIndex": 0
                            },
                            "Description": "",
:
```

Feedback

- aws ec2 describe-instances --filters "Name=tag:Name,Values=umNomeQualquerDiferenteDaMinhaMV"
- **Resultado:** Retorna um JSON Vazio (porque não existe nenhuma VM com esse nome)

```
^C~ $ aws ec2 describe-instances --filters "Name=tag:Name,Values=umNomeQualquerDiferenteDaMinhaMV"
{
    "Reservations": []
}
~ $
```

Feedback

- aws ec2 describe-instances --filters "Name=tag:Name,Values=oNomeDaMinhaVM"
- **Resultado:** Retorna apenas a instância cuja tag: Name = oNomeDaMinhaVM

```
~ $ aws ec2 describe-instances --filters "Name=tag:Name,Values=Francisco Werley da Silva"
```


```
{
    "Reservations": [
        {
            "ReservationId": "r-0b20b9b05cd726d11",
            "OwnerId": "269981523102",
            "Groups": [],
            "Instances": [
                {
                    "Architecture": "x86_64",
                    "BlockDeviceMappings": [
                        {
                            "DeviceName": "/dev/xvda",
                            "Ebs": {
                                "AttachTime": "2026-06-02T17:12:19+00:00",
                                "DeleteOnTermination": true,
                                "Status": "attached",
                                "VolumeId": "vol-0a08ccb5a9da716f9",
                                "EbsCardIndex": 0
                            }
                        }
                    ],
                    "ClientToken": "d9a6ffb6-b7ed-41ee-ab58-6bf8fddff0fb",
                    "EbsOptimized": true,
                    "EnaSupport": true,
                    "Hypervisor": "xen",
                    "NetworkInterfaces": [
                        {
                            "Association": {
                                "IpOwnerId": "amazon",
                                "PublicDnsName": "ec2-3-94-108-45.compute-1.amazonaws.com",
                                "PublicIp": "3.94.108.45"
                            },
                            "Attachment": {
                                "AttachTime": "2026-06-02T17:12:18+00:00",
                                "AttachmentId": "eni-attach-0ec7186e89239ca20",
                                "DeleteOnTermination": true,
                                "DeviceIndex": 0,
                                "Status": "attached",
                                "NetworkCardIndex": 0
                            },
                            "Description": "",
:
```


Feedback

- aws ec2 describe-instances --filters "Name=tag:Name,Values=oNomeDaMinhaVM" --output yaml
- **Resultado:** Mesmo filtro do comando anterior, porém em YAML

us-east-1 +

```
~ $ aws ec2 describe-instances --filters "Name=tag:Name,Values=Francisco Werley da Silva" --output yaml
Reservations:
- Groups: []
  Instances:
  - AmiLaunchIndex: 0
    Architecture: x86_64
    BlockDeviceMappings:
    - DeviceName: /dev/xvda
      Ebs:
        AttachTime: '2026-06-02T17:12:19+00:00'
        DeleteOnTermination: true
        EbsCardIndex: 0
        Status: attached
        VolumeId: vol-0a08ccb5a9da716f9
    BootMode: uefi-preferred
    CapacityReservationSpecification:
      CapacityReservationPreference: open
    ClientToken: d9a6ffb6-b7ed-41ee-ab58-6bf8fddff0fb
    CpuOptions:
      CoreCount: 1
      ThreadsPerCore: 2
    CurrentInstanceBootMode: uefi
    EbsOptimized: true
    EnaSupport: true
    EnclaveOptions:
      Enabled: false
    HibernationOptions:
      Configured: false
    Hypervisor: xen
    ImageId: ami-00e801948462f718a
    InstanceId: i-0974890291e650252
    InstanceType: t3.micro
    KeyName: vockey
    LaunchTime: '2026-06-02T17:12:18+00:00'
    MaintenanceOptions:
      AutoRecovery: default
      RebootMigration: default
    MetadataOptions:
      HttpEndpoint: enabled
      HttpProtocolIpv6: disabled
      HttpPutResponseHopLimit: 2
      HttpTokens: required
:
```

Feedback

- aws ec2 describe-instances --query "Reservations[*].Instances[*].{Instance:InstanceId,Subnet:SubnetId}" --output json
- **Resultado:** retorna apenas dois campos

```
~ $ aws ec2 describe-instances --query "Reservations[*].Instances[*].{Instance:InstanceId,Subnet:SubnetId}" --output json
[
    [
        {
            "Instance": "i-0a8af7cd9f978dc3f",
            "Subnet": "subnet-0c7e0a4fb2bed7e9f"
        }
    ],
    [
        {
            "Instance": "i-0974890291e650252",
            "Subnet": "subnet-02576a8d19744f99b"
        }
    ]
]
~ $
```

Feedback

- aws ec2 describe-instances --filters Name=instance-type,Values=t2.micro --query Reservations[*].Instances[*].[InstanceId] --output text
- **Resultado:** Saída simplificada em texto do id da instância

```
~ $ aws ec2 describe-instances --filters Name=instance-type,Values=t2.micro --query Reservations[*].Instances[*].[InstanceId] --output text
i-0a8af7cd9f978dc3f
~ $
```

Feedback

- aws ec2 start-instances --instance-ids i-1234567890abcdef0
- **Resultado: inicia uma instância**

```
~ $ aws ec2 start-instances --instance-ids i-0974890291e650252

{
    "StartingInstances": [
        {
            "InstanceId": "i-0974890291e650252",
            "CurrentState": {
                "Code": 16,
                "Name": "running"
            },
            "PreviousState": {
                "Code": 16,
                "Name": "running"
            }
        }
    ]
}
~ $
~ $
```

Feedback

- aws ec2 stop-instances --instance-ids i-1234567890abcdef0
- **Resultado: para uma instância**

```
~ $ aws ec2 stop-instances --instance-ids i-0974890291e650252
{
    "StoppingInstances": [
        {
            "InstanceId": "i-0974890291e650252",
            "CurrentState": {
                "Code": 64,
                "Name": "stopping"
            },
            "PreviousState": {
                "Code": 16,
                "Name": "running"
            }
        }
    ]
}
~ $
```

Feedback

# 3. Questão 3

- aws s3 ls
- **Resultado:** Exibe todos os buckets da conta AWS (no caso não tem nada)




- aws s3 mb s3://bucketA
- **Resultado:** Cria o bucket chamado bucketA




- aws s3 ls s3://bucketA
- **Resultado:** Lista objetos do bucket (no caso não te nada)




- cat > novo_arquivo.txt
- **Resultado:** Criar um arquivo local



- aws s3 cp novo_arquivo.txt s3://bucketA
- **Resultado:** Copia o arquivo local para o bucket

```
~ $ aws s3 cp novo_arquivo.txt s3://bucket-werley-a
upload: ./novo_arquivo.txt to s3://bucket-werley-a/novo_arquivo.txt
~ $
```

- aws s3 rb s3://bucketA
- **Resultado:** Falha porque o bucket contém objetos

```
~ $ aws s3 rb s3://bucket-werley-a
remove_bucket failed: s3://bucket-werley-a An error occurred (BucketNotEmpty) when calling the DeleteBucket operation: The bucket you tried to delete is not empty
~ $
```

- aws s3 cp s3://bucketA/novo_arquivo.txt velho_arquivo.txt
- **Resultado:** Copia o objeto do S3 para um arquivo local

```
remove_bucket failed: s3://bucket-werley-a An error occurred (BucketNotE
~ $ aws s3 cp s3://bucket-werley-a/novo_arquivo.txt velho_arquivo.txt
download: s3://bucket-werley-a/novo_arquivo.txt to ./velho_arquivo.txt
~ $
```

- aws s3 mb s3://bucketB
- **Resultado:** Cria outro bucket

```
~ $ aws s3 mb s3://bucket-werley-b
make_bucket: bucket-werley-b
~ $
```

- aws s3 mv s3://bucketA/novo_arquivo.txt s3://bucketB/outro_novo_arquivo.txt
- **Resultado:** Move objeto entre buckets

```
~ $ aws s3 mv s3://bucket-werley-a/novo_arquivo.txt s3://bucket-werley-b/outro_novo_arquivo.txt
move: s3://bucket-werley-a/novo_arquivo.txt to s3://bucket-werley-b/outro_novo_arquivo.txt
~ $
```

- aws s3 rb s3://bucketA
- **Resultado:** Agora funciona porque o bucket está vazio

```
~ $ aws s3 rb s3://bucket-werley-a
remove_bucket: bucket-werley-a
~ $
```

- aws s3 rb s3://bucketB --force
- **Resultado:** Força o bucket não vazio a ser apagado

```
~ $ aws s3 rb s3://bucket-werley-b --force
delete: s3://bucket-werley-b/outro_novo_arquivo.txt
remove_bucket: bucket-werley-b
```