

All Tables Details

Design Name	v2
Version Date	03.10.2025 05:19:47
Version Comment	
Model Name	Relational_2

SubViews

SubView	Description	Notes	Object
---------	-------------	-------	--------

Table Name	Bank
Functional Name	Bank
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Bank_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Address				Long Char	LT				
4	ZIP				VARCHAR	LT				
5	State				VARCHAR	LT				
6	Phone_number				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Bank_PK	PK				Bank_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Bank_Worker_Bank_FK	Bank_Worker	Y	Y		Bank_Bank_ID	Bank_ID	

Table Name	Bank_Worker
Functional Name	Bank Worker
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Worker_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Phone_number				VARCHAR	LT				
4	Fax_number				VARCHAR	LT				
5	Bank_Bank_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Bank_Worker_PK	PK				Worker_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Bank_Worker_Bank_FK	Bank	Y	Y		Bank_Bank_ID	Bank_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Sale_Bank_Worker_FK	Sale	Y	Y		Bank_Worker_Worker_ID	Worker_ID	

Table Name	Buyer
Functional Name	Buyer
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	8
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Buyer_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Address				Long Char	LT				
4	City				VARCHAR	LT				
5	State				VARCHAR	LT				
6	ZIP				VARCHAR	LT				
7	Phone				VARCHAR	LT				
8	Email				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Buyer_PK	PK				Buyer_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Sale_Buyer_FK	Sale	Y	Y		Buyer_Buyer_ID	Buyer_ID	

Table Name	Construction_Task
Functional Name	Construction Task
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Task_ID	P		Y	NUMERIC	LT				
2	Description				VARCHAR	LT				
3	Stage				NUMERIC	LT				
4	BaseCost				NUMERIC	LT				
5	Approval				CHAR	LT				
6	HouseTask_HouseTask_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Construction_Task_PK	PK				Task_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Construction_Task_HouseTask_FK	HouseTask	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	

Table Name	Decorator_Choice
Functional Name	Decorator Choice
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	DecoratorChoice_ID	P		Y	NUMERIC	LT				
2	Item				VARCHAR	LT				
3	Description				VARCHAR	LT				
4	Price				NUMERIC	LT				
5	Decorator_Session_DecoratorSession_ID		F	Y	NUMERIC	LT				
6	Option_Option_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Decorator_Choice_PK	PK				DecoratorChoice_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Decorator_Choice_Decorator_Session_FK	Decorator_Session	Y	Y		Decorator_Session_DecoratorSession_ID	DecoratorSession_ID	
Decorator_Choice_Option_FK	Option	Y	Y		Option_Option_ID	Option_ID	

Table Name	Decorator_Session
Functional Name	Decorator Session
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	DecoratorSession_ID	P		Y	NUMERIC	LT				
2	Date				Date	LT				
3	Stage				NUMERIC	LT				
4	HouseTask_HouseTask_ID		F	Y	NUMERIC	LT				
5	Approval				CHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Decorator_Session_PK	PK				DecoratorSession_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Decorator_Session_HouseTask_FK	HouseTask	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Decorator_Choice_Decorator_Session_FK	Decorator_Choice	Y	Y		Decorator_Session_DecoratorSession_ID	DecoratorSession_ID	

Table Name	Elevation
Functional Name	Elevation
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Elevation_ID	P		Y	NUMERIC	LT				
2	ElevationCode				VARCHAR	LT				
3	Description				VARCHAR	LT				
4	AdditionalCostSketch				BLOB	LT				
5	HouseStyle_Style_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Elevation_PK	PK				Elevation_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Elevation_HouseStyle_FK	HouseStyle	Y	Y		HouseStyle_Style_ID	Style_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
House_Elevation_FK	House	Y	Y		Elevation_Elevation_ID	Elevation_ID	

Table Name	Employee
Functional Name	Employee
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	8
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Employee_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Title				VARCHAR	LT				
4	Email				VARCHAR	LT				
5	Phone				VARCHAR	LT				
6	Active				CHAR	LT				
7	Hire_Date				Date	LT				
8	License_Number					DOM				

Columns Comments

No	Column Name	Description	Notes
8	License_Number	Default Nullable (only for sales rep)	

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Employee_PK	PK				Employee_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
HouseTask_Employee_FK	HouseTask	Y	Y		Employee_Employee_ID	Employee_ID	
Sale_Employee_FK	Sale	Y	Y		Employee_Employee_ID	Employee_ID	

Table Name	EscrowAgent
Functional Name	EscrowAgent
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	7
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	EscrowAgent_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Address				Long Char	LT				
4	City				VARCHAR	LT				
5	State				VARCHAR	LT				
6	ZIP				VARCHAR	LT				
7	Phone_number				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
EscrowAgent_PK	PK				EscrowAgent_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Sale_EscrowAgent_FK	Sale	Y	Y		EscrowAgent_EscrowAgent_ID	EscrowAgent_ID	

Table Name	House
Functional Name	House
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	6
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	House_ID	P		Y	NUMERIC	LT				
2	CurrentConstructionStage				NUMERIC	LT				
3	EstimatedCompletion				Date	LT				
4	Lot_Lot_ID		F	Y	NUMERIC	LT				
5	HouseStyle_Style_ID		F	Y	NUMERIC	LT				
6	Elevation_Elevation_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
House_PK	PK				House_ID	ASC

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
House_IDX	UN				Elevation_Elevation_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
House_Elevation_FK	Elevation	Y	Y		Elevation_Elevation_ID	Elevation_ID	
House_Lot_FK	Lot	Y	Y		Lot_Lot_ID	Lot_ID	
House_HouseStyle_FK	HouseStyle	Y	Y		HouseStyle_Style_ID	Style_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
HouseTask_House_FK	HouseTask	Y	Y		House_House_ID	House_ID	
Rooms_House_FK	Rooms	Y	Y		House_House_ID	House_ID	
Sale_House_FK	Sale	Y	Y		House_House_ID	House_ID	

Table Name	HouseStyle
Functional Name	HouseStyle
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	8
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Style_ID	P		Y	NUMERIC	LT				
2	StyleName				VARCHAR	LT				
3	BasePrice				NUMERIC	LT				
4	StyleDescription				VARCHAR	LT				
5	Size				NUMERIC	LT				
6	Photo				BLOB	LT				
7	NumberWindows				NUMERIC	LT				
8	Ceiling				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
HouseStyle_PK	PK				Style_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Elevation_HouseStyle_FK	Elevation	Y	Y		HouseStyle_Style_ID	Style_ID	
House_HouseStyle_FK	House	Y	Y		HouseStyle_Style_ID	Style_ID	
Option_HouseStyle_FK	Option	Y	Y		HouseStyle_Style_ID	Style_ID	
Rooms_HouseStyle_FK	Rooms	Y	Y		HouseStyle_Style_ID	Style_ID	

Table Name	HouseTask
Functional Name	HouseTask
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	11
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT Kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	HouseTask_ID	P		Y	NUMERIC	LT				
2	Stage				NUMERIC	LT				
3	Required				CHAR	LT				
4	PlannedStart				Date	LT				
5	PlannedEnd				Date	LT				
6	Notes				VARCHAR	LT				
7	House_House_ID		F	Y	NUMERIC	LT				
8	Employee_Employee_ID		F	Y	NUMERIC	LT				
9	PlannedCost				NUMERIC	LT				
10	ActualCost				NUMERIC	LT				
11	Percent_Complete				NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
HouseTask_PK	PK				HouseTask_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
HouseTask_House_FK	House	Y	Y		House_House_ID	House_ID	
HouseTask_Employee_FK	Employee	Y	Y		Employee_Employee_ID	Employee_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Construction_Task_HouseTask_FK	Construction_Task	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	
Decorator_Session_HouseTask_FK	Decorator_Session	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	
Photo_HouseTask_FK	Photo	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	
Task_Progress_HouseTask_FK	Task_Progress	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	

Table Name	Lot
Functional Name	Lot
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	9
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT Kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Lot_ID	P		Y	NUMERIC	LT				
2	Address				Long Char	LT				
3	City				VARCHAR	LT				
4	State				VARCHAR	LT				
5	ZIP				VARCHAR	LT				
6	LotSize				NUMERIC	LT				
7	Description				VARCHAR	LT				
8	LotPremium				NUMERIC	LT				
9	Subdivision_Subdivision_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Lot_PK	PK				Lot_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Lot_Subdivision_FK	Subdivision	Y	Y		Subdivision_Subdivision_ID	Subdivision_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
House_Lot_FK	House	Y	Y		Lot_Lot_ID	Lot_ID	

Table Name	Option
Functional Name	Option
Abbreviation	
Classification Type Name	

Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Option_ID	P		Y	NUMERIC	LT				
2	Option_Name				VARCHAR	LT				
3	Description				VARCHAR	LT				
4	OptionCategory_Category_ID		F	Y	NUMERIC	LT				
5	HouseStyle_Style_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Option_PK	PK				Option_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Option_HouseStyle_FK	HouseStyle	Y	Y		HouseStyle_Style_ID	Style_ID	
Option_OptionCategory_FK	OptionCategory	Y	Y		OptionCategory_Category_ID	Category_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Decorator_Choice_Option_FK	Decorator_Choice	Y	Y		Option_Option_ID	Option_ID	
Option_Stage_Price_Option_FK	Option_Stage_Price	Y	Y		Option_Option_ID	Option_ID	

Table Name	OptionCategory
Functional Name	OptionCategory
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	2
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Category_ID	P		Y	NUMERIC	LT				
2	CategoryName				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
OptionCategory_PK	PK				Category_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Option_OptionCategory_FK	Option	Y	Y		OptionCategory_Category_ID	Category_ID	

Table Name	Option_Stage_Price
Functional Name	Option Stage Price
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
-------------------	---

Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Cost				NUMERIC	LT				
2	Revision_Date				Date	LT				
3	Stage			Y	NUMERIC	LT				
4	Option_Option_ID		F	Y	NUMERIC	LT				
5	OSP_ID	P		Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Option_Stage_Price_PK	PK				OSP_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Option_Stage_Price_Option_FK	Option	Y	Y		Option_Option_ID	Option_ID	

Table Name	Photo
Functional Name	Photo
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Photo_ID	P		Y	NUMERIC	LT				
2	Date_Uploaded				Date	LT				
3	URL				VARCHAR	LT				
4	HouseTask_HouseTask_ID		F	Y	NUMERIC	LT				
5	Task_Progress_Progress_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Photo_PK	PK				Photo_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Photo_Task_Progress_FK	Task_Progress	Y	Y		Task_Progress_Progress_ID	Progress_ID	
Photo_HouseTask_FK	HouseTask	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	

Table Name	Rooms
Functional Name	Rooms
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	9
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Room_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Size				NUMERIC	LT				
4	Floor				VARCHAR	LT				
5	No_of_windows				NUMERIC	LT				
6	Notes				VARCHAR	LT				
7	House_House_ID		F	Y	NUMERIC	LT				
8	HouseStyle_Style_ID		F	Y	NUMERIC	LT				
9	Ceilings				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Rooms_PK	PK				Room_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Rooms_House_FK	House	Y	Y		House_House_ID	House_ID	
Rooms_HouseStyle_FK	HouseStyle	Y	Y		HouseStyle_Style_ID	Style_ID	

Table Name	Sale
Functional Name	Sale
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	13
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Sale_ID	P		Y	NUMERIC	LT				
2	Date				Date	LT				
3	Financing_Method				VARCHAR	LT				
4	EscrowDeposit				NUMERIC	LT				
5	EstimatedCompletion				Date	LT				
6	ReceivedSubdivision				CHAR	LT				
7	ReceivedDisclosureForm				CHAR	LT				
8	ReceivedContractCopy				CHAR	LT				
9	Buyer_Buyer_ID		F	Y	NUMERIC	LT				
10	EscrowAgent_EscrowAgent_ID		F	Y	NUMERIC	LT				
11	Employee_Employee_ID		F	Y	NUMERIC	LT				
12	House_House_ID		F	Y	NUMERIC	LT				
13	Bank_Worker_Worker_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Sale_PK	PK				Sale_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Sale_Bank_Worker_FK	Bank_Worker	Y	Y		Bank_Worker_Worker_ID	Worker_ID	
Sale_Employee_FK	Employee	Y	Y		Employee_Employee_ID	Employee_ID	
Sale_Buyer_FK	Buyer	Y	Y		Buyer_Buyer_ID	Buyer_ID	
Sale_House_FK	House	Y	Y		House_House_ID	House_ID	
Sale_EscrowAgent_FK	EscrowAgent	Y	Y		EscrowAgent_EscrowAgent_ID	EscrowAgent_ID	

Table Name	School
Functional Name	School
Abbreviation	
Classification Type Name	

Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	School_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	Address				Long Char	LT				
4	Type				VARCHAR	LT				
5	Subdivision_Subdivision_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
School_PK	PK				School_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
School_Subdivision_FK	Subdivision	Y	Y		Subdivision_Subdivision_ID	Subdivision_ID	

Table Name	Subdivision
Functional Name	Subdivision
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	5
Number Of Rows Min.	0
Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Subdivision_ID	P		Y	NUMERIC	LT				
2	Name				VARCHAR	LT				
3	City				VARCHAR	LT				
4	State				VARCHAR	LT				
5	ZIP				VARCHAR	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Subdivision_PK	PK				Subdivision_ID	ASC

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Lot_Subdivision_FK	Lot	Y	Y		Subdivision_Subdivision_ID	Subdivision_ID	
School_Subdivision_FK	School	Y	Y		Subdivision_Subdivision_ID	Subdivision_ID	

Table Name	Task_Progress
Functional Name	Task Progress
Abbreviation	
Classification Type Name	
Object Type Name	
MV Prebuilt	
MV Query	

Number Of Columns	4
Number Of Rows Min.	0

Number Of Rows Max.	9999999
Expected Number Of Rows	0
Expected Growth	0
Growth Interval	Year

Used In Diagrams

Diagram Name
Relational_2

Columns

No	Column Name	PK	FK	M	Data Type	DT kind	Domain Name	Formula (Default Value)	Security	Abbreviation
1	Progress_ID	P		Y	NUMERIC	LT				
2	Percentage_Complete				NUMERIC	LT				
3	EstimatedCompletionDate				Date	LT				
4	HouseTask_HouseTask_ID		F	Y	NUMERIC	LT				

Indexes

Index Name	State	Functional	Spatial	Expression	Column Name	Sort Order
Task_Progress_PK	PK				Progress_ID	ASC

Foreign Keys (referring to)

Name	Referring To	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Task_Progress_HouseTask_FK	HouseTask	Y	Y		HouseTask_HouseTask_ID	HouseTask_ID	

Foreign Keys (referred from)

Name	Referred From	Mandatory	Transferable	In Arc	Columns	Referred Columns	Delete Rule
Photo_Task_Progress_FK	Photo	Y	Y		Task_Progress_Progress_ID	Progress_ID	

Relational_2

