



HKUST
VISLAB

COMP 4462

Data Visualization Tutorial

Leo Yu Ho, Lo
Qian Zhu

Monday 25 October, 2021
<https://bit.ly/vis-t07>


Vega-Lite and Data Processing Libraries

- Vega-Lite
 - The library behind [Altair](#)
 - Specification based visualization tool
 - We write down the visualization we want (in JSON format), the library plots it
 - In visualization language, marks and channels, interaction idioms, etc.
 - Builds on top of D3.js
 - And D3.js is build on top of HTML5 SVG (a web standard implemented in every browser)
 - See the [Vega-Lite examples](#) to know more
- Built-in functions in Javascript
 - Javascript borrows a lot of features from functional programming paradigm
 - Passing in a function as argument into another function
 - Makes our code much more succinct and easy to understand
- Lodash
 - An utility library for Javascript, a lot of common tasks and patterns are well written for use
- Moment.js
 - A powerful library for datetime manipulation


Sign in Observable

1. Go to the [notebook of this tutorial](#)


2. Click Sign in



3. Sign in with GitHub (recommended)




4. Authorize observablehq




Fork Observable notebook

1. Go to the [notebook of this tutorial](#)

2. Click Fork



3. Check if you're working on your copy of the notebook (otherwise, your work will not be saved)




Data processing with Javascript

- See the [Observable notebook of this tutorial](#)
- Javascript built-in functions
 - map/reduce/filter
 - trim/split/indexOf/substring/replace
- Lodash
 - map over objects
 - groupBy / minBy / maxBy / meanBy
 - zip
- Moment.js
 - parse / format / datetime arithmetic
- Vega-Lite
 - Heatmap
 - Scale
 - Built-in aggregation
 - Datetime


Publish your Observable notebook

1. In your working copy of the notebook


2. Click Publish



3. The URL changes from a hash...



4. To a meaningful URL, this URL is publicly accessible



Lab exercise

- Tasks

- Sign in [Observable](#)
- Open [this Observable notebook](#) and fork it (otherwise, your work will not be saved)
- Read through “Data Processing with Javascript” and fill in the “TODO” cells
- Prepare the Hong Kong temperature data from 1997 to 2017 for plotting
- Plot heatmaps of the maximum/minimum temperature of each month
- Use Vega-Lite built-in aggregation to plot the same heatmaps
 - Caution! This may hang your browser
- Publish your notebook when finished
- Copy the URL of your Observable notebook and submit to Canvas
 - The URL should be something like:
 - <https://observablehq.com/@yourname/comp-4462-data-visualization-tutorial-7-vega-lite-and-data-p>

- Optional

- Star [our GitHub repository](#) ★★ ★ and like [our Observable notebook](#) ❤️ ❤️ ❤️ Thank you! ❤️
- See more [Vega-Lite examples](#) and know more about what you can do with [lodash](#) and [moment.js](#)

More on Vega-Lite and data processing libraries

- More on Vega-Lite
 - View composition / layering / horizontal/vertical concatenate / interactions / zoom / filter / highlight / customize axis/ticks / maps (plotting geographic data)
- Notable functions of Lodash
 - sortBy / partition / transform / shuffle / sample / meanBy / sumBy / countBy / flatten / flattenDeep / mapKeys / mapValues / invoke / default / assign / merge / uniq / union / difference / repeat / deburr / split / words / chain
- More on Moment.js
 - Parsing and formatting / comparing / durations / handling timezone
- Other libraries:
 - [apache-arrow](#): A future standard for in-memory data processing
 - JS libraries try to provide functionalities as Pandas to Python:
 - [Data-Forge](#), [Zebras](#), [DataFrame-js](#)

Next tutorial

Visualization with
D3.js

- We will use [Observable](#) again
- And learn about [D3.js](#)!