

You have **2** free member-only stories left this month.


[Sign up for Medium and get an extra one](#)

Build a REST API in 30 minutes with Django REST Framework



Bennett Garner

Follow



May 17, 2019 · 12 min read ★

Building a REST API in Django is so super easy. In this tutorial, we'll walk through the steps to get your first API up and running.



(This post is part of a series where I teach how to deploy a React front end on a Django back end. However, nothing in this post is

React specific. Whatever your API needs, read on!)

[Just want to see some source code? My pleasure:

https://github.com/bennett39/drf_tutorial].

Why REST API?

Before we get to the code, it's worth considering why you would want to build an API. If someone had explained these basic concepts to me before I started, I would have been so much better off.

A REST API is a standardized way to provide data to other applications. Those applications can then use the data

however they want. Sometimes, APIs also offer a way for other applications to make changes to the data.

There are a few key options for a REST API request:

- GET — The most common option, returns some data from the API based on the endpoint you visit and any parameters you provide
- POST — Creates a new record that gets appended to the database
- PUT — Looks for a record at the given URI you provide. If it exists, update the existing record. If not, create a new


record

- DELETE — Deletes the record at the given URI
- PATCH — Update individual fields of a record

Typically, an API is a window into a database. The API backend handles querying the database and formatting the response. What you receive is a static response, usually in JSON format, of whatever resource you requested.

REST APIs are so commonplace in software development, it's an essential skill for a developer to know how they work. APIs

are how applications communicate with one another or even within themselves.





A typical Django application that uses React as a front end. It needs an API to allow React to consume data from the database.

For example, in web development, many applications rely on REST APIs to allow the front end to talk to the back end. If you're deploying a React application atop Django, for instance, you'll need an API to allow React to consume information from the database.

The process of querying and converting tabular database values into JSON or another format is called **serialization**. When you're creating an API, correct serialization of data is the major challenge.

Want my best content on web development and becoming a better programmer?

Free Email Series for Medium Readers | Bennett Garner

Join over 500 other developers currently in my email series.

mailchi.mp

Why Django REST Framework?

The biggest reason to use Django REST Framework is because it makes serialization so easy!

In Django, you define your models for your database using Python. While you *can* write raw SQL, for the most part the

Django ORM handles all the database migrations and queries.

```
8 from django.contrib.auth.models import User
7 from django.db import models
6
5 class Item(models.Model):
4     access_token = models.CharField(max_length=100)
3     user = models.ForeignKey(User, on_delete=models.CASCADE)
2
```

A sample Django database model, defined in Python. The Django ORM writes all the SQL needed to create and update this model.

Think of the Django ORM like a librarian, pulling the information you need for you, so you don't have to go get it yourself.

As a developer, this frees you up to worry about the business logic of your application and forget about the low level implementation details. Django ORM handles all that for you.

The Django REST Framework, then, plays nicely with the Django ORM that's already doing all the heavy lifting of querying the database. Just a few lines of code using Django REST Framework, and you can serialize your database models to REST-ful formats.

To-do list to create a REST API in Django

Okay, so based on what we know, what are the steps to creating a REST API?

1. Set up Django
2. Create a model in the database that the Django ORM will manage
3. Set up the Django REST Framework
4. Serialize the model from step 2
5. Create the URI endpoints to view the serialized data

If it seems simple, that's because it is. Let's get to it!


1. Set up Django

To create a Django app, we'll need to install Django. That's easy enough!

First, though, consider creating a new virtual environment for your project so you can manage your dependencies separately.

Here's a video of these steps (but with a different project name) if you're a visual learner:

Learning Django: Start Your First Project (in 5 Mi...



1.1 Virtual Environment

I use pyenv and pyenv-virtualenv for my environments:

```
$ pyenv virtualenv django-rest
```

```
Looking in links: /tmp/tmpjizkdypn
```

```
Requirement already satisfied: setuptools in  
/home/bennett/.pyenv/versions/3.6.8/envs/djang  
o-rest/lib/python3.6/site-packages (40.6.2)
```

```
Requirement already satisfied: pip in  
/home/bennett/.pyenv/versions/3.6.8/envs/djang  
o-rest/lib/python3.6/site-packages (18.1)
```

```
$ pyenv local django-rest
```

1.2 Install Django

Now, we can install Django:


```
$ pip install django
```

Next, let's start a new Django project:

```
$ django-admin startproject mysite
```

If we look at the directory now, we'll see that Django created a new folder for us:

```
$ ls  
mysite/
```

And if we look inside that folder, there's everything we need to run a Django site:

```
$ cd mysite/  
$ ls  
manage.py*  mysite/
```

Let's make sure it works. Test run the Django server:

```
$ python manage.py runserver
```

Watching for file changes with StatReloader
Performing system checks...

System check identified no issues (0 silenced).

You have 17 unapplied migration(s). Your project may not work properly until you apply the migrations for app(s): admin, auth, contenttypes, sessions.

Run 'python manage.py migrate' to apply them.

May 17, 2019 - 16:09:28

Django version 2.2.1, using settings
'mysite.settings'

Starting development server at
<http://127.0.0.1:8000/>

Quit the server with CONTROL-C.

Go to localhost:8000 and you should see the Django welcome screen!

django

[View release notes](#) for Django 2.2



The install worked successfully! Congratulations!

You are seeing this page because `DEBUG=True` is in your settings file and you have not configured any URLs.

**Django Documentation**

Topics, references, & how-to's

**Tutorial: A Polling App**

Get started with Django

**Django Community**

Connect, get help, or contribute

Hey! Django works!

1.3 Create API app

We could build our application with the folder structure the way it is right now. However, best practice is to separate your Django project into separate apps when you build something new.

So, let's create a new app for our API:

```
$ python manage.py startapp myapi  
$ ls  
db.sqlite3  manage.py*  myapi/  mysite/
```

Step-by-step instructions and explanation for why we build Django projects this way:

1.4 Register the myapi app with the mysite project

We need to tell Django to recognize this new app that we just created. The steps we do later won't work if Django doesn't know about myapi.

So, we edit `mysite/settings.py` :

```
INSTALLED_APPS = [  
    'myapi.apps.MyapiConfig',  
    ... # Leave all the other INSTALLED_APPS  
]
```

1.5 Migrate the database

Remember how I said Django allows you to define database models using Python?

Whenever we create or make changes to a model, we need to tell Django to migrate those changes to the database. The Django ORM then writes all the SQL `CREATE TABLE` commands for us.

It turns out that Django comes with a few models already built in. We need to migrate those built in models to our database.

(For those of you thinking, “We didn’t create a database!” You’re right. But Django will create a simple SQLite database for us if we don’t specify differently. And SQLite is awesome!)

So, let's migrate those initial models:

```
$ python manage.py migrate
```

Operations to perform:

```
  Apply all migrations: admin, auth,
contenttypes, sessions
```

Running migrations:

```
  Applying contenttypes.0001_initial... OK
  Applying auth.0001_initial... OK
  Applying admin.0001_initial... OK
  Applying
admin.0002_logentry_remove_auto_add... OK
  Applying
admin.0003_logentry_add_action_flag_choices...
OK
  Applying
```

```
contenttypes.0002_remove_content_type_name...  
OK
```

```
    Applying  
auth.0002_alter_permission_name_max_length...  
OK
```

```
    Applying  
auth.0003_alter_user_email_max_length... OK
```

```
    Applying  
auth.0004_alter_user_username_opts... OK
```

```
    Applying  
auth.0005_alter_user_last_login_null... OK
```

```
    Applying  
auth.0006_require_contenttypes_0002... OK
```

```
    Applying  
auth.0007_alter_validators_add_error_messages..  
.. OK
```

```
    Applying  
auth.0008_alter_user_username_max_length... OK
```

```
    Applying
```

```
auth.0009_alter_user_last_name_max_length...  
OK  
    Applying  
auth.0010_alter_group_name_max_length... OK  
    Applying  
auth.0011_update_proxy_permissions... OK  
    Applying sessions.0001_initial... OK
```

1.6 Create Super User

One more thing before we move on.

We're about to create some models. It would be nice if we had access to Django's pretty admin interface when we want to review the data in our database.

To do so, we'll need login credentials. So, let's make ourselves the owners and administrators of this project. THE ALL-POWERFUL SUPERUSER!!!

```
$ python manage.py createsuperuser
```

```
Username (leave blank to use 'bennett'):
```

```
Email address: hello@bennettgarner.com
```

```
Password:
```

```
Password (again):
```

```
Superuser created successfully.
```

Let's verify that it works. Start up the Django server:

```
$ python manage.py runserver
```


And then navigate to localhost:8000/admin





Oooo, Django Admin!!! Pretty.

Log in with your superuser credentials, and you should see the admin dashboard:



Look at those lovely User and Group models

2. Create a model in the database that Django ORM will manage

Let's make our first model!

We'll build it in `myapi/models.py` , so open up that file.

Visual learners: No worries I have you covered!

I use different model names in that video, so feel free to come back here to grab the code you'll need.

2.1 myapi/models.py

Let's make a database of superheroes! Each hero has a name and an alias that they go by in normal life. We'll start there with our model:

```
# models.py
from django.db import models

class Hero(models.Model):
    name = models.CharField(max_length=60)
    alias = models.CharField(max_length=60)

    def __str__(self):
        return self.name
```

`name` and `alias` are character fields where we can store strings. The `__str__` method just tells Django what to print when it needs to print out an instance of the `Hero` model.

2.2 Make migrations

Remember, whenever we define or change a model, we need to tell Django to migrate those changes.

```
$ python manage.py makemigrations
```

```
Migrations for 'myapi':  
  myapi/migrations/0001_initial.py  
    - Create model Hero
```

```
$ python manage.py migrate
```

Operations to perform:

```
  Apply all migrations: admin, auth,  
  contenttypes, myapi, sessions
```

```
Running migrations:
```

```
Applying myapi.0001_initial... OK
```

2.3 Register Hero with the admin site

Remember that awesome admin site that comes out of the box with Django?

It doesn't know the `Hero` model exists, but with two lines of code, we can tell it about `Hero`.

Open `myapi/admin.py` and make it look like this:

```
from django.contrib import admin
from .models import Hero

admin.site.register(Hero)
```

Now run the Django server:

```
$ python manage.py runserver
```

And visit localhost:8000/admin

Django administration

Site administration

AUTHENTICATION AND AUTHORIZATION	
Groups	+ Add Change
Users	+ Add Change

MYAPI	
Heros	+ Add Change

Recent actions

My actions


None available

Heros is there now!

2.4 Create some new heroes

While we're on the admin site, might as well create a few heroes to play around with in our application.

Click “Add.” Then, make your heroes!



3 Heroes in the database

3. Set up Django REST Framework

Okay, time to start thinking about our heroes API. We need to serialize the data from our database via endpoints.

To do that, we'll need Django REST Framework, so let's get that installed.

```
$ pip install djangorestframework
```

Now, tell Django that we installed the REST Framework in `mysite/settings.py`:

```
INSTALLED_APPS = [  
    # All your installed apps stay the same  
    ...  
    'rest_framework',  
]
```

That's it!

4. Serialize the Hero model

Now we're starting to get into some new waters. We need to tell REST Framework about our Hero model and how it should serialize the data.

Remember, serialization is the process of converting a `Model` to `JSON`. Using a serializer, we can specify what fields should be present in the JSON representation of the model.

The serializer will turn our heroes into a JSON representation so the API user can parse them, even if they're not using Python. In turn, when a user POSTs JSON data to our API, the serializer will convert that JSON to a Hero model for us to save or validate.

To do so, let's create a new file — `myapi/serializers.py`

In this file, we need to:

1. Import the Hero model
2. Import the REST Framework serializer
3. Create a new class that links the Hero with its serializer

Here's how:

```
# serializers.py

from rest_framework import serializers

from .models import Hero

class
```

```
HeroSerializer(serializers.HyperlinkedModelSerializer):  
    class Meta:  
        model = Hero  
        fields = ('name', 'alias')
```

5. Display the data

Now, all that's left to do is wire up the URLs and views to display the data!

New to Django views? Here's a video on the basics:

Our REST API will take those basic concepts to the next level!

5.1 Views

Let's start with the view. We need to render the different heroes in JSON format.

To do so, we need to:

1. Query the database for all heroes
2. Pass that database queryset into the serializer we just created, so that it gets converted into JSON and rendered

In myapi/views.py:

```
# views.py
```

```
from rest_framework import viewsets

from .serializers import HeroSerializer
from .models import Hero


class HeroViewSet(viewsets.ModelViewSet):
    queryset =
    Hero.objects.all().order_by('name')
    serializer_class = HeroSerializer
```

`ModelViewSet` is a special view that Django Rest Framework provides. It will handle GET and POST for Heroes without us having to do any more work.

5.2 Site URLs

Okay, awesome. We're soooooo close. The last step is to point a URL at the viewset we just created.

In Django, URLs get resolved at the project level first. So there's a file in `mysite/` directory called `urls.py`.

Head over there. You'll see the URL for the admin site is already in there. Now, we just need to add a URL for our API. For now, let's just put our API at the index:

```
# mysite/urls.py
```

```
from django.contrib import admin
from django.urls import path, include

urlpatterns = [
    path('admin/', admin.site.urls),
    path('', include('myapi.urls')),
]
```

5.3 API URLs

If you're paying attention and not just blindly copy-pasting, you'll notice that we included `'myapi.urls'`. That's a path to a file we haven't edited yet. And that's where Django is going to look next for instructions on how to route this URL.

So, let's go there next — myapi/urls.py:

```
# myapi/urls.py

from django.urls import include, path
from rest_framework import routers
from . import views

router = routers.DefaultRouter()
router.register(r'heroes', views.HeroViewSet)

# Wire up our API using automatic URL routing.
# Additionally, we include login URLs for the browsable API.
urlpatterns = [
    path('', include(router.urls)),
    path('api-auth/',
```

```
include('rest_framework.urls',  
namespace='rest_framework'))  
]
```

Notice we added something called `router` that we imported from `rest_framework`.

The REST Framework router will make sure our requests end up at the right resource dynamically. If we add or delete items from the database, the URLs will update to match. Cool right?

A `router` works with a `viewset` (see `views.py` above) to dynamically route requests. In order for a router to work, it

needs to point to a viewset, and in most cases, if you have a viewset you'll want a router to go with it.

So far, we've only added one model+serializer+viewset to the router — Heroes. But we can add more in the future repeating the same process above for different models! (Maybe create a `Villains` API next?)

Of course, if you only want to use standard DRF Views instead of viewsets, then `urls.py` will look a little different. You don't need a router to use simple views, and you can just add them with:


```
path('path/to/my/view/',  
MySimpleView.as_view())
```

Test it out!

Start up the Django server again:

```
$ python manage.py runserver
```


Now go to localhost:8000



The root of our new API — Django REST Framework makes it look nice

Visit the endpoint via GET

If we click the link (Hyperlinks are good REST-ful design, btw), we see the heroes API results:



The screenshot displays the Django REST Framework API Explorer interface. At the top, a dark header bar contains the text "Django REST framework" on the left and the username "bennettgarner" with a dropdown arrow on the right. Below this, a light gray breadcrumb bar shows "Api Root" in red and "Hero List" in black. The main content area has a light gray grid background. On the left, the text "Hero List" is displayed in a large, bold, black font. To the right of this text are two blue buttons: "OPTIONS" and "GET" with a small downward arrow. Below the "Hero List" text, a light gray box contains the text "GET /heroes/". Further down, a large light gray box displays the HTTP response details and the JSON data. The response details include "HTTP 200 OK", "Allow: GET, POST, HEAD, OPTIONS", "Content-Type: application/json", and "Vary: Accept". The JSON data is a list of three hero objects, each with "name" and "alias" fields.

Django REST framework bennettgarner ▾

Api Root / Hero List

Hero List

OPTIONS GET ▾

GET /heroes/

HTTP 200 OK
Allow: GET, POST, HEAD, OPTIONS
Content-Type: application/json
Vary: Accept

```
[
  {
    "name": "Batman",
    "alias": "Bruce Wayne"
  },
  {
    "name": "Superman",
    "alias": "Clark Kent"
  },
  {
    "name": "Wonder Woman",
    "alias": "Diana Prince"
  }
]
```


GET an Individual Hero

We can GET a single model instance using its ID.

Django REST Framework viewsets take care of this for us.

If you go to `127.0.0.1:8000/heroes/<id>/` where `<id>` is the ID of one of your Heroes models, you'll be able to see just that hero.

For example, <http://127.0.0.1:8000/heroes/1/> for me returns:

GET /heroes/1/

HTTP 200 OK

Allow: GET, PUT, PATCH, DELETE, HEAD, OPTIONS

Content-Type: application/json

Vary: Accept

```
{  
    "name": "Batman",  
    "alias": "Bruce Wayne"  
}
```

We can make this a little more user-friendly by adding ID into the `heroes/` endpoint response. In `myapi/serializers.py`, change the fields list to include “id”:

```
class
HeroSerializer(serializers.HyperlinkedModelSer
ializer):
    class Meta:
        model = Hero
        fields = ('id', 'name', 'alias')
```

Now the hero list looks like this:

GET /heroes/

HTTP 200 OK

Allow: GET, POST, HEAD, OPTIONS

Content-Type: application/json

Vary: Accept

```
[
  {
    "id": 1,
    "name": "Batman",
    "alias": "Bruce Wayne"
  },
  {
    "id": 2,
    "name": "Superman",
    "alias": "Clark Kent"
  },
  {
    "id": 3,
    "name": "Wonder Woman",
    "alias": "Diana Prince"
  }
]
```

```
] }
```

We can use those IDs to look up individual models.

Send a POST request

Our API also handles post requests. We can send JSON to the API and it will create a new record in the database.

Raw data

HTML form

Media type:

application/json

Content:

```
{  
  "name": "Captain America",  
  "alias": "Steve Rogers"  
}
```

POST

Sending a POST request to our API

Now, our API includes Captain America!

Having Trouble?

Here's the source code, so you can check your work:

- https://github.com/bennett39/drf_tutorial

Quick REST APIs with Django REST Framework

I hope you enjoyed this quick tutorial. Of course, APIs can get much more complicated with multiple models intersecting and endpoints with more complex queries.

That said, you're well on your way with this post. REST Framework handles complexity fairly well. If you get stuck, there's a great community willing to help you find a solution.

Have fun building some new APIs!

About Bennett

I'm a web developer building things with Python and JavaScript.

Want my best content on web development and becoming a better programmer?

I share my favorite advice with my email list — no spam, nothing sales-y, just useful content.

[Join 500 other developers currently in my email series.](#)

Free Email Series for Medium Readers | Bennett Garner

Join over 500 other developers currently in my email series.

mailchi.mp

Sign up for Top 10 Stories

By The Startup

Get smarter at building your thing. Subscribe to receive The Startup's top 10 most read stories — delivered straight into your inbox, once a week. [Take a look.](#)

Your email

Get this newsletter

By signing up, you will create a Medium account if you don't already have one. Review our [Privacy Policy](#) for more information about our privacy practices.

Django

Web Development

Python

Software Development

Coding

About Write Help Legal

Get the Medium app

