Solution 21.8

Analytical solution:

$$\int_{0}^{3} (5+3\cos x) dx = [5x+3\sin x]_{0}^{3} = 15.42336$$

(a) Trapezoidal rule (n = 1):

$$I = (3-0)\frac{8+2.030023}{2} = 15.04503$$

$$\varepsilon_t = \left| \frac{15.42336 - 15.04503}{15.42336} \right| \times 100\% = 2.453\%$$

(b) Simpson's 1/3 rule (n = 2):

$$I = (3-0)\frac{8+4(5.212212)+2.030023}{6} = 15.43943$$
 $\varepsilon_t = 0.104\%$

(c) Simpson's 3/8 rule:

$$I = (3-0)\frac{8+3(6.620907+3.751559)+2.030023}{8} = 15.43028 \quad \varepsilon_t = 0.045\%$$

(d) Simpson's rules (n = 5):

$$\begin{split} I &= (1.2-0)\frac{8+4(7.476007)+6.087073}{6} \\ &+ (3-1.2)\frac{6.087073+3(4.318394+2.787819)+2.030023}{8} \\ &= 8.79822+6.62304=15.42126 \qquad \varepsilon_t = 0.014\% \end{split}$$

(e) Boole's rule:

$$I = (3-0)\frac{7(8) + 32(7.195067) + 12(5.212212) + 32(3.115479) + 7(2.030023)}{90} = 15.42314$$

$$\varepsilon_t = 0.0014\%$$

(f) Midpoint method:

$$I = (3-0)5.212212 = 15.63663$$
 $\varepsilon_t = 1.383\%$

(g) 3-segment-2-point open integration formula:

$$I = (3-0)\frac{6.620907 + 3.751559}{2} = 15.5587 \qquad \varepsilon_t = 0.877\%$$

(h) 4-segment-3-point open integration formula:

$$I = (3-0)\frac{2(7.195067) - 5.212212 + 2(3.115479)}{3} = 15.40888$$
 $\varepsilon_t = 0.094\%$

Copyright © McGraw-Hill Education. This is proprietary material solely for authorized instructor use. Not authorized for sale or distribution in any manner. This document may not be copied, scanned, duplicated, forwarded, distributed, or posted on a website, in whole or part.