

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Button Switch</title>
  <style>
    body {
      display: flex;
      justify-content: center;
      align-items: center;
      min-height: 100vh;
      margin: 0;
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    }
    .button-container {
      position: relative;
    }
    button {
      padding: 15px 30px;
      font-size: 18px;
      font-weight: bold;
      color: white;
      background: #4CAF50;
      border: none;
      border-radius: 8px;
    }
  </style>
</head>
<body>
  <div class="button-container">
    <button>Switch</button>
  </div>
</body>
</html>
```

```
    cursor: pointer;
    transition: all 0.3s ease;
    box-shadow: 0 4px 6px rgba(0,0,0,0.2);
}

button:hover {
    background: #45a049;
    transform: translateY(-2px);
    box-shadow: 0 6px 8px rgba(0,0,0,0.3);
}

button:active {
    transform: translateY(0);
}

.hidden {
    display: none;
}

#btn2 {
    background: #2196F3;
}

#btn2:hover {
    background: #0b7dda;
}

</style>

</head>
<body>
```

```
<div class="button-container">
    <button id="btn1" onclick="switchButton()">Click Me!</button>
    <button id="btn2" class="hidden" onclick="openLink()">Open Link</button>
</div>

<script>
    function switchButton() {
        document.getElementById('btn1').classList.add('hidden');
        document.getElementById('btn2').classList.remove('hidden');
    }

    function openLink() {
        window.open('https://www.example.com', '_blank');
    }
</script>
</body>
</html>
```