

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for homepage.blade.php

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Escolher ficheiro](#) Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Error** The character encoding was not declared. Proceeding using `windows-1252`.

2. **Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 23](#)
`@extends('layouts.app')<@sec`

3. **Error** Element `head` is missing a required instance of child element `title`.
[From line 1, column 1; to line 1, column 23](#)
`@extends('layouts.app')<@sec`

Content model for element `head`:

If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a `title` element and no more than one is a `base` element.

4. **Error** Attribute `name` not allowed on element `meta` at this point.
[From line 7, column 5; to line 7, column 53](#)

```
ader>< <meta name="_token" content="{ csrf_token() }">
```

Attributes for element `meta`:

[Global attributes](#)

[name](#) — Metadata name

[http-equiv](#) — Pragma directive

[content](#) — Value of the element

[charset](#) — [Character encoding declaration](#)

[media](#) — Applicable media

5. **Error** Element `meta` is missing one or more of the following attributes:

`itemprop`, `property`.

[From line 7, column 5; to line 7, column 53](#)

```
ader>< <meta name="_token" content="{{ csrf_token() }}"><
```

Attributes for element `meta`:

[Global attributes](#)

[name](#) — Metadata name

[http-equiv](#) — Pragma directive

[content](#) — Value of the element

[charset](#) — [Character encoding declaration](#)

[media](#) — Applicable media

6. **Error** Bad value `{{ url('/profile') }}` for attribute `href` on element `a`:

Illegal character in path segment: `{` is not allowed.

[From line 14, column 9; to line 14, column 40](#)

```
>< <a href="{{ url('/profile') }}"><
```

7. **Error** Bad value `{{ url('/homepage') }}` for attribute `href` on element

`a`: Illegal character in path segment: `{` is not allowed.

[From line 18, column 10; to line 18, column 107](#)

```
< <h1> <a href="{{ url('/homepage') }}" style="color: black; text-decoration:none; font-size:xxx-large;"> <img<
```

8. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 18, column 109; to line 19, column 101](#)

```
-large;">  PROJE
```

9. **Error** Start tag `body` seen but an element of the same type was already open.

[From line 23, column 1; to line 23, column 6](#)

```
/header><<<body>< @
```

10. **Error** Bad value `{{ url('add') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 26, column 10; to line 26, column 36](#)

```
<h1> <a href="{{ url('add') }}"> Creat
```

11. **Error** Bad value `{{ route('updateFavorite', ['project' => $project->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 34, column 13; to line 34, column 100](#)

```
<form action="{{ route('updateFavorite', ['project' => $project->id]) }}" method="POST">
```

12. **Error** Character reference was not terminated by a semicolon.

[At line 38, column 23](#)

```
&#8595
```

13. **Error** Bad value `{{ url('/project-page/' . $project->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 42, column 13; to line 42, column 65](#)

```
<a href="{{ url('/project-page/' . $project->id) }}">{{ $pr
```

14. **Error** Bad value `{{ url('/addProjectMember/' . $project->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 46, column 13; to line 46, column 69](#)

```
<a href="{{ url('/addProjectMember/' . $project->id) }}"> Manag
```

15. **Error** Bad value `{{ url('delete/' . $project->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 56, column 13; to line 56, column 75](#)

```
<a href="{{ url('delete/' . $project->id) }}" class="btn-delete">
Delet
```

16. **Error** Bad value `exampleModalCenter_{{ $project->id }}` for attribute `id` on element `div`: An ID must not contain whitespace.

[From line 61, column 13; to line 62, column 91](#)

```
<div class="modal fade modal-dialog-scrollable"
id="exampleModalCenter_{{ $project->id }}" tabindex="-1"
role="dialog" aria-labelledby="exampleModalCenterTitle" aria-hidden="true">
```

17. **Error** Bad value `{{ route('updateFavorite', ['project' => $project->id]) }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 89, column 13; to line 89, column 100](#)

```
<form action="{{ route('updateFavorite', ['project' => $project->id]) }}" method="POST"><
```

18. **Error** Character reference was not terminated by a semicolon.

[At line 93, column 23](#)

```
&#8593<
```

19. **Error** Bad value `{{ url('/project-page/' . $project->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 96, column 13; to line 96, column 65](#)

```
<a href="{{ url('/project-page/' . $project->id) }}">{{ $pr
```

20. **Error** Bad value `{{ url('/addProjectMember/' . $project->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 100, column 13; to line 100, column 69](#)

```
<a href="{{ url('/addProjectMember/' . $project->id) }}"> Manag
```

21. **Error** Bad value `{{ url('delete/' . $project->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 110, column 13; to line 110, column 75](#)

```
<a href="{{ url('delete/' . $project->id) }}" class="btn-delete">
Delet
```

22. **Error** Bad value `exampleModalCenter1_{{ $project->id }}` for attribute `id` on element `div`: An ID must not contain whitespace.

[From line 113, column 13; to line 114, column 91](#)

```
<div class="modal fade modal-dialog-scrollable"
id="exampleModalCenter1_{{ $project->id }}" tabindex="-1"
role="dialog" aria-labelledby="exampleModalCenterTitle" aria-hidden="true"><
```

23. **Error** Duplicate ID `exampleModalLongTitle`.

[From line 118, column 29; to line 118, column 79](#)

```
<h5 class="modal-title" id="exampleModalLongTitle">Projec
```

24. **Warning** The first occurrence of ID `exampleModalLongTitle` was here.
[From line 66, column 29; to line 66, column 79](#)
`<h5 class="modal-title" id="exampleModalLongTitle">Projec`
25. **Error** No `p` element in scope but a `p` end tag seen.
[From line 137, column 13; to line 137, column 16](#)
`</p><`
26. **Error** Stray start tag `thead`.
[From line 156, column 13; to line 156, column 19](#)
`<thead><`
27. **Error** Stray start tag `tr`.
[From line 157, column 17; to line 157, column 20](#)
`<tr><`
28. **Error** Stray end tag `tr`.
[From line 158, column 17; to line 158, column 21](#)
`</tr><`
29. **Error** Stray end tag `thead`.
[From line 159, column 13; to line 159, column 20](#)
`</thead><`
30. **Error** Stray start tag `tbody`.
[From line 160, column 13; to line 160, column 19](#)
`<tbody><`
31. **Error** Bad value `exampleModalCenter_{{ $user->id }}` for attribute `id` on element `div`: An ID must not contain whitespace.
[From line 173, column 17; to line 174, column 95](#)
`<div class="modal fade modal-dialog-scrollable"`
`id="exampleModalCenter_{{ $user->id }}" tabindex="-1"<`
`role="dialog" aria-labelledby="exampleModalCenterTitle" aria-hidden="true"><`
32. **Error** Duplicate ID `exampleModalLongTitle`.
[From line 178, column 33; to line 178, column 83](#)
`<h5 class="modal-title" id="exampleModalLongTitle">User</`
33. **Warning** The first occurrence of ID `exampleModalLongTitle` was here.
[From line 66, column 29; to line 66, column 79](#)

```
<h5 class="modal-title" id="exampleModallongTitle">Projec
```

34. **Error** Bad value `{{ url('deleteAccount/' . $user->id) }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 200, column 33; to line 201, column 60](#)

```
<a href="{{ url('deleteAccount/' . $user->id ) }}" type="button"↵
class="btn btn-primary">Delete
```

35. **Error** Bad value `button` for attribute `type` on element `a`: Subtype missing.

[From line 200, column 33; to line 201, column 60](#)

```
<a href="{{ url('deleteAccount/' . $user->id ) }}" type="button"↵
class="btn btn-primary">Delete
```

36. **Error** Stray end tag `tbody`.

[From line 209, column 13; to line 209, column 20](#)

```
</tbody>↵↵
```

37. **Error** Non-space character after body.

[From line 217, column 1; to line 217, column 21](#)

```
<</body><<<@if ($user->is_admin)<<<<bod
```

38. **Fatal Error** Cannot recover after last error. Any further errors will be ignored.

[From line 217, column 1; to line 217, column 21](#)

```
<</body><<<@if ($user->is_admin)<<<<bod
```

Document checking completed.

Source

```
1. @extends('layouts.app')↵
2. ↵
3. @section('title', 'Homepage')↵
4. ↵
5. @section('content')↵
6. <header>↵
7.     <meta name="_token" content="{{ csrf_token() }}">↵
8.     ↵
9.     <link rel="stylesheet"
href="//maxcdn.bootstrapcdn.com/bootstrap/3.3.6/css/bootstrap.min.css">↵
10.     ↵
11.     <script
src="https://ajax.googleapis.com/ajax/libs/jquery/1.12.0/jquery.min.js">
</script>↵
12.     ↵
13.     <div class="profile-btn">↵
14.         <a href="{{ url('/profile') }}">↵
15.             <div>Profile</div>↵
16.         </a>↵
```

```

17.     </div><↵
18.     <h1> <a href="{{ url('/homepage') }}" style="color: black; text-
decoration:none; font-size:xxx-large;"> <img↵
19.         src="/images/logo.png" style="filter: invert(100%); max-width:
20%; max-height: 20%"> PROJETATU</a></h1><↵
20. <↵
21. </header><↵
22. <↵
23. <body><↵
24.     @if (!($user->is_admin))<↵
25. <↵
26.     <h1> <a href="{{ url('add') }}"> Create Project</a> </h1><↵
27.     <div class="project-list"><↵
28.         <div class="project-list-container"><↵
29.             @if($user->projects->isNotEmpty())<↵
30.                 <h1>My Projects</h1><↵
31.                 <h3>Favourite Projects:</h3><↵
32.                 @foreach ($favoriteProjects as $project)<↵
33.                     <p><↵
34.                         <form action="{{ route('updateFavorite', ['project' => $project-
>id]) }}" method="POST"><↵
35.                             @csrf<↵
36.                             @method('PATCH')<↵
37.                             <button class="fav" type="submit"><↵
38.                                 &#8595<↵
39.                             </button><↵
40.                         </form><↵
41. <↵
42.                         <a href="{{ url('/project-page/' . $project->id) }}">{{ $project-
>name }} | Deadline: {{↵
43.                             $project->delivery->format('Y-m-d') }}</a> |<↵
44.                         @if ($project->isCoordinator($user))<↵
45. <↵
46.                         <a href="{{ url('/addProjectMember/' . $project->id) }}"> Manage
Users </a><↵
47.                             |<↵
48.                         @endif<↵
49. <↵
50.                         <a href="" data-toggle="modal" data-target="#exampleModalCenter_{{
$project->id }}"><↵
51.                             Members List<↵
52.                         </a><↵
53.                             |<↵
54.                         @if ($project->isCoordinator($user))<↵
55. <↵
56.                         <a href="{{ url('delete/' . $project->id) }}" class="btn-delete">
Delete Project</a><↵
57.                             |<↵
58.                         @endif<↵
59. <↵
60. <↵
61.         <div class="modal fade modal-dialog-scrollable"
id="exampleModalCenter_{{ $project->id }}" tabindex="-1"<↵
62.             role="dialog" aria-labelledby="exampleModalCenterTitle" aria-
hidden="true"><↵
63.             <div class="modal-dialog modal-dialog-centered"
role="document"><↵
64.                 <div class="modal-content"><↵
65.                     <div class="modal-header"><↵
66.                         <h5 class="modal-title"
id="exampleModallongTitle">Project Member List</h5><↵
67.                         <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><↵
68.                             <span aria-hidden="true">&times;</span><↵
69.                         </button><↵
70.                     </div><↵
71.                     <div class="modal-body"><↵
72.                         @foreach ($project->users as $user)<↵
73. <↵
74.                         <h4>{{ $user->name }}</h4><↵
75.                         <p></p><↵

```

```

76.  ↵
77.      @endforeach↵
78.      </div>↵
79.      <div class="modal-footer">↵
80.          <button type="button" class="btn btn-secondary"
data-dismiss="modal">Close</button>↵
81.      </div>↵
82.  </div>↵
83.  </div>↵
84.  </div>↵
85.  @endforeach↵
86.  <h3>Other Projects:</h3>↵
87.  @foreach ($otherProjects as $project)↵
88.      <p>↵
89.          <form action="{{ route('updateFavorite', ['project' => $project-
>id]) }}" method="POST">↵
90.              @csrf↵
91.              @method('PATCH')↵
92.              <button class="fav" type="submit">↵
93.                  &#8593↵
94.              </button>↵
95.          </form>↵
96.          <a href="{{ url('/project-page/' . $project->id) }}">{{ $project-
>name }} | Deadline: {{↵
97.              $project->delivery->format('Y-m-d') }}</a> |↵
98.          @if ($project->isCoordinator($user))↵
99.      ↵
100.         <a href="{{ url('/addProjectMember/' . $project->id) }}"> Manage
Users </a>↵
101.         |↵
102.         @endif↵
103.     ↵
104.         <a href="" data-toggle="modal" data-target="#exampleModalCenter_{{
$project->id }}">↵
105.             Members List↵
106.         </a>↵
107.         |↵
108.         @if ($project->isCoordinator($user))↵
109.     ↵
110.         <a href="{{ url('delete/' . $project->id) }}" class="btn-delete">
Delete Project</a>↵
111.         |↵
112.         @endif↵
113.         <div class="modal fade modal-dialog-scrollable"
id="exampleModalCenter1_{{ $project->id }}" tabindex="-1"↵
114.             role="dialog" aria-labelledby="exampleModalCenterTitle" aria-
hidden="true">↵
115.             <div class="modal-dialog modal-dialog-centered"
role="document">↵
116.                 <div class="modal-content">↵
117.                     <div class="modal-header">↵
118.                         <h5 class="modal-title"
id="exampleModalLongTitle">Project Member List</h5>↵
119.                         <button type="button" class="close" data-
dismiss="modal" aria-label="Close">↵
120.                             <span aria-hidden="true">&times;</span>↵
121.                         </button>↵
122.                     </div>↵
123.                     <div class="modal-body">↵
124.                         @foreach ($project->users as $user)↵
125.     ↵
126.                             <h4>{{ $user->name }}</h4>↵
127.                             <p></p>↵
128.     ↵
129.                         @endforeach↵
130.                     </div>↵
131.                     <div class="modal-footer">↵
132.                         <button type="button" class="btn btn-secondary"
data-dismiss="modal">Close</button>↵
133.                     </div>↵
134.                 </div>↵

```



```

135.         </div><↵
136.     </div><↵
137. </p><↵
138. @endforeach↵
139. @else↵
140. <p>No projects found for this user.</p><↵
141. @endif↵
142. </div><↵
143. ↵
144. ↵
145. ↵
146. ↵
147. ↵
148. </div><↵
149. @endif↵
150. ↵
151. @if($user->is_admin)<↵
152. <div class="project-list"><↵
153.     <div class="project-list-container"><↵
154.         <h1>User List</h1><↵
155.     ↵
156.         <thead><↵
157.             <tr><↵
158.                 </tr><↵
159.             </thead><↵
160.             <tbody><↵
161.                 @foreach ($allUsers as $user)<↵
162.                     <h1><↵
163.                         <button type="button" class="btn btn-primary" data-
toggle="modal"<↵
164.                             data-target="#exampleModalCenter_{{ $user->id }}"><↵
165.                             {{ $user->name ?? 'user-deleted' }}<↵
166.                         </button><↵
167.                     ↵
168.                 </h1><↵
169.                 <p><↵
170.                 </p><↵
171.             ↵
172.             <!-- Modal --><↵
173.             <div class="modal fade modal-dialog-scrollable"
id="exampleModalCenter_{{ $user->id }}" tabindex="-1"<↵
174.                 role="dialog" aria-labelledby="exampleModalCenterTitle"
aria-hidden="true"><↵
175.                 <div class="modal-dialog modal-dialog-centered"
role="document"><↵
176.                     <div class="modal-content"><↵
177.                         <div class="modal-header"><↵
178.                             <h5 class="modal-title"
id="exampleModalLongTitle">User</h5><↵
179.                             <button type="button" class="close" data-
dismiss="modal" aria-label="Close"><↵
180.                                 <span aria-hidden="true">&times;</span><↵
181.                             </button><↵
182.                         </div><↵
183.                         <div class="modal-body"><↵
184.                             ID: {{ $user->id }}<↵
185.                             <p></p><↵
186.                             NAME: {{ $user->name ?? 'user-deleted' }}<↵
187.                             <p></p><↵
188.                             EMAIL: {{ $user->email ?? 'user-deleted' }}<↵
189.                             <p></p><↵
190.                             @if($user->is_admin)<↵
191.                                 ADMIN: YES<↵
192.                             @else<↵
193.                                 ADMIN: NO<↵
194.                             @endif<↵
195.                         ↵
196.                     </div><↵
197.                 <div class="modal-footer"><↵
198.                     ↵

```

```

199.         <button type="button" class="btn btn-secondary"
data-dismiss="modal">Close</button>↵
200.         <a href="{{ url('deleteAccount/' . $user->id )
}} " type="button"↵
201.             class="btn btn-primary">Delete
Account</a>↵
202.         </div>↵
203.     </div>↵
204. </div>↵
205. </div>↵
206. ↵
207. ↵
208.         @endforeach↵
209.     </tbody>↵
210. ↵
211. </div>↵
212. </div>↵
213. @endif↵
214. ↵
215. </body>↵
216. ↵
217. @if ($user->is_admin)↵
218. ↵
219. <body>↵
220.     <div class="container">↵
221.         <h3 align="center">Project Search</h3><br />↵
222.         <div class="row">↵
223.             <h2>Search: <span id="total_records"></span></h2>↵
224.             <div class="col-12">↵
225.                 <div class="form-group">↵
226.                     <input type="text" name="search" id="search" class="form-
control" placeholder="Search Project" />↵
227.                 </div>↵
228.                 <div class="table-responsive">↵
229.                     <table class="table table-striped table-bordered">↵
230.                         <thead>

```

Used the HTML parser.

Total execution time 17 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19