

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for register.blade.php

Checker Input

Show ☒ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Escolher ficheiro](#) Nenhum ficheiro selecionado

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to display options for hiding/showing particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

- Warning** Consider adding a `lang` attribute to the `html` start tag to declare the language of this document.
[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')<@sec
```


 For further guidance, consult [Declaring the overall language of a page](#) and [Choosing language tags](#).
 If the HTML checker has misidentified the language of this document, please [file an issue report](#) or [send e-mail to report the problem](#).
- Error** The character encoding was not declared. Proceeding using `windows-1252`.
- Error** Non-space characters found without seeing a doctype first. Expected `<!DOCTYPE html>`.
[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')<@sec
```
- Error** Element `head` is missing a required instance of child element `title`.
[From line 1, column 1; to line 1, column 23](#)

```
@extends('layouts.app')<@sec
```


 Content model for element `head`:
 If the document is [an iframe srcdoc document](#) or if title information is available from a higher-level protocol: Zero or more elements of [metadata content](#), of which no more than one is a `title` element and no more than one is a `base` element.

Otherwise: One or more elements of [metadata content](#), of which exactly one is a [title](#) element and no more than one is a [base](#) element.

5. **Error** Bad value `{{ route('register') }}` for attribute `action` on element `form`: Illegal character in path segment: `{` is not allowed.

[From line 4, column 1; to line 4, column 53](#)

```
content')<form method="POST" action="{{ route('register') }}"> {
```

6. **Error** An `img` element must have an `alt` attribute, except under certain conditions. For details, consult [guidance on providing text alternatives for images](#).

[From line 6, column 9; to line 6, column 68](#)

7. **Error** Bad value `name` for attribute `type` on element `input`.

[From line 9, column 5; to line 9, column 110](#)

```
abel<input placeholder="name*" id="name" type="name" name="name"
value="{{ old('name') }}" required autofocus> @
```

8. **Error** Attribute `placeholder` is only allowed when the input type is `email`, `number`, `password`, `search`, `tel`, `text`, or `url`.

[From line 9, column 5; to line 9, column 110](#)

```
abel<input placeholder="name*" id="name" type="name" name="name"
value="{{ old('name') }}" required autofocus> @
```

9. **Error** Attribute `required` is only allowed when the input type is `checkbox`, `date`, `datetime-local`, `email`, `file`, `month`, `number`, `password`, `radio`, `search`, `tel`, `text`, `time`, `url`, or `week`.

[From line 9, column 5; to line 9, column 110](#)

```
abel<input placeholder="name*" id="name" type="name" name="name"
value="{{ old('name') }}" required autofocus> @
```

10. **Error** Bad value `{{ route('login') }}` for attribute `href` on element `a`: Illegal character in path segment: `{` is not allowed.

[From line 38, column 5; to line 38, column 65](#)

```
tton><a class="button button-outline" href="{{ route('login') }}">Login<
```

Source

```
1. @extends('layouts.app')↵
2. ↵
3. @section('content')↵
4. <form method="POST" action="{{ route('register') }}">↵
5.     {{ csrf_field() }}↵
6.     <h1> <a
    style="color: black; text-decoration:none; font-size:xxx-large;">PROJETATU</a>
    </h1>↵
7. ↵
8.     <label for="name"></label>↵
9.     <input placeholder="name*" id="name" type="name" name="name" value="{{
old('name') }}" required autofocus>↵
10.     @if ($errors->has('name'))↵
11.         <span class="error">↵
12.             {{ $errors->first('name') }}↵
13.         </span>↵
14.     @endif↵
15. ↵
16.     <label for="email"></label>↵
17.     <input placeholder="email*" id="email" type="email" name="email" value="{{
old('email') }}" required>↵
18.     @if ($errors->has('email'))↵
19.         <span class="error">↵
20.             {{ $errors->first('email') }}↵
21.         </span>↵
22.     @endif↵
23. ↵
24.     <label for="password"></label>↵
25.     <input placeholder="password*" id="password" type="password"
name="password" required>↵
26.     @if ($errors->has('password'))↵
27.         <span class="error">↵
28.             {{ $errors->first('password') }}↵
29.         </span>↵
30.     @endif↵
31. ↵
32.     <label for="password-confirm"></label>↵
33.     <input placeholder="confirm password*" id="password-confirm"
type="password" name="password_confirmation" required>↵
34. ↵
35.     <button type="submit">↵
36.         Register↵
37.     </button>↵
38.     <a class="button button-outline" href="{{ route('login') }}">Login</a>↵
39. </form>↵
40. @endsection
```

Used the HTML parser.

Total execution time 20 milliseconds.

[About this checker](#) • [Report an issue](#) • Version: 23.12.19