

PLUMPAY LABFRAME V1■Master Simulation Framework (SANITIZED F

A Terminal-Based Cryptographic Spoof Simulation Environment for NFC-Predictive Payload Modeling

Submitted by: [REDACTED CANDIDATE]

DISCLAIMER:

This simulation operates fully offline. No transmissions occur. All BLE and NFC actions are faked for log-only demonstration

This research framework was designed to explore spoof prediction behavior, secure element modeling, and the weaknesses

Excerpt from Simulation Script (Sanitized):

```
-- Secure Element Simulation (Abstracted)
on seCoreSim(transactionInput)
■logEvent("[SE] Processing transaction input...")
■set entropyMod to do shell script "/usr/local/simtools/bin/openssl rand -hex 4"
■set noiseMod to "SIMULATED_NOISE"
■set structuredCore to do shell script "echo " & quoted form of (transactionInput & entropyMod & noiseMod) & " |
■logEvent("[SE] Synthetic cryptogram generated: " & structuredCore)
■return structuredCore
end seCoreSim

-- NFC Simulation Tap
on nfcSimTap(fakePayload)
■logEvent("[NFC] Simulating NFC tap...")
■delay 1
■logEvent("[NFC] Payload injected into field: " & fakePayload)
■logEvent("[NFC] Terminal response: Delayed approval – backend fallback in effect.")
end nfcSimTap
```