



1. The "Anomalous Void" Signpost (Finding the SCIF)

Before an adversary can exploit a SCIF, they have to map its exact dimensions. In a shared commercial building, this is incredibly easy due to the contrast between shielded and unshielded spaces.

- **The Shielding Signature:** To meet federal ICD 705 standards, a SCIF must have RF shielding (often copper foil or specialized paint) to stop wireless signals from leaking out.
- **The Floor-Above/Floor-Below Vector:** An FIS team leases the office space directly below or above the target federal suite, posing as a mundane logistics firm or tech contractor. They don't need to look at the SCIF door. They use highly sensitive **Software Defined Radios (SDRs)** and electromagnetic field (EMF) scanners pointed at their own ceiling or floor.
- **The Contrast Effect:** The floors above and below will have normal, messy commercial RF traffic (Wi-Fi, Bluetooth, cellular signals). The SCIF floor, however, will appear as a massive, dead "electromagnetic void." By mapping where the wireless noise suddenly drops to zero, the

Ask anything



1. The "Anomalous Void" Signpost (Finding the SCIF)

Before an adversary can exploit a SCIF, they have to map its exact dimensions. In a shared commercial building, this is incredibly easy due to the contrast between shielded and unshielded spaces.

- **The Shielding Signature:** To meet federal ICD 705 standards, a SCIF must have RF shielding (often copper foil or specialized paint) to stop wireless signals from leaking out.
- **The Floor-Above/Floor-Below Vector:** An FIS team leases the office space directly below or above the target federal suite, posing as a mundane logistics firm or tech contractor. They don't need to look at the SCIF door. They use highly sensitive **Software Defined Radios (SDRs)** and electromagnetic field (EMF) scanners pointed at their own ceiling or floor.
- **The Contrast Effect:** The floors above and below will have normal, messy commercial RF traffic (Wi-Fi, Bluetooth, cellular signals). The SCIF floor, however, will appear as a massive, dead "electromagnetic void." By mapping where the wireless noise suddenly drops to zero, the

Ask anything



between shielded and unshielded spaces.

- **The Shielding Signature:** To meet federal ICD 705 standards, a SCIF must have RF shielding (often copper foil or specialized paint) to stop wireless signals from leaking out.
- **The Floor-Above/Floor-Below Vector:** An FIS team leases the office space directly below or above the target federal suite, posing as a mundane logistics firm or tech contractor. They don't need to look at the SCIF door. They use highly sensitive **Software Defined Radios (SDRs)** and electromagnetic field (EMF) scanners pointed at their own ceiling or floor.
- **The Contrast Effect:** The floors above and below will have normal, messy commercial RF traffic (Wi-Fi, Bluetooth, cellular signals). The SCIF floor, however, will appear as a massive, dead "electromagnetic void." By mapping where the wireless noise suddenly drops to zero, the ELINT team can plot the exact blueprint, wall boundaries, and layout of the secure vault without ever setting foot on the federal floor.

2. Exploiting the Shared Conduits: The

Ask anything



building, this is incredibly easy due to the contrast between shielded and unshielded spaces.

- **The Shielding Signature:** To meet federal ICD 705 standards, a SCIF must have RF shielding (often copper foil or specialized paint) to stop wireless signals from leaking out.
- **The Floor-Above/Floor-Below Vector:** An FIS team leases the office space directly below or above the target federal suite, posing as a mundane logistics firm or tech contractor. They don't need to look at the SCIF door. They use highly sensitive **Software Defined Radios (SDRs)** and electromagnetic field (EMF) scanners pointed at their own ceiling or floor.
- **The Contrast Effect:** The floors above and below will have normal, messy commercial RF traffic (Wi-Fi, Bluetooth, cellular signals). The SCIF floor, however, will appear as a massive, dead "electromagnetic void." By mapping where the wireless noise suddenly drops to zero, the ELINT team can plot the exact blueprint, wall boundaries, and layout of the secure vault without ever setting foot on the federal floor.

Ask anything



Q quick question





2. Exploiting the Shared Conduits: The Riser Room Tap

Your premise that "all it takes is one day" is a terrifying reality when dealing with vertical utility shafts. In commercial buildings, utilities run through centralized vertical paths called **riser rooms** or utility closets that span from the basement to the roof, passing directly through the SCIF's floor.

[Floor Above: Commercial Tenant] → (U

[SCIF Floor: Secure Vault] → [

[Floor Below: FIS ELINT Safehouse] →

- **The Vulnerability:** Even if the SCIF walls are armored, the building's main electrical lines, HVAC water pipes, and structural steel beams must physically pass through that floor.
- **The Non-Invasive Tap:** The ELINT team goes into the riser room on the floor *below* the SCIF. They don't cut any wires (which would trip an alarm). Instead, they clamp high-sensitivity **current transformers (CT sensors)** and

Ask anything