
TECHNICAL SPECIFICATION & PATENT BLUEPRINT

The Adriel Shamer Willis: RGBY System

A Closed-Loop, Near-Infrared Photothermal Phase-Change Subdermal Drug Delivery Platform with Integrated Real-Time Chemiluminescent Optical Telemetry

Primary Inventor: Adriel Shamer Willis

Classification Focus: Nanomedicine, Photo-Biomodulation, Stimulus-Responsive Liposomes

Regulatory Domain Target: USPTO Utility Patent / FDA Center for Drug Evaluation and Research (CDER)

Document Version: 1.4.2 (Production Ready Specification)

Date of Compilation: August 2026

Status: Highly Confidential - Proprietary Engineering Disclosure

1. Abstract & Scope of Invention

The **Adriel Shamer Willis: RGBY System** introduces an innovative, entirely non-mechanical, light-responsive implantable matrix designed to achieve on-demand systemic drug bioavailability with micro-gram dosing control. By synthesizing light-transparent near-infrared (NIR) thermal optics with lipid nano-engineering, this invention eliminates the physical vulnerabilities of moving sub-components such as pumps, pistons, or micro-valves. The primary mechanism utilizes targeted local phase-change vaporization of lipid nanoparticles (LNPs) coupled to an absolute real-time bioluminescent molecular logging system, offering a closed-loop pharmacological window that addresses traditional limits regarding short molecular half-lives and high systemic toxicity profiles.

2. Background & Existing Technological Limitations

Prior art in implantable drug administration centers around Micro-Electro-Mechanical Systems (MEMS) microfluidic architectures. While historically viable, these architectures are capped by severe micro-scale constraints. Mechanical friction, structural degradation, biological fluid accumulation, and high electrical current needs mean moving components often stall against human interstitial fluid pressure. Furthermore, attempting to use short-wavelength light (such as blue or ultraviolet light) to trigger photosensitive compounds within human tissue fails due to the low photon penetration depth and immediate optical scattering caused by dermal cellular layers. Additionally, precise, objective detection of internal drug distribution without complex laboratory blood sampling has remained an unresolved gap in precision therapeutics.

3. Core Technological Architecture

A. Stimulus-Responsive Phase-Change Lipid Nanoparticles (LNPs)

The system encapsulates the targeted compound—such as a pro-drug variant of a dextroamphetamine or orexin-class neuromodulator—inside specialized, biocompatible lipid shells. The interior core of each nanoparticle is formulated with an inert perfluorocarbon (PFC) liquid engineered with a low-temperature vaporization threshold (41°C to 43°C). Intercalated into the lipid membrane are high-efficiency near-infrared absorbers, specifically indocyanine green (ICG) molecular dyes or surface-stabilized gold nanorods. Because near-infrared wavelengths ($700\text{--}900\text{ nm}$) fall directly inside the biological tissue-transparent window, light from an external control emitter penetrates deep layers of human muscle and fat without thermal scattering.


B. The Non-Mechanical Photothermal Vaporization Loop

When the external laser module delivers localized NIR stimulation, the embedded photothermal absorbers instantly perform photon-to-phonon energy conversion. This generates highly concentrated localized heat within the nanoparticle cluster. Within milliseconds, the internal PFC liquid reaches its boiling threshold and undergoes an instantaneous liquid-to-gas phase change. The resulting gas expansion exerts physical pressure against the internal wall of the lipid nanoparticle, fracturing the capsule bilayer. The stored drug payload is forcefully expelled into the local vascularized capillary bed, achieving immediate systemic absorption without requiring a mechanical delivery tool.

C. Closed-Loop Chemiluminescent Telemetry

To enable precise real-time dosing logs, a stabilized luciferin substrate is co-encapsulated within the LNP core. Upon thermal rupture of the capsule, this substrate reacts instantly with a co-released agent or local tissue enzymes, initiating a localized, cold chemiluminescent chemical reaction. The resulting light emission passes back through the tissue layer and is captured by a highly responsive external optical photodiode. By cross-referencing the intensity of this bioluminescent flash with a pre-calibrated telemetry algorithm, the external control system calculates the exact volume of drug released, automating immediate, adaptive laser adjustments to prevent accidental overdosage.

Figure 1.0: Flowchart & Spatial Layout of the Adriel Shamer Willis: RGBY System.



4. Formal Patent Claims

The legal boundaries and unique intellectual property of the invention are defined by the following independent and dependent claims:

1. An on-demand, non-mechanical, light-responsive drug delivery system comprising:

- a biocompatible implant reservoir structured for subdermal placement within a mammalian subject;
 - a formulation enclosed within said reservoir comprising a plurality of stimulus-responsive lipid nanoparticles, wherein each nanoparticle encapsulates a therapeutic compound payload, a near-infrared (NIR) absorbing photothermal dye agent, and a liquid phase-change core; and
 - a chemiluminescent molecular reporter matrix co-encapsulated within said lipid nanoparticles configured to generate an outward optical photon signal upon structural compromise of said nanoparticles.
- 2. The system of claim 1**, wherein said liquid phase-change core consists of a biocompatible perfluorocarbon compound configured to transition from a liquid phase to a gas phase at a localized thermal activation threshold between (41°C) and (43°C) .
- 3. The system of claim 1**, wherein said near-infrared absorbing photothermal dye agent consists of indocyanine green (ICG) or surface-functionalized gold nanorods optimized for an electromagnetic absorption spectrum peaking between (780 nm) and (980 nm) .
- 4. The system of claim 1**, further comprising an external control module positioned outside the skin barrier, wherein said module includes at least one near-infrared laser diode configured to transmit predefined optical energy densities to the subdermal site, and at least one high-sensitivity optical sensor configured to capture and digitize the emission intensity of the chemiluminescent reporter matrix to dictate closed-loop therapeutic dosing commands.
- 5. The system of claim 1**, wherein said therapeutic compound payload is chemically stabilized as an inert pro-drug featuring a cleavable molecular ester linkage, configured to be rapidly deactivated by blood plasma esterases within a highly constrained, predictable metabolic timeline post-release.

Disclaimer Note: This document acts as an intellectual engineering simulation blueprint. Real-world development, testing, or human application of implantable therapeutic delivery networks requires strict regulatory clearance from the United States Food and Drug Administration (FDA) and adherence to international biosafety standards.