

Use Case Descriptions

Module: Authentication & Role Management

UC01 - Login

Use Case Name	Login
Use Case ID	UC01
Description	The system allows registered users to authenticate using their ID or email and password, and to securely log out, invalidating the active session.
Priority	High
Actor(s)	Office Staff, Programme Coordinator, Lecturer, Student, System
Triggering Event	User wants to log into or log out of the system.
Pre-condition	1. User has a registered account in the system.
	2. Application is accessible online.
Post-condition	1. User is successfully authenticated and a session is established (login).
	2. Active session is invalidated and the user is redirected to the login page (logout).
Flow of Events	1. User opens the login page.
	2. System displays the login form with fields for ID/email and password.
	3. User enters their credentials.
	4. User submits the login form.
	5. System validates the credentials against the user database.
	6. System verifies that the account is active.
	7. System generates a session token and loads the user's role and permissions.
	8. System redirects the user to the role-based dashboard.
	9. User performs system actions during the active session.
	10. User clicks the Logout button.

	11. System invalidates the session token and clears session data.
	12. System redirects the user to the login page.
Alternative Flow	Alternative Flow - Forgot password
	3a. User clicks the Forgot Password link.
	3b. System redirects to the password reset flow (UC02).
Exception Flow	Exception Flow 1 - Invalid credentials
	5a. System cannot match the credentials to any account.
	5b. System displays an Invalid ID or password error.
	5c. User retries with corrected credentials.
Exception Flow	Exception Flow 2 - Account disabled
	6a. System detects that the account is inactive or suspended.
	6b. System displays a message indicating the account is disabled.
	6c. System prevents the user from logging in.
Exception Flow	Exception Flow 3 - Session expired
	9a. User performs an action after session expiry.
	9b. System displays a session expired message.
	9c. System redirects the user to the login page.

UC02 - Reset Password

Use Case Name	Reset Password
Use Case ID	UC02
Description	The system allows users to reset their password through email-based recovery and enforces a password change on first-time login.
Priority	High
Actor(s)	Office Staff, Programme Coordinator, Lecturer, Student, System
Triggering Event	User has forgotten their password or is logging in for the first time.
Pre-condition	1. User has a registered account with a valid email address.
	2. Application is accessible online.
Post-condition	1. Password reset email is sent to the user's registered email.

	2. User successfully sets a new password.
	3. The new password is securely stored in the system.
Flow of Events	1. User clicks the Forgot Password link on the login page.
	2. System displays the password reset request form.
	3. User enters their registered email address.
	4. User submits the request.
	5. System validates the email and checks if it is registered.
	6. System generates a unique password reset token with a time-limited expiry.
	7. System sends the reset link to the user's registered email.
	8. User opens the reset link and enters a new password.
	9. System validates the new password against complexity requirements.
	10. System updates the user's password securely.
	11. System displays a success popup hint confirming the password reset.
Alternative Flow	Alternative Flow - First-time login forced password change
	1a. User logs in with the temporary password issued upon account creation.
	1b. System detects that this is the first-time login.
	1c. System redirects the user to the change-password page.
	1d. User enters and confirms a new password.
	1e. System validates and saves the new password.
	1f. System logs the user into the dashboard.
Alternative Flow	Alternative Flow - Office Staff-assisted password reset
	1a. User contacts Office Staff to request a password reset.
	1b. Office Staff opens the User Account Management module.
	1c. Office Staff selects the user account and chooses the password reset option.
	1d. System generates and issues a temporary password to the user.

	1e. User logs in with the temporary password and is prompted to set a new password.
Exception Flow	Exception Flow 1 - Email not registered
	5a. System cannot find the email in the user database.
	5b. System displays an Email not registered error message.
	5c. User checks their email and tries again.
Exception Flow	Exception Flow 2 - Reset token expired
	8a. User attempts to use an expired reset link.
	8b. System displays a Reset link expired message.
	8c. User must request a new reset link.

UC03 - Manage User Account

Use Case Name	Manage User Account
Use Case ID	UC03
Description	The system allows Office Staff to manage existing user accounts including assigning roles, configuring permissions, activating, deactivating, or deleting user records, and to register new individual user accounts with auto-generated temporary passwords emailed to the new user.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	Office Staff wants to manage an existing user account or register a new user account.
Pre-condition	1. Office Staff is logged into the system.
	2. Office Staff has permission to manage user accounts.
Post-condition	1. Selected user account is created, updated, activated, deactivated, or removed.
	2. Role assignments and effective permissions are applied.
	3. For new accounts, login credentials are emailed to the new user.
Flow of Events	1. Office Staff opens the User Account Management module.
	2. System displays the list of existing user accounts with their roles and statuses.

	3. Office Staff selects a user account to manage.
	4. System displays the user account details with editable fields and action buttons.
	5. Office Staff selects an action such as edit profile, change role, configure permissions, deactivate, or delete.
	6. Office Staff enters or modifies the relevant information.
	7. Office Staff confirms the changes.
	8. System validates the changes.
	9. System applies the changes to the user account.
	10. System displays a success popup hint.
Alternative Flow	Alternative Flow 1 - Register new user account
	2a. Office Staff selects the option to register a new account.
	2b. System displays the new-account registration form.
	2c. Office Staff enters the new user's name, ID, email, and selects the role(s).
	2d. Office Staff confirms the registration.
	2e. System validates the entered information.
	2f. System auto-generates a secure temporary password.
	2g. System creates the new user record and assigns role-based permissions.
	2h. System sends an email with login credentials to the new user.
	2i. System displays a success popup hint confirming the registration.
Alternative Flow	Alternative Flow 2 - Assign multiple roles
	5a. Office Staff selects the option to assign multiple roles to the user.
	5b. System displays the list of available roles with checkboxes.
	5c. Office Staff selects one or more roles (e.g., Lecturer and Programme Coordinator).
	5d. System computes the union of permissions across selected roles.
	5e. System saves the new role assignments.
Exception Flow	Exception Flow 1 - Cannot delete own account
	5a. Office Staff attempts to delete their own account.

	5b. System displays a Cannot delete your own account error message.
	5c. System prevents the action.
Exception Flow	Exception Flow 2 - Conflicting permissions
	8a. System detects a conflicting permission rule.
	8b. System displays a warning with conflict details.
	8c. Office Staff reviews and adjusts the permission settings.
Exception Flow	Exception Flow 3 — Duplicate user account
	2e. System detects an existing account with the same ID or email.
	2f. System displays a Duplicate account error.
	2g. System prevents creation.
	2h. Office Staff reviews the existing account or modifies the input.
Exception Flow	Exception Flow 4 — Email delivery failure
	2h. System fails to send the credentials email.
	2i. System notifies Office Staff of the failure.
	2j. Office Staff can choose to resend the email or copy the credentials manually.

Module: Student Registry

UC04 - Import Student Records

Use Case Name	Import Student Records
Use Case ID	UC04
Description	The system allows Office Staff to bulk import student data from Excel or CSV files, automatically creating student accounts with temporary passwords during the import.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	User wants to import multiple student records and create their accounts in a single operation.

Pre-condition	1. User is logged into the system.
	2. User has permission to import student data.
	3. Source Excel or CSV file is prepared in the required template format.
Post-condition	1. Valid student records are added to the Student Registry.
	2. Student accounts are created with temporary passwords.
	3. Login credentials are emailed to each newly imported student.
Flow of Events	1. User opens the Student Registry module.
	2. User clicks the Bulk Import button.
	3. System displays the file upload interface with a template download link.
	4. User uploads the Excel or CSV file.
	5. System validates the file format and column headers.
	6. System parses the file row by row.
	7. System validates each row against required fields and unique constraints.
	8. System creates student profile records and auto-generates accounts with temporary passwords.
	9. System emails credentials to each newly created student.
	10. System generates an import summary report.
	11. System displays a success popup hint with the number of successful and failed imports.
Alternative Flow	Alternative Flow - Download import template
	3a. User clicks the template download link.
	3b. System provides a downloadable Excel or CSV template.
	3c. User fills the template with student data and uploads it.
Exception Flow	Exception Flow 1 - Invalid file format
	5a. System detects an unsupported file format.
	5b. System displays an Only XLSX or CSV files allowed error.
	5c. User must upload a valid file format.
Exception Flow	Exception Flow 2 - Duplicate student records

	7a. System detects rows with student IDs that already exist.
	7b. System skips the duplicate records and logs them.
	7c. System continues importing the remaining valid records.

UC05 - Maintain Student Profile

Use Case Name	Maintain Student Profile
Use Case ID	UC05
Description	The system allows Office Staff to maintain master student profile records, link each profile to related records across modules, and search or filter student records by programme, semester, supervisor, or other available criteria.
Priority	High
Actor(s)	Office Staff, Programme Coordinator, Lecturer, System
Triggering Event	Office Staff wants to create, view, update, or search student profile records.
Pre-condition	1. User is logged into the system.
	2. User has permission to manage or view student profiles.
Post-condition	1. Student profile record is created, updated, or retrieved.
	2. Profile is automatically linked to its related records across modules.
Flow of Events	1. Office Staff opens the Student Registry module.
	2. System displays the student list and search/filter interface.
	3. Office Staff enters a keyword or selects filter criteria such as programme, semester, or supervisor.
	4. System retrieves and displays matching student records.
	5. Office Staff selects a student record to view, update, or create a new record.
	6. System displays the student profile form with editable fields.
	7. Office Staff enters or modifies student information such as name, ID, programme, intake batch, and status.
	8. Office Staff confirms the changes.
	9. System validates the entered information

	10. System saves the student profile record and updates linked records across modules.
	11. System displays a success popup hint.
Alternative Flow	Alternative Flow 1 — Reset search and filters
	3a. Office Staff clicks the Reset button to clear all inputs.
	3b. System clears all criteria and displays the full student list.
Alternative Flow	Alternative Flow 2 — Update student academic status
	7a. Office Staff selects the option to update the student's academic status.
	7b. System displays the status update form.
	7c. Office Staff selects the new status and adds an optional note.
	7d. System validates the status transition and updates the record.
Exception Flow	Exception Flow 1 — No matching records found
	4a. System finds no records matching the criteria.
	4b. System displays a No matching students found message.
	4c. Office Staff adjusts the criteria and tries again.
Exception Flow	Exception Flow 2 — Duplicate student ID
	9a. System detects an existing record with the same student ID.
	9b. System displays a Duplicate student ID error.
	9c. Office Staff reviews the existing record or modifies the input.

UC06 - Manage Own Profile and Records

Use Case Name	Manage Own Profile and Records
Use Case ID	UC06
Description	The system allows students to view their own profile information and the records linked to their profile (supervisor appointments, panel appointments, marks, files, letters, and announcements), and to update permitted contact details such as email and phone number.
Priority	High

Actor(s)	Student, System
Triggering Event	Student wants to view or update their personal profile and review records linked to their profile.
Pre-condition	1. Student is logged into the system.
	2. Student profile exists in the Student Registry.
	3. Linked records exist or can be queried by the system.
Post-condition	1. Profile information and linked records are displayed.
	2. Permitted contact details are updated when changes are submitted.
Flow of Events	1. Student opens the Profile page.
	2. System retrieves the student profile linked to the logged-in account.
	3. System displays profile information and the linked record categories.
	4. Student selects Edit for permitted fields.
	5. Student updates allowed contact details such as email or phone.
	6. System validates the updated information.
	7. System saves the update.
	8. System displays a success popup hint.
	9. Student selects a linked record category to review.
	10. System retrieves and displays the records under the selected category in a structured table.
	11. Student selects a record to view more details.
Alternative Flow	Alternative Flow - View only
	4a. Student only views the profile and makes no changes.
	4b. System leaves the profile unchanged.
Alternative Flow	Alternative Flow - View all linked records summary
	9a. Student selects the option to view a summary of all linked record categories.
	9b. System displays a consolidated summary.
	9c. Student selects a category to drill down into details.
Exception Flow	Exception Flow 1 - Invalid contact format

	6a. System detects an invalid email or phone number format.
	6b. System displays the validation issue.
	6c. Student corrects the information and submits again.
Exception Flow	Exception Flow 2 - No linked records
	10a. System finds no records of the selected category for the student.
	10b. System displays a No records found message.
	10c. Student selects a different category or returns to the profile.

Module: Supervisor Appointment

UC07 - Submit Supervisor Appointment Request

Use Case Name	Submit Supervisor Appointment Request
Use Case ID	UC07
Description	The system allows students to submit supervisor appointment requests with proposed supervisor and research details. On submission, the system validates the required fields, records the request details, checks for duplicate or conflicting requests, and validates the proposed supervisor against lecturer records and current workload before creating the request for review.
Priority	High
Actor(s)	Student, System
Triggering Event	Student wants to propose a supervisor for their research project.
Pre-condition	1. Student is logged into the system.
	2. Student profile exists.
	3. Supervisor request submission period is open.
	4. Lecturer records and workload data are available.
Post-condition	1. Supervisor appointment request is validated and created with Pending status.
	2. Proposed supervisor details, research title, semester, and supporting notes are recorded.
	3. Request is queued for approval routing if all validation checks pass.
Flow of Events	1. Student opens the Supervisor Appointment Request page.

	2. System displays the request form.
	3. Student enters proposed supervisor details, research title, semester, and supporting notes.
	4. Student attaches supporting documents if required.
	5. Student confirms submission.
	6. System validates that all required fields are completed.
	7. System checks for duplicate or conflicting requests against existing records for the same student and semester.
	8. System validates the proposed supervisor against lecturer records and checks the current supervision workload for the semester.
	9. System records the request details and creates the supervisor appointment request with Pending status.
	10. System displays a success popup hint and shows the request status.
Alternative Flow	Alternative Flow - Supervisor workload at capacity
	8a. System detects that the proposed supervisor is at capacity.
	8b. System displays a warning.
	8c. System allows submission only after the student confirms the warning by clicking Yes.
Exception Flow	Exception Flow 1 - Missing required fields
	6a. System detects missing required fields or invalid lecturer details.
	6b. System highlights the missing fields and displays an error.
	6c. Student completes the required fields and resubmits.
Exception Flow	Exception Flow 2 - Duplicate or conflicting request
	7a. System detects an existing active or conflicting request for the same semester.
	7b. System displays the conflicting record and a Duplicate request error.
	7c. System prevents submission.
Exception Flow	Exception Flow 3 - Invalid supervisor selection
	8a. System cannot find the proposed lecturer in the records.
	8b. System displays an Invalid supervisor error.

UC08 - Track Supervisor Appointment Request

Use Case Name	Track Supervisor Appointment Request
Use Case ID	UC08
Description	The system allows students to track the approval status of their submitted supervisor appointment requests.
Priority	High
Actor(s)	Student, System
Triggering Event	Student wants to check the status of a submitted supervisor appointment request.
Pre-condition	1. Student is logged into the system.
	2. Student has at least one supervisor appointment request.
Post-condition	1. Request status and any approver comments are displayed.
Flow of Events	1. Student opens the Supervisor Request Status page.
	2. System retrieves the student's supervisor appointment requests.
	3. System displays request status, approver comments, and the last updated date.
	4. Student selects a request to view details.
	5. System displays the detailed status history and any comments from approvers.
Alternative Flow	Alternative Flow - View rejected request reason
	4a. Student selects a rejected request.
	4b. System displays the rejection reason and approver comment.
	4c. Student reviews the reason and may submit a new request.
Exception Flow	Exception Flow - No request found
	2a. System finds no supervisor appointment requests for the student.
	2b. System displays a No requests found message.

UC09 - View Supervisor Appointment Records

Use Case Name	View Supervisor Appointment Records
----------------------	-------------------------------------

Use Case ID	UC09
Description	The system allows authorized users to view supervisor appointment records filtered by status, student, lecturer, or semester.
Priority	High
Actor(s)	Office Staff, Programme Coordinator, Lecturer (Supervisor), Student, System
Triggering Event	User wants to view supervisor appointment records.
Pre-condition	1. User is logged into the system.
	2. Supervisor appointment records exist.
	3. User has permission to view supervisor appointment records.
Post-condition	1. Supervisor appointment records matching the filter are displayed.
Flow of Events	1. User opens the Supervisor Appointment Records page.
	2. System identifies the user's role and access permission.
	3. System displays the filter interface based on the user's access scope.
	4. User applies filters such as status, student, lecturer, semester, or programme.
	5. System retrieves matching records based on the applied filters and the user's role-based access permission.
	6. System displays the accessible records in a structured list.
	7. User selects a record to view its details.
	8. System displays the selected record details if the user is authorized to access it.
Alternative Flow	Alternative Flow - Search by keyword
	4a. User enters a keyword in the search box.
	4b. System searches records matching the keyword across student, lecturer, and research title, limited by the user's role-based access permission.
	4c. System displays the matching records.
Exception Flow	Exception Flow 1 - No matching records
	5a. System finds no matching records.
	5b. System displays a No matching records message.

Exception Flow	Exception Flow 2 - Unauthorized record access
	8a. User attempts to access a record outside their permission scope.
	8b. System denies access to the record.
	8c. System displays an unauthorized access message.

UC10 - Monitor Supervisor Workload

Use Case Name	Monitor Supervisor Workload
Use Case ID	UC10
Description	The system tracks the number of times each lecturer is selected as supervisor per semester to support workload monitoring and balancing.
Priority	Medium
Actor(s)	Student, Lecturer, Programme Coordinator, Office Staff, System
Triggering Event	User wants to review supervisor workload for the current or past semesters.
Pre-condition	1. User is logged into the system.
	2. Supervisor appointment records exist.
Post-condition	1. Supervisor workload data is displayed by lecturer and semester.
	2. Students can use the workload count to support supervisor selection.
Flow of Events	1. User opens the Supervisor Workload page.
	2. System identifies the user's role and access permission.
	3. System displays the workload dashboard with lecturers and their assigned student counts.
	4. User filters by semester, department, or lecturer.
	5. System retrieves matching workload data based on the user's access permission.
	6. System displays the workload distribution.
	7. User reviews the data.
Alternative Flow	None
Exception Flow	Exception Flow - No workload data

	4a. System finds no data for the selected semester.
	4b. System displays a No workload data message.

Module: Panel Appointment

UC11 - Recommend Panel Members

Use Case Name	Recommend Panel Members
Use Case ID	UC11
Description	The system allows supervisors to recommend panel members for coursework projects. During selection, the system validates panel appointment rules, preventing the supervisor from being assigned to their own student and checking for duplicate assignments, lecturer eligibility, and workload limits before the recommendation is submitted for approval.
Priority	High
Actor(s)	Lecturer (Supervisor), System
Triggering Event	Supervisor wants to propose panel members for their student's coursework project.
Pre-condition	1. Supervisor is logged into the system.
	2. Student has an approved supervisor appointment.
	3. Lecturer records and existing panel appointment records are available.
Post-condition	1. Panel recommendation is validated and created.
	2. Duplicate or invalid panel assignments are flagged.
	3. Valid recommendation is queued for coordinator review.
Flow of Events	1. Supervisor opens the Panel Recommendation page.
	2. Supervisor selects the student.
	3. System displays the panel recommendation form.
	4. Supervisor selects proposed panel members from the lecturer list.
	5. System validates each proposed member against panel rules - not the supervisor of the same student, no duplicate assignment, lecturer eligibility, and workload limit.
	6. Supervisor adds justification notes.

	7. Supervisor submits the recommendation.
	8. System routes the recommendation according to the approval workflow.
	9. System displays a success popup hint.
Exception Flow	Exception Flow 1 - No justification comment provided
	6a. Supervisor leaves the justification notes field empty.
	6b. System displays an error message stating that justification is required before submitting the panel recommendation.
	6c. Supervisor enters the reason for choosing the proposed panel member.
Exception Flow	Exception Flow 2 - Rule violation detected
	5a. System detects a rule violation such as duplicate assignment, ineligibility, or exceeded workload.
	5b. System flags the recommendation and displays a warning.
	5c. Supervisor adjusts the selection before submitting.

UC12 - Search Panel Appointment Records

Use Case Name	Search Panel Appointment Records
Use Case ID	UC12
Description	The system allows users to search past panel appointment records and approval history.
Priority	Medium
Actor(s)	Programme Coordinator, Office Staff, Lecturer (Panel), System
Triggering Event	User wants to look up past panel appointment records.
Pre-condition	1. User is logged into the system.
	2. Panel appointment records exist.
	3. User has permission to search panel appointment records.
Post-condition	1. Matching panel appointment records are displayed according to the user's role-based access permission.
Flow of Events	1. User opens the Panel Appointment History page.
	2. System identifies the user's role and access permission.

	3. System displays the search and filter interface.
	4. User enters search criteria such as student, lecturer, semester, programme, or status.
	5. User submits the search.
	6. System retrieves matching records based on the criteria and the user's role-based access permission.
	7. System displays the accessible records in a structured list.
	8. User selects a record to view its full details.
	9. System displays the panel appointment details if the user is authorized to access the selected record.
Alternative Flow	Alternative Flow - Export search results
	7a. User clicks the Export button to export the results.
	7b. System exports only the records that the user is authorized to view.
	7c. System provides the results as a downloadable file.
Exception Flow	Exception Flow 1 - No matching records
	6a. System finds no matching records.
	6b. System displays a No matching records message.
Exception Flow	Exception Flow 2 - Unauthorized record access
	9a. User attempts to access a record outside their permission scope.
	9b. System denies access to the record.
	9c. System displays an unauthorized access message.

UC13 - Monitor Panel Member Workload

Use Case Name	Monitor Panel Member Workload
Use Case ID	UC13
Description	The system tracks the number of times each lecturer is selected as a panel member per semester to support workload monitoring.
Priority	Medium
Actor(s)	Office Staff, Programme Coordinator, Lecturer, System
Triggering Event	User wants to review panel member selection counts.

Pre-condition	1. User is logged into the system.
	2. User is an authorized staff (non-student) user.
	3. Panel appointment records exist.
Post-condition	1. Panel member selection counts are displayed by lecturer and semester.
	2. User can review the panel workload distribution before making or reviewing panel appointment decisions.
Flow of Events	1. User opens the Panel Member Selection Count page.
	2. System verifies that the user is an authorized non-student user.
	3. System displays the count dashboard with lecturers and their panel appointment counts.
	4. User filters the records by semester, department, or lecturer.
	5. System retrieves matching count data.
	6. System displays the panel workload distribution.
	7. User reviews the data.
Alternative Flow	None
Exception Flow	Exception Flow 1 - No data for semester
	5a. System finds no panel data for the selected semester.
	5b. System displays a No data message.
Exception Flow	Exception Flow 2 - Unauthorized student access
	2a. System detects that the user is a student.
	2b. System denies access to the page.
	2c. System displays an unauthorized access message.

UC14 - View Panel Information

Use Case Name	View Panel Information
Use Case ID	UC14
Description	The system allows students to view their approved panel members and evaluation task information related to their own coursework project.
Priority	Medium

Actor(s)	Student, System
Triggering Event	Student wants to know the panel members and evaluation arrangement for their project.
Pre-condition	1. Student is logged into the system.
	2. Panel appointment record exists for the student.
	3. Record has been approved.
Post-condition	1. Approved panel and evaluation information is displayed to the student.
Flow of Events	1. Student opens the Panel Information page.
	2. System identifies the student's project record.
	3. System retrieves approved panel appointment and evaluation task information.
	4. System displays panel member names, roles, department and semester.
Alternative Flow	Alternative Flow - Panel still pending
	3a. Panel appointment is still pending approval.
	3b. System displays a No panel record message.
Exception Flow	Exception Flow - No panel record
	3a. System finds no panel appointment for the student.
	3b. System displays a No panel record message.

Module: Marks Entry and Management

UC15 - Configure Mark Entry Settings

Use Case Name	Configure Mark Entry Settings
Use Case ID	UC15
Description	The system allows authorized Office Staff to configure mark entry periods and deadlines per semester, and to define the mark components or rubric items used for evaluation per semester or project stage.
Priority	High

Actor(s)	Office Staff, System
Triggering Event	Office Staff wants to set up mark entry periods and rubric components for a semester.
Pre-condition	1. Office Staff is logged into the system.
	2. Office Staff has permission to configure mark entry settings.
Post-condition	1. Mark entry period and deadlines are configured for the semester.
	2. Rubric components are defined and available for evaluation task assignment and mark entry.
	3. Configuration is recorded in the audit log.
Flow of Events	1. Office Staff opens the Mark Entry Configuration page.
	2. Office Staff selects the target semester or project stage.
	3. System displays the configuration form.
	4. Office Staff enters the start date, end date, and deadlines for mark entry.
	5. Office Staff defines the rubric components with weight and maximum score.
	6. Office Staff confirms the configuration.
	7. System validates the date inputs and the rubric, including total weight and score ranges.
	8. System saves the mark entry period and rubric configuration.
	9. System displays a success popup hint.
Alternative Flow	Alternative Flow - Reuse previous semester configuration
	3a. Office Staff selects the option to copy from a previous semester.
	3b. System displays the previous configuration for editing.
	3c. Office Staff adjusts the dates and saves.
Alternative Flow	Alternative Flow - Reuse rubric template
	5a. Office Staff selects a previously saved rubric template.
	5b. System loads the template into the form.
	5c. Office Staff adjusts and saves the rubric.
Exception Flow	Exception Flow 1 - Invalid date range
	7a. System detects that the end date is before the start date.

Exception Flow	7b. System displays a validation error.
	7c. Office Staff corrects the dates.
	Exception Flow 2 - Weights do not sum correctly
	7a. System detects that the sum of rubric component weights is not 100%.
	7b. System displays a validation error.
	7c. Office Staff adjusts the weights.

UC16 - Assign Evaluation Tasks

Use Case Name	Assign Evaluation Tasks
Use Case ID	UC16
Description	The system automatically assigns student evaluation tasks to approved panel members based on the configured mark entry period, approved panel appointment records, and defined rubric components.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	Office Staff opens or activates the Mark Entry and Management section after mark entry periods and rubric components have been configured.
Pre-condition	1. Office Staff is logged into the system.
	2. Mark entry period has been configured for the semester.
	3. Mark entry period is currently open or activated.
	4. Panel appointment records have been approved.
	5. Mark rubric components are defined.
Post-condition	1. Evaluation tasks are assigned to specific panel members.
	2. Assigned panel members receive a notification.
Flow of Events	1. Office Staff opens the Mark Entry and Management section.
	2. Office Staff selects the target semester or project stage.
	3. System checks whether the mark entry period has been configured and is currently active.

	4. System retrieves the approved panel appointment records for the selected semester or stage.
	5. System retrieves the defined mark rubric components.
	6. System automatically generates evaluation tasks for each student based on their approved panel members.
	7. System assigns the relevant evaluation tasks to each respective panel member.
	8. System saves the generated evaluation task assignments.
	9. System notifies the assigned panel members.
	10. System records the automatic assignment activity in the audit log.
	11. System displays the assignment summary to the Office Staff.
Alternative Flow	Alternative Flow - Existing assignments found
	6a. System detects that evaluation tasks have already been assigned for the selected semester or stage.
	6b. System displays the existing assignment summary.
	6c. Office Staff may review the existing assignments without generating duplicate tasks.
Exception Flow	Exception Flow 1 - Incomplete configuration
	3a. System detects that the mark entry period or rubric components have not been configured.
	3b. System displays a warning indicating the missing configuration.
	3c. Office Staff completes the required configuration before the system can assign tasks.
Exception Flow	Exception Flow 2 - No approved panel appointment found
	4a. System detects that a student does not have approved panel members.
	4b. System excludes the student from automatic task assignment.
	4c. System displays a warning listing students without approved panel appointments.

UC17 - Submit Marks

Use Case Name	Submit Marks
----------------------	--------------

Use Case ID	UC17
Description	The system allows panel members to enter marks for assigned students, save them as draft, and submit them when finalized. Before submission, the system validates mark completeness against the rubric and ensures each mark is within the acceptable score range. Submitted marks become non-editable unless reopened by authorized staff.
Priority	High
Actor(s)	Lecturer (Panel Member), System
Triggering Event	Panel member wants to enter and submit marks for assigned students.
Pre-condition	1. Panel member is logged into the system.
	2. Evaluation tasks have been assigned.
	3. Mark entry period is open.
	4. Assigned rubric components are available.
Post-condition	1. Draft marks are saved if the panel member chooses to save as draft.
	2. Submitted marks are validated and recorded.
	3. Submitted marks are no longer editable unless reopened by authorized staff.
Flow of Events	1. Panel member opens the Mark Entry page.
	2. System displays the list of assigned students and rubric components.
	3. Panel member selects a student.
	4. System displays the rubric form for that student.
	5. Panel member enters marks for each assigned component.
	6. Panel member clicks Save Draft.
	7. System validates the entered values and saves the marks as draft.
	8. System displays a success popup hint.
	9. Panel member reviews the draft marks and clicks Submit Marks.
	10. System validates that all required components are completed and within the acceptable score range.
	11. System displays a submission confirmation message.

	12. Panel member confirms the submission.
	13. System saves the marks as submitted, updates the status to Submitted, and prevents further editing.
	14. System displays a submission success popup hint.
Alternative Flow	Alternative Flow 1 - Continue editing later
	6a. Panel member exits without finalizing.
	6b. System retains the draft marks for later editing while the mark entry period is open.
Alternative Flow	Alternative Flow 2 - Submit directly without saving draft first
	6a. Panel member clicks Submit Marks after entering the marks.
	6b. System validates that all required components are completed and within range.
	6c. Panel member confirms and the system records the marks as submitted.
Exception Flow	Exception Flow 1 - Mark entry period closed
	7a. System detects that the mark entry period has closed.
	7b. System displays a Mark entry closed message.
	7c. System prevents further mark entry.
Exception Flow	Exception Flow 2 - Incomplete marks during submission
	10a. System detects that required mark components are incomplete.
	10b. System displays a validation error listing the incomplete components.
	10c. Panel member completes the required marks before submission.
Exception Flow	Exception Flow 3 - Out-of-range marks
	10a. System detects that an entered mark is outside the allowed score range.
	10b. System highlights the invalid entries.
	10c. Panel member corrects the mark value.

UC18 - View Mark Entry Records

Use Case Name	View Mark Entry Records
----------------------	-------------------------

Use Case ID	UC18
Description	The system allows authorized users to view mark entries filtered by student, lecturer, semester, and status.
Priority	Medium
Actor(s)	Programme Coordinator, Office Staff, Lecturer (Panel Member), System
Triggering Event	User wants to review mark entry records.
Pre-condition	1. User is logged into the system.
	2. Mark entry records exist.
	3. User has permission to view marks.
Post-condition	1. Matching mark entry records are displayed according to the user's role-based access permission.
Flow of Events	1. User opens the Mark Entry Records page.
	2. System identifies the user's role and access permission.
	3. System displays the filter interface.
	4. User applies filters such as student, lecturer, semester, programme, or status.
	5. System retrieves matching records based on the applied filters and the user's role-based access permission.
	6. System displays the accessible mark entry records in a structured table.
	7. User selects a record to view details.
	8. System displays the mark entry details if the user is authorized to access the selected record.
Alternative Flow	Alternative Flow - Export records
	6a. User clicks Export.
	6b. System exports only the records that the user is authorized to view.
	6c. System provides the records as a downloadable file.
Exception Flow	Exception Flow 1 - No matching records
	5a. System finds no matching records.
	5b. System displays a No records found message.

Exception Flow	Exception Flow 2 - Unauthorized record access
	8a. User attempts to access a record outside their permission scope.
	8b. System denies access to the record.
	8c. System displays an unauthorized access message.

Module: Workflow & Approval Tracking

UC19 - Manage Record Approval

Use Case Name	Manage Record Approval
Use Case ID	UC19
Description	The system routes supervisor appointment requests and panel appointment recommendations through the required approval workflow. Approvers can approve or reject records at each workflow stage. A mandatory comment is required when rejecting a record. Each decision updates the workflow status, records the action in the workflow history, and triggers downstream actions such as confirmation letter generation upon final approval.
Priority	High
Actor(s)	Approver (Lecturer/Supervisor, Programme Coordinator), System
Triggering Event	A supervisor appointment request or panel appointment recommendation reaches an approver's workflow stage.
Pre-condition	1. Approver is logged into the system.
	2. A supervisor appointment request or panel recommendation exists and is at the approver's workflow stage.
	3. Approval workflow is configured.
Post-condition	1. Record is approved or rejected.
	2. The approval action, with a mandatory comment on rejection, is recorded in the workflow history.
	3. Workflow advances to the next stage or terminates; downstream actions are triggered on final approval.
Flow of Events	1. System routes the submitted record to the next approver in the workflow and notifies them of the pending action.
	2. Approver opens the Pending Approvals page.

	3. System displays the list of records awaiting their action.
	4. Approver selects a record to review.
	5. System displays the record details.
	6. Approver reviews the information and clicks Approve or Reject.
	7. If rejecting, the system requires the approver to enter a mandatory comment.
	8. Approver confirms the action.
	9. System records the approval action in the workflow history.
	10. System updates the workflow status and routes the record to the next stage.
	11. On final approval, the system marks the record as Approved and triggers downstream actions such as confirmation letter generation.
Alternative Flow	Alternative Flow - Final approval reached
	10a. System detects that the final approval has been completed.
	10b. System marks the record as Approved.
	10c. System triggers downstream actions (e.g., letter generation).
Exception Flow	Exception Flow 1 - Missing rejection comment
	7a. Approver attempts to reject without providing a comment.
	7b. System displays a comment required error.
	7c. System prevents the rejection until the comment is provided.
Exception Flow	Exception Flow 2 - Approver unavailable
	1a. System detects that the assigned approver is unavailable.
	1b. System escalates or routes to a backup approver.
	1c. System logs the escalation.

UC20 - Maintain Workflow History

Use Case Name	Maintain Workflow History
Use Case ID	UC20

Description	The system maintains the workflow history for each supervisor appointment request and panel appointment recommendation by recording the workflow stages, assigned approvers, actions taken, timestamps, statuses, and comments. Authorized users can view the workflow progress as a stage-based timeline within the related record details.
Priority	High
Actor(s)	System, Lecturer (Supervisor/Panel), Programme Coordinator
Triggering Event	Any workflow action is performed (submission, approval, rejection).
Pre-condition	1. A workflow record exists.
	2. A workflow action has occurred.
Post-condition	1. Workflow history is updated with the latest action details.
	2. Authorized users can view the workflow progress and history within the related record details.
Flow of Events	1. System detects a workflow action.
	2. System captures the workflow stage, user, action type, timestamp, status, and comment.
	3. System updates the workflow history for the related record.
	4. User opens the related supervisor appointment or panel appointment record.
	5. System displays the current workflow status.
	6. System displays the workflow history as a stage-based timeline.
	7. User reviews the completed, current, and pending workflow stages.
Alternative Flow	Alternative Flow - View detailed action record
	6a. User selects a workflow stage from the timeline.
	6b. System displays detailed information for that stage, including approver, action, date, and comment.
Exception Flow	Exception Flow - Workflow history update failure
	3a. System fails to update the workflow history.
	3b. System logs the failure to a fallback log.

Module: Letter Generation

UC21 - Manage Letter Templates

Use Case Name	Manage Letter Templates
Use Case ID	UC21
Description	The system allows the Office Staff to maintain reusable letter templates for various letter types (Visa Support, Confirmation, Supervisor Confirmation, Panel Confirmation, etc.). Templates uploaded by Office Staff determine which letter types are available for student self-service requests.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	Office Staff wants to create, edit, or archive a letter template.
Pre-condition	1. Office Staff is logged into the system.
	2. Office Staff has permission to manage letter templates.
Post-condition	1. Letter template list is updated.
	2. Active templates are available for letter generation.
Flow of Events	1. Office Staff opens the Letter Generation module.
	2. Office Staff selects Manage Letter Templates.
	3. System displays the list of existing templates with statuses.
	4. Office Staff selects an action (create, edit, or archive).
	5. Office Staff uploads or edits the template content with placeholders.
	6. Office Staff defines the placeholder-to-field mapping.
	7. Office Staff confirms the changes.
	8. System validates the template structure and placeholders.
	9. System updates the template record.
	10. System displays a success popup hint.
Alternative Flow	Alternative Flow - Preview template
	5a. Office Staff selects Preview after editing.
	5b. System renders the template with sample student data.
	5c. Office Staff reviews and adjusts if needed.

Exception Flow	Exception Flow 1 - Invalid placeholders
	8a. System detects unknown placeholders.
	8b. System displays the invalid placeholders.
	8c. Office Staff corrects and resubmits.

UC22 - Generate Appointment Confirmation Letter

Use Case Name	Generate Appointment Confirmation Letter
Use Case ID	UC22
Description	The system auto-generates an appointment confirmation letter, for either a supervisor appointment or a panel appointment, upon approval through the workflow. It saves the letter to the document repository, links it to the relevant records, and delivers it with a notification to the student and the assigned supervisor or panel members.
Priority	High
Actor(s)	System, Student, Lecturer (Supervisor / Panel Member)
Triggering Event	A supervisor appointment or panel appointment is approved through the workflow.
Pre-condition	1. A supervisor or panel appointment has been approved.
	2. Student and supervisor / panel member records exist.
	3. The corresponding confirmation letter template is available.
Post-condition	1. Confirmation letter is generated and saved to the document repository.
	2. Letter is linked to the relevant records and delivered to the student and assigned supervisor or panel members.
	3. All recipients receive a notification.
Flow of Events	1. System detects that a supervisor or panel appointment has been approved.
	2. System retrieves the corresponding confirmation letter template (supervisor or panel).
	3. System auto-fills the template with student and supervisor / panel member details.
	4. System generates the letter as a PDF file.

	5. System saves the letter to the document repository.
	6. System links the letter to the student and the relevant supervisor or panel member records.
	7. System delivers the letter notification to all recipients.
	8. Recipients can preview or download the letter from their dashboard.
Alternative Flow	Alternative Flow - Manual regeneration by Office Staff
	1a. Office Staff manually triggers regeneration after a data correction or panel composition change.
	1b. System regenerates the letter with updated data.
	1c. System replaces the previous version and notifies all recipients.
Exception Flow	Exception Flow - Template missing or invalid
	2a. System cannot find the corresponding confirmation letter template.
	2b. System logs the error and notifies Office Staff.
	2c. System aborts the letter generation.

UC23 - Manage Letter Request

Use Case Name	Manage Letter Request
Use Case ID	UC23
Description	The system allows students to request a standardized letter by selecting from available letter types. It auto-fills the template with the student's registered information, displays a preview, generates the letter as a PDF (exportable to PDF or Word), and delivers it to the relevant recipients with a notification.
Priority	High
Actor(s)	Student, System
Triggering Event	Student wants to request an official letter from the postgraduate office.
Pre-condition	1. Student is logged into the system.
	2. Student profile exists in the Student Registry with complete information.
	3. At least one active letter template is available.
Post-condition	1. Letter is generated with student data auto-filled, and a reference number is assigned.

	2. Letter is saved to the repository, linked to the student's record, and exportable to PDF or Word.
	3. Letter is delivered to the relevant recipients with a notification.
Flow of Events	1. Student opens the Letter Generation page.
	2. System retrieves and displays the available letter types from active templates.
	3. Student selects a letter type.
	4. System retrieves the student's registered information from the Student Registry.
	5. System auto-fills the template and displays a preview of the filled letter.
	6. Student confirms the generation request.
	7. System assigns a unique reference number and renders the letter as a PDF.
	8. System saves the letter to the repository and links it to the student's record.
	9. System delivers the letter to the relevant recipients and creates an in-app notification.
	10. System displays a success popup hint and provides a download link.
Alternative Flow	Alternative Flow - No available templates
	2a. System finds no active letter templates.
	2b. System displays a message: No letter types are currently available. Please contact the postgraduate office.
	2c. Student cannot proceed until Office Staff uploads a template.
Alternative Flow	Alternative Flow - Resend letter notification
	9a. Office Staff manually triggers a resend.
	9b. System creates a new notification for the affected recipients.
Exception Flow	Exception Flow 1 - Missing student data
	4a. System detects that required student fields are incomplete in the registry.
	4b. System displays a warning listing the missing fields.

	4c. System advises the student to contact the postgraduate office to update their profile.
Exception Flow	Exception Flow 2 - Generation failure
	7a. System encounters an error during letter rendering.
	7b. System logs the error and displays a Generation failed message.
	7c. Student retries or contacts the postgraduate office.

Module: File Management

UC24 - Upload Files to Repository

Use Case Name	Upload Files to Repository
Use Case ID	UC24
Description	The system allows authorized users to upload academic and administrative files to the central repository with metadata tags such as Student ID, Category, Module, and Semester. Students can upload documents under their own student record.
Priority	High
Actor(s)	Office Staff, Programme Coordinator, Lecturer, Student, System
Triggering Event	A user wants to upload a file into the central document repository.
Pre-condition	1. User is logged into the system.
	2. User has permission to upload files.
	3. Accepted file types and size limits are configured.
Post-condition	1. File is stored in the central repository with metadata.
	2. For student uploads, the file is linked to the student's own record.
Flow of Events	1. User opens the File Management module.
	2. User clicks the Upload File button.
	3. System displays the file upload form with file selector and metadata fields.
	4. User selects the file from their local device.
	5. User enters metadata tags (Student ID, Category, Module, Semester).

	6. User confirms the upload.
	7. System validates the file size, format, and metadata.
	8. System uploads the file to the repository storage and creates a file metadata record.
	9. System displays a success popup hint with the file reference ID.
Alternative Flow	Alternative Flow - Drag and drop upload
	4a. User drags the file into the upload zone.
	4b. System auto-fills the file name field.
	4c. User completes any remaining metadata fields and confirms upload.
Alternative Flow	Alternative Flow - Student upload under own record
	1a. Student opens the Document Upload page.
	1b. Student selects a file and enters category, module, semester, and notes.
	1c. System stores the file and links it to the student's profile.
Exception Flow	Exception Flow 1 - File too large
	7a. System detects the file exceeds the maximum allowed size.
	7b. System displays a File size exceeds maximum allowed error.
	7c. User must compress the file or upload a smaller file.
Exception Flow	Exception Flow 2 - Unsupported file type
	7a. System detects an unsupported file extension.
	7b. System displays an Unsupported file type error message.
	7c. User must convert the file or upload a supported format.

UC25 - Retrieve Files

Use Case Name	Retrieve Files
Use Case ID	UC25
Description	The system allows authorized users to search and filter files by filename, metadata, uploader, date, or keyword, and to preview supported file types in the browser or download authorized files and generated letters from the repository.

Priority	High
Actor(s)	Office Staff, Programme Coordinator, Lecturer, Student, System
Triggering Event	A user wants to find, view, or download a file from the repository.
Pre-condition	1. User is logged into the system.
	2. User has permission to view the target files.
	3. Target files exist in the repository.
Post-condition	1. Matching files are displayed according to the user's permissions.
	2. The selected file is previewed in the browser or downloaded to the user's device.
Flow of Events	1. User opens the File Management module.
	2. System displays the search and filter interface.
	3. User enters a search keyword or selects filter criteria.
	4. User submits the search or filter request.
	5. System queries the repository and retrieves matching files based on permissions.
	6. System displays the filtered file list.
	7. User clicks a file name to preview or clicks the download icon.
	8. System verifies the user's access permission and retrieves the file from storage.
	9. System renders the file preview or initiates the download.
Alternative Flow	Alternative Flow - Combine search with filter
	3a. User enters a keyword and selects multiple filter criteria.
	3b. System combines the criteria and retrieves files matching all of them.
Alternative Flow	Alternative Flow - Bulk download
	7a. User selects multiple files using checkboxes and clicks Bulk Download.
	7b. System packages the files into a compressed archive and initiates the download.
Exception Flow	Exception Flow 1 - No matching files
	5a. System finds no files matching the criteria.

	5b. System displays a No matching files found message.
Exception Flow	Exception Flow 2 - Access denied
	8a. System detects that the user lacks permission.
	8b. System displays a Permission denied message.
	8c. System prevents the preview or download.
Exception Flow	Exception Flow 3 - File missing
	8a. System cannot locate the file in storage.
	8b. System displays a File not found error.

UC26 - Manage File Access Control

Use Case Name	Manage File Access Control
Use Case ID	UC26
Description	The system allows the Office Staff to enforce role-based file access control by module and action, and to link files to related student records and workflow records.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	Office Staff wants to configure file access permissions or link files to records.
Pre-condition	1. Office Staff is logged into the system.
	2. Office Staff has permission to manage file access controls.
	3. Target files or file categories exist.
Post-condition	1. File access permissions are updated.
	2. Files are linked to related records.
Flow of Events	1. Office Staff opens the File Access Control page.
	2. System displays the access control configuration.
	3. Office Staff selects a file or file category.
	4. System displays the current role-based permission matrix.
	5. Office Staff modifies the permissions for each role and action.
	6. Office Staff links the file to related student or workflow records.

	7. Office Staff confirms the changes.
	8. System validates the configuration.
	9. System applies the new access control rules.
	10. System displays a success popup hint.
Alternative Flow	Alternative Flow - Apply default permission template
	5a. Office Staff selects a default permission template.
	5b. System applies the template to the selected file or category.
Exception Flow	Exception Flow 1 - Conflicting rules
	8a. System detects conflicting permission rules.
	8b. System displays a warning.
	8c. Office Staff reviews and resolves the conflicts.

UC27 - Archive Files

Use Case Name	Archive Files
Use Case ID	UC27
Description	The system allows authorized users to archive old or inactive files to maintain repository cleanliness.
Priority	Medium
Actor(s)	Office Staff, System
Triggering Event	User wants to archive an old or inactive file.
Pre-condition	1. User is logged into the system.
	2. User has permission to archive files.
	3. Target file exists in the active repository.
Post-condition	1. File is moved to the archive section.
	2. File no longer appears in the active file list.
Flow of Events	1. User opens the File Management module.
	2. User locates and selects the file to archive.
	3. User clicks the Archive option.
	4. System displays a confirmation dialog.

	5. User confirms the archive action.
	6. System updates the file status to archived.
	7. System moves the file metadata to the archive section.
	8. System displays a success popup hint.
Alternative Flow	Alternative Flow - Restore archived file
	1a. User opens the archive section.
	1b. User selects an archived file and clicks Restore.
	1c. System updates the file status back to active.
Exception Flow	Exception Flow 1 - File linked to active workflow
	6a. System detects the file is linked to an active workflow.
	6b. System displays a warning.
	6c. User reviews and decides whether to proceed.

Module: Chatbot

UC28 - Submit FAQ Query

Use Case Name	Submit FAQ Query
Use Case ID	UC28
Description	The system accepts and answers natural language FAQ queries from logged-in students using the published knowledge base.
Priority	High
Actor(s)	Student, System
Triggering Event	Student wants to ask a question about postgraduate office procedures.
Pre-condition	1. Student is logged into the system.
	2. Chatbot service is running.
	3. FAQ knowledge base contains published entries.
Post-condition	1. Student receives an answer from the FAQ knowledge base.
	2. If no answer is found, the student is advised to refer to the postgraduate counter.

Flow of Events	1. Student opens the chatbot interface.
	2. System displays the chatbot welcome message.
	3. Student types a question in natural language.
	4. System validates the input.
	5. System forwards the query to the FAQ search engine.
	6. System searches the published knowledge base.
	7. System retrieves the best matching FAQ entry.
	8. System displays the answer to the student.
	9. Student reviews the answer or submits another query.
Alternative Flow	Alternative Flow - Follow-up question
	8a. Student asks a follow-up question.
	8b. System processes and returns the next answer.
Exception Flow	Exception Flow 1 - No reliable answer
	6a. System finds no matching FAQ entry above the relevance threshold.
	6b. System displays a message advising the student to visit the postgraduate office counter.

UC29 - Manage FAQ Knowledge Base

Use Case Name	Manage FAQ Knowledge Base
Use Case ID	UC29
Description	The system allows the Office Staff to manage the FAQ knowledge base by creating, editing, uploading reference documents, archiving, and deleting FAQ records.
Priority	Medium
Actor(s)	Office Staff, System
Triggering Event	Office Staff wants to update or clean up the FAQ knowledge base.
Pre-condition	1. Office Staff is logged into the system.
	2. Office Staff has permission to manage the FAQ knowledge base.
Post-condition	1. FAQ knowledge base is updated.

	2. Only published entries are searchable by the chatbot.
Flow of Events	1. Office Staff opens the FAQ Knowledge Base page.
	2. System displays the list of FAQ entries with statuses.
	3. Office Staff selects an action (create, edit, publish, archive, or delete).
	4. Office Staff enters or modifies the question, answer, and tags.
	5. Office Staff confirms the changes.
	6. System validates the content.
	7. System updates the FAQ record.
	8. System displays a success popup hint.
Alternative Flow	Alternative Flow - Upload reference documents
	3a. Office Staff selects Upload Reference Documents.
	3b. Office Staff uploads PDF or DOCX files.
	3c. System validates and indexes the documents.
Exception Flow	Exception Flow 1 - Empty question or answer
	6a. System detects an empty question or answer field.
	6b. System displays a Required field error.
	6c. Office Staff completes the fields.

Module: Announcement

UC30 - Publish Announcement

Use Case Name	Publish Announcement
Use Case ID	UC30
Description	The system allows authorized users to publish announcements with target audience selection, schedule (start / expiry), and attachments.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	User wants to broadcast an announcement.
Pre-condition	1. User is logged into the system.

	2. User has permission to publish announcements.
Post-condition	1. Announcement record is created and published or scheduled.
	2. Notifications are triggered for the targeted users.
Flow of Events	1. User opens the Announcement module.
	2. User clicks Create Announcement.
	3. System displays the composition form.
	4. User enters title, content, target audience, schedule, and attachments.
	5. User clicks Publish Now or Schedule.
	6. System validates the content.
	7. System creates the announcement record.
	8. If Publish Now, system triggers notifications for targeted users.
	9. If Scheduled, system queues the announcement for the start time.
	10. System displays a success popup hint.
Alternative Flow	Alternative Flow - Save as draft
	5a. User clicks Save as Draft.
	5b. System saves with draft status.
	5c. No notifications are triggered.
Exception Flow	Exception Flow 1 - Missing required fields
	6a. System detects missing title or content.
	6b. System highlights the missing fields.
	6c. User completes them.
Exception Flow	Exception Flow 2 - Invalid schedule dates
	6a. System detects that the publish date is after the expiry date.
	6b. System displays a validation error.
	6c. User corrects the dates.

Module: Dashboard & Semester Timeline

UC31 - View Dashboard and Tasks

Use Case Name	View Dashboard and Tasks
Use Case ID	UC31
Description	The system displays the active semester timeline, key academic deadlines, and pending task lists specific to each user's role.
Priority	High
Actor(s)	All authenticated users, System
Triggering Event	User opens the dashboard.
Pre-condition	1. User is logged into the system.
	2. Semester timeline data is uploaded.
	3. User role is identified.
Post-condition	1. Active semester timeline is displayed.
	2. User's role-specific pending tasks are shown.
Flow of Events	1. User opens the dashboard.
	2. System identifies the user's role.
	3. System retrieves the active semester timeline.
	4. System retrieves pending tasks specific to the user's role.
	5. System displays the timeline and task list on the dashboard.
	6. User selects a task to navigate to the related record.
Alternative Flow	Alternative Flow - No pending tasks
	4a. System finds no pending tasks for the user.
	4b. System displays the timeline with an empty task list message.
Exception Flow	Exception Flow - Timeline not available
	3a. System cannot retrieve the semester timeline.
	3b. System displays No timeline available at now and keeps other dashboard sections available.

UC32 - Manage Semester Timeline

Use Case Name	Manage Semester Timeline
Use Case ID	UC32
Description	The system allows Office Staff to upload semester timeline data from a structured Excel template, and to update or replace the active semester timeline as the semester progresses, with validation of the template structure and data.
Priority	High
Actor(s)	Office Staff, System
Triggering Event	Office Staff wants to upload, update, or replace the semester timeline.
Pre-condition	1. Office Staff is logged into the system. 2. Office Staff has the prepared Excel template, or an active semester timeline already exists.
Post-condition	1. Semester timeline data is imported, updated, or replaced. 2. The timeline becomes available and is reflected on all dashboards.
Flow of Events	1. Office Staff opens the Semester Timeline module. 2. System displays the current active timeline (if any) with a template download link. 3. Office Staff chooses to upload a new timeline or to update / replace the existing one. 4. Office Staff uploads the filled Excel file or edits the existing timeline entries. 5. System validates the file structure and required fields. 6. System parses the timeline rows. 7. System imports, updates, or replaces the active timeline data. 8. System displays an import summary and a success popup hint.
Alternative Flow	Alternative Flow 1 - Download template 2a. Office Staff clicks the template download link. 2b. System provides the Excel template for the timeline data.
Alternative Flow	Alternative Flow 2 - Edit individual timeline entry 3a. Office Staff selects an individual timeline entry to edit.

	3b. Office Staff modifies the entry details.
	3c. System validates and saves the change.
Exception Flow	Exception Flow - Timeline validation checklist failed
	5a. System validates the uploaded timeline data using the validation checklist.
	5b. System detects one or more validation issues, such as missing required columns, invalid date format, duplicate timeline events, conflicting date ranges, or unrecognized target roles.
	5c. System displays the validation errors and indicates the affected rows or fields.
	5d. Office Staff corrects the Excel file or timeline entry.
	5e. Office Staff re-uploads or resubmits the corrected timeline data.
	5f. System repeats the validation before importing, updating, or replacing the active timeline.

Module: Notification & Feedback

UC33 - Manage System Notifications

Use Case Name	Manage System Notifications
Use Case ID	UC33
Description	The system displays in-app notifications via the bell icon for system events such as approvals, deadlines, and announcements, and shows real-time success or error popup hints for every system action to confirm the execution result.
Priority	High
Actor(s)	All authenticated users, System
Triggering Event	A system event triggers a notification, or a user performs a system action that returns a result.
Pre-condition	1. User is logged into the system.
	2. Notification service is running.
Post-condition	1. The user views the notification list and notifications are marked as read when opened.

	2. A success or error hint popup is displayed for each system action and then dismissed.
Flow of Events	1. System detects a triggering event and creates a notification record for the targeted users.
	2. System displays a notification indicator on the bell icon.
	3. User clicks the bell icon.
	4. System retrieves and displays the user's recent notifications in a dropdown.
	5. User selects a notification.
	6. System opens the related record and marks the notification as read.
	7. When the user performs any system action, the system displays a hint popup styled green for success or red for error.
	8. The hint popup shows a clear message and auto-dismisses after the configured duration.
Alternative Flow	Alternative Flow - Mark all as read
	4a. User clicks Mark All as Read.
	4b. System updates all unread notifications to read.
Alternative Flow	Alternative Flow - Manual dismiss popup
	8a. User clicks the close icon on the hint popup.
	8b. System dismisses it immediately.
Exception Flow	Exception Flow 1 - No notifications
	4a. System finds no notifications for the user.
	4b. System displays a No new notifications message.
Exception Flow	Exception Flow 2 - Action failure
	7a. System detects an error during processing.
	7b. System displays an error popup with a descriptive message.
	7c. User reviews and retries or contacts support.