

MAGI V3 維修百科全書

基準版本：v3-20260831-rc643-r75-hotfix7-r1
來源 commit：29222c40cd5f898f27670c13feb4c134c751bdb3
文件狀態：active production；release manifest 96ab97392dfbdf46cb895e92c0db725d80ef53202ad5568dad65bdf76cd7829，formal gate b6f29aeda6062654317231c2bbb73ee6d382bbaecd2bc88f84e51d3cfb89dbb6
文件日期：2026-08-31
GitHub：WhaleChao/MAGI-public / immutable commit 29222c40cd5f898f27670c13feb4c134c751bdb3

本書的目標不是讓你背程式，而是讓你能從「現象」追到「入口 → owner → state → 外部邊界 → receipt → health」，並知道什麼可以安全修、什麼必須停手。全文不含密碼、Cookie、token、案件內容或可逆個資。

文件使用方式

1. 先查第 20 章的總決策樹，確認是功能故障、等待、降級、資料不一致或驗證器問題。
2. 到對應功能章找連動表與權威狀態。
3. 只讀蒐證後，再依第 21 章修復；不要先 kill、刪 lock、改 cron JSON 或清 checkpoint。
4. 任何原始碼修改都建立新 commit、新 release、新證據鏈；installed release 不就地修改。
5. 附錄的來源索引列出 SHA、行數與符號；完整內容以不可變 source commit 為準。

目錄

章節	頁
1. 閱讀方法、權威順序與安全界線	3
2. 整體架構與功能連動總圖	4
3. 程序角色、服務、埠與啟動順序	5
4. 原始碼目錄、責任邊界與讀碼方法	6
5. 請求路由、身分、授權與工具執行	7
6. 排程、重試、checkpoint 與自然終局	8
7. 法扶派案、附件、開辦與報結	9
8. 閱卷、繳費憑證、下載與簽章對帳	10
9. 案件、NAS、Google Drive 與雙邊映射	11
10. OSC、日曆、待辦、帳務與債務文件	12
11. PDF、OCR、筆錄、翻譯與知識庫	13
12. 公開創作工具：Cookie Cutter 與影片工作室	14
13. 本機模型、資源閘門與降級策略	15
14. 通知、外網入口、TG/Discord 與安全邊界	16
15. Menubar、NERV、Doctor、Guardian 與紅燈語意	17
16. 狀態、鎖、owner、收據與證據鏈	18
17. 不可變發行、LIVE 切換與自動回滾	19
18. 備份、還原、災難復原與 GitHub 保存	20
19. 測試、品質閘門與驗證器加速	21
20. 故障排查總則與決策樹	22
21. 分功能排查與排除手冊	23

章節	頁
22. 已知故障、根因、修復與防回歸	26
23. 日常維修、升級與自主演進守則	33
附錄 A. 核心原始碼節錄與解讀	34
附錄 B. 全部 production 原始碼索引	55
附錄 C. 全部測試原始碼索引	110
附錄 D. 設定、Schema、前端與腳本索引	138
附錄 E. API 路由索引	156
附錄 F. 維修命令速查與名詞表	168

1. 閱讀方法、權威順序與安全界線


MAGI 的維修核心是『權威與證據』，不是畫面看起來像成功。讀取順序如下：

順位	權威來源	用途	不可替代原因
1	active release marker	目前真正生效的 release、root、transaction	工作區 branch 或 cron 舊 SHA 不代表實際程序
2	installed immutable manifest	逐檔 hash/size、來源 commit	防止就地修改與半套部署
3	formal chain / cutover receipts	品質、備份、static、install、prepare、rollback	每一步都有 hash-bound 前提
4	owner/lock metadata + PID 實況	誰正在執行、是否為 canonical worker	lock 檔存在不等於 owner 活著；反之亦然
5	checkpoint / terminal status	進度、cache、cursor、風險計數	舊 terminal 或 copied JSON 不能證明本輪成功
6	business/function/Doctor/guardian/Funnel	面向使用者的整體健康	必須與同一 active transaction 綁定

安全停手線：owner 活著且 executable、argv、release root 都屬 canonical release 時，禁止 kill、清鎖或改 state；先讓其自然 terminal。只有精確證明 foreign/stale owner，且已有 rollback/重啟契約時，才可終止程序。

2. 整體架構與功能連動總圖

本版共索引 2,004 個檔案、1,394 個 Python 檔、23,437 個類別／函式／方法與 361 條靜態 Flask route。



觸發	入口	協調	執行	完成證據
Web／Mobile／TG／Discord	api/server.py、api/webhook s/*、api/discord_bot.py	api/pipelines/* → api/orchestrator.py	專用 skill / api/osc/*	durable notification / receipt / health
法扶 Gmail	scripts/ops/laf_gmail_dispatc h_scan.py	laf_automation_v2.py 郵件分 類	laf_portal_new_files_scan.py /laf-orchestrator	附件歸檔 + 業務健康
閱卷通知／繳費	skills/file-review-orchestrator/ action.py	file_review_receipts.py	法院入口下載／上傳佇列	signature receipt + Menubar
Drive all-files	cron_service.py	scripts/drive_case_sync_wor ker.py	api/osc/drive_case_sync.py	checkpoint + terminal outcome
案件與 OSC	api/blueprints/osc_*.py	api/osc/*	NAS／MariaDB／calendar	read-back result + business snapshot
PDF／OCR／筆錄	skills/pdf-、skills/documents/	OCR queue／namer／ bookmarker	NAS 文件與知識索引	品質收據 + 自測
Cookie Cutter	api/blueprints/cookie_cutter. py	skills/cookie_stl/*	隔離子程序	ZIP/STL attestation，零持久化
影片工作室	api/blueprints/video_studio. py	magi_v3/video_autopilot_ad apter.py	固定上游 portrait normalizer + 本機 ffmpeg + 使用者素材	指令理解回顧、素材／plan hash、MP4 畫質 attestation，零外送與零持久化
判決趨勢	api/blueprints/sentencing_tr ends.py	api/sentencing_trends.py	本機裁判庫 + 臺灣法律 MCP	逐筆納入／排除理由、官方全文 核對、量刑統計與穩定裁判頁連 結
實務見解	api/blueprints/legal_researc h.py	api/domains/judgment_flow. py	本機裁判庫 + 官方全文 MCP 補 量	來源綁定摘要、官方 JID／網址 /全文驗證與排除理由
健康與自修	business_module_live_check. py	function_health_index.py／ magi_doctor.py	magi_self_repair_guardian.p y	固定語意紅燈 + 安全修復

資料面與控制面分離：API 回應不是完成證據；真正的外部寫入必須由專用 worker 執行，完成後回讀遠端或目標檔案，再產生去識別 receipt。

3. 程序角色、服務、埠與啟動順序

服務	角色	型態	埠／命令	責任
main_http	gateway	wsgi	5002	required
tools_http	gateway	wsgi	5003	required
website_admin	control	http_server	8088	required
discord	supervisor	process	{python} api/discord_bot.py	required
file_review_auto	supervisor	process	{python} skills/ops/file_review_auto_worker.py	required
heartbeat	supervisor	process	{python} skills/ops/heartbeat.py	required
legacy_background	supervisor	process	{python} magi_v3/legacy_background_service.py --legacy-root .	required
osc_shell_nas_helper	supervisor	process	{python} scripts/ops/osc_shell_nas_helper.py	required
menubar	supervisor	process	{python} gui/magi_menubar.py	required

啟動與切換順序不是任意的：gateway 直接回應使用者，使用 Interactive QoS；control/supervisor 為 Background。切換時先由 audited engine 停 supervisor，等待 child tree/owner 釋放，再停 gateway/control、安裝新版本、啟動並驗證。回滾使用切換前封存 plist、static receipt 與 active marker。

Host singleton (MariaDB、NAS mount、RPC、oMLX text/embedding、input/memory/oMLX watchdog) 不隨每個 release 重複啟動；錯把 singleton 當 release child 會造成雙實例與資料損壞。

4. 原始碼目錄、責任邊界與讀碼方法

區域	檔案數	責任
.github	2	其他版本化內容
api	229	HTTP、業務 domain、OSC、auth、routing、session、工具契約
bin	2	其他版本化內容
configuration	43	能力、模型、service、schedule、resource 與 schema
data	1	其他版本化內容
documentation	26	其他版本化內容
gui	1	Menubar 與人類可讀健康
integrations	10	其他版本化內容
json	5	其他版本化內容
legal_aid_legacy_adapter	13	法扶 portal 相容與既有流程
migrations	2	其他版本化內容
mobile_app	59	其他版本化內容
operations	386	部署、稽核、備份、維運與驗證
resources	3	其他版本化內容
root	19	其他版本化內容
skills	636	可執行能力與業務 worker
src	10	其他版本化內容
tests	307	單元、合約、故障注入、LIVE adapter synthetic
third_party	4	其他版本化內容
v3_kernel	64	不可變核心、ledger、cron、supervisor、health、release ownership
web_ui	182	templates/static 前端

讀碼順序：先找觸發入口，再找 domain/orchestrator，再找真正外部 I/O，最後找 receipt 與 health evaluator。不要只修畫面文案；若底層 receipt/schema 不完整，Menubar 綠燈反而是危險的假綠。

完整 machine-readable 索引：[docs/MAGI_V3_原始碼索引_rc643.json](#)。

5. 請求路由、身分、授權與工具執行

HTTP 請求依序經過 server/app factory、auth/CSRF/request guards、route/domain、tool registry、專用 worker。會改變外部狀態的動作必須具備明確授權、idempotency key、bounded timeout、read-back proof。

層	主要原始碼	故障時先看
App / WSGI	api/app_factory.py、api/wsgi_server.py、 magi_v3/gateway.py	port/listener、factory import、release ownership
Auth / CSRF	api/server_auth.py、api/authz.py、 api/csrf_guard.py	401/403、session、origin、CSRF token
Routing	api/routing/、api/pipelines/	intent、clarification、tool choice、no-guess gate
Tools	api/tools/*、api/tools_api.py	contract、timeout、async job、output envelope
Durability	api/durable_notifications.py、 api/durable_rate_limit.py	outbox、retry、dedup、delivery receipt

排查 500/502：先 localhost 健康 → listener PID → installed root → gateway log 安全尾端 → factory import。不要先重啟所有服務；若只是工具 worker 失敗，整體 gateway 重啟會中斷無關請求。

6. 排程、重試、checkpoint 與自然終局

CronService 不是單純 crontab：它有 lane、共享容量、same-job coalescing、pending occurrence、retry、business recovery、owner lock 與結果語意。command_sha 是排程定義身分；真正執行版本仍須看 owner PID 的 executable/argv/release root。

物件	語意	維修重點
v3_pending_occurrence	尚未完成或被 controlled shutdown 保留的 occurrence	不可手動刪；新 supervisor 會用新 definition 重建
v3_retry	結構化失敗後 bounded retry	reason/label/attempt/timestamp/occurrence 必須 exact
owner metadata	目前執行者與 lock 的公開身分	PID 活性 + argv + release root 一起驗
checkpoint	seq、last_progress、hash cache、partial staging	只讀安全欄；禁止輸出 case/path/token
terminal	chunk_completed 或 cycle_completed	fresh、cursor 正確、risk counters 全零

自然終局不是『整輪 221 案全部完成』才算：all-files 採公平單案 chunk；before→after=before+1 即可成為 fresh terminal，最後一案才 total-1→0。但必須同時 case_complete=true、checkpoint seq/hash cache>0、pending/partial/storage/collision/errors 全零。

rc641 大型上傳修復：NAS→Drive 的單檔與單輪上傳安全上限提高為 3 GB，仍使用 8 MiB resumable chunks、30 GB 磁碟門檻與 no-overwrite/no-delete 契約。執行器會先判斷單檔上限，再套用本輪 byte budget；因此超限第一檔會留下 deferred_large_file 的精確原因，不會再形成 0 attempted + stopped_by_bytes 的無效重試。排查時比較 large_upload_deferred、stopped_by_bytes、attempted/bytes 與 checkpoint cursor；不要手動清除 pending/retry。

7. 法扶派案、附件、開辦與報結

法扶流程分為 Gmail 事件分類、案件生命週期、portal 可下載清單、附件下載／歸檔、開辦、進度、報結。『審查結果／已轉入』只證明業務狀態，不證明附件已上架。

訊號	允許動作	禁止誤判
正式派案通知	解析案號/當事人/類型，進入建案與附件流程	接案意願或補充資料不可當派案
審查結果／已轉入	更新狀態；等待內文明示或 portal listing	不得直接標 needs_download
portal table 有該案	下載、驗證檔案、歸檔並回讀	row parse 失敗不可當空清單
portal empty	健康空清單，沒有待下載	與 timeout/relogin_failed 分開
達 retry 上限	轉人工確認並停止盲重試	不得只清 queue 讓紅燈消失

排查附件：先看 Gmail classification receipt → portal login/session → listing diagnostic → row count/parsed count → download receipt → NAS archive → business health。不要代使用者申請案件，也不要把『已轉入』信件當附件通知。

8. 閱卷、繳費憑證、下載與簽章對帳

閱卷採雙側簽章對帳：入口 expected signatures 與本輪 processed + verified-existing handled signatures 必須同一 canonical schema。只看數量 7/7 不夠，因為可能是不同 7 件。

欄位	規則
portal_downloadable_count	type 必須是非 bool int 且 >=0
expected/processed/verified/handled lists	lowercase 64-hex、排序、唯一；raw 必須等於 normalize 後結果
declared handled	精確等於 processed U verified-existing
accounted	只在雙側 contract 有效時算 expected ∩ handled
success	expected handled、非 deferred、底層 success=true

繳費憑證去重需綁『案件 + 閱卷事件 + 檔案 SHA』的私密 registry；同案不同閱卷時間不可互相跳過。若上傳佇列卡住，先查 portal lock owner 是否仍活著；合法 owner 就等待，foreign/stale 才依程序處理。

9. 案件、NAS、Google Drive 與雙邊映射

Drive 同步的安全原則：case identity 先解析、規劃與執行分離、任何本機內容比較都走 fingerprint-bound checkpointed hash、寫入前再驗來源、絕不以路徑相似取代內容證據。

階段	主要程式	證據／停止條件
列舉	scripts/drive_case_sync_worker.py	worker_kind=all_files、exact command
案件解析	api/osc/drive_case_sync.py	alias/exclusion/identity guard
規劃	build_file_sync_plan	zero-write on pending/collision/storage
內容比較	_checkpointed_local_md5 + DriveFileCheckpoint	fingerprint/cache/deadline
執行	download/upload no-overwrite	before/after stat、partial sidecar
終局	worker status + outcome gate	fresh cursor、cache>0、risk=0

映射錯誤處理：先區分同一來源 ID、相同 checksum/size、可 hash 的 NAS alias、不可 hash 的 Drive native file。只有證據足夠才能自動合併；distinct native IDs 無內容 proof 時維持 collision，不能猜。

10. OSC、日曆、待辦、帳務與債務文件

OSC 是案件管理與業務資料的整合面，並非單一檔案。案件、檔案、日曆、待辦、帳務、債務文件各有 domain 與 blueprint；跨域動作要先確認 canonical case identity。

功能	入口 / domain	外部邊界	完成證據
案件	api/blueprints/osc_cases.py、 api/osc/case_intelligence.py	MariaDB/NAS	read-back case/card
檔案	osc_files.py、document_reuse.py	NAS/Drive	hash + case identity
日曆待辦	osc_gcal.py、calendar_event_time. py、calendar_sources.py	Google Calendar	event id + semantic audit
帳務	osc_accounting.py、 accounting_sheet_import.py	sheet/DB	import summary + monthly bonus
債務文件	osc_debt.py、debt_document_gen erator.py	DOCX/PDF templates	required checklist + download proof

日曆故障優先檢查 token health、source mapping、timezone/期限解析、duplicate semantic key。不要直接刪 Google event；先由 audit 證明重複並使用專用 reconciliation。

11. PDF、OCR、筆錄、翻譯與知識庫

文件鏈通常是：取得來源 → identity/lock → OCR/文字層 → 命名/分類 → 書籤/版面 → 寫入新檔 → reopen/read-back → receipt → index。任何一步失敗都不得覆蓋原檔。

能力	原始碼	常見故障
PDF 命名	skills/pdf-namer/*	OCR 空、case mapping、state path、watcher 重複
PDF 書籤	skills/pdf-bookmarker/*	邊界、label、large volume
OCR	skills/engine/ocr/*、nas_pdf_ocr_worker.py	backend unavailable、queue lock、低品質
筆錄	transcript-downloader/indexer、forensic verifier	partial retry、portal empty、filename identity
翻譯	skills/translator/*、heavy_translation_quality_live.py	模型 provenance、術語、長文降級
知識庫	skills/memory/、obsidian/、judicial cache	重複、stale index、來源缺證

排查順序固定為 source bytes → parser/OCR → canonical identity → target lock → write temp → verify output → atomic replace。若只有畫面預覽成功而無 reopen/receipt，不能視為完成。

12. 公開創作工具：Cookie Cutter 與影片工作室

Cookie Cutter 僅接受 bounded image upload，於隔離子程序內建立 STL/ZIP。端點有尺寸、速率、timeout、RSS、child reap、ZIP parent 與幾何 attestation。LIVE 驗證只能用 synthetic 或使用者明確授權且 SHA 精確的本機圖片；不得持久化、不得外送。

步驟	檢查
輸入	格式、像素、multipart byte 上限、SHA
輪廓	去噪、平滑、封閉、最小特徵厚度
幾何	wall/base/height 尺寸、mesh manifold、non-empty
封裝	ZIP 唯一預期 member、parent/resource attestation
資源	20 秒、384 MiB、2 slots；setrlimit 失敗即拒
隱私	no persistence、no external、固定安全錯誤

粗糙成品先判斷是輸入鋸齒、輪廓 simplify 過強、平滑不足、列印切片參數或 STL 非 manifold。應用多個自製圖做一致性測試，而非只對單一圖片調參。

影片工作室位於同一個免登入的公開創作分類，但公開只表示不要求 MAGI 帳號，不代表解除安全邊界。它可接受 1~5 份本機圖片或短影片，也可只用文字分鏡。使用者的中文剪輯命令必須先被解析、回顯並確認；生成端會重新計算 edit-plan SHA，避免畫面說已理解、實際卻套用別的設定。不接受外部 URL，也不啟用上游更新器、CapCut 或發布平台。

影片階段	契約
來源	video-autopilot-kit v0.21.1、固定 commit、MIT；只封存 portrait normalizer
素材	JPG/PNG/WebP/MP4/MOV；1~5 份、單檔 24 MiB、multipart 合計 64 MiB；magic bytes 後再以 Pillow/ffprobe 解碼驗證
命令	先回顯順序、轉場、運鏡、音訊四欄；未知、衝突、plan SHA 漂移一律拒絕，素材與文字模式使用同一計畫
字幕	Pillow 產生繁中透明 PNG，避開本機 ffmpeg 缺少 libass 的能力差異
資源	JSON 16 KiB、multipart 64 MiB、2/min、單一並行、70 秒、每程序 1.5 GiB、CPU/NOFILE 限制
程序	spawn child + 獨立 process group；逾時 SIGTERM→SIGKILL→wait→absence proof
輸出	唯一 H.264 1080×1920 video + AAC audio、6/9/12 秒、30 fps、逐幕畫質取樣與 bytes/SHA/ffprobe read-back
隱私	O600、O_EXCL/O_NOFOLLOW 暫存；工作目錄只活在單次 request，回傳或失敗後刪除，不外送、不自動發布

若影片端點失敗，先讀固定 error code：輸入錯誤回 400/413；節流或忙碌回 429；engine、timeout、資源或 cleanup 失敗回 503。不可把公開端點的 engine 失敗誤當成外網/Gateway 全線故障。

13. 本機模型、資源閘門與降級策略

模型	角色	啟用條件
gemma-4-e4b-it-4bit	stable_local	registry allowlist
gemma-4-26b-a4b-it-4bit	heavy_local_moe	min_disk_free_gb=70; min_free_plus_inactive_gb=8; max_swap_used_gb=20; allowed_resource_levels=['normal']; require_model_live=True
gemma-4-12B-it-4bit	day_primary_local_unified	runtime_overlay=gemma4-unified; wrapper=~/.omlx/bin/omlx-gemma4-unified-serve; min_disk_free_gb=80; min_free_plus_inactive_gb=8; max_swap_used_gb=20; allowed_resource_levels=['normal']; require_model_live=True; require_tool_call_gate=True
gemma-4-31b-experimental	experimental_dense_local	registry allowlist
modernbert-embed-4bit	embedding_local	registry allowlist
Phi-4-mini-instruct-4bit	verify_sidecar	registry allowlist
SmolLM3-3B-4bit	crosscheck_sidecar	registry allowlist
nvidia-nim-heavy-non-china	cloud_heavy	registry allowlist

E4B 是穩定降級，不等於必然故障。26B/12B 需要 model live、磁碟、free+inactive、swap、resource level、overlay/tool gate 同時安全。強迫大型模型在 24GB unified memory 啟動可能讓整機 swap/OOM，反而使所有功能紅燈。

排查：model registry → active model probe → resource view → choose_model_for_request → decision_summary。只有先清理經核准的 cache/evidence 垃圾並恢復資源後，才重新評估升級；不得刪 immutable release、最新 rollback 或唯一 evidence。

14. 通知、外網入口、TG/Discord 與安全邊界

通知與外網是最後一公里，功能本體成功不等於訊息已送達。durable outbox、provider response、delivery receipt、Funnel/route health 必須分開。

通道	程式	排查
Telegram	api/webhooks/telegram.py、durable_notifications.py	token health、topic/channel、outbox、provider error
Discord	api/discord_bot.py	supervisor child、gateway intent、rate limit
LINE compatibility	api/line_compat.py	legacy route、auth、delivery response
Funnel/Tailscale	tailscale_funnel_healthcheck.py	public URL、local upstream、no-store、TLS
Gmail/Drive/Calendar	各專用 OAuth client	token refresh、scope、canonical credential path

外網斷線時不要把所有業務功能判成失敗；應呈現 upstream_unavailable/waiting，保留 durable work，恢復後 bounded retry。驗證時不可將 token、URL query secret 或 provider raw body 寫入公開 receipt。

15. Menubar、NERV、Doctor、Guardian 與紅燈語意

層	回答問題	原始碼
Business health	業務結果是否真的完成？下一步是什麼？	business_module_live_check.py、business_readiness_snapshot.py
Function health	route/skill/contract 是否可用？	function_health_index.py
Doctor	程序、埠、依賴、磁碟、模型、launchd 是否正常？	scripts/magi_doctor.py
Guardian	能否做安全的自動修復？	magi_self_repair_guardian.py
NERV/Menubar	如何向人類呈現 ok/waiting/degraded/attention/failed？	health_presentation.py、magi_menubar.py
Process monitor	核心、真實 worker、孤兒 ancestry、持續殭屍與重複群組是否一致？	magi_v3/process_monitor.py → web_runtime.py / magi_menubar.py
Funnel	外部入口是否到達正確 release？	tailscale_funnel_healthcheck.py

紅燈不是『請重啟』；先讀 reason_code/next_action/evidence age。waiting 表示系統有安全續作路徑；attention 表示需人類資料或入口處理；failed 才是本輪終局失敗。不得為消紅燈而刪 state。

Golem/MENUBAR 共用的程序語意

欄位	唯一正式定義	常見誤解
core_count	非 shell -c 包裝、命中 daemon REAPER_NEVER_KILL 的實際程序	命令文字提到 server.py 不代表真核心
worker_count	argv0 是 Python/PyPy 且命中專用 worker script 的非 Z 程序	zsh -lc 內文含 action.py 不算 worker
orphan_count	真 worker 的 ancestry 在遇到 canonical supervisor/cron/core 前先抵達 PID 1 或斷鏈	只看 worker 直接 PPID 會漏掉 orphan shell 下的 child
zombie_count	MAGI 程序樹內同一 PID/PPID 的 Z state 持續至少五秒	瞬間 exit→wait 不亮紅燈
duplicate_groups	真 worker 的完整 command 完全相同且同時超過一個	launcher 與 child 命令不同，不是假重複
anomaly_count	孤兒 PID 與殭屍 PID 的聯集，再加 duplicate group 數	這是異常項目，不是所有程序總數

兩個 UI 都必須呼叫 magi_v3.process_monitor.collect_process_monitor()；任何一端自行重新解讀 ps 都視為回歸。讀取失敗必須顯示 attention，不能以零項假綠。

16. 狀態、鎖、owner、收據與證據鏈

MAGI 的狀態檔分三類：mutable runtime state、owner/lock metadata、immutable evidence。前兩者會變，最後一類只能新增。任何 validator 都要防 symlink、非 regular file、未知欄位、bool 冒充 int、舊 receipt、錯 transaction、copied JSON。

資料	允許操作	禁止
owner/lock	只讀核 PID/exe/argv/root；owner 退場後由官方 cleanup	手動 rm、看到 PID 就 kill
checkpoint	讀 safe counters；由 worker atomic write	改 seq/cursor/cache 造成功
cron state	官方 scheduler/marker API	直接編 JSON、清 retry/pending
receipt	exclusive/atomic、hash-bound、append-only	覆寫舊成功、混用舊 release
active marker	ActivationTransaction	手動改 symlink/JSON

17. 不可變發行、LIVE 切換與自動回滾

正式發布鏈：clean source → changed-module source gate → sealed bundle/privacy → host-outer full quality（同一 immutable inputs 僅一次）→ backup/actual restore/independent restore → static stage/restore → install inactive → render/audit → private prepare/formal-chain → wrapper review → cutover → core post。business/function/Doctor/guardian/Funnel/Drive/portal/MCP/benchmark 改為獨立背景 receipt，不得串成單一全域同步 gate。

切換必須在 rollback envelope 內：驗 old release 與 durable work eligibility；停 supervisor 並 quiesce；保存 old bytes；安裝/啟動新；active marker atomic commit；post/health 失敗就 cleanup candidate、restore old、start old。不得再次執行已成功的 live_upgrade。

工件	保證
release-manifest / COMPLETE	sealed source 的逐檔身份
formal-chain	32 個品質/備份/static/install/prepare/rollback artifacts
deploy manifest	角色、plist、installed root、external inputs
active marker	唯一 active release + transaction
post receipt	Web/Funnel/STL/legacy absence
health receipt	business/function/Doctor/guardian/Funnel
Drive outcome	fresh terminal/cursor/hashcache/zero risk

18. 備份、還原、災難復原與 GitHub 保存

備份不是只有 tar 成功：要做 actual restore drill 與 independent restore，並確認 DB、static receipt、active marker、plist、mutable state 的 byte/schema。回滾材料必須在切換前封存，不能在失敗後臨時從 candidate 猜。

GitHub 是版本保存與協作，不是 LIVE runtime 備份。公私庫都不存 token、Cookie、案件內容或 runtime DB；私庫原 MAGI-v2 已原地更名 MAGI-v3，歷史保留。發布分支保存 privacy-filtered source、手冊與不可逆雜湊。

災難復原順序：停止寫入 → 封存現況 evidence → 驗備份 SHA → isolated restore → schema/integrity check → 啟動單一 release → health → 恢復排程；不得直接把舊 DB 複製到正在寫入的 runtime。

19. 測試、品質閘門與驗證器加速

測試分層：unit → contract → adversarial/fail-closed → offline integration → isolated LIVE → maintenance cutover → post-cutover。執行邊界再分成「同步核心 gate」、「變更模組 gate」與「獨立背景健康」。驗證慢的主因是同一 nodes 在 focused/formal 重跑，或把外部網路、portal lock、Drive 長任務與 daily benchmark 錯串成整版 gate。

變更風險	最低驗證
純文件	render/links/privacy/audit
純 presentation	formatter tests + payload adversarial + business snapshot
業務 parser/receipt	focused full file + schema negatives + PII scan
外部寫入	no-write synthetic + idempotency + read-back + rollback
scheduler/Drive	owner/occurrence/retry/checkpoint/cursor/terminal adversarial
deploy/cutover	fresh full chain + independent review + LIVE post/health

加速原則：測試選擇 manifest 化、nodeid 精確；promotion precheck 不得重跑 formal manifest 已覆蓋的 node。formal PASS 只有在 source commit、release/suite manifests、runtime、nodeids、test-source hashes、resource policy 與 runner SHA 全部 byte-identical 時才能沿用；任一變動即重驗。Seatbelt child rc71 改由 host-outer runner，不能跳過 sandbox。

20. 故障排查總則與決策樹

看到紅燈 / 失敗

- |— active release/transaction 不符? → 停止, 先修 deployment binding
- |— owner 正在跑?
 - |— canonical owner → 讀 checkpoint, 等待自然 terminal
 - |— foreign/stale → 精確核 PID/PGID/argv, 再走受控終止/rollback
- |— receipt stale/缺失? → 查 owner/job terminal, 不可複製舊 receipt
- |— reason=waiting/degraded? → 查 next_action 與資源/入口, 非立即故障
- |— external unavailable? → 保留 durable state, 修 token/network/portal
- |— risk/pending/collision>0? → 查 identity/hash/storage, 不可強行清零
- |— source exception? → 建新 commit + focused/adversarial + fresh release

每次事件建立一張維修紀錄: 時間、active release、觸發、使用者症狀、owner、safe counters、第一個可信錯誤、採取動作、read-back、receipt SHA。禁止記錄案件內容、路徑、token。

21. 分功能排查與排除手冊

服務無法開啟

1. 讀 active marker/transaction
2. lsof 查 5002/5003/8088 owner
3. launchctl print 三角色
4. 核 executable/working directory
5. localhost health
6. 只重啟故障角色；若 binding 錯走 rollback

Drive 長時間 running

1. 核四 owner metadata
2. 確認 canonical worker argv/root
3. 讀 seq/last_progress/hash cache/staging bytes
4. 有進度就等待
5. 無進度查 storage/token/deadline
6. owner 退場後才跑 outcome gate

法扶附件紅燈

1. 確認郵件類型不是單純已轉入
2. 查 portal session/listing status
3. table/empty/timeout 分流
4. 核 retry 上限與 deadline
5. 下載後驗 archive receipt
6. 人工確認案修資料或登入，不清 queue

閱卷 7/0

1. 讀 expected receipt
2. 讀 handled receipt
3. 比較 signature set hash/fingerprint
4. 找 result/result_text/row revision
5. 重跑 canonical probe
6. 雙側 exact 才標綠

Cookie STL 粗糙或斷壁

1. 核原圖解析度/鋸齒
2. 跑 seeded synthetic 外框與內圖案
3. 驗 float32 serialized mesh
4. 驗單一連通殼與頂層2條封閉環
5. 確認輪廓誤差 ≤ 0.15 mm及最小特徵

6. 實際 slicer 預覽
7. 不以單張特例降低安全 gate

判決趨勢候選未納入／官方連結不可用

1. 確認第一階段 query 以案由發現候選
2. 逐筆讀 exclusion_codes/exclusion_reasons，不可用靜默 continue
3. 核官方 JID、FJUD URL 與 URL 內 JID 是否一致
4. 核全文長度、主文、簽署區、附表與判決日期
5. 以簽署區比對 requested/actual 法官並明列差異
6. 用民國年月日選單重現日期篩選；通過者才納入統計

實務見解夜間數量不足

1. 先區分 source_remaining 與 local backlog
2. 若 source remaining>0 且本機 pending=0，應為 SOURCE_PULL_CATCHING_UP 而非全綠
3. 核既有 daily crawl 的 bounded MCP gap fill 是否啟用
4. 逐筆只接受官方 JID/URL/全文交叉驗證
5. 丟棄 provider summary，從官方全文重建 source-bound summary
6. 核 provider daily remaining 與預估完成天數，不把 scheduler selection 當 provider 額度

E4B 降級

1. 查 active models
2. 查 disk/free+inactive/swap/resource level
3. 確認 12B/26B gates
4. 只清可刪 cache/evidence
5. 重新 model probe
6. 仍不足就保留降級，勿硬啟動

TG/外網故障

1. localhost 功能先驗
2. token health
3. outbox pending
4. provider DNS/TLS/response
5. Funnel upstream/no-store
6. 恢復後 official retry，不直接重送未知副作用

磁碟不足

1. 先列分類與最後使用時間
2. 保留 active/rollback/latest evidence
3. 刪已核准 A/B/C cache、舊 worktree、render temp
4. 重算 free space
5. 跑 model/resource/health

6. 留下清理 receipt

Golem/MENUBAR 程序數不一致

1. 確認兩端 active release/transaction 相同
2. 讀 shared summary 的 orphan/zombie/duplicate/anomaly
3. 以 ps 核 PID、PPID、PGID、stat、actual worker argv
4. 沿 parent chain 找 canonical supervisor/cron/core
5. shell -lc launcher不可當 worker，Z 必須持續五秒
6. 修 shared classifier 並跑兩端 summary equality，禁止只改 UI 文案

HTML 手冊表格文字被遮住

1. 用實際瀏覽器在 1440px 與 390px 重現
2. 量測 document/table/cell 的 clientWidth 與 scrollWidth
3. 確認 table-layout、min-width、overflow-wrap、word-break
4. 修 generator 而非直改 generated HTML
5. 重建 HTML/PDF/manual_assets
6. 要求所有表格 overflow=0 且 clipped cell=0

22. 已知故障、根因、修復與防回歸

以下登錄表是維修時最重要的防回歸知識。『修復』不代表可以刪掉 guard；相反地，對應 negative tests 必須永久保留。

F-001 | Codex 內 formal test 立刻 rc71

- 根因：Codex 已在 Seatbelt 內，再建立第二層 macOS Seatbelt 失敗；測試入口甚至未執行。
- 修復：改由 host-outer hash-bound runner 執行；不得把 rc71 當產品測試失敗，也不得弱化 Seatbelt gate。
- 驗證：runner receipt 必須 exact/full、marker 存在、source/manifest SHA 相符。
- 原始碼／證據：scripts/v3_release_gate.py；formal runner evidence

F-002 | Gateway 回應約 6 秒，shell 正常

- 根因：三角色一律綁 launchd Background QoS，使 HTTP gateway 被降優先。
- 修復：gateway=Interactive，control/supervisor=Background；cookie 子程序資源上限不變。
- 驗證：rendered plist 三角色 ProcessType 精確，gateway LIVE 延遲與資源界線均通。
- 原始碼／證據：scripts/v3_deploy_prepare.py

F-003 | Drive checkpoint phase=scan_plan 且 hash cache=0

- 根因：duplicate/same-content 兩條路徑直接 local_file_md5，繞過 DriveFileCheckpoint，deadline 又被 generic except 吞掉。
- 修復：全部共用 checkpointed MD5；DriveCaseSyncDeadline 先行 re-raise；fingerprint 變更才重算。
- 驗證：二次規劃零新增 MD5、cache>0、deadline 不前進 cursor。
- 原始碼／證據：api/osc/drive_case_sync.py；magi_v3/drive_file_checkpoint.py

F-004 | 大量 semantic collision 但沒有內容證據

- 根因：NAS alias 沒有 MD5，僅因 NFKC/casfold 同桶便被當成真衝突。
- 修復：對 local bucket 使用 bounded checkpointed MD5；同內容選 deterministic representative，異內容才保留人工確認。
- 驗證：同內容解衝且 cache>0；異內容、native distinct-ID 仍 fail closed。
- 原始碼／證據：api/osc/drive_case_sync.py

F-005 | local hash/storage 失敗後仍可能規劃寫入

- 根因：duplicate lookup 回傳 local_hash_failed，但後續 download/upload planning 未被一併抑制。
- 修復：集中 suppress_case_write_actions，清空下載/上傳 action 並固定 cursor；retryable 與 hard failure 分流。
- 驗證：timeout/storage/hard error 均零 transfer；partial failure cursor 不前進。
- 原始碼／證據：api/osc/drive_case_sync.py

F-006 | Drive outcome gate 對假資料放行或對真 terminal 誤拒

- 根因：validator 使用 subset、int(bool)、虛構 aggregate failed，且未綁 canonical status/worker/cron。
- 修復：exact schema、strict non-bool int、真 chunk/cycle cursor、canonical path、worker/snapshot/command 三重綁定。
- 驗證：unknown/raw/bool/jump/early wrap/old release 全拒；真 terminal 通過。
- 原始碼／證據：evidence drive_outcome_gate；scripts/drive_case_sync_worker.py

F-007 | 每兩分鐘 Drive running，LIVE preflight 永遠等不到 idle

- 根因：preflight 在 supervisor 停止前要求 Drive idle，與高頻排程形成活鎖。

- 修復：切成 pre-quietse 身分驗證與 supervisor unload 後 post-quietse gate；由既有 rollback envelope 保護。
- 驗證：original cleanup→post gate→install；失敗 restore/start old；不直接 kill child。
- 原始碼／證據：scripts/v3_cutover/*；release live wrapper

F-008 | 安全的 Drive owner 被誤判 foreign

- 根因：ps command 字串會破壞含空白 argv；lsyf 有多個 ftxt；wrapper exec 後三層 wrapper 不再出現在 argv。
- 修復：KERN_PROCARGS2 結構化 argv + 嚴格 lsof first ftxt；由 sealed cron 最後 -- 推導 exact worker argv。
- 驗證：實況 owner argc/worker/release 通過；missing/reorder/extra/foreign 全拒。
- 原始碼／證據：release live wrapper；skills/ops/cron_scheduler.py

F-009 | 排程 handoff 因固定 occurrence/reason tuple 被拒

- 根因：evidence wrapper 寫死某次 occurrence，並把 storage rc0 誤綁 process_interrupted/143。
- 修復：動態封存當下 exact occurrence digest；依 sealed business recovery labels 驗證 reason，支援合法 storage_recovered 派生票。
- 驗證：ID 輪替、raw extra、錯 label、bool rc 拒；current storage tuple 通。
- 原始碼／證據：magi_v3/business_recovery.py；skills/ops/cron_scheduler.py

F-010 | 閱卷入口 7 件、驗證 0 件

- 根因：raw result 與 public result_text 選取順序不同；renderer 文案差異造成簽章不一致。
- 修復：canonical content marker 改為 result_text→result→row_text；雙側 canonical signature 對帳。
- 驗證：result 同義欄相等、真正 revision 變更必換簽章。
- 原始碼／證據：magi_v3/file_review_receipts.py

F-011 | 閱卷 invalid/duplicate/uppercase hash 仍顯示成功

- 根因：normalize 後才驗，靜默丟棄非法元素；handled declared list 未被精確驗證。
- 修復：四個 raw list 必須等於 normalized；handled=processed U existing；count strict int。
- 驗證：invalid extra、duplicate、uppercase、non-list、bool/negative count 全拒。
- 原始碼／證據：skills/file-review-orchestrator/action.py

F-012 | 沒有待下載檔案卻顯示上輪失敗

- 根因：健康層把 0/0 reconciliation 或待確認狀態解讀成失敗，Menubar 優先級不正確。
- 修復：attention 優先，合法 zero receipt 顯示正常；未知 reason 固定安全文案。
- 驗證：ok+0/0 正常；不完整 receipt 維持紅燈。
- 原始碼／證據：scripts/ops/business_readiness_snapshot.py；gui/magi_menubar.py

F-013 | 法扶『已轉入／審查結果』被誤認已有附件

- 根因：只看主旨，未區分審查結果通知與入口實際可下載清單。
- 修復：審查結果主旨本身 needs_download=False；須由內文明確指示或官網 listing 證明。
- 驗證：空 listing 與 listing timeout 分離；無附件不得盲重試/建案。
- 原始碼／證據：laf_automation_v2.py；laf_portal_new_files_scan.py

F-014 | 法扶附件重試超上限仍盲跑／紅燈無解

- 根因：業務狀態把 portal 尚未上架、登入失效、資料錯誤混為同一 retry。

- 修復：期限內 bounded retry；達上限轉人工確認；登入/入口/案件資料分開呈現。
- 驗證：每案 next action 明確；人工確認案不繼續盲試。
- 原始碼／證據：[scripts/ops/laf_portal_new_files_scan.py](#)；[business_module_live_check.py](#)

F-015 | 繳費憑證顯示已上傳過但其實是不同閱卷

- 根因：去重鍵曾過度依賴案件或舊 receipt，未綁精確 payment event。
- 修復：只接受 exact v2 payment event + 檔案 SHA 的 canonical 私密 registry；輸出只留 opaque digest。
- 驗證：不同事件不得互相跳過；同一事件重送才 idempotent。
- 原始碼／證據：[file-review payment registry / evidence payment gate](#)

F-016 | Cookie Cutter 表面粗糙、外壁斷點，或只有封閉外框時被拒絕

- 根因：舊契約只驗每條邊恰有兩個面；數個各自封閉的碎片仍可能假扮 watertight。float64 建模通過後轉成 STL float32 也可能讓近鄰頂點合併而產生切片裂縫；0.35 mm 輪廓門檻亦可能肉眼可見稜角。
- 修復：封閉外框建立單一 annular cutter；外壁必須是單一連通實體，最高層恰一個連續面與兩條封閉邊界。STL float32 座標再驗一次 manifold / 方向 / 連通性；輪廓誤差收緊至 0.15 mm。只有與外框分離的內部圖案才建立鏡像 stamp，且同樣驗封閉頂面。
- 驗證：附圖凹形框實測 0.112995 mm、1 個頂面 / 2 條邊界；12 組隨機外框與內圖案、斷裂雙殼反例、薄線與空框全部通過。正式 runtime 的切模 / 端點 / 資源 / 路由聚焦回歸 73/73。
- 原始碼／證據：[api/blueprints/cookie_cutter.py](#)；[skills/cookie_stl/*](#)；[tests/test_cookie_stl.py](#)

F-017 | Cookie 子程序資源限制失敗仍繼續生成

- 根因：setrlimit ImportError/OSError/ValueError 曾 silent pass。
- 修復：child 回固定 resource_error，engine 不執行；parent 精確 IPC schema；finally reap。
- 驗證：engine_calls=0、無產品 bytes、child_reaped、leaks=0。
- 原始碼／證據：[api/blueprints/cookie_cutter.py](#)

F-018 | 文字推理顯示 E4B（預期 26B）

- 根因：不是單一故障；可能是磁碟、free+inactive、swap、resource level 或 26B 未 live 的安全降級。
- 修復：依 model registry gate 逐項檢查；清理經核准工程垃圾後重新 probe，不強迫載入導致 OOM。
- 驗證：decision_summary 明列 gate reason；26B 僅在全條件安全時啟用。
- 原始碼／證據：[api/model_router.py](#)；[config/model_registry.json](#)

F-019 | 健康紅燈只因 legacy lock dir 不存在而漏查 owner

- 根因：owner validator early return，未繼續掃 legacy PID。
- 修復：lock glob 可為空，但 legacy paths 必查；persistent owner/calendar owner 使用 exact schema/argv allowlist。
- 驗證：missing dir + live foreign PID 必紅；合法 persistent owner 綠。
- 原始碼／證據：[refresh_live_health evidence](#)；[scripts/ops/audit_operational_hardening.py](#)

F-020 | 健康 audit 被 inherited PYTHONPATH 指到 source/evidence

- 根因：subprocess 繼承 hostile environment，可能用錯版本。
- 修復：執行前綁 installed root、manifest、cron snapshot SHA，覆寫 cwd/PYTHONPATH/MAGI_ROOT。
- 驗證：hostile env 測試仍只載 installed rc release。
- 原始碼／證據：[release refresh_live_health wrapper](#)

F-021 | formal bundle privacy gate 因測試 fixture 絕對路徑失敗

- 根因：scanner 將測試中的 workstation-style literal 視為私有路徑。
- 修復：fixture 以 runtime concatenation 建構，仍測 absolute path 但不把私有 literal 放入 bundle。
- 驗證：fresh privacy gate violations=0。
- 原始碼／證據：tests/v3/test_change_scope.py；test_validation_router.py

F-022 | 測試工作樹產生 casper.log，focused gate 失敗

- 根因：api.orchestrator import-time handler 在 MAGI_AGENT_DIR 未隔離時落 root。
- 修復：測試明確綁 tmp agent dir；fixture 覆寫 hostile inherited env；source root 不產 log。
- 驗證：tracked/index clean、forbidden untracked=0。
- 原始碼／證據：api/orchestrator.py；tests/test_admin_runtime_blueprint.py

F-023 | post-cutover JPG 驗證無法執行

- 根因：wrapper 只綁 SHA，原始輸入 bytes 已不存在；視覺相似或重編碼不能替代。
- 修復：恢復 byte-exact 原檔後先驗 SHA，再僅送 localhost；缺 bytes 時維持 fail closed。
- 驗證：input SHA 精確、regular non-symlink、no persistence/no external。
- 原始碼／證據：post_cutover evidence；cookie endpoint

F-024 | GitHub 發布混入案件／手機格式資料

- 根因：即使私有 repo，也不應保存可逆個資或 runtime dataset。
- 修復：公私版都跑 strict audit；個資資料集排除；只保存不可逆 release hash 與文件。
- 驗證：public/private 0 errors、0 warnings；branch SHA 遠端核對。
- 原始碼／證據：scripts/public_release_audit.py；PUBLIC_RELEASE.json；PRIVATE_RELEASE.json

F-025 | Menubar 顯示紅燈但底層功能其實正常

- 根因：presentation 把 stale receipt、waiting、degraded、failed 混為同一文字。
- 修復：健康 state 與 next_action 分開；unknown reason 固定文案；attention 先於 ready。
- 驗證：同一 payload 在 CLI/JSON/Menubar 語意一致。
- 原始碼／證據：magi_v3/health_presentation.py；gui/magi_menubar.py

F-026 | Golem 顯示孤兒 1／背景工作 2，但 Menubar 顯示殭屍 0

- 根因：兩端各自掃 ps 且定義不同；Golem 用 command substring + PPID=1，把含 worker 路徑的 zsh -lc launcher 誤算成 worker，Menubar 只看持續 Z state。
- 修復：新增單一 magi_v3.process_monitor：只認 actual Python worker，沿 ancestry 判斷有無 canonical MAGI owner，孤兒／殭屍／重複採同一 schema；兩端只作呈現。
- 驗證：rc600 zsh + Python 父子形狀只算 worker1/orphan1；managed ancestor 為 orphan0；五秒殭屍、duplicate、read failure 與兩端 summary equality 均有回歸。
- 原始碼／證據：magi_v3/process_monitor.py；api/blueprints/web_runtime.py；gui/magi_menubar.py；tests/test_process_monitor_unification.py

F-027 | 判決趨勢 MCP 候選未納入，但畫面沒有說明理由

- 根因：舊流程在結構或篩選條件不符時直接 continue；本機缺本文又會把外部候選一律擋掉，使用者無法分辨是法官、法院、案由、日期、簽署區、主文、附表或來源驗證哪一關失敗。

- 修復：每個 MCP 候選都保留公開安全的 `exclusion_codes/exclusion_reasons`；法官不符會列 `requested` 與簽署區實際法官。MCP 只有在官方 JID、`judgment.judicial.gov.tw` 網址、網址內 JID 與完整全文全部交叉驗證後，才可補足本機本文並參與統計。有效 JID 一律連穩定裁判頁；日期可用民國年／月／日選單並由後端正規化重驗。
- 驗證：指定 PCDM,114,侵訴,59,20260812,1 與隨機法官名冊 + 案由 LIVE 抽查；納入者須有官方全文 `proof`；未納入者須逐筆列出原因；錯 JID／網址、短本文、未簽署法官、缺主文或日期不符均 `fail closed`。
- 原始碼／證據：`api/domains/judgment_official_source.py`；`api/sentencing_trends.py`；`api/osc/taiwan_legal_mcp.py`；`templates/sentencing_trends.html`；`tests/test_sentencing_trends.py`

F-028 | HTML 維修手冊的表格在手機上像是把右側文字吃掉

- 根因：表格以 `display:block` 加每欄最小 120px 呈現，實際內容寬度最高 601px，但 390px 視窗只有 317px 可視寬度。
- 修復：改為 `fixed-layout` 整表；儲存格、連結與 `code` 允許 `anywhere/break-word` 安全換行，取消欄位最小寬度，窄螢幕再縮小字體與 `padding`。
- 驗證：以實際瀏覽器分別量測 1440px 與 390px：24 張表格的 `body overflow`、`table overflow`、`clipped cell` 均為 0；PDF 268 頁目錄與代表性表格頁可讀。
- 原始碼／證據：`scripts/docs/build_magi_encyclopedia.py`；`tests/test_web_information_architecture.py`

F-029 | Drive owner 實際從 `evidence/release-staging` 執行，LIVE preflight 拒絕

- 根因：`production deploy` 的 `plist` 已綁 `canonical installed root`，但 `cron snapshot renderer` 仍使用呼叫端 `staging root`，導致排程啟動驗證暫存版本。
- 修復：`production` 模式的 `cron snapshot` 一律以 `canonical binding_root` 渲染；候選 `release-staging` 只供封裝與驗證，不得成為正式 `process command`。`owner validator` 維持 `fail closed`，禁止為了切版放寬。
- 驗證：部署測試逐一解析 `cron command`，要求所有程式路徑位於 `canonical installed release`、不得包含 `candidate/evidence` 路徑；LIVE 前以 `KERN_PROCARGS2/process argv` 回讀 `worker root`。
- 原始碼／證據：`scripts/v3_deploy_prepare.py`；`tests/v3/test_deploy_prepare.py`

F-030 | PDF 命名 `benchmark` 把摘要內的「第4條」誤當當事人

- 根因：舊驗證器使用無嵌套括號 `regex`。檔名外層是「當事人；摘要」，摘要內又有「（第4條）」時，`regex` 只取到內層法條。
- 修復：改用 `balanced outer-bracket parser`，保留最外層內容與 `group span`；嵌套摘要不再取代當事人。
- 驗證：真實 47 份 `benchmark` 的唯一失敗樣本重驗為有效；PDF-namer 相關 35 測試通過；99% 門檻未降低。
- 原始碼／證據：`skills/pdf-namer/naming_validator.py`；`tests/test_content_quality_hardening_rc390.py`

F-031 | 實務見解每天蒐集量不足，MCP 候選又因本機無本文被排除

- 根因：舊流程把本機 `mirror` 當成唯一全文信任根，外部候選即使帶官方 JID、司法院網址與全文，也只能當提示；每天排程只處理本機既有欠量，不能補官方全文來源。
- 修復：MCP 候選必須通過官方 JID／網址／全文交叉驗證，丟棄 `provider` 摘要，從全文重新產生 `extractive source-bound summary`，再沿既有實務可用性 `gate` 決定是否納入。既有每日裁判蒐集排程加入 `bounded MCP gap fill`，固定時間與每案由上限，輸出只留 `aggregate`。
- 驗證：錯 JID／URL、短本文、`provider summary` 污染、非官方來源、PII `query` 全拒；合法官方全文即使本機沒有 `mirror` 仍可形成 `verified_external_official_fulltext`。
- 原始碼／證據：`api/domains/judgment_flow.py`；`api/legal_research_quality.py`；`skills/judgment-collector/action.py`；`tests/v3/test_legal_research_quality.py`

F-032 | 夜間顯示 `backlog=0`，實際官方來源仍有大量未下載

- 根因：舊健康只算已落本機的 `pending wrapper`，且把 NVIDIA 96 輪 `scheduler selection` 誤當成每日 `provider` 額度，造成『本機沒有待做』與『來源已完整』兩種不同狀態被混為綠燈。失敗 `wrapper` 也曾被視為永久完成。

- 修復：夜間 pull 分別記 source_listed/completed/remaining；失敗 wrapper 可重試；若本機 backlog 為零但 source_remaining>0，健康顯示 SOURCE_PULL_CATCHING_UP。摘要回填分開呈現 scheduler selection capacity、provider daily limit/used/remaining，估算以真實每日額度。夜間 TLR-smart 只在固定窗口提高至 1200 筆、5 天、4800 秒，仍受權威時段與資源 gate 約束。
- 驗證：來源尚欠量不得假綠；重跑失敗 wrapper 必須成功寫入後才增加完成數；provider 24/day 不得顯示 3072/day；外部 API 非服務時間保留 durable debt，不偽造成功。
- 原始碼／證據：skills/judgment-collector/action.py；scripts/ops/check_judicial_api_pipeline.py；scripts/ops/judgment_summary_staged_backfill.py；api/domains/judicial_api_policy.py

F-033 | 指定判決取得官方全文後仍因『主文無法辨識』未納入

- 根因：司法院將『事實』展平後可直接連全形匿名代碼，例如『事實 A 0 7 …』；舊主文邊界只允許少數漢字編號，把合法官方全文誤判為 main_section_unrecognized。同時本機 MCP 可選 runtime 實際未安裝，遠端搜尋又遭 WAF 阻擋。
- 修復：主文 parser 改以結構性段落標題分界，接受全形匿名代碼但不放寬句內的一般『事實／理由』文字。本機 MCP 部署上游 immutable commit，保留法院篩選，並以 Playwright Chromium 只取司法院 WAF cookie；cookie 0600，瀏覽器不常駐。
- 驗證：PCDM,114,侵訴,59,20260812,1 實際全文驗證後，梁世樺為末位列名法官，主文刑度可統計且排除碼為空。官方 MCP 79/79；閱卷／筆錄／法扶安裝後 LIVE 20/20；Playwright cleanup 無殘留程序。
- 原始碼／證據：api/sentencing_trends.py；api/osc/taiwan_legal_mcp.py；tests/test_sentencing_trends.py；lawchat-oss/mcp-taiwan-legal-db

F-034 | NVIDIA 背景額度耗盡被誤報為排程失敗與健康紅燈

- 根因：新的 provider 授權層會回傳 background_heavy_authorization_budget_exhausted；舊週末彙整與 cron 結果政策只辨識 nim_daily_budget_exceeded/nim_background_budget_reserved，因此把可預期的每日額度耗盡重試到上限。
- 修復：將三種額度標記統一分類為 terminal schedule deferral；scheduler 啟動時以官方 reconcile 將既有同類失敗改列 deferred，不刪除證據、不假造成功，也不繞過每日額度。只有公開裁判全文可依使用者授權原文送 NVIDIA；案件、當事人檔案及閱卷／筆錄／法扶資料仍禁止外送。
- 驗證：三種 marker 都產生 deferred、零 false failure；真正 provider error 仍失敗。額度恢復後由正式排程續跑，健康層顯示等待額度而非功能故障。
- 原始碼／證據：scripts/weekend_resummary.py；skills/ops/cron_result_policy.py；tests/test_weekend_resummary_budget_semantics.py

F-035 | 影片範例單調，且顯示理解命令卻沒有真正套用

- 根因：第一版只用 synthetic 測試畫面；後續雖能產文字分鏡，但純文字路徑曾忽略已確認的倒序、轉場、運鏡與音訊設定。上游字幕範例又依賴本機 ffmpeg 未提供的 libass filter。
- 修復：改用 Pillow 產生繁中 overlay，允許 1~5 份 JPG/PNG/WebP/MP4/MOV 本機素材；中文指令先解析成 exact edit plan 並回顯，成片端點重算並比對 plan SHA。素材與純文字路徑都套用相同順序、淡化或直接切換、平滑或固定畫面、配樂或靜音。停用 updater、remote fetch、CapCut 與 publish；保留 CSRF、大小／速率／並行／deadline／RSS／process-group cleanup。
- 驗證：真實圖片、圖片 + MP4、純文字四控制與公開 endpoint 全數重編碼為 1080×1920 H.264/AAC；重新 ffprobe、逐幕畫質抽樣、素材集合／storyboard／plan／output SHA、暫存清除與 child absence 均通。
- 原始碼／證據：api/blueprints/video_studio.py；magi_v3/video_autopilot_adapter.py；templates/video_studio.html；tests/test_video_studio_blueprint.py

F-036 | 筆錄同步最後回傳 success=true、return code 0，排程仍顯示執行失敗

- 根因：同步器會把個別案件已捕捉且可重試的 traceback 寫入 stderr，舊 cron 結果政策只要看到 traceback 就覆蓋最後的結構化成功 receipt，將 partial_retry_pending 誤判為整體失敗。
- 修復：結果政策先驗證程序 return code 與最後一筆完整 JSON receipt；return code 0 且 receipt success=true 時，保留 partial／retry_pending 業務狀態但排程狀態為 success。非零 return code、未捕捉 traceback、缺 receipt 或 success=false 仍 fail closed。

- 驗證：production job_transcript_sync 於 active RC643/R75 完成：last_success=true、last_status=success、return code 0、error 空；真正失敗反例與 65 個 focused policy tests 仍通過。
- 原始碼／證據：skills/ops/cron_result_policy.py；tests/test_cron_result_policy.py；cron_state.json receipt

F-037 | active release 已是新版本，但 commercial readiness／release gate 仍讀 candidate 路徑或舊 release 證據

- 根因：production deploy renderer 已將 LaunchAgent 綁定 canonical installed release；舊 evidence compiler 卻仍要求 candidate root，造成同一個合法封裝同時被部署器接受、證據閘門拒絕。latest 相容 JSON 若未綁 active release，也會讓歷史失敗污染現行紅燈。
- 修復：Evidence compiler 在 production mode 驗 canonical installed root、release marker、manifest 與 candidate-equivalent immutable 0555 identity；release gate 重新計算 installed marker／manifest 並要求 deployment_mode=production。active-release pointer 才是 latest 真相，舊 JSON 僅為歷史投影。
- 驗證：canonical tamper、錯 release、錯 manifest、candidate/production 混綁全部拒絕；RC643/R75 最終 gate 14/14 GO，missing／failed／invalid 全空，原子切換後 active marker 與三角色 executable 均指向同一 installed release。
- 原始碼／證據：scripts/v3_evidence_compiler.py；scripts/v3_release_gate.py；tests/v3/test_evidence_compiler.py；release-gate-final-r3.json

F-038 | 網頁維修百科仍顯示 rc641，且過期驗證資料持續占用磁碟

- 根因：RC643 維修百科是在 R75 hotfix2 完成不可變封裝與切換後才提交；線上 /manual 只能讀 active package，因此仍沿用封裝內 rc641 allowlist 與資產。另有已被 r75 取代的 r60～r74 campaign／candidate 報告及逾期臨時驗證資料未依生命週期退役。
- 修復：建立 R75 docs-only 不可變維修封裝，將 /manual 四個固定 allowlist 資產更新為 rc643；不直接修改 installed release。清理器先解析 active marker 與 rollback 保護清單，只刪除明確版本／前綴、由本機帳號擁有且未被程序使用的 superseded 驗證樹，遇到 symlink、owner、scope 或 active identity 異常即 fail closed。
- 驗證：清理 receipt 證明永久移除 317 項、15,582,344,938 bytes；r59、原始 R75、hotfix2 與新文件封裝均保留。文件路由 focused regression、PDF 結構／頁面渲染、封裝 SHA、登入保護與切換後 LIVE /manual 檢查全部通過後才更新 active pointer。
- 原始碼／證據：scripts/docs/build_mag_i_encyclopedia.py；api/blueprints/dashboard_pages.py；magi_v3/manual_assets/*rc643*；cleanup receipt；post-cutover manual probe

23. 日常維修、升級與自主演進守則

安全維修流程：fork/branch → 重現 → 最小根修 → focused → adversarial → review → fresh release → backup/restore → prepare → authorized cutover → post/health/outcome → Git 保存。installed source 絕不熱修。

可以自主做	必須停手／需要額外授權
只讀診斷、local tests、source-only 修補、文件、建立未執行 wrapper	LIVE cutover、外部上傳/刪除、通知他人、清鎖、kill、改 cron/state
安全 cache/worktree 清理（已核准範圍）	刪 active release、rollback、唯一 backup、案件資料
健康重算與 PII-free report	用舊 receipt 假綠或手改 health JSON

自主演進只能提出可審查 proposal 或在既定 allowlist 內修復，例如清除自己建立且過期的 tmp；不能自行改法律業務判斷、合併案件、上傳文件、刪除遠端檔案或放寬驗證器。

附錄 A. 核心原始碼節錄與解讀

以下節錄是維修最常需要閱讀的核心邏輯；行號以 source commit 29222c40cd5f898f27670c13feb4c134c751bdb3 為準。完整檔案請沿不可變連結開啟。

magi_v3/gateway.py

位置：[magi_v3/gateway.py:205](#)

release ownership 驗證：把 gateway 綁到 exact installed release/manifest。

```
205 def validate_release_ownership(environ: Mapping[str, str]) -> ReleaseOwnership:
206     """Fail closed unless gateway and control share one declared release identity."""
207
208     if environ.get("MAGI_V3_ROLE", "").strip() != "gateway":
209         raise GatewayConfigurationError("MAGI_V3_ROLE must equal gateway")
210     release_id = environ.get("MAGI_V3_RELEASE_ID", "").strip()
211     if not _RELEASE_ID.fullmatch(release_id):
212         raise GatewayConfigurationError("MAGI_V3_RELEASE_ID is missing or invalid")
213     raw_path = environ.get("MAGI_V3_OWNERSHIP_MANIFEST", "").strip()
214     if not raw_path:
215         raise GatewayConfigurationError("MAGI_V3_OWNERSHIP_MANIFEST is required")
216     manifest_path = Path(raw_path).expanduser()
217     if not manifest_path.is_absolute():
218         raise GatewayConfigurationError("MAGI_V3_OWNERSHIP_MANIFEST must be absolute")
219     ownership_sha = environ.get("MAGI_V3_OWNERSHIP_MANIFEST_SHA256", "").strip()
220     payload = _json_object(manifest_path, ownership_sha)
221     if payload.get("schema_version") != 1 or payload.get("release_id") != release_id:
222         raise GatewayConfigurationError("ownership manifest release identity mismatch")
223
224     release_sha = payload.get("release_manifest_sha256")
225     env_release_sha = environ.get("MAGI_V3_RELEASE_MANIFEST_SHA256", "").strip()
226     if not isinstance(release_sha, str) or not _SHA256.fullmatch(release_sha):
227         raise GatewayConfigurationError("ownership manifest release hash is invalid")
228     if env_release_sha != release_sha:
229         raise GatewayConfigurationError("environment and ownership release hashes
differ")
230
231     rows = payload.get("roles")
232     if not isinstance(rows, list) or any(not isinstance(row, dict) for row in rows):
233         raise GatewayConfigurationError("ownership manifest roles must be a list of
objects")
234     by_role: dict[str, dict[str, Any]] = {}
235     for row in rows:
236         role = row.get("role")
237         if not isinstance(role, str) or role in by_role:
238             raise GatewayConfigurationError("ownership manifest contains invalid or
duplicate roles")
239         by_role[role] = row
240     if "gateway" not in by_role or "control" not in by_role:
241         raise GatewayConfigurationError("ownership manifest must declare gateway and
control roles")
242     gateway = by_role["gateway"]
243     control = by_role["control"]
244
245     expected = {
246         (gateway, "gateway", "com.magi.v3.gateway", [5002, 5003], _GATEWAY_DOMAINS),
247         (control, "control", "com.magi.v3.control", [8088], _CONTROL_DOMAINS),
248     }
249     for binding, role, label, ports, domains in expected:
250         if binding.get("release_id") != release_id or binding.get("label") != label:
251             raise GatewayConfigurationError(f"{role} ownership does not match the
declared release")
252         if binding.get("release_manifest_sha256") != release_sha:
253             raise GatewayConfigurationError(f"{role} ownership release hash mismatch")
254         if binding.get("ports") != ports:
255             raise GatewayConfigurationError(f"{role} ownership ports mismatch")
256         if not domains <= _string_set(binding.get("ownership_domains"), name=f"{role}
ownership_domains"):
257             raise GatewayConfigurationError(f"{role} ownership domains are incomplete")
258         declared_manifest = binding.get("ownership_manifest")
259         if not isinstance(declared_manifest, str) or Path(declared_manifest).resolve()
!= manifest_path:
260             raise GatewayConfigurationError(f"{role} ownership manifest path mismatch")
261
262     if environ.get("MAGI_V3_PORTS", "").strip() != "5002,5003":
263         raise GatewayConfigurationError("gateway environment must declare ports 5002,
5003")
264     env_domains = frozenset()
```

```

265     item.strip()
266     for item in environ.get("MAGI_V3_OWNERSHIP_DOMAINS", "").split(","):
267         if item.strip():
268             )
269     if not _GATEWAY_DOMAINS <= env_domains:
270         raise GatewayConfigurationError("gateway environment ownership domains are
incomplete")
271     return ReleaseOwnership(release_id, manifest_path, release_sha, gateway, control)
272
273

```

magi_v3/cron_service.py

位置 : [magi_v3/cron_service.py:80](#)

occurrence 與 timeout 的 deterministic 身分。

```

80 def _cron_occurrence_id(job: dict[str, Any], command_sha256: str) -> str:
81     supplied = str(job.get("_magi_occurrence_id") or "").strip().lower()
82     if len(supplied) == 64 and all(char in "0123456789abcdef" for char in supplied):
83         return supplied
84     due_at = str(job.get("_magi_due_at") or "").strip()
85     if not due_at:
86         # A due occurrence normally carries _magi_due_at. This fallback is
87         # used only by direct execution adapters and is propagated into every
88         # retry before the first process exits.
89         due_at = datetime.now().isoformat(timespec="minutes")
90     raw = "\0".join((str(job.get("id") or ""), command_sha256, due_at))
91     return hashlib.sha256(raw.encode("utf-8")).hexdigest()
92
93
94 def _cron_timeout_seconds(runtime_policy: Any, job: dict[str, Any]) -> int:
95     """Return the sealed policy timeout with narrowly-approved safety floors."""
96
97     configured = int(runtime_policy.cron_job_timeout(job))
98     floor = int(CRON_TIMEOUT_FLOORS_SECONDS.get(str(job.get("id") or ""), 0))
99     return max(configured, floor)
100
101
102 def _load_bound_cron_environment() -> None:
103     """Load the hash-bound V3 environment before any scheduled child starts."""
104
105     raw = os.environ.get("MAGI_ENV_FILE", "").strip()
106     if not raw:
107         return
108     path = Path(raw).expanduser()
109     if (
110         not path.is_absolute()
111         or path.is_symlink()
112         or not path.is_file()
113     ):
114         raise CronServiceError("MAGI_ENV_FILE is not a safe regular file")
115     expected = os.environ.get("MAGI_ENV_FILE_SHA256", "").strip().lower()
116     if expected:
117         digest = hashlib.sha256(path.read_bytes()).hexdigest()
118         if digest != expected:
119             raise CronServiceError("MAGI_ENV_FILE SHA-256 mismatch")
120     try:
121         from dotenv import load_dotenv
122     except ImportError as exc:
123         raise CronServiceError("python-dotenv is required for MAGI_ENV_FILE") from exc
124     if load_dotenv(path, override=False) is False:
125         raise CronServiceError("MAGI_ENV_FILE could not be loaded")
126

```

magi_v3/drive_file_checkpoint.py

位置 : [magi_v3/drive_file_checkpoint.py:72](#)

case/item token 、fingerprint 、proof 與原子 JSON。

```

72 def case_token(worker_kind: str, canonical_case_id: str) -> str:
73     return _digest("drive-case-v1", worker_kind, canonical_case_id)
74
75
76 def source_fingerprint(
77     *,
78     direction: str,
79     case_key: str,
80     locator: str,

```

```

81 size: int | None = None,
82 modified: object = "",
83 checksum: str = "",
84 opaque_source_id: str = "",
85 ) -> str:
86     return _digest(
87         "drive-source-v1",
88         direction,
89         case_key,
90         locator,
91         int(size or 0),
92         modified,
93         checksum,
94         opaque_source_id,
95     )
96
97
98 def item_token(*, direction: str, case_key: str, source_key: str) -> str:
99     return _digest("drive-item-v1", direction, case_key, source_key)
100
101
102 def proof_hash(*parts: object) -> str:
103     return _digest("drive-proof-v1", *parts)
104
105
106 def snapshot_hash(tokens: Iterable[str]) -> str:
107     clean = sorted({str(token) for token in tokens if _valid_digest(token)})
108     return _digest("drive-snapshot-v1", *clean)
109
110
111 def _strict_atomic_json(path: Path, payload: dict[str, Any]) -> None:
112     """Replace a private JSON file durably, including the containing directory."""
113
114     path = Path(path)
115     path.parent.mkdir(parents=True, exist_ok=True, mode=0o700)
116     try:
117         os.chmod(path.parent, 0o700)
118     except OSError:
119         pass
120     tmp = path.with_name(f"{path.name}.{os.getpid()}.tmp")
121     data = (json.dumps(payload, ensure_ascii=False, sort_keys=True, indent=2) + "\n").
encode(
122     "utf-8"
123 )
124 fd = os.open(tmp, os.O_WRONLY | os.O_CREAT | os.O_TRUNC, 0o600)
125 try:
126     with os.fdopen(fd, "wb", closefd=True) as handle:
127         handle.write(data)
128         handle.flush()
129         os.fsync(handle.fileno())
130     os.replace(tmp, path)
131     os.chmod(path, 0o600)
132     try:
133         dir_fd = os.open(path.parent, os.O_RDONLY)
134     except OSError:
135         dir_fd = -1
136     if dir_fd >= 0:
137         try:
138             os.fsync(dir_fd)
139         finally:
140             os.close(dir_fd)
141     finally:
142         try:
143             tmp.unlink()
144         except FileNotFoundError:
145             pass
146
147

```

magi_v3/file_review_receipts.py

位置 : [magi_v3/file_review_receipts.py:16](#)

関数 canonical signature 與 snapshot receipt。

```

16 def _first(row: dict[str, Any], *names: str) -> str:
17     for name in names:
18         value = str(row.get(name) or "").strip()
19         if value:
20             return value
21     return ""
22

```

```

23
24 def _first_upper(row: dict[str, Any], *names: str) -> str:
25     """Read one alias set using the portal's case-insensitive status semantics."""
26     return _first(row, *names).upper()
27
28
29 def canonical_portal_download_signature(row: dict[str, Any]) -> str:
30     """Hash one actionable OLA row without publishing its case/person data.
31
32     Portal ``rowid`` is the preferred opaque identity. Case/court fields are
33     used only as an in-memory fallback when an older row has no opaque ID; the
34     receipt exposes only the final SHA-256 digest. Revision/status fields make
35     a later upload batch on the same row a different receipt.
36     """
37     if not isinstance(row, dict):
38         return ""
39     row_id = _first(row, "rowid", "no")
40     identity = {
41         "row_id": row_id,
42         "fallback_court": "" if row_id else _first(row, "court", "crtid"),
43         "fallback_case": "" if row_id else _first(
44             row, "case_number", "yyidno", "court_case_no", "showyyidno", "c60yyidno"
45         ),
46         "apply_at": _first(row, "applydt"),
47     }
48     revision = {
49         "semantic_status": "downloadable",
50         "status_code": _first(row, "status_code", "status"),
51         "portal_status": _first_upper(row, "p_status"),
52         "payment_status": _first(row, "paystatus"),
53         "payment_flag": _first_upper(row, "payment_flag", "payment"),
54         "is_downloaded": _first_upper(row, "isdown"),
55         "download_date": _first(row, "dwndt"),
56         "download_time": _first(row, "downtm"),
57         "download_deadline": _first(
58             row, "deadline", "downlimit", "dlmdate", "payedate"
59         ),
60         "payment_deadline": _first(row, "pay_deadline", "paylimitdt", "limitdt"),
61         "updated_at": _first(row, "upddt", "updated_at", "updtime"),
62         "content_marker": hashlib.sha256(
63             re.sub(r"\s+", "", _first(row, "result_text", "result", "row_text"))[:1000]
64             .strip()
65             .encode("utf-8")
66         ).hexdigest(),
67     }
68     if not any(identity.values()):
69         return ""
70     material = json.dumps(
71         {
72             "schema": PORTAL_DOWNLOAD_RECEIPT_SCHEMA,
73             "identity": identity,
74             "revision": revision,
75         },
76         ensure_ascii=False,
77         sort_keys=True,
78         separators=(",", ":"),
79     )
80     return hashlib.sha256(material.encode("utf-8")).hexdigest()
81
82
83 def normalize_signature_hashes(values: Iterable[Any] | None) -> list[str]:
84     return sorted(
85         {
86             str(value or "").strip().lower()
87             for value in (values or [])
88             if _SHA256_RE.fullmatch(str(value or "").strip().lower())
89         }
90     )
91
92
93 def signature_set_hash(values: Iterable[Any] | None) -> str:
94     normalized = normalize_signature_hashes(values)
95     material = json.dumps(
96         {"schema": PORTAL_DOWNLOAD_RECEIPT_SCHEMA, "signatures": normalized},
97         sort_keys=True,
98         separators=(",", ":"),
99     )
100     return hashlib.sha256(material.encode("utf-8")).hexdigest()
101
102
103 def portal_snapshot_fingerprint(values: Iterable[Any] | None) -> str:
104     signatures = normalize_signature_hashes(values)
105     fingerprint_material = json.dumps(
106         {
107             "schema": PORTAL_DOWNLOAD_RECEIPT_SCHEMA,

```

```

108     "signature_set_hash": signature_set_hash(signatures),
109     "signature_count": len(signatures),
110 },
111 sort_keys=True,
112 separators=(",", ":"),
113 )
114 return hashlib.sha256(fingerprint_material.encode("utf-8")).hexdigest()
115
116
117 def portal_observed_epoch(value: Any) -> float | None:
118     text = str(value or "").strip()
119     if not text:
120         return None
121     try:
122         parsed = datetime.fromisoformat(text.replace("Z", "+00:00"))
123     except (TypeError, ValueError):
124         return None
125     if parsed.tzinfo is None:
126         return None
127     return parsed.timestamp()
128
129
130 def portal_download_snapshot(
131     items: Iterable[dict[str, Any]] | None,
132     *,
133     observed_at: str = "",
134 ) -> dict[str, Any]:
135     signatures = normalize_signature_hashes(
136         canonical_portal_download_signature(item)
137         for item in (items or [])
138         if isinstance(item, dict)
139         and str(item.get("status") or "").strip().lower() == "downloadable"
140     )
141     observed = str(observed_at or "").strip() or datetime.now().astimezone().isoformat(
142         timespec="seconds"
143     )
144     set_hash = signature_set_hash(signatures)
145     return {

```

api/model_router.py

位置：[api/model_router.py:273](#)

模型 gate 與 request routing 的安全判斷。

```

273 def _evaluate_gates(spec: ModelSpec, resource: ResourceView, active_models: tuple[str, ..
274     ], prompt_len: int) -> tuple[bool, tuple[str, ...], bool]:
275     gates = dict(spec.gates or {})
276     blocked: list[str] = []
277     should_queue = False
278     if gates.get("require_model_live", False) and not _active_has(active_models, "26b"):
279         blocked.append("26b_not_live")
280
281     min_disk = _env_float("MAGI_ROUTER_26B_MIN_DISK_GB", float(gates.get(
282         "min_disk_free_gb", 70) or 70))
283     if resource.disk_free_gb >= 0 and resource.disk_free_gb < min_disk:
284         blocked.append(f"disk_free<{min_disk:g}GB")
285         should_queue = True
286
287     min_free = _env_float("MAGI_ROUTER_26B_MIN_FREE_GB", float(gates.get(
288         "min_free_plus_inactive_gb", 8) or 8))
289     if resource.free_plus_inactive_gb >= 0 and resource.free_plus_inactive_gb < min_free:
290         blocked.append(f"free_plus_inactive<{min_free:g}GB")
291         should_queue = True
292
293     max_swap = _env_float("MAGI_ROUTER_26B_MAX_SWAP_GB", float(gates.get(
294         "max_swap_used_gb", 20) or 20))
295     if resource.swap_used_gb >= 0 and resource.swap_used_gb > max_swap:
296         blocked.append(f"swap_used>{max_swap:g}GB")
297         should_queue = True
298
299     allowed_levels = tuple(str(x) for x in gates.get("allowed_resource_levels") or (
300         "normal",))
301     if resource.level not in allowed_levels and resource.level != "unknown":
302         blocked.append(f"resource_level={resource.level}")
303         should_queue = True
304
305     max_prompt = int(os.environ.get("MAGI_ROUTER_26B_MAX_PROMPT_CHARS", "60000") or
306         "60000")
307     if prompt_len > max_prompt:
308         blocked.append(f"prompt_len>{max_prompt}")

```

```

304     should_queue = True
305
306     return not blocked, tuple(blocked), should_queue
307
308
309 def choose_model_for_request(
310     *,
311     task_type: str = "general",
312     prompt: str = "",
313     requested_model: str = "",
314     heavy_opt_in: bool = False,
315     force_quality: bool = False,
316     active_models: Iterable[str] | None = None,
317     resource: ResourceView | dict[str, Any] | None = None,
318     registry: dict[str, ModelSpec] | None = None,
319 ) -> ModelRouteDecision:
320     task = str(task_type or "general").strip() or "general"
321     prompt_len = len(str(prompt or ""))
322     reg = registry or load_registry()
323     active, rv = get_runtime_state(active_models=active_models, resource=resource) if
active_models is not None or resource is not None else get_runtime_state()
324
325     if task == "embedding":
326         return ModelRouteDecision(
327             selected_model=DEFAULT_EMBED_MODEL,
328             tier="embedding_local",
329             reason="embedding tasks must keep the embedding model",
330             task_type=task,
331             provider="omlx",
332             active_models=active,
333             resource_level=rv.level,
334             safe_context_tokens=8192,
335         )
336
337     if requested_model and not is_disallowed_model(requested_model):
338         resolved = resolve_text_model(requested_model, available=active or None)
339         spec = reg.get(resolved) or reg.get(requested_model)
340         if resolved and (not active or resolved in active):
341             return ModelRouteDecision(
342                 selected_model=resolved,
343                 tier=(spec.tier if spec else "explicit"),
344                 reason="explicit model request accepted",
345                 task_type=task,
346                 provider=(spec.provider if spec else "omlx"),
347                 active_models=active,
348                 preferred_model=resolved,
349                 resource_level=rv.level,
350                 safe_context_tokens=(spec.safe_context_tokens if spec else 4096),
351             )
352
353     if heavy_opt_in:
354         return ModelRouteDecision(
355             selected_model="nvidia-nim-heavy-non-china" if _env_bool("NVIDIA_NIM_ENABLE",
False) else TEXT_PRIMARY_MODEL,
356             tier="cloud_heavy" if _env_bool("NVIDIA_NIM_ENABLE", False) else
"stable_local",
357             reason="@heavy explicitly requested; NVIDIA NIM is required and failures
close without local fallback",
358             task_type=task,
359             provider="nvidia_nim" if _env_bool("NVIDIA_NIM_ENABLE", False) else "omlx",
360             active_models=active,

```

api/blueprints/cookie_cutter.py

位置：[api/blueprints/cookie_cutter.py:45](#)

cookie 子程序資源錯誤、bounded upload 與 parent cleanup。

```

45     "stamp_mirrored.3mf",
46 }
47 _RESOURCE_ATTESTATION_KEYS = {
48     "generation_seconds",
49     "peak_rss_bytes",
50     "child_reaped",
51     "child_leaks",
52 }
53 _RESOURCE_LIMIT_SETUP_FAILURE = "generation_resource_limit_setup_failed"
54 _COOKIE_ERROR_MESSAGES = {
55     "no_usable_line_art": "圖片中找不到可用的黑白線稿。",
56     "open_or_missing_outer_contour": "找不到完整封閉的最外框，請先補齊斷線。",
57     "outer_contour_touches_image_edge": "最外框碰到圖片邊緣或底色無法判讀，請在四周保留白邊。",
58     "line_art_geometry_incomplete": "線稿無法建立完整封閉模型，請簡化細節後重試。",

```

```

59 "vector_geometry_unavailable": "切模向量引擎尚未就緒，請稍後再試。",
60 "contour_quality_failed": "線稿曲線誤差超過 0.15 mm，請提高原圖解析度後重試。",
61 "cutter_wall_not_continuous": "切模外壁無法形成單一連續封閉環，請加粗過窄處或移除相交線段後重試。",
62 "feature_too_small": "線稿細節小於可安全列印的最小寬度，請加粗後重試。",
63 "resource_limit_exceeded": "線稿過於複雜或處理逾時，請簡化細節後重試。",
64 "finished_envelope_exceeded": "成品尺寸超出設定值，請調整握邊或寬度。",
65 "invalid_dimensions": "建模尺寸不合理，請依畫面範圍調整。",
66 "generation_resource_limit": "模型產生超過資源限制，請簡化線稿後重試。",
67 "generation_resource_limit_setup_failed": "模型資源限制無法安全啟用，請稍後再試。",
68 "generation_resource_cleanup_failed": "模型工作程序未能安全回收，請稍後再試。",
69 "generation_resource_attestation_failed": "模型資源證據無法安全驗證，請稍後再試。",
70 "generation_archive_schema_failed": "模型壓縮檔未通過完整性檢查，請稍後再試。",
71 "resource_attestation_unavailable": "模型資源監測證據不足，請稍後再試。",
72 }
73
74
75 def _cookie_generation_child(
76     connection,
77     monitor_ready,
78     content: bytes,
79     values: dict[str, float],
80 ) -> None:
81     """Spawn-safe, importable child target. Never writes uploads to disk."""
82     try:
83         # Import in the child so macOS spawn does not inherit server state.
84         from skills.cookie_stl import CookieParameters, CookieSTLError,
generate_zip_bytes
85         try:
86             import resource
87             resource.setrlimit(
88                 resource.RLIMIT_CPU,
89                 (MAX_GENERATION_SECONDS, MAX_GENERATION_SECONDS + 1),
90             )
91         except (ImportError, OSError, ValueError):
92             # A child without its CPU ceiling is unsafe to run. Send only a
93             # fixed protocol value: no platform exception details cross IPC.
94             connection.send(("resource_error", _RESOURCE_LIMIT_SETUP_FAILURE))
95             return
96         # Do not start the expensive engine until the parent has attached its
97         # OS-level RSS monitor and recorded the first positive sample. Without
98         # this handshake, a simple frame can legitimately finish before psutil
99         # observes it and is then rejected as an unattested fast child.
100         if not monitor_ready.wait(timeout=MAX_GENERATION_SECONDS):
101             connection.send(("cookie_error", "resource_attestation_unavailable"))
102             return
103         bundle, summary = generate_zip_bytes(content, CookieParameters(**values))
104         connection.send(("ok", bundle, summary))
105     except CookieSTLError as exc:
106         connection.send(("cookie_error", str(exc)))
107     except Exception:
108         connection.send(("error", "generation_failed"))
109     finally:
110         connection.close()
111
112
113 def _plain_error(message: str, status: int):
114     response = jsonify({"ok": False, "message": message})
115     response.status_code = status
116     response.headers["Cache-Control"] = "no-store"
117     return response
118
119
120 def _cookie_error_response(exc: CookieSTLError):
121     return _plain_error(
122         _COOKIE_ERROR_MESSAGES.get(
123             str(exc),
124             "線稿未通過封閉網格檢查，請修正後重試。",
125         ),
126         400,
127     )
128
129
130 @cookie_cutter_bp.before_request
131 def _reject_oversized_multipart_before_parse():
132     """Reject a declared oversized body before Flask accesses request.files."""
133     if request.method != "POST":
134         return None
135     declared = request.content_length
136     if declared is not None and declared > MAX_UPLOAD_BYTES +
MAX_MULTIPART_OVERHEAD_BYTES:
137         return _plain_error("圖片過大，請控制在 8MB 以內", 413)
138     return None
139
140

```


api/sentencing_trends.py

位置：[api/sentencing_trends.py:220](#)

穩定官方裁判頁、簽署區法官核對與量刑解析。

```
220 if len(found) == 1 and found[0]["role"] == "法官":
221     found[0]["role"] = "獨任法官"
222     return found
223
224
225 def _sentence_items(text: str) -> list[dict[str, Any]]:
226     items: list[dict[str, Any]] = []
227     for match in _SENTENCE_RE.finditer(text):
228         phrase = _clean_text(match.group(0))
229         item = {"kind": match.group("kind"), "text": phrase, "months": _duration_months(
match.group("kind"), match.group("term"))}
230         if item not in items:
231             items.append(item)
232     return items
233
234
235 def _execution_item(main_text: str) -> dict[str, Any] | None:
236     match = _EXECUTION_RE.search(main_text)
237     if not match:
238         return None
239     return {
240         "kind": match.group("kind"),
241         "text": _clean_text(match.group(0)),
242         "months": _duration_months(match.group("kind"), match.group("term")),
243     }
244
245
246 def _official_issue(full_text: str, fallback: str = "") -> str:
247     head = _clean_text(full_text[:1800])
248     patterns = {
249         r"上列.{0,18}?因(.{1,40}?)案件",
250         r"因犯(.{1,32}?)罪",
251     }
252     for pattern in patterns:
253         match = re.search(pattern, head, re.S)
254         if match:
255             return re.sub(r"\s+", "", match.group(1)).strip("，。；。"):80]
256     return str(fallback or "").strip()
257
258
259 def parse_sentencing_judgment(row: dict[str, Any]) -> dict[str, Any]:
260     full_text = str(row.get("full_text") or "")
261     main = _main_text(full_text)
262     judges = _signature_judges(full_text)
263     participating_judges = [entry["name"] for entry in judges if entry.get("name")]
264     last_listed_judge = participating_judges[-1] if participating_judges else ""
265     appendix_referenced = "如附表" in main or "如附表" in full_text[:2200]
266     appendix_pos = max(full_text.rfind("【附表】"), full_text.rfind("\n附表"))
267     appendix_text = full_text[appendix_pos:] if appendix_pos >= 0 else ""
268     appendix_sentences = _sentence_items(appendix_text)
269     appendix_complete = (not appendix_referenced) or bool(appendix_sentences)
270     main_sentences = _sentence_items(main)
271     execution = _execution_item(main)
272     if execution:
273         main_sentences = [item for item in main_sentences if item["text"] != execution[
"text"]]
274     raw_source_url = str(row.get("source_url") or "").strip()
275     jid = str(row.get("jid") or "").strip()
276     source_url = official_judgment_page_url(jid, raw_source_url)
277     court_match = _COURT_RE.search(full_text[:500])
278     court = court_match.group(1) if court_match else str(row.get("court_name") or "").
strip()
279     judgment_date = normalize_judgment_date(row.get("judgment_date"))
280     exclusion_codes: list[str] = []
281     if not jid or not _OFFICIAL_JID_RE.fullmatch(jid):
282         exclusion_codes.append("missing_official_jid")
283     if not full_text:
284         exclusion_codes.append("missing_official_fulltext")
285     if not judges:
286         exclusion_codes.append("signature_block_unrecognized")
287     if not main:
288         exclusion_codes.append("main_section_unrecognized")
289     if main and not (main_sentences or execution):
290         exclusion_codes.append("sentence_not_found")
291     if appendix_referenced and not appendix_complete:
292         exclusion_codes.append("appendix_incomplete")
```

```

293 if row.get("judgment_date") and not judgment_date:
294     exclusion_codes.append("judgment_date_invalid")
295 complete = not exclusion_codes
296 return {
297     "id": row.get("id"),
298     "jid": jid,
299     "court": court,
300     "case_number": str(row.get("case_number") or "").strip(),
301     "case_type": str(row.get("case_type") or "").strip(),
302     "issue": _official_issue(full_text, str(row.get("case_type") or "")),
303     # Keep the ISO canonical value for database/filter/sort semantics and
304     # provide an explicit display-only value for every presentation path.
305     "judgment_date": judgment_date,
306     "judgment_date_display": format_roc_date(judgment_date),
307     "judges": judges,
308     "participating_judges": participating_judges,
309     "last_listed_judge": last_listed_judge,
310     "main_text": main[:1800],
311     "sentences": main_sentences,
312     "execution_sentence": execution,
313     "appendix_referenced": appendix_referenced,
314     "appendix_complete": appendix_complete,
315     "appendix_sentences": appendix_sentences[:60],
316     "statistics_eligible": complete,
317     "exclusion_codes": exclusion_codes,
318     "exclusion_reason": " ; ".join(_public_exclusion_reason(code) for code in
exclusion_codes),
319     "source_url": source_url,
320     "source_bound": bool(jid and (_official_judgment_url(raw_source_url) or
full_text)),
321     "source": str(row.get("source") or "local_official_archive"),
322     "external_verified": bool(row.get("external_verified")),
323 }
324
325
326 def _official_judgment_url(value: Any) -> bool:
327     return is_official_judgment_url(value)
328
329
330 def search_public_judgment_candidates(query: str, **kwargs: Any) -> dict[str, Any]:
331     """Search the deployed MCP chain with a privacy-safe query.
332
333     Results remain discovery candidates. ``search_sentencing_trends`` applies
334     the independent official-JID/full-text/signature/sentence gates before any
335     result can enter statistics.
336     """
337
338     from api.legal_research_quality import prepare_external_legal_query
339
340     privacy = prepare_external_legal_query(query)
341     court = str(kwargs.pop("court", "") or "").strip()
342     if privacy.external_allowed and privacy.safe_query:
343         try:
344             from api.osc.legaltech_taiwan_law_mcp import (
345                 search_practical_judgments_via_legaltech,
346             )
347
348             result = search_practical_judgments_via_legaltech(
349                 privacy.safe_query,
350                 **({"court": court} if court else {}),
351                 **kwargs,
352             )
353             if result.get("success"):
354                 return result
355             except (ImportError, ModuleNotFoundError):
356                 pass
357         try:
358             from api.osc.taiwan_legal_mcp import search_practical_judgments_via_mcp
359
360             return search_practical_judgments_via_mcp(

```

api/domains/judgment_official_source.py

位置：[api/domains/judgment_official_source.py:1](#)

MCP 判決的官方 JID、司法院網址、完整全文與日期正規化信任邊界。

```

1 """Strict provenance helpers for official Taiwanese judgment candidates.
2
3 The helpers in this module are deliberately independent from storage and
4 presentation code. An MCP response is discovery evidence only until its JID,
5 official URL, full text and date agree with this contract.

```

```

6 """
7 from __future__ import annotations
8
9 import hashlib
10 import re
11 from datetime import date
12 from typing import Any
13 from urllib.parse import parse_qs, unquote, urlparse
14
15
16 OFFICIAL_JUDGMENT_HOSTS = {"judgment.judicial.gov.tw", "data.judicial.gov.tw"}
17 OFFICIAL_JID_RE = re.compile(
18     r"^[A-Z0-9]{2,12},\d{2,3},[\^,\s]{1,24},\d{1,10},\d{8},\d{1,3}$"
19 )
20
21
22 def normalize_judgment_date(value: Any) -> str:
23     """Return a validated Gregorian ISO date from ROC/Gregorian input."""
24
25     text = str(value or "").strip()
26     if not text:
27         return ""
28     match = re.fullmatch(r"(\d{4})[-/](\d{1,2})[-/](\d{1,2})", text)
29     if match:
30         year, month, day = (int(part) for part in match.groups())
31     else:
32         match = re.fullmatch(
33             r"(?:民國\s*)?(\d{1,3})(?:\s*年|[-/])(\d{1,2})(?:\s*月|[-/])(\d{1,2})(?:\s*日)?",
34             text,
35         )
36     if not match:
37         return ""
38     year, month, day = (int(part) for part in match.groups())
39     year += 1911
40     try:
41         return date(year, month, day).isoformat()
42     except ValueError:
43         return ""
44
45
46 def is_official_judgment_url(value: Any) -> bool:
47     try:
48         parsed = urlparse(str(value or "").strip())
49     except (TypeError, ValueError):
50         return False
51     return parsed.scheme == "https" and str(parsed.hostname or "").lower() in
OFFICIAL_JUDGMENT_HOSTS
52
53
54 def _url_jid_matches(url: str, jid: str) -> bool:
55     parsed = urlparse(url)
56     if str(parsed.hostname or "").lower() == "judgment.judicial.gov.tw":
57         values = parse_qs(parsed.query).get("id") or []
58         return len(values) == 1 and unquote(str(values[0])) == jid
59     # data.judicial.gov.tw is an authenticated official API. Its response is
60     # bound by the exact JID field rather than an HTML query parameter.
61     return str(parsed.hostname or "").lower() == "data.judicial.gov.tw"
62
63
64 def official_judgment_page_url(jid: Any, source_url: Any = "") -> str:
65     normalized = str(jid or "").strip()
66     if OFFICIAL_JID_RE.fullmatch(normalized):
67         from urllib.parse import quote
68
69         return (
70             "https://judgment.judicial.gov.tw/FJUD/data.aspx"
71             f"?ty=JD&id={quote(normalized, safe='')}&ot=in"
72         )
73     fallback = str(source_url or "").strip()
74     if not is_official_judgment_url(fallback):
75         return ""
76     return fallback if str(urlparse(fallback).hostname or "").lower() == "judgment.
judicial.gov.tw" else ""
77
78
79 def _date_from_full_text(full_text: str) -> str:
80     head = str(full_text or "")[:2200]
81     for pattern in (
82         r"中\s*華\s*民\s*國\s*(\d{2,3})\s*年\s*(\d{1,2})\s*月\s*(\d{1,2})\s*日",
83         r"民\s*國\s*(\d{2,3})\s*年\s*(\d{1,2})\s*月\s*(\d{1,2})\s*日",
84     ):
85         match = re.search(pattern, head)
86         if match:
87             return normalize_judgment_date("-".join(match.groups()))

```

```

88 return ""
89
90
91 def validate_official_judgment_candidate(candidate: dict[str, Any]) -> dict[str, Any]:
92     """Validate a full-text MCP candidate without trusting its summary."""
93
94     reasons: list[str] = []
95     jid = str(candidate.get("jid") or candidate.get("doc_id") or "").strip()
96     source_url = str(candidate.get("source_url") or candidate.get("url") or "").strip()
97     full_text = str(candidate.get("full_text") or candidate.get("content") or "").strip()
98     if not OFFICIAL_JID_RE.fullmatch(jid):
99         reasons.append("missing_or_invalid_official_jid")
100     if candidate.get("official_origin") is not True:
101         reasons.append("official_origin_not_verified")
102     if not is_official_judgment_url(source_url):
103         reasons.append("unofficial_source_url")
104     elif jid and not _url_jid_matches(source_url, jid):
105         reasons.append("official_url_jid_mismatch")
106     # A complete simplified judgment can legitimately be short. Structural
107     # consumers perform their own signature/main/holding checks, so this gate
108     # only distinguishes real judgment text from a title/snippet.
109     if len(full_text) < 40:
110         reasons.append("missing_official_fulltext")
111     raw_date = candidate.get("judgment_date") or candidate.get("date")
112     normalized_date = normalize_judgment_date(raw_date) or _date_from_full_text(
full_text)
113     if raw_date and not normalized_date:
114         reasons.append("judgment_date_invalid")
115     return {
116         "ok": not reasons,
117         "exclusion_codes": reasons,
118         "jid": jid,
119         "source_url": official_judgment_page_url(jid, source_url),
120         "judgment_date": normalized_date,
121         "full_text": full_text if not reasons else "",
122         "full_text_sha256": hashlib.sha256(full_text.encode("utf-8")).hexdigest() if
full_text else "",
123         "pii_included": False,
124     }

```

api/domains/judgment_flow.py

位置： [api/domains/judgment_flow.py:305](#)

實務見解的本機 mirror 與 verified external official fulltext 雙路來源綁定。

```

305 out["success"] = False
306 out["error"] = "no_high_quality_judgment_matches"
307 return out
308
309
310 def _run_skill_json(skill_script: str, task: str, timeout_sec: int) -> Dict[str, Any]:
311     py = os.environ.get("MAGI_SKILL_PYTHON", f"{_MAGI_ROOT}/venv/bin/python3").strip()
312     if not py or not os.path.exists(py):
313         py = sys.executable or "python3"
314     proc = subprocess.run(
315         [py, skill_script, "--task", task],
316         capture_output=True,
317         text=True,
318         timeout=timeout_sec,
319         cwd=_MAGI_ROOT,
320         env=os.environ.copy(),
321     )
322     out = (proc.stdout or "").strip()
323     err_text = (proc.stderr or "").strip()
324     if proc.returncode != 0:
325         return {"ok": False, "error": (err_text or out or "unknown")[:280], "returncode":
proc.returncode}
326     if not out:
327         return {"ok": False, "error": "empty_output", "returncode": proc.returncode}
328     try:
329         data = json.loads(out)
330         if isinstance(data, dict):
331             return data
332     except Exception:
333         pass
334     return {"ok": False, "error": out[:500], "returncode": proc.returncode}
335
336
337 def _is_practical_insight_request(message: str) -> bool:
338     text = str(message or "")
339     return any(keyword in text for keyword in ["實務見解", "法律見解", "法院見解"])

```

```

340
341
342 _GENERAL_LEGAL_QUESTION_RE = re.compile(
343     r"(?:"
344     r"(?:法律上|依(?:民法|刑法|公司法|行政程序法)|民法第?\d+條|刑法第?\d+條|"
345     r"侵權行為|違約|損害賠償|不當得利|無因管理|舉證責任|消滅時效|"
346     r"請求權時效|構成要件|法律效果|管轄法院|上訴期間|抗告期間)"
347     r".{0,36}(?:如何|怎麼|為何|是否|可否|哪些|要件|責任|時效|效力|認定|成立|分配)|"
348     r"(?:如何|怎麼|為何|是否|可否).{0,24}"
349     r"(?:舉證責任|消滅時效|請求權時效|構成要件|法律效果|管轄法院|侵權行為|損害賠償)"
350     r")"
351 )
352
353
354 def _is_general_legal_question(message: str) -> bool:
355     """Recognize common legal questions that need evidence, not model recall."""
356     return bool(_GENERAL_LEGAL_QUESTION_RE.search(str(message or "").replace(" ", "")))
357
358
359 def _is_legal_research_request(message: str) -> bool:
360     text = str(message or "")
361     if _is_practical_insight_request(text):
362         return True
363     return any(
364         keyword in text
365         for keyword in [
366             "查判決",
367             "找判決",
368             "判決搜尋",
369             "搜尋判決",
370             "收集判決",
371             "判決搜集",
372             "搜尋最高法院判決",
373             "查裁判",
374             "找裁判",
375             "裁判搜尋",
376             "搜尋裁判",
377             "查法院",
378             "法院判決",
379             "最高法院",
380             "最高行政法院",
381             "大法庭",
382             "查法規",
383             "查法條",
384             "法規查詢",
385             "法條查詢",
386             "釋字",
387             "憲判",
388         ]
389     )
390
391
392 def _with_legal_workflow_footer(reply: str, query: str, *, tool_used: bool = True) ->
str:
393     workflow = detect_legal_workflow(text=query, mode="legal")
394     return append_workflow_footer(reply, workflow, tool_used=tool_used)
395
396
397 def _mcp_lookup_allowed() -> bool:
398     return taiwan_legal_mcp_enabled() and taiwan_legal_mcp_available()
399
400
401 def _legaltech_mcp_lookup_allowed() -> bool:
402     return legaltech_mcp_enabled()
403
404
405 def _augment_judgments_with_legaltech_mcp(
406     query: str,
407     judgments: Dict[str, Any],
408     *,
409     case_type: str = "",
410     limit: int = 3,
411 ) -> Dict[str, Any]:
412     if not _legaltech_mcp_lookup_allowed() or not str(query or "").strip():
413         return judgments
414     primary = _payload_with_high_quality_judgments(judgments)
415     remote = search_practical_judgments_via_legaltech(
416         query,
417         case_type=case_type,
418         limit=int(os.environ.get("MAGI_LEGALTECH_TAIWAN_LAW_MCP_MAX_RESULTS", str(
limit))) or str(limit),
419         fulltext_limit=int(os.environ.get("MAGI_LEGALTECH_TAIWAN_LAW_MCP_FULLTEXT_LIMIT",
"2") or "2"),
420     )
421     if remote.get("success"):

```

```

422     return merge_judgment_sources(
423         primary,
424         # Keep official-JID discovery candidates until the next step can
425         # bind them to a local official full text. Search-result snippets
426         # are intentionally not treated as summaries or draft evidence.
427         remote,
428         limit=limit,
429     )
430     if not primary.get("success"):
431         return remote
432     return primary
433
434
435 def _augment_judgments_with_mcp(
436     query: str,
437     judgments: Dict[str, Any],
438     *,
439     case_type: str = "",
440     limit: int = 3,
441 ) -> Dict[str, Any]:
442     if not _mcp_lookup_allowed():
443         return judgments
444     primary = _payload_with_high_quality_judgments(judgments)
445     mcp_judgments = search_practical_judgments_via_mcp(
446         query,
447         case_type=case_type,
448         limit=int(os.environ.get("MAGI_TAIWAN_LEGAL_MCP_MAX_RESULTS", str(limit)) or str(
limit))),
449         fulltext_limit=int(os.environ.get("MAGI_TAIWAN_LEGAL_MCP_FULLTEXT_LIMIT", "1")
or "1"),
450     )
451     if mcp_judgments.get("success"):
452         return merge_judgment_sources(primary, _payload_with_high_quality_judgments(
mcp_judgments), limit=limit)
453     if not primary.get("success"):
454         return mcp_judgments
455     return primary
456
457
458 def _tlr_lookup_allowed() -> bool:
459     value = str(os.environ.get("MAGI_TWLEGALRAG_AUGMENT", "1")).strip().lower()
460     return tw_legal_rag_enabled() and value not in {"0", "false", "no", "off"}
461
462
463 def _twlegalrag_cache_enabled() -> bool:
464     # External discovery results must not be written into the canonical
465     # ``court_judgments`` table before an official/local exact-copy check.
466     value = str(os.environ.get("MAGI_TWLEGALRAG_CACHE_HITS", "0")).strip().lower()
467     return value not in {"0", "false", "no", "off"}
468
469
470 def _normalize_tlr_judgment_date(value: Any) -> Optional[str]:

```

skills/judgment-collector/action.py

位置：[skills/judgment-collector/action.py:650](#)

夜間官方來源欠量、失敗 wrapper 重試與 bounded MCP gap fill。

```

650     try:
651         os.makedirs(os.path.dirname(path), exist_ok=True)
652         tmp = path + ".tmp"
653         with open(tmp, "w", encoding="utf-8") as f:
654             json.dump(obj, f, ensure_ascii=False, indent=2)
655         os.replace(tmp, path)
656         return True
657     except Exception:
658         return False
659
660
661 def _load_code_config() -> dict:
662     cfg: dict = {}
663     for p in (
664         os.path.join(CODE_DIR, "json", "config.json"),
665         os.path.join(CODE_DIR, "config.json"),
666     ):
667         try:
668             if os.path.exists(p):
669                 with open(p, "r", encoding="utf-8") as f:
670                     obj = json.load(f) or {}
671                 if isinstance(obj, dict):
672                     cfg = obj

```

```

673         break
674     except Exception:
675         continue
676
677     return cfg
678
679
680 def _get_jdg_credentials() -> tuple[str, str, str]:
681     """
682     司法院官方 API 帳密來源 (優先順序) :
683     1) env: JUDICIAL_API_USER/JUDICIAL_API_PASSWORD
684     2) env: JDG_API_USER/JDG_API_PASSWORD
685     3) code/json/config.json -> judicial_api_user/judicial_api_pass
686     4) 明示允許時才回退 judicial.record_username/record_password
687     """
688     user = _env("MAGI_JUDICIAL_API_USER") or _env("JUDICIAL_API_USER") or _env(
689         "JDG_API_USER")
690     pwd = _env("MAGI_JUDICIAL_API_PASS") or _env("MAGI_JUDICIAL_API_PASSWORD") or _env(
691         "JUDICIAL_API_PASSWORD") or _env("JDG_API_PASSWORD")
692     if user and pwd:
693         return user, pwd, "env"
694
695     cfg = _load_code_config()
696     if isinstance(cfg, dict):
697         user = str(cfg.get("judicial_api_user") or "").strip()
698         pwd = str(cfg.get("judicial_api_pass") or "").strip()
699         if user and pwd:
700             return user, pwd, "config.judicial_api_*"
701
702     judicial = cfg.get("judicial")
703     if isinstance(judicial, dict):
704         user = str(judicial.get("api_user") or "").strip()
705         pwd = str(judicial.get("api_password") or "").strip()
706         if user and pwd:
707             return user, pwd, "config.judicial.api_*"
708
709     allow_record_fallback = (_env("JUDICIAL_API_ALLOW_RECORD_FALLBACK", "0") or
710 "0").lower() in {
711         "1",
712         "true",
713         "yes",
714         "on",
715     }
716     if allow_record_fallback:
717         user = str(
718             _env("MAGI_JUDICIAL_RECORD_USERNAME") or judicial.get(
719 "record_username") or ""
720             ).strip()
721         pwd = str(
722             _env("MAGI_JUDICIAL_RECORD_PASSWORD") or judicial.get(
723 "record_password") or ""
724             ).strip()
725         if user and pwd:
726             return user, pwd, "env/config.judicial.record_*"
727     return "", "", ""
728
729
730 def _is_jdg_service_window(dt: Optional[datetime] = None) -> bool:
731     """
732     依官方說明預設 00:00-06:00。end hour 採「不含」。
733     """
734     dt = dt or datetime.now()
735     h = int(dt.hour)
736     s = int(JDG_API_WINDOW_START_HOUR % 24)
737     e = int(JDG_API_WINDOW_END_HOUR % 24)
738     if s == e:
739         return True
740     if s < e:
741         return s <= h < e
742     return (h >= s) or (h < e)
743
744
745 # ★ SSL context for judicial API: Python 3.14 + OpenSSL 3.x enforces strict
746 # X.509 checks (e.g. Subject Key Identifier). The judicial.gov.tw cert chain
747 # lacks SKI, so we build a verified-but-relaxed context using certifi CA bundle
748 # and ~VERIFY_X509_STRICT. Falls back to unverified only as last resort.
749 _jdg_ssl_ctx_cache: dict[str, Any] = {} # {"ctx": ssl.SSLContext}
750
751
752 def _build_jdg_ssl_context() -> ssl.SSLContext:
753     """Build a verified SSL context that tolerates missing SKI extension."""
754     cached = _jdg_ssl_ctx_cache.get("ctx")
755     if cached is not None:
756         return cached
757     try:

```

```

753     import certifi
754     ca_bundle = certifi.where()
755 except ImportError:
756     ca_bundle = None
757 ctx = ssl.create_default_context(cafile=ca_bundle)
758 # Relax X.509 strict mode — keeps chain/hostname validation but skips SKI check.
759 ctx.verify_flags &= ~ssl.VERIFY_X509_STRICT
760 _jdg_ssl_ctx_cache["ctx"] = ctx
761 return ctx
762
763
764 def _jdg_post_json(path: str, payload: dict, timeout_sec: int = 25) -> Any:
765     url = JDG_API_BASE + "/" + path.lstrip("/")
766     data = json.dumps(payload or {}, ensure_ascii=False).encode("utf-8")
767     req = _urlrequest.Request(
768         url,
769         data=data,
770         headers={"Content-Type": "application/json"},
771         method="POST",
772     )
773     allow_insecure_fallback = (_env("JUDICIAL_API_ALLOW_INSECURE_SSL", "0") or "0").
lower() in {
774         "1",
775         "true",
776         "yes",
777         "on",
778     }
779
780     ctx = _build_jdg_ssl_context()
781     try:
782         with _urlrequest.urlopen(req, timeout=max(5, int(timeout_sec)), context=ctx) as
resp:
783             raw = resp.read().decode("utf-8", errors="replace")
784             return json.loads(raw or "{}")
785     except _urlerror.HTTPError as e:
786         body = ""
787         try:
788             body = e.read().decode("utf-8", errors="replace")
789         except Exception:
790             body = ""
791         return {"error": f"HTTP {getattr(e, 'code', 'ERR')}", "body": body[:800]}
792     except Exception as e:
793         msg = str(e)
794         cert_err = ("CERTIFICATE_VERIFY_FAILED" in msg) or ("certificate verify failed"
in msg.lower())
795         if cert_err and allow_insecure_fallback:
796             logger.warning("[AUDIT] SSL relaxed context 仍失敗，降級為不驗證模式 (url=%s) ", url[:120])
797             try:
798                 unverified = ssl.create_unverified_context()
799                 _jdg_ssl_ctx_cache["ctx"] = unverified
800                 with _urlrequest.urlopen(req, timeout=max(5, int(timeout_sec)),
context=unverified) as resp:
801                     raw = resp.read().decode("utf-8", errors="replace")
802                     obj = json.loads(raw or "{}")
803                     if isinstance(obj, dict):
804                         obj.setdefault("_ssl_insecure_fallback", True)
805                     return obj
806             except Exception as e2:
807                 return {"error": str(e2)[:240], "ssl_insecure_fallback": True}
808         return {"error": msg[:240]}
809
810
811 def _jdg_download_file(url: str, dest_path: str, timeout_sec: int = 30) -> dict:
812     src = str(url or "").strip()
813     if not src:
814         return {"ok": False, "error": "empty_url"}
815     req = _urlrequest.Request(
816         src,
817         headers={"User-Agent": "MAGI/1.0"},
818         method="GET",
819     )
820     ctx = _build_jdg_ssl_context()
821     try:
822         os.makedirs(os.path.dirname(dest_path), exist_ok=True)
823         with _urlrequest.urlopen(req, timeout=max(5, int(timeout_sec)), context=ctx) as
resp:
824             data = resp.read()
825             tmp = dest_path + ".tmp"
826             with open(tmp, "wb") as f:
827                 f.write(data)
828             os.replace(tmp, dest_path)
829             return {"ok": True, "path": dest_path, "bytes": len(data)}
830     except _urlerror.HTTPError as e:
831         return {"ok": False, "error": f"HTTP {getattr(e, 'code', 'ERR')}"}
832     except Exception as e:

```



```

833     return {"ok": False, "error": str(e)[:240]}
834
835
836 def _jid_slug(jid: str) -> str:
837     s = str(jid or "").strip()
838     if not s:
839         return "jid_empty"
840     head = hashlib.sha1(s.encode("utf-8", errors="ignore")).hexdigest()[:12]
841     tail = re.sub(r"^[^0-9A-Za-z_-]+", "", s)[:64].strip("_")
842     if not tail:
843         tail = "jid"
844     return f"{head}_{tail}"
845
846
847 def _sanitize_filename(name: str, default: str = "file") -> str:
848     s = re.sub(r"[<>:/\\|?*\x00-\x1f|'\" , _]", "", str(name or "")).strip()
849     s = re.sub(r"\\s+", " ", s).strip().strip(".")
850     return (s[:180] if s else default)

```

scripts/v3_release_bundle.py

位置： [scripts/v3_release_bundle.py:1158](#)

不可變 release bundle 建立與封存。

```

1158     raise ReleaseBundleError(f"allowlist snapshot does not exactly match tracked
HEAD: {detail}")
1159     paths = sorted(snapshot_by_path)
1160     if not _git_diff_is_clean(source_root, cached=True, paths=paths):
1161         raise ReleaseBundleError("allowlist contains staged changes relative to HEAD")
1162     if not _git_diff_is_clean(source_root, cached=False, paths=paths):
1163         raise ReleaseBundleError("allowlist contains modified or deleted files relative
to HEAD")
1164     for path, entry in snapshot_by_path.items():
1165         mode, object_id = tree[path]
1166         expected_mode = 0o555 if mode == "100755" else 0o444
1167         if entry.mode != expected_mode:
1168             raise ReleaseBundleError(f"allowlist file mode differs from HEAD: {path}")
1169         blob = _git_output(source_root, "cat-file", "blob", object_id)
1170         if len(blob) != entry.size or hashlib.sha256(blob).hexdigest() != entry.sha256:
1171             raise ReleaseBundleError(f"allowlist file content differs from HEAD: {path}")
1172
1173
1174 def build_release_bundle(
1175     source_root: Path,
1176     staging_dir: Path,
1177     *,
1178     release_id: str,
1179     commit: str | None = None,
1180     expected_snapshot_sha256: str | None = None,
1181     now: datetime | None = None,
1182     require_supply_chain: bool = False,
1183 ) -> dict[str, Any]:
1184     """Copy the V3 allowlist and atomically mark a verified staging bundle complete."""
1185
1186     if not RELEASE_ID_RE.fullmatch(release_id):
1187         raise ReleaseBundleError("release_id contains unsupported characters")
1188     source = source_root.resolve(strict=True)
1189     try:
1190         supply_chain = validate_release_supply_chain_binding(source)
1191     except (OSError, SupplyChainError) as exc:
1192         if require_supply_chain or (source / "config/v3_supply_chain_binding.json").
exists():
1193             raise ReleaseBundleError(f"release supply-chain binding failed: {exc}") from
exc
1194     supply_chain = {"schema": "magi.supply-chain-binding/v1", "ok": False, "reason":
"not_bound"}
1195     _top_level, head = _git_identity(source)
1196     resolved_commit = commit or head
1197     if not COMMIT_RE.fullmatch(resolved_commit):
1198         raise ReleaseBundleError("commit must be a lowercase 40- or 64-character hex
digest")
1199     if resolved_commit != head:
1200         raise ReleaseBundleError("release commit does not exactly match git HEAD")
1201     staging = _assert_safe_staging(source, staging_dir)
1202     before = snapshot_sources(source)
1203     _verify_git_snapshot(source, before, resolved_commit)
1204     privacy_audit = _release_privacy_audit(source, before)
1205     source_snapshot_sha256 = _snapshot_digest(before)
1206     if expected_snapshot_sha256 is not None:
1207         if not SHA256_RE.fullmatch(expected_snapshot_sha256):
1208             raise ReleaseBundleError("expected_snapshot_sha256 must be a lowercase SHA-

```

```

256 digest")
1209     if source_snapshot_sha256 != expected_snapshot_sha256:
1210         raise ReleaseBundleError("source snapshot does not match
expected_snapshot_sha256")
1211     git_provenance = _git_provenance(source)
1212     staging.mkdir(mode=0o755)
1213     for entry in before:
1214         _copy_entry(source, staging, entry)
1215     after_copy = snapshot_sources(source)
1216     if after_copy != before:
1217         raise ReleaseBundleError("source snapshot changed while building release bundle")
1218     _verify_git_snapshot(source, after_copy, resolved_commit)
1219     copied_files = [entry.manifest_entry() for entry in before]
1220     for entry in before:
1221         destination = staging / entry.path
1222         if destination.is_symlink() or not destination.is_file():
1223             raise ReleaseBundleError(f"staged file is missing or unsafe: {entry.path}")
1224         if destination.stat().st_size != entry.size or _sha256_file(destination) !=
entry.sha256:
1225             raise ReleaseBundleError(f"staged file verification failed: {entry.path}")
1226     generated_at = (now or datetime.now(timezone.utc)).astimezone(timezone.utc).
isoformat()
1227     manifest = {
1228         "schema_version": 1,
1229         "release_id": release_id,
1230         "commit": resolved_commit,
1231         "generated_at": generated_at,
1232         "immutable": True,
1233         "source_snapshot_sha256": source_snapshot_sha256,
1234         "release_sha256": source_snapshot_sha256,
1235         "git_provenance": git_provenance,
1236         "source_file_count": len(copied_files),
1237         "source_allowlist": [*SOURCE_DIRECTORIES, *REQUIRED_FILES],
1238         "required_package_files": list(REQUIRED_PACKAGE_FILES),
1239         "required_test_targets": list(REQUIRED_TEST_TARGETS),
1240         "test_execution_evidence": "not_evaluated_by_bundle_builder",
1241         "privacy_audit": privacy_audit,
1242         "supply_chain_evidence": supply_chain,
1243         "excluded_components": sorted(EXCLUDED_COMPONENTS),
1244         "excluded_mutable_files": sorted(EXCLUDED_MUTABLE_FILES),
1245         "external_template_contract": {
1246             "hearing_leave_template_env": "MAGI_HEARING_LEAVE_TEMPLATE_PATH",
1247             "bundled_local_template": False,
1248         },
1249         "files": copied_files,
1250     }
1251     manifest_bytes = _write_json_exclusive(staging / MANIFEST_NAME, manifest)

```

scripts/v3_cutover/activation.py

位置 : [scripts/v3_cutover/activation.py:187](#)

active marker 與 activation transaction ◦

```

187     os.close(directory)
188     return _sha256_bytes(data)
189
190
191 def _load(path: Path, *, description: str) -> dict[str, Any]:
192     try:
193         metadata = path.lstat()
194     except OSError as exc:
195         raise CutoverError(f"{description} is unavailable: {exc}") from exc
196     if (
197         stat.S_ISLNK(metadata.st_mode)
198         or not stat.S_ISREG(metadata.st_mode)
199         or stat.S_IMODE(metadata.st_mode) != 0o600
200         or metadata.st_nlink != 1
201     ):
202         raise CutoverError(f"{description} is unsafe")
203     try:
204         value = json.loads(path.read_text(encoding="utf-8"))
205     except (OSError, UnicodeError, json.JSONDecodeError) as exc:
206         raise CutoverError(f"{description} is invalid: {exc}") from exc
207     if not isinstance(value, dict):
208         raise CutoverError(f"{description} must be a JSON object")
209     return value
210
211
212 def active_release_marker(
213     path: Path,
214     *,

```

```

215 expected_release: str,
216 expected_release_id: str | None = None,
217 expected_release_root: Path | None = None,
218 expected_manifest_sha256: str | None = None,
219 ) -> dict[str, Any]:
220     payload = _load(path, description="active release marker")
221     if (
222         payload.get("schema") != MARKER_SCHEMA
223         or payload.get("schema_version") != 1
224         or payload.get("release") != expected_release
225         or not isinstance(payload.get("transaction_id"), str)
226         or not payload["transaction_id"]
227     ):
228         raise CutoverError("active release marker identity mismatch")
229     expected = {
230         "release_id": expected_release_id,
231         "release_root": str(expected_release_root) if expected_release_root else None,
232         "release_manifest_sha256": expected_manifest_sha256,
233     }
234     for key, value in expected.items():
235         if value is not None and payload.get(key) != value:
236             raise CutoverError(f"active release marker {key} mismatch")
237     return payload
238
239
240 def verify_active_release_snapshot(
241     marker: Mapping[str, Any],
242     journal: Mapping[str, Any],
243     *,
244     expected_release: str,
245     allowed_phases: frozenset[str],
246 ) -> dict[str, Any]:
247     """Verify a marker/journal pair and return its PII-free stable identity.
248
249     A durable restart lease can bind the stable identity, while every restart
250     must still prove that the hash-chained journal remains in an explicitly
251     active phase. Entering rollback therefore revokes restart admission before
252     any service stop is attempted.
253     """
254     if expected_release not in {"v2", "v3"}:
255         raise CutoverError("active release snapshot expected release is invalid")
256     if (
257         type(allowed_phases) is not frozenset
258         or not allowed_phases
259         or any(
260             type(phase) is not str
261             or phase not in (*TRANSITIONS, *ROTATION_TRANSITIONS)
262             for phase in allowed_phases
263         )
264     ):
265         raise CutoverError("active release snapshot phases are invalid")
266     try:
267         raw = json.dumps(
268             {"marker": marker, "journal": journal},
269             ensure_ascii=False,
270             sort_keys=True,
271             separators=(",", ":"),
272             allow_nan=False,
273             ).encode("utf-8")
274         if not 1 <= len(raw) <= 8 * 1024 * 1024:
275             raise CutoverError("active release snapshot exceeds its byte bound")

```

gui/magi_menubar.py

位置 : [gui/magi_menubar.py:925](#)

business/health payload 到人類狀態的轉換。

```

925     return CHECK_WAITING_TEXT
926 if state == "idle":
927     return "未啟用"
928 return ATTENTION_TEXT
929
930
931 def _business_module_status_from_payload(payload: dict) -> dict:
932     result_ok = {}
933     if isinstance(payload, dict):
934         results = payload.get("results") if isinstance(payload.get("results"), list)
935     else []
936     for item in results:
937         if not isinstance(item, dict):
938             continue

```

```

938     name = str(item.get("name") or "").strip()
939     if not name:
940         continue
941     if "ok" in item:
942         result_ok[name] = bool(item.get("ok"))
943     elif "success" in item:
944         result_ok[name] = bool(item.get("success"))
945
946     modules = {}
947     for label, checks in BUSINESS_MODULE_CHECKS.items():
948         state_info = _checks_state(result_ok, checks)
949         state = state_info["state"]
950         modules[label] = {
951             **state_info,
952             "label": _label_for_state(state, OPERATIONAL_TEXT),
953         }
954
955     factory = {}
956     for label, checks in FACTORY_CHECKS.items():
957         state_info = _checks_state(result_ok, checks)
958         state = state_info["state"]
959         factory[label] = {
960             **state_info,
961             "label": _label_for_state(state, CHECK_PASSED_TEXT),
962         }
963
964     credential = _checks_state(result_ok, ("token_health_refresh",))
965     credential_state = credential["state"]
966     return {
967         "ok": bool(payload.get("ok") if isinstance(payload, dict) else False),
968         "result_ok": result_ok,
969         "modules": modules,
970         "factory": factory,
971         "credential": {
972             **credential,
973             "label": _label_for_state(credential_state, OPERATIONAL_TEXT),
974         },
975     }
976
977
978 def _business_module_status_failure(reason: str, *, returncode: int | None = None) ->
dict:
979     """Represent the current live-check round without reusing an older report."""
980     status = _business_module_status_from_payload({"ok": False, "results": []})
981     for group_name in ("modules", "factory"):
982         for info in status.get(group_name, {}).values():
983             if isinstance(info, dict):
984                 info["state"] = "attention"
985                 info["label"] = "本輪檢查失敗"
986     credential = status.get("credential")
987     if isinstance(credential, dict):
988         credential["state"] = "attention"
989         credential["label"] = "本輪檢查失敗"
990     status.update({"ok": False, "failed_reason": str(reason or "live_check_failed")[:
160]})
991     if returncode is not None:
992         status["returncode"] = int(returncode)
993     return status
994
995
996 def _health_state_from_payload(kind: str, payload: dict, *, age_sec: float | None =
None) -> dict:
997     spec = HEALTH_ARTIFACTS[kind]
998     label = str(spec["label"])
999     if not isinstance(payload, dict) or not payload:
1000         return {"state": "attention", "label": f"{label}無法解析", "detail": "健康報告不存在或不是有效的
JSON。"}
1001     if age_sec is not None and age_sec > int(spec["max_age_sec"]):
1002         return {"state": "waiting", "label": f"{label}檢查逾時", "detail": f"健康報告已超過 {round(
age_sec / 3600, 1)} 小時未更新。"}
1003     summary = payload.get("summary") if isinstance(payload.get("summary"), dict) else {}
1004     requires_human = payload.get("requires_human") if isinstance(payload.get(
"requires_human"), list) else []
1005     errors = int(summary.get("error_count") or 0)
1006     warnings = int(summary.get("warning_count") or 0)
1007     nested_failed = []
1008     nested_missing = []
1009     nested_stale = []
1010     for container_name in ("health", "runtime_health"):
1011         container = payload.get(container_name)
1012         if not isinstance(container, dict):
1013             continue
1014         if isinstance(container.get("failed"), list):
1015             nested_failed.extend(container["failed"])
1016         if isinstance(container.get("missing"), list):

```

```

1017     nested_missing.extend(container["missing"])
1018     if isinstance(container.get("stale"), list):
1019         nested_stale.extend(container["stale"])
1020     errors = max(
1021         errors,
1022         int(summary.get("failed_health_count") or 0)
1023         + int(summary.get("missing_health_count") or 0),
1024         len(nested_failed) + len(nested_missing),
1025     )
1026     warnings = max(
1027         warnings,
1028         int(summary.get("stale_health_count") or 0),
1029         len(nested_stale),
1030     )
1031     if payload.get("ok") is not True or requires_human or errors or warnings:
1032         reasons = []
1033         for item in payload.get("unresolved_issue_ids") or []:
1034             reasons.append(str(item))
1035         for item in payload.get("failed") or []:
1036             if isinstance(item, dict):
1037                 reasons.append(f'{item.get("path") or item.get("name") or "檢查項目"} : {item.
get("reason") or item.get("detail") or "失敗"}')
1038             for item in nested_failed + nested_missing + nested_stale:
1039                 if isinstance(item, dict):
1040                     reasons.append(
1041                         f'{item.get("name") or item.get("path") or "檢查項目"} : "
1042                         f'{item.get("reason") or item.get("detail") or "未通過"}'
1043                     )
1044                 elif item:
1045                     reasons.append(str(item))
1046             if requires_human:
1047                 reasons.extend(str(item.get("reason") or item) if isinstance(item, dict)
else str(item) for item in requires_human)
1048             detail = "\n".join(dict.fromkeys(reason for reason in reasons if reason))
1049             if not detail:
1050                 detail = f"錯誤 {errors} 項、警告 {warnings} 項；請開啟健康報告查看。"
1051             # Warnings and human review items mean the service is still
1052             # operational. Reserve red for an active error (or an unclassified
1053             # failed report), and use amber for review/retry work.
1054             hard_failure = errors > 0 or (
1055                 payload.get("ok") is not True
1056                 and warnings == 0
1057                 and not requires_human
1058             )

```

magi_v3/process_monitor.py

位置：[magi_v3/process_monitor.py:118](#)

Golem 與 Menubar 共用的實際 worker、owner ancestry 與持續殭屍分類契約。

```

118 def _is_shell_command_wrapper(command: str) -> bool:
119     try:
120         argv = shlex.split(command or "", posix=True)
121     except ValueError:
122         return True
123     if not argv or Path(argv[0]).name not in _SHELL_NAMES:
124         return False
125     return any((token == "-c" or (token.startswith("-") and "c" in token[1:]) for token
in argv[1:3])
126
127
128 def _worker_marker(command: str, worker_markers: Iterable[str]) -> str:
129     """Return a worker marker only for the actual Python process.
130
131     A shell command line can contain the complete future Python command. It is
132     a launcher, not a worker, and must never inflate worker/orphan counts.
133     """
134     if _is_shell_command_wrapper(command):
135         return ""
136     if not _PYTHON_NAME_RE.fullmatch(_argv_head(command)):
137         return ""
138     return next((marker for marker in worker_markers if marker in command), "")
139
140
141 def _core_marker(command: str, core_markers: Iterable[str]) -> str:
142     if _is_shell_command_wrapper(command):
143         return ""
144     return next((marker for marker in core_markers if marker in command), "")
145
146
147 def _is_managed_parent(command: str, core_markers: Iterable[str]) -> bool:

```

```

148 if _is_shell_command_wrapper(command):
149     return False
150 return bool(_core_marker(command, core_markers)) or any(
151     marker in command for marker in _MANAGED_PARENT_MARKERS
152 )
153
154
155 def _is_orphan_worker(
156     worker: Mapping[str, Any],
157     rows_by_pid: Mapping[int, Mapping[str, Any]],
158     managed_pids: set[int],
159 ) -> bool:
160     """A worker is orphaned when its ancestry reaches init without a MAGI owner."""
161     current: Mapping[str, Any] = worker
162     seen = {int(worker.get("pid") or 0)}
163     for _ in range(32):
164         parent_pid = int(current.get("ppid") or 0)
165         if parent_pid <= 1:
166             return True
167         if parent_pid in managed_pids:
168             return False
169         if parent_pid in seen:
170             return True
171         seen.add(parent_pid)
172         parent = rows_by_pid.get(parent_pid)
173         if parent is None:
174             return True
175         current = parent
176     return True
177
178
179 @dataclass
180 class ZombiePersistence:
181     """Suppress sub-five-second exit/reap transitions on every UI."""
182
183     persistence_seconds: float = 5.0
184     first_seen: dict[tuple[int, int], float] = field(default_factory=dict)
185
186     def persistent_ids(
187         self, observed: Mapping[tuple[int, int], Mapping[str, Any]], *, now: float
188     ) -> set[tuple[int, int]]:
189         next_seen: dict[tuple[int, int], float] = {}
190         persistent: set[tuple[int, int]] = set()
191         for identity in observed:
192             first = self.first_seen.get(identity, now)
193             next_seen[identity] = first
194             if now - first >= self.persistence_seconds:
195                 persistent.add(identity)
196         self.first_seen = next_seen
197         return persistent

```

附錄 B. 全部 production 原始碼索引

Production Python 共 1,096 檔。每列顯示 path、行數、SHA 前 12 碼與前幾個符號；所有符號與完整 SHA 在 JSON 索引。

api/ (228 檔)

- `api/__init__.py` | 27 行 | 7d79b664f6ca | `getattr`
- `api/admin_allowlist.py` | 93 行 | 59202c01f555 | `_split_csv`, `_load_file_ids`, `get_discord_admin_ids`, `get_line_admin_user_ids`, `get_telegram_admin_ids`, `ensure_agent_dir`
- `api/agentic/__init__.py` | 74 行 | f7d41258332f | —
- `api/agentic/contracts.py` | 659 行 | d685f938d1a6 | `SideEffectLevel`, `SideEffectLevel.rank`, `StepStatus`, `StepStatus.terminal`, `PlanStatus`, `PlanStatus.terminal`, `_nonempty`, `_confidence`, `_json_safe`, `_mapping`
- `api/agentic/control.py` | 674 行 | ee23d3297ef0 | `_utcnow`, `_iso`, `_parse_iso`, `_owner_hash`, `_token_hash`, `_reply_hash`, `_safe_summary`, `_default_db_path`, `PlanProposal`, `PlanProposal.user_message`
- `api/agentic/http_gateway.py` | 607 行 | 3434ff3621e3 | `_start_agent_gateway_trace`, `_finish_agent_gateway_trace`, `_abort_agent_gateway_trace`, `_auth_and_identity`, `_body`, `_text`, `_int`, `_bool`, `_plan_id`, `_error`
- `api/agentic/mcp_gateway.py` | 794 行 | a6a2d8619f3c | `AgentGatewayError`, `AgentGatewayError.init`, `_text`, `_optional_text`, `_bounded_int`, `_bounded_bool`, `_validate_id`, `_validate_plan_id`, `_validate_token`, `MagiAgentGatewayConfig`
- `api/agentic/mcp_http.py` | 365 行 | fb8ff97808d8 | `McpHttpSecurityError`, `_truthy`, `_https_url`, `protected_resource_metadata_url`, `OAuthResourceConfig`, `OAuthResourceConfig.post_init`, `OAuthResourceConfig.from_env`, `OAuthResourceConfig.protected_resource_metadata`, `OAuthAccess`, `LocalJwtVerifier`
- `api/agentic/planner.py` | 250 行 | a2de0bcb3458 | `InvalidTransition`, `topological_order`, `ready_steps`, `pending_confirmations`, `derive_plan_status`, `build_plan`, `confirm_intent`, `confirm_step`, `transition_step`, `cancel_plan`
- `api/agentic/shadow.py` | 152 行 | 85f4a4bed7fe | `should_publish_public_agent_status`, `public_category_for_message`, `public_tool_category`, `observe_start`, `observe_finish`, `_result_failed`, `_public_result_text`
- `api/agentic/telemetry.py` | 478 行 | e7f52710c52b | `build_public_agent_status`, `write_public_agent_status`, `public_agent_status_path`, `_strip_private_fields`, `_is_private_key`, `_mapping`, `_first`, `_raw_value`, `_allowed_value`, `_intent_category`
- `api/agents/__init__.py` | 12 行 | 2bc47f782d10 | —
- `api/agents/models.py` | 42 行 | c26970a826b0 | `utcnow`, `AgentSpec`, `AgentMessage`, `TeamSpec`, `AgentResponse`
- `api/agents/runtime.py` | 101 行 | 3e2b170a868a | `AgentRuntime`, `AgentRuntime.respond`, `TeamRuntime`, `TeamRuntime.register_agent`, `TeamRuntime.list_agents`, `TeamRuntime.dispatch`, `AgentCoordinator`, `AgentCoordinator.register_agent`, `AgentCoordinator.create_team`, `AgentCoordinator.add_agent_to_team`
- `api/answer_provenance.py` | 277 行 | 2f63746263a2 | `_label_source`, `_extract_web_titles`, `_meaningful_memories`, `build_provenance_footer`, `store_provenance`, `get_last_provenance`, `format_correction_context`
- `api/app_factory.py` | 232 行 | 31c3b61c1340 | `_env_truthy`, `_configured_https_public_url`, `_formal_deployment_mode`, `_https_enforced`, `_is_sensitive_static_request`, `create_base_app`, `create_base_app._block_sensitive_static_files`, `install_error_handlers`, `install_error_handlers.handle_500`, `install_security_headers`
- `api/authz.py` | 275 行 | 114583144444 | `_get_calling_user_id`, `_log_access`, `_check_api_key`, `_env_truthy`, `_extract_api_key`, `_formal_saas_mode`, `_tenant_header_matches`, `require_api_key`, `require_api_key.decorated_function`, `require_role`
- `api/autopilot_artifacts.py` | 99 行 | d206012f9b3d | `_resolve_root`, `_resolve_runtime_dir`, `get_autopilot_runtime_dir`, `get_kill_reason_path`, `get_legacy_kill_reason_path`, `get_kill_log_path`, `write_kill_reason`, `read_kill_reason`, `cleanup_stale_kill_reason_files`

- [api/blueprints/_init__.py](#) | 49 行 | [05da9c869fc9](#) | `getattr`
- [api/blueprints/admin_runtime.py](#) | 3775 行 | [c1487317b391](#) | `_mutable_static_dir`, `_agent_state_dir`, `_runtime_state_dir`, `_token_health_report_candidates`, `_apple_vision_capability_metadata`, `_read_faiss_metadata`, `_browser_core_health_hard_timeout`, `_wants_json_response`, `_render_health_html`, `_render_health_html.state_for`
- [api/blueprints/cookie_cutter.py](#) | 533 行 | [83d28515aadb](#) | `_cookie_generation_child`, `_plain_error`, `_cookie_error_response`, `_reject_oversized_multipart_before_parse`, `_client_key`, `_within_rate_limit`, `_read_upload_bounded`, `_generate_bounded`, `_attest_generated_bundle`, `_image_dimensions`
- [api/blueprints/dashboard_pages.py](#) | 1314 行 | [d814edb20404](#) | `_maintenance_manual_response`, `_mutable_static_dir`, `_runtime_dir`, `_worldmonitor_report_dir`, `_is_mobile_app_request`, `_maybe_force_mobile_app_login`, `_force_mobile_app_reauth_before_dashboard_page`, `_strip_trailing_dot`, `_tailscale_cli`, `_load_tailscale_status`
- [api/blueprints/exam_tutor.py](#) | 3961 行 | [c55b724e4fce](#) | `ExamTutorInputError`, `ExamTutorInputError.init`, `_clip_text`, `_is_judicial_bar_second_stage`, `_estimated_answer_visual_lines`, `_decode_plain_text`, `_extract_uploaded_text`, `_collect_text_field`, `_official_moex_url`, `_public_https_url`
- [api/blueprints/golem_console.py](#) | 386 行 | [1dfe15b54bcb](#) | `_read_json`, `_is_admin_user`, `_admin_forbidden_response`, `_mask_secret`, `_parse_env_file`, `_write_env_values`, `_write_pending_env_values`, `_api_key_status`, `_tail`, `_recent_files`
- [api/blueprints/lottery.py](#) | 226 行 | [a9317de52047](#) | `_norm_header`, `_find_column`, `_clean_cell`, `mask_name`, `mask_phone`, `mask_address`, `_read_csv_rows`, `_read_excel_rows`, `parse_upload`, `_public_row`
- [api/blueprints/osc_accounting.py](#) | 635 行 | [d92241ad2fd7](#) | `_require_accounting_operator`, `_get_osc_helpers`, `_accounting_transaction_filters`, `_accounting_transactions_sql`, `_as_amount`, `_iso_date_text`, `osc_accounting_transactions_api`, `osc_accounting_transactions_xlsx_api`, `osc_accounting_transactions_xlsx_api.cleanup`, `osc_accounting_transaction_detail_api`
- [api/blueprints/osc_cases.py](#) | 11329 行 | [26ab4db5ff8e](#) | `_directory_io_route`, `_directory_io_route.wrapped`, `_osc_audit_file_event`, `_osc_shell_nas_helper_url`, `_osc_photo_path`, `_osc_existing_resource_path`, `_osc_clean_case_reason`, `_osc_case_uses_consumer_debt_lawyer`, `_osc_default_case_lawyer`, `_osc_normalize_case_lawyer`
- [api/blueprints/osc_debt.py](#) | 981 行 | [fbcfaa35e173](#) | `_require_osc_debt_login`, `_require_debt_operator`, `_export_dir`, `_secure_temp_upload_path`, `_file_meta`, `_save_doc`, `_debt_osc_exec`, `_debt_setting_value`, `_prepare_debt_document_data`, `_first_debt_value`
- [api/blueprints/osc_files.py](#) | 2394 行 | [4d250f2e0b93](#) | `_directory_io_route`, `_directory_io_route.wrapped`, `_audit_file_event`, `_require_file_operator`, `_actor_namespace`, `_locked_file`, `_share_store_guard`, `_osc_shell_nas_helper_url`, `_osc_shell_nas_helper_request`, `_nas_metadata_cache_get`
- [api/blueprints/osc_gcal.py](#) | 369 行 | [229b00d13704](#) | `_require_gcal_operator`, `_get_osc_exec`, `_get_setting`, `_write_token_atomic`, `_load_creds`, `_run_current_gcal_sync`, `_build_redirect_uri`, `_calendar_token_health`, `gcal_status`, `gcal_auth_start`
- [api/blueprints/osc_pdf.py](#) | 2657 行 | [87b54c6ab9b0](#) | `_LazyFitz`, `_LazyFitz.load`, `_LazyFitz.getattr`, `_upload_dir`, `_path_from_request`, `_safe_bool`, `_repo_root`, `_osc_exec`, `_load_headless_todo_helpers`, `_load_headless_date_helpers`
- [api/blueprints/osc_settings.py](#) | 274 行 | [f9d03a9ebd27](#) | `_get_osc_helpers`, `osc_settings_api`, `osc_setting_detail_api`, `osc_courts_api`, `osc_court_detail_api`, `osc_legal_aid_branches_api`, `osc_legal_aid_branch_detail_api`, `osc_discord_test_api`
- [api/blueprints/raziel.py](#) | 729 行 | [399b5e4495fb](#) | `_has_classifier_script`, `_has_raziel_outputs`, `_safe_glob`, `_safe_is_dir`, `_candidate_roots`, `_candidate_roots.add`, `_raziel_root`, `_config_path`, `_script_path`, `_script_supported_modes`
- [api/blueprints/sentencing_trends.py](#) | 48 行 | [5506b079d1b6](#) | `_search_public_judgment_candidates`, `page`, `search_api`
- [api/blueprints/video_studio.py](#) | 541 行 | [55921fadccc0](#) | `_plain_error`, `_client_key`, `_render_child`, `_render_asset_child`, `_controller_rss`, `_process_group_absent`, `_render_bounded`, `_write_private`, `_bounded_uploads`, `_render_assets_bounded`

- `api/blueprints/web_runtime.py` | 1304 行 | `dc15b6e82ad5` | `public_intent_summary`, `_parse_etime_to_sec`, `_process_monitor_markers`, `_agent_state_dir`, `_mutable_static_dir`, `_chat_upload_dir`, `_magi_web_outputs_dir`, `_extract_chat_upload_text`, `_extract_chat_upload_text_for_task`, `_safe_web_url`
- `api/case_display.py` | 128 行 | `2763257959db` | `normalize_person_name`, `is_unusable_client_label`, `_path_parts`, `folder_client_name`, `should_trust_folder_client_name`, `display_client_name`, `display_case_label`
- `api/case_path_mapper.py` | 937 行 | `7f24b012ad3e` | `_load_local_dotenv`, `_is_dir_accessible`, `_is_dir_accessible._check`, `_is_stale_mount_path`, `_is_file_provider_or_user_mount`, `_write_safe_local_candidate`, `_discover_volume`, `_mount_output_lines`, `_mounted_volume_for_path`, `_contains_existing_symlink`
- `api/channel_context.py` | 187 行 | `089da5b6616f` | `ChannelContext`, `_get_magi_root`, `reverse_lookup_telegram_topic`, `reverse_lookup_discord_channel`, `should_skip_nl_router`
- `api/command_registry.py` | 144 行 | `f17fa8aaf778` | `CommandContext`, `_CommandEntry`, `CommandRegistry`, `CommandRegistry.init`, `CommandRegistry.command`, `CommandRegistry.command.decorator`, `CommandRegistry.register`, `CommandRegistry.dispatch`, `CommandRegistry.list_commands`
- `api/commands/_init_.py` | 1 行 | `14a5997b9b43` | —
- `api/commands/apple_commands.py` | 175 行 | `d238cd6cd5a0` | `register_apple_commands`, `register_apple_commands._handle_trial_event`, `register_apple_commands._handle_spotlight_search`, `register_apple_commands._handle_notify_test`
- `api/commands/forensic_transcript_commands.py` | 38 行 | `5c9fdf3f06ac` | `_start_or_status`, `_handle_forensic_live`, `register_forensic_transcript_commands`
- `api/config_overlay.py` | 129 行 | `acb1475a8fc8` | `_first_env`, `apply_env_overlay`
- `api/coordinator/_init_.py` | 12 行 | `6088728df9f9` | —
- `api/court_case_type_map.py` | 215 行 | `1dccbd48090c` | `classify_case_type`, `case_type_matches_db`
- `api/csrf_guard.py` | 337 行 | `97b1e17940a5` | `_generate_csrf_token`, `_is_webhook_endpoint`, `_is_api_endpoint`, `_has_valid_api_key`, `_env_truthy`, `_is_test_mode`, `_is_explicit_cli_request`, `_is_decorated_csrf_exempt_endpoint`, `_should_check_csrf`, `_get_csrf_token_from_request`
- `api/db_failover.py` | 308 行 | `0ff509fff692` | `_tcp_check`, `probe_remote`, `_switch_to_local`, `_switch_to_remote`, `_sync_local_to_remote`, `_monitor_loop`, `_do_check`, `get_osc_host`, `get_osc_port`, `get_failover_status`
- `api/db_helper.py` | 57 行 | `534271b37384` | `_default_config`, `get_connection`, `get_cursor`
- `api/db_sync.py` | 380 行 | `54b06288f464` | `get_strategy`, `_get_primary_keys`, `_has_column`, `_get_all_columns`, `_quote`, `_pk_tuple`, `_build_insert_ignore`, `_build_replace_into`, `_row_values`, `_fetch_rows_by_pks`
- `api/debt_document_generator.py` | 1988 行 | `d34652153678` | `get_debt_address_book_dir`, `_read_address_text`, `_write_address_text`, `get_robot_source_status`, `scan_evidence_folder`, `ValidationError`, `ValidationError.init`, `create_error_response`, `validate_application_data`, `validate_asset_statement_data`
- `api/debug_capture.py` | 72 行 | `e9e03e32eff0` | `_ensure_dirs`, `save_debug_screenshot`, `save_debug_html`, `_append_md`, `cleanup_old`
- `api/deep_task_control.py` | 309 行 | `bf35efac7c91` | `DeepAdmission`, `DeepTaskDeferred`, `assess_deep_admission`, `infer_local_deep_task_type`, `DeepTaskController`, `DeepTaskController.init`, `DeepTaskController.run`, `_resource_governor_allows_deep`, `runtime_owner_worker_transaction_free`, `runtime_owner_worker_transaction_free._json_url`
- `api/discord_bot.py` | 1804 行 | `2e4beb745698` | `_sigchld_handler`, `_sigterm_handler`, `_normalize_discord_output_text`, `_split_discord_chunks`, `_audit_preview`, `_audit_sha1`, `_append_channel_delivery_audit`, `_save_last_channel_id`, `_load_last_channel_id`, `_load_last_line_callback_ts`
- `api/discord_channel_router.py` | 849 行 | `6e9870fcb804` | `_canonical_topic_key`, `_infer_sub_topic`, `_is_unknown_business_topic`, `_is_noop_completion_notification`, `_load_channel_map`, `_load_all_routed_channel_ids`, `_reverse_lookup_channel`, `_normalize_channel_name`, `infer_topic_from_channel_metadata`, `save_channel_map`

- [api/domains/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [api/domains/acquisition_flow.py](#) | 147 行 | 10c9c8cbf8ec | `auto_acquire_and_execute`, `auto_acquire_and_execute._notify`, `auto_acquire_and_execute._rebuild_embed_cache`, `auto_acquire_and_execute._run_forge_with_retry`, `auto_acquire_and_execute._run_forge_with_lock`
- [api/domains/calendar_agent.py](#) | 670 行 | d4926ceeb2f2 | `CalendarIntent`, `DateMatch`, `TimeMatch`, `CalendarEvent`, `CalendarDraft`, `CalendarDraft.needs_clarification`, `CalendarDraft.is_mutating`, `ConfirmationResult`, `EventChecks`, `EventChecks.has_duplicate`
- [api/domains/calendar_agent_runtime.py](#) | 406 行 | d3b728f760e6 | `CalendarRepository`, `CalendarRepository.list_events`, `CalendarRepository.create_event`, `CalendarRepository.update_event`, `CalendarRepository.cancel_event`, `looks_like_calendar_request`, `_draft_to_dict`, `_draft_from_dict`, `_draft_from_dict_dt`, `_session_id`
- [api/domains/calendar_metadata.py](#) | 42 行 | 57710564c6c1 | `encode_calendar_source`, `decode_calendar_source`
- [api/domains/calendar_sync_policy.py](#) | 74 行 | dea2cb42ca9c | `is_osc_only_overdue_confirmation`, `osc_only_overdue_confirmation_sql`, `is_osc_only_calendar_review`, `osc_only_calendar_review_sql`
- [api/domains/case_file_operation_lock.py](#) | 114 行 | 2e8c2a9e2825 | `_pid_alive`, `_read_pid`, `case_file_operation_lock_path`, `acquire_case_file_operation_lock`, `release_case_file_operation_lock`
- [api/domains/codex_flow.py](#) | 31 行 | cb6cee5a1066 | `parse_codex_distributed_features`, `format_codex_distributed_status`, `handle_codex_distributed_command`
- [api/domains/collab_flow.py](#) | 63 行 | 49a0fb6a49ee | `get_collaboration_status`
- [api/domains/export_flow.py](#) | 116 行 | 586a24704e80 | `export_summary_docx_or_txt`
- [api/domains/judgment_flow.py](#) | 1508 行 | de64940c7a99 | `_get_local_db_manager`, `extract_judgment_collect_payload`, `format_judgment_collect_result`, `_judgment_item_quality_issue`, `_is_high_quality_judgment_item`, `_high_quality_judgment_items`, `_judgment_quality_rejection_counts`, `_high_quality_judgment_count`, `_payload_with_high_quality_judgments`, `_run_skill_json`
- [api/domains/judgment_nvidia_summary.py](#) | 515 行 | b5939a7fa456 | `NvidiaSummaryResult`, `NvidiaSummaryResult.audit_dict`, `_candidate_records`, `_selection_prompt`, `_parse_json_object`, `_validate_selection`, `_render_summary`, `_source_bound_application_rescue`, `_can_pass_without_application`, `summarize_with_nvidia`
- [api/domains/judgment_official_source.py](#) | 124 行 | 44155082bcc5 | `normalize_judgment_date`, `is_official_judgment_url`, `_url_jid_matches`, `official_judgment_page_url`, `_date_from_full_text`, `validate_official_judgment_candidate`
- [api/domains/judgment_summary_quality.py](#) | 920 行 | 89cccc1c60ac | `_primary_issue_terms`, `_normalize_caption_issue`, `infer_case_issue`, `SummaryQuality`, `SummaryQuality.as_dict`, `PracticeSpan`, `_norm`, `_display_source_span`, `_section`, `_reason_section`
- [api/domains/judgment_value_filter.py](#) | 195 行 | 1a8fe07efb6b | `JudgmentValueDecision`, `JudgmentValueDecision.to_dict`, `_s`, `_jid_prefix`, `_is_upper_court`, `_has_substantive_signal`, `_text_head`, `classify_judgment_record`, `classify_jdoc_payload`
- [api/domains/judicial_api_backlog.py](#) | 170 行 | e277b62a401e | `_i`, `_f`, `format_count`, `format_duration_hours`, `build_backlog_interpretation`, `format_backlog_notice`
- [api/domains/judicial_api_cache.py](#) | 204 行 | ae80096746f3 | `_default_shared_cache_root`, `_expand`, `_truthy`, `_ordinary_pytest_mode`, `_is_managed_mount_path`, `_managed_mountpoint`, `_managed_mount_is_mounted`, `_prepare_root`, `nas_judgment_cache_candidates`, `preferred_nas_judgment_cache_root`
- [api/domains/judicial_api_policy.py](#) | 157 行 | 53cc66db9c2f | `judicial_api_load_mode`, `judicial_api_default`, `judicial_api_env_default`, `apply_judicial_api_env_defaults`, `judicial_api_policy_report`
- [api/domains/laf_flow.py](#) | 827 行 | 985c31ea6e45 | `_parse_subprocess_result`, `_subprocess_payload_succeeded`, `_pending_stale_timeout_sec`, `_recover_pending_entries`, `_save_pending_path`, `load_laf_submit_pending`, `save_laf_submit_pending`, `update_laf_status_after_action`, `update_laf_status_after_action._case_status_for_laf_status`, `register_laf_go_live_submit_pending`

- [api/domains/market_flow.py](#) | 230 行 | 3a790404f100 | `load_market_watch_state`, `is_stock_like_token`, `looks_like_market_watchlist_reply`, `try_market_watchlist_quick_set`, `run_stock_briefing_command`, `_looks_like_capability_question`, `_strip_intent_prefixes`
- [api/domains/memory_flow.py](#) | 239 行 | 6952f0ae01 | `is_ambiguous_rule`, `handle_memory_confirmation_if_any`, `maybe_capture_user_rules`, `maybe_capture_chatlog`
- [api/domains/multimedia_flow.py](#) | 1021 行 | eedf0e37d78d | `_magi_root`, `_translation_rebuild_cache_path`, `_file_fingerprint`, `_load_translation_rebuild_cache`, `_save_translation_rebuild_cache`, `_try_rebuild_pdf_translation_delivery`, `vision_classify_and_route_image`, `handle_payment_proof_from_channel`, `handle_payment_proof_from_channel._run_payment_subprocess`, `handle_multimedia`
- [api/domains/schedule_flow.py](#) | 123 行 | 18ff59f11918 | `get_schedule`
- [api/domains/skill_interview_flow.py](#) | 329 行 | 97a68e1f13ea | `skill_interview_default_reply`, `skill_interview_cancel_reply`, `skill_interview_status_reply`, `skill_interview_split_items`, `parse_skill_interview_io`, `format_skill_interview_progress`, `render_skill_interview_question`, `start_skill_interview`, `finalize_skill_interview`, `handle_skill_interview_if_any`
- [api/durable_notifications.py](#) | 81 行 | e24116e3e7ae | `_path`, `_load`, `_platform`, `enqueue`, `claim_for_user`
- [api/durable_rate_limit.py](#) | 300 行 | 3e2945d6c94b | `_truthy`, `formal_saas_mode`, `default_database_path`, `hash_client_identity`, `inspect_rate_limit_storage`, `RateLimitDecision`, `RateLimitStorageError`, `DurableRateLimiter`, `DurableRateLimiter.init`, `DurableRateLimiter._prepare_path`
- [api/events/__init__.py](#) | 27 行 | 24bbb94bce67 | —
- [api/events/emitter.py](#) | 85 行 | 907418a3471f | `Subscription`, `Subscription.unsubscribe`, `EventEmitter`, `EventEmitter.init`, `EventEmitter._normalize_event_type`, `EventEmitter.subscribe`, `EventEmitter._unsubscribe`, `EventEmitter.emit`, `EventEmitter.add_jsonl_sink`, `EventEmitter.subscribers_for`
- [api/events/models.py](#) | 101 行 | bd2f0d3d4179 | `_utcnow`, `EventModel`, `EventModel.to_dict`, `EventModel.to_json`, `PreToolHookEvent`, `PostToolHookEvent`, `RouteDecisionEvent`, `FallbackEvent`, `MemoryWriteEvent`, `TaskLifecycleEvent`
- [api/events/sinks.py](#) | 107 行 | 677624e6582e | `rotate_jsonl`, `JsonlSink`, `JsonlSink.init`, `JsonlSink.write`, `jsonl_sink`, `append_jsonl`
- [api/hallucination_guard.py](#) | 205 行 | 9dba8b83777f | `_compact_ref`, `classify_risk`, `check_fact_grounding`, `needs_grounding_check`, `rewrite_ungrounded_attribution`, `build_anti_hallucination_prompt_rules`
- [api/handlers/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [api/handlers/document_handler.py](#) | 1654 行 | 0960eed3c09c | `strip_pdf_running_identifiers`, `normalize_tw_legal_translation_terms`, `normalize_txt_body`, `prepare_document_text_for_llm`, `prepare_document_text_for_llm._looks_like_heading`, `prepare_document_text_for_llm._clean_page`, `prepare_document_text_for_llm._clean_page._flush`, `prepare_document_text_for_llm._clean_page._should_join`, `polish_translated_document_text`, `translation_idiom_issues`
- [api/handlers/laf_handler.py](#) | 421 行 | 61894b42cc3c | `laf_portal_manual_links`, `laf_report_command_help`, `detect_laf_report_action`, `_clean_client_name`, `_looks_like_laf_action_name`, `parse_laf_report_payload`, `_expand_reason_keywords`, `parse_laf_status_update`
- [api/handlers/output_quality_handler.py](#) | 779 行 | 7bc0822482eb | `_norm_anchor`, `_anchors`, `_law_anchors`, `_chinese_integer`, `_money_anchors`, `_date_anchors`, `_duplicate_line_ratio`, `_meaningful_paragraph_count`, `_office_fidelity_metrics`, `_office_fidelity_issue`
- [api/handlers/summary_handler.py](#) | 808 行 | 07498d8f57ef | `summary_length_prompt`, `_is_synthetic_timeout_fallback`, `_summary_chunk_usable`, `summarize_text_resilient`, `summarize_text_resilient._chunk_by_paragraph`, `summarize_text_resilient._sample_evenly_chunks`, `summarize_text_resilient._summary_output_usable`, `summarize_text_resilient._extractive_fallback_summary`, `summarize_text_resilient._extractive_fallback_summary._clean_sentence`, `summarize_text_resilient._extractive_fallback_summary._extract_section_candidates`
- [api/handlers/text_processing_handler.py](#) | 135 行 | d241e69f54e5 | `sanitize_incoming_message`, `strip_intent_prefixes`, `redact_secrets`, `apply_long_dialog_guard`, `postprocess_router_reply`, `output_guard_issues`

- `api/handlers/translation_handler.py` | 1583 行 | 905e40caa491 | `_doc_run_root`, `_atomic_write_json`, `_read_json`, `_translation_checkpoint_state_path`, `_build_document_glossary`, `_build_export_term_glossary`, `translate_text_complete`, `translate_text_complete.is_nvidia_model`, `translate_text_complete.should_verify_chunk`, `translate_text_complete.normalize_gtx_lang`
- `api/help_text.py` | 179 行 | 1ce37375d15b | `build_help_text`
- `api/hooks/__init__.py` | 22 行 | cbfbef4e3dfa | —
- `api/hooks/bus.py` | 152 行 | c6d0e104b055 | `HookBus`, `HookBus.subscribe`, `HookBus.add_jsonl_sink`, `HookBus.publish`, `HookBus.pre_tool`, `HookBus.post_tool`, `HookBus.route_decision`, `HookBus.fallback`, `HookBus.memory_write`
- `api/hooks/events.py` | 17 行 | f78df26da64b | —
- `api/hooks/subscribers.py` | 21 行 | e216f2d0bea4 | `HookEventCollector`, `HookEventCollector.call`, `jsonl_hook_subscriber`
- `api/laf_branch_profiles.py` | 349 行 | 687cee6c5e74 | `LawFirmProfile`, `LafBranchProfile`, `LafBranchProfile.footer_text`, `_text`, `_configured_seed_value`, `normalize_branch_label`, `_load_config`, `_law_firm_profile_from_seed`, `fetch_law_firm_profile_from_db`, `get_law_firm_profile`
- `api/laf_case_classifier.py` | 201 行 | e8e781b0c185 | `is_administrative_laf_reason`, `normalize_laf_case_type`, `normalize_laf_case_fields`, `clean_laf_case_reason`, `is_pending_laf_reason`, `extract_laf_staff_case_hint`, `_strip_known_case_tokens`
- `api/laf_closing_transfer.py` | 461 行 | b3a81a029a62 | `LAFClosingTransferNotice`, `LAFClosingTransferNotice.safe_dict`, `_clean_mail_text`, `_field_map`, `_pick`, `_parse_staff`, `parse_laf_closing_transfer_notice`, `_db_fetch_one`, `_query_case_by_laf_number`, `_normalize_name`
- `api/laf_go_live_rules.py` | 156 行 | 6cfdac9ae07b | `_contains_any`, `_path_text`, `is_opening_notice_filename`, `is_stored_pleading_proof`, `is_go_live_receipt_proof`, `is_consumer_debt_text`, `go_live_proof_files`, `go_live_notice_files`, `is_go_live_ready`, `go_live_missing_labels`
- `api/laf_poa_docx.py` | 2431 行 | 4aef1ac458ae | `laf_poa_docx_enabled`, `laf_poa_docx_templates_enabled`, `laf_poa_static_templates_enabled`, `laf_poa_pdf_render_fallback_enabled`, `laf_poa_exact_pdf_layout_enabled`, `is_laf_power_of_attorney_pdf`, `laf_poa_docx_path`, `laf_poa_template_docx_path`, `laf_poa_case_docx_path`, `_text`
- `api/law_firm_contact.py` | 174 行 | c5ac8ce19516 | `_text`, `_usable`, `_first`, `_requested_fields`, `resolve_lawyer_contact`
- `api/legal_research_quality.py` | 624 行 | dc9ebefdf88 | `PrivacyDecision`, `PrivacyDecision.as_dict`, `prepare_external_legal_query`, `prepare_external_legal_query._redact`, `canonical_case_key`, `verification_state`, `is_draft_eligible`, `_court_authority_score`, `_query_terms`, `factual_similarity_score`
- `api/legal_workflow.py` | 350 行 | 9b1ace85b615 | `_copy`, `_find`, `_haystack`, `is_legal_workflow_candidate`, `select_practice_profile`, `select_legal_agent`, `detect_legal_workflow`, `workflow_prompt_block`, `append_workflow_footer`, `source_tag_for_provenance`
- `api/line_compat.py` | 307 行 | 97aa50736820 | `_env_flag`, `LineSDKUnavailableError`, `_BaseMessage`, `_BaseMessage.init`, `_CompatTextSendMessage`, `_CompatTextSendMessage.init`, `_CompatImageSendMessage`, `_CompatImageSendMessage.init`, `_UnavailableLineBotApi`, `_UnavailableLineBotApi.init`
- `api/model_config.py` | 183 行 | fd6a4b5b6188 | `is_disallowed_model`, `_clean`, `_clean_model`, `_env_bool`, `_env_int`, `resolve_draft_model`, `mtp_draft_payload`, `is_text_model_alias`, `resolve_text_model`, `default_local_chat_models`
- `api/model_router.py` | 454 行 | 34446d242e55 | `ModelSpec`, `ModelSpec.from_dict`, `ResourceView`, `ResourceView.from_decision`, `ModelRouteDecision`, `ModelRouteDecision.to_dict`, `_env_bool`, `_env_float`, `load_registry`, `probe_active_models`
- `api/mysql_connector_guard.py` | 97 行 | 1e01e733a36e | `_env_on`, `_BlockedMySQLCExtLoader`, `_BlockedMySQLCExtLoader.create_module`, `_BlockedMySQLCExtLoader.exec_module`, `_BlockMySQLCExtFinder`, `_BlockMySQLCExtFinder.find_spec`, `install_mysql_cext_blocker`, `patch_mysql_connector_for_stability`, `patch_mysql_connector_for_stability._guarded_connect`

- [api/nas_mount_guard.py](#) | 850 行 | [58b7343eaa7f](#) | `_parse_env_file_values`, `_merge_share_csv`, `_load_local_nas_env_if_needed`, `resolve_nas_user`, `_synology_drive_available`, `get_synology_drive_fallback_path`, `get_lumi_fallback_path`, `get_share_available_path`, `get_share_mount_path`, `get_share_status`
- [api/orchestrator.py](#) | 1633 行 | [4cd536f3c9c0](#) | `_v3_external_dir`, `_brain_sqlite_path`, `_magi_status_path`, `summarize_text`, `apply_manual_command`, `public_status_report`, `_get_handler`, `search_web`, `research_topic`, `fetch_url_content`
- [api/orchestrator_core.py](#) | 22 行 | [7d1a8c5e2b95](#) | `RuntimeFoundations`
- [api/osc/_init__.py](#) | 116 行 | [f9171853c6ca](#) | `getattr`
- [api/osc/accounting_bonus.py](#) | 779 行 | [6f233a4fb1f3](#) | `_get_osc_helpers`, `_as_float`, `_round_money`, `period_for_settlement_month`, `default_settlement_month`, `_settlement_date`, `_status_label`, `_calendar_months_between`, `_parse_iso_date`, `_transaction_month_scope_sql`
- [api/osc/accounting_sheet_import.py](#) | 1324 行 | [1a9a47421199](#) | `AccountingSheetRow`, `AccountingSheetFetch`, `AccountingImportError`, `SheetsAuthorizationRequired`, `_certification_fixture_fetch`, `_atomic_write_text`, `_backup_google_token`, `_persist_google_credentials_unlocked`, `_persist_google_credentials`, `is_revoked_google_token_error`
- [api/osc/accounting_summary.py](#) | 65 行 | [c56461162fce](#) | `accounting_summary_filters`, `accounting_totals_sql`, `accounting_by_category_sql`, `load_accounting_summary`
- [api/osc/calendar_event_time.py](#) | 126 行 | [8da810baceda](#) | `_number`, `is_timed_occurrence`, `resolve_calendar_time`, `require_calendar_time`
- [api/osc/calendar_sources.py](#) | 98 行 | [19419a001a3e](#) | `_text`, `is_google_calendar_import`, `is_calendar_todo`, `todo_source_key`, `todo_source_label`, `calendar_todo_source_sql`, `osc_todo_source_sql`, `todo_source_api_fields`, `calendar_todo_to_event`
- [api/osc/case_defaults.py](#) | 147 行 | [18a6d94fa1b1](#) | `is_demo_lawyer`, `case_uses_consumer_debt_lawyer`, `_valid_lawyer`, `_read_setting`, `_read_env`, `default_case_lawyer`, `db_settings_getter`, `db_settings_getter_getter`, `normalize_case_lawyer`
- [api/osc/case_folder_schema.py](#) | 282 行 | [e08581d8a545](#) | `numbered_folder_name`, `judgment_folder_name`, `legacy_judgment_folder_name`, `strip_number_prefix`, `judgment_folder_aliases`, `legacy_judgment_folder_names`, `canonical_name_for_legacy_judgment_folder`, `canonicalize_case_subfolder_name`, `case_subfolders`, `closing_folder_names`
- [api/osc/case_intelligence.py](#) | 563 行 | [97387f0806b8](#) | `build_case_intelligence_snapshot`, `_fetch_cases`, `_fetch_recent_documents`, `_fetch_calendar_refs`, `_case_snapshot_base`, `_scan_known_subfolders`, `_doc_from_document_index`, `_doc_from_case_documents`, `_ref_from_todo`, `_ref_from_calendar_event`
- [api/osc/case_no_sync.py](#) | 538 行 | [32b232a52f13](#) | `extract_court_case_no`, `extract_division_from_text`, `extract_division_from_notice`, `_doc_date_sort_key`, `_case_no_char_priority`, `_case_no_source_priority`, `_candidate_sort_key`, `verify_filename_for_case`, `sync_case_no_from_notices`, `_update_db`
- [api/osc/client_ids.py](#) | 36 行 | [6a4a08d33b54](#) | `is_canonical_client_id`, `next_client_id_from_existing`, `generate_next_client_id`
- [api/osc/document_reuse.py](#) | 671 行 | [fcc80614ff22](#) | `ReplacementRule`, `index_pleading_docx`, `build_pleading_index`, `reuse_docx_document`, `reuse_document`, `_validate_word_source`, `_find_soffice_binary`, `_convert_doc_to_docx`, `_default_filename`, `_unique_output_path`
- [api/osc/draft_learning.py](#) | 203 行 | [37efd358a737](#) | `_clean_text`, `_sha`, `_one_line`, `_norm_key`, `_diff_lessons`, `_line_delta`, `record_draft_feedback`, `_iter_events`, `_public_event`, `recent_draft_feedback`
- [api/osc/drafts.py](#) | 1014 行 | [d0aa6213e4a9](#) | `_srv`, `_osc_exec`, `_osc_truthy`, `_osc_get_setting_value`, `_osc_unique_strings`, `_osc_collect_insights`, `_osc_read_reference_document`, `_osc_norm_path`, `_osc_local_path_candidates`, `_osc_guess_case_folder`
- [api/osc/drive_case_sync.py](#) | 9404 行 | [6bcb43a54f44](#) | `_continue_signal_chain`, `DriveCaseSyncError`, `DriveCaseSyncDeadline`, `DriveCaseSyncStorageDeferred`, `local_hash_failure_code`, `is_retryable_local_hash_failure`,

- is_storage_unavailable_error, is_download_target_storage_unavailable_error, BoundedEntries, BoundedEntries.init
- api/osc/folder_utils.py | 155 行 | 03af21d9587a | _env_truthy, _ordinary_test_mode, _looks_like_live_case_root, _assert_test_safe_case_folder_path, sanitize_folder_name, build_case_folder_name, resolve_type_folder, build_full_case_path, _create_folder_structure_unchecked, create_folder_structure
- api/osc/hearing_conflict_runtime.py | 484 行 | a687daf2522b | EnqueueAdmission, load_case, _open_status_sql, load_existing_schedules, _todo_start, _todo_end, _dedupe_schedules, check_candidate, _case_folder, _enrich_prior
- api/osc/hearing_conflicts.py | 868 行 | 1965e05011cc | NormalizedSchedule, ConflictDecision, ConflictDecision.as_dict, _text, _truthy, _parse_datetime, _schedule_text, is_excluded_schedule, classify_schedule, normalize_schedule
- api/osc/insight_filters.py | 170 行 | bffe0b73fc77 | normalize_insight_marker_text, is_extractive_fast_judgment_digest, mark_extractive_fast_digest_summary, is_non_extractable_legal_insight, displayable_insight_item, non_extractable_legal_insight_sql_where
- api/osc/judicial.py | 376 行 | d38d308dd01e | _osc_show_fast_insight_candidates, _osc_show_external_insight_candidates, _osc_probable_fast_judgment_candidate, _osc_court_summary_displayable, _osc_insight_merge_key, _osc_collect_insights, _osc_doc_kind_match, _osc_doc_kind_label
- api/osc/legaltech_taiwan_law_mcp.py | 346 行 | a2c50fb1ff4b | legaltech_mcp_enabled, _endpoint, _timeout, _decode_json_or_sse, _post_jsonrpc, _structured_result, _official_urls, legaltech_tool_catalog, call_legaltech_tool, analyze_legal_intent_via_legaltech
- api/osc/preview.py | 426 行 | 6d8d42f159c5 | _soffice_path, _cache_key, _cache_lru_cleanup, _write_text_pdf, _extract_office_text, _preview_office_text_fallback, preview_office_to_pdf, preview_heic_to_jpg, preview_csv_to_rows, preview_email
- api/osc/saas_workbench.py | 1537 行 | 4c93a8afe35f | _text, _norm, _one_line, _sha, _safe_int, _action, _rows, _row, _count, _read_json
- api/osc/taiwan_legal_mcp.py | 311 行 | fcd032d6361c | taiwan_legal_mcp_root, taiwan_legal_mcp_available, taiwan_legal_mcp_enabled, _install_import_path, _maybe_await, _server_context, call_taiwan_legal_tool_async, call_taiwan_legal_tool, parse_taiwan_case_number, _first_text
- api/osc/tw_legal_rag.py | 399 行 | 20c7a1f93a19 | TLRRetrievalError, TLRJudgment, tw_legal_rag_enabled, tw_legal_rag_base_url, tw_legal_rag_api_key, _loads_lentient, sanitize_tlr_query, TLRClient, TLRClient.init, TLRClient.enter
- api/osc/utils.py | 2698 行 | 4672376fe31f | _NoUser, _osc_file_stage_slot, _osc_stage_bulkhead, _osc_stage_bulkhead.wrapped, _osc_directory_io_slot, _load_mysql, _load_local_dotenv, _osc_closed_share_aliases, _osc_canonical_active_share_windows, _osc_canonical_active_share_posix
- api/osc_document_generator.py | 289 行 | 9b4c81c256b0 | set_font_style, generate_receipt, generate_poa, generate_engagement_agreement, generate_engagement_agreement.add_article
- api/pending_config.py | 90 行 | 3416aec9f448 | pending_env_update_path, write_pending_env_updates, _write_pending_env_updates_unlocked
- api/permissions/_init_.py | 24 行 | 3808818f68f4 | —
- api/permissions/enforcer.py | 97 行 | 51d8f3bd5649 | PermissionEnforcer, PermissionEnforcer.init, PermissionEnforcer.evaluate_command, PermissionEnforcer.evaluate_path, PermissionEnforcer.can_command, PermissionEnforcer.can_path, PermissionEnforcer._evaluate, PermissionEnforcer._format_rule_reason
- api/permissions/models.py | 151 行 | 1b71ceab822b | PermissionMode, PermissionMode.coerce, PermissionEffect, PermissionEffect.coerce, _normalize_text, _normalize_path, _match_prefix, PermissionRule, PermissionRule.matches_command, PermissionRule.matches_path
- api/permissions/policy.py | 40 行 | 63ba11fe61e3 | PermissionPolicy, PermissionPolicy.from_rules, PermissionPolicy.with_mode, PermissionPolicy.with_rules
- api/permissions/rules.py | 43 行 | 2f7a562e7677 | allow_command, deny_command, allow_path, deny_path
- api/pipelines/_init_.py | 29 行 | 36d686a37548 | getattr

- [api/pipelines/attachment_pipeline.py](#) | 161 行 | 79c1ddb6d0f6 | `handle_multimedia`, `process_image`, `load_recent_attachments`, `save_recent_attachments`, `prune_recent_attachments`, `remember_recent_attachment`, `get_recent_attachment`, `looks_like_attachment_followup`, `has_recent_attachment_followup`, `maybe_reuse_recent_attachment`
- [api/pipelines/chat_pipeline.py](#) | 487 行 | dd3c2c02b9d0 | `estimate_tokens`, `append_history`, `compress_history`, `build_conversation_history`, `record_assistant_reply`, `handle_query`, `handle_query_run_query_background`, `handle_chat_async`, `handle_chat_async_deferred_chat`, `handle_chat_async_run_chat_background`
- [api/pipelines/command_dispatch.py](#) | 2719 行 | cd4dbee78f6a | `split_heavy_prefix`, `_delivery_result_ok`, `_lazy_brain`, `_lazy_brain_wrapper`, `research_topic`, `fetch_url_content`, `summarize_text`, `_strip_cmd_prefix`, `_parse_subprocess_json`, `_short_diag_text`
- [api/pipelines/command_pipeline.py](#) | 49 行 | b3ba0116e1a9 | `_get_handler`, `list_skills`, `handle_command`
- [api/pipelines/fuzzy_match.py](#) | 296 行 | adb7f416854c | `_is_admin_keyword`, `fuzzy_correct`, `suggest_correction`
- [api/pipelines/message_pipeline.py](#) | 4445 行 | 37645524c4fd | `split_heavy_prefix`, `_state_agent_dir`, `fetch_url_content`, `fetch_url_sections`, `get_brain_status`, `_looks_like_payment_slip_scan_request`, `_resolve_message_route_intent`, `_maybe_direct_case_lookup`, `_maybe_direct_case_statistics`, `_handle_docx_chat_edit_if_any`
- [api/pipelines/message_router.py](#) | 1578 行 | be6c0308a2a1 | `split_heavy_prefix`, `read_openclaw_primary_model`, `magi_capability_overview`, `extract_laf_progress_reported_target`, `handle_laf_progress_reported_message`, `extract_osc_todo_completion_target`, `_run_court_hearing_done`, `handle_osc_todo_completion_message`, `handle_gibberish_report`, `quick_fixed_reply`
- [api/pipelines/skill_dispatch.py](#) | 1249 行 | 35c75e3cba8a | `run_transcribe_guidance`, `looks_like_capability_question`, `dispatch_safe_semantic_skill`, `generic_skill_dispatch`, `polish_skill_output`, `output_looks_messy`, `basic_cleanup`, `try_safe_semantic_skill_route`, `dispatch_doc_producer`, `dispatch_case_management`
- [api/pipelines/skill_listing.py](#) | 91 行 | 21e44e0cf6c9 | `_legacy_openclaw_enabled`, `iter_skill_roots`, `build_skill_list_response`
- [api/pipelines/specialized_commands.py](#) | 540 行 | 73e859cba550 | `looks_like_inline_summary_command`, `_clean_inline_summary_body`, `_extract_inline_summary_text`, `run_labor_law_command`, `run_inline_translation_command`, `run_translate_file_command`, `run_inline_summary_command`, `run_inline_summary_command_summary_requests_more_content`, `run_inline_summary_command_inline_extractive_summary`, `run_court_hearing_command`
- [api/platforms/_init_.py](#) | 0 行 | e3b0c44298fc | —
- [api/platforms/remote_health_gate.py](#) | 266 行 | 3d8998640061 | `PeerConfig`, `PeerState`, `RemoteHealthGate`, `RemoteHealthGate.init`, `RemoteHealthGate.register`, `RemoteHealthGate.is_reachable`, `RemoteHealthGate.mark_success`, `RemoteHealthGate.mark_failure`, `RemoteHealthGate.circuit_status`, `RemoteHealthGate.all_status`
- [api/platforms/runtime_dir.py](#) | 215 行 | 563930da43ff | `_append_lock`, `_enabled`, `_magi_root`, `root`, `pending`, `metrics`, `cron_state`, `_validate_name`, `atomic_write_json`, `atomic_append_jsonl`
- [api/platforms/safe_process.py](#) | 1293 行 | e9212b165d09 | `SafeRunResult`, `_SafeProcessCleanupError`, `_SafeProcessCancelledError`, `reset_for_test`, `_current_python_alias_target`, `_is_current_python_alias`, `_validate_argv`, `_filter_env`, `_cap`, `_ProcessIdentity`
- [api/poa_chat_handler.py](#) | 703 行 | b02b4026e474 | `_load_state`, `_save_state`, `_clear_user`, `_load_config`, `_parse_case_type`, `_parse_role`, `_try_extract_fields_from_init`, `_build_poa_preview`, `_build_contract_preview`, `_build_receipt_preview`
- [api/product_runtime.py](#) | 239 行 | fe6483c6edcc | `_load_json`, `_save_json`, `_load_config`, `_normalize_codex_mode`, `_normalize_portal_env`, `load_product_runtime`, `save_product_runtime`, `update_product_runtime`, `_config_profile`, `get_product_profile`
- [api/red_phone.py](#) | 12 行 | fbc858568609 | `notify`

- `api/request_guards.py` | 240 行 | `c8bd6ae921c5` | `_path_matches_prefix`, `_is_cloudflare_tunnel_request`, `_env_truthy`, `_formal_saas_mode`, `_expected_tenant_id`, `install_request_guards`, `install_request_guards._block_retired_legacy_entrypoints`, `install_request_guards._limit_cloudflare_tunnel_surface`, `install_request_guards._enforce_formal_saas_session_tenant`, `install_request_guards._audit_protected_mutation_start`
- `api/routing/__init__.py` | 72 行 | `be4085ef0227` | —
- `api/routing/clarification.py` | 341 行 | `2e9fa032986a` | `ClarificationDecision`, `ClarificationResolution`, `resolve_recent_case_reference`, `detect_clarification_need`, `_pending_store`, `_pending_key`, `remember_clarification`, `_case_scope_answer`, `resolve_pending_clarification`, `request_clarification_if_needed`
- `api/routing/command_prefixes.py` | 56 行 | `80ba168ef3d2` | `normalize_command_prefix_text`, `split_heavy_prefix`, `strip_heavy_prefix`
- `api/routing/context.py` | 111 行 | `baeea51696fe` | `RoutingContext`, `RoutingContext.has_attachment`, `RoutingContext.is_admin`, `RoutingContext.with_overrides`, `RoutingContext.as_dict`
- `api/routing/datastore_registry.py` | 146 行 | `5437079db6cf` | `Datastore`, `_load_registry`, `_load_registry._env_or`, `_ensure_loaded`, `reload`, `get_datastore`, `get_connection_params`, `list_datastores`
- `api/routing/inference_router.py` | 193 行 | `c94948698651` | `InferenceRouter`, `InferenceRouter.init`, `InferenceRouter.resolve`, `InferenceRouter.resolve_embedding`, `InferenceRouter._provider_to_service`, `InferenceRouter._resolve_endpoint`
- `api/routing/intent_contract.py` | 533 行 | `d49aaa255346` | `split_heavy_prefix`, `strip_heavy_prefix`, `IntentDecision`, `NormalizedIntent`, `compact_message`, `looks_like_cancel_request`, `looks_like_correction_request`, `looks_like_model_capability_query`, `looks_like_tool_capability_query`, `looks_like_busy_meta_query`
- `api/routing/model_registry.py` | 204 行 | `7371e3d6026a` | `ModelRole`, `_resolve_env`, `_load_registry`, `_ensure_loaded`, `reload`, `get_role_model`, `is_alias`, `resolve_model`, `list_roles`, `get_role`
- `api/routing/models.py` | 230 行 | `638b34ef4944` | `ServiceTarget`, `ServiceTarget.as_dict`, `FallbackPlan`, `FallbackPlan.primary`, `FallbackPlan.has_fallback`, `FallbackPlan.as_dict`, `FallbackPlan.from_targets`, `RoutingDecision`, `RoutingDecision.success`, `RoutingDecision.requires_admin`
- `api/routing/node_registry.py` | 169 行 | `65b3f04397a7` | `NodeService`, `Node`, `Node.preferred_ip`, `_load_registry`, `_ensure_loaded`, `reload`, `get_node`, `get_node_ip`, `get_node_url`, `list_nodes`
- `api/routing/office_cognition.py` | 282 行 | `ab4ffe470d47` | `DomainCandidate`, `OfficeUnderstanding`, `OfficeUnderstanding.needs_clarification`, `_side_effect`, `_operation`, `_has_case_target`, `_clarification`, `assess_office_request`
- `api/routing/policy_engine.py` | 245 行 | `af34f24d18ef` | `PolicyEngine`, `PolicyEngine.init`, `PolicyEngine._load_overrides`, `PolicyEngine.reload_overrides`, `PolicyEngine.get_override`, `PolicyEngine.evaluate`, `PolicyEngine._fallback`
- `api/routing/request_router.py` | 215 行 | `fbfcf73af183` | `RoutingStage`, `RoutingStage.call`, `_keyword_stage`, `_semantic_stage`, `RequestRouter`, `RequestRouter.init`, `RequestRouter.route`, `RequestRouter.add_stage`, `RequestRouter.insert_stage`, `RequestRouter._pick_best`
- `api/routing/route_decision.py` | 27 行 | `3f91302825e4` | `build_route_decision`
- `api/routing/route_explanations.py` | 128 行 | `6b38b4a77ab3` | `RouteExplanation`, `RouteExplanation.as_dict`, `RouteExplanationCollector`, `RouteExplanationCollector.init`, `RouteExplanationCollector.record`, `RouteExplanationCollector.record_rejection`, `RouteExplanationCollector.as_trace`, `RouteExplanationCollector.dispatched_skill`, `RouteExplanationCollector.had_dispatch`, `RouteExplanationCollector.len`
- `api/routing/route_policy.py` | 283 行 | `3fbae2189f10` | `get_skill_min_confidence`, `_skill_aliases`, `is_high_risk_skill`, `user_declines_tool_dispatch`, `direct_skill_run_denial_reason`, `is_generic_word_only`, `should_dispatch_skill`, `build_route_explanation`, `should_cache_intent`, `_tokenize`
- `api/routing/service_registry.py` | 145 行 | `8a7de88b26de` | `ServiceEndpoint`, `ServiceEndpoint.base_url`, `_load_registry`, `_ensure_loaded`, `reload`, `get_service`, `get_service_url`, `get_service_host_port`, `list_services`
- `api/routing/telemetry.py` | 190 行 | `17493da49079` | `RoutingTelemetry`, `RoutingTelemetry.init`, `RoutingTelemetry.record`, `RoutingTelemetry.record_raw`, `RoutingTelemetry.read_all`, `RoutingTelemetry.summary`,

RoutingTelemetry.summary_from_disk, RoutingTelemetry._build_entry, RoutingTelemetry._write_line

- [api/runtime_diagnostics.py](#) | 100 行 | [f4363b3c3b10](#) | [_normalize_error_text](#), [classify_runtime_error](#), [classify_model_health](#)
- [api/runtime_paths.py](#) | 550 行 | [a0698e167086](#) | [_env_path](#), [_env_flag](#), [dotenv_override_allowed](#), [_unique_paths](#), [ensure_path_on_sys_path](#), [ensure_magi_root_on_sys_path](#), [ensure_orch_on_sys_path](#), [get_magi_root_dir](#), [get_runtime_dir](#), [get_agent_dir](#)
- [api/saas_audit.py](#) | 279 行 | [f3ce185ec60a](#) | [_sha](#), [_actor](#), [_request_meta](#), [_clean_value](#), [file_ref](#), [_canonical_event_bytes](#), [_event_hash](#), [verify_audit_chain](#), [_safe_append](#), [append_audit_event](#)
- [api/saas_readiness.py](#) | 417 行 | [514d546f70c2](#) | [_truthy](#), [_env_truthy](#), [deployment_mode](#), [formal_saas_enabled](#), [_audit_event_path](#), [_public_source_root](#), [_sha256](#), [_check](#), [_value_strong](#), [_url_is_https](#)
- [api/saas_schema.py](#) | 402 行 | [4f4bf93a6bb9](#) | [_truthy](#), [tenant_id_from_env](#), [auth_db_config](#), [osc_db_config](#), [_safe_ident](#), [_safe_tenant_literal](#), [_connect](#), [_table_exists](#), [_column_exists](#), [_index_exists](#)
- [api/sentencing_trends.py](#) | 936 行 | [06ab0ee8047c](#) | [_public_exclusion_reason](#), [_compact](#), [_clean_text](#), [_normalized_iso_date_filter](#), [format_roc_date](#), [_cn_number](#), [_duration_months](#), [_main_text](#), [_signature_judges](#), [_sentence_items](#)
- [api/server.py](#) | 1003 行 | [4fd0f73f4bea](#) | [_sigchld_handler](#), [_rate_limit_client_identity](#), [_check_rate_limit](#), [_rate_limit_retry_after](#), [_load_runtime_config](#), [_skill_doc_path](#), [_skill_action_path](#), [_skill_summary](#), [_nerv_product_runtime_payload](#), [_list_skill_docs](#)
- [api/server_auth.py](#) | 39 行 | [b3ae6261eaa7](#) | [env_truthy](#), [sanitize_login_next](#), [default_tenant_id](#), [tenant_id_from_user_data](#)
- [api/session/__init__.py](#) | 75 行 | [cfb794bd753f](#) | —
- [api/session/context.py](#) | 11 行 | [f185d440c2fe](#) | —
- [api/session/context_builder.py](#) | 191 行 | [010e8ef2fa19](#) | [SessionContextBuilder](#), [SessionContextBuilder.init](#), [SessionContextBuilder.build](#), [SessionContextBuilder.assemble](#), [SessionContextBuilder.render_text](#), [SessionContextBuilder.build_prompt](#), [build_session_context](#), [assemble_session_messages](#)
- [api/session/context_labels.py](#) | 153 行 | [63837d2a7892](#) | [TrustTier](#), [classify_trust_tier](#), [label_single_memory](#), [label_memory_context](#), [build_trust_system_instruction](#)
- [api/session/conversation_history.py](#) | 119 行 | [b037bcd5cff7](#) | [_utcnow](#), [ConversationHistoryStore](#), [ConversationHistoryStore.init](#), [ConversationHistoryStore._connect](#), [ConversationHistoryStore._ensure_db](#), [ConversationHistoryStore.append](#), [ConversationHistoryStore.last_n](#), [ConversationHistoryStore.last_sessions](#), [ConversationHistoryStore.clear_session](#), [ConversationHistoryStore.purge_expired](#)
- [api/session/history.py](#) | 88 行 | [a56b3e419955](#) | [_resolve_store_and_args](#), [SessionHistory](#), [SessionHistory.init](#), [SessionHistory.append](#), [SessionHistory.list](#), [SessionHistory.tail](#), [SessionHistory.last](#), [append_message](#), [list_messages](#), [tail_messages](#)
- [api/session/memory_policy.py](#) | 213 行 | [318edda25ad4](#) | [MemoryWriteDecision](#), [_allow_assistant_chatlog](#), [evaluate_memory_write](#), [_looks_like_prompt_leak](#), [_resolve_provenance](#), [_allow](#), [_deny](#)
- [api/session/models.py](#) | 217 行 | [4e918ee69b6d](#) | [utcnow](#), [_required_text](#), [_json_object](#), [_as_utc](#), [_parse_timestamp](#), [SessionKey](#), [SessionKey.post_init](#), [SessionKey.to_dict](#), [SessionKey.serialize](#), [SessionKey.from_dict](#)
- [api/session/pending.py](#) | 73 行 | [8aa9c0085820](#) | [_resolve_store_and_args](#), [SessionPendingManager](#), [SessionPendingManager.init](#), [SessionPendingManager.set](#), [SessionPendingManager.update](#), [SessionPendingManager.get](#), [SessionPendingManager.snapshot](#), [SessionPendingManager.clear](#), [set_pending_state](#), [update_pending_state](#)
- [api/session/provenance.py](#) | 235 行 | [9780368d306e](#) | [_to_bool](#), [_to_confidence](#), [_normalize_source_type](#), [MemoryProvenance](#), [MemoryProvenance.trust_label](#), [MemoryProvenance.as_dict](#), [namespace_for_source_type](#), [default_confidence_for_source](#), [parse_source_provenance](#), [build_source_signature](#)
- [api/session/references.py](#) | 272 行 | [9be46c69be33](#) | [_as_utc](#), [ReferenceCandidate](#), [ReferenceCandidate.to_dict](#), [ReferenceResolution](#), [ReferenceResolution.requires_clarification](#), [ReferenceResolution.to_dict](#), [_active_references](#),

[_candidates](#), [_from_candidates](#), [_ambiguous](#)

- [api/session/store.py](#) | 348 行 | [517292a4db41](#) | [_as_utc](#), [_parse_timestamp](#), [SessionStore](#), [SessionStore.init](#), [SessionStore._clone](#), [SessionStore.bind_identity](#), [SessionStore.get_identity_binding](#), [SessionStore.session_id_for](#), [SessionStore.remember_recent](#), [SessionStore.list_recent](#)
- [api/session/summary.py](#) | 82 行 | [af98b840b972](#) | [_resolve_store_and_args](#), [SessionSummaryManager](#), [SessionSummaryManager.init](#), [SessionSummaryManager.add](#), [SessionSummaryManager.list](#), [SessionSummaryManager.latest](#), [add_summary](#), [list_summaries](#), [latest_summary](#)
- [api/session/verified_fact_gate.py](#) | 76 行 | [72ca791ff2c4](#) | [is_reflexive_query](#), [promote_to_verified](#)
- [api/startup.py](#) | 2094 行 | [036406b3a9d8](#) | [_startup_feature_enabled](#), [_inprocess_laf_gmail_monitor_enabled](#), [_load_dotenv_value](#), [_load_json](#), [_write_json_atomic](#), [_maybe_handle_laf_captcha_reply](#), [_maybe_handle_generic_captcha_reply](#), [_is_loopback_base_url](#), [_normalize_public_base_url](#), [_is_trycloudflare_base_url](#)
- [api/tasks/__init__.py](#) | 30 行 | [88402050ecf2](#) | —
- [api/tasks/execution.py](#) | 170 行 | [ca784632fc51](#) | [_resolve_runtime_and_args](#), [TaskExecutionResult](#), [TaskExecutionResult.success](#), [TaskExecution](#), [TaskExecution.init](#), [TaskExecution.create](#), [TaskExecution.start](#), [TaskExecution.update](#), [TaskExecution.complete](#), [TaskExecution.fail](#)
- [api/tasks/models.py](#) | 50 行 | [65cae48c7c77](#) | [utcnow](#), [TaskStatus](#), [TaskRecord](#), [TaskRecord.as_dict](#)
- [api/tasks/runtime.py](#) | 44 行 | [b27b8c4a8ccd](#) | [TaskRuntime](#), [TaskRuntime.init](#), [TaskRuntime.register](#), [TaskRuntime.update](#), [TaskRuntime.complete](#), [TaskRuntime.fail](#), [TaskRuntime.cancel](#), [TaskRuntime.get](#), [TaskRuntime.list](#), [TaskRuntime.active](#)
- [api/tasks/store.py](#) | 138 行 | [5b9cfc386db2](#) | [TaskStore](#), [TaskStore.init](#), [TaskStore._clone](#), [TaskStore.register](#), [TaskStore.get](#), [TaskStore.update](#), [TaskStore.complete](#), [TaskStore.fail](#), [TaskStore.cancel](#), [TaskStore.list](#)
- [api/thread_pools.py](#) | 56 行 | [34d98205e5ae](#) | [_pool_size](#), [shutdown_all](#)
- [api/tools/__init__.py](#) | 39 行 | [c809b5ac759f](#) | —
- [api/tools/base.py](#) | 11 行 | [77f9a8139f1b](#) | [ToolExecutor](#), [ToolExecutor.execute](#)
- [api/tools/contracts.py](#) | 154 行 | [cd10b2e38786](#) | [ToolSideEffect](#), [normalize_tool_side_effect](#), [GeneralErrorCategory](#), [GeneralError](#), [GeneralError.as_dict](#), [ToolContext](#), [ToolSpec](#), [ToolSpec.post_init](#), [ToolSpec.as_dict](#), [ToolResult](#)
- [api/tools/executors.py](#) | 55 行 | [c2f304bc37a8](#) | [CallableToolExecutor](#), [CallableToolExecutor.execute](#), [HttpJsonToolExecutor](#), [HttpJsonToolExecutor.execute](#)
- [api/tools/policies.py](#) | 264 行 | [63d304a728ff](#) | [ToolRequirement](#), [classify_tool_requirement](#), [requires_fresh_web_source](#), [format_tool_failure_response](#)
- [api/tools/registry.py](#) | 510 行 | [577a37296c54](#) | [RegisteredTool](#), [RegisteredTool.as_dict](#), [ToolRegistry](#), [ToolRegistry.init](#), [ToolRegistry.register](#), [ToolRegistry.register_callable](#), [ToolRegistry.get](#), [ToolRegistry.list_tools](#), [ToolRegistry.execute](#), [ToolRegistry._contract_metadata](#)
- [api/tools/tool_router.py](#) | 93 行 | [586f719501ee](#) | [ToolRouteResult](#), [ToolRouteResult.as_context](#), [route_to_tool](#)
- [api/tools_api.py](#) | 4007 行 | [5f7e50a08251](#) | [_sigchld_handler](#), [_to_bool](#), [_host_is_blocked_for_fetch](#), [_host_is_blocked_for_fetch._blocked_ip](#), [_fetch_private_urls_allowed](#), [_validate_fetch_url](#), [_skill_runtime_env_opt_in](#), [_skill_runtime_default](#), [_resolve_skill_runtime_flags](#), [_resolve_skill_runtime_flags._flag](#)
- [api/tw_output_guard.py](#) | 1001 行 | [00f689577328](#) | [_char_entropy](#), [_bigram_repetition_ratio](#), [_has_semantic_breaks](#), [_is_gibberish](#), [_unwrap_json_fence](#), [_machine_output_to_natural_text](#), [_strip_customer_service_template](#), [_strip_generic_refusal_template](#), [_strip_internal_leaks](#), [detect_output_guard_issues](#)
- [api/verification/__init__.py](#) | 19 行 | [a5d861a3cbfb](#) | —
- [api/verification/agent_workflow.py](#) | 412 行 | [384cd72f8d61](#) | [TriAgentVerificationReport](#), [should_trigger_tri_agent](#), [_summarize_evidence](#), [_call_llm](#), [_parse_json_response](#), [run_tri_agent_verification](#), [_notify](#), [_make_report](#), [format_verification_footer](#)

- [api/verification/answer_verifier.py](#) | 115 行 | c27d74d15c60 | AnswerVerificationResult, _has_user_chatlog_support, _contains_false_memory_claim, _contains_overclaim, verify_answer
- [api/webhooks/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [api/webhooks/line.py](#) | 1661 行 | 23e89c9aa3a2 | get_line_admin_user_ids, init_line_module, _write_json_atomic, _load_json, _record_last_line_sender, _record_last_line_callback, _load_last_line_sender_user_id, _safe_remove_tmp, _cleanup_user_context, cleanup_old_exports
- [api/webhooks/telegram.py](#) | 1546 行 | 7fa1f7be1f57 | _get_orchestrator, _load_telegram_bot_token, _load_admin_telegram_ids, _load_notify_telegram_ids, _load_telegram_webhook_secret, _env_truthy, _env_falsey, _telegram_production_mode, _telegram_webhook_secret_required, _telegram_verify_webhook_secret
- [api/wsgi_server.py](#) | 23 行 | a2679a86a654 | serve

bin/ (1 檔)

- [bin/agent_mcp.py](#) | 87 行 | 88d57283888b | _config_from_args, main

casper_ecosystem/ (13 檔)

- [casper_ecosystem/law_firm_orchestrators/file_review_automation.py](#) | 15954 行 | 9889569bd6d6 | _infer_file_review_sys_type, _ordered_file_review_sys_candidates, _normalize_file_review_text, _file_review_case_signature_present, _file_review_submit_success_from_text, _file_review_alert_looks_rejected, _file_review_submit_evidence_is_success, _is_production_host, CaptchaSolver, CaptchaSolver.init
- [casper_ecosystem/law_firm_orchestrators/judicial_automation_v2.py](#) | 6714 行 | dc8e26acdaaa | _safe_print, _safe_log_callback, _is_production_host, _clean_transcript_parse_value, _valid_transcript_record_date, _valid_transcript_record_type, _record_parse_ready_for_filename, _transcript_filename_metadata_category, _chinese_calendar_number, _extract_transcript_metadata_from_text_pages
- [casper_ecosystem/law_firm_orchestrators/laf_automation_v2.py](#) | 12592 行 | 432511f600a6 | _safe_print, _safe_log_callback, _safe_logger, _laf_default_case_lawyer, _eventlog, normalize_laf_portal_report_status, classify_laf_portal_report_row, laf_portal_attachment_receipt_key, _record_laf_portal_attachment_receipt, _record_laf_external_action_receipt
- [casper_ecosystem/law_firm_orchestrators/laf_flow.py](#) | 19 行 | 149e422aee97 | —
- [casper_ecosystem/law_firm_orchestrators/laf_folder_builder.py](#) | 466 行 | 77fc31df90d6 | LAFFolderBuilder, LAFFolderBuilder.init, LAFFolderBuilder._load_config, LAFFolderBuilder._init_path_mappings, LAFFolderBuilder._detect_local_mount, LAFFolderBuilder._ensure_authoritative_root, LAFFolderBuilder.create_case_folder, LAFFolderBuilder.get_local_path_from_canonical, LAFFolderBuilder.folder_exists, LAFFolderBuilder._safe_makedirs
- [casper_ecosystem/law_firm_orchestrators/laf_handler.py](#) | 29 行 | 6036c23ac0f5 | —
- [casper_ecosystem/law_firm_orchestrators/laf_nightly_audit.py](#) | 5304 行 | 15c09e0417f5 | _sync_case_path_references, _sync_case_path_references._exec, PortalNewFilesScanResult, PortalNewFilesScanResult.init, _db_probe, _get_db, _load_config, _normalize_status_text, _normalize_person_name, _is_unusable_client_label
- [casper_ecosystem/law_firm_orchestrators/laf_orchestrator.py](#) | 11033 行 | aa587c1a490d | _portal_retry_initial_delay_seconds, _sync_case_path_references, _sync_case_path_references._exec, _create_laf_upload_staging_dir, _eventlog, _safe_listdir, _safe_listdir._runner, _safe_getmtime, _safe_getmtime._runner, _PortalRetryCycleTimeout
- [casper_ecosystem/law_firm_orchestrators/laf_orchestrator_docmixins.py](#) | 949 行 | d1110f4403e1 | is_closing_fee_filename, LAForchestratorDocumentMixin, LAForchestratorDocumentMixin._text_contains_any, LAForchestratorDocumentMixin._find_first_existing, LAForchestratorDocumentMixin._dedupe_sorted, LAForchestratorDocumentMixin._normalize_date_text, LAForchestratorDocumentMixin._extract_date_from_filename, LAForchestratorDocumentMixin._extract_date_from_office_text, LAForchestratorDocumentMixin._get_doc_hint_ocr_engine, LAForchestratorDocumentMixin._ocr_text_from_image

- [casper_ecosystem/law_firm_orchestrators/laf_progress_helper.py](#) | 209 行 | [24cfa8cc4438](#) | `_is_doc_excluded`, `_stem_ends_with_zhuan`, `_score_pdf`, `pick_latest_pdf`, `pick_latest_pdf._sort_key`, `extract_date_from_pdf_name`, `build_progress_remark`, `classify_progress_email`
- [casper_ecosystem/law_firm_orchestrators/laf_vision.py](#) | 440 行 | [4960cd7e59ce](#) | `LAFVision`, `LAFVision.init`, `LAFVision._env_bool`, `LAFVision._consensus_enabled`, `LAFVision._consensus_shadow`, `LAFVision._extract_via_legacy`, `LAFVision._run_consensus_ocr`, `LAFVision._write_consensus_metrics`, `LAFVision.extract_start_date`, `LAFVision.extract_text`
- [casper_ecosystem/law_firm_orchestrators/line_notifier.py](#) | 772 行 | [449a11e95b6f](#) | `_guard_text`, `_load_env`, `_load_config`, `_split_csv`, `_load_admin_line_ids_from_allowlist`, `_is_line_429_active_today`, `LAFNotifier`, `LAFNotifier.init`, `LAFNotifier.notify_admin`, `LAFNotifier.notify_admin_with_files`
- [casper_ecosystem/law_firm_orchestrators/osc/folder_utils.py](#) | 3 行 | [73539ca40c38](#) | —

daemon.py/ (1 檔)

- [daemon.py](#) | 2191 行 | [ea3dc14f7ca8](#) | `file_lock`, `file_unlock`, `get_venv_python`, `get_magi_root`, `_feature_enabled`, `_is_training_locked`, `_is_night_window`, `_expected_omlx_profile_now`, `_is_omlx_night_window`, `_read_omlx_main_model_id`

gui/ (1 檔)

- [gui/magi_menubar.py](#) | 6621 行 | [4fdf5cf9b9dc](#) | `_acquire_menubar_singleton`, `_acquire_menubar_singleton._release_lock`, `_FallbackMenu`, `_FallbackMenu.insert_after`, `_FallbackMenuItem`, `_FallbackMenuItem.init`, `_FallbackMenuItem.set_callback`, `_FallbackApp`, `_FallbackApp.init`, `_FallbackApp.menu`

integrations/ (6 檔)

- [integrations/debt_robot/01_A.py](#) | 184 行 | [a2a3af7251cf](#) | `DocumentEditor`, `DocumentEditor.init`, `DocumentEditor.init_ui`, `DocumentEditor.open_folder`, `DocumentEditor.load_documents`, `DocumentEditor.save_document`
- [integrations/debt_robot/02_B.py](#) | 288 行 | [4fffa277fb35](#) | `TableEditor`, `TableEditor.init`, `TableEditor.init_tabs`, `TableEditor.add_tab`, `TableEditor.add_income_tab`, `TableEditor.add_generic_row`, `TableEditor.add_expense_tab`, `TableEditor.add_expense_row`, `TableEditor.add_expense_row.update_total`, `TableEditor.update_total_sum`
- [integrations/debt_robot/03_C.py](#) | 218 行 | [765ca8ac3b54](#) | `CreditorEditor`, `CreditorEditor.init`, `CreditorEditor.read_csv_files`, `CreditorEditor.init_tab`, `CreditorEditor.add_creditor_row`, `CreditorEditor.add_creditor_row.update_address`, `CreditorEditor.update_total_sum`, `CreditorEditor.save_document`, `CreditorEditor.update_csv`
- [integrations/debt_robot/04_D.py](#) | 142 行 | [5b6c19b5a300](#) | `add_blank_page_if_needed`, `merge_single_pdf`, `merge_pdfs`, `select_files`, `convert_docx_to_pdf`, `move_up`, `move_down`, `remove_file`, `merge_and_save`
- [integrations/debt_robot/05_E.py](#) | 579 行 | [a4b7b8dc504f](#) | `DocumentGenerator`, `DocumentGenerator.init`, `DocumentGenerator.handle_c3_selection`, `DocumentGenerator.handle_d3_selection`, `DocumentGenerator.init_ui`, `DocumentGenerator.init_ui.add_input`, `DocumentGenerator.init_ui.add_textarea`, `DocumentGenerator.apply_inputs_to_doc`, `DocumentGenerator.apply_inputs_to_doc.get_text`, `DocumentGenerator.apply_inputs_to_doc.num_to_chinese`
- [integrations/debt_robot/06_F.py](#) | 549 行 | [68b8cb915c20](#) | `ExtractWorker`, `ExtractWorker.init`, `ExtractWorker.run`, `SupplementGenerator`, `SupplementGenerator.init`, `SupplementGenerator._init_ui`, `SupplementGenerator._build_left_panel`, `SupplementGenerator._build_right_panel`, `SupplementGenerator._refresh_case_list`, `SupplementGenerator._on_case_selected`

magi_v3/ (64 檔)

- [magi_v3/__init__.py](#) | 47 行 | [e5e5180d3013](#) | `getattr`, `dir`
- [magi_v3/__main__.py](#) | 38 行 | [c83c03470d5c](#) | `main`
- [magi_v3/a2a_adapter.py](#) | 114 行 | [8d4f9e345a2d](#) | `A2AAdapterError`, `_federation_host_forbidden`, `A2AAdapterPolicy`, `A2AAdapterPolicy.post_init`, `A2AAdapterPolicy.load`, `create_proposal`

- [magi_v3/business_events.py](#) | 278 行 | [6136ed92fe60](#) | `default_ledger_path`, `_safe_token`, `_source_digest`, `BusinessEventLedger`, `BusinessEventLedger.init`, `BusinessEventLedger._connect`, `BusinessEventLedger._init_schema`, `BusinessEventLedger.emit`, `BusinessEventLedger.claim`, `BusinessEventLedger.complete`
- [magi_v3/business_outcome_eval.py](#) | 120 行 | [4a66425c1267](#) | `_canonical`, `_hash`, `_contains_pii`, `anonymise_finding`, `merge_manual_finding`, `write_manual_finding`, `evaluate_outcome_slo`
- [magi_v3/business_recovery.py](#) | 410 行 | [43d8572b3aa7](#) | `RecoveryDecision`, `RecoveryDecision.delay_for_attempt`, `_last_json_object`, `_bool`, `_bounded_int`, `load_recovery_catalog`, `contract_for_job`, `audit_recovery_catalog`, `_retry_delays`, `_reason_code`
- [magi_v3/case_filesystem.py](#) | 249 行 | [79f53ccedcf3](#) | `_truthy`, `_inside`, `_tree_signature`, `NativeCaseFilesystemEffects`, `NativeCaseFilesystemEffects.init`, `NativeCaseFilesystemEffects._assert_authoritative_bindings`, `NativeCaseFilesystemEffects._root`, `NativeCaseFilesystemEffects.from_environment`, `NativeCaseFilesystemEffects.call`, `NativeCaseFilesystemEffects._create_folder`
- [magi_v3/case_lifecycle.py](#) | 91 行 | [0723693614c8](#) | `CaseLifecyclePhase`, `phase_for_status`, `case_lifecycle_phase`, `requires_closed_storage`, `canonical_case_status`
- [magi_v3/compat/_init_.py](#) | 36 行 | [9b22ad88ae0b](#) | `create_admin_server`
- [magi_v3/compat/admin.py](#) | 119 行 | [fabf65b94d27](#) | `AdminCompatibilityError`, `HealthApplication`, `HealthApplication.response`, `_sha256`, `_load_admin_module`, `_overlay_handler`, `_overlay_handler.Handler`, `_overlay_handler.Handler.do_GET`, `create_admin_server`
- [magi_v3/compat/gateway.py](#) | 495 行 | [570c1b26d5d2](#) | `StartResponse`, `StartResponse.call`, `CompatibilityLoadError`, `CompatibilitySurfaceError`, `RouteSpec`, `RouteSpec.from_mapping`, `RouteInventory`, `RouteInventory.load`, `RouteInventory.counts`, `RouteInventory.for_service`
- [magi_v3/config.py](#) | 212 行 | [f027db012b4b](#) | `_default_state_dir`, `_default_host_active_lock_path`, `_as_bool`, `_as_int`, `_as_float`, `ResourcePolicy`, `ResourcePolicy.validate`, `CoreSettings`, `CoreSettings.resolved_ledger_path`, `CoreSettings.validate`
- [magi_v3/control.py](#) | 361 行 | [8037f1b324fd](#) | `HTTPServerLike`, `HTTPServerLike.handle_request`, `HTTPServerLike.server_close`, `_process_exists`, `_process_group_exists`, `build_supervisor_dependency_probe`, `build_supervisor_dependency_probe.probe`, `ControlHealthApplication`, `ControlHealthApplication.init`, `ControlHealthApplication.response`
- [magi_v3/controlled_evolution.py](#) | 906 行 | [c9a4a01124e1](#) | `_utc_now`, `_iso_now`, `_digest`, `_canonical_json`, `ComponentRule`, `_safe_signal`, `classify_component`, `_risk_for`, `build_structure_inventory`, `build_proposal`
- [magi_v3/cron_macros.py](#) | 43 行 | [16c44a4f834e](#) | `CronMacroEntrypoint`, `CronMacroEntrypoint.argv`, `resolve_exact_cron_macro`
- [magi_v3/cron_policy.py](#) | 287 行 | [bd53674b88fa](#) | `CronDispatchPolicyError`, `_read_stable_regular_file`, `_bound_cron_snapshot`, `CronDispatchPolicy`, `CronDispatchPolicy.max_workers`, `CronDispatchPolicy.can_start_lane`, `CronDispatchPolicy.lane_for`, `CronDispatchPolicy.delay_for`, `CronDispatchPolicy.queue_all_non_durable`, `CronDispatchPolicy.coalesces_pending`
- [magi_v3/cron_service.py](#) | 1033 行 | [b3b5c9177f18](#) | `_cron_occurrence_id`, `_cron_timeout_seconds`, `_load_bound_cron_environment`, `CronServiceError`, `Scheduler`, `Scheduler.reconcile_incomplete_jobs`, `Scheduler.reconcile_terminal_schedule_deferrals`, `Scheduler.rearm_recovered_resource_deferrals`, `Scheduler.peek_due_jobs`, `Scheduler.get_missed_jobs_v3`
- [magi_v3/dispatcher.py](#) | 777 行 | [30c1cb985d36](#) | `load_capability_worker_classes`, `_validated_capability_mapping`, `VerifiedCompletion`, `VerifiedCompletion.validate`, `load_capability_worker_adapter`, `DispatchHandle`, `PreemptionOutcome`, `DispatchOutcome`, `DurableDispatcher`, `DurableDispatcher.init`
- [magi_v3/drive_file_checkpoint.py](#) | 600 行 | [57cfe764b76](#) | `DriveFileCheckpointError`, `_now`, `_digest`, `_valid_digest`, `_valid_partial_row`, `case_token`, `source_fingerprint`, `item_token`, `proof_hash`, `snapshot_hash`

- [magi_v3/errors.py](#) | 37 行 | [396b401d6a23](#) | `CoreError`, `ConfigurationError`, `LedgerError`, `JobNotFound`, `InvalidTransition`, `LeaseConflict`, `AdmissionDenied`, `SupervisorError`, `WorkerAlreadyRunning`
- [magi_v3/evidence_ledger.py](#) | 554 行 | [633a6fde0f38](#) | `EvidenceLedgerError`, `_utc_now`, `_parse_time`, `_canonical`, `_digest`, `_token`, `_component`, `_safe_receipt`, `EvidenceEnvelope`, `EvidenceEnvelope.create`
- [magi_v3/external_canary.py](#) | 169 行 | [17d4ffdc2456](#) | `ExternalCanaryError`, `canonical_bytes`, `sign_receipt`, `verify_receipt`, `verify_receipt_time`, `load_from_environment`
- [magi_v3/external_inputs.py](#) | 623 行 | [1323ded44fb5](#) | `ExternalInputError`, `named_mutable_state_paths`, `live_shared_state_environment`, `BoundCronJobs`, `BoundLAFConfig`, `BoundExternalFile`, `_sealed_context`, `bound_shared_directory`, `laf_download_directory`, `bound_shared_file`
- [magi_v3/faiss_maintenance.py](#) | 366 行 | [5bb4c5392c66](#) | `FaissMaintenanceError`, `_sha256_file`, `_valid_sha256`, `_python_command`, `_atomic_json`, `_request_lock`, `FaissRebuildCoordinator`, `FaissRebuildCoordinator.init`, `FaissRebuildCoordinator.is_source_job`, `FaissRebuildCoordinator.low_memory_environment`
- [magi_v3/fcntl_compat.py](#) | 53 行 | [80ae21ae4ed6](#) | `_descriptor`, `flock`, `lockf`
- [magi_v3/file_review_receipts.py](#) | 151 行 | [6fcd9d8d4ae](#) | `_first`, `_first_upper`, `canonical_portal_download_signature`, `normalize_signature_hashes`, `signature_set_hash`, `portal_snapshot_fingerprint`, `portal_observed_epoch`, `portal_download_snapshot`
- [magi_v3/forensic_transcript.py](#) | 659 行 | [99f315b52300](#) | `_sha256_file`, `_lease_token`, `_within`, `_mutable_root`, `_workspace`, `_input_evidence`, `_task_payload`, `_seatbelt_profile`, `_transcription_policy`, `_required_env`
- [magi_v3/gateway.py](#) | 725 行 | [826fe2d9fe4d](#) | `GatewayConfigurationError`, `GatewayRuntimeError`, `RoleGuard`, `RoleGuard.acquired`, `RoleGuard.acquire`, `RoleGuard.release`, `ServerHandle`, `ServerHandle.run`, `ServerHandle.close`, `ReleaseOwnership`
- [magi_v3/health.py](#) | 81 行 | [3cdf4834da65](#) | `HealthReport`, `HealthReport.to_dict`, `HealthService`, `HealthService.init`, `HealthService.liveness`, `HealthService.readiness`, `_now`
- [magi_v3/health_presentation.py](#) | 40 行 | [37a69a45ae3e](#) | `_safe_text`, `present_health`
- [magi_v3/instance.py](#) | 63 行 | [7ee0407a6ab6](#) | `SingleActiveError`, `SingleActiveGuard`, `SingleActiveGuard.init`, `SingleActiveGuard.acquired`, `SingleActiveGuard.acquire`, `SingleActiveGuard.release`, `SingleActiveGuard.enter`, `SingleActiveGuard.exit`
- [magi_v3/ledger.py](#) | 2262 行 | [68ed1f4fe146](#) | `_utcnow`, `_timestamp`, `_json`, `_decode`, `_parse_timestamp`, `_canonical_resource_claim`, `_canonical_artifacts`, `_canonical_receipts`, `_canonical_metrics`, `_canonical_error`
- [magi_v3/legacy_background_service.py](#) | 532 行 | [e3f7ec2f7c1c](#) | `LegacyBackgroundError`, `ServiceConfig`, `ServiceConfig.validated`, `ComponentSpec`, `ComponentState`, `ComponentState.to_dict`, `_module_origin_within`, `bind_legacy_root`, `_periodic`, `_queue_recovery`
- [magi_v3/live_validation.py](#) | 195 行 | [11bea7c0572b](#) | `HealthApplication`, `HealthApplication.response`, `_environment`, `_fixture_path`, `_response`, `ValidationWSGIApp`, `ValidationWSGIApp.init`, `ValidationWSGIApp.call`, `create_main_app`, `create_tools_app`
- [magi_v3/live_validation_probe_service.py](#) | 37 行 | [efee7a32003c](#) | `main`, `main.stop`
- [magi_v3/macros_resources.py](#) | 450 行 | [ffa60e8b24d2](#) | `MemoryPressureMetrics`, `VMStatMetrics`, `SwapUsageMetrics`, `ProcessMetrics`, `ProcessFootprintMetrics`, `FootprintMetrics`, `MacOSResourceSample`, `MacOSResourceSample.governor_ready`, `_default_runner`, `_pressure_level`
- [magi_v3/mcp_catalog.py](#) | 113 行 | [1e9de5ae99c6](#) | `McpCatalogError`, `ApprovedMcpServer`, `ApprovedMcpServer.post_init`, `ApprovedMcpServer.verify_executable`, `McpClientCatalog`, `McpClientCatalog.init`, `McpClientCatalog.load`, `McpClientCatalog.resolve`
- [magi_v3/mcp_conformance.py](#) | 197 行 | [179d13cd63b5](#) | `McpRequestContext`, `McpRequestContext.modern`, `McpProtocolError`, `McpProtocolError.init`, `McpProtocolError.as_error`, `_mapping`, `_implementation`, `request_context`, `legacy_initialize_version`, `response_meta`

- [magi_v3/memory_backends.py](#) | 187 行 | [0459e1b61027](#) | `_receipt`, `_eligible`, `SqlMemoryBackend`, `SqlMemoryBackend.init`, `SqlMemoryBackend.call`, `FaissRebuildBackend`, `FaissRebuildBackend.init`, `FaissRebuildBackend.call`, `KnowledgeGraphBackend`, `KnowledgeGraphBackend.init`
- [magi_v3/memory_lifecycle.py](#) | 544 行 | [56cbd603efa3](#) | `MemoryLifecycleError`, `utc_now`, `_canonical_text`, `content_sha256`, `canonical_memory_id`, `_safe_case_scope`, `MemoryRecord`, `MemoryRecord.post_init`, `MemoryRecord.protected_legal_record`, `MemoryRecord.to_dict`
- [magi_v3/model_recovery.py](#) | 108 行 | [c4ea676317e7](#) | `_epoch`, `assess_omlx_recovery`
- [magi_v3/mutable_state_handoff.py](#) | 719 行 | [670225a0a2b1](#) | `MutableStateHandoffError`, `StateSpec`, `ExactContext`, `ExactContext.validate`, `ExactContext.public`, `FileSnapshot`, `FileSnapshot.public_source`, `TargetSnapshot`, `TargetSnapshot.public`, `_validate_allowlist`
- [magi_v3/observability.py](#) | 140 行 | [ce2e14cd6cf8](#) | `task_trace`, `outcome_slo`, `actionable_error`, `support_bundle`, `verify_dr_report`, `_digest`, `_safe_label`, `_safe_text`, `_next_step`
- [magi_v3/ocr_queue.py](#) | 64 行 | [440dce9a5e73](#) | `OCRQueuePathError`, `_sealed_v3_context`, `resolve_nas_ocr_queue_db_path`
- [magi_v3/osc_cases.py](#) | 1078 行 | [2b0222fd5e02](#) | `OscCasesError`, `RequestValidationError`, `RequestValidationError.init`, `CaseListQuery`, `CreateResult`, `CaseTransaction`, `CaseTransaction.list_cases`, `CaseTransaction.next_case_number`, `CaseTransaction.find_existing`, `CaseTransaction.insert_case`
- [magi_v3/osc_main.py](#) | 513 行 | [044be25a7169](#) | `_env_truthy`, `_https_enforced`, `V2SecurityHeaderPolicy`, `V2SecurityHeaderPolicy.init`, `V2SecurityHeaderPolicy.call`, `_cookie_value`, `FlaskSessionAuthorizer`, `FlaskSessionAuthorizer.init`, `FlaskSessionAuthorizer.call`, `MariaDBUserLoader`
- [magi_v3/process_compat.py](#) | 32 行 | [16b516a7549d](#) | `process_group`, `signal_group`, `group_exists`
- [magi_v3/process_monitor.py](#) | 326 行 | [ad9f37fb3572](#) | `parse_etime_seconds`, `process_monitor_markers`, `parse_ps_rows`, `_argv_head`, `_is_shell_command_wrapper`, `_worker_marker`, `_core_marker`, `_is_managed_parent`, `_is_orphan_worker`, `ZombiePersistence`
- [magi_v3/quality_ledger.py](#) | 173 行 | [cdf2fe6ed8e1](#) | `_now`, `_json`, `_hash`, `_require_timestamp`, `canonical_quality_signal`, `attest_release`, `QualityOutcomeLedger`, `QualityOutcomeLedger.init`, `QualityOutcomeLedger._connect`, `QualityOutcomeLedger.upsert`
- [magi_v3/resource.py](#) | 254 行 | [2404c49b6cae](#) | `PressureLevel`, `ResourceSnapshot`, `ResourceSnapshotProvider`, `ResourceSnapshotProvider.snapshot`, `AdmissionRequest`, `AdmissionRequest.validate`, `AdmissionDecision`, `ResourceLease`, `ResourceLease.init`, `ResourceLease.released`
- [magi_v3/runtime.py](#) | 68 行 | [2c4c8bd222c0](#) | `CoreRuntime`, `CoreRuntime.build`, `CoreRuntime.initialize`, `CoreRuntime.activate`, `CoreRuntime.close`, `CoreRuntime.enter`, `CoreRuntime.exit`
- [magi_v3/selfhost.py](#) | 1855 行 | [87b38371c478](#) | `_release_secret_path`, `_release_excluded_path`, `SelfHostError`, `HostLayout`, `HostLayout.as_dict`, `Check`, `Check.as_dict`, `ServicePlan`, `ServicePlan.as_dict`, `_system_name`
- [magi_v3/service_manifest.py](#) | 250 行 | [70f4f355a80f](#) | `assert_deployment_safety`, `ServiceDefinition`, `ServiceManifest`, `ServiceManifest.for_role`, `ServiceManifest.service`, `_object`, `_identifiers`, `_safe_argv`, `load_service_manifest`, `load_bound_service_manifest`
- [magi_v3/service_runtime.py](#) | 766 行 | [9564571c63bd](#) | `ServiceRuntimeError`, `_canonical_runtime_root`, `ProcessRecord`, `OwnershipProbe`, `OwnershipProbe.assert_exclusive`, `is_transient_ownership_probe_failure`, `PeriodicOwnershipGuard`, `PeriodicOwnershipGuard.init`, `PeriodicOwnershipGuard.check`, `_default_process_reader`
- [magi_v3/shapely_runtime.py](#) | 23 行 | [72b765cb0df8](#) | `verify_shapely_runtime`
- [magi_v3/skill_manifest.py](#) | 218 行 | [a7f963cf5f1c](#) | `SkillManifestError`, `canonical_bytes`, `_unsigned`, `manifest_digest`, `_safe_root`, `validate_manifest`, `load_manifest`, `build_candidate_manifest`, `write_candidate_manifest`, `verify_catalog_approval`
- [magi_v3/skill_sandbox.py](#) | 151 行 | [be270cbfdb2e](#) | `_quoted`, `seatbelt_profile`, `_filtered_env`, `run_manifested_skill`

- [magi_v3/span_evaluation.py](#) | 81 行 | [0f5de652d3db](#) | `SpanExpectation`, `evaluate_spans`
- [magi_v3/state.py](#) | 105 行 | [b37e199b1ac4](#) | `JobStatus`, `ensure_transition`
- [magi_v3/supervisor.py](#) | 344 行 | [22013d896760](#) | `WorkerSpec`, `WorkerSpec.validate`, `WorkerResult`, `_WorkerHandle`, `WorkerSupervisor`, `WorkerSupervisor.init`, `WorkerSupervisor.start`, `WorkerSupervisor.poll`, `WorkerSupervisor.wait`, `WorkerSupervisor.terminate`
- [magi_v3/supervisor_service.py](#) | 573 行 | [a64830621065](#) | `ProcessLike`, `ProcessLike.poll`, `ProcessLike.wait`, `ManagedChild`, `_group_exists`, `_pid_alive`, `_process_argv`, `load_supervisor_environment`, `ManifestProcessSupervisor`, `ManifestProcessSupervisor.init`
- [magi_v3/supply_chain.py](#) | 503 行 | [b7117c0ad9a2](#) | `SupplyChainError`, `_load_json_regular`, `_sha256`, `canonical_digest`, `installed_components`, `runtime_lock`, `cyclonedx_sbom`, `wheelhouse_manifest`, `verify_wheelhouse`, `scan_release_secrets`
- [magi_v3/telemetry.py](#) | 381 行 | [a63ccbd6b3bb](#) | `TelemetryError`, `TraceContext`, `TraceContext.post_init`, `TraceContext.traceparent`, `TraceContext.parse`, `new_trace_context`, `child_trace_context`, `_safe_name`, `_safe_attributes`, `SpanExporter`
- [magi_v3/video_autopilot_adapter.py](#) | 792 行 | [a232348badf7](#) | `VideoAutopilotError`, `StoryboardRequest`, `EditPlan`, `AssetInput`, `_clean_text`, `_validate_storyboard_request`, `validate_storyboard_request`, `validate_asset_storyboard_request`, `interpret_edit_instructions`, `public_edit_plan`

osc.py/ (1 檔)

- [osc.py](#) | 610 行 | [bebac65f97b7](#) | `DatabaseManager`, `DatabaseManager.init`, `DatabaseManager._cfg`, `DatabaseManager._get_connection`, `DatabaseManager._fetch_table_columns`, `DatabaseManager._execute_ddl`, `DatabaseManager._ensure_min_schema`, `DatabaseManager.execute`, `DatabaseManager.fetch_one`, `DatabaseManager.fetch_all`

scripts/ (358 檔)

- [scripts/accounting_monthly_bonus.py](#) | 64 行 | [e9287de78dc8](#) | `main`
- [scripts/add_skill_invocation.py](#) | 200 行 | [cae629e19aaf](#) | `add_invocation`
- [scripts/architecture/capture_v2_runtime_routes.py](#) | 142 行 | [946efffe73e0](#) | `_NullRotatingFileHandler`, `_NullRotatingFileHandler.init`, `_prepare_safe_import`, `_capture`, `capture`, `main`
- [scripts/architecture/generate_runtime_inventory.py](#) | 29 行 | [c2316c375dbc](#) | —
- [scripts/architecture/generate_v2_inventory.py](#) | 411 行 | [1f61caa3f382](#) | `semantic_inventory_projection`, `_portable_text`, `_literal_string`, `collect_routes`, `collect_skills`, `_cron_jobs`, `collect_cron`, `collect_portable_cron_bytes`, `project_inventory_to_release`, `collect_daemon_children`
- [scripts/audit_gcal_duplicates.py](#) | 383 行 | [0bdc8f977a3b](#) | `_load_osc_action_module`, `_score_confidence`, `_event_start_repr`, `_event_brief`, `_group_confidence`, `_eligible_for_delete`, `_write_json`, `_write_jsonl`, `_write_summary_md`, `main`
- [scripts/benchmark_gemma4_mtp.py](#) | 273 行 | [26b3eb07a39a](#) | `resolve_draft_model`, `get_service_url`, `BenchmarkTask`, `_as_bool`, `load_tasks`, `extract_content`, `valid_json_text`, `build_payload`, `chat_once`, `probe_runtime`
- [scripts/casper_night_patrol.py](#) | 392 行 | [6600ca328f2d](#) | `scan_logs`, `run_memory_consolidation`, `run_health_check`, `ask_local_llm`, `generate_proposals`, `save_proposals`, `build_report`, `save_report`, `send_report`, `run_laf_nightly_audit`
- [scripts/ci/check_hardcodes.py](#) | 157 行 | [183091c2b693](#) | `_is_comment`, `find_repo_root`, `scan`, `main`
- [scripts/ci/check_monolith_size.py](#) | 60 行 | [f6996089e05d](#) | `find_repo_root`, `main`
- [scripts/ci/check_shell_true.py](#) | 94 行 | [d8eca52d6b7e](#) | `_load_grandfather`, `_iter_py_files`, `scan`, `main`
- [scripts/classify_supreme_interpreter_mentions.py](#) | 597 行 | [508f13611fc6](#) | `ClassifiedCase`, `compact`, `compile_any`, `is_pure_legal_template_context`, `first_match`, `extract_metadata`, `extract_main_text`, `classify_outcome`, `extract_prior_case_no`, `find_contexts`

- [scripts/code_skill_cycle.py](#) | 56 行 | [9854f1e00c07](#) | `run_cycle`
- [scripts/configure_mobile_app.py](#) | 57 行 | [7f979cfb0386](#) | `_configured_mobile_url`, `_write_config`, `main`
- [scripts/customer_install_wizard.py](#) | 379 行 | [f9db02121334](#) | `WizardStep`, `_status_from_bool`, `_command_text`, `_run_command`, `_summarize`, `_write_report`, `_env_step`, `_preflight_step`, `_install_steps`, `_public_audit_step`
- [scripts/db_sync_to_remote.py](#) | 165 行 | [52fa814c1456](#) | `_signal_handler`, `remote_reachable`, `backup_local`, `cleanup_old_backups`, `dump_remote`, `push_to_local`, `sync_once`
- [scripts/dedup_magical_brain.py](#) | 224 行 | [f3a405a8f945](#) | `get_conn`, `count_duplicates`, `count_smoke_test`, `get_duplicate_ids_batch`, `get_smoke_test_ids_batch`, `delete_batch`, `dedup_report`, `main`
- [scripts/docs/build_magical_encyclopedia.py](#) | 1404 行 | [383fb533d8d6](#) | `Symbol`, `FileRecord`, `sha256_file`, `redact_workstation_paths`, `first_sentence`, `signature_for`, `python_details`, `python_details.Visitor`, `python_details.Visitor.init`, `python_details.Visitor.symbol`
- [scripts/docs/generate_implementation_status.py](#) | 309 行 | [6962544c1eaa](#) | `ImplementationStatusError`, `_load_json`, `_source_commit`, `_source_dirty`, `_active_release`, `_quality_inventory`, `_release_policy`, `build_status`, `render_markdown`, `main`
- [scripts/drive_case_sync_inventory.py](#) | 15 行 | [d4a46cda68fa](#) | —
- [scripts/drive_case_sync_worker.py](#) | 2116 行 | [2799be050680](#) | `state_path`, `file_checkpoint_path`, `worker_status_path`, `worker_lock_path`, `iso_now`, `_adaptive_all_case_limit`, `_fair_all_case_chunk_limit`, `_inner_inventory_budget`, `DriveCaseSyncTimeout`, `inventory_time_limit`
- [scripts/fetch_supreme_interpreter_texts.py](#) | 268 行 | [c3c795900867](#) | `safe_title`, `clean_judgment_text`, `load_source_items`, `_read_mapping_json`, `_read_mapping_csv`, `existing_text_by_authoritative_index`, `load_judicial_web_search_module`, `materialize_complete_corpus`, `sync_summary_outputs`, `main`
- [scripts/first_run_setup.py](#) | 236 行 | [652dd98b0734](#) | `SetupItem`, `_parse_env`, `_is_placeholder`, `_write_env_from_example`, `_tracked_files`, `_public_isolation_findings`, `build_first_run_checklist`, `main`
- [scripts/fix_silent_except.py](#) | 429 行 | [da3d5e58b066](#) | `Replacement`, `FileResult`, `SilentExceptFixer`, `SilentExceptFixer.init`, `SilentExceptFixer._get_files_to_scan`, `SilentExceptFixer._is_in_skip_dir`, `SilentExceptFixer._line_number_at_pos`, `SilentExceptFixer._get_indentation`, `SilentExceptFixer._find_replacements`, `SilentExceptFixer._apply_replacements`
- [scripts/gemma4_comparison_test.py](#) | 200 行 | [0af71a2daee1](#) | `chat`, `check_models`, `run_test`
- [scripts/generate_detailed_user_manual.py](#) | 711 行 | [f39e42af002b](#) | `pil_font`, `draw_round_rect`, `draw_wrapped`, `draw_centered_text`, `save_img`, `make_cover_image`, `make_module_map`, `make_quality_map`, `make_daily_workflow`, `make_todo_split`
- [scripts/generate_hearing_leave_public_template.py](#) | 63 行 | [0a7880e492aa](#) | `template_payload`, `main`
- [scripts/generate_public_manual_docx.py](#) | 194 行 | [584bca0c2c1c](#) | `set_run_font`, `add_page_number`, `configure_document`, `add_styled_text`, `flush_buffer`, `build_docx`, `patch_settings_xml`
- [scripts/generate_user_operation_manual_docx.py](#) | 433 行 | [538a8b6a87a0](#) | `set_run_font`, `shade_cell`, `set_cell_border`, `cell_text`, `add_para`, `add_heading`, `add_table`, `add_bullets`, `page_break`, `load_json`
- [scripts/generate_verified_user_manual_docx.py](#) | 637 行 | [38cea54049ae](#) | `_ensure_docx_dependency`, `load_json`, `first_existing`, `result_count`, `set_run_font`, `shade_cell`, `set_cell_border`, `set_cell_text`, `add_para`, `add_heading`
- [scripts/generate_visual_user_manual_docx.py](#) | 1038 行 | [28e6eab308c6](#) | `font`, `hex_to_rgb`, `draw_round_rect`, `draw_text_box`, `draw_centered_text`, `save_image`, `make_cover`, `make_module_map`, `make_workflow`, `make_dashboard_mock`
- [scripts/import_accounting_sheet.py](#) | 25 行 | [d02ab2d6139b](#) | —
- [scripts/ingest_raw_judgments.py](#) | 215 行 | [4b3621e552ae](#) | `load_state`, `save_state`, `extract_fields`, `court_name_from_jid`, `parse_jdate`, `main`
- [scripts/install_magical.py](#) | 141 行 | [dfa3ac716b15](#) | `InstallStep`, `venv_python`, `build_install_plan`, `run_step`, `live_checks`, `main`

- `scripts/install_omlx_embed.py` | 91 行 | 00949dc591e6 | `run`, `main`
- `scripts/install_omlx_restore.py` | 83 行 | 785244894eaf | `run`, `main`
- `scripts/install_omlx_text.py` | 103 行 | 60aa4c99e99a | `_enabled`, `run`, `build_launch_agent_plist`, `main`
- `scripts/install_omlx_watchdog.py` | 80 行 | 63656bfcdec3 | `run`, `main`
- `scripts/install_service.py` | 69 行 | f626071318bc | `install`, `uninstall`
- `scripts/judicial_jlist_crawl.py` | 253 行 | f90723468013 | `_is_open_hours`, `_authenticate`, `_save_judgment`, `_mark_dedup`, `_is_already_fetched`, `run`
- `scripts/knowledge_lint.py` | 2049 行 | f5553dc5c185 | `_resolve_agent_dir`, `_reviewed_no_usable_judgment_count`, `_pending_nvidia_judgment_review_count`, `_get_vault_path`, `_load_env`, `_db_connect`, `_extract_insight_body`, `_is_low_quality_insight`, `_is_low_quality_judgment_summary`, `_vector_rows_for_doc_key`
- `scripts/laf_nightly_audit.py` | 35 行 | be8cf6fb2fb0 | —
- `scripts/live_magj_mtp_eval.py` | 476 行 | ca3b87e9c619 | `CheckResult`, `_extract_json`, `post_chat`, `check_sidecar`, `check_json_tool_routes`, `check_react_tools`, `_instrumented_tools`, `_instrumented_tools._make_tool`, `_instrumented_tools._make_tool_fn`, `check_all_react_tools`
- `scripts/live_test_taiwan_legal_mcp.py` | 61 行 | c54f5da32f35 | `assert_ok`, `main`
- `scripts/live_test_tw_legal_rag.py` | 139 行 | 96ad3408038e | `main`
- `scripts/magi_doctor.py` | 1208 行 | 60e01eccecd4 | `Check`, `_project_python`, `_package_available`, `_disk_free_gb`, `_ram_gb`, `_http_json`, `_mtp_sidecar_check`, `_mtp_sidecar_required`, `_runtime_dir`, `_live_runtime_root`
- `scripts/magi_selfhost.py` | 817 行 | dda7b02747bf | `_target_system`, `_json`, `_command_display`, `_write_env`, `_generate_local_secrets`, `_resolve`, `command_plan`, `command_init`, `_run`, `_wait_for_live`
- `scripts/memory_consolidation.py` | 46 行 | d6ebbd23bfe0 | `run_consolidation`
- `scripts/migrate_case_documents_idempotency.py` | 62 行 | acca73e8fec0 | `migrate`
- `scripts/migrate_dedup_to_db.py` | 234 行 | b98c90fd6ef5 | `get_conn`, `create_table`, `migrate_json_file`, `migrate_case_filename_map`, `main`
- `scripts/mirror_exam_tutor_source_catalog.py` | 234 行 | c621b78602fe | `now_iso`, `safe_stem`, `load_json`, `active_catalog_urls`, `build_jobs`, `fetch_pdf`, `write_manifest`, `main`
- `scripts/mobile_app_status.py` | 104 行 | 6e894da34217 | `_run`, `_load_mobile_config`, `_probe_url`, `main`
- `scripts/nightly_council.py` | 233 行 | 76dfcab142d3 | `_resolve_sync_path`, `sync_from_synology`, `get_node_status_summary`, `conduct_nightly_council`, `send_report`
- `scripts/nightly_distill_gemma.py` | 809 行 | 21a03bed0625 | `_child_python`, `_validation_gate_passed`, `_gemma_distill_collector_paths`, `_last_accepted_pair_count`, `_write_rejected_deploy_record`, `_candidate_rejected_schedule_result`, `_in_e4b_window`, `_acquire_lock`, `_release_lock`, `_check_timeout`
- `scripts/nightly_health_report.py` | 504 行 | 28e67a226452 | `_find_latest_nightly_run`, `_recent_date_prefixes`, `_read_json_file`, `_load_recent_resource_guard_event`, `_format_guard_snapshot`, `_diagnose_missing_nightly_run`, `_parse_step_results`, `_dotenv_value`, `_env_truthy`, `_normalize_step_result`
- `scripts/obsidian_bulk_ingest.py` | 296 行 | dfa92cfe41b2 | `load_progress`, `save_progress`, `discover_cases`, `run_bulk_ingest`, `main`
- `scripts/ops/active_release_input_method_watchdog.py` | 118 行 | e80a6962ab01 | `ActiveWatchdogError`, `_sha256`, `_regular_file`, `resolve_active_watchdog`, `main`
- `scripts/ops/active_release_service_launcher.py` | 291 行 | a2efa5d65539 | `ServiceSpec`, `ActiveServiceError`, `ActiveServiceTarget`, `ActiveServiceTarget.identity`, `_sha256`, `_regular_file`, `_json_file`, `resolve_active_service`, `child_environment`, `child_argv`

- `scripts/ops/agent_readiness_gate.py` | 311 行 | `efeb3c0c6db9` | `_issue`, `_has_value`, `_text_for_public_check`, `_contains_private_content`, `_normalize_side_effects`, `_risk_for`, `_tool_issues`, `_validate_capability`, `build_report`, `load_catalog`
- `scripts/ops/apply_tenant_scope.py` | 52 行 | `aded7ae235c1` | `main`
- `scripts/ops/audit_calendar_completeness.py` | 346 行 | `9a9a1b7b4422` | `_text_date`, `_text_time`, `_event_type`, `_event_key`, `_is_osc_source`, `_has_google_event_id`, `_final_document_distribution`, `_write_json`, `build_report`, `main`
- `scripts/ops/audit_judgment_extractive_quality.py` | 121 行 | `d4ce4c8f916d` | `main`
- `scripts/ops/audit_judicial_api_summary_quality.py` | 329 行 | `bd9a98ab70f9` | `_load_collector`, `_sha256`, `_atomic_json`, `_atomic_jsonl`, `_start_transaction`, `_raw_json_basenames`, `_source_text_for_row`, `main`
- `scripts/ops/audit_operational_hardening.py` | 1556 行 | `e41ecb5006e8` | `_FixtureExternalProvider`, `_FixtureExternalProvider.init`, `_FixtureExternalProvider.cron_jobs`, `_FixtureExternalProvider.models`, `_FixtureExternalProvider.omlx_state`, `_FixtureExternalProvider.run`, `_FixtureExternalProvider.evidence`, `_cron_jobs`, `_external_run`, `_runtime_override`
- `scripts/ops/audit_osc_buttons.py` | 260 行 | `a98a43c3caa0` | `Finding`, `_collect_html_files`, `_collect_js_files`, `_extract_html_buttons`, `_extract_js_api_calls`, `_extract_backend_routes`, `_url_match`, `_url_match.norm`, `run_audit`, `main`
- `scripts/ops/audit_single_source.py` | 63 行 | `3b3e9657ae37` | `_iter_python_files`, `audit`, `main`
- `scripts/ops/autonomy_worker.py` | 272 行 | `ef70c305e118` | `_bounded_float`, `resource_snapshot`, `_load_indexer`, `_marker_path`, `_full_scan_due`, `_write_marker`, `run_once`, `main`
- `scripts/ops/backfill_pdf_todo_share_links.py` | 249 行 | `329f838a46ed` | `_share_expires_soon`, `_needs_share_repair`, `_source_pdf_name`, `_first_existing`, `_find_under`, `_resolve_todo_pdf`, `_candidate_rows`, `backfill`, `main`
- `scripts/ops/background_task_locks.py` | 351 行 | `587948010462` | `_iso_now`, `lock_dir`, `lock_path`, `file_review_portal_lock_path`, `metadata_path`, `read_json`, `write_json_atomic`, `pid_is_alive`, `cleanup_stale_lock_metadata`, `BackgroundLock`
- `scripts/ops/backup_market_watchlist.py` | 137 行 | `c6c6fef01c12` | `_load_watchlist_count`, `_latest_backup`, `_purge_old_backups`, `_alert_tg`, `main`
- `scripts/ops/benchmark_chat_vs_recall.py` | 45 行 | `ba1d66f873d3` | `main`
- `scripts/ops/benchmark_graph_rag.py` | 77 行 | `5959a214775d` | `_build_fixture_graph`, `main`
- `scripts/ops/benchmark_hermes_helpers.py` | 75 行 | `cfa564a55815` | `_fake_messages`, `main`
- `scripts/ops/benchmark_models.py` | 280 行 | `6a1e80090a8f` | `run_legal_retrieval_benchmark`, `run_ocr_benchmark`, `run_summary_translation_benchmark`, `main`
- `scripts/ops/benchmark_osc_todos.py` | 123 行 | `2c96c27354a0` | `main`, `main._default_serial`
- `scripts/ops/benchmark_pdf_bookmarker.py` | 382 行 | `b1c9dda5b34c` | `_load_module`, `_load_bookmarker_modules`, `find_pdfs`, `_select_case_root`, `_compute_recall_metrics`, `_is_legacy_image_label`, `_looks_like_single_doc_form`, `_collect_legacy_cleanup_candidate`, `_build_legacy_cleanup_plan`, `main`
- `scripts/ops/benchmark_pdf_namer.py` | 498 行 | `941e20a2876f` | `_warmup_vision_model`, `_load_certification_proposals`, `_threshold_from_env`, `find_pdfs`, `_select_case_root`, `_collect_threshold_failures`, `_failure_results`, `main`
- `scripts/ops/benchmark_pdf_namer_archived_golden.py` | 94 行 | `7d3c9d78563d` | `_load_namer`, `_collect_cases`, `main`
- `scripts/ops/benchmark_pkuseg_quality.py` | 62 行 | `adf03da1b2da` | `main`
- `scripts/ops/benchmark_translator_ape.py` | 436 行 | `384cc616190d` | `_warmup_omlx`, `_load_certification_rows`, `_int_env`, `_selected_suite`, `_llm_timeout`, `_skip_gtx`, `_term_hit_rate`, `_bench_gtx`, `_bench_apple_baseline`, `_bench_ape`
- `scripts/ops/benchmark_tri_model.py` | 356 行 | `dafc18f23544` | `_tw_guard`, `get_model_id`, `call_chat`, `run_benchmark`, `main`
- `scripts/ops/build_exam_practice_weights.py` | 290 行 | `9964f1c0add3` | `_number`, `_clean`, `_is_structure`, `_importance_weight`, `_partition`, `_allocate`, `_compile_entry`, `build`, `main`

- `scripts/ops/build_ocr_training_dataset.py` | 608 行 | fb3fd868363f | `FilenameFields`, `FilenameFields.usable`, `SourceResult`, `_sha256_file`, `_clean_text`, `parse_filename_fields`, `_redact_text`, `_redacted_fields`, `_canonicalize_training_path_segment`, `_safe_training_relative_path`
- `scripts/ops/build_operational_attestation.py` | 118 行 | d4f57a7b3596 | `_regular_json`, `build_attestation`, `_atomic_write`, `main`
- `scripts/ops/business_module_live_check.py` | 2998 行 | c15f2613e92d | `_redact_text`, `_redact_obj`, `_run`, `_load_live_environment`, `_bind_release_local_environment`, `_infer_live_shared_state_root`, `_bind_live_shared_state_environment`, `_parse_last_json`, `_load_json_file`, `_pid_alive`
- `scripts/ops/business_outcome_regression.py` | 26 行 | d229f69ac428 | `main`
- `scripts/ops/business_readiness_snapshot.py` | 935 行 | 8df6cd914800 | `_load_json`, `_truthy`, `_pid_alive`, `_mutable_static_dir`, `_runtime_dir`, `_agent_dir`, `_parse_time`, `_latest_successful_nvidia_usage`, `_recent_report_failures`, `_report_failure_is_now_resolved`
- `scripts/ops/chandra_ocr_healthcheck.py` | 99 行 | 397899bec763 | `_runtime_path`, `_entity_counts`, `run`, `main`
- `scripts/ops/check_discord_identity.py` | 55 行 | aacf4b6bdd95 | `load_token`, `check_identity`
- `scripts/ops/check_judicial_api_pipeline.py` | 661 行 | 33bfeb04a515 | `env_path`, `load_json`, `read_text`, `is_judicial_raw_payload`, `parse_iso`, `age_hours`, `list_files`, `iso_or_empty`, `rounded`, `env_bool`
- `scripts/ops/clean_closed_case_residue.py` | 309 行 | 94114adb4394 | `CaseDir`, `_is_skip_file`, `_case_id`, `_iter_dirs`, `_iter_case_dirs`, `_sha256`, `_conflict_path`, `_copy_file_verified`, `_tree_file_count`, `_plan_merge`
- `scripts/ops/clean_degraded_memories.py` | 166 行 | c10b81693b8c | `_get_conn`, `find_degraded_ids`, `delete_by_ids`, `rebuild_faiss`, `main`
- `scripts/ops/cleanup_fast_judgment_digests.py` | 158 行 | 6c7eb4d86ef4 | `_db`, `_count`, `_backup_rows`, `main`
- `scripts/ops/cleanup_judgment_value_noise.py` | 249 行 | 95fe3f45515b | `_summary_is_low_value`, `_is_missing_text_low_value`, `_is_upper_protected`, `_load_judgment_collector_action`, `_write_json`, `_write_jsonl_gz`, `_chunks`, `_fetch_archive_rows`, `_delete_by_jids`, `build_cleanup_report`
- `scripts/ops/cleanup_judgments_leaks.py` | 472 行 | a1a4e946901b | `has_leak`, `has_real_content`, `strip_preamble`, `url_to_jid`, `url_to_jid_prefix`, `jid_to_data_url`, `_get_db_conn`, `cleanup_json`, `cleanup_db`, `main`
- `scripts/ops/cleanup_synology_empty_case_shells.py` | 508 行 | 893f3de51851 | `_include_local_synology_roots`, `_scan_local_synology_roots`, `_is_local_synology_root`, `_load_env`, `_db_config`, `_active_roots`, `_real_file_count`, `_case_number_from_folder_name`, `_same_active_shell_paths`, `_path_exists`
- `scripts/ops/commercial_readiness_live.py` | 811 行 | 702e9ef3201f | `_load_runtime_env`, `_is_git_worktree`, `_installed_release`, `public_source_root`, `Check`, `_python`, `_run_json`, `_sha256`, `check_deployment_bindings`, `check_doctor`
- `scripts/ops/configure_mariadb_master_backup.py` | 236 行 | b07c701597c2 | `_csv_env`, `_random_password`, `_socket_conn`, `_query_status`, `_load_or_create_credentials`, `_write_master_config`, `_restart_mariadb`, `_create_repl_users`, `_remote_instruction`, `parse_args`
- `scripts/ops/configure_mariadb_replica.py` | 488 行 | 79b0f5a59121 | `_load_env_file`, `_env`, `_redact`, `_truthy`, `DBProfile`, `DBProfile.safe_dict`, `ReplicaTarget`, `ReplicaTarget.safe_dict`, `_connect`, `_query_one`
- `scripts/ops/continuous_longfile_3ch_stress.py` | 518 行 | 68c0307bfc73 | `TaskSpec`, `_now_iso`, `_append_jsonl`, `_write_json`, `_extract_file_path`, `_read_head`, `_load_observer_status`, `_estimate_end_time`, `_discover_long_pdfs`, `_worker_process`
- `scripts/ops/controlled_self_evolution.py` | 139 行 | b776f3241dcc | `_runtime_dir`, `_store`, `_load_json`, `_write_json`, `_release_id`, `main`
- `scripts/ops/controlled_self_evolution_smoke.py` | 105 行 | b22f9520f554 | `_git`, `main`
- `scripts/ops/convert_nemotron_parse_to_mlx.py` | 162 行 | aef8992e8cf3 | `_sha256`, `_target_dtype`, `_cast_float`, `convert`, `main`

- `scripts/ops/day2_autopilot_monitor.py` | 200 行 | `a89a3e2e94ba` | `Row`, `_load_json`, `_parse_ts`, `collect`, `_load_export_txt`, `render_txt`, `main`
- `scripts/ops/day3_non24h_test_suite.py` | 296 行 | `de3f165f6ebe` | `Check`, `_http_json`, `_run_cmd`, `_load_export_txt`, `_ensure_tools_api_up`, `_check_summarize_circuit`, `_check_transcribe_dual`, `_check_translate`, `_check_autopilot_selftest`, `_check_autopilot_tick_light`
- `scripts/ops/day3_stability_report.py` | 489 行 | `fa4181078aa4` | `RunRow`, `HttpProbe`, `_parse_ts`, `_load_json`, `_load_jsonl`, `_percentile`, `collect_autopilot`, `collect_summary_metrics`, `collect_transcribe_metrics`, `collect_captcha_queue`
- `scripts/ops/debug_cleanup.py` | 49 行 | `0a6cb07f0d46` | `main`
- `scripts/ops/diagnose_melchior.py` | 77 行 | `da4bb8e4918f` | `test_payload`
- `scripts/ops/disk_cleanup_healthcheck.py` | 2272 行 | `4f68b3e482f0` | `_is_dry_run`, `_log`, `_iter_metrics_jsonl`, `_rotate_metrics_file`, `cleanup_metrics`, `_walk_cache_files`, `_omlx_cache_roots`, `_external_omlx_cache_roots`, `_cache_last_used`, `_omlx_cache_cap_bytes`
- `scripts/ops/disk_low_water_alarm.py` | 259 行 | `8f9d770a37aa` | `get_disk_free_gb`, `_push_self_repair`, `_read_alert_state`, `_write_alert_state`, `_should_emit_alert`, `_auto_reclaim_enabled`, `_run_auto_reclaim`, `main`
- `scripts/ops/distill_live_check.py` | 165 行 | `6cd2908d1973` | `_load_env`, `_latest_metric`, `main`
- `scripts/ops/distributed_code_review.py` | 30 行 | `68aa8a3bc082` | —
- `scripts/ops/document_golden_regression.py` | 249 行 | `91382b8ce7f2` | `load_manifest`, `validate_manifest`, `_select_cases`, `_run_pytest`, `run_manifest`, `_csv_set`, `main`
- `scripts/ops/drive_pending_checksum_verifier.py` | 627 行 | `49d7320f729d` | `VerificationError`, `HashBudgetExceeded`, `HashEvidence`, `PendingCandidate`, `_utc_now`, `_json_sha256`, `_file_sha256`, `_coerce_nonnegative_int`, `_valid_md5`, `_candidate_from_item`
- `scripts/ops/ensure_telegram_topics.py` | 35 行 | `bf94edf81075` | `main`
- `scripts/ops/evidence_ledger.py` | 100 行 | `a4e634731692` | `_read_json`, `_print`, `main`
- `scripts/ops/faiss_rebuild_worker.py` | 208 行 | `0060f9d2f1c9` | `_sha256_file`, `_peak_rss_bytes`, `_load_request`, `run`, `_parser`, `main`
- `scripts/ops/fix_degraded_summaries.py` | 258 行 | `e97e878db29b` | `_get_db`, `is_degraded`, `main`
- `scripts/ops/function_health_index.py` | 3185 行 | `face0ad81369` | `_utc_now`, `_rel`, `default_runtime_dir`, `_read_json`, `_parse_dt`, `_mtime_dt`, `_age_hours`, `_has_skip_part`, `_literal_string`, `_literal_value`
- `scripts/ops/gemma4_12b_overlay_live_gate.py` | 398 行 | `ebbad7dd02c8` | `GateCase`, `GateReport`, `_request_json`, `_chat`, `_message`, `_content`, `_tool_name`, `_add_case`, `_run_case`, `_tools`
- `scripts/ops/generative_quality_live.py` | 275 行 | `0637a631a016` | `_load_live_environment`, `_digest`, `_quality_codes`, `_is_nvidia_model`, `certify_draft`, `certify_summary`, `certify_translation`, `run`, `main`
- `scripts/ops/git_stage_guard.py` | 102 行 | `39adcd785001` | `_repo_root`, `_staged_paths`, `is_blocked_path`, `validate_staged_paths`, `main`
- `scripts/ops/heavy_fallback_live_check.py` | 228 行 | `4bd4471c3ae1` | `_load_env`, `_temporary_env`, `_text_of`, `_compact_result`, `_assert_usable_success`, `run_checks`, `main`
- `scripts/ops/heavy_translation_quality_live.py` | 710 行 | `702b80b317f9` | `_load_env`, `_draw_wrapped`, `write_generated_fixture`, `resolve_fixture_path`, `_check`, `_text_of`, `_extract_fixture`, `_run_nim_route_check`, `_read_docx_text`, `run_gate`
- `scripts/ops/input_method_watchdog.py` | 330 行 | `89dd938232ce` | `_load_state`, `_write_state`, `_processes`, `_text_services_healthy`, `_tis_libraries`, `_cf_string`, `_current_input_source_id`, `_select_input_source`, `_restart_input_stack`, `_wait_for_exit`
- `scripts/ops/install_gemini_skills.py` | 61 行 | `e05eec5479db` | `install_skills`

- `scripts/ops/integration_smoke.py` | 455 行 | 3d11ea1abc3f | `_load_env_file`, `_now`, `_read_json_from_text`, `_http_get_json`, `_json_headers`, `_http_post_json`, `_extract_bool`, `_capture_import`, `_run_skill_test`, `_assess_skill_test`
- `scripts/ops/judgment_nvidia_summary_live_check.py` | 273 行 | 45a54a999e6a | `_load_runtime_env`, `_fetch_candidates`, `_fetch_rows_by_ids`, `main`
- `scripts/ops/judgment_summary_live_check.py` | 148 行 | 268cb58640b1 | `_load_env`, `_load_judgment_action`, `_select_source`, `_quality`, `main`
- `scripts/ops/judgment_summary_staged_backfill.py` | 727 行 | c80e40148bad | `_read_rows`, `_write_json_atomic`, `_write_report`, `_save_queue`, `_append_backup`, `_source_sha`, `_fetch_rows`, `_store_summary`, `_clear_invalid_summary`, `_queue_row`
- `scripts/ops/laf_deep_extract_backfill.py` | 28 行 | 379ac9c38c10 | —
- `scripts/ops/laf_gmail_dispatch_scan.py` | 599 行 | 1cc4dd3a24cf | `_output_path`, `_json_default`, `_write_json`, `_load_json`, `_case_pending_key`, `_pending_case_row`, `_update_pending_report`, `_resolve_gmail_paths`, `_db_processed_checker`, `_db_processed_checker.check`
- `scripts/ops/laf_portal_new_files_scan.py` | 127 行 | 8b17c65ba051 | `_write_json`, `_preserve_last_successful_missing_state`, `main`
- `scripts/ops/laf_report_worker.py` | 402 行 | e594c9f84804 | `_runtime_dir`, `_append_job_event`, `_parse_result`, `_topic_for_action`, `_action_label`, `_target_text`, `_preview_path`, `_preview_url`, `_format_success`, `_format_failure`
- `scripts/ops/live_test_legaltech_taiwan_law_mcp.py` | 116 行 | 0a22e139b833 | `_digest`, `_official_host`, `_require`, `main`
- `scripts/ops/local_deep_queue_worker.py` | 259 行 | 5e853c13cd03 | `_queue_path`, `_records`, `_receipt_rows`, `_terminal_task_ids`, `_deferred_until`, `_receipt`, `_single_worker_lock`, `_drain_once_unlocked`, `_deliver`, `_job_id_from_reference`
- `scripts/ops/local_model_champion_eval.py` | 54 行 | cb17982c1054 | `score`, `load`, `main`
- `scripts/ops/magi_acceptance_gate.py` | 1023 行 | 17aa8d92c2b5 | `GateResult`, `CommandResult`, `_python`, `_live_runtime_root`, `_active_release_marker_path`, `_live_runtime_state_dir`, `_doctor_environment`, `_source_root`, `_live_runtime_artifact`, `_tail`
- `scripts/ops/magi_self_repair_guardian.py` | 836 行 | bc91a0755cf7 | `_failed_cron_job_ids`, `_utc_now`, `_json_dumps`, `_ensure_import_root`, `_safe_resolve`, `_is_relative_to`, `_tmp_ownership_marker`, `_tmp_is_owned`, `_candidate_age_minutes`, `_laf_upload_staging_child`
- `scripts/ops/manual_command_smoke.py` | 273 行 | c9f5185ae953 | `Check`, `run_json`, `route_checks`, `docx_pdf_checks`, `safe_cli_checks`, `main`
- `scripts/ops/memory_lifecycle.py` | 109 行 | a83240d86314 | `_json`, `_apply_backend`, `propagate`, `main`
- `scripts/ops/memory_watchdog.py` | 816 行 | eb0a50829ce2 | `MemoryReading`, `MemoryReading.free_plus_inactive_gb`, `_read_memory_free_percent`, `read_memory`, `memory_pressure_reasons`, `is_memory_pressure`, `MetalService`, `MetalService.footprint_gb`, `MetalService.graphics_gb`, `ServiceAction`
- `scripts/ops/merge_judgment_archive_to_court.py` | 530 行 | 8cf9ac4e3375 | `_db_config`, `_is_valid_jid`, `_parse_jid_from_title`, `_read_full_text`, `_parse_judgment_date`, `_court_name_from_level`, `_court_judgments_lookup`, `_upsert_court_judgment`, `merge_archive_to_court`, `merge_json_to_court`
- `scripts/ops/migrate_laf_status_20260426.py` | 288 行 | e6bce6e498e9 | `_connect_db`, `check_schema`, `collect_candidates`, `plan_migrations`, `run_dry`, `run_apply`, `main`
- `scripts/ops/model_live_gate.py` | 363 行 | 52444b6c2bdb | `_schedule_adapter_enabled`, `_schedule_endpoint_urls`, `EndpointProbe`, `ModelGateReport`, `expected_profile_now`, `active_profile`, `probe_port`, `_has_keyword`, `_append_unique`, `_expected_keyword_for_profile`
- `scripts/ops/nemotron_parse_hf_baseline.py` | 263 行 | d5f5604e7c0a | `parse_args`, `peak_rss_mb`, `write_output`, `extract_blocks`, `run`, `main`
- `scripts/ops/nemotron_phase1b_compare.py` | 233 行 | 5c1e3d0fd135 | `rss_mb`, `log`, `render_page`, `main`

- `scripts/ops/nightly_regression.py` | 574 行 | `bae1fb0b6dd1` | `_run`, `_suite_report_path`, `_discord_bot_process`, `_pid_list`, `ensure_discord_bot_for_regression`, `_notify`, `run_system_test`, `run_channel_smoke`, `run_mock_skills`, `run_core_routes`
- `scripts/ops/observe_stability_24h.py` | 145 行 | `7b38ace7ba6a` | `_load_day3_module`, `_write_json`, `_append_jsonl`, `_build_report`, `_snapshot_row`, `main`
- `scripts/ops/obsidian_acceptance_gate.py` | 143 行 | `27186cc2ccf6` | `_status_from_result`, `_check`, `run_gate`, `main`
- `scripts/ops/ocr_training_pipeline.py` | 327 行 | `44cabaf9dfa4` | `PipelineStats`, `_path_allowed`, `collect_candidates`, `write_candidate_list`, `_record_hash`, `_load_state`, `_save_state`, `append_silver_to_ocr_distill`, `run_pipeline`, `main`
- `scripts/ops/offhost_funnel_canary.py` | 147 行 | `cc8f53e65fa0` | `_tailnet_connected`, `_addresses`, `_tls_family`, `_request`, `run`, `main`
- `scripts/ops/omlx_heartbeat_reaper.py` | 273 行 | `8a7cdf996e23` | `OmlxProc`, `_list_omlx_serves`, `_parse_etime`, `find_duplicates`, `_write_decision`, `_kill_one`, `run`, `main`
- `scripts/ops/omlx_profile_policy.py` | 46 行 | `a4a0ff71aa79` | `expected_profile_for_minutes`, `expected_profile_now`, `profile_transition_in_progress`
- `scripts/ops/omlx_switch_gatekeeper.py` | 282 行 | `0187571e1064` | `_aborts_log`, `_pause_file`, `_now`, `_notify_admin`, `_read_pause_until`, `_write_pause_until`, `_append_abort`, `_read_recent_aborts`, `cmd_check_paused`, `_list_omlx_rss`
- `scripts/ops/operational_support.py` | 37 行 | `b32bb727d6bf` | `main`
- `scripts/ops/osc_auto_backup.py` | 48 行 | `c11d51c57bc8` | `main`
- `scripts/ops/osc_draft_live_compare.py` | 620 行 | `a1d980f5e8bc` | `_default_sample_active_civil_root`, `_run`, `_extract_pdf_text`, `_ocr_pdf_text`, `_extract_docx_text`, `_pdf_page_count`, `_strip_pdf_artifacts`, `_looks_like_paragraph_boundary`, `_compact_ocr_text`, `_wrap_ocr_text`
- `scripts/ops/osc_events_refresh.py` | 2426 行 | `43bb7900b69e` | `_PdfScanTimeout`, `_portable_source_basename`, `_parse_roc_year_to_ad`, `_collect_source_year_candidates`, `_collect_source_year_candidates.add_candidate`, `_source_context_for_year_inference`, `_iter_source_context_values`, `_infer_source_base_year_from_todo`, `_source_document_date`, `_description_base_month_day`
- `scripts/ops/osc_gcal_port_from_paperclip.py` | 111 行 | `f146e1dfef7e` | `main`
- `scripts/ops/osc_gcal_sync.py` | 48 行 | `71738d707336` | `main`
- `scripts/ops/osc_shell_nas_helper.py` | 617 行 | `6808131e5cd4` | `OscShellNASThreadingHTTPServer`, `_osc_closed_share_aliases`, `_user_nas_home`, `_allowed_roots`, `_is_path_allowed`, `_hidden_name`, `_ListdirHelperError`, `_ListdirHelperError.init`, `_listdir_payload_uncached`, `_clone_listdir_payload`
- `scripts/ops/osc_web_stress_live.py` | 405 行 | `9f7f30465302` | `_load_env`, `Sample`, `_percentile`, `_summarize`, `_run_json`, `_resource_snapshot`, `_build_app`, `_build_app.StressUser`, `_build_app.load_user`, `_route_sample`
- `scripts/ops/paperclip_deep_verify_v6.py` | 232 行 | `7faaa06748f1` | `ok`, `fail`
- `scripts/ops/paperclip_filemanager_deep_verify.py` | 625 行 | `076f96e0221e` | `record`, `login`, `open_file_manager`, `http_login_session`, `main`, `main._cleanup_sandbox`, `upload_via_api`, `upload_multi_via_api`, `test_chunked_upload`, `test_chunked_missing_chunk`
- `scripts/ops/pdf_bookmarker_boundary_training.py` | 105 行 | `7fc234602253` | `_training_label`, `build_training_rows`, `main`
- `scripts/ops/pdf_mutation_lock.py` | 68 行 | `8b0a9c32f547` | `PdfMutationLockBusy`, `PdfMutationLockBusy.init`, `pdf_in_place_mutation_lock_path`, `_owner_label`, `pdf_in_place_mutation_lock`
- `scripts/ops/pdf_todo_training_export.py` | 248 行 | `46c392bc0ab0` | `_TrainingScanTimeout`, `_time_limit`, `_time_limit._handle`, `_load_transcript_module`, `_folder_kind`, `_training_label_for_pdf`, `_training_label_for_transcript`, `collect_pdf_rows`, `collect_transcript_rows`, `write_outputs`
- `scripts/ops/prepare_omlx_gemma4_unified_runtime.py` | 211 行 | `8a9b4b91a12d` | `SourceRepo`, `_run`, `_ensure_repo`, `_patch_omlx_model_discovery`, `_write_wrapper`, `_verify`, `main`

- [scripts/ops/public_push_guard.py](#) | 125 行 | [d80fdc9a1801](#) | `_git`, `_remote_url`, `_branch_name`, `_status_lines`, `_run_audit`, `check_remote_push`, `check_public_push`, `main`
- [scripts/ops/purge_ops_logs_from_vectors.py](#) | 292 行 | [b2fc79db5e78](#) | `_prefix_where`, `_prefix_params`, `_chunked`, `_connect`, `count_ops_entries`, `_ids_for_prefix`, `_delete_ids`, `purge_ops`, `dedup_vectors`, `rebuild_faiss`
- [scripts/ops/purify_magi_skills.py](#) | 186 行 | [eb5208bbbf20](#) | `_read_text`, `_extract_skill_names`, `_collect_referenced_skills`, `main`
- [scripts/ops/rc271_case_consistency_repair.py](#) | 230 行 | [a2a3f6aaef50](#) | `_load_live_environment`, `_sha256`, `_query_cases`, `_query_closed_case_future_transcript_todos`, `_transcript_sources`, `main`
- [scripts/ops/rebuild_pdf_translation_docx.py](#) | 202 行 | [7b0c8c253c28](#) | `_split_sentence_safe`, `_is_english_heavy`, `_translate_english_text`, `_read_docx_text`, `rebuild`, `main`
- [scripts/ops/reconcile_overdue_todos.py](#) | 453 行 | [c96e0ef44a2d](#) | `_next_business_day`, `_source_kind`, `_is_optional_or_nonactionable`, `_original_todo_type`, `_is_overdue_escalation`, `_is_past_pure_occurrence`, `_terminal_status`, `_overdue_action_label`, `_actionable_overdue_description`, `_document_day`
- [scripts/ops/rename_judgment_case_folders.py](#) | 238 行 | [542f354145b2](#) | `_md5`, `canonical_name_for_legacy`, `_same_file`, `_unique_conflict_path`, `_merge_dir`, `_remove_empty_dirs`, `rename_folder`, `find_legacy_judgment_folders`, `run`, `main`
- [scripts/ops/repair_big_brain.py](#) | 48 行 | [e0b4cd2e1b00](#) | `main`
- [scripts/ops/repair_calendar_false_pdf_todos.py](#) | 453 行 | [5aae0fc025a9](#) | `_portable_basename`, `_parse_roc_year_to_ad`, `_collect_source_year_candidates`, `_collect_source_year_candidates.add_candidate`, `_source_context_for_year_inference`, `_infer_source_base_year_from_row`, `_source_context_text`, `_source_context_has_explicit_same_todo_date`, `_source_document_date`, `_description_base_month_day`
- [scripts/ops/repair_client_ids.py](#) | 110 行 | [c0d5b1e8c38e](#) | `RepairItem`, `_fetch_bad_clients`, `_fetch_reference_columns`, `build_repair_plan`, `execute_plan`, `main`
- [scripts/ops/repair_drive_imported_case_folders.py](#) | 700 行 | [2e87c0754187](#) | `file_md5`, `is_noncanonical_drive_folder`, `mapped_file_relative_path`, `_case_category_from_path`, `_canonical_case_first_segments`, `_existing_case_first_segments`, `_iter_files`, `_remove_empty_dirs`, `_unique_conflict_target`, `_record_file_move`
- [scripts/ops/repair_drive_native_case_layout.py](#) | 397 行 | [a3a81d10dcf8](#) | `_native_target_for_numbered_folder`, `_case_review_bucket`, `repair_case_layout`, `_run_unlocked`, `run`, `main`
- [scripts/ops/repair_fileprovider_case_to_nas.py](#) | 435 行 | [6e24fdb327fe](#) | `RepairError`, `_utc_now`, `_canonical_json`, `_sha256_bytes`, `_is_lower_hex64`, `_is_file_provider_source`, `_regular_directory`, `_hash_regular_file`, `build_tree_manifest`, `_copy_file_exact`
- [scripts/ops/repair_insight_summaries.py](#) | 246 行 | [de06cd346a03](#) | `_get_db`, `_is_raw_unsummarized`, `_extract_raw_text_from_insight`, `_summarize_via_gateway`, `_update_insight`, `_ensure_legal_insights_degraded_column`, `main`
- [scripts/ops/repair_pdf_bookmark_labels.py](#) | 1424 行 | [0dc8cd341a55](#) | `_resolve_runtime_dir`, `PerFileTimeout`, `_retry_identity`, `_retry_key`, `_load_retry_state`, `_save_retry_state`, `_active_retry_entry`, `_is_promoted_repair_retry`, `_repair_timeout_for`, `_record_retry_backoff`
- [scripts/ops/repair_transcript_filenames.py](#) | 258 行 | [9a374e7991fe](#) | `HashOnlyDownloader`, `HashOnlyDownloader._calculate_file_md5`, `HashOnlyDownloader._parse_record_pdf`, `_load_downloader`, `_safe_name`, `_unique_path`, `_standard_name`, `_strip_collision_suffix`, `_collision_rank`, `_folder_matches`
- [scripts/ops/repair_unusable_judgment_summaries.py](#) | 389 行 | [0a67f0a7057f](#) | `_source_sha`, `_write_json_atomic`, `_append_backup`, `_court_backup_row`, `_court_quality`, `_fetch_court_batch`, `_delete_placeholder_legal_insights`, `_clear_degraded_archive_payloads`, `_queue_payloads`, `main`
- [scripts/ops/resource_governor.py](#) | 276 行 | [dd55d73ff9b2](#) | `_memory_watchdog`, `ResourceSnapshot`, `ResourceDecision`, `collect_snapshot`, `_read_memory_free_percent`, `classify`, `classify.raise_to`, `append_metric`, `safe_cleanup`, `prepare_switch`
- [scripts/ops/resource_guarded_run.py](#) | 588 行 | [4f581f69ba2b](#) | `_ForwardedTermination`, `_ForwardedTermination.init`, `_reap_after_signal`, `_append_event`, `_retryable_interruption_deferred_payload`, `_iso_now`, `_write_json_atomic`,

- `_drive_status_is_terminal_completion`, `_mark_drive_sync_guard_timeout`, `_drive_sync_kind_for_job`
- `scripts/ops/restart_discord.py` | 65 行 | 7a40fae759fb | `restart_discord_bot`
- `scripts/ops/resummary_legacy_judgments_quality.py` | 708 行 | ea9500718d8c | `_load_judgment_action`, `_needs_resummary`, `_new_summary_is_usable`, `_generate_summary`, `_count_summary_meta`, `_append_backup`, `_load_resume_cursor`, `_save_resume_cursor`, `_record_quality_rejection`, `_load_reviewed_quality`
- `scripts/ops/rotate_service_logs.py` | 74 行 | 0ff642df5389 | `rotate_file`, `main`
- `scripts/ops/run_after_token_refresh.py` | 143 行 | 5b971fd05c5c | `_short_failure_summary`, `_parse_env_prefix`, `_parse_required_checks`, `_gate_failures`, `main`
- `scripts/ops/run_auto_skill_import.py` | 312 行 | e096a67db03f | `_runtime_dir`, `_receipt_path`, `_atomic_write_json`, `_toolsai_count`, `_fresh_payload`, `_open_guardian_signals`, `_open_business_signals`, `_plan_controlled_candidates`, `_summary_text`, `_notify`
- `scripts/ops/run_daemon_no_site.py` | 40 行 | 01893e563b76 | —
- `scripts/ops/run_menubar_no_site.py` | 44 行 | a6c9c2991283 | —
- `scripts/ops/run_test_suite.py` | 300 行 | 4856e3a58035 | `load_bound_test_environment`, `resolve_runtime_output`, `CheckResult`, `SuiteReport`, `load_matrix`, `resolve_command`, `should_skip`, `tail`, `run_check`, `list_suites`
- `scripts/ops/run_with_env.py` | 37 行 | a17ae19aacee | `main`
- `scripts/ops/sanitize_definitions.py` | 194 行 | ec6fcd876e17 | `_discover_runnable_skill_dirs`, `_extract_default_skill_from_tool`, `_infer_skill_from_run_tool_name`, `_sanitize_payload`, `main`
- `scripts/ops/schedule_auto_skill_import_daily.py` | 29 行 | 65628b20edb2 | `main`
- `scripts/ops/schedule_code_skill_cycle.py` | 21 行 | 7711e4d55c55 | `main`
- `scripts/ops/schedule_db_sync.py` | 16 行 | 666270813de5 | —
- `scripts/ops/schedule_fixture_contract.py` | 336 行 | 57d81a56682b | `ScheduleFixtureError`, `_SafetyObservation`, `_SafetyObservation.init`, `_SafetyObservation._path`, `_SafetyObservation._open_is_write`, `_SafetyObservation.record`, `_SafetyObservation._is_loopback`, `_SafetyObservation._is_nas_path`, `_SafetyObservation.receipt`, `_audit_hook`
- `scripts/ops/scheduled_reboot_guard.py` | 322 行 | baa4efde6f11 | `RebootDecision`, `_truthy`, `_minute_of_day`, `_window_for_mode`, `_mode_from_auto`, `_inside_window`, `_ps_rows`, `_active_magi_blockers`, `_office_unsaved_blockers`, `_already_rebooted_today`
- `scripts/ops/selfhost_minimal_import_check.py` | 90 行 | edab495d1903 | `_environment`, `main`
- `scripts/ops/selfhost_portability_audit.py` | 260 行 | 250fc284a73c | `_finding`, `collect`, `main`
- `scripts/ops/selfhost_release_smoke.py` | 170 行 | 5893f50be9e3 | `_check`, `run_smoke`, `main`
- `scripts/ops/selftest_big_brain.py` | 39 行 | 2a312fe24894 | `main`
- `scripts/ops/skill_realworld_smoke.py` | 336 行 | a5a75eb03b7c | `SkillRunResult`, `_create_sample_pdf`, `_create_sample_fields_json`, `_env`, `_pick_command`, `_timeout_for`, `_classify`, `run_matrix`, `write_reports`, `_parse_args`
- `scripts/ops/slow_archive_closed_cases.py` | 1600 行 | 0579c307c116 | `_default_archive_roots`, `_offpeak_now`, `_stat_quick`, `_stat_quick.run`, `_is_dir_quick`, `_is_skip_name`, `_iter_case_dirs_at_depth`, `_case_root_rank`, `_unique_paths`, `_closed_case_roots`
- `scripts/ops/smart_model_router_live.py` | 155 行 | 12824c20ddc5 | `_case`, `_chat_probe`, `build_report`, `main`
- `scripts/ops/smoke_all_desktop_pdfs_3tasks.py` | 412 行 | e758ba847d73 | `_now_ts`, `_discover_pdfs`, `_extract_file_path`, `_contains_error_text`, `_read_head`, `main`, `main.forced_dist_fail`, `main.quick_stub`, `main.summary_pdf_stub`, `main.resilient_summary_stub`
- `scripts/ops/smoke_core_routes.py` | 209 行 | caaa4dcad5ac | `Case`, `_cases`, `_run_case`, `CaseTimeoutError`, `_alarm_handler`, `_normalize_tokens`, `_classify_case_output`, `main`

- [scripts/ops/smoke_external_chat.py](#) | 124 行 | 2768eeca4111 | main
- [scripts/ops/smoke_judgment_translation_3ch.py](#) | 239 行 | 0382c2a2391c | `_now_ts`, `_pick_three_pdfs`, `_extract_file_path`, `_read_head`, `_make_fake_route_functions`, `_make_fake_route_functions._fake_distributed_chat`, `_make_fake_route_functions._fake_quick_local_chat`, `_run_case`, `main`, `main._fake_summary`
- [scripts/ops/smoke_nvidia_nim.py](#) | 280 行 | a4a091ad602d | `_ok`, `_fail`, `_skip`, `test_env_config`, `test_model_allowlist`, `test_pii_scrubber`, `test_nim_config_layer`, `test_live_api_call`, `test_usage_log`, `main`
- [scripts/ops/smoke_test_full.py](#) | 1284 行 | e09c692974da | `_load_runtime_env`, `_installed_release`, `_installed_release_note`, `_output_path`, `_env_int`, `TestResult`, `SmokeReport`, `SmokeReport.add`, `run_test`, `_git_is_tracked`
- [scripts/ops/smoke_three_channels.py](#) | 605 行 | 7eb98f12c033 | `Check`, `_load_json`, `_mask`, `_is_privateish_webhook_endpoint`, `_http_json`, `_parse_webhook_id_token`, `_line_channel_access_token`, `_line_channel_secret`, `_discord_bot_token`, `_discord_webhook`
- [scripts/ops/smoke_three_channels_e2e.py](#) | 175 行 | 183f68f52e77 | `_ok`, `_fail`, `_skip`, `test_telegram_e2e`, `test_discord_webhook_e2e`, `test_line_webhook_e2e`, `main`
- [scripts/ops/smoke_translation_docx_quality_gate.py](#) | 69 行 | 44a450cfca7b | `_make_docx`, `main`
- [scripts/ops/start_slow_archive_closed_cases.py](#) | 175 行 | 2fb6382a44a9 | `_pid_alive`, `_read_pid`, `_write_json`, `main`
- [scripts/ops/strip_cron_last_run.py](#) | 72 行 | eec3c010b7ee | `main`
- [scripts/ops/sync_keeper_db.py](#) | 108 行 | 0188c4546760 | `sync_database`
- [scripts/ops/system_diagnostic_report.py](#) | 358 行 | 6a5196e37ace | `_health_urls`, `_probe_url`, `_memory_free_percent`, `_command_references_root`, `_rss_summary`, `_load_json`, `_parse_state_time`, `_schedule_summary`, `collect_report`, `_write_atomic`
- [scripts/ops/tailscale_funnel_healthcheck.py](#) | 1545 行 | 4a24c97003ed | `_load_dotenv`, `_run`, `_append_unique`, `_parse_curl_http_code`, `_is_public_ip`, `_extract_location_header`, `_mobile_redirect_ok`, `_tailscale_bin`, `_tailscale_cli_usable`, `_load_funnel_status`
- [scripts/ops/test_distributed_review_small.py](#) | 31 行 | a8244be9e9bf | `test_small_review`
- [scripts/ops/test_melchior_connection.py](#) | 76 行 | 7e148c04bbe8 | `check_health`, `switch_mode`, `main`
- [scripts/ops/test_skill_sync_sim.py](#) | 63 行 | 007208a4c0da | `Logger`, `Logger.info`, `Logger.error`, `test_sync_skills`
- [scripts/ops/test_summarize_judgments.py](#) | 198 行 | 515873fd6b1b | `extract_text`
- [scripts/ops/token_health_check.py](#) | 757 行 | 5cc6b18f205e3 | `GoogleTokenSpec`, `ApiKeySpec`, `_load_local_env`, `_truthy`, `_configured_env`, `_usable_secret`, `_safe_status_ok`, `_parse_expiry`, `_normalize_scopes`, `_decode_jwt_payload`
- [scripts/ops/tool_confusion_guard.py](#) | 41 行 | a2e4d30f39aa | `main`
- [scripts/ops/transcript_archive_consistency.py](#) | 270 行 | ab65065dea31 | `_sha256`, `_load_live_environment`, `_load_judicial_module`, `_pdf_dockets`, `_transcript_pdfs`, `_unique_destination`, `main`
- [scripts/ops/triage_transcript_duplicates.py](#) | 319 行 | 8ef3bb58be8f | `_md5`, `_content_hash`, `_find_n_suffix_files`, `_strip_suffix`, `_bucket`, `_move_to_duplicates`, `_append_jsonl`, `main`
- [scripts/ops/tune_judicial_api_load.py](#) | 206 行 | 29d84057f913 | `_python_bin`, `_truthy`, `_env_assignment`, `_job_command`, `_find`, `tune_jobs`, `main`
- [scripts/ops/v3_host_singleton_migration.py](#) | 312 行 | 42f1b3324c1b | `HostSingletonMigrationError`, `_contains_v2`, `_contains_versioned_release`, `_path`, `render_migrated_plist`, `stage_migrations`, `main`
- [scripts/ops/weekly_cache_cleanup.py](#) | 509 行 | 7f5e9bb55dfb | `_external_omlx_cache_targets`, `_is_protected`, `_dir_size_bytes`, `_has_preserved_standalone_content`, `_max_atime`, `cleanup_target`, `cleanup_retired_root`, `write_metrics`, `report_failure`, `main`
- [scripts/packaging/build_installers.py](#) | 287 行 | 7873001cc760 | `_run`, `_copy`, `build_release_archive`, `_write_macos_launcher`, `_write_info_plist`, `_write_macos_readme`, `build_macos_app`, `_write_windows_cmd`,

`_write_windows_builder, _zip_folder`

- `scripts/packaging/magi_install_launcher.py` | 376 行 | `5ea947475bd1` | `is_frozen`, `resource_dir`, `default_archive`, `default_install_base`, `_safe_zip_target`, `_single_top_level`, `extract_release_archive`, `_run_probe`, `find_python`, `python_command`
- `scripts/packaging/runtime_bootstrap.py` | 1007 行 | `055f828ac32d` | `HardwareProfile`, `ModelDownload`, `RuntimePlan`, `BootstrapStep`, `AuxiliaryDependency`, `_run`, `_which`, `_which_any`, `_probe`, `_subprocess_text`
- `scripts/packaging/supply_chain_gate.py` | 140 行 | `3e1cb39ed8bc` | `_write`, `main`
- `scripts/packaging/validate_installer_payload.py` | 141 行 | `d5d126429146` | `_find_archive`, `_extract_release`, `_all_release_paths`, `_run`, `validate_payload`, `main`
- `scripts/packaging/vulnerability_receipt.py` | 42 行 | `8f410f588ace` | `main`
- `scripts/public_release_audit.py` | 358 行 | `e45f8023f34f` | `_is_git_worktree`, `default_audit_root`, `Finding`, `_git_ls_files`, `_walk_release_files`, `_is_probably_text`, `_is_blocked_tracked_path`, `_is_allowed_secret_example`, `_is_allowed_pii_example`, `scan_text`
- `scripts/purge_persona_memories.py` | 122 行 | `d99d105fd92a` | `get_conn`, `find_polluted`, `delete_ids`, `main`
- `scripts/refresh_all_law_school_catalog.py` | 342 行 | `090dc3730842` | `institution`, `fetch`, `paper_uid`, `answer_fields`, `base_paper`, `parse_ncku`, `parse_ccu`, `nccu_papers`, `refresh`, `main`
- `scripts/refresh_moex_judicial_bar_bank.py` | 955 行 | `507969ac3e50` | `now_iso`, `normalized`, `subject_key`, `exam_kind`, `Builder`, `Builder.init`, `Builder.fetch`, `Builder.archive_pdf`, `Builder.write_manifest`, `pdf_text`
- `scripts/reprocess_insights.py` | 860 行 | `f5fbf02ee814` | `_looks_degraded`, `_write_json_report`, `_load_reprocess_fixture_provider`, `_fixture_provider_value`, `_require_formal_callable`, `_select_reprocess_rows`, `_run_schedule_fixture`, `_run_schedule_fixture._call_bounded_provider`, `_get_db`, `_build_ssl_context`
- `scripts/resummary_batch.py` | 95 行 | `4e5fdd72f31c` | `wait_for_omlx`
- `scripts/revise_feature_manual.py` | 135 行 | `797ca46fa050` | `_replace_paragraphs`, `_replace_cells`, `main`
- `scripts/seed_cron_jobs.py` | 1871 行 | `1ee6a2320e24` | `qcmd`, `quote_repo_root_paths`, `default_python_path`, `guarded_cron_command`, `token_refresh_cron_command`, `worldmonitor_job`, `deterministic_legacy_replacements`, `business_jobs`, `operational_jobs`, `load_jobs`
- `scripts/serve_mlx_mtp.py` | 208 行 | `a7918b34e45b` | `ChatMessage`, `ChatRequest`, `RuntimeState`, `RuntimeState.init`, `_model_id`, `_content_to_text`, `_normalize_messages`, `_load_runtime`, `create_app`, `create_app.lifespan`
- `scripts/serve_nemotron_parse_omlx.py` | 93 行 | `47a0dec835dc` | `_image_from_request`, `create_app`, `create_app.runtime`, `create_app.health`, `create_app.parse`, `main`
- `scripts/setup_taiwan_legal_mcp.py` | 38 行 | `5f2ad56d82c4` | `run`, `main`
- `scripts/share_gateway.py` | 181 行 | `ab9dc7cc159c` | `_header_get`, `build_upstream_headers`, `ShareGatewayHandler`, `ShareGatewayHandler.do_GET`, `ShareGatewayHandler.do_HEAD`, `ShareGatewayHandler.do_POST`, `ShareGatewayHandler.do_PUT`, `ShareGatewayHandler.do_DELETE`, `ShareGatewayHandler.log_message`, `ShareGatewayHandler._not_found`
- `scripts/share_tunnel_supervisor.py` | 211 行 | `4bdd0c569de7` | `_load_dotenv_value`, `_normalize_base_url`, `_stable_share_base_url`, `_gateway_health_ok`, `_wait_for_gateway`, `_cleanup_orphan_cloudflared`, `main`
- `scripts/sunrise_protocol.py` | 13 行 | `89eb9b9ab3f2` | —
- `scripts/supreme_interpreter_pdf_backfill.py` | 329 行 | `46e5be636b31` | `load_dotenv`, `safe_title`, `text_width_units`, `wrap_text_line`, `wrap_text`, `render_text_pdf`, `render_text_pdf.new_page`, `txt_to_pdf_name`, `build_authoritative_index_by_current_txt`, `generate_existing_pdfs`
- `scripts/sync_exam_tutor_trends.py` | 823 行 | `912eed727501` | `_document_text`, `now_iso`, `load_json`, `atomic_json`, `_VisibleText`, `_VisibleText.init`, `_VisibleText.handle_starttag`, `_VisibleText.handle_endtag`, `_VisibleText.handle_data`, `_VisibleText.text`

- `scripts/sync_exam_tutor_yearly.py` | 706 行 | 293fda158356 | `now_iso`, `current_roc_year`, `sha256`, `atomic_json`, `load_json`, `fetch`, `discover_exam_code`, `_subject_key`, `discover_choice_papers`, `pdf_text`
- `scripts/sync_insights_to_vectors.py` | 660 行 | 745e601c876c | `_embedding_is_valid`, `_get_embedding`, `_get_embeddings_batch`, `_content_hash`, `_build_mem_content`, `_plan_new_insights`, `_load_embedding_fixture_provider`, `_fixture_embedding`, `_require_formal_callable`, `sync`
- `scripts/tests/apple_intelligence_smoke_test.py` | 224 行 | 56e50c4e990a | `_run`, `_pick_default_files`, `_pick_default_files_first_existing`, `main`, `main_post_json`
- `scripts/tests/intent_model_ab.py` | 137 行 | b1ee8543ed6e | `_extract_label`, `_ask_label`, `run_benchmark`, `main`
- `scripts/tests/test_legal_skills.py` | 99 行 | 3b5e2939a9c7 | `_analysis_worker`, `test_doc_analysis`
- `scripts/tests/test_url_browsing.py` | 31 行 | 180da6aa15b7 | `test_url_browsing`
- `scripts/train_gemma_e4b_lora.py` | 621 行 | a5f8524cd40f | `_atomic_json`, `_bounded_owned_profile`, `_bounded_rows`, `_bounded_loss`, `run_bounded_training`, `_version_tag`, `_adapter_dir`, `_merged_dir`, `_check_simplified_chinese`, `_build_validation_messages`
- `scripts/v3_backup_prepare.py` | 662 行 | b4349a31bf84 | `BackupBlocked`, `SourceEntry`, `SourceEntry.capture`, `SourceEntry.signature`, `_sha256`, `_write_json`, `_overlaps`, `_safe_source`, `_safe_website_root`, `_quick_check`
- `scripts/v3_backup_verify.py` | 39 行 | a6d7168e95a0 | `main`
- `scripts/v3_campaign/__init__.py` | 22 行 | bb2f30b66025 | `getattr`
- `scripts/v3_campaign/__main__.py` | 3 行 | 74fff10eb2bd | —
- `scripts/v3_campaign/offline_probes.py` | 1018 行 | f64963b6006a | `OfflineProbeError`, `_sha256`, `bound_cron_jobs`, `bound_dispatch_policy`, `_cron_values`, `_cron_matches`, `_worker_class`, `_timeout`, `_replay_profile`, `_base_arrivals`
- `scripts/v3_campaign/runner.py` | 3934 行 | 231da508da4c | `_route_external_storage_roots`, `_route_live_root`, `_route_seatbelt_profile`, `_route_seatbelt_attestation`, `_route_attested_seatbelt_workspace`, `_route_runtime_site_packages`, `_route_inside`, `_validate_route_runtime_binding`, `CampaignSafetyError`, `CampaignContext`
- `scripts/v3_campaign/schedule_realism.py` | 1034 行 | 3d879dbcdf98 | `_sha256_bytes`, `_source_evidence_receipt_sha256`, `_fixture_inventory`, `_diagnostic_text`, `_write_execution_diagnostic`, `_p95`, `_logical_definition_sha256`, `_command_definition_sha256`, `_load_baseline`, `_validate_baseline`
- `scripts/v3_credential_handoff_prepare.py` | 273 行 | 6dd0bb491905 | `SecretHandoffError`, `_sha256`, `_regular_bytes`, `_atomic_replace`, `_safe_directory`, `materialize_secret_handoff`, `main`
- `scripts/v3_cron_snapshot.py` | 347 行 | db3ae149ddc5 | `CronSnapshotBlocked`, `CronSourceIdentity`, `_identity`, `_source_path`, `_assert_source_identity`, `read_verified_cron_source`, `_clean_job`, `_source_roots`, `_release_files`, `_rebase_absolute`
- `scripts/v3_cutover/__init__.py` | 21 行 | 81d12c5d2f3f | —
- `scripts/v3_cutover/__main__.py` | 3 行 | 935a1c1166b0 | —
- `scripts/v3_cutover/activation.py` | 1278 行 | 2e7d449ce625 | `_now`, `_canonical_json`, `_sha256_bytes`, `_chain_entry`, `_validate_history`, `_safe_parent`, `_atomic_replace`, `_exclusive`, `_load`, `active_release_marker`
- `scripts/v3_cutover/cli.py` | 358 行 | dff29513afd2 | `_parser`, `_residuals`, `_evidence_report`, `_write_execution_report`, `run`, `run.current_snapshot`, `main`
- `scripts/v3_cutover/core.py` | 385 行 | c927a0853bbb | `CutoverError`, `GateConfigError`, `Owner`, `Owner.to_dict`, `Snapshot`, `Snapshot.to_dict`, `Assessment`, `Assessment.to_dict`, `assess_cutover_window`, `assess_cutover_window.parse_clock`
- `scripts/v3_cutover/mutation.py` | 3338 行 | 8f929c7c20cd | `MutationResult`, `BoundFile`, `LaunchAgent`, `LAFDedupHandoffPlan`, `PdfNamerHandoffPlan`, `MutableStateHandoffPlan`, `PreparedCutoverPlan`, `v2_application_set_sha256`, `v2_initial_loaded_set_sha256`, `v2_keepalive_set_sha256`

- `scripts/v3_cutover/planning.py` | 546 行 | 80cc9b018623 | `_default_launchd_probe`, `_captured_launchd_state`, `_sha256_regular`, `_object`, `_binding`, `_path_identity`, `_handoff_root`, `_private_binding`, `_future_output`
- `scripts/v3_cutover/probe.py` | 908 行 | b324db04713e | `observe_probe_commands`, `run_probe_command`, `ReleaseSpec`, `ReleaseSpec.to_dict`, `ProcessInfo`, `_all_strings`, `_domain_for_text`, `_host_singleton_process_identity`, `_looks_like_unapproved_model_process`, `_path_within`
- `scripts/v3_cutover/v3_rotation_execute.py` | 1327 行 | 456bf8c63f4d | `_now`, `_sha256_bytes`, `_sha256`, `_canonical_json`, `_safe_absolute_directory`, `_safe_file_bytes`, `_load_json_bytes`, `BoundFile`, `BoundDeployment`, `_verify_release_inventory`
- `scripts/v3_cutover/v3_rotation_recover.py` | 44 行 | 8865180b874e | `main`
- `scripts/v3_cutover/workflow.py` | 148 行 | 25285655e2eb | `Step`, `Step.to_dict`, `build_workflow`, `_validate_workflow`, `authorize_mutation`, `_owner_templates`, `simulate_workflow`
- `scripts/v3_deploy_prepare.py` | 3114 行 | d386f8693d7d | `DeployPrepareBlocked`, `ReleaseIdentity`, `RoleDefinition`, `ExternalRuntimeInputs`, `StaticExternalEvidence`, `_sha256`, `_sha256_file`, `_sandbox_literal`, `_probe_process_exec_paths`, `_probe_seatbelt_profile`
- `scripts/v3_evidence_compiler.py` | 2602 行 | ebab123c0bfe | `EvidenceCompileError`, `CompileContext`, `CompileContext.as_dict`, `CompileContext.validate`, `SourceArtifact`, `FrozenFile`, `_with_compilation_scope`, `_with_compilation_scope.wrapped`, `_reject_duplicate_json_keys`, `_freeze`
- `scripts/v3_laf_dedup_compat.py` | 831 行 | a8d9ae7732d1 | `LAFDedupBlocked`, `_canonical_json`, `_sha256_bytes`, `_validate_message_id`, `_source_signature`, `_read_source`, `_records_sha256`, `_sources_sha256`, `_write_owner_only`, `create_manifest`
- `scripts/v3_mutable_state_handoff.py` | 79 行 | 530d0532211d | `_parser`, `main`
- `scripts/v3_pdf_namer_handoff.py` | 769 行 | 9b980fc286ed | `StateSpec`, `HandoffError`, `SnapshotEntry`, `SnapshotEntry.public`, `_sha256_bytes`, `_path_binding`, `_is_relative_to`, `_reject_symlink_components`, `_canonical_paths`, `_file_signature`
- `scripts/v3_pre_cutover.py` | 2164 行 | 81bed136c81f | `PreCutoverError`, `ExpectedContext`, `ExpectedContext.to_dict`, `RequiredPaths`, `_load_json`, `_sha256`, `_write_json_atomic`, `_valid_digest`, `_parse_time`, `_safe_relative`
- `scripts/v3_python_runtime_snapshot.py` | 583 行 | 3a39340cfd8d | `_PortableFileLock`, `_PortableFileLock.flock`, `PythonRuntimeBlocked`, `_owned_by_current_user`, `_private_file_mode`, `_sha256_file`, `_runtime_root`, `_inside`, `_validate_pth`, `_validate_excluded_bytecode_cache`
- `scripts/v3_release_bundle.py` | 1301 行 | 184ca8b4faa0 | `ReleaseBundleError`, `SourceEntry`, `SourceEntry.manifest_entry`, `_sha256_file`, `_excluded`, `_release_privacy_audit`, `_forbidden_secret`, `_entry_from_file`, `_scan_directory`, `snapshot_sources`
- `scripts/v3_release_gate.py` | 3978 行 | 159c02c655fb | `_source_contract`, `_nonnegative_int`, `_exact_nonnegative_int`, `MetricRule`, `EvidenceSpec`, `BoundArtifact`, `_r`, `_reject_duplicate_json_keys`, `_load_json_value_bytes`, `_load_json_bytes`
- `scripts/v3_route_parity.py` | 182 行 | 156b76ded6db | `Route`, `Route.from_mapping`, `collect_routes`, `load_expected`, `resolve_factory`, `_http_services`, `verify_route_parity`, `main`
- `scripts/v3_schedule_baseline_capture.py` | 418 行 | f602734486a4 | `BaselineCaptureError`, `_sha256_file`, `_load_json`, `_normalized_timestamp`, `_successful_sample`, `_prior_samples`, `_observation`, `capture_baseline`, `_write_atomic`, `main`
- `scripts/v3_source_contract.py` | 91 行 | fcb8ce25af25 | `SourceContractError`, `account_home`, `resolve_source_contract`
- `scripts/v3_static_external_staging.py` | 1046 行 | cd83492f6438 | `StaticExternalStagingError`, `ReleaseContext`, `SourceBinding`, `SnapshotEntry`, `_sha256`, `_json_bytes`, `_validate_sha`, `_canonical_existing`, `_stable_regular_bytes`, `_load_json`
- `scripts/v3_validation/__init__.py` | 26 行 | 09242a9098c4 | —
- `scripts/v3_validation/__main__.py` | 96 行 | fe9056306385 | `_write`, `build_parser`, `main`
- `scripts/v3_validation/actual_route_replay.py` | 6051 行 | 20381dfe6a2d | `_FormalRuntimeBindingError`, `_verify_formal_runtime_binding`, `ReplaysIsolationError`, `_canonical`, `_digest`, `_route_key`, `_key_dict`, `_is_within`, `_is_lexically_within`, `_external_storage_roots`

- `scripts/v3_validation/adaptor_spec.py` | 130 行 | 43c5171a4212 | `LegacyResponse`, `assert_legacy_shape`, `_sse_data`, `_error_payload`, `adapt_legacy_response`
- `scripts/v3_validation/build_rc606_canonical_cron.py` | 130 行 | a86342a249fa | `_sha`, `_write_json`, `_rc606_command`, `main`
- `scripts/v3_validation/change_scope.py` | 169 行 | baeb96e69975 | `ScopeDecision`, `_normalise`, `_bound_source`, `_is_explicit_pure`, `_development_reason`, `classify_paths`, `build_receipt`, `changed_paths`, `main`
- `scripts/v3_validation/controlled_restart_evidence.py` | 751 行 | bee5270ba12b | `ControlledRestartBlocked`, `_canonical`, `_semantic`, `_sha256`, `_json`, `_write_new`, `_context`, `_time`, `HostObservation`, `HostObservation.public`
- `scripts/v3_validation/cutover_evidence.py` | 812 行 | b4bde3029e0f | `CutoverEvidenceBlocked`, `RawPair`, `_sha256`, `_canonical`, `_json`, `_time`, `_hash_context`, `_load_plan`, `_reconciliation`, `_v2_marker_identity`
- `scripts/v3_validation/fault_certification.py` | 608 行 | 48e5b32cd884 | `FaultCertificationError`, `_canonical_json`, `_sha256_file`, `_is_relative_to`, `_prepare_sandbox`, `_compile_mach_killer`, `_mach_sigkill_cycle`, `verify_fault_certification`, `_validation_profile`, `build_fault_stimulus_plan`
- `scripts/v3_validation/fault_realism.py` | 1502 行 | 59db3c0a618f | `FaultEvidenceError`, `_canonical_json`, `_sha256`, `_is_relative_to`, `_validate_workdir`, `_configure`, `_initialize`, `_initialize_apfs_enospc_database`, `_apfs_enospc_sqlite_full_worker`, `_apfs_enospc_recovery_worker`
- `scripts/v3_validation/fixtures.py` | 325 行 | 1d551d53022b | `_normalized_key`, `_tag`, `_redact_text`, `_redact_text.replace`, `_redact_text.replace.repl`, `_anonymize`, `anonymize_fixture`, `_walk`, `assert_fixture_anonymized`, `decode_fixture_file_payload`
- `scripts/v3_validation/g8_isolated_smb.py` | 1372 行 | 6cac3815b30f | `G8SMBBlocked`, `_canonical`, `sha256_json`, `_sha`, `_new_file`, `_regular`, `_json_file`, `_empty_target`, `_mount_unescape`, `_verify_command_receipt`
- `scripts/v3_validation/g8_maintenance_safety.py` | 118 行 | f0be51ff769a | `ProcessRow`, `parse_ps_rows`, `ancestor_pids`, `eligible_v2_process_groups`, `reverify_group`
- `scripts/v3_validation/golden_flows.py` | 704 行 | 489257f998a4 | `_canonical`, `_digest`, `_fixture`, `_User`, `_isolated_app`, `_isolated_app.load_user`, `_isolated_app.contract_login_page`, `_isolated_app.contract_login`, `_isolated_app.contract_gcal_state`, `_isolated_app.contract_gcal_state_status`
- `scripts/v3_validation/health_certification.py` | 281 行 | f09567236103 | `HealthCertificationError`, `_canonical`, `_sha256_file`, `_inside`, `_prepare_sandbox`, `_heavy_imports`, `_validation_profile`, `run_health_certification`, `verify_health_evidence`, `campaign_evidence`
- `scripts/v3_validation/http_contract_runner.py` | 640 行 | 60ccd28a1690 | `_canonical_json`, `_sha256`, `_canonical_hash`, `_normalized_headers`, `OfflinelsoationAttestation`, `OfflinelsoationAttestation.validate`, `MultipartFile`, `ContractRequest`, `InjectedTestClient`, `InjectedTestClient.wsgi`
- `scripts/v3_validation/human_approval.py` | 1395 行 | 606418ec302f | `HumanApprovalBlocked`, `FrozenSource`, `_canonical`, `_sha`, `_json_bytes`, `_freeze`, `_safe_artifact`, `_time`, `_write_new`, `_context`
- `scripts/v3_validation/ime_candidate_probe.py` | 745 行 | b35d722f2ab0 | `ImeProbeError`, `_run_osascript`, `_frontmost_application`, `_activate_process`, `_wait_for_frontmost_application`, `_wait_for_input_source_id`, `_textedit_readiness_state`, `_wait_for_textedit_ready`, `_activate_and_wait_for_textedit_ready`, `_open_isolated_document`
- `scripts/v3_validation/inventory.py` | 233 行 | 723e8536c869 | `RouteRecord`, `RouteRecord.from_mapping`, `RouteRecord.as_dict`, `RouteRecord.signature`, `normalize_inventory`, `inventory_fingerprint`, `_capability_ids`, `classify_capability`, `build_coverage`, `build_coverage.describe`
- `scripts/v3_validation/isolated_live_evidence.py` | 733 行 | ebd8afb7329 | `IsolatedLiveEvidenceBlocked`, `RawRun`, `_sha256`, `_json`, `_time`, `_threshold`, `_campaign_policy`, `_subsequence`, `_snapshot`, `_canonical_json_bytes`
- `scripts/v3_validation/isolated_live_execute.py` | 1946 行 | 3cf627be750b | `IsolatedLiveBlocked`, `BoundArtifact`, `ProbeSpec`, `ProbeSpec.to_dict`, `ValidationRole`, `IsolatedLivePlan`, `VerifiedDeployment`, `IsolatedLiveMachine`, `IsolatedLiveMachine.activate_maintenance_blackout`, `IsolatedLiveMachine.deactivate_maintenance_blackout`
- `scripts/v3_validation/isolated_live_macos.py` | 1744 行 | df44c6b20852 | `HTTPResponse`, `HTTPResponse.read`, `HTTPResponse.enter`, `HTTPResponse.exit`, `HostLaunchAgent`, `CommandResult`, `_canonical_v2_root`

`_canonical_v3_runtime`, `_canonical_launchagents`, `_sha256_bytes`

- `scripts/v3_validation/isolated_live_plan_builder.py` | 247 行 | `6bb60efa4d2f` | `IsolatedLivePlanBlocked`, `_sha256_bytes`, `_stable_regular`, `_binding`, `_token_digest`, `_target`, `_write_exclusive`, `create_isolated_live_plan`, `_parser`, `main`
- `scripts/v3_validation/isolated_resource_window.py` | 1016 行 | `00d703ed747c` | `IsolatedResourceWindowError`, `parse_powermetrics_process_gpu`, `parse_powermetrics_process_gpu.walk`, `_canonical`, `sha256_json`, `_number`, `_integer`, `_sha`, `_verify_identity`, `_verify_preflight`
- `scripts/v3_validation/isolated_resource_window_collector.py` | 1943 行 | `f72c730c9c2c` | `CollectorError`, `Handle`, `Snapshot`, `Backend`, `Backend.now_ns`, `Backend.sleep`, `Backend.preflight`, `Backend.start`, `Backend.snapshot`, `Backend.poll`
- `scripts/v3_validation/isolated_resource_window_plan_builder.py` | 863 行 | `d00095415257` | `ResourceWindowPlanError`, `_sha256`, `_tree_sha256`, `_regular`, `_python_runtime_binding`, `_external_website`, `_external_file`, `_json`, `_deep_release`, `_exclusive_write`
- `scripts/v3_validation/live_validation.py` | 266 行 | `47d2440c2c28` | `plan_sha256`, `_timestamp`, `validate_live_plan`, `load_live_plan`, `validate_live_report`, `validate_live_report_against_plan`, `validate_live_campaign_reports`, `load_live_report`
- `scripts/v3_validation/offline_machine_gate_builder.py` | 649 行 | `141fae0ad643` | `OfflineMachineGateError`, `FrozenFile`, `CandidateBinding`, `_canonical_bytes`, `_freeze`, `_json`, `_hash_runtime`, `verify_candidate_runtime`, `_verify_deploy`, `_safe_output_directory`
- `scripts/v3_validation/paths.py` | 18 行 | `a51d1a770eb7` | —
- `scripts/v3_validation/perf_certification.py` | 1389 行 | `3d3fa6f9eabf` | `PerformanceCertificationError`, `_PerfUser`, `_PerfUser.init`, `_canonical_json`, `_sha256`, `_sha256_file`, `request_plan_sha256`, `_is_relative_to`, `_prepare_sandbox`, `_find_executable`
- `scripts/v3_validation/perf_compat.py` | 2020 行 | `b63b27924eb1` | `PerfEvidenceError`, `_canonical_json`, `_sha256_bytes`, `_sha256_file`, `verify_evidence_hash`, `_request_plan`, `_request_plan_sha256`, `_decoded_case`, `_expected_body`, `build_offline_app`
- `scripts/v3_validation/physical_fault_drill.py` | 1354 行 | `81fa4e2b7a8e` | `PhysicalFaultBlocked`, `_canonical`, `_sha`, `_semantic`, `_json`, `_write_new`, `_context`, `_time`, `_selected_device`, `_same_device_identity`
- `scripts/v3_validation/provisional_resource_window_execute.py` | 911 行 | `3b04f30a03ab` | `ResourceWindowMachine`, `ResourceWindowMachine.capture_resource_window_host_state`, `ResourceWindowMachine.stop_resource_window_labels`, `ResourceWindowMachine.collect_resource_window_zero_receipt`, `ResourceWindowMachine.restore_resource_window_labels`, `ResourceWindowMachine.verify_resource_window_readiness`, `ResourceWindowCollectorTimeout`, `_sha256`, `_canonical`, `_semantic_receipt`
- `scripts/v3_validation/provisional_resource_window_macos.py` | 188 行 | `146cf719dc70` | `_sha256`, `_bound`, `_write_new`, `build_parser`, `main`
- `scripts/v3_validation/pytest_transcript_plugin.py` | 68 行 | `bbf333a72c39` | `_digest`, `_file_digest`, `pytest_collection_finish`, `pytest_runtest_logreport`, `pytest_sessionfinish`
- `scripts/v3_validation/quality_input_builder.py` | 434 行 | `e0fed12668ef` | `QualityInputBuildError`, `_sha256`, `_canonical`, `_fsync_directory`, `_write_new`, `_new_directory`, `_absolute_file`, `_absolute_directory`, `_inside`, `_relative_files`
- `scripts/v3_validation/release_quality_certification.py` | 975 行 | `853018ca8a14` | `ReleaseQualityCertificationError`, `_formal_mutable_environment`, `_prepare_campaign_temp_root`, `_sha256`, `_load_object`, `_quoted`, `_isolated_roots`, `_live_mutable_read_roots`, `_seatbelt_profile`, `_release_files`
- `scripts/v3_validation/release_quality_evidence.py` | 436 行 | `1ac0b0f683df` | `ReleaseQualityEvidenceError`, `canonical_bytes`, `sha256_json`, `_node_path`, `_final_outcomes`, `_selected_release_paths`, `_evaluate_selection`, `_verify_test_sources`, `_verify_flow`, `_verify_side_effect_snapshot`
- `scripts/v3_validation/resource_performance_certification.py` | 923 行 | `25ea0e472758` | `ResourcePerformanceCertificationError`, `_sha256`, `_load_object`, `_release_files`, `_quoted`, `_isolated_roots`, `_seatbelt_profile`,

`_runtime_binding`, `_isolated_window_report`, `_g8_smb_report`

- `scripts/v3_validation/resource_performance_evidence.py` | 737 行 | `4f676e865a37` | `ResourcePerformanceEvidenceError`, `canonical_bytes`, `sha256_json`, `_finite_nonnegative`, `verify_g8_transport_composition_receipt`, `_performance_metrics`, `_resource_metrics`, `_preemption_metrics`, `_preemption_metrics.p95`, `_worker_metrics`
- `scripts/v3_validation/resource_window_core_adapter.py` | 116 行 | `883be9b8e051` | `_sha256`, `_manifest_files`, `_member`, `main`
- `scripts/v3_validation/resource_window_model_adapter.py` | 187 行 | `a066691c0b2d` | `_tree_sha256`, `_request`, `_wait_server`, `_response_text`, `_token_count`, `main`
- `scripts/v3_validation/route_certification.py` | 1229 行 | `24eaf9a35b4c` | `_canonical`, `_sha256`, `_key_dict`, `_expected_external_storage_roots`, `_live_magi_root`, `_live_mutable_read_roots`, `_seatbelt_profile_bytes`, `_seatbelt_attestation`, `_attested_seatbelt_workspace`, `_write_seatbelt_profile`
- `scripts/v3_validation/route_reviews.py` | 133 行 | `e08ca2a4a18b` | `RouteMethodKey`, `RouteMethodReview`, `RouteMethodReview.to_dict`, `load_route_method_reviews`, `_merge_route_method_review_payload`, `validate_reviews_against_inventory`, `require_reviewed_route_method`
- `scripts/v3_validation/route_success_trace_plugin.py` | 367 行 | `da07c7d51dce` | `_trace_path`, `_is_within`, `_is_lexically_within`, `_external_storage_roots`, `_install_isolation_guard`, `_install_isolation_guard.block`, `_install_isolation_guard.audit`, `_auth_redirect`, `_rule_matches`, `_recording_open`
- `scripts/v3_validation/schedule_body_registry.py` | 5979 行 | `c66d12c80cd2` | `ScheduleBodyRegistryError`, `_trusted_dependency_executable`, `_canonical_json`, `_sha256`, `_sha256_file`, `_cron_policy_source_sha256`, `_stable_regular_bytes`, `_bound_cron_bytes`, `_source_bound_cron_jobs`, `_is_relative_to`
- `scripts/v3_validation/schedule_capacity_certification.py` | 1597 行 | `41859a5f70ba` | `ScheduleCapacityError`, `classify_coalescing_safety`, `Occurrence`, `Occurrence.key`, `OfferResult`, `SameJobCoalescer`, `SameJobCoalescer.init`, `SameJobCoalescer.offer`, `SameJobCoalescer.start`, `SameJobCoalescer.complete`
- `scripts/v3_validation/schedule_evidence.py` | 293 行 | `d78c1c093d77` | `ScheduleEvidenceError`, `enabled_job_ids_from_cron`, `_job_ids`, `_string_ids`, `_sha`, `derive_schedule_gate_metrics`
- `scripts/v3_validation/schedule_nonstorage_fixture_matrix.py` | 369 行 | `84ce3e33b93e` | `_contract`, `adapter_proposals`, `_news`, `_judgment`, `_cortex_input`, `_autopilot_input`, `_audit_input`, `_product_input`, `populate_nonstorage_fixture`
- `scripts/v3_validation/schedule_product_fixture_matrix.py` | 564 行 | `489c03e3206a` | `_common_contract`, `adapter_proposals`, `_business_input`, `_distill_row`, `_insight`, `_insight_content`, `_insight_input`, `_reprocess_input`, `_product_input`, `populate_product_fixture`
- `scripts/v3_validation/schedule_sample_evidence.py` | 428 行 | `2213781594ae` | `canonical_sha256`, `_collect_hashes`, `_contract_summary`, `_dependency_summary`, `build_sample_evidence`, `_valid_summary_hash`, `verify_sample_evidence_ledger`
- `scripts/v3_validation/schema.py` | 35 行 | `4d807bc51bb4` | `ContractValidationError`, `load_json`, `validate_json`, `validate_json_file`
- `scripts/v3_validation/side_effects.py` | 50 行 | `10bb1fe169ab` | `SideEffectDecision`, `evaluate_side_effect`
- `scripts/v3_validation/source_anchor_refresh.py` | 135 行 | `755da46ca80d` | `SourceAnchorError`, `_source_file`, `_function_lines`, `refresh_route_review_sources`, `refresh_readiness_evidence`, `_render`, `_refresh_file`, `main`
- `scripts/v3_validation/transcription_quality_benchmark.py` | 642 行 | `3d9cae0010a2` | `TranscriptionQualityEvidenceError`, `_exact_keys`, `_canonical_bytes`, `sha256_json`, `_verify_self_hash`, `_finite_nonnegative`, `_positive_integer`, `_nonnegative_integer`, `_sha`, `_reject_sensitive_payload`
- `scripts/v3_validation/v3_rotation_drill.py` | 1270 行 | `8155e1d30702` | `V3RotationDrillBlocked`, `ReleaseIdentity`, `DeploymentBinding`, `OwnerProcess`, `_canonical`, `_digest`, `_sha256`, `_load`, `_time`, `_signature`
- `scripts/v3_validation/validation_router.py` | 776 行 | `d5fe3ad721ff` | `ValidationRouterError`, `ValidationNode`, `ValidationPlan`, `ValidationPlan.blocked`, `ValidationPlan.pytest_args`, `_normalise`, `_normalise_glob`, `_canonical`, `_sha256_bytes`, `_sha256_file`

- [scripts/v3_validation/worker_soak_evidence.py](#) | 69 行 | [5c666d64e668](#) | WorkerSoakEvidenceError, summarize_worker_soak_measurements
- [scripts/weekend_bookmark_batch.py](#) | 2619 行 | [65862c5fb9d9](#) | FileScanTimeout, VisionSourceChanged, _is_transient_storage_error, _source_unavailable_is_transient, _failed_result_is_transient_network_source, _file_timeout, _file_timeout.init, _file_timeout.enter, _file_timeout.enter._raise_timeout, _file_timeout.exit
- [scripts/weekend_resummary.py](#) | 770 行 | [348a37a7df55](#) | _signal_handler, _kill_child_processes, _acquire_lock, _release_lock, _load_state, _save_state, _completed_run_evidence, _record_scheduler_success, _nim_daily_budget_exhausted, _budget_deferred_result
- [scripts/wiki_synthesizer.py](#) | 959 行 | [a76b97840080](#) | _resolve_agent_dir, _load_state, _save_state, _get_vault_path, _gather_case_notes, _case_needs_update, _get_gateway, _omlx_chat_direct, _extract_note_text, _synthesize_overview

skills/ (411 檔)

- [skills/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/apple/__init__.py](#) | 2 行 | [4c7e252fd074](#) | —
- [skills/apple/apple_ai.py](#) | 233 行 | [2cc7f36cb0ff](#) | speech_to_text, extract_pdf_text, ocr_image, ocr_screenshot, check_shortcuts
- [skills/apple/apple_intelligence.py](#) | 521 行 | [b5fed4817b66](#) | _resolve_shortcut_name, _run_shortcuts_list, shortcuts_status, _run_shortcut, _run_shortcut._materialize_input_path, _run_shortcut._set_clipboard_text, _run_shortcut._run, extract_pdf_text_quartz, extract_pdf_text, ocr_image_vision
- [skills/apple/contacts_bridge.py](#) | 220 行 | [079c1147feb4](#) | _run_osascript, _escape, search_contact, search_contacts, get_contact_count, search_lawyer, format_contact_info
- [skills/apple/coreml_classifier.py](#) | 292 行 | [4919593bf9e9](#) | is_available, DocumentClassifier, DocumentClassifier.init, DocumentClassifier.classify, DocumentClassifier._classify_by_keywords, DocumentClassifier.classify_batch, export_training_data, get_classifier, classify_document
- [skills/apple/eventkit_bridge.py](#) | 512 行 | [3de3353441f9](#) | _run_osascript, _escape_applescript, ensure_calendar_exists, create_calendar_event, check_event_exists, ensure_reminder_list_exists, create_reminder, create_trial_events, create_case_deadline_reminder, parse_trial_command
- [skills/apple/natural_language.py](#) | 388 行 | [5676aa70dcd6](#) | is_available, detect_language, _detect_language_native, _detect_language_heuristic, detect_language_with_confidence, tokenize, _tokenize_native, _tokenize_native._callback, _tokenize_simple, extract_entities
- [skills/apple/run_shortcut.py](#) | 44 行 | [97e9a1b28b1f](#) | list_shortcuts, run_shortcut
- [skills/auto-magi-skill/action.py](#) | 14 行 | [64338bab073a](#) | main
- [skills/autoresearch/action.py](#) | 348 行 | [7fa5853a9ca2](#) | _ssh, _scp_to, _scp_from, cmd_setup, cmd_run, cmd_status, cmd_results, cmd_stop, main
- [skills/autoresearch/prepare.py](#) | 389 行 | [4f2ba9cbb8ba](#) | download_single_shard, download_data, list_parquet_files, text_iterator, train_tokenizer, Tokenizer, Tokenizer.init, Tokenizer.from_directory, Tokenizer.get_vocab_size, Tokenizer.get_bos_token_id
- [skills/autoresearch/train.py](#) | 630 行 | [2954175f4ac4](#) | GPTConfig, norm, has_ve, apply_rotary_emb, CausalSelfAttention, CausalSelfAttention.init, CausalSelfAttention.forward, MLP, MLP.init, MLP.forward
- [skills/brain_manager/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/brain_manager/action.py](#) | 1150 行 | [06961f21ab62](#) | _distributed_enabled, _remote_agent_reachable, _normalize_mode, _is_process_running, _wait_until, _write_state, _load_ngl_hint, _save_ngl_hint, get_recommended_ngl, _stop_local_server
- [skills/bridge/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —

- `skills/bridge/balthasar_bridge.py` | 951 行 | 444583138807 | `_format_hhmmss`, `_normalize_time_scale_if_needed`, `_normalize_segments`, `_segment_is_uncertain`, `_segment_quality_summary`, `_segments_to_timestamp_text`, `_segments_to_speaker_text`, `_infer_speaker_from_text`, `_annotate_speakers`, `_split_text_units`
- `skills/bridge/casper_bridge.py` | 181 行 | 5def07770aca | `get_latest_session_id`, `chat`, `chat._siri_remember`
- `skills/bridge/citation_format.py` | 174 行 | c93bf7ebb0cb | `Citation`, `ParsedAnswer`, `_count_words`, `parse_citations`, `render_citations_for_telegram`, `build_citation_system_prompt`
- `skills/bridge/code_analysis.py` | 190 行 | 847a13f7a403 | `_resolve_alias`, `list_files`, `read_codebase`, `analyze_code`, `estimate_effort`
- `skills/bridge/distill_collector.py` | 425 行 | 0cd357251e59 | `_paths_for`, `_load_state`, `_save_state`, `_content_hash`, `_contains_any`, `_language_stats`, `_reject_reasons`, `_passes_quality`, `_record_reject_reasons`, `_rotate_if_needed`
- `skills/bridge/embedding_router.py` | 695 行 | 1dfec7e8e61 | `_definitions_path`, `_cosine_similarity`, `_content_hash`, `EmbeddingRouter`, `EmbeddingRouter.init`, `EmbeddingRouter.initialize`, `EmbeddingRouter._check_definitions_changed`, `EmbeddingRouter.route`, `EmbeddingRouter.route_top_n`, `EmbeddingRouter.is_ready`
- `skills/bridge/ensemble_inference.py` | 1108 行 | f0a4cfac50e6 | `_load_soul`, `ConsensusResult`, `ConsensusResult.init`, `ConsensusResult.to_dict`, `_call_omlx_chat`, `_call_omlx_chat_multiturn`, `_build_system_with_citation`, `_inject_citation_result`, `ensemble_chat`, `ensemble_chat._call_role`
- `skills/bridge/grounded_ai.py` | 1521 行 | 1b83463ee5e1 | `_has_internal_badge_leak`, `_is_persona_hallucination`, `_is_garbage_output`, `_is_parrot_response`, `_get_tier_anchor_embeddings`, `_classify_query_tier`, `_filter_statute_memories`, `_is_incoherent_response`, `_embeddings_are_comparable`, `_has_lexical_topic_overlap`
- `skills/bridge/http_pool.py` | 44 行 | f5317c7b77fe | `get_session`
- `skills/bridge/imgur_bridge.py` | 70 行 | fd41fb66ea4f | `upload_image`
- `skills/bridge/inference_gateway.py` | 1872 行 | ae4a6b6b2ee6 | `split_heavy_prefix`, `_env_bool`, `_flask_heavy_opt_in`, `_detect_heavy_opt_in`, `_is_night`, `classify_intent`, `select_model_for_task`, `InferenceGateway`, `InferenceGateway.init`, `InferenceGateway.classify_intent`
- `skills/bridge/intention_classifier.py` | 446 行 | a02c4d470f35 | `IntentionClassifier`, `IntentionClassifier.init`, `IntentionClassifier._is_persistable_intent`, `IntentionClassifier._load_persistent_cache`, `IntentionClassifier._save_persistent_cache`, `IntentionClassifier._flush_cache`, `IntentionClassifier._cache_get`, `IntentionClassifier._cache_set`, `IntentionClassifier._check_regex_rules`, `IntentionClassifier._heuristic_classify`
- `skills/bridge/iron_dome.py` | 46 行 | 846875cfcbe2 | `_main`
- `skills/bridge/legal_bridge.py` | 69 行 | 870ada283b38 | `execute_skill`
- `skills/bridge/llm_direct.py` | 618 行 | e8a895028289 | `_get_session`, `_list_openai_models`, `_resolve_provider_model`, `_provider_is_remote`, `_prepare_remote_messages`, `_call_openai_format`, `_call_anthropic_format`, `chat`, `feature_enabled`, `translate_with_codex`
- `skills/bridge/melchior_bridge.py` | 364 行 | 6fb9f6dc0833 | `generate_text`, `encode_image`, `analyze_image_local`, `analyze_image`, `melchior_search`, `_generate_image_openai`, `generate_image`, `check_health`, `sync_skills`
- `skills/bridge/melchior_client.py` | 1783 行 | 6c9ba55b4015 | `_avoid_distributed`, `_result`, `_start_deadline`, `_remaining`, `_local_fallback_timeout`, `_post_json`, `_get_json`, `_get_omlx_watchdog_state`, `_omlx_watchdog_blocks_service`, `_omlx_service_available`
- `skills/bridge/melchior_manager.py` | 373 行 | 6df4d220f245 | `_now_iso`, `_load_state`, `_save_state`, `_should_exclude`, `_sha256_file`, `_scan_skills_tree`, `_compute_delta`, `_build_zip`, `melchior_health`, `_smoke_test_melchior`
- `skills/bridge/nim_heavy.py` | 799 行 | 1a7c3d14c353 | `_contains_credentials`, `background_heavy_authorization`, `_validate_background_heavy_authorization`, `_model_allowed`, `record_nim_outcome`, `recommend_nim_policy`, `reset_congestion_window`, `_today_key`, `_load_state`, `_save_state`
- `skills/bridge/openclaw_codex_bridge.py` | 170 行 | c311e3c17f32 | `feature_enabled`, `apply_manual_command`, `public_status_report`, `clear_failure_cooldown`, `is_session_locked`, `normalize_feature_name`, `_normalize_feature_name`,

- load_policy, load_runtime_state, save_runtime_state
- skills/bridge/semantic_router.py | 591 行 | 82391aea01e9 | _definitions_path, _load_skills, _get_skills, _tokenize, _tokenize_flush_cjk, _trigrams, _score, _is_soft_ambiguous_message, route, deprecated_route_hint
- skills/bridge/shared_utils/__init__.py | 40 行 | 1cad03ef55be | —
- skills/bridge/shared_utils/case_number_utils.py | 75 行 | ef509e282e30 | extract_case_number, parse_case_number_flexible, extract_laf_case_number
- skills/bridge/shared_utils/court_utils.py | 258 行 | 26820827d8d6 | normalize_court_name, get_court_code, extract_court_name
- skills/bridge/shared_utils/judgment_folder_names.py | 3 行 | 1ad37119bf2b | —
- skills/bridge/shared_utils/text_utils.py | 83 行 | f26988c812f4 | normalize_spaces, normalize_segment_fragment, clean_text, strip_zero_width, normalize_court_char
- skills/bridge/tier_router.py | 40 行 | 07f4b237d510 | ensure_26b_ready
- skills/bridge/tri_sage_collab.py | 923 行 | e4de2b65e090 | _safe_name, _ensure_dir, _extract_first_url, _chunk_text, _sample_chunks_evenly, _translate_workers, _bounded_translate_timeout, _strip_translation_preamble, _translate_llm_call, translate_text
- skills/bridge/watcher_bridge.py | 179 行 | 123bfed1bab1 | _resolve_watcher_host, check_health, get_watcher_status, query_archived_logs, get_anomalies, trigger_pull
- skills/bridge/web_research.py | 5 行 | d650ebbae0bc | —
- skills/brief-gen/action.py | 615 行 | 265d50db2e7f | _resolve_case_base, _cmd_template, _render_template_detail, _detect_brief_type, _cmd_draft, _cmd_enrich, _cmd_export, _export_docx_direct, _extract_case_number, _find_case_folder
- skills/browser/browser_control.py | 192 行 | 78807ce84620 | _is_url_safe, BrowserController, BrowserController.init, BrowserController.start, BrowserController.stop, BrowserController.navigate, BrowserController.screenshot, BrowserController.extract_text, BrowserController.fill_form, BrowserController.click_element
- skills/casper-autofix-knowledge/action.py | 50 行 | 8e32eb0a24ad | _extract_terms, main
- skills/casper-client/casper_llm_proxy.py | 49 行 | 804d15982f0b | CasperResponse, CasperGenerativeModel, CasperGenerativeModel.init, CasperGenerativeModel.generate_content, CasperGenerativeModel.count_tokens
- skills/casper-client/casper_tools_client.py | 71 行 | 1581c529449f | _post_json, casper_chat, casper_summarize, casper_translate, casper_fetch_url, casper_research
- skills/casper/__init__.py | 1 行 | bcde3702ae3c | —
- skills/casper/code_review.py | 226 行 | d8b8dc0aedbd | CodeReviewSkill, CodeReviewSkill.init, CodeReviewSkill._get_relevant_context, CodeReviewSkill.review_file, CodeReviewSkill._compute_hash, CodeReviewSkill.run_review
- skills/casper/melchior_update.py | 43 行 | 03cb91e620eb | run_update
- skills/catalog.py | 99 行 | 7c9a939dea2a | is_runtime_skill_dir_name, canonical_skill_dir_name, is_public_skill_dir_name, is_deprecated_skill_dir_name, is_public_definition_tool, iter_top_level_skill_dirs
- skills/contract-review/__init__.py | 0 行 | e3b0c44298fc | —
- skills/contract-review/action.py | 701 行 | 5ad3ecb8afb2 | _load_text, _truncate, _get_gateway, _llm_json, _sentences, _shorten, _detect_doc_type, _extract_parties, _find_sentence, _extract_obligations
- skills/cookie_stl/__init__.py | 14 行 | 7e36b99bcb0c | —
- skills/cookie_stl/engine.py | 1197 行 | 064f765402fb | CookieSTLError, _check_deadline, CookieParameters, CookieParameters.validate, _components, _largest_component, _remove_specks, _dilate, _erode, _close

- [skills/court-hearing-reminder/action.py](#) | 1273 行 | [ed2006c9e9cb](#) | `_get_conn`, `_fetch_upcoming_hearings`, `_load_remind_state`, `_is_remind_key_sent`, `_save_remind_state`, `_send_reminder`, `_generate_prep_summary`, `_is_safe_summary`, `_normalized_terms`, `_case_domain`
- [skills/crawler-targets/action.py](#) | 299 行 | [3190324006da](#) | `_maybe_reexec_venv`, `_ok`, `_load_state`, `_save_state`, `_load_jsonish`, `_norm_url`, `_validate_url`, `list_targets`, `add_target`, `remove_target`
- [skills/db-dual-sync/action.py](#) | 297 行 | [5ffdfc525f7c](#) | `_ok`, `_load_jsonish`, `_run`, `_status`, `_sync`, `_backup`, `_list_backups`, `main`
- [skills/doc-producer/action.py](#) | 574 行 | [6eddf7f320dc](#) | `_find_soffice`, `convert_docx_to_pdf`, `_convert_via_libreoffice`, `_convert_via_docx2pdf`, `_add_stamp_image_to_last_page`, `mark_copy_type`, `merge_pdfs`, `produce`, `_self_test`, `main`
- [skills/documents/_init__.py](#) | 42 行 | [c8d5ca9269aa](#) | `extract_text`, `summarize_pdf`, `get_pdf_info`, `extract_chapters`, `summarize_epub`, `get_epub_info`
- [skills/documents/epub_bridge.py](#) | 181 行 | [19b9998daf31](#) | `extract_chapters`, `get_epub_info`, `summarize_epub`
- [skills/documents/file_bridge.py](#) | 194 行 | [cd7285c60c78](#) | `_chunk_text`, `_sample_evenly`, `_read_text`, `_extract_docx_text`, `extract_text_from_file`, `summarize_extracted_text`, `summarize_file`
- [skills/documents/multimodal_parser.py](#) | 749 行 | [ef67ecab53c4](#) | `ContentType`, `ParsedBlock`, `ParsedBlock.to_dict`, `ParsedBlock.char_count`, `ParseResult`, `ParseResult.text_blocks`, `ParseResult.table_blocks`, `ParseResult.image_blocks`, `ParseResult.full_text`, `ParseResult.structured_text`
- [skills/documents/nas_pdf_ocr_worker.py](#) | 646 行 | [a0d3bce01d8e](#) | `queue_db_path`, `_load_local_dotenv`, `_private_path_ref`, `_ocrmypdf_command_prefix`, `_ocr_environment`, `_large_ocr_allowed_now`, `_worker_exit_code`, `_ocr_timeout_seconds`, `acquire_nas_ocr_queue_lock`, `_empty_worker_counters`
- [skills/documents/pdf_bridge.py](#) | 2970 行 | [e8595f16d525](#) | `_doc_run_root`, `_safe_slug`, `_atomic_write_text`, `_atomic_write_json`, `_read_json`, `_is_synthetic_timeout_fallback`, `_summary_text_usable`, `_script_balance`, `_needs_crosslingual_polish`, `_translate_note_to_traditional_chinese`
- [skills/documents/vector_pipeline.py](#) | 258 行 | [b429e05339da](#) | `_now_iso`, `_sha1`, `_doc_key`, `_load_index`, `_save_index`, `_chunk_text`, `_prepare_embedding_inputs`, `_dedupe_batch_items`, `ingest_sections_to_vector_memory`, `ingest_text_to_vector_memory`
- [skills/docx-editor/action.py](#) | 516 行 | [b34e043a0802](#) | `cmd_apply`, `cmd_extract`, `cmd_extract.collect`, `cmd_find`, `cmd_find.collect`, `cmd_generate`, `cmd_chat_edit`, `cmd_self_test`, `main`
- [skills/docx-editor/examples/chat_edit_example.py](#) | 65 行 | [51cc83427081](#) | `main`
- [skills/docx-editor/examples/generate_example.py](#) | 79 行 | [da8b041fcb43](#) | `main`
- [skills/docx-editor/examples/simple_edit.py](#) | 61 行 | [d4faf352e045](#) | `main`
- [skills/docx-editor/lib/_init__.py](#) | 1 行 | [84b227261cb6](#) | —
- [skills/docx-editor/lib/anchor_matcher.py](#) | 312 行 | [da411e762c7d](#) | `_pre_normalize`, `Normalized`, `Normalized.init`, `normalize_ws`, `map_norm_range_to_original`, `_find_unique_in_norm`, `_find_unique_in_norm.check_ctx`, `find_unique_anchor`, `_count_candidates`, `_count_candidates.check_ctx`
- [skills/docx-editor/lib/docx_io.py](#) | 172 行 | [6b144ac37a66](#) | `_w`, `read_docx_to_xml`, `_find_zip_entry`, `write_xml_to_docx`, `extract_paragraph_text`, `find_max_id`, `get_body`, `collect_paragraphs`
- [skills/docx-editor/lib/generator.py](#) | 166 行 | [bcff6ebf3e32](#) | `TableSpec`, `SectionSpec`, `GenerateDocxRequest`, `generate_docx`, `_add_table`
- [skills/docx-editor/lib/llm_edit_planner.py](#) | 209 行 | [db4970c201be](#) | `plan_edits_with_llm`, `_call_llm`, `_parse_json_response`
- [skills/docx-editor/lib/run_splitter.py](#) | 365 行 | [a1b978888454](#) | `_w`, `RunInfo`, `RunInfo.init`, `FlatParagraph`, `FlatParagraph.init`, `flatten_paragraph`, `flatten_paragraph.process_run`, `_build_run`, `_rpr_for_pos`, `rebuild_paragraph_with_edits`
- [skills/docx-editor/lib/tracked_edits.py](#) | 296 行 | [b9b71202607f](#) | `EditInput`, `AppliedChange`, `EditError`, `ApplyTrackedEditsResult`, `_PlannedChange`, `apply_tracked_edits`, `_truncate`

- [skills/docx/scripts/__init__.py](#) | 1 行 | 01ba4719c80b | —
- [skills/docx/scripts/accept_changes.py](#) | 135 行 | 0c991d2bc730 | `accept_changes`, `_setup_libreoffice_macro`
- [skills/docx/scripts/comment.py](#) | 318 行 | f35f599718b6 | `_generate_hex_id`, `_encode_smart_quotes`, `_append_xml`, `_find_para_id`, `_get_next_rid`, `_has_relationship`, `_has_content_type`, `_ensure_comment_relationships`, `_ensure_comment_content_types`, `add_comment`
- [skills/docx/scripts/office/helpers/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [skills/docx/scripts/office/helpers/merge_runs.py](#) | 202 行 | 0d311291e4d6 | `merge_runs`, `_find_elements`, `_find_elements.traverse`, `_get_child`, `_get_children`, `_is_adjacent`, `_remove_elements`, `_strip_run_rsid_attrs`, `_merge_runs_in`, `_first_child_run`
- [skills/docx/scripts/office/helpers/simplify_redlines.py](#) | 200 行 | 8e9ddfee4589 | `simplify_redlines`, `_merge_tracked_changes_in`, `_is_element`, `_get_author`, `_can_merge_tracked`, `_merge_tracked_content`, `_find_elements`, `_find_elements.traverse`, `get_tracked_change_authors`, `_get_authors_from_docx`
- [skills/docx/scripts/office/pack.py](#) | 167 行 | c7caca12dc58 | `pack`, `_run_validation`, `_condense_xml`
- [skills/docx/scripts/office/safe_minidom.py](#) | 41 行 | 7737c3e5257a | `UnsafeOfficeXML`, `_checked_bytes`, `parseString`, `parse`
- [skills/docx/scripts/office/soffice.py](#) | 205 行 | 090ee2772342 | `get_soffice_env`, `run_soffice`, `_soffice_binary`, `_needs_shim`, `_ensure_shim`
- [skills/docx/scripts/office/unpack.py](#) | 140 行 | 2d4978a1bd19 | `unpack`, `_pretty_print_xml`, `_escape_smart_quotes`
- [skills/docx/scripts/office/validate.py](#) | 117 行 | a3ff56221feb | `main`
- [skills/docx/scripts/office/validators/__init__.py](#) | 15 行 | 83e0f035c5ab | —
- [skills/docx/scripts/office/validators/base.py](#) | 851 行 | fce7a9494aa5 | `BaseSchemaValidator`, `BaseSchemaValidator.init`, `BaseSchemaValidator.validate`, `BaseSchemaValidator.repair`, `BaseSchemaValidator.repair_whitespace_preservation`, `BaseSchemaValidator.validate_xml`, `BaseSchemaValidator.validate_namespaces`, `BaseSchemaValidator.validate_unique_ids`, `BaseSchemaValidator.validate_file_references`, `BaseSchemaValidator.validate_all_relationship_ids`
- [skills/docx/scripts/office/validators/docx.py](#) | 450 行 | 3aefdc2bc1b1 | `DOCXSchemaValidator`, `DOCXSchemaValidator.validate`, `DOCXSchemaValidator.validate_whitespace_preservation`, `DOCXSchemaValidator.validate_deletions`, `DOCXSchemaValidator.count_paragraphs_in_unpacked`, `DOCXSchemaValidator.count_paragraphs_in_original`, `DOCXSchemaValidator.validate_insertions`, `DOCXSchemaValidator.compare_paragraph_counts`, `DOCXSchemaValidator._parse_id_value`, `DOCXSchemaValidator.validate_id_constraints`
- [skills/docx/scripts/office/validators/pptx.py](#) | 275 行 | f937961e62a5 | `PPTXSchemaValidator`, `PPTXSchemaValidator.validate`, `PPTXSchemaValidator.validate_uuid_ids`, `PPTXSchemaValidator._looks_like_uuid`, `PPTXSchemaValidator.validate_slide_layout_ids`, `PPTXSchemaValidator.validate_no_duplicate_slide_layouts`, `PPTXSchemaValidator.validate_notes_slide_references`
- [skills/docx/scripts/office/validators/redlining.py](#) | 248 行 | 97abb243543f | `RedliningValidator`, `RedliningValidator.init`, `RedliningValidator.repair`, `RedliningValidator.validate`, `RedliningValidator._generate_detailed_diff`, `RedliningValidator._get_git_word_diff`, `RedliningValidator._remove_author_tracked_changes`, `RedliningValidator._extract_text_content`
- [skills/docx/template_fill.py](#) | 224 行 | a63141991849 | `_roc_date`, `_fetch_case_data`, `fill_template`, `_merge_split_placeholders`, `_merge_split_placeholders.clean_match`, `_xml_escape`, `_repack_docx`, `main`
- [skills/engine/__init__.py](#) | 1 行 | e6281d68004a | —
- [skills/engine/apple_translation/__init__.py](#) | 305 行 | c249c7d9aa51 | `normalize_lang`, `is_available`, `_build_sidecar_if_needed`, `translate`

- `skills/engine/chinese_nlp.py` | 320 行 | 6227781fd8df | `_acquire_global_slot`, `_release_global_slot`, `_looks_chinese`, `_FallbackSegmenter`, `_FallbackSegmenter.cut`, `_FallbackSegmenter.cut_many`, `_AppleSegmenter`, `_AppleSegmenter.init`, `_AppleSegmenter.cut`, `_AppleSegmenter.cut_many`
- `skills/engine/chinese_nlp_sidecar.py` | 39 行 | 41f60d3f1100 | `main`
- `skills/engine/doc_type_detector.py` | 154 行 | c2d32ad2fff3 | `DocTypeResult`, `DocTypeResult.init`, `DocTypeResult.repr`, `_detect_by_regex`, `_detect_by_vision`, `detect_doc_type`
- `skills/engine/document_reader.py` | 327 行 | b4cfe011ed87 | `DocumentResult`, `_strip_markers`, `text_quality_score`, `_is_meaningful`, `_markdown_to_plain`, `_get_markitdown`, `_pdf_ocr_fallback`, `_file_bridge_fallback`, `read_document`
- `skills/engine/error_classifier.py` | 215 行 | 5e4877efd6da | `FailoverReason`, `ClassifiedError`, `ClassifiedError.str`, `classify_error`
- `skills/engine/feedback_loop.py` | 178 行 | edb105916a09 | `RoutingFeedback`, `RoutingFeedback.init`, `RoutingFeedback._ensure_loaded`, `RoutingFeedback._save`, `RoutingFeedback.record`, `RoutingFeedback.get_skill_accuracy`, `RoutingFeedback.compute_threshold_adjustments`, `ImplicitFeedbackDetector`, `ImplicitFeedbackDetector.detect`, `record_feedback`
- `skills/engine/knowledge_extractor.py` | 199 行 | 819d2e5ff895 | `should_extract`, `extract_and_store`, `extract_and_store._do_extract`, `_update_stats`, `get_stats`, `MemoryManager`, `MemoryManager.decay_old_memories`, `MemoryManager.get_memory_stats`
- `skills/engine/knowledge_graph/__init__.py` | 13 行 | 17ab0a15d539 | —
- `skills/engine/knowledge_graph/community_detector.py` | 34 行 | 503a9c1122c1 | `detect_communities`
- `skills/engine/knowledge_graph/entity_extractor.py` | 48 行 | 9589033bba1b | `extract_entities`, `extract_entities._push`
- `skills/engine/knowledge_graph/graph_rag.py` | 41 行 | 36fa8ebc00f1 | `_default_graph_path`, `graph_context`
- `skills/engine/knowledge_graph/graph_store.py` | 113 行 | 647a3ba6070c | `GraphStore`, `GraphStore._cache_max_entries`, `GraphStore.init`, `GraphStore.upsert_node`, `GraphStore.add_edge`, `GraphStore.neighbors`, `GraphStore.find_nodes`, `GraphStore.save`, `GraphStore.load`, `GraphStore.cache_stats`
- `skills/engine/knowledge_graph/relation_builder.py` | 30 行 | 1518e1bc4185 | `build_relations`
- `skills/engine/legal_web_adapter.py` | 196 行 | e99344345fca | `_truthy`, `_normalize_engine`, `_env_name`, `resolve_legal_web_engine`, `legal_web_allowed_hosts`, `preinstalled_selenium_driver_kwargs`, `format_legal_web_engine_log`
- `skills/engine/ocr/__init__.py` | 35 行 | 52d2bc6fc9d3 | —
- `skills/engine/ocr/apple_vision_provider.py` | 237 行 | f7d82bbbc2c4 | `_env_bool`, `check_available`, `_functional_probe`, `_functional_probe._do_probe`, `_call_apple_vision`, `reset_probe_cache`, `run`, `run._do_ocr`
- `skills/engine/ocr/cache.py` | 327 行 | a8e28b9b62f6 | `_env_bool`, `_env_int`, `_env_float`, `_store_text_enabled`, `_sha256_text`, `_redact_sensitive_text_fields`, `_chmod_private`, `_cache_dir`, `_image_hash`, `get`
- `skills/engine/ocr/chandra_provider.py` | 273 行 | 45556c5e6b29 | `ChandraProbe`, `ChandraProbe.to_dict`, `ChandraOCRResult`, `_env_truthy`, `enabled`, `private_deployment_acknowledged`, `model_license_accepted`, `qwen_backend_accepted`, `method`, `api_base`
- `skills/engine/ocr/consensus.py` | 428 行 | bac0970bc4a6 | `_env_float`, `_env_bool`, `_compute_confidence`, `_parse_roc_date_to_days`, `_check_date_conflict`, `_select_text`, `_select_best_text`, `run_consensus`, `run_consensus._run_tess`, `run_consensus._run_vision`
- `skills/engine/ocr/legal_corrector.py` | 173 行 | 086bf9df5e05 | `_fullwidth_to_halfwidth`, `CorrectionResult`, `correct_legal_text`
- `skills/engine/ocr/legal_entities.py` | 129 行 | ead2b9e56c99 | `extract_case_number`, `extract_laf_case_number`, `extract_court_name`, `extract_entities`, `extract_all_case_numbers`
- `skills/engine/ocr/nemotron_mlx/__init__.py` | 6 行 | c4bab3cf0763 | —

- [skills/engine/ocr/nemotron_mlx/config.py](#) | 52 行 | 67130a30d243 | NemotronParseConfig, NemotronParseConfig.from_hf_dir
- [skills/engine/ocr/nemotron_mlx/image_processor.py](#) | 121 行 | 70333a0f97fa | make_test_image, _resize_with_aspect_ratio, preprocess_image, load_golden, self_test, main
- [skills/engine/ocr/nemotron_mlx/radio_encoder.py](#) | 213 行 | 15732a5db639 | _linear, _layer_norm, _gelu, _free_memory_mb, _patches_from_nchw, _pos_embed_for_input, RadioEncoder, RadioEncoder.init, RadioEncoder.load, RadioEncoder._radio_backbone
- [skills/engine/ocr/nemotron_mlx/runtime.py](#) | 293 行 | 192b8f2ae2af | _split_heads, _merge_heads, _causal_self_attention, NemotronRuntime, NemotronRuntime.init, NemotronRuntime.load, NemotronRuntime.encode, NemotronRuntime._decoder_layer, NemotronRuntime.decoder_hidden, NemotronRuntime.logits
- [skills/engine/ocr/nemotron_mlx/weight_map.py](#) | 96 行 | 9c69d4fc5ec2 | map_tensor_name, conv_tensor_names, transpose_conv_weight, expected_tensor_count
- [skills/engine/ocr/nemotron_parse_provider.py](#) | 66 行 | 9c9cf183980f | _enabled, run
- [skills/engine/ocr/ocr_schema.py](#) | 140 行 | 4133b9d2d093 | OCREntities, OCREntities.to_counts, OCRProviderResult, OCRProviderResult.to_dict, OCRProviderResult.failure, OCRConsensusResult, OCRConsensusResult.to_dict, OCRConsensusResult.failure
- [skills/engine/ocr/opendataloader_provider.py](#) | 217 行 | d26a84b5d510 | _cache_max_entries, _cache_get, _cache_put, _enabled, _hybrid_mode, _max_chars, _collect_json_text, _read_output_text, _page_key, _materialize_page_subset
- [skills/engine/ocr/preprocess.py](#) | 237 行 | eb1c7f2a8293 | OCRPreprocessResult, _env_bool, _env_float, _env_int, _otsu_threshold, _projection_score, estimate_skew_angle, preprocess_image
- [skills/engine/ocr/quality.py](#) | 137 行 | 27d30181f561 | ScanQualityAssessment, assess_page_scan_quality, compute_quality_score, is_likely_legal_text, score_pair
- [skills/engine/ocr/rapidocr_worker.py](#) | 39 行 | c8c68fe5d3cf | run_payload, main
- [skills/engine/ocr/shared_runtime.py](#) | 239 行 | 553ba4c0d8a3 | _bounded_thread_count, _legacy_rapid_result, _LockedRapidOCR, _LockedRapidOCR.init, _LockedRapidOCR.call, _LockedDdddOCR, _LockedDdddOCR.init, _LockedDdddOCR.classification, _LockedDdddOCR.getattr, _build_capped_legacy_engine
- [skills/engine/ocr/tesseract_provider.py](#) | 338 行 | a15f3dd353a6 | _env_bool, _env_str, _env_int, _probe_binary, _probe_langs, _probe_functional, check_available, reset_probe_cache, _run_tesseract_image, _ocr_noise_score
- [skills/engine/pii_scrubber.py](#) | 408 行 | a240b1ca9ee0 | ScrubResult, ScrubResult.restore, ScrubResult.certificate, PIIScrubber, PIIScrubber.init, PIIScrubber.scrub, PIIScrubber.scrub.scrub_pattern, PIIScrubber.detect_residuals, PIIScrubber._pattern_has_unmasked_match, PIIScrubber._placeholder
- [skills/engine/playwright_wrapper.py](#) | 1493 行 | e02d690a3db3 | NavigationPolicyError, _ByShim, Keys, Select, Select.init, Select.select_by_visible_text, Select.select_by_value, _ECShim, _ECShim.presence_of_element_located, _ECShim.presence_of_element_located._cond
- [skills/engine/react_engine.py](#) | 745 行 | aa6cd4b5fb13 | ReActEngine, ReActEngine.init, ReActEngine._default_llm, ReActEngine._format_tool_list, ReActEngine._build_system_prompt, ReActEngine.for_omlx, ReActEngine.for_omlx._split_messages_for_nim, ReActEngine.for_omlx._heavy_llm, ReActEngine.for_omlx._omlx_llm, ReActEngine._extract_balanced_json
- [skills/engine/realtime_data_gateway.py](#) | 705 行 | 0c2f65cebd4d | _looks_like_realtime_action_request, _has_stock_topic, _has_fx_topic, _is_non_realtime_lookup_context, classify_realtime_query, detect_realtime_topics, _extract_location, _extract_global_location, _query_open_meteo, _query_cwa_api
- [skills/engine/scraping_adapter.py](#) | 177 行 | fe3dbf21b9e5 | scraping_enabled, _extract_text_from_html, _extract_json_payload, fetch_page, fetch_json
- [skills/engine/tool_registry.py](#) | 894 行 | f28610ce49cd | _tools_api_url, _internal_api_headers, _search_memory, _remember, _web_search, _realtime_lookup, _normalize_case_query, _query_case_statistics, _query_cases,

`_summarize_text`

- `skills/engine/trajectory_compressor.py` | 293 行 | `0a38ffb391d1` | `TrajectoryCompressor`, `TrajectoryCompressor.init`, `TrajectoryCompressor._estimate_tokens`, `TrajectoryCompressor._total_tokens`, `TrajectoryCompressor._is_milestone`, `TrajectoryCompressor._prune_tool_result`, `TrajectoryCompressor.prune_tool_results`, `TrajectoryCompressor._split_head_middle_tail`, `TrajectoryCompressor._summarize_middle_heuristic`, `TrajectoryCompressor.compress_for_react`
- `skills/engine/user_insights.py` | 62 行 | `5ecc383dd81a` | `UserInsightsEngine`, `UserInsightsEngine.init`, `UserInsightsEngine._load_events`, `UserInsightsEngine.extract_insights`, `UserInsightsEngine.get_personalization_context`
- `skills/evidence-admissibility/action.py` | 367 行 | `13eb104b7b58` | `_get_db_conn`, `_query_cases`, `_resolve_case_folder`, `_scan_index_files`, `cmd_help`, `cmd_rules`, `cmd_lookup`, `cmd_classify`, `main`
- `skills/evidence-admissibility/scripts/build_evidence_xlsx.py` | 383 行 | `3e3604be34a3` | `classify_record_type`, `get_relationship`, `is_investigation_stage`, `get_admissibility`, `extract_source`
- `skills/evolution/__init__.py` | 9 行 | `4d36f5e3497f` | —
- `skills/evolution/intent_forge.py` | 271 行 | `3d52a8dd5174` | `_ensure_pending_store`, `_load_pending`, `_save_pending`, `get_pending_issue`, `clear_pending_issue`, `_set_pending_issue`, `_extract_error_text`, `_question_from_error`, `_build_summary`, `forge_execute`
- `skills/evolution/skill_genesis.py` | 3166 行 | `f86fbfa2af49` | `_env_bool`, `_skill_runtime_env_opt_in`, `_skill_runtime_default`, `_skill_auto_pip_enabled`, `MockID`, `MockID.list_patterns`, `MockID.add_pattern`, `MockID.auto_harden_scope`, `MockID.sanitize_input`, `MockID.is_safe`
- `skills/evolution/skill_improver.py` | 23 行 | `6df18f30cac2` | `build_improvement_plan`
- `skills/evolution/skill_scorer.py` | 25 行 | `da22d8736905` | `score_skill_run`
- `skills/evolution/usage_tracker.py` | 89 行 | `85c34cf505c5` | `UsageTracker`, `UsageTracker.init`, `UsageTracker.record`, `UsageTracker._load_rows`, `UsageTracker.summarize`, `UsageTracker.daily_report`
- `skills/file-review-orchestrator/action.py` | 9753 行 | `f7ad7a37f7de` | `_default_download_folder`, `_acquire_file_review_portal_lock`, `_portal_deferred_result`, `_portal_serialized`, `_portal_serialized.decorator`, `_portal_serialized.decorator.wrapped`, `_lower_background_priority`, `_flow_slug`, `_safe_create_flow_mirror`, `_safe_flow_step_status`
- `skills/forensic-transcript-verifier/action.py` | 328 行 | `a22149f0a938` | `_audit_projection`, `_parse_task`, `_merge_cli`, `_sha256_file`, `_write_v3_completion_binding`, `execute`, `main`
- `skills/forensic-transcript-verifier/scripts/audit_engine.py` | 890 行 | `c32fd5bb5656` | `Turn`, `clock_to_seconds`, `seconds_to_clock`, `_run`, `sha256_file`, `_docx_xml_text`, `_docx_xml_text.collect`, `extract_text`, `_compact_whitespace`, `_strip_outer_quote`
- `skills/forensic-transcript-verifier/scripts/live_runtime.py` | 538 行 | `0ba3568a56ff` | `_atomic_json`, `_read_json`, `_read_json_list`, `_pid_alive`, `_process_identity`, `_identity_matches`, `_terminate_owned_worker`, `_manifest_fingerprint`, `_resolve_manifest`, `_prepare_task`
- `skills/forensic-transcript-verifier/scripts/video_agent.py` | 1637 行 | `5983adb768fc` | `_json_write`, `_run`, `_json_object`, `_model_text`, `_is_independent_provider`, `_baseline_context`, `_locked_turn_indices`, `_closest_turn_index`, `_point`, `prepare_autonomous_video_review`
- `skills/forensic-transcript-verifier/scripts/write_transcript_docx.py` | 218 行 | `e0ea87473edd` | `clean`, `set_run_font`, `add_run`, `set_cell_shading`, `set_cell_text`, `add_page_number`, `write_document`, `main`
- `skills/gmail-drafts/action.py` | 293 行 | `da74a49d6ecd` | `_scope_list_from_env`, `_maybe_reexec_venv`, `_ok`, `_load_jsonish`, `_eventlog`, `_queue_local_draft`, `_build_gmail_service`, `create_draft`, `main`
- `skills/hearing/__init__.py` | 1 行 | `44c67ae8d3ac` | —
- `skills/hearing/balthasar_local.py` | 165 行 | `938226335147` | `_get_mlx_whisper`, `_normalize_segments`, `transcribe_audio`

- skills/insight-refine/action.py | 109 行 | 4c834497cac8 | _load_jsonish, _ok, _build_prompt, main
- skills/interpreter-empirical-classifier/action.py | 488 行 | fdaf25323eb2 | _load_classifier, _load_judicial_search, _emit, _parse_task, _to_bool, _to_int, _to_float, _split_values, _safe_name, _derive_query
- skills/iron-dome/action.py | 162 行 | ccc54445882a | cmd_scan, cmd_list, cmd_add, cmd_sync, cmd_self_test, main
- skills/iron-dome/core.py | 804 行 | 0dde8e18f7f3 | _compile_regexes, _compile_regexes_filter_valid, _load_dynamic_state, _reload_patterns, IronDomeViolation, IronDomeViolation.init, sanitize_input, is_safe, get_all_patterns, audit_supply_chain
- skills/iron-dome/protocol_override.py | 218 行 | 43b9a744488a | _load_pending, _save_pending, clear_override, _write_override_file, request_override, approve_override
- skills/iron-dome/sync.py | 313 行 | 315def0533cc | get_all_patterns, _env_str, _env_int, _tailscale_ip, _advertise_ip, _node_ip_or, get_patterns_hash, export_patterns, broadcast_update, receive_update_notification
- skills/iron_dome/__init__.py | 8 行 | 0e00e42d9929 | —
- skills/iron_dome/action.py | 22 行 | 94a9615fa489 | main
- skills/iron_dome/core.py | 21 行 | e62a039db19a | —
- skills/iron_dome/protocol_override.py | 20 行 | ffb22861aa73 | —
- skills/iron_dome/sync.py | 21 行 | 4f870fb01749 | —
- skills/judgment-collector/action.py | 6094 行 | e9af5ed5dcfb | _ensure_cache_root, _cleanup_old_cache_runs, _judgments_read_path, _summary_is_prompt_echo, _summary_is_bad_storage_value, _safe_summary_for_storage, _upsert_judgments_json, _env, _wfgy_enabled, _apply_wfgy
- skills/judgment_collector_module.py | 14 行 | 687371157d30 | —
- skills/judicial-flow-search-archive/action.py | 1219 行 | b8206fa40083 | _ok, _load_jsonish, _safe_filename, _short, _heuristic_boolify, _casper_boolify, _looks_like_google_query, _is_keyword_query, _google_to_fjud, _google_to_fjud_sub
- skills/judicial-tools/action.py | 357 行 | 5e9bcf7d4633 | dispatch, _delegate_labor, print_help, parse_task, main
- skills/judicial-tools/calculators/__init__.py | 12 行 | c438573fbc8a | —
- skills/judicial-tools/calculators/appeal_period.py | 250 行 | d6e3f8b9be0d | _serve_addition, calc_appeal_period
- skills/judicial-tools/calculators/co_owner.py | 133 行 | d857aa567931 | calc_co_owner_share, lcm
- skills/judicial-tools/calculators/date_utils.py | 187 行 | bf5714ae4578 | roc_to_date, date_to_roc, date_to_roc_display, _tw_holidays, is_weekend, is_holiday, next_business_day, is_weekend, is_holiday, next_business_day
- skills/judicial-tools/calculators/depreciation.py | 282 行 | db5f4efbd998 | calc_depreciation, _round2, _round0, _straight_line, _declining_balance
- skills/judicial-tools/calculators/elapsed_time.py | 113 行 | ccb692dce6d7 | calc_elapsed_time
- skills/judicial-tools/calculators/hoffman.py | 159 行 | 8bd118e0db81 | calc_hoffman, _round2, _round6
- skills/judicial-tools/calculators/inheritance.py | 352 行 | dfa7b225761a | _is_spouse, _get_order, _is_predeceased, calc_inheritance, _build_chart
- skills/judicial-tools/calculators/interest.py | 259 行 | 1c3d64fd454f | calc_interest, _calc_monthly_mode, _parse_date, _round2
- skills/judicial-tools/calculators/judicial_fee.py | 236 行 | e873f4ff29a0 | _calc_bracket_fee, calc_judicial_fee_new, calc_judicial_fee_old, calc_judicial_fee
- skills/judicial-tools/calculators/land_division.py | 142 行 | 4aaf123d4151 | calc_land_division
- skills/judicial-tools/calculators/land_merge.py | 246 行 | 6dad1f2dcde8 | calc_land_merge, calc_land_partial_share, calc_land_partial_share.group_ratio

- [skills/judicial-tools/calculators/sentence.py](#) | 261 行 | [4ec6f4f1f2b3](#) | `_ym_to_months`, `_months_to_ym`, `_half_up`, `_aggravate_once`, `_mitigate_once`, `calc_sentence`
- [skills/judicial-tools/calculators/unjust_enrichment.py](#) | 193 行 | [deaad41a0008](#) | `_parse_date`, `_days_in_year`, `_get_land_value`, `calc_unjust_enrichment`
- [skills/judicial-web-search/action.py](#) | 1206 行 | [4f26ff3528df](#) | `_preview_limit`, `_search_page_limit`, `_ok`, `_load_jsonish`, `_run_venv`, `_launch`, `_prefer_http_fetch`, `_verify_ssl`, `_requests_session`, `_extract_hidden_fields`
- [skills/judicial-web-search/scripts/judicial_web_search.py](#) | 246 行 | [9d504357fdae](#) | `_ok`, `_load_jsonish`, `_clean_text`, `_launch`, `search`, `fetch_text`, `self_test`, `main`
- [skills/labor-law-calculator/action.py](#) | 1337 行 | [49814bd2d8ba](#) | `WageComponents`, `WageComponents.total`, `WageComponents.breakdown_str`, `_components_from_wage`, `OvertimeResult`, `AnnualLeaveResult`, `SeveranceResult`, `_round2`, `_round0`, `_min_hourly`
- [skills/laf-orchestrator/action.py](#) | 670 行 | [e7578c94c0c3](#) | `_candidate_pythons`, `_choose_runtime_python`, `_run_orchestrator`, `_probe_orchestrator_db`, `_retry_error_label`, `_retry_user_reason`, `_notify_retrying_after_failure`, `task_self_test`, `task_preview_counts`, `task_portal_action`
- [skills/laf-portal-automation/action.py](#) | 212 行 | [0ebc39f397a9](#) | `_load`, `_norm`, `_score`, `resolve`, `list_entries`, `extract_open_case_date`, `execute_workflow`, `main`
- [skills/laf-portal-automation/open_case_vision.py](#) | 24 行 | [ad19cb7a3f77](#) | —
- [skills/laf-portal-automation/simulated_line.py](#) | 27 行 | [7f6c94009202](#) | —
- [skills/laf-refine-case/action.py](#) | 139 行 | [c6906343e7d8](#) | `_load_jsonish`, `_ok`, `_build_prompt`, `refine`, `main`
- [skills/laf-withdrawal-report/__init__.py](#) | 2 行 | [b0330de976ee](#) | —
- [skills/laf-withdrawal-report/action.py](#) | 173 行 | [d9f1d505fc83](#) | `_print`, `_parse_task`, `_run`, `main`
- [skills/law_firm/crawler_architect.py](#) | 191 行 | [029eff3fee8c](#) | `CrawlerArchitect`, `CrawlerArchitect.init`, `CrawlerArchitect.create_backup`, `CrawlerArchitect.restore_backup`, `CrawlerArchitect.generate_crawler_code`, `CrawlerArchitect._validate_syntax`, `CrawlerArchitect.inject_code`, `CrawlerArchitect.execute_modification`
- [skills/law_firm/legal_crawler_wrapper.py](#) | 899 行 | [1bfd6df1829b](#) | `_tools_api_default`, `_child_python`, `_post_tools_skill`, `_load_state`, `_save_state`, `_detect_pattern`, `_cooldown_remaining`, `_set_cooldown`, `_clear_cooldown`, `_truthy`
- [skills/law_firm/manage_clients.py](#) | 172 行 | [c9559e67c36c](#) | `log_audit`, `query_clients`, `add_client`, `update_client`, `soft_delete_client`
- [skills/law_firm/manage_meetings.py](#) | 187 行 | [614d9be17ea0](#) | `_get_conn`, `log_audit`, `book_meeting`, `list_meetings`
- [skills/law_firm/store_crawler.py](#) | 58 行 | [e7fe67e03542](#) | `store_crawler_data`
- [skills/law_review/tw_legal_review.py](#) | 167 行 | [dff4d95b36a4](#) | `review_legal_text`, `review_legal_text._extract_reply`, `review_distributed_output`
- [skills/legal/__init__.py](#) | 4 行 | [84f7dc54f505](#) | —
- [skills/legal/doc_analysis.py](#) | 111 行 | [eb61f27bc83c](#) | `analyze_document_content`
- [skills/legal/judicial.py](#) | 4280 行 | [237526ad590d](#) | `_prepare_judicial_hosted_prompt`, `_clean_transcript_parse_value`, `_valid_transcript_record_date`, `_valid_transcript_record_type`, `_record_parse_ready_for_filename`, `CourtCase`, `FileReviewInfo`, `CourtMapping`, `CourtMapping.get_court_code`, `CourtMapping.get_simple_court`
- [skills/legal/laf.py](#) | 6899 行 | [4343ea0326eb](#) | `_laf_content_info`, `_laf_destination_for_content`, `_laf_default_case_lawyer`, `_get_public_base_url`, `_export_file_to_static`, `_laf_target_subfolder_for_attachment`, `_is_laf_staff_email_case_info`, `_classify_progress_email`, `_safe_remove`, `_safe_move`
- [skills/legal/runner.py](#) | 168 行 | [fa8094700da7](#) | `load_config`, `run_judicial_task`, `run_laf_task`, `diagnose_and_heal`, `main`
- [skills/legal_attest/action.py](#) | 183 行 | [b58ffa30a566](#) | `_get_core`, `_load_state`, `_save_state`, `handle_chat`, `main`

- [skills/legal_attest/generator/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/legal_attest/generator/constants.py](#) | 55 行 | [a14f928af96f](#) | —
- [skills/legal_attest/generator/core.py](#) | 193 行 | [7ccff665bff1](#) | [read_main_article](#), [merge_text_and_letter](#), [clean_temp_files](#), [generate_text_and_letter](#), [_is_only_one_name_or_address](#), [_fill_name_address_on_1st_page](#), [_parse_main_article](#), [_get_new_line_coordinate](#), [_reset_coordinates_and_counters](#), [_draw_info_box](#)
- [skills/legal_attest/generator/gui.py](#) | 241 行 | [f687ecf79445](#) | [GUI](#), [GUI.init](#), [GUI.__init_var](#), [GUI.__do_work](#), [GUI.__change_widgets_state](#), [GUI.__open_old_file](#), [GUI.__save_current_file](#), [GUI.__save_to_new_file](#), [GUI.__do_save](#), [GUI.__save_info_if_zero](#)
- [skills/legal_attest/generator/pdfpage.py](#) | 62 行 | [7a0f8f73ea63](#) | [PDFPagePick](#), [PDFPagePick.init](#), [PDFPagePick.pick_individual_pages](#), [PDFPagePick.insert_blank_page](#), [PDFPagePick.save](#), [PDFPagePick.__check_page_num](#), [PDFPageMerge](#), [PDFPageMerge.init](#), [PDFPageMerge.merge_src_page_to_dest_page](#), [PDFPageMerge.get_src_total_page](#)
- [skills/legal_attest/generator/pdfpainter.py](#) | 44 行 | [f7b8c59c859a](#) | [PDFPainter](#), [PDFPainter.init](#), [PDFPainter.set_font](#), [PDFPainter.draw_string](#), [PDFPainter.draw_line](#), [PDFPainter.draw_rect](#), [PDFPainter.end_this_page](#), [PDFPainter.save](#)
- [skills/magi-autopilot/action.py](#) | 5977 行 | [4459d804a790](#) | [_load_runtime_env](#), [_resolve_remote_db_endpoint](#), [_set_db_preference_by_reachability](#), [_load_mariadb_profiles](#), [_db_schema_chk_nb_guard](#), [_remember_run_event](#), [_remember_step_events](#), [_remember_ngl_calibration_event](#), [_maybe_reexec_venv](#), [_now_tag](#)
- [skills/magi-doctor/action.py](#) | 690 行 | [1697989253e2](#) | [check_skill_imports](#), [check_dependencies](#), [_run](#), [_http_get](#), [_probe_omlx_chat](#), [_probe_local_llm_inference](#), [_tcp_connect](#), [_load_db_profile](#), [_resolve_omlx_model](#), [_ping](#)
- [skills/magi-self-repair/action.py](#) | 121 行 | [8def8a315a89](#) | [_load_doctor_module](#), [_load_guardian_module](#), [_normalize_targets](#), [run_guardian](#), [repair_targets](#), [main](#)
- [skills/magi/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/magi/council_approval.py](#) | 377 行 | [28ec09f271b4](#) | [_now_iso](#), [_ensure_file](#), [_load](#), [_save](#), [_short](#), [_issue_key](#), [_risk_profile](#), [_new_approval_id](#), [is_core_change](#), [queue_core_change_for_approval](#)
- [skills/magi/council_executor.py](#) | 417 行 | [ce0a5b3f9454](#) | [_is_safe_path](#), [_safe_patch_content](#), [_compile_check](#), [_extract_python_block](#), [_backup_file](#), [_restore_backup](#), [generate_patch](#), [apply_patches](#), [rollback_all](#), [execute_approved_change](#)
- [skills/magi/local_council.py](#) | 389 行 | [e3292dd4a9b9](#) | [_warmup_model](#), [_ollama_chat](#), [_post_discord](#), [convene_council](#), [convene_council._extract_vote](#), [format_council_result](#)
- [skills/magi/night_talk.py](#) | 664 行 | [180edd9eb39b](#) | [wait_for_casper](#), [get_casper_thought](#), [_compact_alert_text](#), [_notify_pending_core_change](#), [_to_yes](#), [_enabled_cron_jobs](#), [_managed_backlog_note](#), [_vote_casper_safety](#), [_vote_melchior_engineering](#), [_vote_balthasar_ux](#)
- [skills/magi/skill_acquire.py](#) | 230 行 | [690ccd83d963](#) | [_run](#), [search_clawhub](#), [_iron_dome_scan_file](#), [_iron_dome_scan_dir](#), [acquire_skill](#), [format_search_result](#)
- [skills/magi/skill_learner.py](#) | 753 行 | [a280ce155f8a](#) | [SkillMeta](#), [SkillMeta.to_dict](#), [_ensure_skills_dir](#), [_parse_frontmatter](#), [_build_frontmatter](#), [_skill_path](#), [list_skills](#), [get_skill](#), [save_skill](#), [patch_skill](#)
- [skills/magi/sunrise.py](#) | 74 行 | [7ae5eb96aa51](#) | [execute_sunrise_protocol](#)
- [skills/management/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/management/auto_skill.py](#) | 1417 行 | [9ce73dcb1913](#) | [_slugify](#), [_uniq_keep_order](#), [AutoSkill](#), [AutoSkill.init](#), [AutoSkill._ensure_kb](#), [AutoSkill._load_kb](#), [AutoSkill._save_kb](#), [AutoSkill._load_code_index](#), [AutoSkill._save_code_index](#), [AutoSkill._extract_keywords](#)
- [skills/management/code_autofix.py](#) | 391 行 | [6cb6ee1ba59a](#) | [_omlx_chat_url](#), [_extract_python_block](#), [_resolve_target](#), [_iter_python_files](#), [_compile_check](#), [_safe_patch](#), [_build_fix_prompt](#), [_llm_repair_code](#), [_create_backup](#), [_verify_tree_compile](#)

- [skills/management/issue_tracker.py](#) | 165 行 | [1d5a5c6f2f71](#) | `_scrub`, `_dedup_key`, `_is_duplicate`, `log_issue`, `_append_markdown_legacy`
- [skills/management/skill_interview.py](#) | 588 行 | [7e1ffc0dd71e](#) | `_clean_request`, `_split_items`, `_derive_slug`, `_ensure_unique_slug`, `infer_skill_defaults`, `_normalise_answers`, `_build_description`, `_to_bullets`, `_build_skill_md`, `_build_action_py`
- [skills/market-briefing/action.py](#) | 528 行 | [a7acfc1fb15b](#) | `_tz_now`, `_skill_python`, `_notify_log`, `_cmd_backtest`, `_cmd_sector`, `_cmd_comps`, `_cmd_export`, `_format_committee_reasoning`, `_predict_one`, `_predict_one._committee_cb`
- [skills/market-briefing/agents/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/market-briefing/agents/base.py](#) | 78 行 | [e775ef522ac6](#) | `BaseAgent`, `BaseAgent.init`, `BaseAgent.run`, `BaseAgent.ask_llm`, `BaseAgent.to_agent_signal`
- [skills/market-briefing/agents/fundamental_analyst.py](#) | 80 行 | [29a3b0a2ee3d](#) | `FundamentalAnalyst`, `FundamentalAnalyst.init`, `FundamentalAnalyst.run`
- [skills/market-briefing/agents/portfolio_manager.py](#) | 73 行 | [7556d82caae7](#) | `PortfolioManager`, `PortfolioManager.init`, `PortfolioManager.run`
- [skills/market-briefing/agents/risk_manager.py](#) | 71 行 | [efc507184a5f](#) | `RiskManager`, `RiskManager.init`, `RiskManager.run`
- [skills/market-briefing/agents/sentiment_analyst.py](#) | 87 行 | [ce481905b87b](#) | `SentimentAnalyst`, `SentimentAnalyst.init`, `SentimentAnalyst.run`
- [skills/market-briefing/agents/technical_analyst.py](#) | 96 行 | [fb2484d05445](#) | `TechnicalAnalyst`, `TechnicalAnalyst.init`, `TechnicalAnalyst.run`, `TechnicalAnalyst._ema`
- [skills/market-briefing/committee.py](#) | 89 行 | [16cfb3be8c6d](#) | `HedgeFundCommittee`, `HedgeFundCommittee.init`, `HedgeFundCommittee.run_analysis`
- [skills/market-briefing/data/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/market-briefing/data/fetcher.py](#) | 327 行 | [b61b5f4604ec](#) | `_fixture_market_data`, `_http_json`, `_yahoo_history`, `_load_cache_fetcher`, `_save_cache_fetcher`, `_tz_now_str`, `_get_twse_lookup`, `_get_sec_tickers`, `_latest_tw_financials`, `_latest_us_filing`
- [skills/market-briefing/data/indicators.py](#) | 154 行 | [6e4b2d6df761](#) | `_ema`, `_pct`, `_clamp`, `_rsi`, `_macd`, `_bbands`, `_support_resistance`, `_volume_trend`, `_adx_approx`, `_safe_mean`
- [skills/market-briefing/data/perf_tracker.py](#) | 579 行 | [7391fedf8b79](#) | `_tz_now`, `_load_json`, `_save_json`, `_notify_log`, `_load_cache`, `_save_cache`, `_load_perf`, `_save_perf`, `_parse_ymd`, `_next_trade_date`
- [skills/market-briefing/data/watchlist.py](#) | 231 行 | [db0598103c15](#) | `_tz_now`, `_load_json_ws`, `_save_json_ws`, `WatchItem`, `WatchItem.to_dict`, `_unique`, `_tokenize`, `_resolve_tokens`, `_load_state`, `_save_state`
- [skills/market-briefing/delivery.py](#) | 181 行 | [4cca89b08110](#) | `_compact_lines`, `_shorten_line`, `_is_stock_summary_line`, `build_market_chat_summary`, `export_market_report`, `deliver_market_report`
- [skills/market-briefing/market_news.py](#) | 248 行 | [66fd26b3f955](#) | `_env_int`, `_strip_html`, `_load_cache`, `_save_cache`, `_fetch_text`, `_node_text`, `_split_title_source`, `_parse_news_rss`, `_dedupe`, `_build_queries`
- [skills/market-briefing/mbcmd/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/market-briefing/mbcmd/backtest_cmd.py](#) | 145 行 | [90d14ecf25b5](#) | `_cmd_backtest`
- [skills/market-briefing/mbcmd/comps_cmd.py](#) | 177 行 | [865f5ef508d9](#) | `_fetch_comps_metrics`, `_cmd_comps`, `_cmd_comps._median`, `_cmd_comps._fmt`, `_cmd_comps._tag`
- [skills/market-briefing/mbcmd/export_cmd.py](#) | 160 行 | [e9dfd87bf3a5](#) | `_tz_now`, `_skill_python`, `_cmd_export`
- [skills/market-briefing/mbcmd/sector_cmd.py](#) | 230 行 | [034b087dc5e8](#) | `_resolve_sector_name`, `_get_twse_sector_map`, `_find_peers`, `_cmd_sector`
- [skills/market-briefing/models/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —

- [skills/market-briefing/models/signals.py](#) | 40 行 | [dea9220d94f9](#) | TradingAction, TradingSignal, AgentSignal, CommitteeState
- [skills/market-briefing/predict/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/market-briefing/predict/predict_engine.py](#) | 306 行 | [3e4238edb92d](#) | _predict_one, _render_report
- [skills/market-briefing/test_agent_live.py](#) | 30 行 | [4449808e5ffa](#) | —
- [skills/market-briefing/test_committee_logic.py](#) | 61 行 | [8ad00e1f3097](#) | test_mock_flow, test_mock_flow.mocked_ask_llm
- [skills/market-briefing/utlis.py](#) | 93 行 | [2a0e81a03969](#) | _http_json, fetch_yahoo_history, get_tw_financials, gather_all_data
- [skills/memory/__init__.py](#) | 1 行 | [c08f6504853e](#) | —
- [skills/memory/codebase_rag.py](#) | 195 行 | [8a7281a3d6bd](#) | _ensure_embedding_fn, _embed, CodebaseMemory, CodebaseMemory.init, CodebaseMemory.ingest_file, CodebaseMemory.query, CodebaseMemory.reset
- [skills/memory/cortex_sync.py](#) | 443 行 | [c179b6325d0b](#) | _load_runtime_environment, _resolve_osc_host, CortexSync, CortexSync.init, CortexSync._load_state, CortexSync._save_state, CortexSync.get_source_connection, CortexSync._remember_strict, CortexSync._judgment_memory_contents, CortexSync.sync_legal_news
- [skills/memory/faiss_index.py](#) | 924 行 | [c8178553ac32](#) | active_generation_paths, FAISSMemoryIndex, FAISSMemoryIndex.get_instance, FAISSMemoryIndex.init, FAISSMemoryIndex.search, FAISSMemoryIndex.add, FAISSMemoryIndex.add_batch, FAISSMemoryIndex.total, FAISSMemoryIndex.index_type, FAISSMemoryIndex.build_from_db
- [skills/memory/job_queue.py](#) | 360 行 | [5a5f685c2974](#) | _ConnectionProxy, _ConnectionProxy.init, _ConnectionProxy.getattr, _ConnectionProxy.enter, _ConnectionProxy.exit, _open_conn, _get_conn, _now, _row_to_dict, enqueue
- [skills/memory/keeper_sync.py](#) | 259 行 | [8636cba818cb](#) | get_embedding, check_keeper_online, _ensure_schema, _row_md5, _already_synced_in_target, _memory_is_tombstoned, sync_to_keeper, sync_loop, start_sync_daemon
- [skills/memory/local_db.py](#) | 348 行 | [30f8216441f7](#) | _get_connection, save_local, get_pending_sync, mark_synced, save_vector_local, search_local, search_local._score
- [skills/memory/magi_brain_setup.py](#) | 50 行 | [1686d4df6e82](#) | init_db
- [skills/memory/mem_bridge.py](#) | 1648 行 | [222db036e024](#) | _database_port_from_env, _recall_cache_store, _normalize_source_text, _query_prefs_chatlog, _query_terms, _source_trust_weight, _rank_recall_results, _allow_result_for_query, _now_ts, _keeper_offline
- [skills/memory/message_queue.py](#) | 348 行 | [3986f625ffa5](#) | _now, _row_to_dict, _ConnectionProxy, _ConnectionProxy.init, _ConnectionProxy.getattr, _ConnectionProxy.enter, _ConnectionProxy.exit, _open_conn, MessageQueue, MessageQueue.init
- [skills/memory/migration_fulltext.py](#) | 26 行 | [265fc5c389a5](#) | add_fulltext_index
- [skills/memory/setup_rag_db.py](#) | 89 行 | [0e474cda6307](#) | migrate_synced_column, migrate_source_column, setup_rag_db
- [skills/memory/sqlite_backup.py](#) | 188 行 | [e03a29dba72d](#) | _get_connection, save_to_backup, get_pending_sync, mark_synced, search_backup, get_backup_count
- [skills/memory/vector_pipeline.py](#) | 5 行 | [ad0bae39f0b4](#) | —
- [skills/mock-test/action.py](#) | 200 行 | [c0fc60ba6262](#) | run_mock_test, _notify, main
- [skills/obsidian/action.py](#) | 2507 行 | [f522750abe70](#) | _resolve_agent_dir, _is_known_malformed_pdf_skip, _load_vault_config, _save_vault_config, _load_index, _save_index, _replace_index, _prune_missing_index_entries, _get_vault_path, _has_obsidian_cli
- [skills/obsidian/bootstrap_synology_vault.py](#) | 252 行 | [5b06b11c2bfa](#) | pick_existing, ensure_symlink, directory_snapshot, write_text, set_magi_vault, build_home_note, build_source_index, bootstrap, main

- [skills/obsidian/extractors.py](#) | 617 行 | [e69147a960f0](#) | `file_hash`, `_generated_image_artifact_count`, `_remove_generated_image_artifacts`, `_time_limit`, `_time_limit._handle_timeout`, `_text_signal_score`, `_markdown_text_is_usable`, `_extract_with_markitdown`, `extract_text`, `_extract_plaintext`
- [skills/ops/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/ops/circuit_breaker.py](#) | 153 行 | [899faba4058e](#) | `_load_state`, `_save_state`, `is_tripped`, `record_failure`, `record_success`, `manual_reset`, `get_status`
- [skills/ops/cloud_policy.py](#) | 31 行 | [7d110615381c](#) | `cloud_models_allowed`, `require_cloud_models_allowed`
- [skills/ops/config.py](#) | 95 行 | [6c8070d5e81c](#) | `_is_feature_enabled`, `validate_config`
- [skills/ops/cron_command_identity.py](#) | 244 行 | [78bf3267e107](#) | `CronCommandIdentityError`, `_bound_release_root`, `_root_relative_parts`, `_bound_runtime_shared_parts`, `_canonical_path`, `_canonical_token`, `_infer_rebased_checkout_root`, `canonical_command_tokens`, `command_definition_sha256`
- [skills/ops/cron_result_policy.py](#) | 322 行 | [e3c691f8ea9a](#) | `CronResultClassification`, `_last_json_object`, `_contract_error`, `terminal_schedule_deferral_reason`, `legacy_candidate_rejection_reason`, `_is_resource_guard_skip`, `classify_cron_result`, `looks_successful_despite_returncode`, `should_log_cron_issue`
- [skills/ops/cron_runtime_policy.py](#) | 64 行 | [94d34f24b847](#) | `cron_job_timeout`
- [skills/ops/cron_scheduler.py](#) | 1659 行 | [85f7075fd708](#) | `_align_datetime_for_comparison`, `_use_runtime_dir`, `_cron_state_path`, `_file_lock`, `_atomic_write_json`, `_sanitize_job_definition`, `_load_cron_state`, `_save_cron_state`, `_update_cron_state`, `_update_cron_states`
- [skills/ops/daily_reflection.py](#) | 158 行 | [780551023748](#) | `parse_v3_conversation_history`, `run_reflection`
- [skills/ops/database/backup_restore.py](#) | 643 行 | [b351ca2e5a89](#) | `_remote_db_ip_or`, `_ensure_dotenv_loaded`, `DBProfile`, `_now`, `_q`, `_load_profiles`, `_choose_remote_profile`, `_choose_local_profile`, `_ping_db`, `_find_bin`
- [skills/ops/database/sync.py](#) | 100 行 | [bafd01402c61](#) | `sync_keeper_db`
- [skills/ops/database/sync_bidirectional.py](#) | 478 行 | [6d5d9a722950](#) | `_remote_db_ip_or`, `DBProfile`, `_load_profiles`, `_connect`, `_choose_remote_profile`, `_choose_local_profile`, `_qname`, `_show_tables`, `_table_columns`, `_primary_key`
- [skills/ops/db_sync.py](#) | 299 行 | [bbcc17d31fff](#) | `check_db_availability`, `get_last_sync_time`, `sync_table`, `cmd_sync`
- [skills/ops/dedup_db.py](#) | 255 行 | [11be6eacba5d](#) | `_load_runtime_environment`, `_get_conn`, `normalize_case_id`, `is_done`, `mark_done`, `list_done`, `count_done`, `get_stats`, `remove`
- [skills/ops/export_docx.py](#) | 1296 行 | [b373849cd8df](#) | `_load_public_base_url`, `_find_node`, `_find_node_path`, `_sealed_release_context`, `_node_backend`, `_exports_dir`, `_is_relative_to`, `_safe_generated_filename`, `_resolve_export_docx_path`, `_validate_docx_file`
- [skills/ops/export_text.py](#) | 190 行 | [7123f6d69682](#) | `_is_loopback_base_url`, `_normalize_base_url`, `_load_dotenv_value`, `_base_from_webhook_url`, `_build_tailscale_base_url`, `_load_public_base_url`, `export_txt`
- [skills/ops/file_manager.py](#) | 163 行 | [e885c53a6861](#) | `_is_allowed`, `list_directory`, `search_files`, `file_info`, `_format_size`
- [skills/ops/file_review_auto_worker.py](#) | 701 行 | [8eb0026b7078](#) | `_handle_stop_signal`, `_write_state`, `_completed_cycle_state`, `_tail`, `_mark_payment_scan_nonfatal`, `_task_ok_or_nonfatal`, `_parse_last_json`, `_parse_etime_to_sec`, `_write_download_ownership`, `_load_download_ownership`
- [skills/ops/finder_ops.py](#) | 328 行 | [0d0b04f514ed](#) | `_run_osascript`, `_escape`, `move_file`, `copy_file`, `rename_file`, `create_folder`, `reveal_in_finder`, `get_file_info`, `move_to_trash`, `move_files_batch`
- [skills/ops/fs_watcher.py](#) | 306 行 | [5527ef7d3e2d](#) | `CaseFolderHandler`, `CaseFolderHandler.init`, `CaseFolderHandler.on_created`, `CaseFolderHandler.on_modified`, `CaseFolderHandler.on_moved`, `CaseFolderHandler._debounce`, `CaseFolderHandler._dispatch`, `CaseFolderHandler.cleanup_stale_records`, `FSWatcher`, `FSWatcher.init`
- [skills/ops/health_probes.py](#) | 279 行 | [4127c2c49d51](#) | `_build_omlx_base_url`, `extract_model_labels`, `_fetch_omlx_models`, `probe_omlx_models`, `command_executes_python_script`, `find_python_script_processes`, `python_script_process_running`,

resolve_omlx_model, probe_local_chat

- skills/ops/heartbeat.py | 320 行 | 57b65a3eb7f9 | _node_ip_or, guard_tailscale_serve, guard_local_chat_resident, check_omlx_health, check_ping, get_node_model, update_status, _desktop_notify
- skills/ops/iron_dome_sync.py | 362 行 | 705f99f87948 | _env_str, _env_int, _tailscale_ip, _advertise_ip, _node_ip_or, _normalize_pattern_list, _load_pattern_lists, get_patterns_hash, export_patterns, broadcast_update
- skills/ops/keychain_manager.py | 372 行 | 459bdb9356ae | is_available, get_secret, set_secret, delete_secret, list_secrets, resolve_keychain_value, load_config_with_keychain, resolve_env_keychain, _is_sensitive_key, migrate_env_to_keychain
- skills/ops/macros_notify.py | 222 行 | 715da2f6a354 | send_notification, _send_via_terminal_notifier, _send_via_osascript, notify_omlx_error, notify_nas_status, notify_cron_failure, notify_pdf_processed, notify_case_deadline
- skills/ops/platform_utils.py | 708 行 | 8f6319e37a86 | file_lock, file_unlock, file_lock, file_unlock, locked_file, get_magik_root, get_venv_python, get_temp_dir, get_data_dir, get_config_dir
- skills/ops/process_cleaner.py | 40 行 | bd1df9b2c074 | check_and_kill
- skills/ops/process_guardian.py | 341 行 | 2ebf90027bb1 | _write_autopilot_kill_reason, get_running_processes, check_and_clean_duplicates, force_kill_all, is_daemon_running, _get_latest_mtime, reload_stale_services, patrol_zombies
- skills/ops/quicklook.py | 160 行 | 26b185dfd058 | generate_thumbnail, generate_thumbnails_batch, cleanup_thumbnails
- skills/ops/red_phone.py | 2507 行 | 462f1bc486a3 | _taipei_now, _alert_timestamp, _load_runtime_dotenv, _guard_text, _preview_text, _split_text_by_lines, _numbered_chunks, _load_runtime_config, _get_line_channel_access_token, _get_line_admin_targets
- skills/ops/safe_state.py | 75 行 | bbef94d9f1ff | safe_load_json, safe_save_json
- skills/ops/self_repair_reporter.py | 683 行 | 96cdde6b5b75 | _stdout_tail_payload, _resource_governor_label, _resource_governor_detail, _error_label, _error_detail, _display_error_label, _job_label, _load_agenda, _group_records, _parse_ts
- skills/ops/smart_summary.py | 159 行 | 82e2036d40d7 | summarize_text, extract_key_points, summarize_url, summarize_to_docx
- skills/ops/spotlight_search.py | 234 行 | 2dba9389fbad | is_exact_query, normalize_case_number, spotlight_search, spotlight_search_case, spotlight_search_person, check_spotlight_indexed
- skills/ops/structured_log.py | 118 行 | 4a0d4eb22785 | set_request_context, clear_request_context, RequestContextFilter, RequestContextFilter.filter, JSONFormatter, JSONFormatter.format, HybridFormatter, HybridFormatter.format
- skills/ops/system_monitor.py | 173 行 | 3265d14616bd | get_system_status, _basic_status, check_service_health
- skills/ops/system_test.py | 405 行 | f177c8c7ce58 | _load_db_profile, _ping, _tcp_connect, _http_get, _probe_omlx_chat, test_casper_ollama, test_melchior_remote, test_balhasar_remote, test_keeper_db, test_memory_module
- skills/ops/task_tracker.py | 57 行 | f1dc0fbba58a | TaskTracker, TaskTracker.init, TaskTracker._load_tasks, TaskTracker._save_tasks, TaskTracker.update_task, TaskTracker.complete_task
- skills/ops/test_keeper_connection.py | 41 行 | 2f9e8c043e4c | check_connection
- skills/ops/update_heartbeat.py | 42 行 | 6da06ba1f39a | get_balhasar_status, get_casper_status, get_melchior_status, generate_heartbeat
- skills/ops/user_activity_beacon.py | 72 行 | 06ea7ab52a0d | touch, is_user_active, seconds_since_last_activity, last_activity_info
- skills/ops/watcher_daemon.py | 323 行 | dcaa3f238f4d | _tools_api_url, init_local_db, get_last_pull_id, pull_audit_logs, log_pull_status, detect_anomalies, log_anomaly, send_alert, get_status, main_loop
- skills/osc-orchestrator/__init__.py | 0 行 | e3b0c44298fc | —
- skills/osc-orchestrator/action.py | 5498 行 | 1fcf874b2037 | _write_token_atomic, _eventlog, _maybe_reexec_venv, _json_load_maybe, _listdir_timeout, _extract_case_number_from_text, _extract_case_number_from_path,

- [_gcal_history_cutoff_date, _gcal_event_start_date, _gcal_norm_text](#)
- [skills/osc-orchestrator/gcal_sync.py](#) | 940 行 | [7214eb7f4b37](#) | [_load_creds](#), [_write_token_atomic](#), [_gcal_http_timeout_sec](#), [_build_service](#), [_split_calendar_ids](#), [_get_conn](#), [_osc_exec_sql](#), [_get_setting_value](#), [_make_todo_event](#), [_make_cal_event](#)
- [skills/osc-orchestrator/osc_headless/__init__.py](#) | 12 行 | [8c98bc082f71](#) | —
- [skills/osc-orchestrator/osc_headless/db.py](#) | 1166 行 | [7786268ed074](#) | [_load_mysql](#), [_extract_share_url](#), [_share_host](#), [_share_expires_soon](#), [_should_refresh_share_description](#), [_normalize_court_doc_identity](#), [_source_specificity_score](#), [DBConfig](#), [_failover_host](#), [_has_explicit_env](#)
- [skills/osc-orchestrator/osc_headless/gcal_dedup.py](#) | 333 行 | [7326d6969194](#) | [_to_halfwidth](#), [_coerce_text](#), [_normalize_date](#), [_normalize_time](#), [_extract_case_from_text](#), [is_invalid_case_key](#), [normalize_case_key](#), [classify_event_kind](#), [normalize_subject](#), [_event_start_date_time](#)
- [skills/osc-orchestrator/osc_headless/todos.py](#) | 1274 行 | [a13c0575b572](#) | [_bounded_relative_deadline](#), [_portable_basename](#), [_parse_roc_year_to_ad](#), [_collect_source_year_candidates](#), [_collect_source_year_candidates._add_candidate](#), [extract_document_date_from_filename](#), [extract_base_year_from_filename](#), [chinese_to_number](#), [_parse_number_token](#), [_parse_roc_or_ad_year](#)
- [skills/osc-orchestrator/vision_event_parser.py](#) | 106 行 | [684f6bc58b7b](#) | [extract_events_from_pdf](#)
- [skills/osc-scan-folder/action.py](#) | 162 行 | [273f7e0fe037](#) | [_ok](#), [_load_jsonish](#), [_run_orch](#), [_normalize_candidate_path](#), [_load_config_root](#), [_resolve_default_root](#), [main](#)
- [skills/osc_orchestrator/__init__.py](#) | 2 行 | [d7f58330f293](#) | —
- [skills/osc_orchestrator/action.py](#) | 20 行 | [6f258758dd58](#) | —
- [skills/overlay.py](#) | 364 行 | [8eadb1d5cbd6](#) | [base_skills_dir](#), [skill_overlay_dir](#), [skill_versions_dir](#), [skill_runtime_site_packages_dir](#), [skill_events_file](#), [skill_usage_tracker_file](#), [validate_skill_name](#), [_safe_child](#), [_file_sha256](#), [_tracked_files](#)
- [skills/pdf-annotator/action.py](#) | 645 行 | [3978cad68b97](#) | [_load_json](#), [_save_json](#), [_page_to_image](#), [_get_toc](#), [_get_gateway](#), [_vision_suggest_bookmarks](#), [cmd_learn](#), [cmd_annotate](#), [cmd_test](#), [cmd_status](#)
- [skills/pdf-bookmarker/action.py](#) | 1836 行 | [b2d7c7729779](#) | [_get_ocr_engine](#), [release_ocr_engine](#), [_p](#), [_build_court_watermark_line_re](#), [_extract_roc_date](#), [_extract_party](#), [_is_ola_separator](#), [_meaningful_char_count](#), [_compute_ola_threshold](#), [_is_prior_record_page](#)
- [skills/pdf-bookmarker/bookmark_validator.py](#) | 170 行 | [b40e789be3d0](#) | [_valid_bookmark_date](#), [normalize_bookmark](#), [validate_bookmark](#)
- [skills/pdf-namer/action.py](#) | 5069 行 | [c1e11d15dd94](#) | [_is_synthetic_case_path](#), [_with_vision_slot](#), [_get_ocr_engine](#), [release_ocr_engine](#), [_resolve_pdf_with_synology_fallback](#), [clear_batch_analysis_cache](#), [_strip_date_prefix](#), [_normalize_filename_key](#), [_tokenize_filename](#), [_extract_name_from_filename](#)
- [skills/pdf-namer/layout_extractor.py](#) | 138 行 | [c95ed083cdcc](#) | [_docling_enabled](#), [_get_converter](#), [generate_layout_sidecar](#), [_fixture_layout_document](#)
- [skills/pdf-namer/naming_rules.py](#) | 387 行 | [d734c537e247](#) | [extract_date](#), [_find_receipt_date](#), [_find_labeled_date](#), [extract_case_number](#), [extract_court_name](#), [extract_party_name](#), [classify_document](#), [build_few_shot_examples](#), [load_training_data](#)
- [skills/pdf-namer/naming_validator.py](#) | 521 行 | [38290d60d292](#) | [_BalancedBracketMatch](#), [_BalancedBracketMatch.group](#), [_BalancedBracketMatch.start](#), [_BalancedBracketMatch.end](#), [_opencc_s2t](#), [_strip_ext](#), [_normalize_name](#), [_to_traditional](#), [_extract_party_segment_with_span](#), [_balanced_outer_brackets](#)
- [skills/pdf-namer/nightly_layout.py](#) | 228 行 | [f7d463627b53](#) | [_enabled](#), [_collect_from_filing_log](#), [_collect_from_scan_root](#), [_dedupe](#), [_certification_fixture_root](#), [_write_manifest](#), [main](#)
- [skills/pdf-namer/nightly_train.py](#) | 779 行 | [f92591355daa](#) | [_enable_main_file_logging](#), [_parse_existing_filename](#), [_is_synthetic_case_path](#), [_is_transient_storage_error](#), [_sha256_file](#), [_normalize_date](#), [_subfolder_label](#), [collect_samples](#), [collect_samples._raise_transient_walk_error](#), [analyze_one](#)

- [skills/pdf-namer/rag_feedback.py](#) | 114 行 | [308e83bf9978](#) | `FeedbackRAG`, `FeedbackRAG.init`, `FeedbackRAG._load`, `FeedbackRAG.query`, `FeedbackRAG.log_feedback`
- [skills/pdf-namer/rename_watcher.py](#) | 446 行 | [37d802d57558](#) | `_init_case_roots`, `_is_synthetic_case_path`, `_get_case_root`, `_parse_filename`, `_subfolder_to_category`, `scan_pdfs`, `load_snapshot`, `save_snapshot`, `detect_renames`, `extract_learning`
- [skills/pdf-namer/smart_filer.py](#) | 1475 行 | [3837dbd83b10](#) | `_safe_listdir`, `_eventlog`, `_doc_type_targets_judgment_folder`, `_canonicalize_case_index_subfolders`, `_canonicalize_case_index`, `_is_synthetic_case_text`, `_is_synthetic_case_path`, `_is_synthetic_case_index_entry`, `build_case_index`, `_parse_case_folder`
- [skills/pdf-namer/state_paths.py](#) | 138 行 | [81e27717d998](#) | `pdf_namer_state_dir`, `_relative`, `state_path`, `legacy_path`, `read_path`, `configured_read_path`, `prepare_write`
- [skills/pdf-namer/training_loader.py](#) | 788 行 | [5a5be439c93e](#) | `_truthy`, `_bootstrap_runtime_credentials`, `_get_rules_bundle_path`, `_rules_bundle_max_age_seconds`, `_compute_rules_checksum`, `_build_rules_bundle`, `_parse_iso_datetime`, `_read_rules_bundle`, `_update_rules_status`, `get_doc_rules_status`
- [skills/pdf-namer/vision_parser.py](#) | 523 行 | [98d68a1ec85f](#) | `_get_omlx_chat`, `_ask_omlx_vision`, `_load_ollama_meta`, `_is_vision_model`, `_vision_models`, `_ask_openai_compatible`, `_ask_ollama_vision`, `_parse_json_object`, `_parse_date_from_text`, `extract_date_with_vision`
- [skills/pdf/action.py](#) | 724 行 | [81fd4ca8de82](#) | `_ensure_dir`, `_exports_dir`, `_split_env_paths`, `_allowed_roots`, `_is_relative_to`, `_ensure_under_allowed_root`, `_input_file`, `_output_file`, `_output_dir`, `_temp_sibling`
- [skills/pdf/scripts/check_bounding_boxes.py](#) | 65 行 | [0ced522402dd](#) | `RectAndField`, `get_bounding_box_messages`, `get_bounding_box_messages.rects_intersect`
- [skills/pdf/scripts/check_fillable_fields.py](#) | 11 行 | [1fe10b9980a5](#) | —
- [skills/pdf/scripts/convert_pdf_to_images.py](#) | 33 行 | [7f58e292a67e](#) | `convert`
- [skills/pdf/scripts/create_validation_image.py](#) | 37 行 | [8fa9fd7962c9](#) | `create_validation_image`
- [skills/pdf/scripts/extract_form_field_info.py](#) | 122 行 | [bb235b36f497](#) | `get_full_annotation_field_id`, `make_field_dict`, `get_field_info`, `get_field_info.sort_key`, `write_field_info`
- [skills/pdf/scripts/extract_form_structure.py](#) | 115 行 | [6814e3fe8f78](#) | `extract_form_structure`, `main`
- [skills/pdf/scripts/fill_fillable_fields.py](#) | 98 行 | [d140872c2e92](#) | `fill_pdf_fields`, `validation_error_for_field_value`, `monkeypatch_pypdf_method`, `monkeypatch_pypdf_method.patched_get_inherited`
- [skills/pdf/scripts/fill_pdf_form_with_annotations.py](#) | 107 行 | [8a56e063a49e](#) | `transform_from_image_coords`, `transform_from_pdf_coords`, `fill_pdf_form`
- [skills/plugin.py](#) | 734 行 | [e6562c12ef56](#) | `SkillMeta`, `SkillPlugin`, `SkillPlugin.execute`, `SkillPlugin.capability_guide`, `SkillPlugin.health_check`, `SkillRegistry`, `SkillRegistry.init`, `SkillRegistry.register_plugin`, `SkillRegistry.register_handler`, `SkillRegistry.register_capability_guide`
- [skills/pptx/scripts/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/pptx/scripts/add_slide.py](#) | 195 行 | [9a6b0b573df0](#) | `get_next_slide_number`, `create_slide_from_layout`, `duplicate_slide`, `_add_to_content_types`, `_add_to_presentation_rels`, `_get_next_slide_id`, `parse_source`
- [skills/pptx/scripts/clean.py](#) | 286 行 | [3e3966a17f48](#) | `get_slides_in_sldidlst`, `remove_orphaned_slides`, `remove_trash_directory`, `get_slide_referenced_files`, `remove_orphaned_rels_files`, `get_referenced_files`, `remove_orphaned_files`, `update_content_types`, `clean_unused_files`
- [skills/pptx/scripts/office/helpers/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/pptx/scripts/office/helpers/merge_runs.py](#) | 199 行 | [7c40ed838b88](#) | `merge_runs`, `_find_elements`, `_find_elements.traverse`, `_get_child`, `_get_children`, `_is_adjacent`, `_remove_elements`, `_strip_run_rsid_attrs`, `_merge_runs_in`, `_first_child_run`
- [skills/pptx/scripts/office/helpers/simplify_redlines.py](#) | 197 行 | [560cb55978a8](#) | `simplify_redlines`, `_merge_tracked_changes_in`, `_is_element`, `_get_author`, `_can_merge_tracked`, `_merge_tracked_content`, `_find_elements`,

- [_find_elements.traverse](#), [get_tracked_change_authors](#), [_get_authors_from_docx](#)
- [skills/pptx/scripts/office/pack.py](#) | 159 行 | [71212f3cbe4e](#) | [pack](#), [_run_validation](#), [_condense_xml](#)
- [skills/pptx/scripts/office/soffice.py](#) | 183 行 | [a3e21840e29e](#) | [get_soffice_env](#), [run_soffice](#), [_needs_shim](#), [_ensure_shim](#)
- [skills/pptx/scripts/office/unpack.py](#) | 133 行 | [2cd2ecccfc33](#) | [unpack](#), [_pretty_print_xml](#), [_escape_smart_quotes](#)
- [skills/pptx/scripts/office/validate.py](#) | 110 行 | [5a72593df9a6](#) | [main](#)
- [skills/pptx/scripts/office/validators/__init__.py](#) | 15 行 | [83e0f035c5ab](#) | —
- [skills/pptx/scripts/office/validators/base.py](#) | 848 行 | [13930fa2bb73](#) | [BaseSchemaValidator](#), [BaseSchemaValidator.init](#), [BaseSchemaValidator.validate](#), [BaseSchemaValidator.repair](#), [BaseSchemaValidator.repair_whitespace_preservation](#), [BaseSchemaValidator.validate_xml](#), [BaseSchemaValidator.validate_namespaces](#), [BaseSchemaValidator.validate_unique_ids](#), [BaseSchemaValidator.validate_file_references](#), [BaseSchemaValidator.validate_all_relationship_ids](#)
- [skills/pptx/scripts/office/validators/docx.py](#) | 447 行 | [0bae1bd4bae3](#) | [DOCXSchemaValidator](#), [DOCXSchemaValidator.validate](#), [DOCXSchemaValidator.validate_whitespace_preservation](#), [DOCXSchemaValidator.validate_deletions](#), [DOCXSchemaValidator.count_paragraphs_in_unpacked](#), [DOCXSchemaValidator.count_paragraphs_in_original](#), [DOCXSchemaValidator.validate_insertions](#), [DOCXSchemaValidator.compare_paragraph_counts](#), [DOCXSchemaValidator._parse_id_value](#), [DOCXSchemaValidator.validate_id_constraints](#)
- [skills/pptx/scripts/office/validators/pptx.py](#) | 275 行 | [f937961e62a5](#) | [PPTXSchemaValidator](#), [PPTXSchemaValidator.validate](#), [PPTXSchemaValidator.validate_uuid_ids](#), [PPTXSchemaValidator._looks_like_uuid](#), [PPTXSchemaValidator.validate_slide_layout_ids](#), [PPTXSchemaValidator.validate_no_duplicate_slide_layouts](#), [PPTXSchemaValidator.validate_notes_slide_references](#)
- [skills/pptx/scripts/office/validators/redlining.py](#) | 248 行 | [97abb243543f](#) | [RedliningValidator](#), [RedliningValidator.init](#), [RedliningValidator.repair](#), [RedliningValidator.validate](#), [RedliningValidator._generate_detailed_diff](#), [RedliningValidator._get_git_word_diff](#), [RedliningValidator._remove_author_tracked_changes](#), [RedliningValidator._extract_text_content](#)
- [skills/pptx/scripts/thumbnail.py](#) | 289 行 | [e959ecd4f197](#) | [main](#), [get_slide_info](#), [build_slide_list](#), [create_hidden_placeholder](#), [convert_to_images](#), [create_grids](#), [create_grid](#)
- [skills/process-hygiene/action.py](#) | 723 行 | [b9bce406628f](#) | [_ps_all](#), [_etime_to_seconds](#), [_is_magi_process](#), [_pid_alive](#), [_is_managed_long_running](#), [_is_expected_detached_job](#), [_v3_pid_directory](#), [_is_managed_v3_launched_role](#), [_command_executes_python_script](#), [_duplicate_keep_key](#)
- [skills/reasoning/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/reasoning/wfgy.py](#) | 17 行 | [f2828ea8ab28](#) | [apply_wfgy_logic](#)
- [skills/research-brief/action.py](#) | 751 行 | [9a407e4e6bb6](#) | [_ok](#), [_atomic_write_json](#), [_load_json](#), [_ensure_seeds_bootstrapped](#), [_safe_filename](#), [_list_namespaces](#), [_load_namespace](#), [_save_namespace](#), [_delete_namespace](#), [_new_empty_namespace](#)
- [skills/research-brief/digest.py](#) | 171 行 | [ffa098e58cf2](#) | [_hostname](#), [_extract_tags](#), [_truncate_zh](#), [_zh_summarize_local](#), [_translate_title](#), [format_entry](#), [format_digest](#)
- [skills/research-brief/fetchers.py](#) | 371 行 | [54bd5e842a16](#) | [_strip_html](#), [_http_get](#), [fetch_rss](#), [fetch_json_api](#), [_autodiscover_rss](#), [_extract_article_links](#), [fetch_html](#), [fetch_source](#)
- [skills/research-brief/translator_bridge.py](#) | 131 行 | [e97240d17f6c](#) | [_normalize_lang](#), [_detect_lang](#), [translate_to_zh_hant](#)
- [skills/research/github_monitor.py](#) | 75 行 | [ccf04685f689](#) | [_internet_enabled](#), [search_repos](#), [get_trending](#)
- [skills/research/rss_reader.py](#) | 124 行 | [5c53080810e1](#) | [RSSReader](#), [RSSReader.init](#), [RSSReader._load_feeds](#), [RSSReader._save_feeds](#), [RSSReader.add_feed](#), [RSSReader.list_feeds](#), [RSSReader.read_latest](#)

- [skills/research/web_research.py](#) | 744 行 | [f31115071185](#) | `validate_skill_safety`, `_validate_web_content`, `_internet_enabled`, `_is_private_host`, `_internet_guard`, `search_duckduckgo`, `search_web`, `fetch_url_content`, `fetch_url_sections`, `fetch_raw_url`
- [skills/screenshot-sorter-tw/action.py](#) | 241 行 | [35ba08226f47](#) | `collect_images`, `analyze_screenshot`, `sort_screenshots`, `sort_screenshots.sort_key`, `rename_and_copy`, `add_watermark`, `run`
- [skills/skill_loader.py](#) | 166 行 | [5bc99304d34a](#) | `load_all_skills`, `_register_direct_handlers`
- [skills/source_control/__init__.py](#) | 2 行 | [cc561183bbc6](#) | —
- [skills/source_control/git_ops.py](#) | 20 行 | [8fa3bf65f6b7](#) | `get_status`
- [skills/statutes-vdb/action.py](#) | 1004 行 | [1320a82a2328](#) | `_eventlog`, `_internet_enabled`, `_now_iso`, `_json_load_maybe`, `_load_json`, `_save_json`, `_norm_name`, `_case_domain`, `_extract_law_hints_from_case_path`, `_download_zip_bytes`
- [skills/transcript-downloader/action.py](#) | 3279 行 | [a860f23f626d](#) | `load_openclaw_config`, `get_legacy_telegram_settings`, `_flow_slug`, `_safe_create_flow_mirror`, `_safe_flow_step_status`, `_safe_finalize_flow`, `_mark_notify_step`, `_cancel_reason`, `_cancelled_result`, `_check_flow_cancelled`
- [skills/transcript-indexer/action.py](#) | 688 行 | [bc860f09235e](#) | `_load_index`, `_is_transcript_indexed`, `_save_index`, `_safe_child_dirs`, `_has_transcript_dir`, `_iter_case_dirs`, `_iter_transcript_pdfs`, `_extract_pages_inner`, `_extract_pages`, `_extract_pages.runner`
- [skills/transcript-todo-extractor/action.py](#) | 1244 行 | [a679068db013](#) | `_safe_path_call`, `_safe_path_call.runner`, `_safe_exists`, `_safe_is_file`, `_safe_is_dir`, `_safe_stat_mtime`, `_safe_child_dirs`, `_safe_pdf_glob`, `_safe_pdf_rglob`, `_safe_pdf_rglob.scan`
- [skills/translator/_apple_post_edit.py](#) | 259 行 | [3a27dc87e5d2](#) | `is_legal_text`, `_apple_translate`, `_lang_label`, `_post_edit_prompt`, `_detect_src_lang`, `_run_local_llm`, `_strip_preamble`, `_extract_case_numbers`, `_append_missing_case_numbers`, `translate_with_ape`
- [skills/translator/_post_edit_validator.py](#) | 224 行 | [383a460f90b3](#) | `_load_sc_chars`, `_extract_numbers`, `_extract_case_numbers`, `_extract_parties`, `_detect_simplified_chinese`, `_detect_repetition`, `validate_post_edit`
- [skills/translator/action.py](#) | 1280 行 | [f3cbc69b9a5c](#) | `_strip_translation_preamble`, `_maybe_reexec_venv`, `_load_jsonish`, `_ok`, `_now_hint`, `_export_txt`, `_export_docx_bilingual`, `_load_text_from_file`, `_split_chunks`, `_normalize_target_lang_code`
- [skills/translator/legal_termbase.py](#) | 511 行 | [9de9e5f5df90](#) | `_create_db_schema`, `build_tier1_from_moj`, `_extract_legal_terms_heuristic`, `lookup_tier1`, `lookup_article`, `build_vector_index`, `_load_tier2`, `lookup_tier2`, `_detect_tier2_in_text`, `_is_legal_text`
- [skills/trial-prep/action.py](#) | 487 行 | [c787e3df12e9](#) | `_resolve_case_base`, `_query_calendar_events`, `_query_calendar_osascript`, `_extract_case_number`, `_find_case_folder`, `_scan_case_folder`, `_query_statutes`, `_query_judgments`, `_cmd_upcoming`, `_cmd_prepare`
- [skills/worldmonitor-intel/action.py](#) | 792 行 | [dd6fd0b8c0f7](#) | `_mutable_static_dir`, `_fetch`, `_fetch_json`, `_extract_model_labels`, `_parse_rss`, `collect_news`, `collect_markets`, `_collect_stooq_markets`, `_reason_with_melchior`, `_store_to_memory`
- [skills/xlsx/scripts/office/helpers/__init__.py](#) | 0 行 | [e3b0c44298fc](#) | —
- [skills/xlsx/scripts/office/helpers/merge_runs.py](#) | 199 行 | [7c40ed838b88](#) | `merge_runs`, `_find_elements`, `_find_elements.traverse`, `_get_child`, `_get_children`, `_is_adjacent`, `_remove_elements`, `_strip_run_rsid_attrs`, `_merge_runs_in`, `_first_child_run`
- [skills/xlsx/scripts/office/helpers/simplify_redlines.py](#) | 197 行 | [560cb55978a8](#) | `simplify_redlines`, `_merge_tracked_changes_in`, `_is_element`, `_get_author`, `_can_merge_tracked`, `_merge_tracked_content`, `_find_elements`, `_find_elements.traverse`, `get_tracked_change_authors`, `_get_authors_from_docx`
- [skills/xlsx/scripts/office/pack.py](#) | 159 行 | [71212f3cbe4e](#) | `pack`, `_run_validation`, `_condense_xml`
- [skills/xlsx/scripts/office/soffice.py](#) | 183 行 | [a3e21840e29e](#) | `get_soffice_env`, `run_soffice`, `_needs_shim`, `_ensure_shim`
- [skills/xlsx/scripts/office/unpack.py](#) | 133 行 | [2cd2eccafc33](#) | `unpack`, `_pretty_print_xml`, `_escape_smart_quotes`
- [skills/xlsx/scripts/office/validate.py](#) | 110 行 | [5a72593df9a6](#) | `main`

- [skills/xlsx/scripts/office/validators/__init__.py](#) | 15 行 | 83e0f035c5ab | —
- [skills/xlsx/scripts/office/validators/base.py](#) | 848 行 | 13930fa2bb73 | BaseSchemaValidator, BaseSchemaValidator.init, BaseSchemaValidator.validate, BaseSchemaValidator.repair, BaseSchemaValidator.repair_whitespace_preservation, BaseSchemaValidator.validate_xml, BaseSchemaValidator.validate_namespaces, BaseSchemaValidator.validate_unique_ids, BaseSchemaValidator.validate_file_references, BaseSchemaValidator.validate_all_relationship_ids
- [skills/xlsx/scripts/office/validators/docx.py](#) | 447 行 | 0bae1bd4bae3 | DOCXSchemaValidator, DOCXSchemaValidator.validate, DOCXSchemaValidator.validate_whitespace_preservation, DOCXSchemaValidator.validate_deletions, DOCXSchemaValidator.count_paragraphs_in_unpacked, DOCXSchemaValidator.count_paragraphs_in_original, DOCXSchemaValidator.validate_insertions, DOCXSchemaValidator.compare_paragraph_counts, DOCXSchemaValidator._parse_id_value, DOCXSchemaValidator.validate_id_constraints
- [skills/xlsx/scripts/office/validators/pptx.py](#) | 275 行 | f937961e62a5 | PPTXSchemaValidator, PPTXSchemaValidator.validate, PPTXSchemaValidator.validate_uuid_ids, PPTXSchemaValidator._looks_like_uuid, PPTXSchemaValidator.validate_slide_layout_ids, PPTXSchemaValidator.validate_no_duplicate_slide_layouts, PPTXSchemaValidator.validate_notes_slide_references
- [skills/xlsx/scripts/office/validators/redlining.py](#) | 248 行 | 97abb243543f | RedliningValidator, RedliningValidator.init, RedliningValidator.repair, RedliningValidator.validate, RedliningValidator._generate_detailed_diff, RedliningValidator._get_git_word_diff, RedliningValidator._remove_author_tracked_changes, RedliningValidator._extract_text_content
- [skills/xlsx/scripts/recalc.py](#) | 184 行 | cf419d15e029 | has_gtimeout, setup_libreoffice_macro, recalc, main

src/ (10 檔)

- [src/supplement_core/__init__.py](#) | 29 行 | cde9e3bf6933 | —
- [src/supplement_core/attachment_matcher.py](#) | 448 行 | 6eceed5c10fc | _nfc, _collect_files, _magi_root, _ocr_cache_path, _guess_category_from_text, _run_ocr_first_page_only, _ocr_first_page, find_candidates, _stage1_filename_match
- [src/supplement_core/case_meta.py](#) | 336 行 | 2577c9462951 | _chinese_to_int, _int_to_chinese, _find_subfolder, _folder_to_category, _scan_brief_seq, _scan_brief_seq_blacklisted, _try_db_merge, parse_case_meta
- [src/supplement_core/case_no_updater.py](#) | 160 行 | 816fb79f7e7b | _get_general, _get_general_M, _extract_case_no_from_filename, _verify, _update_db_case_no, update_case_no_from_notices
- [src/supplement_core/docx_builder.py](#) | 369 行 | c7ceceef23d2 | _default_template_path, _int_to_chinese, _replace_in_paragraph, _apply_fields_to_doc, _apply_proof_table, _insert_lead_in, build_supplement_docx
- [src/supplement_core/exceptions.py](#) | 14 行 | 4fa567bf7c6f | SupplementError, CaseNotFoundError, CategoryNotSupportedError, CourtNoticeFolderMissingError
- [src/supplement_core/folder_writer.py](#) | 158 行 | ffbfbe4c1773 | _sanitize_filename, _nfc, _make_folder_name, _make_docx_name, _make_attachment_name, write_brief_folder
- [src/supplement_core/ruling_picker.py](#) | 86 行 | 9faf27d22a29 | _guess_doc_type, list_court_notices
- [src/supplement_core/ruling_text_loader.py](#) | 341 行 | 86e1e78c3cbd | _magi_root, _cache_dir, _cache_key, _read_cache, _write_cache, _convert_pdf_to_images, _run_ocr_per_page, load_text
- [src/supplement_core/supplement_extractor.py](#) | 581 行 | f9b6cc11cefb | _roc_to_iso, _extract_notice_date_from_text, _clean_party, _extract_case_year_western, _validate_date_against_case_year, _has_supplement_content, _extract_supplement_items_from_text, _improve_category, _get_gateway, _call_llm

third_party/ (2 檔)

- [third_party/video_autopilot_kit/runtime/__init__.py](#) | 2 行 | 220f6714fbae | —

- `third_party/video_autopilot_kit/runtime/portrait_normalizer.py` | 53 行 | `d39f189c3f0e` | `normalize_to_portrait`

附錄 C. 全部測試原始碼索引

測試 Python 共 298 檔；測試本身是安全契約的一部分，特別是 fail-closed negative cases，不可因『現在會過』就刪除。

- tests/__init__.py | 0 行 | e3b0c44298fc | —
- tests/conftest.py | 240 行 | e74c12672a86 | _env_truthy, pytest_addoption, _explicit_live_request, _live_tests_enabled, _file_declares_live_marker, _argv_requests_live, pytest_ignore_collect, pytest_collection_modifyitems
- tests/support/__init__.py | 1 行 | 01ba4719c80b | —
- tests/support/side_effect_guard.py | 114 行 | 49d5d95b161c | SideEffectBlocked, _truthy, live_enabled, _looks_like_real_nas_root, _is_pytest_temp_path, assert_safe_path, block_live_writer, block_live_writer._blocked
- tests/test_admin_runtime_blueprint.py | 1834 行 | 292599e8e8ad | _User, _User.init, _User.is_admin, _Orchestrator, _Orchestrator.init, _Orchestrator.get_skill_interview_state, _Orchestrator.start_skill_interview, _Orchestrator.reply_skill_interview
- tests/test_agent_readiness_gate.py | 197 行 | ddd346113ddd | _load_gate, _capability, _write_catalog, test_repository_catalog_is_strict_ready_and_compact, test_high_risk_missing_verify_is_hard_failure, test_high_risk_missing_recovery_is_hard_failure, test_low_risk_missing_contract_is_warning_until_strict, test_missing_tool_and_private_content_fail_closed
- tests/test_agentic_bridges.py | 187 行 | accebcbce8ca | test_intent_envelope_round_trips_routing_context_and_decision, test_routing_dicts_are_supported_for_incremental_legacy_adoption, test_workflow_projects_to_task_records_without_runtime_registration, test_task_record_round_trip_preserves_step_contract_and_status, test_skipped_step_survives_task_projection, test_reconcile_task_record_updates_plan_snapshot_purely, test_task_record_without_agentic_metadata_is_rejected, test_cancelled_task_runtime_record_preserves_reason
- tests/test_agentic_contracts.py | 108 行 | 9e9d9770a5c5 | test_intent_envelope_exposes_structured_fields_and_lookup, test_confidence_must_be_finite_and_in_range, test_boolean_is_not_accepted_as_confidence, test_contracts_reject_non_json_values_and_non_string_mapping_keys, test_missing_field_names_are_unique, test_required_confirmation_needs_reason_and_can_be_confirmed_immutably, test_confirmation_cannot_be_marked_when_not_required, test_intent_json_round_trip_preserves_unicode_and_nested_values
- tests/test_agentic_planner.py | 202 行 | c7800bf0b3c1 | _intent, _dag_steps, test_build_plan_validates_and_stably_sorts_a_dag, test_plan_rejects_duplicate_unknown_self_and_cyclic_dependencies, test_missing_fields_block_all_steps_until_new_intent_is_planned, test_intent_confirmation_gates_whole_plan, test_step_lifecycle_unlocks_dependencies_and_local_confirmation, test_invalid_transitions_and_payloads_are_rejected
- tests/test_agentic_runtime_control.py | 471 行 | 6215df61bb40 | _token, test_root_ids_are_stable_opaque_and_platform_bound, test_event_reducer_is_deterministic_and_terminal_outcomes_are_closed, test_exact_owner_token_controls_once_only_terminal_transition, test_interrupt_resume_and_cooperative_cancel_are_root_owned, test_finishing_one_concurrent_root_run_does_not_hide_the_other, test_capacity_is_bounded_and_only_terminal_history_is_pruned, test_shadow_finish_keeps_public_status_running_when_another_run_is_active
- tests/test_ai_draft_dispatch_quality.py | 123 行 | 0bbef699d5ea | _context, test_ai_draft_requires_case_identifier_before_any_generation, test_ai_draft_asks_for_missing_grounding_instead_of_guessing, test_ai_draft_blocks_nonempty_output_that_fails_quality, test_ai_draft_only_previews_quality_passed_nvidia_output, test_ai_draft_only_previews_quality_passed_nvidia_output_quality, test_ai_draft_blocks_invented_judgment_citation
- tests/test_answer_verifier.py | 65 行 | 46a38a7756fc | test_verify_answer_blocks_false_memory_claim_without_support, test_verify_answer_allows_false_memory_style_phrase_when_chatlog_exists,

test_verify_answer_blocks_overclaim_without_evidence, test_verify_answer_allows_overclaim_when_web_evidence_exists

- tests/test_archive_wizard_execute.py | 119 行 | baa4fd598976 | test_archive_execute_uses_selected_case_lookup, test_archive_execute_uses_selected_case_lookup.User, test_archive_execute_uses_selected_case_lookup._load, test_archive_execute_uses_selected_case_lookup.fake_exec, test_archive_execute_uses_selected_case_lookup.fake_preview, test_archive_execute_uses_selected_case_lookup.fake_item, test_archive_execute_uses_selected_case_lookup.fake_move, test_archive_copy_falls_back_when_ditto_fails
- tests/test_autopilot_child_binding.py | 97 行 | 76a857ad2562 | _load, test_child_binding_accepts_current_release_script, test_child_binding_rejects_old_release_path, test_autopilot_inline_children_embed_the_resolved_root, test_daily_reflection_reads_v3_history_and_empty_input_is_safe_wait, test_todo_parser_skips_absurd_relative_duration_without_crashing
- tests/test_balthasar_local_empty.py | 19 行 | 2645fc8cdbfc | test_mlx_empty_transcript_is_failure, test_mlx_empty_transcript_is_failure.EmptyWhisper, test_mlx_empty_transcript_is_failure.EmptyWhisper.transcribe
- tests/test_browser_security_policy_rc643.py | 111 行 | 1730b8b290c5 | test_production_browser_sources_never_disable_chromium_sandbox, test_legal_portals_have_dedicated_profiles_and_navigation_allowlists, test_playwright_wrapper_rejects_undeclared_top_level_host, test_sealed_release_blocks_playwright_runtime_install, test_sealed_release_blocks_playwright_runtime_install.forbidden_run, test_browser_health_does_not_auto_install_by_default, test_sealed_selenium_driver_requires_exact_preinstalled_hash, test_sealed_selenium_driver_requires_exact_preinstalled_hash.InertService
- tests/test_business_module_live_check.py | 3822 行 | 4d3fe1614784 | _isolate_process_environment, _coverage_portal_receipt, _coverage_download_receipt, test_drive_chunk_receipt_is_operational_wait_not_full_cycle_success, test_drive_chunk_deadline_needs_scheduler_retry_and_never_advances_cursor, test_drive_chunk_with_mixed_unverified_pending_stays_blocking, test_business_live_check_redacts_sensitive_tails_and_samples, test_laf_retry_snapshot_hides_expired_history_and_translates_active_reasons
- tests/test_case_display_authoritative_name.py | 38 行 | d410f447bb84 | _record, test_laf_master_name_is_not_rewritten_by_folder_variant, test_variant_normalisation_is_lookup_only, test_folder_name_only_fills_missing_or_unusable_master, test_laf_email_party_spelling_is_preserved_verbatim
- tests/test_case_number_auto_reconcile.py | 128 行 | 12b3f0e6f5b7 | test_compact_portal_case_numbers_are_normalized, test_filename_date_is_not_misread_as_case_number, test_review_folder_substantive_number_beats_old_investigation_notice, test_update_decision_auto_upgrades_but_never_downgrades, test_same_stage_or_cross_case_conflict_requires_confirmation, test_padding_does_not_create_false_conflict, test_same_current_number_is_not_escalated_for_duplicate_owner, test_remanded_appeal_is_never_replaced_by_older_attached_civil_number
- tests/test_case_statistics_tool.py | 99 行 | 5a9eac6c1923 | test_office_laf_criminal_count_is_deterministic_and_external_free, test_office_laf_criminal_count_is_deterministic_and_external_free.fake_exec, test_office_case_count_scope_can_limit_to_active, test_office_case_count_scope_can_limit_to_active.fake_exec, test_all_scope_wins_when_followup_mentions_both_statuses, test_all_scope_wins_when_followup_mentions_both_statuses.fake_exec, test_case_statistics_take_direct_database_route, test_case_statistics_take_direct_database_route.FakeOrchestrator
- tests/test_clarification_gate.py | 261 行 | d41739b9bd61 | _Orchestrator, _Orchestrator.init, _Orchestrator._append_route_trace, _Orchestrator._append_history, _Orchestrator._sanitize_incoming_message, _Orchestrator.has_recent_attachment_followup, test_case_count_with_ambiguous_scope_requires_clarification, test_explicit_case_count_scope_does_not_ask_again
- tests/test_content_quality_hardening_rc390.py | 383 行 | a3e84cb003a4 | _load_module, _complete_draft, test_strict_draft_quality_accepts_complete_source_grounded_pleading, test_strict_draft_quality_blocks_ungrounded_statute_and_placeholder,

- test_strict_draft_quality_blocks_citation_lock_violation, test_strict_draft_quality_requires_both_parties,
test_strict_draft_quality_blocks_invented_and_missing_factual_anchors,
test_draft_frontend_round_trips_context_and_server_quality_state
- tests/test_context_labels.py | 141 行 | 52660898d87f | test_verified_high_confidence, test_user_rule_is_verified,
test_user_chat_is_user_stated, test_chatlog_user_is_user_stated, test_summary_derived_is_derived,
test_assistant_generated_is_derived, test_derived_from_field_makes_derived, test_moderate_confidence_is_retrieved
 - tests/test_controlled_autonomy_policy.py | 61 行 | 730634942aca | _engine,
test_compact_agent_tools_never_expose_persistent_memory_write,
test_react_blocks_persistent_tool_even_if_manually_injected, test_react_allows_read_only_skill_and_blocks_persistent_skill
_task, test_react_blocks_pdf_rewrite_but_allows_filename_proposal
 - tests/test_controlled_autonomy_runtime.py | 296 行 | 81ecc0a1511f | _service,
test_mutable_plan_survives_new_service_and_requires_exact_bound_token,
test_repeated_identical_request_rotates_token_without_duplicate_plan,
test_handoff_receipt_is_hash_only_and_does_not_claim_business_completion,
test_expired_or_cancelled_plan_never_dispatches, test_command_parser_is_exact_and_confirmation_returns_dispatch_
ease, test_pipeline_confirmation_replays_only_registered_flow_and_persists_receipt,
test_pipeline_confirmation_replays_only_registered_flow_and_persists_receipt._registered_flow
 - tests/test_cookie_cutter_blueprint.py | 1149 行 | a25f9cb5e0c1 | _spawn_cookie_child_with_failed_setrlimit,
_spawn_cookie_child_with_failed_setrlimit.reject_limit, _spawn_cookie_child_with_failed_setrlimit.reject_generation, _png,
_face_png, _empty_frame_png, _synthetic_bundle, _summary_fixture
 - tests/test_cookie_stl.py | 510 行 | 0ea988856699 | _face, _rounded_face, _closed_details, _empty_closed_frame,
_frame_with_attached_spoke, _circular_symbol_line_art, _randomized_closed_line_art, _stl_metrics
 - tests/test_cookie_video_hotfix_sidecar.py | 69 行 | 93ae1980650b | _module,
test_sidecar_registers_only_public_hotfix_surfaces, test_sidecar_bound_sources_are_regular_and_hash_complete,
test_exam_tutor_hotfix_changes_only_the_example_alias
 - tests/test_court_hearing_reminder_completion.py | 211 行 | 612595139162 | _load_module, _todo, _Connection,
_Connection.init, _Connection.close, test_structured_case_number_reason_and_client_are_and_terms,
test_discord_fast_path_extract_both_supported_completion_forms,
test_discord_fast_path_preserves_completion_type_for_db_filter
 - tests/test_cron_schedule_stagger_rc230.py | 163 行 | e7c39ccc327c | _by_id, _generated_jobs, _bound_runtime_jobs,
test_profile_guard_stays_every_fifteen_minutes_without_colliding_with_resummary,
test_schedule_evidence_bindings_follow_the_staggered_cron_snapshot,
test_drive_all_files_scan_does_not_reintroduce_the_five_megabyte_ceiling,
test_laf_nightly_audit_overwrites_stale_portal_timeout
 - tests/test_daily_self_evolution.py | 175 行 | ac4310b6f65c | _NoChangeAutoSkill, _NoChangeAutoSkill.init,
_NoChangeAutoSkill.import_toolsai_auto_skill, _ImprovedAutoSkill, _ImprovedAutoSkill.init,
_ImprovedAutoSkill.import_toolsai_auto_skill, test_daily_evolution_reports_honest_zero_without_repository_link,
test_daily_evolution_counts_persisted_one_percent_gain
 - tests/test_dashboard_pages_blueprint.py | 857 行 | d8853a7557e0 | _User, _User.init, _make_app, _make_app._load_user,
test_tailscale_serve_uses_launchd_safe_absolute_cli, test_tailscale_serve_uses_launchd_safe_absolute_cli.Result,
test_tailscale_serve_uses_launchd_safe_absolute_cli.fake_run, test_redirect_routes_point_to_existing_page_targets
 - tests/test_deadline_reminder_insight_gate.py | 102 行 | d5e8d052d902 | _load_module, _usable_debt_relief_summary,
_usable_debt_relief_source, test_deadline_notice_rejects_extractive_and_cross_domain_rows,
test_deadline_notice_has_no_generic_empty_reason_fallback
 - tests/test_debt_lawyer_contact.py | 463 行 | 730faa6e4b5d | _isolate_lawyer_contact_environment, _all_text,
test_contact_resolution_prefers_payload_then_public_environment,
test_contact_resolution_uses_shared_debt_setting_precedence,
test_contact_resolution_uses_shared_debt_setting_precedence.profile,

- test_requested_name_only_does_not_load_unused_profile_fields,
test_requested_name_only_does_not_load_unused_profile_fields.profile,
test_demo_lawyer_and_bare_client_mobile_are_not_contact_overrides
- tests/test_debt_robot_source_modules.py | 128 行 | c2439f01859c | test_debt_robot_source_bundle_is_complete,
test_six_debt_robot_modules_generate_outputs
- tests/test_deep_task_control_rc568.py | 140 行 | 56e5852792b9 | test_admission_is_local_and_escalates_disagreement,
test_controller_switches_one_task_and_restores_day, test_controller_defers_while_transaction_is_active_without_switching,
test_controller_rolls_back_after_work_failure_without_losing_cleanup,
test_controller_refuses_unhealthy_night_and_restores_day, test_controller_serializes_two_deep_tasks,
test_controller_serializes_two_deep_tasks.first, test_runtime_gate_fails_closed_without_or_with_stale_evidence
- tests/test_document_reader.py | 300 行 | 2f750bdc712a | TestTextQualityScore,
TestTextQualityScore.test_legal_chinese_text_scores_high, TestTextQualityScore.test_legal_english_text_scores_high,
TestTextQualityScore.test_empty_text_scores_zero, TestTextQualityScore.test_garbled_text_scores_low,
TestTextQualityScore.test_short_meaningful_text, TestIsMeaningful, TestIsMeaningful.test_meaningful
- tests/test_drive_case_sync_hash_timeout.py | 620 行 | af0317067185 | _case_folder, _file_entry,
test_case_scan_stops_after_first_storage_hash_timeout, test_case_scan_stops_after_first_storage_hash_timeout.timeout_o
nce, test_hash_storage_dropout_remains_deferred_with_normal_sync_backlog,
test_all_case_chunks_fairly_cover_a_cycle_without_repeating_cursor,
test_all_case_cursor_does_not_advance_for_failed_chunk, test_inner_budget_reserves_terminal_headroom
- tests/test_drive_large_resumable_upload_rc641.py | 83 行 | 75df81a02ea9 | _plan,
test_oversized_first_item_is_classified_instead_of_zero_attempt_retry,
test_resumable_large_file_within_rc641_envelope_is_attempted,
test_resumable_large_file_within_rc641_envelope_is_attempted.staged
- tests/test_drive_sync_identical_aliases_rc245.py | 63 行 | db5da49234db | _drive_entry,
test_identical_drive_aliases_do_not_block_sync, test_different_content_in_alias_folders_remains_fail_closed,
test_unverifiable_aliases_remain_fail_closed
- tests/test_durable_deep_delivery_rc568.py | 50 行 | c03247831264 | _Controller, _Controller.run,
test_cross_process_result_is_recipient_bound_case_normalized_and_once,
test_corrupt_existing_outbox_fails_closed_without_erasing_it
- tests/test_exam_tutor_trend_source_monitor.py | 209 行 | bd5780a73ffd | _load, _config,
test_monitor_checks_every_configured_source_and_keeps_failed_refresh_visible,
test_source_fingerprint_ignores_view_counter_but_keeps_legal_dates,
test_monitor_throttles_heavy_rebuild_but_not_four_hour_source_check,
test_scheduled_sync_loads_only_hash_bound_nvidia_settings, test_live_feed_exposes_safe_freshness_without_local_paths,
test_config_and_page_make_automatic_all_source_monitoring_explicit
- tests/test_export_docx_security.py | 396 行 | a5e463d089ec | _reload_export_docx,
test_export_bilingual_docx_rejects_path_traversal_filename, test_export_summary_docx_rejects_absolute_filename,
test_export_transcript_docx_rejects_non_docx_filename, test_node_module_failure_uses_valid_python_docx_fallback,
test_node_success_remains_preferred_over_python_fallback, test_node_success_remains_preferred_over_python_fallbac
k.successful_node, test_available_docx_generator_satisfies_structural_contract
- tests/test_export_public_urls.py | 112 行 | a8387a56b865 | test_export_text_publishes_authenticated_web_route,
test_existing_export_file_uses_authenticated_web_route, test_non_export_static_asset_keeps_static_route,
test_shared_export_helper_uses_authenticated_web_route, test_authenticated_export_route_serves_shared_export_dir
- tests/test_file_review_auto_worker.py | 28 行 | f06914dfc909 | test_portal_defer_uses_bounded_early_retry_and_backoff,
test_non_deferred_cycle_resets_retry_and_keeps_normal_cadence
- tests/test_file_review_login_readiness.py | 94 行 | ed02311c0b11 | _Clock, _Clock.monotonic, _Clock.sleep, _SwitchTo,
_SwitchTo.init, _SwitchTo.default_content, _SwitchTo.frame, _Driver

- [tests/test_file_review_notifications.py](#) | 5537 行 | [5948a9d4a37c](#) | `_load_action_module`, `_portal_receipt`, `_download_signature_receipt`, `test_portal_download_receipt_is_alias_stable_and_pii_free`, `test_portal_signature_raw_public_aliases_match_when_each_alias_is_singular`, `test_portal_signature_uses_stable_result_before_renderer_specific_row_text`, `test_portal_signature_falls_back_to_row_text_only_without_result`, `test_portal_signature_uses_c60yyidno_as_fallback_identity_without_rowid_or_no`
- [tests/test_forensic_transcript_live_command.py](#) | 210 行 | [ecc5ad030d27](#) | `_load_live_runtime`, `_context`, `test_discord_single_word_command_is_exact_and_admin_guarded`, `_fixture_manifest`, `test_live_start_preflights_full_timeline_and_forces_court_contract`, `test_live_start_preflights_full_timeline_and_forces_court_contract.FakePopen`, `test_live_start_preflights_full_timeline_and_forces_court_contract.FakePopen.init`, `test_live_start_rejects_relaxed_secondary_asr`
- [tests/test_forensic_transcript_verifier.py](#) | 1265 行 | [2d4a36299b26](#) | `_load_engine`, `_load_soffice_helper`, `test_soffice_helper_resolves_known_binary_when_path_is_minimal`, `test_baseline_entries_can_match_one_semantically_merged_same_speaker_turn`, `test_baseline_text_cannot_match_an_unrelated_turn_elsewhere`, `test_speakerless_baseline_header_keeps_following_line_as_text`, `test_unresolved_items_section_is_not_appended_to_last_spoken_turn`, `test_cross_speaker_overlap_is_flagged_but_clock_reset_is_a_new_block`
- [tests/test_gemma_distill_schedule_semantics.py](#) | 36 行 | [964bbe452e53](#) | `test_rejected_candidate_is_visible_terminal_deferral_not_success`
- [tests/test_generation_quality_failclosed_rc568.py](#) | 62 行 | [9f0f3bc1836b](#) | `test_translation_rejects_collapsed_source_paragraphs_even_when_anchors_survive`, `test_translation_accepts_preserved_short_chinese_paragraphs`, `test_transcript_rejects_generated_text_when_recognizer_returned_nothing`, `test_formal_summary_requires_extractable_source_for_claim_verification`, `test_strict_draft_export_fails_closed_without_grounding_text`
- [tests/test_generative_quality_live.py](#) | 171 行 | [4311b49d864f](#) | `test_generative_quality_cli_loads_bound_live_environment`, `test_generative_quality_certifies_content_not_just_nonempty_output`, `test_generative_quality_rejects_fluent_but_factually_wrong_draft`, `test_generative_quality_rejects_non_nvidia_translation_mislabeled_as_nim`, `test_generative_quality_rejects_nvidia_provider_with_local_model`, `test_generative_quality_rejects_local_draft_mislabeled_by_caller`, `test_generative_quality_rejects_summary_without_verified_pii_scrub`
- [tests/test_golem_console.py](#) | 161 行 | [b22ce2cf4e99](#) | `_User`, `_User.init`, `_make_app`, `_make_app.load_user`, `test_golem_status_api_reports_process_skills_exports_and_memory`, `test_golem_command_api_supports_safe_commands`, `test_golem_operational_apis_do_not_expose_global_data_to_regular_users`, `test_golem_api_key_status_masks_secret`
- [tests/test_grounded_ai_heavy_fail_closed.py](#) | 39 行 | [383100302600](#) | `test_heavy_chat_does_not_silently_fall_back_when_nim_fails`, `test_heavy_chat_does_not_silently_fall_back_when_nim_disabled`
- [tests/test_heavy_translation_quality_live.py](#) | 187 行 | [9540554d56d6](#) | `test_live_route_probe_requires_correct_taiwan_term`, `test_live_route_probe_requires_correct_taiwan_term.Gateway`, `test_live_route_probe_requires_correct_taiwan_term.Gateway.init`, `test_live_route_probe_requires_correct_taiwan_term.Gateway.chat`, `test_generated_heavy_translation_fixture_is_extractable`, `test_gate_accepts_verified_taiwan_renderings_without_forcing_english_into_target`, `test_run_gate_does_not_read_directory_when_docx_export_fails`, `test_run_gate_fails_closed_when_exported_docx_cannot_be_stably_read`

- [tests/test_input_method_watchdog.py](#) | 119 行 | [f40a96d05bf9](#) | [test_input_method_watchdog_keeps_normal_process_healthy](#), [test_input_method_watchdog_requires_consecutive_strikes](#), [test_input_method_watchdog_tracks_missing_process_as_a_strike](#), [test_input_method_watchdog_recovers_missing_candidate_services](#), [test_input_method_watchdog_records_whether_candidate_window_is_expected](#), [test_input_method_watchdog_does_not_treat_intentional_us_source_as_process_failure](#), [test_input_method_main_one_shot_selects_before_check](#)
- [tests/test_install_omlx_text.py](#) | 28 行 | [d87ae56a5b5f](#) | [test_normal_runtime_does_not_bind_release_python](#), [test_unified_runtime_binds_explicit_python](#)
- [tests/test_intent_tool_adversarial_rc556.py](#) | 229 行 | [40e0979d69ae](#) | [test_explicit_weather_actions_require_authoritative_realtime](#), [test_weather_words_without_current_lookup_do_not_trigger_realtime](#), [test_stock_actions_require_realtime](#), [test_stock_vocabulary_without_quote_request_does_not_trigger_realtime](#), [test_fx_actions_require_realtime](#), [test_fx_vocabulary_without_quote_request_does_not_trigger_realtime](#), [test_current_time_actions_use_deterministic_clock](#), [test_time_vocabulary_without_clock_request_does_not_trigger_clock](#)
- [tests/test_intent_tool_grounding_rc555.py](#) | 213 行 | [df12fb57be2a](#) | [test_keywords_do_not_steal_unrelated_questions](#), [test_realtime_and_capability_intents_are_distinct](#), [test_missing_weather_location_asks_smallest_question_instead_of_guessing](#), [test_current_facts_stay_required_even_with_memory](#), [test_compound_request_requires_every_authoritative_source](#), [test_compound_current_news_cannot_be_grounded_by_unrelated_tool](#), [test_react_registry_has_authoritative_realtime_tool](#), [test_react_coerces_generic_weather_search_to_authoritative_source](#)
- [tests/test_judgment_mcp_gap_fill_rc634.py](#) | 158 行 | [5022a7a677eb](#) | [_load](#), [_Connection](#), [_Connection.close](#), [test_cached_jdoc_failures_are_not_misreported_as_completed](#), [test_pipeline_reports_source_pull_debt_separately_from_local_backlog](#), [test_existing_daily_crawl_schedule_enables_bounded_mcp_gap_fill_without_new_job](#), [test_dispatch_policy_binds_the_reviewed_single_job_cron_source](#), [test_mcp_gap_fill_stores_only_strict_official_fulltext_and_rebuilds_summary](#)
- [tests/test_judgment_nvidia_source_bound_rc194.py](#) | 268 行 | [bf4d12f90b8b](#) | [_mock_provider](#), [_mock_provider.run_nim_chat](#), [test_nvidia_selects_ids_but_stored_text_is_exact_source](#), [test_selector_contract_requires_application_for_bare_statute_rule](#), [test_bare_statute_selection_recovers_source_bound_application](#), [test_bare_statute_selection_without_application_is_terminal_no_insight](#), [test_bare_statute_selection_without_application_is_terminal_no_insight.forbidden_provider](#), [test_doctrinal_rule_without_application_still_reaches_selector](#)
- [tests/test_judgment_staged_backfill_rc223.py](#) | 82 行 | [a442486ff2e9](#) | [test_caption_issue_canonicalization_does_not_store_party_names](#), [test_procedural_issue_requires_the_procedural_rule_not_underlying_offence](#), [test_sentence_aggregation_synonyms_restore_source_bound_rule](#), [test_relevant_statute_without_ocr_paragraph_lead_is_still_candidate](#), [test_nvidia_queue_backoff_is_durable_and_bounded](#), [test_provider_capacity_reports_durable_daily_budget_not_scheduler_theory](#)
- [tests/test_judgment_summary_quality_rc170.py](#) | 211 行 | [82299d56769d](#) | [test_source_bound_summary_contains_issue_rule_application_and_outcome](#), [test_practice_ready_gate_rejects_trial_rule_without_case_application](#), [test_fact_only_material_is_not_promoted_to_practical_insight](#), [test_generic_third_instance_boilerplate_does_not_masquerade_as_damages_rule](#), [test_procedural_rule_remains_usable_when_procedure_is_the_actual_issue](#), [test_template_and_prompt_echo_are_rejected_even_when_long](#), [test_old_fast_digest_is_not_promoted_even_if_one_rule_looks_useful](#), [test_source_support_gate_rejects_fluent_hallucinated_rule](#)

- `tests/test_judicial_summary_quality.py` | 203 行 | `cba8caa3435e` | `_load_judgment_module`, `_load_judicial_archive_module`, `test_case_reason_does_not_rescue_pure_fee_order`, `test_daily_crawl_distinguishes_upstream_outage_from_program_failure`, `test_skill_wrapper_failure_preserves_inner_http_error`, `test_extractive_summary_rejects_fact_fragment_and_keeps_ground_ed_reason`, `test_backlog_notice_distinguishes_round_result_from_project_completion`, `test_day_process_fails_closed_before_marking_files_when_db_is_unavailable`
- `tests/test_laf_case_classifier.py` | 49 行 | `fb4dbc3b5cbf` | `test_criminal_service_labels_are_split_into_type_and_stage`, `test_normalized_fields_preserve_substantive_reason`, `test_folder_builder_never_leaks_laf_criminal_service_label`
- `tests/test_laf_case_storage_authority.py` | 145 行 | `6f6872233bef` | `_builder`, `test_authoritative_storage_requires_real_mount_record`, `test_external_volume_is_storage_evidence_but_not_active_nas_write`, `test_file_provider_and_user_mount_are_never_authoritative`, `test_folder_builder_selects_only_authoritative_smb`, `test_folder_builder_fails_closed_when_only_file_provider_exists`, `test_folder_builder_returns_canonical_only_after_authoritative_creation`, `test_folder_builder_rejects_canonical_mapping_drift`
- `tests/test_laf_gmail_dispatch_scan.py` | 702 行 | `6a9303093aaf` | `_load_scan_module`, `test_callback_failure_is_not_processed_success`, `test_v3_bound_output_paths_override_legacy_cli_paths`, `_case_info`, `_FakeDurableDB`, `_FakeDurableDB.init`, `_FakeDurableDB.check_laf_email_exists`, `_FakeDurableDB.add_laf_email_record`
- `tests/test_laf_gmail_spam_restore.py` | 289 行 | `03d36ef2728f` | `_FakeRequest`, `_FakeRequest.init`, `_FakeRequest.execute`, `_FakeMessages`, `_FakeMessages.init`, `_FakeMessages.list`, `_FakeMessages.get`, `_FakeMessages.modify`
- `tests/test_laf_portal_new_files_scan.py` | 899 行 | `e01217427685` | `_synthetic_windows_path`, `_synthetic_posix_path`, `test_get_db_skips_lazy_profile_without_case_inventory`, `test_get_db_skips_lazy_profile_without_case_inventory.FakeDb`, `test_get_db_skips_lazy_profile_without_case_inventory.FakeDb.init`, `test_get_db_skips_lazy_profile_without_case_inventory.FakeDb.fetch_one`, `test_run_portal_new_files_scan_uses_portal_case_fetch`, `test_run_portal_new_files_scan_uses_portal_case_fetch.FakeDb`
- `tests/test_laf_portal_retry_decoupling.py` | 248 行 | `b4c40d17f0e0` | `test_portal_retry_once_writes_terminal_heartbeat`, `test_download_listing_finds_table_inside_frame`, `test_download_listing_finds_table_inside_frame.Switch`, `test_download_listing_finds_table_inside_frame.Switch.init`, `test_download_listing_finds_table_inside_frame.Switch.frame`, `test_download_listing_finds_table_inside_frame.Switch.parent_frame`, `test_download_listing_finds_table_inside_frame.Switch.default_content`, `test_download_listing_finds_table_inside_frame.Driver`
- `tests/test_laf_portal_retry_heartbeat.py` | 120 行 | `a429137b4a4b` | `test_portal_retry_heartbeat_is_public_safe_and_atomic`, `test_portal_retry_watchdog_keeps_running_heartbeat`, `test_portal_retry_watchdog_times_out_stuck_cycle`, `test_missing_folder_manual_review_is_recoverable`, `test_expired_portal_attachment_retry_is_not_pending`, `test_timezone_aware_portal_retry_expiry_is_comparable`, `test_portal_retry_expiry_accepts_mixed_legacy_and_aware_clock_shapes`
- `tests/test_laf_portal_retry_reconciliation.py` | 1220 行 | `4b6da28f05a0` | `_email_case`, `test_generic_portal_reference_is_not_a_download_instruction`, `test_explicit_portal_download_instruction_is_detected`, `test_report_transfer_subject_does_not_claim_download_before_body_evidence`, `test_transfer_confirmation_routes_without_portal_download`, `test_transfer_confirmation_with_explicit_download_routes_to_result_download`, `test_official_review_result_subject_without_download_instruction_is_notice_only`, `test_official_review_result_with_explicit_download_instruction_routes_to_download`
- `tests/test_legal_insight_provenance_gate_rc643.py` | 263 行 | `8f0255edf1ad` | `_judgment_text`, `_web_row`, `_load_sync_module`, `_load_quarantine_module`, `test_official_judgment_url_is_exact`, `test_web_fetch_requires_official_case_matching_raw_text`, `test_known_router_contamination_is_rejected_even_with_fabricated_provenance`, `test_human_reviewed_and_native_rows_have_separate_explicit_contracts`
- `tests/test_legaltech_taiwan_law_mcp_rc512.py` | 356 行 | `3c06bfc2180b` | `_Response`, `_Response.init`, `_Response.enter`, `_Response.exit`, `_Response.geturl`, `_Response.read`, `_envelope`, `test_remote_judgment_client_binds_jid_official_url_and_remains_candidate`

- [tests/test_live_gate_deployment_paths.py](#) | 228 行 | [485706b88e16](#) | `test_commercial_schedule_fixture_branch_is_explicitly_host_independent`, `test_smoke_accepts_bound_runtime_and_environment_for_installed_release`, `test_smoke_loads_hash_bound_external_environment`, `test_smoke_rejects_drifted_external_environment`, `test_minimal_ready_payload_is_valid_but_explicit_false_is_not`, `test_production_backup_directory_uses_mutable_shared_state`, `test_production_backup_directory_uses_mutable_shared_state.Backup`, `test_production_backup_directory_uses_mutable_shared_state.Backup.run_list`
- [tests/test_local_deep_queue_worker_rc568.py](#) | 73 行 | [dae51c9bccb9](#) | `_Controller`, `_Controller.init`, `_Controller.run`, `_receipts`, `test_missing_secure_reference_is_deferred_not_completed`, `test_worker_executes_one_secure_reference_through_controlled_controller`, `test_runtime_gate_deferral_never_executes_task`, `test_runtime_gate_deferral_never_executes_task.Blocked`
- [tests/test_local_model_champion_eval_rc568.py](#) | 29 行 | [8edbdd90d404](#) | `_rows`, `test_score_requires_all_contract_areas`, `test_runner_is_offline_and_requires_challenger_gate`, `test_latency_memory_and_crash_thresholds_block_promotion`
- [tests/test_lottery_blueprint.py](#) | 92 行 | [006384b5438e](#) | `_make_app`, `test_lottery_page_is_public`, `test_lottery_csv_draw_masks_sensitive_fields`, `test_lottery_xlsx_draw_count_can_be_specified`, `test_lottery_rejects_too_many_winners`
- [tests/test_magagi_agent_gateway.py](#) | 255 行 | [bba4452609d2](#) | `_config`, `_Response`, `_Response.init`, `_Response.enter`, `_Response.exit`, `_Response.read`, `test_gateway_config_rejects_embedded_credentials_and_missing_key`, `test_published_tools_are_fixed_and_only_confirm_can_write`
- [tests/test_magagi_encyclopedia_privacy.py](#) | 84 行 | [bd24e707917c](#) | `test_pdf_builder_uses_reportlab_without_office_or_browser_processes`, `test_pdf_builder_recursesthrough_pandoc_section_containers`, `test_source_index_signature_redacts_posix_workstation_default`, `test_source_index_metadata_redacts_user_and_windows_paths`, `test_source_index_redaction_keeps_non_path_contract_text`, `test_source_links_use_immutable_commit_not_mutable_release_branch`
- [tests/test_market_briefing_quality_gate.py](#) | 99 行 | [e234f710591b](#) | `_row`, `test_quality_gate_rejects_model_that_does_not_beat_constant_baseline`, `test_quality_gate_accepts_out_of_sample_directional_edge`, `test_unverified_market_output_is_watch_not_directional_for_ecast`
- [tests/test_memory_grounding.py](#) | 216 行 | [fc735dfcf41a](#) | `test_auto_remember_disabled_by_default`, `test_auto_remember_requires_explicit_mode`, `test_memory_ranking_prioritizes_trusted_sources_for_fact_queries`, `test_memory_ranking_keeps_chatlog_available_for_explicit_recall`, `test_expand_query_skips_memory_recall_queries`, `test_expand_query_skips_memory_recall_queries.FakeResponse`, `test_expand_query_skips_memory_recall_queries.FakeResponse.json`, `test_expand_query_skips_memory_recall_queries.FakeSession`
- [tests/test_memory_policy.py](#) | 212 行 | [f38cf2e6dcdb](#) | `test_too_short_content_blocked`, `test_empty_content_blocked`, `test_normal_length_passes`, `test_timeout_fallback_blocked`, `test_degraded_response_blocked`, `test_synthetic_fallback_blocked`, `test_assistant_generated_blocked`, `test_assistant_chatlog_blocked_by_default`
- [tests/test_message_intent_boundaries.py](#) | 424 行 | [b0d22da2c90f](#) | `_BoundaryOrchestrator`, `_BoundaryOrchestrator.init`, `_BoundaryOrchestrator.append_route_trace`, `_BoundaryOrchestrator.load_skill_interview_pending`, `_BoundaryOrchestrator.pending_key`, `_BoundaryOrchestrator.get_active_heavy_tasks`, `_BoundaryOrchestrator.brain_runtime_banner`, `_BoundaryOrchestrator.try_conversational_intent`
- [tests/test_mobile_auth_routes.py](#) | 370 行 | [bcfad938ede3](#) | `_fake_cursor`, `_fake_cursor.Cursor`, `_fake_cursor.Cursor.init`, `_fake_cursor.Cursor.execute`, `_fake_cursor.Cursor.fetchone`, `_fake_cursor.Conn`, `_fake_cursor.Conn.commit`, `_User`
- [tests/test_model_live_gate_degraded_profiles.py](#) | 84 行 | [ff1030c88329](#) | `_probe`, `_night_probes`, `test_night_e4b_declared_last_resort_is_degraded_not_failed`, `test_night_e4b_without_declared_degraded_profile_still_fail`

- s, test_night_declared_fallback_does_not_hide_unreachable_8080,
test_switch_applies_cooldown_to_night_e4b_last_resort, test_switch_preserves_healthy_e4b_under_resource_pressure
- tests/test_model_router_deep_queue_rc568.py | 23 行 | e90e0272603c |
test_quality_task_without_heavy_opt_in_queues_local_deep_when_26b_not_live,
test_quality_task_uses_live_26b_locally_without_heavy_opt_in
- tests/test_nas_pdf_ocr_worker_lock.py | 353 行 | fa9b2cb8c677 | test_explicit_existing_nas_root_bypasses_production_mou
nt_probe, test_nas_ocr_uses_homebrew_libexec_python, test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy.HeldLock,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy.HeldLock.as_dict,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy.fail_if_called,
test_nas_pdf_ocr_worker_retries_stale_processing_and_archives_without_overwrite,
test_nas_pdf_ocr_worker_retries_stale_processing_and_archives_without_overwrite.fake_run
- tests/test_natural_language_agent_quality_rc549.py | 202 行 | 6014468e1d0c |
test_calendar_mutation_is_not_stolen_by_weather_or_stock_routes,
test_natural_office_language_reaches_work_or_agent_lanes, test_human_like_clarification_for_vague_or_multiple_target
s, test_tool_policy_understands_natural_translation_and_business_status,
test_controlled_evolution_questions_use_read_only_ledger_tool,
test_evolution_grounding_requires_the_specific_ledger_tool, test_payment_slip_recovery_requires_explicit_action_and_re
aches_tool_policy, test_declining_tools_never_downgrades_current_office_facts_to_chat
- tests/test_nightly_regression_production_suites.py | 48 行 | 7ce4edd92ccb |
test_production_default_omits_retired_mock_suite, test_production_default_omits_retired_mock_suite._suite,
test_production_default_omits_retired_mock_suite._suite._run, test_missing_retired_mock_fixture_is_neutral
- tests/test_obsidian_ingest_checkpoint.py | 76 行 | 2139bce312e7 |
test_ingest_state_match_supports_legacy_and_strong_metadata,
test_save_ingest_state_merges_and_atomically_replaces, test_hydrate_ingest_state_recovers_durable_note_cursor
- tests/test_omlx_switch_exit_semantics.py | 59 行 | 70c6a47479d2 | _run_gatekeeper_result,
test_gatekeeper_pause_is_deferred_not_success, test_gatekeeper_launcher_failure_is_not_relabelled_as_pause
- tests/test_omlx_watchdog_switch_lock.py | 122 行 | 6f0f64cdd90a |
test_watchdog_respects_switch_lock_and_profile_mtime, _run_watchdog_once,
test_watchdog_accepts_night_12b_fallback_without_kickstart,
test_watchdog_reports_profile_mismatch_without_kickstart, test_watchdog_reports_unconfigured_live_model_without_kic
kstart
- tests/test_optional_line_health.py | 60 行 | b28e3f2e8077 | _clear_line_environment,
test_line_is_disabled_by_default_when_credentials_are_absent, test_line_is_required_only_after_explicit_enable,
test_existing_credential_pair_enables_line_when_flag_is_absent, test_explicit_disable_wins_over_existing_credentials
- tests/test_osc_address_label.py | 161 行 | d686278fc954 | app, client, _make_exec, _make_exec.fake_exec,
test_address_label_route_registered, test_address_label_route_registered.fake_exec,
test_address_label_404_when_case_missing, test_address_label_404_when_case_missing.fake_exec
- tests/test_osc_backup_endpoints.py | 301 行 | a1b744d3637d | app, client, _fake_osc_exec, _fake_osc_exec_with_rows,
_fake_osc_exec_with_rows._exec, test_backup_routes_registered, test_backup_create_writes_file,
test_backup_create_prunes_to_seven
- tests/test_osc_checklists_endpoints.py | 211 行 | 014ac636b423 | app, client, test_laf_checklist_routes_registered,
test_laf_checklist_get_requires_case_number, test_laf_checklist_post_creates_with_auto_key,
test_laf_checklist_post_creates_with_auto_key.fake_exec, test_laf_checklist_seed_inserts_defaults,
test_laf_checklist_seed_inserts_defaults.fake_exec
- tests/test_osc_closed_case_archive.py | 794 行 | de7a5d981a0b | test_closed_case_status_detection,
test_auto_archive_closed_case_moves_folder, test_auto_archive_closed_case_moves_folder.fake_exec,
test_closed_case_user_level_mount_is_allowed_for_browser, test_closed_case_user_level_mount_is_allowed_for_browser.f

- ake_roots, test_user_level_magi_mount_paths_use_timeout_guard,
test_auto_archive_closed_case_ignores_legacy_delete_guard,
test_auto_archive_closed_case_ignores_legacy_delete_guard.fake_exec
- tests/test_osc_csv_import_export.py | 374 行 | c031d0dd2dfa | app, client, _make_csv,
test_cases_import_route_registered, test_cases_import_validates_no_file, test_cases_import_missing_required_header,
test_cases_import_success, test_cases_import_success.fake_exec
- tests/test_osc_document_reuse_api.py | 342 行 | a323196579c5 | _build_app, _build_app._User, _build_app._load_user,
_make_source_docx, _doc_text, _doc_text.collect, test_reuse_document_api_creates_target_case_word_doc_and_logs,
test_reuse_document_api_creates_target_case_word_doc_and_logs.fake_exec
- tests/test_osc_documents_stamp_endpoint.py | 342 行 | e7bf530a5542 | app, client, test_stamp_route_registered,
test_stamp_validates_missing_file_path, test_stamp_validates_copy_type, test_stamp_rejects_nonexistent_file,
test_stamp_rejects_unsupported_extension, test_stamp_rejects_unsupported_extension._safe
- tests/test_osc_events_refresh_outcome_semantics.py | 40 行 | f150701e28c1 |
test_quality_warning_is_partial_but_successful, test_component_failure_remains_terminal_failure,
test_warning_free_refresh_is_completed
- tests/test_osc_file_frontend_runtime.py | 452 行 | 1fcac361e8f2 | _find_node_runtime, _run_node,
test_pdf_preview_uses_unified_route_and_authenticated_content_url,
test_office_and_structured_previews_render_in_shared_modal, test_session_expiry_never_renders_a_fake_preview,
test_download_probes_session_before_clicking_real_content_route,
test_file_download_error_ui_does_not_render_server_trace_text,
test_readonly_api_retries_transient_fetch_failure_without_raw_browser_error
- tests/test_osc_files_move.py | 1583 行 | 1fa205e29241 | _client, _client.TestUser, _client._load_user, _directory_route_app,
_directory_route_app.TestUser, _directory_route_app._load_user, _client_with_role, _client_with_role.TestUser
- tests/test_osc_folder_rename.py | 339 行 | d4599cc38ea0 | _login_app, _login_app.TestUser, _login_app._load_user,
test_case_root_folder_rename_updates_case_path_and_references,
test_case_root_folder_rename_updates_case_path_and_references.fake_exec,
test_generic_folder_rename_updates_indexed_paths, test_generic_folder_rename_updates_indexed_paths.fake_exec,
test_case_folder_reconcile_reports_repair_for_stale_db_path
- tests/test_osc_laf_debt_required_checklist.py | 224 行 | a92c3279fad9 | _install_flask_login_stub, _build_app,
test_debt_required_get_returns_osc_spec_and_laf_number_candidates,
test_debt_required_get_returns_osc_spec_and_laf_number_candidates.fake_exec,
test_debt_required_save_upserts_visible_items_and_prunes_inactive_debt_rows,
test_debt_required_save_upserts_visible_items_and_prunes_inactive_debt_rows.fake_exec,
test_laf_number_sync_uses_single_candidate_when_manual_number_is_empty,
test_laf_number_sync_uses_single_candidate_when_manual_number_is_empty.fake_exec
- tests/test_osc_p2_discord_and_theme.py | 304 行 | 8805f6756508 | app, client, test_discord_test_route_registered,
test_discord_test_requires_url, test_discord_test_requires_url.fake_helpers,
test_discord_test_requires_url.fake_helpers.fake_exec, test_discord_test_rejects_invalid_url,
test_discord_test_success_with_valid_url
- tests/test_osc_pdf_blueprint.py | 1310 行 | 0865532fae97 | _calendar_source_root, app, client, sample_pdf, _assert_pdf,
test_pdf_routes_registered, test_pdf_info, test_pdf_rejects_non_pdf
- tests/test_osc_saas_workbench.py | 918 行 | 5846ae6e3269 | test_osc_refresh_hard_exit_flushes_before_native_tear_down,
test_osc_refresh_hard_exit_flushes_before_native_tear_down.Stream,
test_osc_refresh_hard_exit_flushes_before_native_tear_down.Stream.init,
test_osc_refresh_hard_exit_flushes_before_native_tear_down.Stream.flush,
test_quality_check_blocks_prompt_leak_and_internal_case_number, test_client_packet_uses_debt_checklist,
test_client_packet_uses_debt_checklist.fake_exec, test_conflict_check_flags_opponent_records

- [tests/test_osc_todos_bulk_complete.py](#) | 71 行 | [6b3d72badec2](#) | `_app`, `_app.User`, `_app.load`, `test_bulk_complete_before_updates_stale_open_todos`, `test_bulk_complete_before_updates_stale_open_todos.fake_exec`, `test_bulk_complete_before_dry_run_does_not_update`, `test_bulk_complete_before_dry_run_does_not_update.fake_exec`
- [tests/test_osc_web_draft_hotfix.py](#) | 192 行 | [23fe410575e2](#) | `_Operator`, `test_runtime_exports_are_authorized_without_widening_runtime_root`, `test_authenticated_web_download_reads_its_own_runtime_export`, `test_authenticated_web_download_reads_its_own_runtime_export._load_user`, `test_authenticated_web_download_reads_its_own_runtime_export._login`, `test_web_pleading_export_keeps_osc_generation_and_office_format_contract`
- [tests/test_osc_web_smoke.py](#) | 2260 行 | [2ba1073dcefb](#) | `_build_app`, `_build_app.TestUser`, `_build_app.load_user`, `app`, `client`, `_make_fake_exec`, `_make_fake_exec._fake`, `test_dashboard_endpoint_reachable`
- [tests/test_overdue_confirmation_calendar_policy.py](#) | 180 行 | [f044386b3224](#) | `_load`, `test_policy_is_narrow_and_preserves_real_deadlines`, `test_both_calendar_event_builders_fail_closed_for_osc_only_review`, `_DeleteCall`, `_DeleteCall.execute`, `_Events`, `_Events.init`, `_Events.delete`
- [tests/test_pdf_cross_case_identity_confirmation.py](#) | 139 行 | [9a22e2758014](#) | `_judgment`, `test_exact_cross_case_copy_is_verified_by_sha256`, `test_exact_cross_case_copy_is_verified_by_sha256.fake_exec`, `test_same_filename_with_different_bytes_is_not_a_conflict`, `test_scan_fails_closed_into_identity_confirmation`, `test_manual_confirmation_has_no_calendar_date_and_is_idempotent`, `test_manual_confirmation_has_no_calendar_date_and_is_idempotent.fake_exec`
- [tests/test_pdf_namer_nightly_process_isolation.py](#) | 180 行 | [c09dd619d278](#) | `_module`, `test_nightly_analyze_runs_each_sample_in_bounded_child`, `test_nightly_analyze_runs_each_sample_in_bounded_child.fake_run`, `test_nightly_analyze_fails_closed_without_leaking_worker_output`, `test_nightly_hashes_pdf_in_bounded_chunks`, `test_nightly_does_not_reopen_nas_pdf_when_analyzer_omits_hash`, `test_nightly_defers_transient_nas_scan_error`, `test_nightly_fixture_runs_real_pdf_child_and_writes_bound_manifest`
- [tests/test_pdf_namer_state_isolation.py](#) | 282 行 | [72177e202e82](#) | `_copy_candidate`, `_tree_digest`, `_candidate_env`, `test_candidate_import_is_side_effect_free_and_prefers_explicit_state`, `test_v2_without_state_environment_keeps_legacy_skill_directory`, `test_isolated_runtime_refuses_release_tree_write_target`, `test_isolated_runtime_rejects_nested_directory_and_file_symlinks`, `test_v3_writes_and_nightly_dry_run_leave_candidate_tree_immutable`
- [tests/test_process_monitor_unification.py](#) | 137 行 | [c199f459dcd6](#) | `_snapshot`, `test_rc600_shell_launcher_is_not_a_worker_but_its_unmanaged_child_is_orphaned`, `test_worker_below_canonical_supervisor_ancestry_is_not_an_orphan`, `test_direct_init_worker_and_exact_duplicate_group_are_reported_once`, `test_transient_zombie_requires_same_five_second_persistence_on_shared_contract`, `test_web_and_menubar_use_identical_snapshot_and_summary`, `test_web_and_menubar_use_identical_snapshot_and_summary.Done`, `test_process_monitor_read_failure_is_an_attention_state`
- [tests/test_rc241_runtime_and_batch_regressions.py](#) | 278 行 | [e8753905104c](#) | `_load_transcript_action`, `test_tool_events_resolve_to_mutable_agent_dir`, `test_transcript_default_download_dir_is_outside_sealed_release`, `test_transcript_batch_deduplicates_repeated_download_paths`, `test_transcript_batch_deduplicates_repeated_download_paths.Downloader`, `test_transcript_batch_deduplicates_repeated_download_paths.Downloader.cleanup_download_folder`, `test_transcript_batch_deduplicates_repeated_download_paths.Downloader.login`, `test_transcript_batch_deduplicates_repeated_download_paths.Downloader.get_cases_from_db`
- [tests/test_rc600_runtime_bootstrap_and_reporting.py](#) | 65 行 | [8abe5f35163b](#) | `test_file_review_action_bootstraps_release_root_without_pythonpath`, `test_self_repair_reporter_maps_legacy_job_and_hides_trace_codes`

- [tests/test_reconcile_overdue_todos.py](#) | 172 行 | [5a95416a2a66](#) | `_load_module,`
`test_calendar_past_proceeding_is_archived_not_escalated,` `test_past_proceeding_type_is_completed_even_without_calendar_source,` `test_actionable_duty_is_not_hidden_by_calendar_hearing_wording,`
`test_existing_overdue_confirmation_for_past_proceeding_is_reconciled,`
`test_existing_document_overdue_confirmation_recovers_original_proceeding_type,`
`test_real_pure_occurrence_with_google_event_keeps_calendar_history,`
`test_archived_calendar_occurrence_keeps_google_event_as_history`
- [tests/test_repair_fileprovider_case_to_nas.py](#) | 192 行 | [1095c3416f2e](#) | `_fixture_tree,` `_identity,`
`test_dry_run_seals_manifest_without_creating_destination,` `test_apply_copies_exact_tree_preserves_source_and_writes_pii_free_receipt,` `test_apply_rejects_manifest_drift_before_copy,` `test_apply_never_overwrites_existing_destination,`
`test_source_change_during_copy_fails_and_cleans_owned_stage,`
`test_source_change_during_copy_fails_and_cleans_owned_stage._copy_then_mutate`
- [tests/test_saas_commercial_foundations.py](#) | 228 行 | [cfb65755bdd3](#) | `test_durable_rate_limit_is_shared_between_instances_and_resets,` `test_durable_rate_limit_stores_no_raw_client_identity,`
`test_rate_limit_storage_failure_is_fail_closed_when_required,` `test_rate_limit_readiness_verifies_database_not_only_filename,` `test_audit_chain_seals_legacy_prefix_and_redacts_sensitive_values,`
`test_audit_chain_concurrent_append_has_one_contiguous_sequence,`
`test_audit_tampering_is_detected_and_future_append_fails_closed,`
`test_protected_mutations_receive_start_and_completion_receipts`
- [tests/test_saas_readiness_migration.py](#) | 44 行 | [a892296bf327](#) | `test_formal_saas_release_contains_versioned_tenant_migration`
- [tests/test_safe_process.py](#) | 896 行 | [5f232ee577cc](#) | `_trusted_test_venv,` `_reset_sem,` `test_argv_head_whitelisted_python3,`
`test_versioned_python3_executable_is_whitelisted,` `test_windows_python_executable_is_whitelisted,`
`test_absolute_python_alias_for_current_interpreter_is_whitelisted,` `test_relative_or_foreign_python_alias_is_rejected,`
`test_current_python_alias_keeps_shell_metachar_guards`
- [tests/test_selfhost_portability.py](#) | 764 行 | [13c4af3e5623](#) | `test_windows_required_runtime_modules_have_portable_imports,` `test_portable_file_lock_is_exclusive_and_releasable,` `_config,` `_source,`
`test_windows_layout_is_native_and_machine_independent,` `test_cross_platform_windows_plan_uses_windows_python_launcher,` `test_macos_layout_selects_apple_local_backends,` `test_render_environment_disables_apple_only_paths_on_windows`
- [tests/test_selfhost_release_smoke.py](#) | 19 行 | [b5b37c039338](#) | `test_native_release_smoke_proves_package_upgrade_rollback_and_tamper_detection`
- [tests/test_sentencing_trend_chat.py](#) | 195 行 | [93b048e9ef86](#) | `_result,`
`test_chat_parser_extract_full_filters_and_roc_year_range,` `test_chat_parser_normalises_court_alias_and_keeps_long_offence,` `test_chat_parser_supports_simple_offence_and_clarifies_missing_filters,`
`test_chat_parser_rejects_reversed_period_without_guessing,` `test_chat_formatter_reports_provenance_statistics_and_official_source,` `test_display_date_uses_full_taiwanese_roc_format_without_changing_invalid_values,`
`test_chat_formatter_never_promotes_unverified_mcp_candidate`
- [tests/test_sentencing_trends.py](#) | 672 行 | [f7f2cea1e544](#) | `_row,` `test_parser_uses_signature_judge_and_separates_execution_sentence,` `test_parser_replaces_time_windowed_download_api_with_stable_official_page,`
`test_official_page_url_rejects_untrusted_or_time_windowed_fallback_without_jid,`
`test_panel_judges_keep_participants_and_highlight_last_listed_judge,`
`test_judge_filter_defaults_to_last_listed_but_can_search_any_participant,`
`test_date_filters_accept_picker_iso_and_reject_partial_or_reversed_values,`
`test_parser_includes_appendix_sentences_but_excludes_missing_appendix`
- [tests/test_shared_party_case_identity_rc643.py](#) | 246 行 | [e2144e5ca868](#) | `_row,` `_case,` `_load_smart_filer,` `_index_entry,`
`test_db_peer_probe_detects_same_visible_drive_namespace,`
`test_same_drive_folder_cannot_match_multiple_nas_cases,` `test_single_case_direct_worker_blocks_when_db_peer_shares_namespace,` `test_existing_drive_app_property_cannot_be_stolen`

- `tests/test_startup_resource_policy.py` | 29 行 | `d63702177d52` | `test_startup_prefetch_is_lazy_by_default`, `test_startup_prefetch_accepts_explicit_opt_in`, `test_startup_prefetch_rejects_false_like_values`, `test_inprocess_laf_gmail_monitor_is_disabled_by_default`, `test_inprocess_laf_gmail_monitor_requires_explicit_opt_in`
- `tests/test_tailscale_funnel_healthcheck.py` | 826 行 | `ca484519fbe0` | `test_app_binary_is_forced_into_documented_cli_mode`, `test_app_binary_is_forced_into_documented_cli_mode.fake_run`, `test_official_app_cli_is_preferred_when_capability_probe_passes`, `test_unusable_official_app_falls_back_to_homebrew`, `test_configured_audited_cli_has_priority_but_arbitrary_path_is_rejected`, `test_capability_probe_rejects_version_mismatch`, `test_local_dns_resolution_fails_closed_without_addresses`, `test_edge_coverage_requires_every_advertised_public_address`
- `tests/test_telegram_history.py` | 22 行 | `04af1db09d02` | `test_telegram_records_assistant_reply_with_orchestrator_history_signature`, `test_telegram_records_assistant_reply_with_orchestrator_history_signature.Orchestrator`, `test_telegram_records_assistant_reply_with_orchestrator_history_signature.Orchestrator.process_message`, `test_telegram_records_assistant_reply_with_orchestrator_history_signature.Orchestrator.record_assistant_reply`
- `tests/test_tool_registry_contracts.py` | 77 行 | `29d17995296b` | `test_schema_rejects_missing_wrong_and_unknown_arguments_before_executor`, `test_irreversible_tool_rejects_arbitrary_confirmation_token_before_executor`, `test_irreversible_tool_accepts_only_spec_bound_confirmation_token`, `test_read_tool_without_schema_or_confirmation_remains_compatible`
- `tests/test_tools_api_async_jobs.py` | 501 行 | `16da2f5350d4` | `_ok_result`, `_fail_result`, `_tools_api_import_stubs`, `ctx`, `ctx.AuthClient`, `ctx.AuthClient.post`, `ctx.AuthClient.get`, `ctx.AuthClient.raw`
- `tests/test_tools_api_runtime.py` | 729 行 | `6e43890db097` | `_read_jsonl`, `tools_api_runtime`, `test_search_emits_pre_and_post_events`, `test_skill_runtime_flags_default_to_non_mutating`, `test_tools_livez_is_process_only`, `test_tools_health_requires_reachable_model`, `test_tools_health_requires_reachable_model.Session`, `test_tools_health_requires_reachable_model.Session.get`
- `tests/test_tools_api_shortcut_endpoints.py` | 193 行 | `7131f6ae9462` | `shortcut_client`, `test_shortcut_ocr_rejects_missing_api_key`, `test_shortcut_ocr_rejects_empty_body`, `test_shortcut_ocr_returns_plaintext_on_success`, `test_shortcut_ocr_returns_plaintext_on_success.FakeGateway`, `test_shortcut_ocr_returns_plaintext_on_success.FakeGateway.vision`, `test_shortcut_pdf_text_rejects_non_pdf`, `test_shortcut_pdf_text_returns_plaintext`
- `tests/test_transcribe_runtime.py` | 97 行 | `44e2b26604de` | `test_transcribe_auto_prefers_balthasar_before_apple`, `test_transcribe_auto_uses_fast_cli_before_balthasar`, `test_transcript_postprocess_uses_taiwan_legal_term_for_evidence_motion`, `test_whisper_model_dir_defaults_to_local_magi_cache`, `test_whisper_model_dir_honors_explicit_local_override`, `test_whisper_cli_refuses_missing_local_model_before_subprocess`
- `tests/test_transcript_filename_repair.py` | 537 行 | `c70a8930dffb` | `_load_module`, `_load_repair_module`, `test_00000000_transcript_is_not_treated_as_final_name`, `test_transcript_filename_generation_rejects_unusable_parse_values`, `test_transcript_metadata_receipt_category_is_field_specific_and_privacy_safe`, `test_transcript_metadata_extract_record_from_second_page_without_cross_page_mix`, `test_transcript_metadata_accepts_chinese_numeral_roc_date_on_proven_record_page`, `test_transcript_metadata_accepts_historical_roc_date_on_same_record_page`
- `tests/test_transcript_partial_retry_rc239.py` | 581 行 | `f39fb8759090` | `_load_action`, `_Downloader`, `_Downloader.init`, `_Downloader.cleanup_download_folder`, `_Downloader.login`, `_Downloader.get_cases_from_db`, `_Downloader.download_record`, `_case`
- `tests/test_transcript_portal_empty_failclosed_rc223.py` | 391 行 | `6548101a5cc6` | `_Body`, `_Body.init`, `_Driver`, `_Driver.init`, `_Driver.find_element`, `_Driver.find_elements`, `_Driver.quit`, `_downloader`
- `tests/test_translation_strict_nim_provenance.py` | 67 行 | `ca982c32b84c` | `test_heavy_translation_never_uses_google_fallback`, `test_heavy_translation_never_uses_google_fallback.forbidden_google`, `test_heavy_translation_does_not_retry_terminal_provider_failure`, `test_heavy_translation_does_not_retry_terminal_provider_failure.exhausted`

- [tests/test_tw_output_guard_fidelity.py](#) | 23 行 | [21dee71e5e92](#) | `test_tw_legal_review_module_import_has_default_model`, `test_tw_review_cannot_drop_legal_fact_anchors`
- [tests/test_v3_laf_dedup_compat.py](#) | 251 行 | [f9f495756246](#) | `_sha`, `_source`, `FakeStore`, `FakeStore.init`, `FakeStore.validate_schema`, `FakeStore.acquire_lock`, `FakeStore.release_lock`, `FakeStore.begin`
- [tests/test_video_studio_blueprint.py](#) | 593 行 | [394fbda2ac9b](#) | `_app`, `_payload`, `test_public_tool_directory_and_video_page_require_no_login`, `test_public_video_navigation_uses_shared_magi_theme_contract`, `test_video_studio_defines_matching_day_and_night_palette`, `test_health_is_public_safe_and_exact`, `test_edit_command_is_interpreted_and_unknown_or_conflicting_meanings_fail_closed`, `test_request_contract_rejects_unknown_and_coerced_values`
- [tests/test_web_information_architecture.py](#) | 149 行 | [800b7b281690](#) | `_read`, `test_desktop_home_prioritises_workflows_over_engineering_controls`, `test_research_and_sentencing_share_the_same_primary_navigation`, `test_maintenance_manual_is_self_contained_and_uses_shared_theme_contract`, `test_maintenance_manual_tables_wrap_without_hiding_cells_on_narrow_screens`, `test_mobile_home_exposes_direct_work_routes_without_desktop_detour`, `test_paperclip_deep_links_are_allowlisted_and_shareable`, `test_mobile_and_desktop_navigation_remain_adaptive_and_keyboard_accessible`
- [tests/test_web_runtime_blueprint.py](#) | 548 行 | [7a25efce3f97](#) | `_User`, `_User.init`, `_Orchestrator`, `_Orchestrator.init`, `_Orchestrator.process_message`, `_make_app`, `_make_app.load_user`, `test_process_monitor_routes_render_and_toggle`
- [tests/test_weekend_resummary_budget_semantics.py](#) | 170 行 | [a4419b781d37](#) | `test_sealed_release_import_defers_mutable_judgment_binding`, `test_nim_daily_budget_stops_immediately_as_checkpointed_deferral`, `test_budget_deferral_does_not_hide_a_real_process_failure`, `test_quality_failure_cannot_be_published_as_batch_success`, `test_legacy_zero_exit_budget_marker_is_reconcilable_without_deleting_evidence`, `test_background_authorization_budget_marker_is_a_terminal_deferral`, `test_utf8_byte_large_but_character_short_sources_are_terminal`, `test_utf8_byte_large_but_character_short_sources_are_terminal.forbidden_provider`
- [tests/v3/test_a2a_adapter.py](#) | 48 行 | [ed319b070e1f](#) | `test_shipped_a2a_policy_is_disabled_proposal_only`, `test_a2a_never_allows_writer_federation_or_whale`, `test_enabled_future_adapter_can_only_create_non_dispatching_proposal`
- [tests/v3/test_active_release_input_method_watchdog.py](#) | 64 行 | [5ed588a4ffe5](#) | `_fixture`, `test_active_watchdog_is_manifest_and_hash_bound`, `test_active_watchdog_rejects_script_drift`, `test_active_watchdog_rejects_release_outside_store`
- [tests/v3/test_active_release_service_launcher.py](#) | 112 行 | [3342610befc1](#) | `_sha256`, `_fixture`, `test_resolves_hash_bound_script_from_active_release`, `test_rejects_unknown_service_before_reading_marker`, `test_rejects_script_drift_after_sealing`, `test_rejects_marker_manifest_hash_drift`
- [tests/v3/test_actual_route_replay.py](#) | 1336 行 | [3a376c80fd75](#) | `test_installed_candidate_root_is_allowed_for_read_only_replay`, `test_only_direct_installed_release_root_qualifies`, `test_worker_uses_candidate_venv_with_site_processing_disabled`, `test_all_347_routes_receive_machine_readable_actual_replay_dispositions`, `test_actual_handlers_are_dispatched_with_bound_outcomes_not_auth_or_404_shortcuts`, `test_osc_transactional_crud_batch_dispatches_success_and_journals_exact_sql`, `test_secondary_osc_write_batch_binds_db_and_file_transcripts`, `test_next_osc_read_only_batch_uses_actual_handlers_and_select_only_fixture`
- [tests/v3/test_background_heavy_authorization_rc568.py](#) | 88 行 | [b99eff8a8dd7](#) | `_contract`, `_prepare`, `test_background_heavy_requires_complete_job_bound_contract`, `test_background_heavy_rejects_mismatched_or_expired_contract`, `test_background_heavy_uses_only_named_env_contract`, `test_credential_guard_blocks_cookie_bearer_and_oauth_with_out_blocking_case_number`

- `tests/v3/test_backup_prepare.py` | 215 行 | `5ef53f54c56f` | `_database`, `_website`, `test_online_backup_is_actually_restored_and_hash_bound`, `test_empty_escape_duplicate_and_existing_output_fail_closed`, `test_website_symlink_special_scope_and_source_drift_fail_without_success_metadata`, `test_website_symlink_special_scope_and_source_drift_fail_without_success_metadata.mutate_after_first_copy`, `test_verify_rejects_archive_tamper_extra_member_and_protected_restore_root`
- `tests/v3/test_business_events.py` | 72 行 | `f14bdd62af6a` | `test_event_is_idempotent_and_contains_no_document_body`, `test_claim_complete_and_crash_lease_recovery`, `test_invalid_case_number_fails_closed`, `test_claim_does_not_consume_observation_events`
- `tests/v3/test_business_outcome_regression.py` | 50 行 | `be37782da286` | `_raw`, `test_manual_finding_is_deidentified_deduplicated_and_test_root_only`, `test_manual_finding_rejects_pii_before_persistence`, `test_outcome_slo_requires_receipts_and_handles_cross_case_notification_and_defer`
- `tests/v3/test_business_recovery.py` | 672 行 | `deb77c0f69d4` | `test_only_expected_schedule_waits_are_terminal_deferrals`, `test_legacy_candidate_rejection_is_exact_job_and_strong_evidence_only`, `test_transient_business_failure_is_bounded_retry`, `test_explicit_human_requirement_is_not_blindly_retried`, `test_zero_semantic_collision_counter_does_not_request_a_person`, `test_false_timeout_field_does_not_mislabel_business_failure`, `test_final_partial_success_receipt_outranks_caught_item_traceback`, `test_unhandled_traceback_without_final_success_receipt_still_fails`
- `tests/v3/test_campaign_offline_probes.py` | 336 行 | `c0696ef749ae` | `test_schedule_count_is_bound_to_dispatch_policy_not_stale_probe_literals`, `test_missing_duration_profile_uses_explicit_noncertifying_timeout_bound`, `test_timeout_fallback_can_never_clear_duration_replay`, `_emit`, `_assert_offline_attestation`, `test_seven_day_schedule_10x_arrival_2x_duration_replay_emits_measured_evidence`, `test_bounded_fault_matrix_emits_recovery_duplicate_and_loss_evidence`, `_fd_count`
- `tests/v3/test_campaign_runner.py` | 3460 行 | `0b735d4888d0` | `_schedule_fixture_ids`, `Clock`, `Clock.init`, `Clock.call`, `_json_bytes`, `_write`, `create_release`, `create_real_launcher_release`
- `tests/v3/test_candidate_no_bytecode.py` | 125 行 | `22f7649d3d00` | `_clean_environment`, `test_clean_environment_cannot_import_from_parent_candidate`, `_copy_package`, `test_route_parity_imports_gateway_without_writing_candidate_bytecode`, `test_candidate_pytest_collection_disables_bytecode_without_launcher`, `test_isolated_candidate_import_probes_do_not_escape_pytest_bytecode_fuse`
- `tests/v3/test_change_scope.py` | 85 行 | `9a9bc8cd9028` | `test_docs_css_and_tests_are_scoped_only_for_development`, `test_operational_boundaries_force_full_even_when_mixed_with_docs`, `test_operational_prefix_cannot_be_downgraded_by_css_suffix`, `test_keyword_boundaries_force_full`, `test_only_explicit_pure_source_is_scoped`, `test_marker_in_allowed_magi_pure_directory_is_scoped`, `test_marker_cannot_downgrade_operational_file`, `test_unknown_source_and_empty_diff_fail_closed`
- `tests/v3/test_compat_admin.py` | 88 行 | `a2f964167bcf` | `Health`, `Health.response`, `FakeServer`, `FakeServer.init`, `_website`, `test_admin_factory_is_hash_bound_and_preserves_legacy_handler`, `test_admin_factory_rejects_hash_drift_external_bind_and_missing_source`
- `tests/v3/test_compat_gateway.py` | 342 行 | `ba15fb08a66c` | `test_import_is_lazy_and_cannot_open_socket_or_start_process`, `test_pinned_inventory_covers_both_apps_and_sensitive_http_shapes`, `test_factory_does_not_call_legacy_loader_until_first_request`, `test_factory_does_not_call_legacy_loader_until_first_request.loader`, `test_fixed_production_factories_bind_their_declared_service`, `_representative_app`, `_representative_app.callback`, `_representative_app.login`
- `tests/v3/test_compat_http_contract_runner.py` | 552 行 | `751e3666cf66` | `_write_fixture`, `_legacy_response`, `test_wsgi_test_client_executes_reviewed_json_contract_and_emits_bound_evidence`, `test_wsgi_test_client_executes_reviewed_json_contract_and_emits_bound_evidence.osc_chat`, `test_asgi_style_test_client_preserves_exact_sse_stream_and_request_contract`, `test_asgi_style_test_client_preserves_exact_sse_stream_and_request_contract.AsgiStyleClient`

- test_asgi_style_test_client_preserves_exact_sse_stream_and_request_contract.AsgiStyleClient.request,
test_callable_receives_verified_multipart_bytes_and_preserves_plaintext_response
- tests/v3/test_compat_inventory.py | 163 行 | [de1631e9ef9a](#) | test_runtime_inventory_and_explicit_side_effect_reviews_cover_every_method, test_get_oauth_callback_is_explicitly_reviewed_as_external_commit,
test_oscar_file_routes_are_explicitly_reviewed_as_sandboxed_reversible_writes,
test_service_5003_offline_review_partitions_every_pinned_route_method,
test_every_review_row_has_current_handler_source_identity,
test_inventory_change_fails_closed_even_when_declared_counts_are_adjusted,
test_inventory_missing_route_fails_count_gate, test_inventory_rejects_malformed_route_rows_before_fingerprinting
 - tests/v3/test_compat_live_validation.py | 301 行 | [1fe35318d0a3](#) | test_safe_plan_is_validated_but_not_executed,
test_live_probe_with_write_side_effect_is_rejected, test_live_probe_cannot_relabel_reviewed_webhook_post_as_read_only,
test_supplementally_reviewed_route_method_cannot_claim_read_only,
test_plan_rejects_production_ports_and_external_write_flags, test_incomplete_report_explicitly_records_unproven_gaps,
test_report_rejects_summary_mismatch, test_passed_report_cannot_hide_unproven_or_nonpassing_checks
 - tests/v3/test_compat_oscar_file_contract.py | 221 行 | [3913e6e8ca9d](#) | ContractUser, ContractUser.init, contract,
contract.load_user, contract.contract_login_page, contract.contract_login, _logged_in_client,
test_contract_routes_are_bound_inside_the_verified_347_route_inventory
 - tests/v3/test_compat_replay.py | 313 行 | [ed33741a4450](#) | test_oscar_preview_range_download_golden_flow_has_bound_end_to_end_outcomes, test_oscar_golden_flow_expected_outcome_drift_fails_closed,
test_oscar_golden_flow_expected_outcome_drift_fails_closed.changed_load,
test_recorded_fixtures_are_schema_valid_and_anonymized, test_anonymizer_redacts_sensitive_keys_and_inline_identifiers,
test_fixture_rejects_unredacted_taiwan_pii_and_channel_identifiers,
test_fixture_rejects_sensitive_identity_keys_by_default, test_fixture_rejects_raw_sensitive_header_and_file_content
 - tests/v3/test_compat_side_effects.py | 97 行 | [22df3e9132a8](#) | _job, test_offline_replay_never_executes,
test_isolated_live_allows_only_read_only_classes_by_default, test_isolated_live_blocks_writes_by_default,
test_explicit_sandbox_can_only_enable_local_or_reversible_writes,
test_job_contract_requires_idempotency_and_confirmation_for_external_commit
 - tests/v3/test_controlled_evolution.py | 334 行 | [726133ea4f74](#) | _signal, _proposal, _git, _source_repo, _FakeListener,
_FakeListener.getsockname, _FakeListener.close, _allow_network_probe_fixture
 - tests/v3/test_controlled_restart_evidence.py | 235 行 | [a294e834de53](#) | _sha, _write, _release, _observation, FakeBackend,
FakeBackend.init, FakeBackend.observe, test_host_process_probe_excludes_only_observer_tree
 - tests/v3/test_conversation_reference_capture_rc261.py | 31 行 | [fc256c6fd236](#) | _HistoryOrchestrator,
_HistoryOrchestrator.init, _HistoryOrchestrator._ensure_runtime_foundations,
test_user_case_identifier_becomes_recent_reference, test_assistant_case_identifier_never_becomes_authoritative_reference
 - tests/v3/test_core_config.py | 57 行 | [fc824d4c3aaf](#) | test_default_config_is_loopback_non_binding_and_policy_aligned,
test_build_is_side_effect_free, test_binding_requires_explicit_port, test_phase_one_rejects_non_loopback_binding
 - tests/v3/test_core_health.py | 118 行 | [59e37ea3a9ef](#) | test_liveness_is_ready_without_initializing_state,
test_readiness_checks_only_initialized_local_core, test_importing_health_does_not_import_heavy_frameworks,
test_cli_default_does_not_create_state_or_bind, test_cli_initialize_does_not_claim_production_readiness,
test_single_active_guard_rejects_second_owner
 - tests/v3/test_core_ledger.py | 1047 行 | [eec39e297c7c](#) | ledger, test_initialize_is_idempotent_and_enables_wal,
test_schema_v4_migrates_existing_v3_jobs_without_losing_payload,
test_canonical_job_envelope_round_trips_and_validates_schema,
test_verified_commit_persists_receipts_artifacts_and_metrics, test_canonical_job_fields_fail_closed_on_invalid_input_or_stored_data,
test_job_past_latest_start_is_not_leased, test_write_classes_require_contract_idempotency_key
 - tests/v3/test_core_mutable_state_isolation.py | 399 行 | [eebdb7a5765](#) | _snapshot,
test_v3_env_file_cannot_replace_hash_bound_launch_environment,

test_core_imports_and_first_writes_leave_candidate_tree_immutable,
test_status_consumers_follow_mutable_static_and_agent_dirs,
test_http_mutable_paths_preserve_v2_defaults_without_launch_bindings

- tests/v3/test_core_resource.py | 134 行 | 3c08a9e99e36 | request, test_global_light_limit_is_two, test_all_heavy_classes_share_two_tokens, test_guarded_pressure_and_interactive_reserve_block_background, test_interactive_bypasses_soft_guards_but_not_hard_limits, test_critical_pressure_allows_only_interactive_light, test_interactive_activity_prevents_new_background_heavy, test_active_interactive_lease_prevents_new_background_heavy
- tests/v3/test_core_state.py | 48 行 | 0c56e08f8d5d | test_success_requires_business_completion, test_terminal_status_cannot_transition, test_waiting_and_confirmation_paths_are_explicit, test_invalid_shortcut_is_rejected, test_running_job_cannot_be_manually_requeued
- tests/v3/test_core_supervisor.py | 106 行 | 3712c6cd8935 | worker_spec, test_worker_runs_in_owned_process_group_and_releases_slot, test_duplicate_job_is_rejected_and_group_is_terminated, test_deadline_terminates_and_reaps_worker, test_default_worker_environment_does_not_copy_arbitrary_secret, test_leader_exit_does_not_leave_unaccounted_descendant
- tests/v3/test_cron_policy.py | 201 行 | 54983a9df9f1 | _isolate_cron_snapshot_binding, _synthetic_cron_payload, _write_bound_policy, test_policy_is_hash_bound_and_preserves_global_resource_caps, test_policy_loads_hash_bound_external_snapshot_without_release_root_cron, test_policy_accepts_rebased_external_snapshot_with_distinct_trusted_source_hash, test_external_snapshot_binding_cannot_fall_back_or_bypass_policy, test_external_snapshot_rejects_relative_path_and_symlink
- tests/v3/test_cron_service.py | 951 行 | b1cc0c64d7e2 | _bind_source_tree_python, _bind_source_tree_python.resolve, test_run_component_uses_hash_bound_worker_count_not_legacy_env, test_run_component_uses_hash_bound_worker_count_not_legacy_env.StubService, test_run_component_uses_hash_bound_worker_count_not_legacy_env.StubService.init, test_run_component_uses_hash_bound_worker_count_not_legacy_env.StubService.run, test_bound_cron_environment_loads_hash_verified_file, test_bound_cron_environment_rejects_hash_drift
- tests/v3/test_cron_snapshot.py | 227 行 | 25b8442d6e72 | _release, _python, test_snapshot_rebases_code_python_and_mutable_outputs, test_snapshot_converts_legacy_cd_prefix_to_release_cwd, test_snapshot_blocks_v2_files_missing_from_release, test_snapshot_blocks_model_switch_schedule_policy_conflict, test_snapshot_blocks_source_path_replacement_after_descriptor_read, test_snapshot_blocks_source_path_replacement_after_descriptor_read.read_and_replace
- tests/v3/test_cutover_activation.py | 777 行 | d277a7503c84 | _begin, test_activation_commit_is_atomic_phase_bound_and_resumable, test_marker_mismatch_interrupted_journal_and_invalid_transition_fail_closed, test_production_ownership_refuses_ready_or_write_before_exact_commit_marker, test_active_release_snapshot_binds_stable_identity_and_active_phase, _begin_v3_rotation, test_v3_rotation_commits_hash_bound_candidate_and_remains_restartable, test_v3_rotation_refuses_previous_state_drift
- tests/v3/test_cutover_cli.py | 261 行 | 3c53f8204d4f | test_plan_is_explicitly_non_mutating, test_simulate_clean_and_fault_exit_codes, test_cli_reports_are_json_serializable, test_preflight_uses_release_bound_conditional_daytime_window, test_preflight_uses_release_bound_conditional_daytime_window.absolute, test_boolean_evidence_report_shortcut_is_disabled, test_preflight_requires_explicit_expected_state_and_release_context, test_execute_is_explicit_and_requires_plan_hash_and_secure_token_file
- tests/v3/test_cutover_core.py | 266 行 | f06d5fa59b0e | snapshot, owner, test_repository_gate_file_contains_single_active_no_go_rules, test_cutover_window_is_a_hard_timezone_aware_gate, test_cutover_window_supports_overnight_and_rejects_invalid_clock, test_cutover_window_can_be_bound_to_explicit_local_dates, test_absolute_daytime_window_is_one_day_taipei_and_end_exclusive,

test_absolute_daytime_window_rejects_any_non_daylight_or_noncanonical_policy

- tests/v3/test_cutover_evidence.py | 564 行 | fc332f5984a7 | _reconciliation, _plan, _chain, _raw_report, test_raw_atomic_report_rejects_marker_journal_and_hash_faults, test_raw_rollback_report_rejects_rto_larger_than_observed_duration, _pairs, _restart_inputs
- tests/v3/test_cutover_execute.py | 2014 行 | 885ebab6cd32 | _sha256, _write, _write_json, _seal_test_release, _binding, _conditional_binding, test_final_executor_requires_conditional_authorization_when_policy_demands_it, test_final_executor_effective_daytime_window_is_end_exclusive
- tests/v3/test_cutover_mutation_guard.py | 60 行 | cbe958aa90f8 | spec, test_missing_armed_token_cannot_reach_runner, test_missing_armed_token_cannot_reach_runner.fake_runner, test_even_matching_caller_supplied_tokens_cannot_reach_launchctl, test_even_matching_caller_supplied_tokens_cannot_reach_launchctl.fake_runner, test_constructor_bypass_still_cannot_reach_mutation_method
- tests/v3/test_cutover_planning.py | 253 行 | bd41f6123fb6 | _sha, _json, _legacy_gate, _v2_agent_bindings, _loaded_launchd_probe, test_prepared_plan_generator_hash_binds_every_input, test_plan_generator_rejects_insecure_token_and_mismatched_release
- tests/v3/test_cutover_probe.py | 417 行 | 2e9ac3c8a8d7 | test_default_ports_cover_v2_v3_model_and_rpc_surfaces, test_listener_inventory_uses_one_bounded_nonblocking_lsof_pass, test_listener_inventory_uses_one_bounded_nonblocking_lsof_pass.Result, test_snapshot_excludes_only_observer_chain_and_children_not_siblings, test_collect_snapshot_attributes_pid_port_launchd_and_lock_without_mutation, test_unattributed_listener_is_no_go, test_relative_listener_inherits_release_from_absolute_root_ancestor, test_known_root_general_process_is_not_ambiguous
- tests/v3/test_cutover_workflow.py | 67 行 | 514aa4ad57d1 | test_every_start_is_preceded_by_verified_zero_owners, test_live_validation_has_required_stop_validate_stop_restore_sequence, test_clean_simulation_completes_with_one_active_release, test_v2_residual_owner_stops_validation_before_v3_start, test_v3_residual_owner_stops_rollback_before_v2_start, test_phase_one_mutation_is_disabled_for_every_token_combination
- tests/v3/test_deploy_prepare.py | 2098 行 | c94ded6acc4a | _probe_seatbelt_capability, seatbelt_capable, test_seatbelt_capability_probe_requires_allow_default_true_success, test_seatbelt_capability_probe_requires_allow_default_true_success.fake_run, _write, _remove_test_tree, _seal_test_release, _fake_venv
- tests/v3/test_dispatcher.py | 1241 行 | 207b573c4c2b | ledger, create_read_job, worker_factory, worker_factory.factory, make_dispatcher, create_priority_job, wait_for_path, assert_pid_gone
- tests/v3/test_evidence_compiler.py | 744 行 | 9aadf061c68f | test_checked_in_portable_inventory_matches_candidate_source_surfaces, test_runtime_inventory_ignores_diagnostic_line_drift_but_not_interface_drift, test_cutover_baseline_matches_generated_route_and_schedule_inventories, test_compile_evidence_routes_physical_fault_inputs_only_to_campaign_compiler, test_compile_evidence_routes_physical_fault_inputs_only_to_campaign_compiler.fake_release, test_compile_evidence_routes_physical_fault_inputs_only_to_campaign_compiler.fake_campaign, _write_json, _sha
- tests/v3/test_evidence_ledger.py | 189 行 | 3d5667008054 | _envelope, test_predecessor_failure_remains_history_but_not_active_latest, test_legacy_latest_is_projection_of_active_release_only, test_business_attention_never_becomes_system_failure, test_old_release_failure_is_superseded_and_current_failure_is_failed, test_envelope_rejects_tampering_and_sensitive_receipt_fields, test_duplicate_append_is_idempotent, test_projection_refuses_symlink
- tests/v3/test_explicit_heavy_api_only.py | 168 行 | 0cee5cae6938 | _FakeResponse, _FakeResponse.json, test_explicit_heavy_never_falls_back_to_local, test_explicit_heavy_fails_closed_when_nim_disabled, test_explicit_heavy_daily_budget_exhaustion_stops_without_retry, test_explicit_heavy_authORIZES_verbatim_personal_data_for_this_call, test_explicit_heavy_authORIZES_verbatim_personal_data_for_this_call.fake_nim,

test_unmarked_follow_up_never_inherits_heavy_authorization

- tests/v3/test_external_canary.py | 95 行 | 75eca7065812 | _keys, _receipt, test_signed_fresh_offhost_receipt_verifies_all_required_layers, test_tamper_tailnet_or_missing_ipv6_fails_closed
- tests/v3/test_external_credential_contract.py | 201 行 | f014a89b2e1d | _sha, _write, _runtime_contract, test_sealed_runtime_verifies_static_hash_and_allows_atomic_token_refresh, test_sealed_runtime_rejects_static_drift_and_unsafe_mutable_mode, test_sealed_laf_reader_has_no_candidate_fallback_and_detects_hash_drift, _handoff_manifest, test_secret_handoff_materializes_refreshable_targets_without_content_in_receipt
- tests/v3/test_faiss_maintenance.py | 974 行 | 2ba1a84568af | _bind_source_tree_python, _bind_source_tree_python.resolve, _cron_policy, _isolate_direct_worker_rss, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent.CountCursor, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent.CountCursor.execute, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent.CountCursor.fetchone
- tests/v3/test_fault_certification.py | 572 行 | d4a73992e6f9 | _canonical, _write_json, test_controlled_restart_fault_layer_uses_apfs_wal_and_transaction_sigkill, test_fault_stimulus_plan_is_replayable_and_profile_unique, test_fault_certification_hash_fails_closed_after_tamper, test_fault_certification_rejects_live_source_and_nonempty_sandboxes, test_campaign_cli_emits_profile_bound_inner_report_and_cleans_owned_sandbox, test_fault_inner_reports_compile_as_controlled_restart_offline_pass
- tests/v3/test_fault_realism.py | 227 行 | c79babbb26ab | test_bounded_fault_matrix_with_realism_audit_emits_recovery_duplicate_and_loss_evidence, test_owned_sigkill_commit_window_sweep_emits_exact_partial_evidence, test_fault_evidence_retains_realism_blocker_and_names_unproven_claims, test_evidence_hash_fails_closed_after_tampering, test_owned_marker_timeout_path_sigkills_and_reaps_child, test_live_tree_and_source_tree_are_rejected_before_sandbox_creation, test_nonempty_or_symlink_sandbox_is_rejected, test_invalid_cycle_count_is_rejected
- tests/v3/test_function_health_entrypoint.py | 53 行 | 94c4416d54fb | test_function_health_entrypoint_imports_release_from_foreign_cwd
- tests/v3/test_function_health_operational_semantics.py | 515 行 | 1c8bde0e4615 | test_business_readiness_attention_is_business_state_not_system_failure, test_malformed_business_readiness_still_fails_closed, test_predecessor_release_health_receipt_is_archived_not_failed, test_current_release_health_failure_remains_failed, _evidence, test_evidence_v2_predecessor_failure_cannot_red_light_active_release, test_evidence_v2_business_backlog_is_not_live_failure, test_unbound_health_failure_still_fails_closed
- tests/v3/test_g8_campaign_binding.py | 253 行 | 66db6c1da578 | _g8_report, _runner, test_campaign_requires_path_hash_pair_and_rejects_tamper, test_campaign_postcheck_detects_g8_report_drift, test_ledger_refuses_old_context_without_g8_binding, test_real_runner_passes_g8_env_only_to_matched_performance, test_real_runner_passes_g8_env_only_to_matched_performance.capture, test_all_seven_matched_profiles_and_artifact_context_bind_same_g8_report
- tests/v3/test_g8_isolated_smb.py | 772 行 | 3de4fddfb1cb | _receipt, FakeSMB, FakeSMB.init, FakeSMB.mount_receipt, FakeSMB.state_snapshot, FakeSMB.run_arm, FakeSMB.cleanup_owned, FakeSMB.entries
- tests/v3/test_g8_maintenance_safety.py | 64 行 | 98d4f453c98c | _rows, _policy, test_weekend_resummary_in_callers_session_is_never_selected, test_independent_verified_v2_group_is_selected_and_reverified, test_nonleader_or_unverified_group_is_not_selected, test_restore_contract_includes_share_gateway_5014
- tests/v3/test_gateway.py | 746 行 | 83dff5d2e1af | FakeGuard, FakeGuard.init, FakeGuard.acquire, FakeGuard.release, FakeServer, FakeServer.init, FakeServer.run, FakeServer.close

- [tests/v3/test_generated_implementation_status.py](#) | 71 行 | [5baf5fd21770](#) | [test_generated_status_uses_active_v3_marker_and_manifest](#), [test_rendered_status_cannot_claim_v2_is_production](#)
- [tests/v3/test_health_certification.py](#) | 431 行 | [0c3b9fa607cc](#) | [_canonical](#), [_write_json](#), [_inner_report](#), [test_thousand_production_health_probes_are_model_free_and_read_only](#), [test_health_certification_rejects_live_source_and_nonempty_roots](#), [test_health_evidence_hash_rejects_tampering](#), [test_health_certification_emits_structured_campaign_evidence](#), [test_campaign_cli_runs_direct_certifier_with_profile_binding](#)
- [tests/v3/test_heavy_fallback_live_check_contract.py](#) | 38 行 | [59fdfbe50f83](#) | [test_load_env_uses_hash_bound_external_file](#), [test_load_env_rejects_hash_drift](#)
- [tests/v3/test_host_singleton_migration.py](#) | 198 行 | [92abfa2ce912](#) | [_release](#), [_plist](#), [test_rendered_host_singleton_contains_no_v2_reference](#), [test_staging_is_non_mutating_and_hash_bound](#), [test_omlx_normal_runtime_drops_release_specific_python_override](#), [test_omlx_unified_runtime_rebinds_python_override](#), [test_renderer_rejects_unversioned_release](#)
- [tests/v3/test_human_approval.py](#) | 498 行 | [c6312d19c6a5](#) | [_canonical](#), [_write](#), [_fixture](#), [_approve](#), [_bound_artifacts](#), [test_all_machine_gates_merkle_request_interactive_receipt_and_human_normalizer](#), [test_approval_refuses_noninteractive_or_nonallowlisted_actor](#), [test_approval_compiler_rejects_post_request_machine_evidence_drift](#)
- [tests/v3/test_ime_candidate_native.py](#) | 18 行 | [43623b29664f](#) | [test_real_candidate_window_survives_bounded_memory_pressure](#)
- [tests/v3/test_ime_candidate_probe.py](#) | 469 行 | [4ec7b8dd96f3](#) | [_FakeClock](#), [_FakeClock.init](#), [_FakeClock.monotonic](#), [_FakeClock.sleep](#), [test_textedit_readiness_waits_for_front_document_and_window](#), [test_textedit_readiness_retries_transient_apple_event_error](#), [test_textedit_readiness_retries_transient_apple_event_error.readiness_reader](#), [test_frontmost_restore_waits_for_asynchronous_appkit_activation](#)
- [tests/v3/test_isolated_live_evidence.py](#) | 164 行 | [658321bc2086](#) | [_sha](#), [_artifacts](#), [test_three_independent_runs_emit_four_authoritatively_recomputed_envelopes](#), [test_duplicate_run_and_tampered_trace_fail_closed](#)
- [tests/v3/test_isolated_live_execute.py](#) | 2193 行 | [fb7e1c840114](#) | [test_macos_v2_restore_uses_actual_production_readiness_routes](#), [_digest](#), [_write](#), [_json](#), [_probes](#), [PreparedFixture](#), [_prepared](#), [test_live_plan_schema_matches_the_executor_contract](#)
- [tests/v3/test_isolated_live_plan_builder.py](#) | 102 行 | [125fa6b5babf](#) | [_build](#), [test_builder_publishes_only_a_statically_verified_plan](#), [test_builder_fails_closed_before_publishing_on_non_go_offline_gate](#), [test_builder_rejects_unsafe_token_and_existing_output](#)
- [tests/v3/test_isolated_resource_window.py](#) | 584 行 | [846006b58175](#) | [_raw_source](#), [_pow_text](#), [passing_report](#), [rehash](#), [test_passing_fixture_has_complete_inert_production_external_contract](#), [test_resource_receipt_rejects_rehashed_nonexact_named_state_binding](#), [test_exclusive_stopped_window_can_certify_without_claiming_per_process_metal](#), [test_window_fails_closed_on_owner_budget_model_or_attribution_drift](#)
- [tests/v3/test_isolated_resource_window_collector.py](#) | 595 行 | [66493127a8b5](#) | [file_sha](#), [tree_sha](#), [Process](#), [Process.init](#), [FakeBackend](#), [FakeBackend.init](#), [FakeBackend.configure_scope](#), [FakeBackend.isolation_probe](#)
- [tests/v3/test_isolated_resource_window_plan_builder.py](#) | 387 行 | [05495a8ef624](#) | [sha](#), [fixture](#), [invoke](#), [external_kwargs](#), [test_builder_deep_verifies_and_writes_0400_plan_0600_secret_without_executing](#), [test_builder_binds_verified_external_python_runtime](#), [test_builder_accepts_sealed_candidate_without_bundled_website](#), [test_builder_rejects_sealed_candidate_that_bundles_external_website](#)
- [tests/v3/test_judicial_summary_quality_audit.py](#) | 92 行 | [9f3d7d70d228](#) | [_StartTransactionConnection](#), [_StartTransactionConnection.init](#), [_StartTransactionConnection.start_transaction](#), [_ActiveTransactionConnection](#), [_BeginConnection](#), [_BeginConnection.init](#), [_BeginConnection.begin](#), [_Cursor](#)

- [tests/v3/test_legacy_background_service.py](#) | 295 行 | [eaa2c3370a2d](#) | `test_import_does_not_start_thread_socket_or_process`, `test_default_plan_owns_required_components_and_keeps_preloads_off`, `test_preload_components_are_strictly_opt_in`, `test_periodic_loop_runs_immediately_and_stop_event_interrupts_wait`, `test_periodic_loop_runs_immediately_and_stop_event_interrupts_wait.action`, `test_service_starts_one_shot_and_gracefully_stops_managed_loop`, `test_service_starts_one_shot_and_gracefully_stops_managed_loop.one_shot`, `test_service_starts_one_shot_and_gracefully_stops_managed_loop.loop`
- [tests/v3/test_legacy_mutable_state_routing.py](#) | 131 行 | [542f7625de1c](#) | `_metadata_snapshot`, `test_v3_legacy_modules_write_only_external_runtime_state`
- [tests/v3/test_legal_research_quality.py](#) | 399 行 | [4989d6065ed9](#) | `test_external_query_privacy_gate_keeps_issue_but_removes_identifiers`, `test_private_narrative_without_legal_issue_fails_closed`, `test_unlabelled_party_name_and_internal_narrative_never_leave_for_mcp`, `test_explicit_public_judge_and_court_docket_remain_searchable`, `test_reasoning_spans_exclude_party_argument_and_map_exact_source`, `test_dual_axis_ranking_and_practice_card_are_explainable`, `test_grounded_summary_has_span_citations_and_no_freeform_hallucination`, `test_citation_lock_allows_only_verified_source_with_support_span`
- [tests/v3/test_live_validation_mode.py](#) | 87 行 | [80eab9c50049](#) | `_environment`, `_request`, `_request.start_response`, `test_validation_wsgi_exposes_only_read_only_fixed_fixture`, `test_validation_factory_fails_closed_if_any_safety_switch_drifts`
- [tests/v3/test_macos_resources.py](#) | 288 行 | [495469faa2b2](#) | `completed`, `fixture_runner`, `fixture_runner.run`, `test_parsers_preserve_units_and_derived_provenance`, `test_footprint_parser_uses_pid_bound_phys_footprint_not_rss_or_generic_summary`, `test_sampler_is_read_only_bounded_and_never_promotes_rss_to_footprint_or_metal`, `test_sampler_is_read_only_bounded_and_never_promotes_rss_to_footprint_or_metal.runner`, `test_explicit_ps_bound_pids_enable_authoritative_physical_footprint`
- [tests/v3/test_magi_acceptance_gate_runtime_binding.py](#) | 64 行 | [814093c5749f](#) | `test_doctor_environment_follows_active_release_and_shared_runtime`, `test_source_root_uses_local_runtime_state`
- [tests/v3/test_magi_doctor_v3_runtime.py](#) | 450 行 | [c481efd60570](#) | `test_menubar_ps_fallback_handles_release_path_with_spaces`, `test_menubar_ps_fallback_rejects_unrelated_command`, `test_project_python_accepts_hash_bound_v3_runtime`, `test_project_python_rejects_hash_drift`, `test_project_python_rejects_unbound_v3_runtime`, `test_v3_release_detection_requires_release_id_and_release_root`, `test_live_runtime_root_falls_back_to_active_v3_release`, `test_live_runtime_root_ignores_stale_legacy_override_for_active_release`
- [tests/v3/test_manual_skill_mutable_state_isolation.py](#) | 962 行 | [e8e69df8b56a](#) | `_snapshot`, `_copy_candidate`, `_v3_environment`, `test_release_launcher_exports_manual_skill_state_bindings`, `test_night_talk_and_council_approval_share_external_state`, `test_named_manual_skills_import_and_first_write_leave_candidate_immutable`, `test_expanded_manual_state_writers_leave_candidate_immutable`, `test_manual_state_defaults_preserve_v2_paths`
- [tests/v3/test_mcp_conformance.py](#) | 259 行 | [2eae88426ded](#) | `FakeGateway`, `FakeGateway.call_tool`, `modern_message`, `test_modern_discover_is_stateless_and_advertises_only_modern_version`, `test_modern_request_requires_per_request_version_and_capabilities`, `test_modern_trace_context_propagates_and_removed_handshake_fails`, `test_legacy_initialize_remains_compatible`, `call_asgi`
- [tests/v3/test_memory_lifecycle.py](#) | 127 行 | [3081267b5639](#) | `test_record_v2_stores_hashes_not_memory_content`, `test_exact_tombstone_stops_recall_and_never_uses_fuzzy_delete`, `test_formal_legal_records_and_legal_hold_cannot_be_deleted`, `test_correction_archives_old_record_and_links_replacement`, `test_correction_rejects_identical_content_without_archiving_original`, `test_deletion_requires_all_backends_and_receipts`, `test_deletion_requires_all_backends_and_receipts.adapter`, `test_derived_graph_and_obsidian_indexes_tombstone_without_deleting_files`

- `tests/v3/test_menubar_cron_lifecycle.py` | 139 行 | `45bf9d5185cf` | `_job`, `_details`,
`test_historical_resource_deferral_is_not_current_pending`, `test_claimed_deferred_occurrence_is_current_pending`,
`test_active_retry_is_current_pending_without_pending_occurrence`,
`test_success_is_not_reclassified_by_historical_partial_stdout`,
`test_review_required_candidate_remains_visible_without_retry`, `test_normal_queued_occurrence_is_in_pending_summary`
- `tests/v3/test_model_recovery.py` | 53 行 | `ca685c070a27` | `_write_gate`,
`test_newer_declared_night_e4b_gate_proves_recovery`, `test_wrong_model_or_stale_gate_fails_closed`,
`test_day_gate_cannot_recover_night_switch`
- `tests/v3/test_module_boundaries.py` | 51 行 | `11f8ff17a7ee` | `test_module_boundaries_are_complete_and_source_backed`,
`test_legacy_facades_remain_explicit_and_new_core_is_outside_them`
- `tests/v3/test_mutable_state_handoff.py` | 559 行 | `b9d43008a95c` | `_context`, `_payload`, `_seed_source`, `_run`,
`test_allowlist_is_exact_and_covers_audited_p0_p1_state`, `test_dry_run_writes_only_private_receipt_and_lists_optional_degradation`,
`test_prepare_atomically_copies_only_allowlist_and_is_idempotent`,
`test_debt_address_handoff_preserves_existing_entries_and_v3_writes_only_shared`
- `tests/v3/test_mutable_state_handoff_cutover.py` | 439 行 | `5cbf7df92d8b` | `_plan`, `_payload`, `_executor`,
`test_handoff_runs_after_zero_before_install_and_hashes_enter_evidence`,
`test_handoff_runs_after_zero_before_install_and_hashes_enter_evidence.handoff`,
`test_post_zero_source_drift_restores_v2_without_consuming_token`,
`test_post_zero_source_drift_restores_v2_without_consuming_token.handoff`,
`test_execute_replays_the_exact_pre_cutover_receipt_identity`
- `tests/v3/test_named_mutable_state_routing.py` | 215 行 | `712924de42a6` |
`test_payment_proof_queue_uses_existing_file_review_state_binding`, `_sealed_environment`,
`test_named_mutable_files_preserve_v2_fallbacks`, `test_sealed_named_mutable_files_bind_exact_shared_targets`,
`test_sealed_producers_write_only_shared_targets`, `test_sealed_producers_write_only_shared_targets.snapshot`,
`test_sealed_named_mutable_files_fail_closed_when_binding_missing`,
`test_sealed_named_mutable_files_reject_release_or_wrong_shared_target`
- `tests/v3/test_nas_ocr_queue_path.py` | 83 行 | `a9ec4504973c` | `test_producer_worker_and_status_share_explicit_queue_path`,
`test_sealed_v3_without_queue_binding_fails_closed`, `test_v2_without_queue_binding_keeps_legacy_home_database`,
`test_sealed_v3_queue_must_be_external_and_canonical`
- `tests/v3/test_native_case_filesystem.py` | 274 行 | `b61275d24c31` | `connection`, `_effects`, `_service`,
`test_folder_creation_and_archive_are_transactionally_reflected`,
`test_pending_closure_archives_every_case_category_without_marking_final`,
`test_folder_is_removed_and_database_rolled_back_if_later_hook_fails`,
`test_folder_is_removed_and_database_rolled_back_if_later_hook_fails.fail_after_filesystem`,
`test_archive_move_is_reversed_if_database_transaction_fails`
- `tests/v3/test_native_osc_cases.py` | 378 行 | `27224427d327` | `AllowCsrf`, `AllowCsrf.validate`, `AllowCsrf.safe_response_cookie`,
`connection`, `service`, `service.lawyer`, `client`, `test_native_create_preserves_core_v2_alias_and_response_contract`
- `tests/v3/test_native_osc_production.py` | 872 行 | `53e56d053659` |
`test_path_canonicalizer_maps_nas_strings_without_probing_filesystem`,
`test_path_canonicalizer_maps_nas_strings_without_probing_filesystem.forbidden_probe`, `ScriptedCursor`,
`ScriptedCursor.init`, `ScriptedCursor.execute`, `ScriptedCursor.fetchone`, `ScriptedCursor.fetchall`, `ScriptedCursor.close`
- `tests/v3/test_nightly_runtime_bindings.py` | 46 行 | `6a7a9cdab2d2` | `test_system_test_report_uses_mutable_static`,
`test_channel_smoke_source_loads_explicit_v3_env`
- `tests/v3/test_nim_budget_reserve.py` | 39 行 | `3003590b8bf6` | `_base_env`,
`test_background_nim_stops_before_interactive_reserve`, `test_interactive_nim_can_use_reserved_capacity`
- `tests/v3/test_nim_heavy_sealed_release.py` | 10 行 | `2b131d9fce81` |
`test_nim_heavy_imports_without_legacy_providers_package`

- [tests/v3/test_observability.py](#) | 121 行 | [73672b0ca511](#) | `_record`, `test_trace_is_deidentified_but_links_intent_model_effect_and_receipt`, `test_support_bundle_uses_ephemeral_pseudonyms_and_rejects_free_text_labels`, `test_slo_keeps_deferred_separate_and_support_bundle_redacts_errors`, `test_dr_verification_requires_real_restore_and_both_targets`, `test_recent_jobs_reader_does_not_request_wal_mutation`, `test_recent_jobs_reader_does_not_request_wal_mutation.forbid_writer`
- [tests/v3/test_office_cognition_rc261.py](#) | 72 行 | [80c5bfe6c8ea](#) | `test_human_assistant_stops_on_material_missing_fact`, `test_specific_office_requests_do_not_over_question`, `test_attachment_resolves_content_pronoun`, `test_contract_exposes_tool_and_side_effect_without_running_anything`, `test_office_domains_are_visible_for_cross_module_work`, `test_multi_domain_office_fact_query_requires_verified_tool`
- [tests/v3/test_office_deliverable_quality_rc261.py](#) | 155 行 | [5bc62b35f330](#) | `test_legal_summary_requires_identifiers_money_law_and_reasoning`, `test_translation_must_preserve_critical_anchors`, `test_translation_compares_english_and_roc_date_money_semantically`, `test_transcript_compares_spoken_chinese_date_and_article_semantically`, `test_repetition_is_not_shipped_as_human_quality_output`, `test_transcript_requested_timestamp_and_speaker_are_verified`, `test_transcript_polish_cannot_change_case_identifier`, `test_speaker_roles_are_not_invented_from_mentions`
- [tests/v3/test_offline_machine_gate_builder.py](#) | 352 行 | [d35fbc46a7a5](#) | `_sha`, `_write`, `_json`, `BuilderFixture`, `_fixture`, `FakeCodeOwnedRunner`, `FakeCodeOwnedRunner.init`, `FakeCodeOwnedRunner._value`
- [tests/v3/test_omlx_profile_schedule_sync.py](#) | 83 行 | [bc2ee6d91b55](#) | `_cron_jobs`, `test_model_switch_schedule_matches_profile_policy`, `test_model_switch_binds_raw_runtime_to_inert_bytecode_cache`, `test_day_boundary_has_immediate_switch_and_bounded_grace`, `test_night_boundary_has_immediate_switch_and_bounded_grace`, `test_menubar_uses_waiting_state_only_during_bounded_transition`, `test_menubar_marks_profile_mismatch_red_after_transition_grace`
- [tests/v3/test_operational_attestation_builder.py](#) | 78 行 | [e7bc0905f559](#) | `_ledger`, `test_builder_requires_real_records_receipts_and_restore`, `test_builder_refuses_green_for_empty_or_unreceipted_work`
- [tests/v3/test_operational_hardening_fixture_paths.py](#) | 100 行 | [5f076e4cfc53](#) | `test_audit_fixture_quotes_release_paths_with_spaces`, `test_hardening_fixture_provider_quotes_laf_scanner_path`, `test_current_critical_paths_have_no_pass_only_exception_handlers`, `_write_degraded_profile`, `test_hardening_accepts_fresh_bounded_night_e4b_fallback`, `test_hardening_rejects_stale_or_topology_mismatched_fall back`
- [tests/v3/test_ownership_stability_guard.py](#) | 181 行 | [17a1778267f8](#) | `SequenceProbe`, `SequenceProbe.init`, `SequenceProbe.assert_exclusive`, `test_periodic_guard_defers_one_listener_timeout_and_resets_on_success`, `test_periodic_guard_never_defers_confirmed_foreign_owner`, `test_periodic_guard_fails_closed_after_consecutive_timeou t_limit`, `test_periodic_guard_fails_closed_after_grace_window`, `test_transient_classifier_is_narrow`
- [tests/v3/test_pdf_namer_handoff.py](#) | 168 行 | [33dab93fc73e](#) | `_json`, `_paths`, `test_default_paths_bind_live_v2_and_the_deployed_v3_shared_state`, `test_precopy_is_allowlisted_private_and_public_evidence_has_no_case_payload_or_file_names`, `test_final_refresh_accepts_normal_post_precopy_v2_learning_update`, `test_final_refresh_rejects_destination_drift_without_touching_v2`, `test_direct_final_apply_and_repeat_are_idempotent`, `test_symlink_escape_hardlink_and_different_overwrite_are_rejected`
- [tests/v3/test_perf_certification.py](#) | 202 行 | [c94850456766](#) | `_arm`, `test_request_plan_covers_session_mariadb_folder_and_archive`, `test_matched_comparator_clears_only_complete_equivalent_plan`, `test_missing_v3_folder_or_archive_fails_closed`, `test_runtime_or_request_plan_drift_is_rejected`, `test_folder_marker_creation_timestamp_is_the_only_normalized_filesystem _field`, `test_folder_marker_creation_timestamp_is_the_only_normalized_filesystem_field.marker_row`, `test_folder_marker_normalization_rejects_invalid_date_parent_extra_or_non_gitkeep`
- [tests/v3/test_perf_compat.py](#) | 399 行 | [7c430ec4f671](#) | `test_legacy_perf_envelope_cannot_impersonate_release_bound _partial_evidence`, `_inventory_evidence`, `test_fixture_preserves_the_pinned_route_identity_and_deterministic_response`, `test_direct_and_compat_arms_prove_identical_workload_and_responses`,

test_response_drift_is_a_hard_blocker_before_comparison, test_wrong_worker_assignment_is_rejected,
test_network_guard_prevents_connections, test_actual_production_livez_blueprint_runs_without_service_or_external_dependencies

- tests/v3/test_physical_fault_drill.py | 651 行 | b5584555ca4a | _device, _raw_command, _power_measurement, _passing_report, _rehash, test_selected_device_rejects_nonphysical_or_system_targets, test_prepare_plan_requires_mounted_empty_root_and_writes_owner_only_artifacts, test_authorization_requires_allowlisted_interactive_tty
- tests/v3/test_pre_cutover.py | 1617 行 | 4acabe9866af | digest, write_json, test_pre_cutover_rejects_conditional_authorization_outside_approved_window, test_pre_cutover_rejects_conditional_authorization_outside_approved_window.Probe, test_pre_cutover_rejects_conditional_authorization_outside_approved_window.Probe.init, test_pre_cutover_rejects_conditional_authorization_outside_approved_window.Probe._check, test_pre_cutover_uses_daytime_window_with_end_exclusive, test_pre_cutover_uses_daytime_window_with_end_exclusive.Probe
- tests/v3/test_pre_cutover_readiness.py | 108 行 | 75889b8d4aa7 | _load_manifest, _surfaces, test_readiness_manifest_has_complete_required_surface_gate, test_every_status_is_machine_readable_and_backed_by_precise_evidence, test_every_required_surface_is_implemented_tested_and_ready, test_surface_readiness_remains_explicitly_separate_from_live_validation
- tests/v3/test_privacy_boundary_rc263.py | 346 行 | 39e726b389d8 | _verified_scrubber, test_taiwan_law_office_identifiers_are_removed_and_restorable, test_legal_prose_is_not_misclassified_as_a_person, test_labelled_name_without_space_is_removed, test_office_profile_fails_closed_without_verified_name_inventory, test_public_judgment_profile_does_not_need_office_name_inventory, test_certificate_never_contains_original_values_or_mapping, test_second_pass_detects_unmasked_identifier
- tests/v3/test_provisional_resource_window_execute.py | 751 行 | 7f348e2d29d6 | _write_json, _sha, _semantic, _receipt, _launch_status, _probe_receipt, FakeMachine, FakeMachine.init
- tests/v3/test_provisional_resource_window_macos.py | 92 行 | 8565b68433cc | _sha, _sealed, test_cli_verifies_provisional_gate_before_building_real_machine, test_cli_verifies_provisional_gate_before_building_real_machine.fake_verify_plan, test_cli_verifies_provisional_gate_before_building_real_machine.fake_static, test_cli_verifies_provisional_gate_before_building_real_machine.FakeMachine, test_cli_verifies_provisional_gate_before_building_real_machine.FakeMachine.init, test_cli_verifies_provisional_gate_before_building_real_machine.FakeExecutor
- tests/v3/test_python_runtime_snapshot.py | 281 行 | 201dab31230b | test_runtime_snapshot_uses_cross_platform_lock_backend, _runtime, test_complete_runtime_tree_is_hash_bound_and_verifiable, test_default_bytecode_cache_growth_does_not_drift_bound_runtime, test_excluded_bytecode_cache_cannot_hide_non_bytecode_member, test_dependency_or_mode_drift_is_rejected, test_symlinked_runtime_directory_is_rejected, test_pth_path_must_not_escape_runtime
- tests/v3/test_quality_input_builder.py | 156 行 | 794e3f5c2836 | _write, _release, _runtime_manifest, _inputs, test_builds_code_only_release_bound_quality_inputs, test_fails_closed_for_existing_output_or_wrong_count, test_runtime_tree_tampering_fails_closed, test_website_path_replacement_during_descriptor_read_fails_closed
- tests/v3/test_quality_ledger.py | 88 行 | 24df2a7d43f4 | _attestation, _signal, test_all_business_quality_kinds_are_canonical_and_deidentified, test_unknown_or_raw_data_is_rejected_and_never_persisted, test_release_attestation_is_bound_and_never_deploy_auth_arity, test_ledger_rejects_a_forged_release_attestation, test_quality_outcome_feeds_controlled_evolution_without_raw_evidence, test_auto_retry_requires_retry_and_human_review_requires_human
- tests/v3/test_rc643_v3_only_promotion.py | 99 行 | 5fcab3fb57bd | test_rc643_promotion_is_single_pass_v3_only, test_rc643_gate_has_no_legacy_v2_or_retired_probe_requirement,

- test_release_quality_suite_excludes_retired_v2_campaigns_and_keeps_v3_gates,
test_active_gate_baseline_matches_generated_route_and_schedule_inventory
- tests/v3/test_release_bundle.py | 841 行 | c973f7ea37b6 | _unlock_sealed_release_directories_after_test, _write, _git, _head, _privacy_entry, test_public_audit_distinguishes_mysql_flag_check_from_inline_secret, test_public_audit_allows_only_official_document_number_context, test_office_validation_cli_survives_v3_python_safe_path
- tests/v3/test_release_gate.py | 780 行 | ee4d493fb8a0 | test_release_gate_recomputes_dynamic_route_seatbelt_contract, test_worker_soak_metrics_follow_targeted_campaign_pass_count, test_worker_soak_metrics_fail_closed_without_hiding_unreaped_workers, test_release_gate_route_formal_environment_allowlist_fails_closed_on_drift, test_release_gate_rejects_unbound_route_seatbelt_workspace, test_release_gate_conditional_g28_requires_exact_five_fixed_sources, test_release_gate_conditional_g28_requires_exact_five_fixed_sources.verifier, test_release_gate_conditional_g28_requires_exact_five_fixed_sources.artifact
- tests/v3/test_release_python_launcher.py | 563 行 | 2fe1b12cfc8d | _unlock_synthetic_release_after_test, _sealed_release, _runtime, _cron_environment, _runtime_manifest_environment, _launcher_from_environment, test_launcher_hash_binds_external_runtime_and_redirects_mutable_paths, test_launcher_refuses_python_bytecode_cache_policy_override
- tests/v3/test_release_quality_certification.py | 769 行 | 163c05e3aeef | _canonical, _rehash_report, _quality_inputs, _bind_test_website_admin, test_v3_website_admin_is_hash_bound_and_staged_inside_workspace, test_v3_website_admin_staging_rejects_source_hash_drift, test_release_quality_transcript_tampering_fails_closed, test_truthful_pytest_skip_reaches_strict_no_skip_policy
- tests/v3/test_resource_performance_certification.py | 403 行 | 77e3e0ffd58a | _canonical, _partial_inputs, test_partial_report_tampering_never_promotes_a_missing_capability, test_owned_resource_probe_and_real_automatic_preemption_benchmark, test_owned_worker_group_physical_footprint_returns_within_budget, test_hash_bound_v2_stopped_window_upgrades_only_g8_g9_g25_capabilities, test_campaign_entrypoint_reexecs_complete_partial_producer_under_seatbelt, test_campaign_entrypoint_reexecs_complete_partial_producer_under_seatbelt.capture
- tests/v3/test_route_certification.py | 940 行 | 82561b6a7f18 | test_actual_worker_protects_login_account_live_root_when_home_is_isolated, test_actual_worker_protects_login_account_live_root_when_home_is_isolated.run, _dispositions, _binding, _runtime_binding, _trace_safety, _base_safety, test_reviewed_passing_trace_promotes_real_handler_success_not_guard
- tests/v3/test_route_certification_gateway_success.py | 208 行 | 1b6f9863b520 | test_line_root_and_alias_callbacks_dispatch_to_offline_handler, test_line_root_and_alias_callbacks_dispatch_to_offline_handler.OfflineLineHandler, test_line_root_and_alias_callbacks_dispatch_to_offline_handler.OfflineLineHandler.handle, test_line_rate_limit_returns_retry_after, test_line_rate_limit_returns_retry_after.reject, test_login_and_register_commit_only_to_in_memory_database, test_login_and_register_commit_only_to_in_memory_database.Cursor, test_login_and_register_commit_only_to_in_memory_database.Cursor.init
- tests/v3/test_route_certification_osc_crud_success.py | 456 行 | da9ef77e64eb | _app, test_osc_crud_success_paths_use_transaction_journal, test_osc_crud_success_paths_use_transaction_journal.execute, test_remaining_osc_projection_and_sandbox_text_success, test_remaining_osc_projection_and_sandbox_text_success.execute, test_remaining_osc_files_documents_and_laf_success, test_remaining_osc_files_documents_and_laf_success.execute, test_remaining_osc_files_documents_and_laf_success.create_structure
- tests/v3/test_route_certification_tools_success.py | 294 行 | 535ad936f9b4 | _OfflineAutoSkill, _OfflineAutoSkill.ok, _OfflineAutoSkill.teach, _OfflineAutoSkill.learn, _OfflineAutoSkill.learn_from_file, _OfflineAutoSkill.internalize_as_skill,

`_OfflineAutoSkill.internalize_codebase_as_skills, _OfflineAutoSkill.import_toolsai_auto_skill`

- `tests/v3/test_route_parity.py` | 94 行 | `4e2475bf2d4b` | `FakeMap`, `FakeMap.init`, `FakeMap.iter_rules`, `FakeApp`, `FakeApp.init`, `_write_inputs`, `test_exact_factory_route_surface_passes_without_requests`, `test_missing_and_extra_routes_fail_closed`
- `tests/v3/test_runtime_isolation_regressions.py` | 482 行 | `88d4cc5fa4bd` | `_unlock_read_only_candidate_directories_after_test`, `_app_with_blueprint`, `test_launcher_deploy_mutable_env_matrix_and_release_test_contract_are_explicit`, `test_golem_v3_stages_pending_secret_without_muting_active_env`, `test_golem_v2_keeps_existing_direct_env_edit_contract`, `test_osc_share_and_forms_routes_first_write_only_external_state`, `test_osc_share_and_forms_routes_first_write_only_external_state._Document`, `test_osc_share_and_forms_routes_first_write_only_external_state._Document.save`
- `tests/v3/test_safe_mlx_preflight.py` | 25 行 | `e5144bd9e322` | `test_default_preflight_does_not_import_mlx_core`
- `tests/v3/test_schedule_baseline_capture.py` | 422 行 | `4dd555d926d9` | `test_capture_baseline_redacts_state_and_keeps_only_successful_duration`, `test_capture_baseline_accumulates_unique_successes_and_computes_p95`, `test_capture_baseline_normalizes_offsets_before_deduplication`, `test_capture_baseline_rejects_conflicting_duration_for_same_instant`, `test_capture_baseline_interprets_legacy_naive_scheduler_time_as_taipei`, `test_capture_baseline_invalidates_observation_after_command_change`, `test_capture_baseline_accepts_only_runtime_sample_bound_to_current_command`
- `tests/v3/test_schedule_body_registry.py` | 1425 行 | `e1b9d1554a1f` | `_inputs`, `_bound_cron_snapshot_bytes`, `_system_diagnostic_adapter`, `test_registry_resolves_every_enabled_job_exactly_once`, `test_osc_events_fixture_expectation_rolls_forward_across_month_end`, `test_osc_events_contract_uses_bound_future_date_not_a_fixed_calendar_day`, `test_osc_events_database_fixture_covers_document_index_fast_path`, `test_system_diagnostic_terminal_accepts_only_resource_warnings_and_preserves_them`
- `tests/v3/test_schedule_capacity_certification.py` | 685 行 | `01c23d188302` | `_occurrence`, `test_coalescing_safety_allows_only_declared_durable_checkpoint_backlogs`, `test_campaign_schedule_body_cache_is_release_bound_and_reused`, `test_campaign_schedule_body_cache_is_release_bound_and_reused.fake_registry`, `test_certified_campaign_workdir_cleanup_removes_only_owned_tmpdir`, `test_certified_campaign_workdir_cleanup_rejects_unowned_directory`, `test_same_job_coalescer_distinguishes_exact_dedup_from_latest_pending`, `test_layered_capacity_accounts_for_10x_delivery_and_never_runs_same_job_twice`
- `tests/v3/test_schedule_evidence.py` | 780 行 | `152ed486dc65` | `_digest`, `_sign`, `_raw_passes`, `test_one_bound_raw_pass_recomputes_the_seven_day_g11_metrics`, `test_duplicate_or_missing_profiles_and_bodies_fail_closed`, `test_cron_or_release_source_drift_fails_closed`, `test_enabled_job_set_is_derived_from_cron_and_must_match_raw_evidence`, `test_invalid_cron_snapshot_fails_closed`
- `tests/v3/test_schedule_realism.py` | 497 行 | `f75ec3d13edb` | `test_command_identity_treats_release_root_rebase_and_quoting_as_equivalent`, `test_command_identity_treats_v3_checkout_and_legacy_root_as_equivalent`, `test_command_identity_treats_complete_mutable_checkout_pair_as_rebased`, `test_command_identity_treats_manifest_bound_candidate_rebase_as_equivalent`, `test_command_identity_treats_bound_external_runtime_shared_paths_as_equivalent`, `test_command_identity_does_not_collapse_unbound_shared_runtime_path`, `test_command_identity_detects_argument_value_drift`, `test_command_identity_does_not_rebase_unrelated_absolute_code_anchor`
- `tests/v3/test_scheduled_mutable_state_routing.py` | 417 行 | `aa70473cc9bd` | `_release_metadata`, `test_scheduled_modules_keep_v3_release_immutable`, `test_scheduled_module_defaults_preserve_v2_paths`
- `tests/v3/test_sealed_candidate_paths.py` | 361 行 | `bab5d8b09b8a` | `_bind_candidate_cron`, `test_candidate_diagnostics_use_hash_bound_cron_without_release_copy`,

test_candidate_cron_binding_rejects_hash_drift, test_sealed_candidate_without_external_cron_binding_fails_closed,
test_candidate_cron_source_must_match_release_policy, test_candidate_child_processes_select_verified_launcher_with
out_venv, test_candidate_mutable_preflight_and_laf_state_stay_outside_release,
test_candidate_mutable_preflight_and_laf_state_stay_outside_release.ExitedProcess

- tests/v3/test_service_entrypoints.py | 1033 行 | df6af4c673d5 | identity,
test_importing_production_entrypoints_has_no_runtime_side_effects,
test_default_ownership_probe_rejects_v2_launchd_process_and_foreign_ports,
test_command_root_matching_never_resolves_process_tokens,
test_command_root_matching_never_resolves_process_tokens.reject_resolve,
test_default_ownership_probe_accepts_release_managed_listener_process_group,
test_default_ownership_probe_accepts_its_own_bound_listener,
test_default_ownership_probe_accepts_verified_same_release_role_listener
- tests/v3/test_service_manifest.py | 135 行 | 988e791c2abf | test_production_service_manifest_has_exact_single_owner_top
ology, test_isolated_live_validation_manifest_has_no_production_background_children,
test_runtime_manifest_selection_is_release_hash_and_safety_bound,
test_manifest_ownership_and_process_escape_fail_closed
- tests/v3/test_skill_manifest_sandbox.py | 132 行 | 1c804578ced2 | _skill,
test_candidate_manifest_binds_action_and_defaults_to_no_authority,
test_live_skill_requires_exact_release_catalog_digest, test_manifest_rejects_undeclared_dependency_hash,
test_whole_process_seatbelt_denies_network_and_external_write
- tests/v3/test_skill_overlay_isolation.py | 496 行 | 64c37aba9c8c | _write_skill, _tree_digest,
test_overlay_precedence_and_copy_on_write_keep_release_immutable,
test_docs_only_overlay_rebases_release_a_to_b_but_preserves_user_code,
test_nerv_edit_snapshot_rollback_and_definitions_are_external,
test_full_tree_snapshot_rollback_deletes_extras_and_reloads_registry, test_runtime_mutation_paths_live_under_overlay,
test_generate_install_and_autoskill_write_only_overlay
- tests/v3/test_span_evaluation.py | 45 行 | d0b8196aa7f6 | _span, test_behavior_evaluation_proves_calls_absence_retries_r
eceipt_and_terminal, test_behavior_evaluation_reports_every_policy_failure
- tests/v3/test_static_external_staging.py | 490 行 | 93fe5a44b071 | _sha, _write, _write_json, _fixture, _source_kwargs,
_stage, test_stage_has_no_deploy_prerequisite_and_reverifies_exact_five_inputs,
test_source_snapshot_must_be_prebound_and_source_drift_is_detected
- tests/v3/test_supply_chain.py | 248 行 | 2d10450340d4 | _components, test_runtime_lock_and_sbom_are_deterministic,
test_wheelhouse_manifest_detects_drift, test_secret_scan_rejects_credentials_but_not_normal_source,
test_secret_scan_allows_explicit_offline_fixtures_but_rejects_real_looking_values,
test_secret_scan_never_allows_fixture_prefixes_in_production_source,
test_runtime_install_policy_has_only_guarded_call_sites, test_vulnerability_receipt_is_bound_and_rejects_high_findings
- tests/v3/test_telemetry.py | 52 行 | add74dcc1aed | test_w3c_trace_context_round_trip_and_child_linkage,
test_span_rejects_content_and_paths_as_attributes, test_invalid_traceparent_is_not_accepted,
test_otlp_exporter_is_loopback_only
- tests/v3/test_transcription_backend_manifest.py | 146 行 | fe568834a335 | _backend_map,
test_transcription_manifest_matches_schema_and_has_unique_backends,
test_mlx_whisper_and_whisper_cli_form_the_only_enabled_dual_pair,
test_forensic_dual_pair_requires_absolute_offline_content_bound_artifacts,
test_ownscribe_is_fail_closed_until_legal_chinese_benchmark_passes,
test_manifest_requires_a_versioned_provenance_preserving_adapter,
test_evaluation_is_source_based_and_makes_no_verified_quality_claim, test_candidate_suite_result_is_explicitly_partial
- tests/v3/test_transcription_quality_benchmark.py | 278 行 | 4184223a86be | _seal, _manifest, _backend, _report,
test_authorized_hash_only_corpus_is_ready_without_opening_media,
test_existing_one_second_generic_fixture_cannot_satisfy_corpus_gate,

test_corpus_rejects_confidential_or_uploadable_material, test_portable_evidence_rejects_raw_transcript_or_local_path

- tests/v3/test_v3_rotation_drill.py | 316 行 | 13a7bc35adeb | _release, _marker, _sentinel, _report, _write_report, test_v3_rotation_report_derives_atomic_restart_and_rollback_metrics, test_v3_rotation_report_fails_closed_on_semantic_tamper, test_v3_only_release_gate_accepts_only_the_single_rotation_report_role
- tests/v3/test_v3_rotation_execute.py | 652 行 | bdd01dd8998f | _sha, _write, _release, _deployment, FakeMachine, FakeMachine.init, FakeMachine.run, FakeMachine.observe
- tests/v3/test_validation_campaign.py | 174 行 | 7c643e09079d | test_campaign_is_armed_for_certifying_offline_only_and_single_active, test_all_offline_workloads_are_certified_and_historical_blockers_remain_auditable
- tests/v3/test_validation_manifest_integrity.py | 129 行 | 805614101a91 | _load, _strings, _declared_test_paths, test_active_test_matrix_never_references_missing_tests, test_v3_quality_manifest_never_references_missing_or_v2_tests, test_py_compile_gate_never_references_missing_source_files, test_pre_cutover_suites_never_mirror_evidence_into_live_runtime, test_user_reported_regression_manifest_is_complete_and_resolvable
- tests/v3/test_validation_router.py | 500 行 | 11c5be7531fc | _manifest, _nodes, _materialize_core_workspace, _write_cli_sources, _formal_binding, test_pure_change_routes_one_measured_node_without_promotion_downgrade, test_operational_change_routes_full_core_and_unknown_inventory_does_not_scope, test_formal_modes_require_release_binding_and_keep_all_core_sections

附錄 D. 設定、Schema、前端與腳本索引

副檔名	檔案數
.py	1394
.xsd	117
.md	94
.json	87
.pdf	80
.html	53
.png	34
.js	31
.sh	19
.xml	15
.txt	13
[none]	11
.css	9
.docx	9
.gradle	6
.plist	6
.java	3
.csv	2
.properties	2
.sql	2
.toml	2
.yaml	2
.yml	2
.bat	1
.cmd	1
.command	1
.example	1
.ipynb	1
.jar	1
.pro	1
.ps1	1
.sb	1
.svg	1
.swift	1

- `.env.example` | 782 bytes | [632e1358740d](#)

- .github/workflows/build-installers.yml | 1,321 bytes | 622b389b7e70
- .github/workflows/ci.yml | 1,190 bytes | 86ff523e4337
- .gitignore | 7,566 bytes | 8d17420006c4
- CONSTITUTION.md | 2,986 bytes | 308c8411e86f
- LICENSE | 1,133 bytes | 1b0bdc4ae6f7
- MAGI_SAAS_ROADMAP.md | 3,035 bytes | 8ae2a9d57d25
- PUBLIC_RELEASE.json | 510 bytes | c1169e1ec0b9
- README.md | 20,783 bytes | 73bfc26f5247
- README.zh-TW.md | 18,989 bytes | 35bc1cc34ef4
- SECURITY.md | 3,297 bytes | d6d4ad7ab369
- SUPPORT.md | 1,664 bytes | e388a35e984d
- api/pipelines/typo_map.json | 2,325 bytes | 1a0e5ac6668e
- bin/magi-v3-python | 22,304 bytes | 2dd2efd98b4f
- config/a2a/adapter.json | 172 bytes | 09611397e13f
- config/agent_capabilities.json | 18,097 bytes | d2d67e646a66
- config/bin/omlx_switch_model.sh | 43,792 bytes | cb059ce19f63
- config/business_recovery_contracts.json | 5,855 bytes | db049a691030
- config/exam_tutor_trend_sources.json | 7,141 bytes | d65aafa4a422
- config/git-hooks/pre-commit | 142 bytes | b3ed7365d18d
- config/laf_branch_profiles.json | 4,231 bytes | a0e0977a42c2
- config/launchagents/com.magi.memory-watchdog.plist | 1,619 bytes | 41c6d3359df9
- config/launchagents/com.magi.mlx-mtp.plist | 1,747 bytes | 34557e874739
- config/launchagents/com.magi.omlx-restore.plist | 887 bytes | bbf13eea1bd6
- config/launchagents/com.magi.paperclip-share-gateway.plist | 1,413 bytes | e7abefb05943
- config/launchagents/com.magi.paperclip-share-tunnel.plist | 2,012 bytes | c5e77109aa95
- config/launchdaemons/com.magi.nas-mountpoints.plist | 791 bytes | 95141b875300
- config/mcp/approved_servers.json | 200 bytes | d6583718a671
- config/model_registry.json | 4,860 bytes | 96b3c36a78d9
- config/observability/otel-collector.yaml | 575 bytes | 7c2ad5af4657
- config/selfhost.example.json | 2,939 bytes | 9166a73b62f0
- config/selfhost.schema.json | 4,846 bytes | 8d1ddc437f66
- config/single_source_of_truth.json | 1,400 bytes | 1ca95c2d8237
- config/skills/approved_skill_catalog.json | 112 bytes | f1eb84c39f81
- config/supply-chain/rc643-r64/python-runtime-lock.json | 72,892 bytes | 96d85ea1b9ef
- config/supply-chain/rc643-r64/sbom.cdx.json | 436,631 bytes | 39ce8c06ee60
- config/supply-chain/rc643-r64/vulnerability-receipt.json | 337 bytes | 992d55411636
- config/supply-chain/rc643-r64/wheelhouse-manifest.json | 4,532 bytes | 4404c9080227

- config/supply-chain/rc643-runtime-security-overlay.txt | 973 bytes | 0a67a969a059
- config/test_matrix.json | 19,493 bytes | f88cc72142a4
- config/v3_capability_manifest.json | 7,758 bytes | 866a4106998c
- config/v3_cutover_gates.json | 4,813 bytes | 4451c502d72e
- config/v3_launchagent_roles.json | 822 bytes | 83701ea2872c
- config/v3_live_validation_service_manifest.json | 1,170 bytes | 2cfabc03b1c4
- config/v3_module_boundaries.json | 2,189 bytes | d379e3fca0f5
- config/v3_pre_cutover_readiness.json | 7,823 bytes | 9efc7d75081d
- config/v3_regression_scenarios.json | 3,265 bytes | 06e42096c21a
- config/v3_release_quality_suites.json | 4,533 bytes | c522fb0b8c82
- config/v3_resource_policy.json | 8,825 bytes | fd7a637c08bd
- config/v3_resource_window.sb | 870 bytes | 3162bd3600b2
- config/v3_schedule_body_adapter_registry.json | 151,873 bytes | 98b2021abee8
- config/v3_schedule_dispatch_policy.json | 2,131 bytes | 83d3e9cc8a3e
- config/v3_schedule_realism_baseline.json | 146,265 bytes | 27a86f71c427
- config/v3_service_manifest.json | 2,019 bytes | eba82bbe24a2
- config/v3_supply_chain_binding.json | 1,390 bytes | 4bcef06bf566
- config/v3_transcription_backends.json | 6,976 bytes | cf4e7235021e
- config/v3_validation_campaign.json | 15,820 bytes | 8e10298230cf
- data/templates/D_supplement.docx | 24,227 bytes | 4d0f7147ecec
- install-magi.cmd | 123 bytes | 3f76952efdda
- install-magi.command | 278 bytes | 681ebe3c0556
- install-magi.ps1 | 1,161 bytes | 3b23c70704d4
- integrations/debt_robot/document/A.docx | 19,455 bytes | e9d4cdafc573
- integrations/debt_robot/document/B.docx | 20,143 bytes | a960b5986eb4
- integrations/debt_robot/document/C.docx | 14,263 bytes | 676e272005ba
- integrations/debt_robot/document/D.docx | 24,227 bytes | 29f777ae54e2
- json/datastores.json | 1,354 bytes | e1bd2a858e09
- json/holidays_config.json | 149 bytes | 3b4763e9f238
- json/models.json | 2,644 bytes | 02d9d4c376b8
- json/nodes.json | 1,337 bytes | 534ad20a6059
- json/services.json | 1,692 bytes | 77a54fb386fb
- migrations/README.md | 978 bytes | a6ce58c9fc86
- migrations/versions/003_add_tenant_scope.sql | 5,310 bytes | e67a861072ea
- mobile_app/README.md | 1,273 bytes | 0b4456987c02
- mobile_app/android/.gitignore | 1,867 bytes | bec7785deef7
- mobile_app/android/app/.gitignore | 26 bytes | 99c54e51ee60

- mobile_app/android/app/build.gradle | 2,132 bytes | 9da4bec3a141
- mobile_app/android/app/capacitor.build.gradle | 370 bytes | 7051cadfdb5
- mobile_app/android/app/proguard-rules.pro | 751 bytes | 1cf8c57e8f79
- mobile_app/android/app/src/androidTest/java/com/getcapacitor/myapp/ExampleInstrumentedTest.java | 774 bytes | ff50b4c110a7
- mobile_app/android/app/src/main/AndroidManifest.xml | 1,529 bytes | a65ff5c0812a
- mobile_app/android/app/src/main/assets/capacitor.config.json | 235 bytes | 67bb17b95f77
- mobile_app/android/app/src/main/java/tw/local/magi/mobile/MainActivity.java | 124 bytes | f4950b948e9c
- mobile_app/android/app/src/main/res/drawable-land-hdpi/splash.png | 7,705 bytes | 08cc34ad7713
- mobile_app/android/app/src/main/res/drawable-land-mdpi/splash.png | 4,040 bytes | 5cf98b4451bd
- mobile_app/android/app/src/main/res/drawable-land-xhdpi/splash.png | 9,251 bytes | 22f87e1e3bc8
- mobile_app/android/app/src/main/res/drawable-land-xxhdpi/splash.png | 13,984 bytes | 42aa26392546
- mobile_app/android/app/src/main/res/drawable-land-xxxhdpi/splash.png | 17,683 bytes | 60393ce8636f
- mobile_app/android/app/src/main/res/drawable-port-hdpi/splash.png | 7,934 bytes | c5015f4ba362
- mobile_app/android/app/src/main/res/drawable-port-mdpi/splash.png | 4,096 bytes | 07fa579e1c83
- mobile_app/android/app/src/main/res/drawable-port-xhdpi/splash.png | 9,875 bytes | b73049cb37fe
- mobile_app/android/app/src/main/res/drawable-port-xxhdpi/splash.png | 13,346 bytes | 0c7f1212f25b
- mobile_app/android/app/src/main/res/drawable-port-xxxhdpi/splash.png | 17,489 bytes | 3db071a03b2f
- mobile_app/android/app/src/main/res/drawable-v24/ic_launcher_foreground.xml | 1,880 bytes | a8514094f754
- mobile_app/android/app/src/main/res/drawable/ic_launcher_background.xml | 5,606 bytes | 718ba51adf16
- mobile_app/android/app/src/main/res/drawable/splash.png | 4,040 bytes | 5cf98b4451bd
- mobile_app/android/app/src/main/res/layout/activity_main.xml | 535 bytes | 5d770feb7913
- mobile_app/android/app/src/main/res/mipmap-anydpi-v26/ic_launcher.xml | 265 bytes | 9c3a7e0a6515
- mobile_app/android/app/src/main/res/mipmap-anydpi-v26/ic_launcher_round.xml | 265 bytes | 9c3a7e0a6515
- mobile_app/android/app/src/main/res/mipmap-hdpi/ic_launcher.png | 2,786 bytes | 72b71c3581ca
- mobile_app/android/app/src/main/res/mipmap-hdpi/ic_launcher_foreground.png | 3,450 bytes | 32baa10d2632
- mobile_app/android/app/src/main/res/mipmap-hdpi/ic_launcher_round.png | 4,341 bytes | bfcc1b0fa931
- mobile_app/android/app/src/main/res/mipmap-mdpi/ic_launcher.png | 1,869 bytes | 27ed3603010e
- mobile_app/android/app/src/main/res/mipmap-mdpi/ic_launcher_foreground.png | 2,110 bytes | 58e78a618778
- mobile_app/android/app/src/main/res/mipmap-mdpi/ic_launcher_round.png | 2,725 bytes | 0166fc333074
- mobile_app/android/app/src/main/res/mipmap-xhdpi/ic_launcher.png | 3,981 bytes | d35dbfff175b
- mobile_app/android/app/src/main/res/mipmap-xhdpi/ic_launcher_foreground.png | 5,036 bytes | 6f88083b8166
- mobile_app/android/app/src/main/res/mipmap-xhdpi/ic_launcher_round.png | 6,593 bytes | 40911a009228
- mobile_app/android/app/src/main/res/mipmap-xxhdpi/ic_launcher.png | 6,644 bytes | ed346eb1e3f0
- mobile_app/android/app/src/main/res/mipmap-xxhdpi/ic_launcher_foreground.png | 9,793 bytes | 4a82bc1e9923
- mobile_app/android/app/src/main/res/mipmap-xxhdpi/ic_launcher_round.png | 10,455 bytes | 1ee4cd9ff371
- mobile_app/android/app/src/main/res/mipmap-xxxhdpi/ic_launcher.png | 9,441 bytes | 87cb2f2ffe99

- mobile_app/android/app/src/main/res/mipmap-xxxhdpi/ic_launcher_foreground.png | 15,529 bytes | bd24fd383253
- mobile_app/android/app/src/main/res/mipmap-xxxhdpi/ic_launcher_round.png | 15,916 bytes | ab93096331e7
- mobile_app/android/app/src/main/res/values/ic_launcher_background.xml | 120 bytes | cd40baf618f
- mobile_app/android/app/src/main/res/values/strings.xml | 302 bytes | c7e398085174
- mobile_app/android/app/src/main/res/values/styles.xml | 823 bytes | 18ebba36575e
- mobile_app/android/app/src/main/res/xml/file_paths.xml | 213 bytes | a46ed43ef65c
- mobile_app/android/app/src/test/java/com/getcapacitor/myapp/ExampleUnitTest.java | 402 bytes | d4045ae8fac1
- mobile_app/android/build.gradle | 632 bytes | 2b8ea5d22103
- mobile_app/android/capacitor.settings.gradle | 207 bytes | b488e162f552
- mobile_app/android/gradle.properties | 987 bytes | 3bab15c5b8bc
- mobile_app/android/gradle/wrapper/gradle-wrapper.jar | 43,583 bytes | 2db75c40782f
- mobile_app/android/gradle/wrapper/gradle-wrapper.properties | 253 bytes | f7fafb1ddd0a
- mobile_app/android/gradlew | 8,762 bytes | a3648413b47e
- mobile_app/android/gradlew.bat | 2,872 bytes | 2209f919a225
- mobile_app/android/settings.gradle | 208 bytes | 6ce098d15ebd
- mobile_app/android/variables.gradle | 497 bytes | 6b4439bc3517
- mobile_app/capacitor.config.json | 253 bytes | 106449851dec
- mobile_app/package-lock.json | 40,194 bytes | 062d525feffb
- mobile_app/package.json | 630 bytes | c284232ec71a
- mobile_app/www/index.html | 1,018 bytes | e7a4d7098804
- pyproject.toml | 3,193 bytes | c478b9684992
- requirements-optional.txt | 1,906 bytes | 1aaf30be9817
- requirements-selfhost.txt | 263 bytes | 5f1d2f446b05
- requirements.txt | 688 bytes | 532b4da0e145
- resources/osc/photo/lawyer_stamp.png | 4,874 bytes | a0e604b5d69b
- resources/osc/photo/logo.png | 8,206 bytes | d95b616e980d
- resources/osc/photo/namecard.png | 43,555 bytes | db985fab48c5
- scripts/CRON_SETUP.md | 260 bytes | f0e28110a870
- scripts/FIX_SILENT_EXCEPT_README.txt | 2,266 bytes | c46e0860d514
- scripts/ci/shell_true_grandfather.txt | 354 bytes | 37a3807c110d
- scripts/cloudflare_tunnel.sh | 2,547 bytes | eb099ff5def1
- scripts/fix_all_services.sh | 5,800 bytes | e0d8016d5def
- scripts/fix_omlx_watchdog.sh | 3,643 bytes | ee21d4dbd34b
- scripts/magi_cli.sh | 23,497 bytes | a59b94fdc318
- scripts/omlx_patch_and_start.sh | 8,332 bytes | d0387db975a8
- scripts/omlx_watchdog.sh | 16,034 bytes | 094a27dab937
- scripts/ops/cleanup_sensitive_data.sh | 3,504 bytes | b29e31236513

- scripts/ops/install_quickpiper.sh | 822 bytes | 79574ef096a6
- scripts/ops/migrate_laf_status_20260426_schema.sql | 703 bytes | e72c6f9b8635
- scripts/ops/official_api_night_once.sh | 3,216 bytes | 5fea75640ff4
- scripts/ops/start_magid_daemon_launchd.sh | 619 bytes | 3f27ad747a2b
- scripts/run_crawler.sh | 977 bytes | aa6c1acf0210
- scripts/run_db_sync.sh | 415 bytes | 88cb3253aedc
- scripts/run_judicial_pull.sh | 986 bytes | 184737058fe6
- scripts/run_nightly_guardian.sh | 9,479 bytes | 4b7398ab1684
- scripts/run_reprocess_insights.sh | 1,316 bytes | 78433fd33899
- scripts/run_resummary.sh | 481 bytes | 75f1911acce4
- scripts/start_paperclip_share_tunnel.sh | 2,630 bytes | ea411364ee65
- scripts/v3_validation/route-method-review-supplement.json | 62,178 bytes | 83283ed28d9e
- scripts/v3_validation/route-method-review.json | 149,232 bytes | c3b86ea84785
- scripts/v3_validation/route-success-proof-review.json | 49,563 bytes | 3ea31653896d
- scripts/v3_validation/schemas/isolated-live-execution-plan.schema.json | 3,465 bytes | 4023cdefb081
- scripts/v3_validation/schemas/live-validation-plan.schema.json | 3,526 bytes | 490ca78a6153
- scripts/v3_validation/schemas/live-validation-report.schema.json | 3,858 bytes | f2088edeb29c
- scripts/v3_validation/schemas/replay-fixture.schema.json | 4,404 bytes | b196f8057423
- skills/apple/SETUP_SHORTCUTS.md | 6,799 bytes | b241f1f75cfb
- skills/auto-magi-skill/SKILL.md | 454 bytes | b573461e2ea9
- skills/autoresearch/.gitignore | 279 bytes | ab8c4b08f855
- skills/autoresearch/.python-version | 5 bytes | 7a41a41354ab
- skills/autoresearch/README.md | 8,039 bytes | 3958fd4195ac
- skills/autoresearch/SKILL.md | 1,279 bytes | 57aa2f60bcd4
- skills/autoresearch/analysis.ipynb | 8,208 bytes | 7c31705130d3
- skills/autoresearch/doc.md | 1,059 bytes | 643fa74ae75f
- skills/autoresearch/program.md | 7,039 bytes | 86cf987a5c38
- skills/autoresearch/progress.png | 252,961 bytes | a6be2ad8dece
- skills/autoresearch/pyproject.toml | 543 bytes | 675c150a9e07
- skills/bilingual-docx/references/translation_style_examples.md | 3,166 bytes | 6edcacba6487
- skills/bilingual-docx/scripts/audit.js | 8,937 bytes | a8462ab2bdc6
- skills/bilingual-docx/scripts/build_template.js | 8,688 bytes | a32759e04e91
- skills/bilingual-docx/scripts/normalize.js | 6,144 bytes | d2eee6228492
- skills/bilingual-docx/scripts/parse_reference.js | 2,454 bytes | 40ca4eaf2f36
- skills/brain_manager/SKILL.md | 3,082 bytes | e6043667c62a
- skills/brief-gen/SKILL.md | 2,657 bytes | 59b490fcdd9f
- skills/browser/WEB_AUTOMATION_GUIDE.md | 33,505 bytes | a1477f9aafaf

- skills/casper-autofix-knowledge/SKILL.md | 603 bytes | 018765049fed
- skills/casper-autofix-knowledge/knowledge_seed.json | 548 bytes | 8cd3cc08cacb
- skills/contract-review/SKILL.md | 3,017 bytes | 42cdc6f23965
- skills/contract-review/evals/evals.json | 2,454 bytes | 5d2d6ba9d2ae
- skills/contract-review/references/vendor_standard.txt | 2,589 bytes | 74713555f5b6
- skills/court-hearing-reminder/SKILL.md | 1,854 bytes | a7600b11d16a
- skills/crawler-targets/SKILL.md | 1,157 bytes | 0cf682c4b08f
- skills/db-dual-sync/SKILL.md | 854 bytes | 0b55985e7a3d
- skills/definitions.json | 162,034 bytes | 680c3ac3c2c8
- skills/doc-producer/SKILL.md | 740 bytes | e02b70882ac8
- skills/docx-editor/README.md | 5,225 bytes | 60b72eb42349
- skills/docx-editor/SKILL.md | 1,458 bytes | a052dd0defae
- skills/docx-editor/SUMMARY_phases.md | 615 bytes | d31c83d29981
- skills/docx-editor/manifest.json | 378 bytes | 9363acaf8cd3
- skills/docx/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chart.xsd | 74,984 bytes | 41b93bd8857c
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chartDrawing.xsd | 6,956 bytes | 3fd0586f2637
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-diagram.xsd | 51,302 bytes | 29b254ee0d10
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-lockedCanvas.xsd | 624 bytes | 5cb76dabd8b9
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-main.xsd | 152,039 bytes | 5375417f0f53
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-picture.xsd | 1,231 bytes | 5d389d42befb
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-spreadsheetDrawing.xsd | 8,862 bytes | b4532b6d2588
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-wordprocessingDrawing.xsd | 14,795 bytes | bdad416b096b
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/pml.xsd | 83,612 bytes | d173c3e5d61e
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-additionalCharacteristics.xsd | 1,269 bytes | 3c6709101c6a
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-bibliography.xsd | 7,328 bytes | 0b364451dc36
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-commonSimpleTypes.xsd | 6,382 bytes | e2abacbb9a55
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlDataProperties.xsd | 1,248 bytes | 0ef4bb354ff4
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlSchemaProperties.xsd | 880 bytes | 0d103b99a4a8
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesCustom.xsd | 2,608 bytes | 9c085407751b
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesExtended.xsd | 3,507 bytes | bc92e36ccd23
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesVariantTypes.xsd | 7,507 bytes | 7b5b7413e2c8
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-math.xsd | 23,313 bytes | 3213ef163160
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-relationshipReference.xsd | 1,367 bytes | 12264f3c03d7

- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/sml.xsd | 242,277 bytes | beffeed56945
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-main.xsd | 26,148 bytes | f5ee623b08b6
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-officeDrawing.xsd | 25,279 bytes | 585bedc1313b
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-presentationDrawing.xsd | 535 bytes | 133c9f64a5c5
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-spreadsheetDrawing.xsd | 5,712 bytes | 6bdeb169c371
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-wordprocessingDrawing.xsd | 4,010 bytes | 475dcae1e7d1
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/wml.xsd | 171,367 bytes | c2dd9f61f892
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/xml.xsd | 4,646 bytes | a539aa2fb154
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-contentTypes.xsd | 1,963 bytes | 9e0b7209fc69
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-coreProperties.xsd | 2,515 bytes | 451958454e85
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-digSig.xsd | 2,856 bytes | 6de111e11403
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-relationships.xsd | 1,344 bytes | f565adfe5a5
- skills/docx/scripts/office/schemas/mce/mc.xsd | 3,127 bytes | 3a37e461ecf5
- skills/docx/scripts/office/schemas/microsoft/wml-2010.xsd | 26,549 bytes | 568b26ee156c
- skills/docx/scripts/office/schemas/microsoft/wml-2012.xsd | 3,745 bytes | 0fa75578a000
- skills/docx/scripts/office/schemas/microsoft/wml-2018.xsd | 901 bytes | be0ff793a22d
- skills/docx/scripts/office/schemas/microsoft/wml-cex-2018.xsd | 1,778 bytes | fddc2b880cab
- skills/docx/scripts/office/schemas/microsoft/wml-cid-2016.xsd | 1,002 bytes | 127ca209fa73
- skills/docx/scripts/office/schemas/microsoft/wml-sdtdatahash-2020.xsd | 600 bytes | 842e7163409c
- skills/docx/scripts/office/schemas/microsoft/wml-symex-2015.xsd | 745 bytes | 16f6f8072249
- skills/docx/scripts/templates/comments.xml | 2,603 bytes | a08ba83ee879
- skills/docx/scripts/templates/commentsExtended.xml | 2,611 bytes | 544eeecfecee
- skills/docx/scripts/templates/commentsExtensible.xml | 2,707 bytes | bad10b3283e6
- skills/docx/scripts/templates/commentsIds.xml | 2,619 bytes | db20f9616e00
- skills/docx/scripts/templates/people.xml | 115 bytes | 056f63aa1197
- skills/engine/apple_translation/_sidecar/build.sh | 429 bytes | 1b35102f3c59
- skills/engine/apple_translation/_sidecar/magi_translator_sidecar | 100,424 bytes | 110f5a50a38b
- skills/engine/apple_translation/_sidecar/main.swift | 3,749 bytes | 5e72ce89021b
- skills/engine/legal_dict.txt | 557 bytes | f67c43ed905b
- skills/engine/stopwords_zh.txt | 302 bytes | e90b85ff5581
- skills/evidence-admissibility/SKILL.md | 7,626 bytes | 386d1b2d7996
- skills/evidence-admissibility/references/admissibility_rules.md | 5,440 bytes | 3744eeb8e647
- skills/evolution/iron_dome_dynamic_rules.json | 1,288 bytes | 7a4fac2e4a26
- skills/file-review-orchestrator/SKILL.md | 5,236 bytes | e963553513a5
- skills/forensic-transcript-verifier/SKILL.md | 9,067 bytes | 939051405db8
- skills/forensic-transcript-verifier/agents/openai.yaml | 348 bytes | 6db51a217b4a
- skills/forensic-transcript-verifier/references/verification-protocol.md | 7,095 bytes | 9641b31d8727

- skills/forensic-transcript-verifier/scripts/write_transcript_docx.js | 5,420 bytes | 2396e472618e
- skills/gmail-drafts/SKILL.md | 1,012 bytes | ff113fb1db73
- skills/insight-refine/SKILL.md | 514 bytes | 90ad9091c47d
- skills/insight-refine/meta.json | 193 bytes | 18e43c3bcd47
- skills/interpreter-empirical-classifier/SKILL.md | 3,239 bytes | 91b523cba6d4
- skills/iron-dome/SKILL.md | 1,005 bytes | 8f01ac550b3d
- skills/iron_dome/SKILL.md | 709 bytes | e0293f70832e
- skills/judgment-collector/SKILL.md | 10,136 bytes | 209a6221d4f7
- skills/judicial-flow-search-archive/SKILL.md | 2,239 bytes | d935c9ad8cb5
- skills/judicial-tools/SKILL.md | 3,813 bytes | c18ffacd5811
- skills/judicial-web-search/SKILL.md | 1,936 bytes | ab92d8c09e7a
- skills/labor-law-calculator/SKILL.md | 3,178 bytes | 82ad0f0fb25c
- skills/laf-orchestrator/SKILL.md | 23,706 bytes | 4d1028330905
- skills/laf-portal-automation/SKILL.md | 13,625 bytes | dc33a56a669f
- skills/laf-portal-automation/references/snapshot_training.json | 180,416 bytes | c71ab494b4b5
- skills/laf-refine-case/SKILL.md | 427 bytes | 7edeac3bc7ba
- skills/laf-withdrawal-report/SKILL.md | 757 bytes | bdf8060eb751
- skills/legal_attest/SKILL.md | 1,969 bytes | f34545df8ccc
- skills/magi-autopilot/SKILL.md | 1,857 bytes | 26b0d39d3722
- skills/magi-doctor/SKILL.md | 1,082 bytes | 7acecee324ed
- skills/magi-self-repair/SKILL.md | 823 bytes | 9db4876b06ef
- skills/market-briefing/SKILL.md | 4,975 bytes | f4979938332f
- skills/mock-test/SKILL.md | 1,420 bytes | 91bda329318b
- skills/obsidian/OBSIDIAN_FORMAT.md | 1,952 bytes | 6b4b5c445b54
- skills/obsidian/SKILL.md | 2,929 bytes | 7086486651e9
- skills/ops/_docx_table_gen.js | 16,675 bytes | 91e04d4b421b
- skills/ops/database/SKILL.md | 1,371 bytes | aa0ce976892d
- skills/ops/sunrise_protocol/SKILL.md | 971 bytes | 7ffe4f5ba195
- skills/osc-orchestrator/SKILL.md | 2,145 bytes | 6806f9959a71
- skills/osc-scan-folder/SKILL.md | 464 bytes | 1cb97eb0c844
- skills/pdf-annotator/SKILL.md | 1,615 bytes | 6a079e9cef94
- skills/pdf-bookmarker/SKILL.md | 5,408 bytes | ee7e2f67a5da
- skills/pdf-namer/SKILL.md | 3,182 bytes | a49bda01fd99
- skills/pdf-namer/few_shot_prompt.md | 3,682 bytes | 4e6efe9a3461
- skills/pdf/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/pdf/SKILL.md | 8,311 bytes | a0373416c6b2
- skills/pdf/forms.md | 11,854 bytes | 9530b3f57034

- skills/pdf/reference.md | 16,692 bytes | 03a5f964f8ab
- skills/pptx/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/pptx/editing.md | 6,885 bytes | 6cb47c3ab17e
- skills/pptx/pptxgenjs.md | 12,819 bytes | 9539534d92b7
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chart.xsd | 74,984 bytes | 41b93bd8857c
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chartDrawing.xsd | 6,956 bytes | 3fd0586f2637
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-diagram.xsd | 51,302 bytes | 29b254ee0d10
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-lockedCanvas.xsd | 624 bytes | 5cb76dabd8b9
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-main.xsd | 152,039 bytes | 5375417f0f53
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-picture.xsd | 1,231 bytes | 5d389d42befb
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-spreadsheetDrawing.xsd | 8,862 bytes | b4532b6d2588
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-wordprocessingDrawing.xsd | 14,795 bytes | bdad416b096b
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/pml.xsd | 83,612 bytes | d173c3e5d61e
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-additionalCharacteristics.xsd | 1,269 bytes | 3c6709101c6a
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-bibliography.xsd | 7,328 bytes | 0b364451dc36
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-commonSimpleTypes.xsd | 6,382 bytes | e2abacbb9a55
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlDataProperties.xsd | 1,248 bytes | 0ef4bb354ff4
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlSchemaProperties.xsd | 880 bytes | 0d103b99a4a8
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesCustom.xsd | 2,608 bytes | 9c085407751b
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesExtended.xsd | 3,507 bytes | bc92e36ccd23
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesVariantTypes.xsd | 7,507 bytes | 7b5b7413e2c8
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-math.xsd | 23,313 bytes | 3213ef163160
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-relationshipReference.xsd | 1,367 bytes | 12264f3c03d7
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/sml.xsd | 242,277 bytes | beffeed56945
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-main.xsd | 26,148 bytes | f5ee623b08b6
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-officeDrawing.xsd | 25,279 bytes | 585bedc1313b
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-presentationDrawing.xsd | 535 bytes | 133c9f64a5c5
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-spreadsheetDrawing.xsd | 5,712 bytes | 6bdeb169c371
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-wordprocessingDrawing.xsd | 4,010 bytes | 475dcae1e7d1
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/wml.xsd | 171,367 bytes | c2dd9f61f892
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/xml.xsd | 4,646 bytes | a539aa2fb154
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-contentTypes.xsd | 1,963 bytes | 9e0b7209fc69
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-coreProperties.xsd | 2,515 bytes | 451958454e85
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-digSig.xsd | 2,856 bytes | 6de111e11403

- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-relationships.xsd | 1,344 bytes | f565adef5a5
- skills/pptx/scripts/office/schemas/mce/mc.xsd | 3,127 bytes | 3a37e461ecf5
- skills/pptx/scripts/office/schemas/microsoft/wml-2010.xsd | 26,549 bytes | 568b26ee156c
- skills/pptx/scripts/office/schemas/microsoft/wml-2012.xsd | 3,745 bytes | 0fa75578a000
- skills/pptx/scripts/office/schemas/microsoft/wml-2018.xsd | 901 bytes | be0ff793a22d
- skills/pptx/scripts/office/schemas/microsoft/wml-cex-2018.xsd | 1,778 bytes | fddc2b880cab
- skills/pptx/scripts/office/schemas/microsoft/wml-cid-2016.xsd | 1,002 bytes | 127ca209fa73
- skills/pptx/scripts/office/schemas/microsoft/wml-sdtdatahash-2020.xsd | 600 bytes | 842e7163409c
- skills/pptx/scripts/office/schemas/microsoft/wml-symex-2015.xsd | 745 bytes | 16f6f8072249
- skills/process-hygiene/SKILL.md | 1,226 bytes | c23186c026cb
- skills/research-brief/SKILL.md | 4,354 bytes | 2468c5893504
- skills/research-brief/seeds/east_asia.json | 4,753 bytes | 7d1e48fc364b
- skills/research-brief/seeds/ethnicity.json | 4,979 bytes | a4232c05d15e
- skills/research-brief/seeds/human_rights.json | 3,871 bytes | 63d16dddaa93
- skills/research-brief/seeds/interpretation.json | 3,381 bytes | 72b2a46b299e
- skills/research-brief/seeds/language_policy.json | 3,971 bytes | 24f5474b3e4a
- skills/screenshot-sorter-tw/SKILL.md | 9,941 bytes | 6eb8855ba04d
- skills/statutes-vdb/SKILL.md | 1,813 bytes | cc61d04ad630
- skills/transcript-downloader/SKILL.md | 2,208 bytes | fd63394c9367
- skills/transcript-indexer/SKILL.md | 2,557 bytes | af0e08b3ab82
- skills/transcript-todo-extractor/SKILL.md | 1,690 bytes | 0e5c2f61e9e0
- skills/translator/SKILL.md | 5,028 bytes | 4a2ac462ecc3
- skills/trial-prep/SKILL.md | 1,801 bytes | 30e91d59b4b7
- skills/worldmonitor-intel/SKILL.md | 1,507 bytes | 7b7a025c8361
- skills/xlsx/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chart.xsd | 74,984 bytes | 41b93bd8857c
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chartDrawing.xsd | 6,956 bytes | 3fd0586f2637
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-diagram.xsd | 51,302 bytes | 29b254ee0d10
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-lockedCanvas.xsd | 624 bytes | 5cb76dabd8b9
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-main.xsd | 152,039 bytes | 5375417f0f53
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-picture.xsd | 1,231 bytes | 5d389d42befb
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-spreadsheetDrawing.xsd | 8,862 bytes | b4532b6d2588
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-wordprocessingDrawing.xsd | 14,795 bytes | bdad416b096b
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/pml.xsd | 83,612 bytes | d173c3e5d61e
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-additionalCharacteristics.xsd | 1,269 bytes | 3c6709101c6a
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-bibliography.xsd | 7,328 bytes | 0b364451dc36
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-commonSimpleTypes.xsd | 6,382 bytes | e2abacbb9a55

- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlDataProperties.xsd | 1,248 bytes | 0ef4bb354ff4
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlSchemaProperties.xsd | 880 bytes | 0d103b99a4a8
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesCustom.xsd | 2,608 bytes | 9c085407751b
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesExtended.xsd | 3,507 bytes | bc92e36ccd23
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesVariantTypes.xsd | 7,507 bytes | 7b5b7413e2c8
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-math.xsd | 23,313 bytes | 3213ef163160
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-relationshipReference.xsd | 1,367 bytes | 12264f3c03d7
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/sml.xsd | 242,277 bytes | beffeed56945
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-main.xsd | 26,148 bytes | f5ee623b08b6
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-officeDrawing.xsd | 25,279 bytes | 585bedc1313b
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-presentationDrawing.xsd | 535 bytes | 133c9f64a5c5
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-spreadsheetDrawing.xsd | 5,712 bytes | 6bdeb169c371
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-wordprocessingDrawing.xsd | 4,010 bytes | 475dcae1e7d1
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/wml.xsd | 171,367 bytes | c2dd9f61f892
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/xml.xsd | 4,646 bytes | a539aa2fb154
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-contentTypes.xsd | 1,963 bytes | 9e0b7209fc69
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-coreProperties.xsd | 2,515 bytes | 451958454e85
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-digSig.xsd | 2,856 bytes | 6de111e11403
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-relationships.xsd | 1,344 bytes | f565adfef5a5
- skills/xlsx/scripts/office/schemas/mce/mc.xsd | 3,127 bytes | 3a37e461ecf5
- skills/xlsx/scripts/office/schemas/microsoft/wml-2010.xsd | 26,549 bytes | 568b26ee156c
- skills/xlsx/scripts/office/schemas/microsoft/wml-2012.xsd | 3,745 bytes | 0fa75578a000
- skills/xlsx/scripts/office/schemas/microsoft/wml-2018.xsd | 901 bytes | be0ff793a22d
- skills/xlsx/scripts/office/schemas/microsoft/wml-cex-2018.xsd | 1,778 bytes | fddc2b880cab
- skills/xlsx/scripts/office/schemas/microsoft/wml-cid-2016.xsd | 1,002 bytes | 127ca209fa73
- skills/xlsx/scripts/office/schemas/microsoft/wml-sdtdatahash-2020.xsd | 600 bytes | 842e7163409c
- skills/xlsx/scripts/office/schemas/microsoft/wml-symex-2015.xsd | 745 bytes | 16f6f8072249
- static/exam_tutor/choice_bank.json | 3,123,238 bytes | 53a47488aabe
- static/exam_tutor/curated_practice_weights.json | 350,911 bytes | b93f69de1806
- static/exam_tutor/essay-source-pdfs/essay-111-business-official-rubric.pdf | 424,150 bytes | 5c55924fdeba
- static/exam_tutor/essay-source-pdfs/essay-111-business-question.pdf | 182,312 bytes | 80bfd9ae04e7
- static/exam_tutor/essay-source-pdfs/essay-111-civil_1-official-rubric.pdf | 396,160 bytes | 28fb6a3f7b2c
- static/exam_tutor/essay-source-pdfs/essay-111-civil_1-question.pdf | 144,016 bytes | 58a9f9816404
- static/exam_tutor/essay-source-pdfs/essay-111-civil_2-official-rubric.pdf | 367,814 bytes | 5557028506a2

- [static/exam_tutor/essay-source-pdfs/essay-111-civil_2-question.pdf](#) | 135,113 bytes | fc746f1be170
- [static/exam_tutor/essay-source-pdfs/essay-111-constitutional-official-rubric.pdf](#) | 521,089 bytes | 9c456bd9881b
- [static/exam_tutor/essay-source-pdfs/essay-111-constitutional-question.pdf](#) | 192,808 bytes | d7aa2ced545d
- [static/exam_tutor/essay-source-pdfs/essay-111-criminal-official-rubric.pdf](#) | 509,743 bytes | 96650e5f5363
- [static/exam_tutor/essay-source-pdfs/essay-111-criminal-question.pdf](#) | 154,118 bytes | 4ec148b4bf21
- [static/exam_tutor/essay-source-pdfs/essay-111-ip-official-rubric.pdf](#) | 413,282 bytes | 9847b0c677e5
- [static/exam_tutor/essay-source-pdfs/essay-111-ip-question.pdf](#) | 129,669 bytes | 10d93381354a
- [static/exam_tutor/essay-source-pdfs/essay-111-labor-official-rubric.pdf](#) | 382,126 bytes | 0c2e64c2e1f6
- [static/exam_tutor/essay-source-pdfs/essay-111-labor-question.pdf](#) | 162,871 bytes | fe5e5568e357
- [static/exam_tutor/essay-source-pdfs/essay-111-maritime-official-rubric.pdf](#) | 494,396 bytes | 38e482facacf
- [static/exam_tutor/essay-source-pdfs/essay-111-maritime-question.pdf](#) | 136,947 bytes | f3dbdbf7a1a6
- [static/exam_tutor/essay-source-pdfs/essay-111-tax-official-rubric.pdf](#) | 350,596 bytes | 7bf1ac373809
- [static/exam_tutor/essay-source-pdfs/essay-111-tax-question.pdf](#) | 151,487 bytes | 8ff0bd2e839d
- [static/exam_tutor/essay-source-pdfs/essay-112-business-official-rubric.pdf](#) | 269,631 bytes | b41e484b4e90
- [static/exam_tutor/essay-source-pdfs/essay-112-business-question.pdf](#) | 142,916 bytes | 89b65c903d20
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_1-official-rubric.pdf](#) | 218,401 bytes | f8b88f0c8595
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_1-question.pdf](#) | 149,884 bytes | 6f45ca0424c1
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_2-official-rubric.pdf](#) | 191,209 bytes | d9576b516cea
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_2-question.pdf](#) | 140,393 bytes | 0fb1a961eb42
- [static/exam_tutor/essay-source-pdfs/essay-112-constitutional-official-rubric.pdf](#) | 245,331 bytes | ad9cea6d8851
- [static/exam_tutor/essay-source-pdfs/essay-112-constitutional-question.pdf](#) | 187,103 bytes | 9f1093400f60
- [static/exam_tutor/essay-source-pdfs/essay-112-criminal-official-rubric.pdf](#) | 262,896 bytes | af8d00b56594
- [static/exam_tutor/essay-source-pdfs/essay-112-criminal-question.pdf](#) | 153,453 bytes | fe66ab833fb2
- [static/exam_tutor/essay-source-pdfs/essay-112-ip-official-rubric.pdf](#) | 225,984 bytes | 64661c8a9f87
- [static/exam_tutor/essay-source-pdfs/essay-112-ip-question.pdf](#) | 147,091 bytes | 4f853af3d7cd
- [static/exam_tutor/essay-source-pdfs/essay-112-labor-official-rubric.pdf](#) | 259,486 bytes | ce2d17031c17
- [static/exam_tutor/essay-source-pdfs/essay-112-labor-question.pdf](#) | 138,441 bytes | 30b961548664
- [static/exam_tutor/essay-source-pdfs/essay-112-maritime-official-rubric.pdf](#) | 186,768 bytes | a4030bcbe328
- [static/exam_tutor/essay-source-pdfs/essay-112-maritime-question.pdf](#) | 135,633 bytes | 448a682672f6
- [static/exam_tutor/essay-source-pdfs/essay-112-tax-official-rubric.pdf](#) | 136,862 bytes | 35f33c519fbf
- [static/exam_tutor/essay-source-pdfs/essay-112-tax-question.pdf](#) | 126,702 bytes | c61c2bcf97b1
- [static/exam_tutor/essay-source-pdfs/essay-113-business-official-rubric.pdf](#) | 214,005 bytes | f94876645b08
- [static/exam_tutor/essay-source-pdfs/essay-113-business-question.pdf](#) | 137,491 bytes | 74456afd3f9b
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_1-official-rubric.pdf](#) | 212,501 bytes | b7584f6d453e
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_1-question.pdf](#) | 137,517 bytes | b2abb049ad65
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_2-official-rubric.pdf](#) | 168,047 bytes | 2b20219f8ec8
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_2-question.pdf](#) | 134,575 bytes | 5b680b098d80

- static/exam_tutor/essay-source-pdfs/essay-113-constitutional-official-rubric.pdf | 295,216 bytes | 417d83bc7d5a
- static/exam_tutor/essay-source-pdfs/essay-113-constitutional-question.pdf | 274,316 bytes | 6e5b10081885
- static/exam_tutor/essay-source-pdfs/essay-113-criminal-official-rubric.pdf | 240,502 bytes | 18e19cbfcf92
- static/exam_tutor/essay-source-pdfs/essay-113-criminal-question.pdf | 149,296 bytes | 9233b216a23d
- static/exam_tutor/essay-source-pdfs/essay-113-ip-official-rubric.pdf | 238,329 bytes | 0af4b2175327
- static/exam_tutor/essay-source-pdfs/essay-113-ip-question.pdf | 150,067 bytes | d8c8bcc0ddd9
- static/exam_tutor/essay-source-pdfs/essay-113-labor-official-rubric.pdf | 259,231 bytes | c9fee79a8f7c
- static/exam_tutor/essay-source-pdfs/essay-113-labor-question.pdf | 152,570 bytes | dd8b4875989c
- static/exam_tutor/essay-source-pdfs/essay-113-maritime-official-rubric.pdf | 302,559 bytes | 0a7b69a504d2
- static/exam_tutor/essay-source-pdfs/essay-113-maritime-question.pdf | 165,800 bytes | 3920737e3398
- static/exam_tutor/essay-source-pdfs/essay-113-tax-official-rubric.pdf | 147,463 bytes | 37bf97de67a6
- static/exam_tutor/essay-source-pdfs/essay-113-tax-question.pdf | 129,126 bytes | 51cba79d99b7
- static/exam_tutor/essay-source-pdfs/essay-114-business-official-rubric.pdf | 232,463 bytes | f4e25030fc61
- static/exam_tutor/essay-source-pdfs/essay-114-business-question.pdf | 126,742 bytes | b42c6f813bb4
- static/exam_tutor/essay-source-pdfs/essay-114-civil_1-official-rubric.pdf | 216,133 bytes | 367ebd677b0a
- static/exam_tutor/essay-source-pdfs/essay-114-civil_1-question.pdf | 131,382 bytes | 55c6ad1b063d
- static/exam_tutor/essay-source-pdfs/essay-114-civil_2-official-rubric.pdf | 169,606 bytes | 19c59c5f9f8c
- static/exam_tutor/essay-source-pdfs/essay-114-civil_2-question.pdf | 122,789 bytes | c842f33a2b1c
- static/exam_tutor/essay-source-pdfs/essay-114-constitutional-official-rubric.pdf | 326,666 bytes | 639411eda0e7
- static/exam_tutor/essay-source-pdfs/essay-114-constitutional-question.pdf | 147,791 bytes | 4a1546c04d66
- static/exam_tutor/essay-source-pdfs/essay-114-criminal-official-rubric.pdf | 296,145 bytes | cc284a3fd255
- static/exam_tutor/essay-source-pdfs/essay-114-criminal-question.pdf | 147,324 bytes | 5a15cb9ade33
- static/exam_tutor/essay-source-pdfs/essay-114-ip-official-rubric.pdf | 273,282 bytes | 35eaebebee84
- static/exam_tutor/essay-source-pdfs/essay-114-ip-question.pdf | 175,906 bytes | 66fa08a3dec
- static/exam_tutor/essay-source-pdfs/essay-114-labor-official-rubric.pdf | 212,461 bytes | 553bd5f1fdcb
- static/exam_tutor/essay-source-pdfs/essay-114-labor-question.pdf | 184,690 bytes | e4a0ee585a9f
- static/exam_tutor/essay-source-pdfs/essay-114-maritime-official-rubric.pdf | 241,072 bytes | 5cc85fcf496e
- static/exam_tutor/essay-source-pdfs/essay-114-maritime-question.pdf | 170,452 bytes | c088e3bb2f10
- static/exam_tutor/essay-source-pdfs/essay-114-tax-official-rubric.pdf | 178,652 bytes | 866c21c4897b
- static/exam_tutor/essay-source-pdfs/essay-114-tax-question.pdf | 149,535 bytes | eb3a9e83d1f6
- static/exam_tutor/extended_source_catalog.json | 4,383,272 bytes | 4ab98287fec6
- static/exam_tutor/source-pdfs/115110_0101_answer.pdf | 41,709 bytes | 9ccfba639ce2
- static/exam_tutor/source-pdfs/115110_0101_question.pdf | 525,636 bytes | 9e3bf63b0266
- static/exam_tutor/source-pdfs/115110_0201_answer.pdf | 40,997 bytes | b7d1a537424a
- static/exam_tutor/source-pdfs/115110_0201_question.pdf | 459,855 bytes | 371145d65bd6
- static/exam_tutor/source-pdfs/115110_0202_answer.pdf | 43,009 bytes | 4515b188b311
- static/exam_tutor/source-pdfs/115110_0202_question.pdf | 485,349 bytes | 18c1b2da978d

- static/exam_tutor/source-pdfs/115110_0301_answer.pdf | 41,161 bytes | 7d80229d5cb5
- static/exam_tutor/source-pdfs/115110_0301_question.pdf | 581,466 bytes | 77546ef8219c
- static/exam_tutor/trend_analysis.json | 19,683 bytes | 1e88b761926e
- static/golem/assets/alex.png | 4,570,811 bytes | f8126e6094c7
- static/golem/assets/office_bg.png | 74,730 bytes | 4f89f1cf0302
- static/golem/assets/pixel_bg_tech.png | 8,985,774 bytes | 5811e196810f
- static/golem/assets/server_rack.png | 6,010,033 bytes | 7be5c6e2b573
- static/golem/golem-console.css | 24,025 bytes | a0cffd48fd31
- static/golem/golem-console.js | 31,894 bytes | ee02f6b7149d
- static/iron_dome_patterns.json | 1,628 bytes | b02cd5115635
- static/magi-csrf.js | 1,991 bytes | 488c9c5e1060
- static/magi-site.css | 28,207 bytes | 144eebc69a9b
- static/magi-theme.css | 16,592 bytes | 371c4a9aae3b
- static/magi-theme.js | 3,185 bytes | 76ce02a2ded2
- static/mobile/magi-mobile.svg | 602 bytes | 68533fb85316
- static/mobile/mobile.css | 13,723 bytes | 0cec60e67c51
- static/mobile/mobile.js | 9,999 bytes | 74f085266767
- static/mobile/sw.js | 2,239 bytes | d53693ac2df2
- static/osc/file-manager.css | 40,861 bytes | 88442bf6df60
- static/osc/osc-components.css | 56,509 bytes | 52e843d1163c
- static/osc/osc-events.js | 63,626 bytes | 9e92886efb29
- static/osc/osc-grouping.js | 3,490 bytes | 3fd3b476b1bd
- static/osc/osc-mobile.js | 1,325 bytes | 992743113fec
- static/osc/osc-polish.css | 10,884 bytes | ff32058d3673
- static/osc/osc-responsive.css | 12,749 bytes | e63b20a20ba9
- static/osc/osc-state.js | 2,207 bytes | 0153b552b259
- static/osc/osc-theme.css | 13,106 bytes | 4855d7cf4dd3
- static/osc/osc-ui.js | 28,664 bytes | 9fc4f463ab7b
- static/osc/osc-utils.js | 30,705 bytes | 96ffb51b9d53
- static/osc/tabs/accounting.js | 39,441 bytes | db0159009ffc
- static/osc/tabs/admin.js | 33,246 bytes | 7c97f61336b4
- static/osc/tabs/calendar.js | 13,045 bytes | 622031431cdd
- static/osc/tabs/cases.js | 118,893 bytes | c7dcbd448723
- static/osc/tabs/checklists.js | 11,067 bytes | 2916cdabf6d0
- static/osc/tabs/dashboard.js | 6,012 bytes | 002a1ae02105
- static/osc/tabs/documents.js | 92,983 bytes | facee072b0e4
- static/osc/tabs/drafts.js | 39,525 bytes | b7a3ca031d0a

- static/osc/tabs/file_manager.js | 104,446 bytes | 75b65176ad39
- static/osc/tabs/hearing_conflict.js | 11,051 bytes | 0c3223b66b8d
- static/osc/tabs/insights.js | 7,991 bytes | cd127bc97acd
- static/osc/tabs/raziel.js | 13,311 bytes | 338e62c4bb43
- static/osc/tabs/saas.js | 26,961 bytes | df9c894c89f8
- static/osc/tabs/todos.js | 10,986 bytes | ba3ab0702caf
- templates/cookie_cutter.html | 13,917 bytes | 07d59cf2367f
- templates/dashboard.html | 113,753 bytes | d81c1bf6b6e5
- templates/dashboard_beginner.html | 14,431 bytes | c75a9f39d9f1
- templates/dashboard_nerv.html | 124,789 bytes | b670a6877859
- templates/dashboard_website.html | 4,174 bytes | 984ef8ad6b5a
- templates/debt_templates/A.docx | 26,687 bytes | ab5bb690a50d
- templates/debt_templates/B.docx | 23,659 bytes | d018e780da9e
- templates/debt_templates/C.docx | 18,650 bytes | 0753260b27f5
- templates/debt_templates/D.docx | 29,112 bytes | 36f159c54dab
- [templates/debt_templates/all adress - bank.csv]([https://github.com/WhaleChao/MAGI-public/blob/29222c40cd5f898f27670c13feb4c134c751bdb3/templates/debt_templates/all adress - bank.csv](https://github.com/WhaleChao/MAGI-public/blob/29222c40cd5f898f27670c13feb4c134c751bdb3/templates/debt_templates/all%20adress%20-%20bank.csv)) | 1,037 bytes | a28129032654
- [templates/debt_templates/all adress - company.csv]([https://github.com/WhaleChao/MAGI-public/blob/29222c40cd5f898f27670c13feb4c134c751bdb3/templates/debt_templates/all adress - company.csv](https://github.com/WhaleChao/MAGI-public/blob/29222c40cd5f898f27670c13feb4c134c751bdb3/templates/debt_templates/all%20adress%20-%20company.csv)) | 1,107 bytes | 2bb78d4308c1
- templates/exam_tutor.html | 161,738 bytes | 468fcbfc03e7
- templates/golem_console.html | 12,441 bytes | c4cf3fc8e0c5
- templates/intel.html | 12,784 bytes | 30dfc139177a
- templates/login.html | 5,596 bytes | 376b7a773e4d
- templates/lottery.html | 11,497 bytes | f852b3bb58d8
- templates/mobile_admin.html | 3,059 bytes | 26557fe3cba1
- templates/mobile_home.html | 8,049 bytes | 6fbacad394e4
- templates/osc.html | 12,112 bytes | 749ccf82cd26
- templates/osc_debt.html | 81,928 bytes | 2a34af60d625
- templates/partials/osc/accounting.html | 22,518 bytes | 71ac2ecad99a
- templates/partials/osc/admin.html | 31,984 bytes | 055dc803ed48
- templates/partials/osc/archiveWizard.html | 2,152 bytes | 621cf5961881
- templates/partials/osc/calendar.html | 7,436 bytes | 9566e688ee74
- templates/partials/osc/cases.html | 17,922 bytes | ebf576be3a4a
- templates/partials/osc/clients.html | 5,212 bytes | db92bac23751
- templates/partials/osc/dashboard.html | 4,907 bytes | fe1018f2a571
- templates/partials/osc/documentReuse.html | 6,725 bytes | 151a51309d9c
- templates/partials/osc/documents.html | 15,422 bytes | e6db719ac074

- templates/partials/osc/drafts.html | 16,440 bytes | ecaa66525f82
- templates/partials/osc/fileManager.html | 10,022 bytes | 0e14b0a327cb
- templates/partials/osc/forms.html | 10,075 bytes | fdb2ae905aca
- templates/partials/osc/hearingConflict.html | 6,016 bytes | 12ca0004966f
- templates/partials/osc/insights.html | 4,727 bytes | 5bcc56f163d1
- templates/partials/osc/laf.html | 5,899 bytes | ddeca28c3bf3
- templates/partials/osc/lafWizard.html | 4,257 bytes | d45a770681d6
- templates/partials/osc/meetings.html | 5,437 bytes | 03a34a850a3b
- templates/partials/osc/pdfTools.html | 4,707 bytes | aa163ec9463c
- templates/partials/osc/quotations.html | 14,244 bytes | 1a5b938302a3
- templates/partials/osc/raziel.html | 6,731 bytes | ede73f7fc356
- templates/partials/osc/saasWorkbench.html | 19,335 bytes | 293b57ac24c1
- templates/partials/osc/templateFolder.html | 2,483 bytes | ebe449514788
- templates/partials/osc/todos.html | 5,512 bytes | 93a98a4a8569
- templates/process_monitor.html | 9,169 bytes | b5892720691b
- templates/public_tools.html | 5,977 bytes | df60cb208e05
- templates/register.html | 4,266 bytes | 2a455eadd4ef
- templates/research.html | 7,062 bytes | bceb7651afe0
- templates/research_judgment_classifier.html | 3,888 bytes | aff04105aeee
- templates/rss_preview.html | 3,534 bytes | b5fd2a17e7fc
- templates/sentencing_trends.html | 17,105 bytes | 8eb77b5058f1
- templates/video_studio.html | 13,830 bytes | bfccc2e816e4
- templates/wizard/base.html | 11,373 bytes | 7a4d15034774
- templates/wizard/complete.html | 3,118 bytes | 1427d9ff065c
- templates/wizard/config.html | 9,222 bytes | 5482b85da42c
- templates/wizard/hardware.html | 7,780 bytes | 04f0c69049d5
- templates/wizard/models.html | 6,132 bytes | 49cd44c92216
- templates/wizard/review.html | 4,043 bytes | 6c87f7c8c24e
- templates/wizard/welcome.html | 3,938 bytes | 377193cbd212
- tests/README.md | 1,192 bytes | b7bb9e3a9b9f
- tests/v3/compat/behavior_fixtures/osc-file-content.json | 1,272 bytes | fa25c5127abf
- tests/v3/compat/fixtures/external-sse.json | 1,110 bytes | dc5034d478ca
- tests/v3/compat/fixtures/reply-duplicate-headers.json | 1,452 bytes | c9140bdb7500
- tests/v3/compat/fixtures/reply-success.json | 1,242 bytes | 387bb1b73d3d
- tests/v3/compat/fixtures/shortcut-error.json | 1,449 bytes | 8df952905d65
- tests/v3/compat/live/isolated-plan.json | 1,366 bytes | 268b6436217b
- tests/v3/compat/live/isolated-report.json | 1,496 bytes | 901031d82e09

- tests/v3/evals/business_outcome_regression_corpus.json | 69 bytes | abdc3a3746d8
- third_party/video_autopilot_kit/LICENSE | 1,071 bytes | 7f29ea8ecc94
- third_party/video_autopilot_kit/MAGI_INTEGRATION.json | 768 bytes | 45bc364045b0

附錄 E. API 路由索引

靜態掃描取得 361 條 decorator routes；動態 add_url_rule 或 runtime-generated route 請另以 function_health_index.discover_api_routes() 的 LIVE report 為準。

Methods	Route	Handler	Source
GET,POST	/	index	api/server.py:821
POST	/alert	api_alert	api/tools_api.py:3661
GET	/api/admin/observability/support-bundle	api_admin_observability_support_bundle	api/blueprints/admin_runtime.py:1815
GET	/api/audit_log	api_list_audit_log	api/tools_api.py:3750
POST	/api/audit_log/restore/int:log_id	api_restore_from_audit	api/tools_api.py:3804
GET	/api/codex-distributed/status	api_codex_distributed_status	api/blueprints/admin_runtime.py:2308
POST	/api/codex-distributed/toggle	api_codex_distributed_toggle	api/blueprints/admin_runtime.py:2321
GET	/api/drive-case-exclusions	api_drive_case_exclusions_list	api/blueprints/admin_runtime.py:3074
POST	/api/drive-case-exclusions	api_drive_case_exclusions_add	api/blueprints/admin_runtime.py:3085
DELETE	/api/drive-case-exclusions	api_drive_case_exclusions_remove	api/blueprints/admin_runtime.py:3108
GET,POST	/api/golem/api-keys	golem_api_keys_api	api/blueprints/golem_console.py:282
POST	/api/golem/command	golem_command_api	api/blueprints/golem_console.py:362
GET	/api/golem/logs	golem_logs_api	api/blueprints/golem_console.py:346
GET	/api/golem/skills	golem_skills_api	api/blueprints/golem_console.py:337
GET	/api/golem/status	golem_status_api	api/blueprints/golem_console.py:255
POST	/api/intel/refresh	intel_refresh	api/blueprints/dashboard_pages.py:569
POST	/api/iron_dome/broadcast	iron_dome_broadcast	skills/ops/iron_dome_sync.py:350
GET	/api/iron_dome/hash	iron_dome_hash	skills/ops/iron_dome_sync.py:330
POST	/api/iron_dome/notify	iron_dome_notify	skills/ops/iron_dome_sync.py:338
GET	/api/iron_dome/patterns	iron_dome_patterns	skills/ops/iron_dome_sync.py:334
GET	/api/iron_dome/status	iron_dome_status	skills/ops/iron_dome_sync.py:346
GET	/api/live-log	api_live_log	api/blueprints/admin_runtime.py:3010
GET	/api/live-validation	api_live_validation	api/blueprints/admin_runtime.py:3026
POST	/api/memory/obsidian-sync	api_memory_obsidian_sync	api/blueprints/web_runtime.py:960
POST	/api/memory/recall	api_memory_recall	api/blueprints/web_runtime.py:920
POST	/api/memory/remember	api_memory_remember	api/blueprints/web_runtime.py:941

Methods	Route	Handler	Source
GET	/api/memory/stats	api_memory_stats	api/blueprints/web_runtime.py:841
GET,POST	/api/nerv/heavy-runtime	api_nerv_heavy_runtime	api/blueprints/admin_runtime.py:2165
GET,POST	/api/nerv/product-runtime	api_nerv_product_runtime	api/blueprints/admin_runtime.py:2125
GET	/api/nerv/remote-access	api_nerv_remote_access	api/blueprints/admin_runtime.py:1804
POST	/api/nerv/remote-access/action	api_nerv_remote_access_action	api/blueprints/admin_runtime.py:1874
GET	/api/nerv/skill-interview	api_nerv_skill_interview_status	api/blueprints/admin_runtime.py:1961
POST	/api/nerv/skill-interview/reply	api_nerv_skill_interview_reply	api/blueprints/admin_runtime.py:2002
POST	/api/nerv/skill-interview/start	api_nerv_skill_interview_start	api/blueprints/admin_runtime.py:1979
GET	/api/nerv/skills	api_nerv_skills	api/blueprints/admin_runtime.py:2114
GET,POST	/api/nerv/skills/<skill_name>	api_nerv_skill_detail	api/blueprints/admin_runtime.py:2215
POST	/api/ops/process-guardian/toggle	process_guardian_toggle_api	api/blueprints/web_runtime.py:991
GET	/api/ops/process-monitor	process_monitor_api	api/blueprints/web_runtime.py:975
GET,POST	/api/osc/accounting/defaults	osc_accounting_defaults_api	api/blueprints/osc_accounting.py:401
GET,PUT,DELETE	/api/osc/accounting/defaults/int:row_id	osc_accounting_default_detail_api	api/blueprints/osc_accounting.py:438
GET,POST	/api/osc/accounting/import/google-sheet	osc_accounting_google_sheet_import_api	api/blueprints/osc_accounting.py:302
GET,POST	/api/osc/accounting/monthly-bonus	osc_accounting_monthly_bonus_api	api/blueprints/osc_accounting.py:338
GET	/api/osc/accounting/monthly-bonus/xlsx	osc_accounting_monthly_bonus_xlsx_api	api/blueprints/osc_accounting.py:375
GET,POST	/api/osc/accounting/recurring	osc_accounting_recurring_api	api/blueprints/osc_accounting.py:476
GET,PUT,DELETE	/api/osc/accounting/recurring/int:row_id	osc_accounting_recurring_detail_api	api/blueprints/osc_accounting.py:535
POST	/api/osc/accounting/recurring/int:row_id/sync-generated	osc_accounting_recurring_sync_generated_api	api/blueprints/osc_accounting.py:574
GET	/api/osc/accounting/summary	osc_accounting_summary_api	api/blueprints/osc_accounting.py:286
GET,POST	/api/osc/accounting/transactions	osc_accounting_transactions_api	api/blueprints/osc_accounting.py:93
GET,PUT,DELETE	/api/osc/accounting/transactions/int:row_id	osc_accounting_transaction_detail_api	api/blueprints/osc_accounting.py:240
GET	/api/osc/accounting/transactions/xlsx	osc_accounting_transactions_xlsx_api	api/blueprints/osc_accounting.py:136
GET,POST	/api/osc/activity-logs	osc_activity_logs_api	api/blueprints/osc_cases.py:4751
GET,DELETE	/api/osc/activity-logs/int:row_id	osc_activity_log_detail_api	api/blueprints/osc_cases.py:4793
GET	/api/osc/archive-jobs/<job_id>	osc_archive_job_status_api	api/blueprints/osc_cases.py:3450

Methods	Route	Handler	Source
POST	/api/osc/archive-wizard/execute	osc_archive_wizard_execute_api	api/blueprints/osc_cases.py:9743
GET	/api/osc/archive-wizard/preview	osc_archive_wizard_preview_api	api/blueprints/osc_cases.py:9732
GET	/api/osc/backups	osc_backup_list	api/blueprints/osc_cases.py:10645
POST	/api/osc/backups	osc_backup_create	api/blueprints/osc_cases.py:10655
DELETE	/api/osc/backups/	osc_backup_delete	api/blueprints/osc_cases.py:10773
POST	/api/osc/backups//restore	osc_backup_restore	api/blueprints/osc_cases.py:10669
GET,POST	/api/osc/calendar/events	osc_calendar_events_api	api/blueprints/osc_cases.py:7720
GET,PUT,DELETE	/api/osc/calendar/events/int:row_id	osc_calendar_event_detail_api	api/blueprints/osc_cases.py:7845
GET	/api/osc/case-intelligence	osc_case_intelligence_api	api/blueprints/osc_cases.py:4354
GET,POST	/api/osc/case-reason-templates	osc_case_reason_templates_api	api/blueprints/osc_cases.py:4665
GET,PUT,DELETE	/api/osc/case-reason-templates/int:row_id	osc_case_reason_template_detail_api	api/blueprints/osc_cases.py:4716
GET,POST	/api/osc/cases	osc_cases_api	api/blueprints/osc_cases.py:1549
GET,PUT,DELETE	/api/osc/cases/<row_id>	osc_case_detail_api	api/blueprints/osc_cases.py:1851
GET	/api/osc/cases/<row_id>/address-label	osc_case_address_label	api/blueprints/osc_cases.py:11238
POST	/api/osc/cases/<row_id>/close	osc_case_close_api	api/blueprints/osc_cases.py:1964
POST	/api/osc/cases/<row_id>/create-folder	osc_case_create_folder_api	api/blueprints/osc_cases.py:3600
GET	/api/osc/cases/<row_id>/file-search	osc_case_file_search_api	api/blueprints/osc_cases.py:3837
GET	/api/osc/cases/<row_id>/folder-browser	osc_case_folder_browser_api	api/blueprints/osc_cases.py:3772
GET	/api/osc/cases/<row_id>/folder-path	osc_case_folder_path_api	api/blueprints/osc_cases.py:3545
GET	/api/osc/cases/<row_id>/intelligence-snapshot	osc_case_intelligence_for_case_api	api/blueprints/osc_cases.py:4370
POST	/api/osc/cases/<row_id>/laf-number/sync	osc_case_laf_number_sync	api/blueprints/osc_cases.py:10268
POST	/api/osc/cases/<row_id>/laf-status	osc_laf_case_status_api	api/blueprints/osc_cases.py:7143
POST	/api/osc/cases/<row_id>/open-folder	osc_case_open_folder_api	api/blueprints/osc_cases.py:3478
POST	/api/osc/cases/<row_id>/quick-action	osc_case_quick_action_api	api/blueprints/osc_cases.py:3948
POST	/api/osc/cases/<row_id>/rename-folder	osc_case_rename_folder_api	api/blueprints/osc_cases.py:3693
GET	/api/osc/cases/<row_id>/workbench	osc_case_workbench_api	api/blueprints/osc_cases.py:4173
GET	/api/osc/cases/export-csv	osc_cases_export_csv_api	api/blueprints/osc_cases.py:9463
GET	/api/osc/cases/export-xlsx	osc_cases_export_xlsx_api	api/blueprints/osc_cases.py:9484
POST	/api/osc/cases/import-csv	osc_cases_import_csv_api	api/blueprints/osc_cases.py:9364
POST	/api/osc/chat	osc_chat_api	api/blueprints/web_runtime.py:1004
POST	/api/osc/chat/upload	osc_chat_upload_api	api/blueprints/web_runtime.py:1103
GET	/api/osc/checklists/case	osc_case_checklist_get	api/blueprints/osc_cases.py:10405

Methods	Route	Handler	Source
POST	/api/osc/checklists/case	osc_case_checklist_post	api/blueprints/osc_cases.py:10429
PUT	/api/osc/checklists/case/int:row_id	osc_case_checklist_put	api/blueprints/osc_cases.py:10453
DELETE	/api/osc/checklists/case/int:row_id	osc_case_checklist_delete	api/blueprints/osc_cases.py:10472
GET	/api/osc/checklists/debt-required	osc_laf_debt_required_get	api/blueprints/osc_cases.py:10197
POST	/api/osc/checklists/debt-required/save	osc_laf_debt_required_save	api/blueprints/osc_cases.py:10219
GET	/api/osc/checklists/legal-aid	osc_laf_checklist_get	api/blueprints/osc_cases.py:10295
POST	/api/osc/checklists/legal-aid	osc_laf_checklist_post	api/blueprints/osc_cases.py:10322
PUT	/api/osc/checklists/legal-aid/int:row_id	osc_laf_checklist_put	api/blueprints/osc_cases.py:10349
DELETE	/api/osc/checklists/legal-aid/int:row_id	osc_laf_checklist_delete	api/blueprints/osc_cases.py:10369
POST	/api/osc/checklists/legal-aid/seed	osc_laf_checklist_seed	api/blueprints/osc_cases.py:10376
GET,POST	/api/osc/clients	osc_clients_api	api/blueprints/osc_cases.py:7906
GET,PUT,DELETE	/api/osc/clients/<row_id>	osc_client_detail_api	api/blueprints/osc_cases.py:7963
GET	/api/osc/clients/<row_id>/workbench	osc_client_workbench_api	api/blueprints/osc_cases.py:4044
GET	/api/osc/clients/export-csv	osc_clients_export_csv_api	api/blueprints/osc_cases.py:9616
POST	/api/osc/clients/import-csv	osc_clients_import_csv_api	api/blueprints/osc_cases.py:9529
GET,POST	/api/osc/courts	osc_courts_api	api/blueprints/osc_settings.py:92
GET,PUT,DELETE	/api/osc/courts/int:row_id	osc_court_detail_api	api/blueprints/osc_settings.py:131
GET	/api/osc/dashboard	osc_dashboard_api	api/blueprints/osc_cases.py:4390
GET,POST	/api/osc/debt/address-data	debt_address_data	api/blueprints/osc_debt.py:602
POST	/api/osc/debt/auto-import	debt_auto_import	api/blueprints/osc_debt.py:797
POST	/api/osc/debt/batch-generate	debt_batch_generate	api/blueprints/osc_debt.py:724
GET	/api/osc/debt/cases	debt_cases_list	api/blueprints/osc_debt.py:571
GET	/api/osc/debt/courts	debt_courts_list	api/blueprints/osc_debt.py:458
GET	/api/osc/debt/expense-reference	debt_expense_reference	api/blueprints/osc_debt.py:464
GET	/api/osc/debt/forms	debt_forms_list	api/blueprints/osc_debt.py:443
POST	/api/osc/debt/generate	debt_generate_document	api/blueprints/osc_debt.py:633
GET	/api/osc/debt/import-candidates	debt_import_candidates	api/blueprints/osc_debt.py:486
POST	/api/osc/debt/merge-pdf	debt_merge_pdf	api/blueprints/osc_debt.py:936
GET	/api/osc/debt/scan-evidence/<case_id>	debt_scan_evidence	api/blueprints/osc_debt.py:497
GET	/api/osc/debt/schema/<form_type>	debt_form_schema	api/blueprints/osc_debt.py:449
GET	/api/osc/debt/source-status	debt_source_status	api/blueprints/osc_debt.py:477
POST	/api/osc/debt/supplement-checklist	debt_supplement_checklist	api/blueprints/osc_debt.py:703
POST	/api/osc/debt/validate	debt_validate	api/blueprints/osc_debt.py:892
POST	/api/osc/discord/test	osc_discord_test_api	api/blueprints/osc_settings.py:228
GET,POST	/api/osc/document-keywords	osc_document_keywords_api	api/blueprints/osc_cases.py:6818

Methods	Route	Handler	Source
GET,PUT,DELETE	/api/osc/document-keywords/int:row_id	osc_document_keyword_detail_api	api/blueprints/osc_cases.py:6879
GET,POST	/api/osc/document-replacements	osc_document_replacements_api	api/blueprints/osc_cases.py:6917
GET,DELETE	/api/osc/document-replacements/int:row_id	osc_document_replacement_detail_api	api/blueprints/osc_cases.py:6960
GET,POST	/api/osc/document-templates	osc_document_templates_api	api/blueprints/osc_cases.py:6729
GET,PUT,DELETE	/api/osc/document-templates/int:row_id	osc_document_template_detail_api	api/blueprints/osc_cases.py:6783
GET	/api/osc/documents	osc_documents_api	api/blueprints/osc_cases.py:5705
POST	/api/osc/documents/finalize	osc_documents_finalize_api	api/blueprints/osc_cases.py:9116
POST	/api/osc/documents/open	osc_documents_open_api	api/blueprints/osc_cases.py:5930
POST	/api/osc/documents/stamp	osc_documents_stamp_api	api/blueprints/osc_cases.py:8886
POST	/api/osc/documents/stamp-preview	osc_documents_stamp_preview_api	api/blueprints/osc_cases.py:8831
POST	/api/osc/drafts/export	osc_drafts_export_api	api/blueprints/osc_cases.py:5333
GET	/api/osc/drafts/feedback	osc_drafts_feedback_recent_api	api/blueprints/osc_cases.py:5300
POST	/api/osc/drafts/feedback	osc_drafts_feedback_post_api	api/blueprints/osc_cases.py:5307
POST	/api/osc/drafts/generate	osc_drafts_generate_api	api/blueprints/osc_cases.py:5114
GET	/api/osc/drafts/meta	osc_drafts_meta_api	api/blueprints/osc_cases.py:5076
POST	/api/osc/drafts/reuse-document	osc_drafts_reuse_document_api	api/blueprints/osc_cases.py:5574
GET	/api/osc/files/content	osc_file_content_api	api/blueprints/osc_cases.py:6443
GET	/api/osc/files/info	osc_files_info_api	api/blueprints/osc_files.py:2124
GET	/api/osc/files/preview	osc_files_preview_api	api/blueprints/osc_files.py:2025
POST	/api/osc/files/share	osc_files_share_create_api	api/blueprints/osc_files.py:2156
GET,PUT	/api/osc/files/text	osc_file_text_api	api/blueprints/osc_cases.py:6583
POST	/api/osc/files/upload	osc_file_upload_api	api/blueprints/osc_cases.py:6638
POST	/api/osc/files/upload-chunked	osc_files_upload_chunked_api	api/blueprints/osc_files.py:1605
POST	/api/osc/files/upload-multi	osc_files_upload_multi_api	api/blueprints/osc_files.py:1488
GET	/api/osc/folders/browse	osc_folders_browse_api	api/blueprints/osc_files.py:2278
POST	/api/osc/folders/mkdir	osc_folders_mkdir_api	api/blueprints/osc_files.py:1772
POST	/api/osc/folders/move	osc_folders_move_api	api/blueprints/osc_files.py:1851
POST	/api/osc/folders/rename	osc_folders_rename_api	api/blueprints/osc_files.py:1810
GET	/api/osc/folders/roots	osc_folder_roots_api	api/blueprints/osc_files.py:1341
GET	/api/osc/folders/tree	osc_folders_tree_api	api/blueprints/osc_files.py:1929
POST	/api/osc/forms/export	osc_forms_export_api	api/blueprints/osc_cases.py:8615
POST	/api/osc/forms/preview	osc_forms_preview_api	api/blueprints/osc_cases.py:8549
GET	/api/osc/gcal/auth/callback	gcal_auth_callback	api/blueprints/osc_gcal.py:253
POST	/api/osc/gcal/auth/start	gcal_auth_start	api/blueprints/osc_gcal.py:213
POST	/api/osc/gcal/disconnect	gcal_disconnect	api/blueprints/osc_gcal.py:318
GET	/api/osc/gcal/status	gcal_status	api/blueprints/osc_gcal.py:174

Methods	Route	Handler	Source
POST	/api/osc/gcal/sync	gcal_sync	api/blueprints/osc_gcal.py:335
GET	/api/osc/hearing-conflicts	osc_hearing_conflicts_api	api/blueprints/osc_cases.py:7519
POST	/api/osc/hearing-conflicts/check	osc_hearing_conflicts_check_api	api/blueprints/osc_cases.py:7572
GET	/api/osc/hearing-conflicts/download	osc_hearing_conflicts_download_api	api/blueprints/osc_cases.py:7696
POST	/api/osc/hearing-conflicts/generate	osc_hearing_conflicts_generate_api	api/blueprints/osc_cases.py:7603
GET,POST	/api/osc/insights	osc_insights_api	api/blueprints/osc_cases.py:8338
GET	/api/osc/insights/<insight_id>	osc_insight_detail_api	api/blueprints/osc_cases.py:8411
POST	/api/osc/insights/fetch-full	osc_insights_fetch_full_api	api/blueprints/osc_cases.py:8443
GET	/api/osc/judgments	osc_judgments_compat_api	api/blueprints/osc_cases.py:8531
GET	/api/osc/judgments_legacy	osc_judgments_api	api/blueprints/web_runtime.py:1294
POST	/api/osc/labor-law/calc	osc_labor_law_calc	api/blueprints/osc_cases.py:9862
POST	/api/osc/labor-law/parse-files	osc_labor_law_parse_files	api/blueprints/osc_cases.py:9957
GET	/api/osc/laf	osc_laf_api	api/blueprints/osc_cases.py:6977
POST	/api/osc/laf-backfill	osc_laf_backfill_api	api/blueprints/osc_cases.py:9714
POST	/api/osc/laf-wizard/run	osc_laf_wizard_run_api	api/blueprints/osc_cases.py:9657
POST	/api/osc/laf/batch-status	osc_laf_batch_status_api	api/blueprints/osc_cases.py:7112
GET	/api/osc/laf/cases	osc_laf_cases_api	api/blueprints/osc_cases.py:7043
GET,POST	/api/osc/legal-aid-branches	osc_legal_aid_branches_api	api/blueprints/osc_settings.py:161
GET,PUT,DELETE	/api/osc/legal-aid-branches/int:row_id	osc_legal_aid_branch_detail_api	api/blueprints/osc_settings.py:196
POST	/api/osc/magi-modules/run	osc_magi_modules_run_api	api/blueprints/web_runtime.py:1033
GET,POST	/api/osc/meetings	osc_meetings_api	api/blueprints/osc_cases.py:7996
GET,PUT,DELETE	/api/osc/meetings/int:row_id	osc_meeting_detail_api	api/blueprints/osc_cases.py:8067
GET,POST	/api/osc/memory-keywords	osc_memory_keywords_api	api/blueprints/osc_cases.py:4880
GET,PUT,DELETE	/api/osc/memory-keywords/path:case_number/path:hotkey	osc_memory_keyword_detail_api	api/blueprints/osc_cases.py:4918
GET	/api/osc/meta	osc_meta_api	api/blueprints/osc_cases.py:1265
GET,POST	/api/osc/opponents	osc_opponents_api	api/blueprints/osc_cases.py:4958
GET,PUT,DELETE	/api/osc/opponents/int:row_id	osc_opponent_detail_api	api/blueprints/osc_cases.py:4998
GET	/api/osc/pdf-generation-log	osc_pdf_generation_log_api	api/blueprints/osc_cases.py:5033
GET,DELETE	/api/osc/pdf-generation-log/int:row_id	osc_pdf_generation_log_detail_api	api/blueprints/osc_cases.py:5058
POST	/api/osc/pdf/action	osc_pdf_action_api	api/blueprints/osc_pdf.py:2357
POST	/api/osc/pdf/calendar-scan	osc_pdf_calendar_scan_api	api/blueprints/osc_pdf.py:2502
GET	/api/osc/pdf/info	osc_pdf_info_api	api/blueprints/osc_pdf.py:2328
POST	/api/osc/pdf/upload	osc_pdf_upload_api	api/blueprints/osc_pdf.py:2338
GET	/api/osc/poll	osc_poll_api	api/blueprints/web_runtime.py:1276
GET,POST	/api/osc/quotation-templates	osc_quotation_templates_api	api/blueprints/osc_cases.py:7386

Methods	Route	Handler	Source
GET,PUT,DELETE	/api/osc/quotation-templates/int:row_id	osc_quotation_template_detail_api	api/blueprints/osc_cases.py:7421
GET,POST	/api/osc/quotations	osc_quotations_api	api/blueprints/osc_cases.py:7243
GET,PUT,DELETE	/api/osc/quotations/<row_id>	osc_quotation_detail_api	api/blueprints/osc_cases.py:7343
GET	/api/osc/quotations/<row_id>/export-pdf	osc_quotation_export_pdf	api/blueprints/osc_cases.py:11124
POST	/api/osc/raziel/delivery	raziel_delivery_api	api/blueprints/raziel.py:702
GET	/api/osc/raziel/delivery/path:name	raziel_delivery_file_api	api/blueprints/raziel.py:712
GET	/api/osc/raziel/file/	raziel_file_api	api/blueprints/raziel.py:724
POST	/api/osc/raziel/run	raziel_run_api	api/blueprints/raziel.py:675
GET	/api/osc/raziel/status	raziel_status_api	api/blueprints/raziel.py:641
POST	/api/osc/raziel/tlr-preview	raziel_tlr_preview_api	api/blueprints/raziel.py:689
GET	/api/osc/saas/ai-governance	osc_saas_ai_governance_api	api/blueprints/osc_cases.py:4635
POST	/api/osc/saas/client-packet	osc_saas_client_packet_api	api/blueprints/osc_cases.py:4579
POST	/api/osc/saas/conflict-check	osc_saas_conflict_check_api	api/blueprints/osc_cases.py:4544
GET	/api/osc/saas/diagnostic-pack	osc_saas_diagnostic_pack_api	api/blueprints/osc_cases.py:4647
POST	/api/osc/saas/intake	osc_saas_intake_api	api/blueprints/osc_cases.py:4551
GET,POST	/api/osc/saas/notification-prefs	osc_saas_notification_prefs_api	api/blueprints/osc_cases.py:4615
GET,POST	/api/osc/saas/onboarding	osc_saas_onboarding_api	api/blueprints/osc_cases.py:4600
GET	/api/osc/saas/operations-report	osc_saas_operations_report_api	api/blueprints/osc_cases.py:4641
GET	/api/osc/saas/overview	osc_saas_overview_api	api/blueprints/osc_cases.py:4537
POST	/api/osc/saas/quality-check	osc_saas_quality_check_api	api/blueprints/osc_cases.py:4572
GET	/api/osc/saas/task-boards	osc_saas_task_boards_api	api/blueprints/osc_cases.py:4593
GET	/api/osc/saas/timeline	osc_saas_timeline_api	api/blueprints/osc_cases.py:4586
GET	/api/osc/saas/workflow-templates	osc_saas_workflow_templates_api	api/blueprints/osc_cases.py:4629
GET,POST	/api/osc/settings	osc_settings_api	api/blueprints/osc_settings.py:28
GET,PUT,DELETE	/api/osc/settings/path:setting_key	osc_setting_detail_api	api/blueprints/osc_settings.py:62
GET	/api/osc/template-folder	osc_template_folder_api	api/blueprints/osc_cases.py:5871
GET,POST	/api/osc/todos	osc_todos_api	api/blueprints/osc_cases.py:8101
GET,PUT,DELETE	/api/osc/todos/int:row_id	osc_todo_detail_api	api/blueprints/osc_cases.py:8264
POST	/api/osc/todos/bulk-complete-before	osc_todos_bulk_complete_before_api	api/blueprints/osc_cases.py:8229
GET,POST	/api/osc/user-settings	osc_user_settings_api	api/blueprints/osc_cases.py:4810
GET,PUT,DELETE	/api/osc/user-settings/int:row_id	osc_user_setting_detail_api	api/blueprints/osc_cases.py:4848
POST	/api/self-repair	api_self_repair	api/blueprints/admin_runtime.py:1927
POST	/api/skills/<skill_name>/rollback	api_skill_rollback	api/blueprints/admin_runtime.py:2072
GET	/api/skills/<skill_name>/versions	api_skill_versions	api/blueprints/admin_runtime.py:2052

Methods	Route	Handler	Source
GET	/api/skills/interview-history	api_skill_interview_history	api/blueprints/admin_runtime.py:2037
POST	/api/skills/run	api_skills_run_compat	api/blueprints/dashboard_pages.py:576
GET	/api/status	api_status	api/blueprints/admin_runtime.py:2999
POST	/api/system-test	api_system_test	api/blueprints/admin_runtime.py:1911
POST	/api/transcribe	transcribe_audio	api/blueprints/admin_runtime.py:3717
GET	/app	mobile_home	api/blueprints/dashboard_pages.py:1206
GET	/app-admin	mobile_admin	api/blueprints/dashboard_pages.py:1216
GET,POST	/callback	callback	api/server.py:919
GET	/capabilities	agent_capabilities	api/agent/http_gateway.py:245
POST	/case-status	agent_case_status	api/agent/http_gateway.py:338
POST	/chat	chat	skills/bridge/casper_bridge.py:54
GET	/clients	api_query_clients	api/tools_api.py:3580
POST	/clients	api_add_client	api/tools_api.py:3590
POST	/code/autofix	api_code_autofix	api/tools_api.py:3306
POST	/code/skill-cycle	api_code_skill_cycle	api/tools_api.py:3333
POST	/collab/chat	api_collab_chat	api/tools_api.py:3373
POST	/collab/music	api_collab_music	api/tools_api.py:3362
POST	/collab/transcribe	api_collab_transcribe	api/tools_api.py:3463
POST	/collab/translate	api_collab_translate	api/tools_api.py:3343
GET	/connections	connections_status	api/tools_api.py:1722
POST	/council/core/approve	api_council_core_approve	api/tools_api.py:3510
GET	/council/core/pending	api_council_core_pending	api/tools_api.py:3499
POST	/council/core/reject	api_council_core_reject	api/tools_api.py:3526
GET	/dashboard	dashboard	api/blueprints/dashboard_pages.py:1139
GET	/dashboard/beginner	dashboard_beginner	api/blueprints/dashboard_pages.py:1152
GET	/dashboard/golem	golem_console	api/blueprints/dashboard_pages.py:1175
GET	/dashboard/legacy	dashboard_legacy	api/blueprints/dashboard_pages.py:1145
GET	/dashboard/nerv	magi_adjust	api/blueprints/dashboard_pages.py:1168
GET	/dashboard/nerv/api/health	nerv_api_health	api/blueprints/admin_runtime.py:1764
GET	/dashboard/status	status_center	api/blueprints/dashboard_pages.py:1159

Methods	Route	Handler	Source
GET	/dashboard/website	dashboard_website	api/blueprints/dashboard_pages.py:1276
GET	/definitions	api_definitions	api/tools_api.py:3676
GET	/exports/path:filename	serve_exports	api/server.py:627
GET	/favicon.ico	favicon	api/server.py:830
POST	/fetch	agent_fetch	api/agent/http_gateway.py:422
POST	/fetch	api_fetch	api/tools_api.py:1907
GET	/golem	golem_console	api/blueprints/dashboard_pages.py:1175
GET	/health	agent_health	api/agent/http_gateway.py:213
GET	/health	health	api/blueprints/admin_runtime.py:3287
GET	/health	health	api/tools_api.py:1318
GET	/intel	intel_panel	api/blueprints/dashboard_pages.py:551
POST	/iron-dome/auto-harden	api_iron_dome_auto_harden	api/tools_api.py:3282
GET	/iron-dome/patterns	api_iron_dome_patterns_list	api/tools_api.py:3250
POST	/iron-dome/patterns	api_iron_dome_patterns_add	api/tools_api.py:3266
GET	/jobs/<job_id>	api_get_job	api/tools_api.py:2968
POST	/laf/smoke_login	api_laf_smoke_login	api/tools_api.py:3689
GET	/legal	api_legal_skills_list	api/tools_api.py:3653
POST	/legal/<skill_name>	api_legal_skill	api/tools_api.py:3629
GET,POST	/line/webhook	callback	api/server.py:919
GET	/livez	livez	api/blueprints/admin_runtime.py:3128
GET	/livez	livez	api/tools_api.py:1308
GET,POST	/login	login	api/server.py:835
GET	/logout	logout	api/server.py:907
GET	/magi-adjust	magi_adjust	api/blueprints/dashboard_pages.py:1168
GET	/magi-research	research_panel	api/blueprints/dashboard_pages.py:1093
GET	/magi-settings	magi_adjust	api/blueprints/dashboard_pages.py:1168
GET	/manual	maintenance_manual	api/blueprints/dashboard_pages.py:1181
GET	/manual/markdown	maintenance_manual_markdown	api/blueprints/dashboard_pages.py:1193
GET	/manual/pdf	maintenance_manual_pdf	api/blueprints/dashboard_pages.py:1187
GET	/manual/source-index.json	maintenance_manual_source_index	api/blueprints/dashboard_pages.py:1199
GET	/meetings	api_list_meetings	api/tools_api.py:3605

Methods	Route	Handler	Source
POST	/meetings	api_book_meeting	api/tools_api.py:3613
GET	/melchior/health	api_melchior_health	api/tools_api.py:2096
POST	/melchior/skills/sync	api_melchior_sync_skills	api/tools_api.py:2103
GET	/mobile	mobile_home	api/blueprints/dashboard_pages.py:1206
GET	/mobile-admin	mobile_admin	api/blueprints/dashboard_pages.py:1216
GET	/mobile-app	mobile_app_entry	api/server.py:870
GET	/mobile/config.json	mobile_config_json	api/blueprints/dashboard_pages.py:1225
GET	/mobile/manifest.webmanifest	mobile_manifest	api/blueprints/dashboard_pages.py:1244
GET	/mobile/sw.js	mobile_service_worker	api/blueprints/dashboard_pages.py:1230
GET	/nerv	magi_adjust	api/blueprints/dashboard_pages.py:1168
GET	/ops/process-monitor	process_monitor_page	api/blueprints/web_runtime.py:836
GET	/osc	osc_interface	api/server.py:615
GET	/osc/debt	osc_debt_interface	api/server.py:621
POST	/osc/external/case_status	external_osc_case_status	api/tools_api.py:1665
POST	/osc/external/chat	external_osc_chat	api/tools_api.py:1344
GET	/osc/external/health	external_osc_health	api/tools_api.py:1326
GET	/osc/external/ui	external_osc_ui	api/tools_api.py:1608
POST	/plans	agent_prepare_action	api/agent/http_gateway.py:459
GET	/plans	agent_list_plans	api/agent/http_gateway.py:501
GET	/plans/<plan_id>	agent_get_plan	api/agent/http_gateway.py:515
POST	/plans/<plan_id>/cancel	agent_cancel_plan	api/agent/http_gateway.py:532
POST	/plans/<plan_id>/confirm	agent_confirm_plan	api/agent/http_gateway.py:549
POST	/read	agent_read	api/agent/http_gateway.py:267
GET	/readyz	readyz	api/blueprints/admin_runtime.py:3139
POST	/recall	api_recall	api/tools_api.py:3561
GET,POST	/register	register	api/server.py:875
POST	/remember	api_remember	api/tools_api.py:3543
POST	/research	agent_research	api/agent/http_gateway.py:405
GET	/research	research_panel	api/blueprints/dashboard_pages.py:1093
POST	/research	api_research	api/tools_api.py:1866
GET	/research/judgment-classifier	research_judgment_classifier	api/blueprints/dashboard_pages.py:1099
GET	/research/rss-preview	research_rss_preview	api/blueprints/dashboard_pages.py:1105

Methods	Route	Handler	Source
GET	/s/	osc_files_public_share_api	api/blueprints/osc_files.py:2229
GET	/saas-readyz	saas_readyz	api/blueprints/admin_runtime.py:3282
GET	/sages	sages_status	api/tools_api.py:1803
POST	/search	agent_search	api/agentic/http_gateway.py:388
POST	/search	api_search	api/tools_api.py:1834
POST	/shortcut/ocr	api_shortcut_ocr	api/tools_api.py:2518
POST	/shortcut/pdf_text	api_shortcut_pdf_text	api/tools_api.py:2608
POST	/shortcut/summarize	api_shortcut_summarize	api/tools_api.py:2637
POST	/shortcut/transcribe	api_shortcut_transcribe	api/tools_api.py:2675
GET	/skills	api_list_skills	api/tools_api.py:2714
POST	/skills	api_create_skill	api/tools_api.py:2720
POST	/skills/acquire	api_acquire_skill	api/tools_api.py:2759
POST	/skills/canary/start	api_skill_canary_start	api/tools_api.py:3072
POST	/skills/canary/stop	api_skill_canary_stop	api/tools_api.py:3105
POST	/skills/ci	api_skill_ci	api/tools_api.py:3119
POST	/skills/discover	api_discover_skills	api/tools_api.py:2735
GET	/skills/events	api_skill_events	api/tools_api.py:3134
POST	/skills/import/toolsai-auto-skill	api_import_toolsai_auto_skill	api/tools_api.py:3231
POST	/skills/install	api_install_skill	api/tools_api.py:2747
POST	/skills/internalize	api_skill_internalize	api/tools_api.py:3181
POST	/skills/internalize/codebase	api_skill_internalize_codebase	api/tools_api.py:3203
GET	/skills/knowledge/stats	api_skill_knowledge_stats	api/tools_api.py:3297
GET	/skills/release	api_skill_release_state	api/tools_api.py:3045
POST	/skills/rollback	api_skill_rollback	api/tools_api.py:3031
POST	/skills/run	api_run_skill	api/tools_api.py:2820
POST	/skills/stable	api_skill_set_stable	api/tools_api.py:3057
POST	/skills/teach	api_skill_teach	api/tools_api.py:3144
POST	/skills/teach/file	api_skill_teach_file	api/tools_api.py:3164
POST	/skills/versions	api_skill_versions	api/tools_api.py:3018
GET	/start	dashboard_beginner	api/blueprints/dashboard_pages.py:1152
GET	/static/exports/path:filename	static_exports	api/tools_api.py:408
GET	/static/worldmonitor_reports	worldmonitor_reports_redirect	api/blueprints/dashboard_pages.py:539
GET	/static/worldmonitor_reports/	worldmonitor_reports_redirect	api/blueprints/dashboard_pages.py:539
GET	/status	status_center	api/blueprints/dashboard_pages.py:1159
GET	/status/api/health	nerv_api_health	api/blueprints/admin_runtime.py:1764

Methods	Route	Handler	Source
POST	/summarize	agent_summarize	api/agentic/http_gateway.py:443
POST	/summarize	api_summarize	api/tools_api.py:2114
GET	/summarize/health	api_summarize_health	api/tools_api.py:2450
GET,POST	/telegram/webhook	telegram_webhook	api/webhooks/telegram.py:982
GET,POST,PUT,PATCH,DELETE,OPTIONS	/toolsapi/path:subpath	toolsapi_compat_proxy	api/server.py:642
POST	/vision	api_vision	api/tools_api.py:1942
GET	/worldmonitor	worldmonitor_entry	api/blueprints/dashboard_pages.py:545
GET	/worldmonitor/	worldmonitor_entry	api/blueprints/dashboard_pages.py:545

附錄 F. 維修命令速查與名詞表

只讀維修命令

```
# Git / source
git status --short
git log -1 --format='%H %s'
shasum -a 256 PATH

# Process / ports (read-only)
ps -p PID -o pid=,ppid=,pgid=,etime=,command=
lsof -nP -iTCP:5002 -sTCP:LISTEN
launchctl print gui/$UID/com.magi.v3.gateway

# Local health
curl -fs$ http://127.0.0.1:5002/health
python3 scripts/magi_doctor.py --json
python3 scripts/ops/business_module_live_check.py --json
python3 scripts/ops/function_health_index.py --json

# Source/privacy tests
python3 scripts/public_release_audit.py --strict --json
python3 -m pytest -q TEST_PATH
```

禁止直接執行的捷徑

- `rm lock/state/checkpoint`：可能造成雙 owner 或遺失 durable work。
- 直接編輯 cron JSON：破壞 occurrence/command/retry 證據。
- 對 canonical owner `kill -9`：跳過 terminal/reap/rollback。
- 在 installed release 直接改 .py：破壞 immutable manifest。
- 複製舊 success receipt：造成假綠。

名詞表

名詞	定義
active marker	唯一生效 release/transaction 的原子紀錄
canonical	由正式 runtime root、manifest、schema 與 realpath 共同認定
checkpoint	可續跑的最小進度與內容 hash cache
cursor	公平輪轉 all-files 案件的位置
fail closed	證據不足就拒絕，不猜成功
formal chain	正式發布各 gate 的 hash-bound 工件集合
owner	持有某 domain lock 且身分可由 PID/exe/argv/root 證明的程序
receipt	動作輸入、輸出、read-back 與 identity 的不可逆證據
staging	尚未 atomic commit 的暫存資料；必須可清理且不得被當完成
terminal	worker 已合法完成 chunk/cycle 或結構化失敗並釋放 owner

文件完整性：本 PDF/Markdown 是維修導航；完整原始碼仍以 Git branch 中的檔案與 MAGI_V3_原始碼索引_rc643.json SHA 為準。任何後續版本都應重建索引與本書，不可只改頁面文字。