

MAGI V3 維修百科全書

基準版本： v3-20260820-rc627 來源 commit： 030be016a7d20c6948a477de51af727eb8523a83 文件日期： 2026-08-21 **GitHub**：

WhaleChao/MAGI-public / release/rc627-technical-manual-20260821

本書的目標不是讓你背程式，而是讓你能從「現象」追到「入口 → owner → state → 外部邊界 → receipt → health」，並知道什麼可以安全修、什麼必須停手。全文不含密碼、Cookie、token、案件內容或可逆個資。

文件使用方式

1. 先查第 20 章的總決策樹，確認是功能故障、等待、降級、資料不一致或驗證器問題。
2. 到對應功能章找連動表與權威狀態。
3. 只讀蒐證後，再依第 21 章修復；不要先 kill、刪 lock、改 cron JSON 或清 checkpoint。
4. 任何原始碼修改都建立新 commit、新 release、新證據鏈；installed release 不就地修改。
5. 附錄的來源索引列出 SHA、行數與符號；完整內容以 Git branch 為準。

目錄

章節	頁
1. 閱讀方法、權威順序與安全界線	3
2. 整體架構與功能連動總圖	4
3. 程序角色、服務、埠與啟動順序	6
4. 原始碼目錄、責任邊界與讀碼方法	7
5. 請求路由、身分、授權與工具執行	8
6. 排程、重試、checkpoint 與自然終局	9
7. 法扶派案、附件、開辦與報結	10
8. 閱卷、繳費憑證、下載與簽章對帳	11
9. 案件、NAS、Google Drive 與雙邊映射	12
10. OSC、日曆、待辦、帳務與債務文件	13
11. PDF、OCR、筆錄、翻譯與知識庫	14
12. Cookie Cutter 圖片到可列印 STL	15
13. 本機模型、資源閘門與降級策略	16
14. 通知、外網入口、TG/Discord 與安全邊界	17
15. Menubar、NERV、Doctor、Guardian 與紅燈語意	18
16. 狀態、鎖、owner、收據與證據鏈	19
17. 不可變發行、LIVE 切換與自動回滾	20

章節	頁
18. 備份、還原、災難復原與 GitHub 保存	21
19. 測試、品質閘門與驗證器加速	22
20. 故障排查總則與決策樹	23
21. 分功能排查與排除手冊	24
22. 已知故障、根因、修復與防回歸	26
23. 日常維修、升級與自主演進守則	31
附錄 A. 核心原始碼節錄與解讀	32
附錄 B. 全部 production 原始碼索引	51
附錄 C. 全部測試原始碼索引	122
附錄 D. 設定、Schema、前端與腳本索引	160
附錄 E. API 路由索引	179
附錄 F. 維修命令速查與名詞表	202

1. 閱讀方法、權威順序與安全界線

MAGI 的維修核心是『權威與證據』，不是畫面看起來像成功。讀取順序如下：

順位	權威來源	用途	不可替代原因
1	active release marker	目前真正生效的 release、root、 transaction	工作區 branch 或 cron 舊 SHA 不代表實 際程序
2	installed immutable manifest	逐檔 hash/size、來源 commit	防止就地修改與半套 部署
3	formal chain / cutover receipts	品質、備份、static、 install、prepare、 rollback	每一步都有 hash- bound 前提
4	owner/lock metadata+PID 實況	誰正在執行、是否為 canonical worker	lock 檔存在不等於 owner 活著；反之亦 然
5	checkpoint / terminal status	進度、cache、 cursor、風險計數	舊 terminal 或 copied JSON 不能證 明本輪成功
6	business/function/ Doctor/guardian/ Funnel	面向使用者的整體健 康	必須與同一 active transaction 綁定

安全停手線： owner 活著且 executable、argv、release root 都屬 canonical release 時，禁止 kill、清鎖或改 state；先讓其自然 terminal。只有精確證明 foreign/stale owner，且已有 rollback/重啟契約時，才可終止程序。

2. 整體架構與功能連動總圖

本版共索引 **1,895** 個檔案、**1,320** 個 Python 檔、**22,221** 個類別／函式／方法與 **344** 條靜態 Flask route。

使用者 / cron / webhook



Gateway (5002/5003) —— 身分、CSRF、節流、意圖與相容層



Control (8088) —— 工具契約、管理面、協調與健康入口



Supervisor —— 服務單例、cron、worker、重試與 quiesce



├—— 業務：法扶／閱卷／OSC／Drive／日曆／帳務

├—— 文件：PDF／OCR／筆錄／翻譯／知識庫

├—— 模型：oMLX／NIM／embedding／quality gate

└—— 維運：Doctor／Guardian／NERV／Menubar

read-back receipt → business/function health → 使用者通知

觸發	入口	協調	執行	完成證據
Web／Mobile／	api/server.py、	api/pipelines/*	專用 skill /	durable
TG／Discord	api/ webhooks/*、 api/ discord_bot.py	→ api/orchestrato r.py	api/osc/*	notification / receipt / health
法扶 Gmail	scripts/ops/ laf_gmail_dispa tch_scan.py	laf_automation _v2.py 郵件分類	laf_portal_new _files_scan.py／ laf-orchestrator	附件歸檔＋業務 健康
閱卷通知／繳費	skills/file- review- orchestrator/ action.py	file_review_rec eipts.py	法院入口下載／ 上傳佇列	signature receipt＋ Menubar
Drive all-files	cron_service.py	scripts/ drive_case_syn c_worker.py	api/osc/ drive_case_syn c.py	checkpoint＋ terminal outcome
案件與 OSC	api/ blueprints/ osc_*.py	api/osc/*	NAS／MariaDB ／calendar	read-back result＋ business

觸發	入口	協調	執行	完成證據
				snapshot
PDF／OCR／筆錄	skills/pdf-、 skills/ documents/	OCR queue／ namer／ bookmarker	NAS 文件與知識索引	品質收據＋自測
Cookie Cutter	api/blueprints/ cookie_cutter.py	skills/ cookie_stl/*	隔離子程序	ZIP/STL attestation，零持久化
健康與自修	business_module_live_check.py	function_health_index.py／ magi_doctor.py	magi_self_repair_guardian.py	固定語意紅燈＋安全修復

資料面與控制面分離：API 回應不是完成證據；真正的外部寫入必須由專用 worker 執行，完成後回讀遠端或目標檔案，再產生去識別 receipt。

3. 程序角色、服務、埠與啟動順序

服務	角色	型態	埠／命令	責任
main_http	gateway	wsgi	5002	required
tools_http	gateway	wsgi	5003	required
website_admin	control	http_server	8088	required
discord	supervisor	process	{python} api/discord_bot .py	required
file_review_auto	supervisor	process	{python} skills/ops/file_review_auto_worker.py	required
heartbeat	supervisor	process	{python} skills/ops/heartbeat.py	required
legacy_background	supervisor	process	{python} magi_v3/legacy_background_service.py -- legacy-root .	required
osc_shell_nas_helper	supervisor	process	{python} scripts/ops/osc_shell_nas_helper.py	required
menubar	supervisor	process	{python} gui/magi_menubar.py	required

啟動與切換順序不是任意的：gateway 直接回應使用者，使用 Interactive QoS；control/supervisor 為 Background。切換時先由 audited engine 停 supervisor，等待 child tree/owner 釋放，再停 gateway/control、安裝新版本、啟動並驗證。回滾使用切換前封存 plist、static receipt 與 active marker。

Host singleton（MariaDB、NAS mount、RPC、oMLX text/embedding、input/memory/oMLX watchdog）不隨每個 release 重複啟動；錯把 singleton 當 release child 會造成雙實例與資料損壞。

4. 原始碼目錄、責任邊界與讀碼方法

區域	檔案數	責任
.github	2	其他版本化內容
api	224	HTTP、業務 domain、OSC、auth、routing、session、工具契約
configuration	29	能力、模型、service、schedule、resource 與 schema
documentation	16	其他版本化內容
gui	1	Menubar 與人類可讀健康
integrations	6	其他版本化內容
json	5	其他版本化內容
legal_aid_legacy_adapter	13	法扶 portal 相容與既有流程
migrations	2	其他版本化內容
mobile_app	58	其他版本化內容
operations	373	部署、稽核、備份、維運與驗證
resources	3	其他版本化內容
root	19	其他版本化內容
skills	636	可執行能力與業務 worker
src	10	其他版本化內容
tests	268	單元、合約、故障注入、LIVE adapter synthetic
v3_kernel	50	不可變核心、ledger、cron、supervisor、health、release ownership
web_ui	180	templates/static 前端

讀碼順序：先找觸發入口，再找 domain/orchestrator，再找真正外部 I/O，最後找 receipt 與 health evaluator。不要只修畫面文案；若底層 receipt/schema 不完整，Menubar 綠燈反而是危險的假綠。

完整 machine-readable 索引：[docs/MAGI_V3_原始碼索引_rc627.json](#)。

5. 請求路由、身分、授權與工具執行

HTTP 請求依序經過 server/app factory、auth/CSRF/request guards、route/domain、tool registry、專用 worker。會改變外部狀態的動作必須具備明確授權、idempotency key、bounded timeout、read-back proof。

層	主要原始碼	故障時先看
App / WSGI	api/app_factory.py、api/wsgi_server.py、magi_v3/gateway.py	port/listener、factory import、release ownership
Auth / CSRF	api/server_auth.py、api/authz.py、api/csrf_guard.py	401/403、session、origin、CSRF token
Routing	api/routing/、 <i>api/pipelines/</i>	intent、clarification、tool choice、no-guess gate
Tools	api/tools/*、api/tools_api.py	contract、timeout、async job、output envelope
Durability	api/durable_notifications.py、api/durable_rate_limit.py	outbox、retry、dedup、delivery receipt

排查 500/502：先 localhost 健康 → listener PID → installed root → gateway log 安全尾端 → factory import。不要先重啟所有服務；若只是工具 worker 失敗，整體 gateway 重啟會中斷無關請求。

6. 排程、重試、checkpoint 與自然終局

CronService 不是單純 crontab：它有 lane、共享容量、same-job coalescing、pending occurrence、retry、business recovery、owner lock 與結果語意。command_sha 是排程定義身分；真正執行版本仍須看 owner PID 的 executable/argv/release root。

物件	語意	維修重點
v3_pending_occurrence	尚未完成或被 controlled shutdown 保留的 occurrence	不可手動刪；新 supervisor 會用新 definition 重建
v3_retry	結構化失敗後 bounded retry	reason/label/attempt/ timestamp/occurrence 必須 exact
owner metadata	目前執行者與 lock 的公開身分	PID 活性+argv+release root 一起驗
checkpoint	seq、last_progress、hash cache、partial staging	只讀安全欄；禁止輸出 case/path/token
terminal	chunk_completed 或 cycle_completed	fresh、cursor 正確、risk counters 全零

自然終局不是『整輪 221 案全部完成』才算：all-files 採公平單案 chunk；before→after=before+1 即可成為 fresh terminal，最後一案才 total-1→0。但必須同時 case_complete=true、checkpoint seq/hash cache>0、pending/partial/storage/collision/errors 全零。

7. 法扶派案、附件、開辦與報結

法扶流程分為 Gmail 事件分類、案件生命週期、portal 可下載清單、附件下載／歸檔、開辦、進度、報結。『審查結果／已轉入』只證明業務狀態，不證明附件已上架。

訊號	允許動作	禁止誤判
正式派案通知	解析案號/當事人/類型，進入 建案與附件流程	接案意願或補充資料不可當派 案
審查結果／已轉入	更新狀態；等待內文明示或 portal listing	不得直接標 needs_download
portal table 有該案	下載、驗證檔案、歸檔並回讀	row parse 失敗不可當空清單
portal empty	健康空清單，沒有待下載	與 timeout/relogin_failed 分 開
達 retry 上限	轉人工確認並停止盲重試	不得只清 queue 讓紅燈消失

排查附件：先看 Gmail classification receipt → portal login/session → listing diagnostic → row count/parsed count → download receipt → NAS archive → business health。不要代使用者申請案件，也不要『已轉入』信件當附件通知。

8. 閱卷、繳費憑證、下載與簽章對帳

閱卷採雙側簽章對帳：入口 expected signatures 與本輪 processed+verified-existing handled signatures 必須同一 canonical schema。只看數量 7/7 不夠，因為可能是不同 7 件。

欄位	規則
portal_downloadable_count	type 必須是非 bool int 且 ≥ 0
expected/processed/verified/handled lists	lowercase 64-hex、排序、唯一；raw 必須等於 normalize 後結果
declared handled	精確等於 processed $\cup$ verified-existing
accounted	只在雙側 contract 有效時算 expected $\cap$ handled
success	expected $\subseteq$ handled、非 deferred、底層 success=true

繳費憑證去重需綁『案件+閱卷事件+檔案 SHA』的私密 registry；同案不同閱卷時間不可互相跳過。若上傳佇列卡住，先查 portal lock owner 是否仍活著；合法 owner 就等待，foreign/stale 才依程序處理。

9. 案件、NAS、Google Drive 與雙邊映射

Drive 同步的安全原則：case identity 先解析、規劃與執行分離、任何本機內容比較都走 fingerprint-bound checkpointed hash、寫入前再驗來源、絕不以路徑相似取代內容證據。

階段	主要程式	證據／停止條件
列舉	scripts/ drive_case_sync_worker.py	worker_kind=all_files、 exact command
案件解析	api/osc/drive_case_sync.py	alias/exclusion/identity guard
規劃	build_file_sync_plan	zero-write on pending/collision/storage
內容比較	_checkpointed_local_md5 + DriveFileCheckpoint	fingerprint/cache/deadline
執行	download/upload no- overwrite	before/after stat、partial sidecar
終局	worker status + outcome gate	fresh cursor、cache>0、 risk=0

映射錯誤處理：先區分同一來源 ID、相同 checksum/size、可 hash 的 NAS alias、不可 hash 的 Drive native file。只有證據足夠才能自動合併；distinct native IDs 無內容 proof 時維持 collision，不能猜。

10. OSC、日曆、待辦、帳務與債務文件

OSC 是案件管理與業務資料的整合面，並非單一檔案。案件、檔案、日曆、待辦、帳務、債務文件各有 domain 與 blueprint；跨域動作要先確認 canonical case identity。

功能	入口／domain	外部邊界	完成證據
案件	api/blueprints/ osc_cases.py、api/ osc/ case_intelligence.py	MariaDB/NAS	read-back case/card
檔案	osc_files.py、 document_reuse.py	NAS/Drive	hash+case identity
日曆待辦	osc_gcal.py、 calendar_event_time.py、 calendar_sources.py	Google Calendar	event id+semantic audit
帳務	osc_accounting.py、 accounting_sheet_import.py	sheet/DB	import summary+ monthly bonus
債務文件	osc_debt.py、 debt_document_generator.py	DOCX/PDF templates	required checklist+ download proof

日曆故障優先檢查 token health、source mapping、timezone/期限解析、duplicate semantic key。不要直接刪 Google event；先由 audit 證明重複並使用專用 reconciliation。

11. PDF、OCR、筆錄、翻譯與知識庫

文件鏈通常是：取得來源 → identity/lock → OCR/文字層 → 命名/分類 → 書籤/版面 → 寫入新檔 → reopen/read-back → receipt → index。任何一步失敗都不得覆蓋原檔。

能力	原始碼	常見故障
PDF 命名	skills/pdf-namer/*	OCR 空、case mapping、state path、watcher 重複
PDF 書籤	skills/pdf-bookmarker/*	邊界、label、large volume
OCR	skills/engine/ocr/*、nas_pdf_ocr_worker.py	backend unavailable、queue lock、低品質
筆錄	transcript-downloader/indexer、forensic verifier	partial retry、portal empty、filename identity
翻譯	skills/translator/*、heavy_translation_quality_lieve.py	模型 provenance、術語、長文降級
知識庫	skills/memory/、obsidian/、judicial cache	重複、stale index、來源缺證

排查順序固定為 source bytes → parser/OCR → canonical identity → target lock → write temp → verify output → atomic replace。若只有畫面預覽成功而無 reopen/receipt，不能視為完成。

12. Cookie Cutter 圖片到可列印 STL

Cookie Cutter 僅接受 bounded image upload，於隔離子程序內建立 STL/ZIP。端點有尺寸、速率、timeout、RSS、child reap、ZIP parent 與幾何 attestation。LIVE 驗證只能用 synthetic 或使用者明確授權且 SHA 精確的本機圖片；不得持久化、不得外送。

步驟	檢查
輸入	格式、像素、multipart byte 上限、SHA
輪廓	去噪、平滑、封閉、最小特徵厚度
幾何	wall/base/height 尺寸、mesh manifold、non-empty
封裝	ZIP 唯一預期 member、parent/resource attestation
資源	20 秒、384 MiB、2 slots；setrlimit 失敗即拒
隱私	no persistence、no external、固定安全錯誤

粗糙成品先判斷是輸入鋸齒、輪廓 simplify 過強、平滑不足、列印切片參數或 STL 非 manifold。應用多個自製圖做一致性測試，而非只對單一圖片調參。

13. 本機模型、資源閘門與降級策略

模型	角色	啟用條件
gemma-4-e4b-it-4bit	stable_local	registry allowlist
gemma-4-26b-a4b-it-4bit	heavy_local_moe	min_disk_free_gb=70; min_free_plus_inactive_gb= 8; max_swap_used_gb=20; allowed_resource_levels=['n ormal']; require_model_live=True
gemma-4-12B-it-4bit	day_primary_local_unified	runtime_overlay=gemma4- unified; wrapper=~/.omlx/bin/omlx- gemma4-unified-serve; min_disk_free_gb=80; min_free_plus_inactive_gb= 8; max_swap_used_gb=20; allowed_resource_levels=['n ormal']; require_model_live=True; require_tool_call_gate=True
gemma-4-31b-experimental	experimental_dense_local	registry allowlist
modernbert-embed-4bit	embedding_local	registry allowlist
Phi-4-mini-instruct-4bit	verify_sidecar	registry allowlist
SmolLM3-3B-4bit	crosscheck_sidecar	registry allowlist
nvidia-nim-heavy-non-china	cloud_heavy	registry allowlist

E4B 是穩定降級，不等於必然故障。26B/12B 需要 model live、磁碟、free+inactive、swap、resource level、overlay/tool gate 同時安全。強迫大型模型在 24GB unified memory 啟動可能讓整機 swap/OOM，反而使所有功能紅燈。

排查：model registry → active model probe → resource view → choose_model_for_request → decision_summary。只有先清理經核准的 cache/evidence 垃圾並恢復資源後，才重新評估升級；不得刪 immutable release、最新 rollback 或唯一 evidence。

14. 通知、外網入口、TG/Discord 與安全邊界

通知與外網是最後一公里，功能本體成功不等於訊息已送達。durable outbox、provider response、delivery receipt、Funnel/route health 必須分開。

通道	程式	排查
Telegram	api/webhooks/ telegram.py、 durable_notifications.py	token health、topic/channel、 outbox、provider error
Discord	api/discord_bot.py	supervisor child、gateway intent、rate limit
LINE compatibility	api/line_compat.py	legacy route、auth、 delivery response
Funnel/Tailscale	tailscale_funnel_healthcheck.py	public URL、local upstream、no-store、TLS
Gmail/Drive/Calendar	各專用 OAuth client	token refresh、scope、 canonical credential path

外網斷線時不要把所有業務功能判成失敗；應呈現 upstream_unavailable/waiting，保留 durable work，恢復後 bounded retry。驗證時不可將 token、URL query secret 或 provider raw body 寫入公開 receipt。

15. Menubar、NERV、Doctor、Guardian 與紅燈語意

層	回答問題	原始碼
Business health	業務結果是否真的完成？下一步是什麼？	business_module_live_check.py、 business_readiness_snapshot.py
Function health	route/skill/contract 是否可用？	function_health_index.py
Doctor	程序、埠、依賴、磁碟、模型、launchd 是否正常？	scripts/magi_doctor.py
Guardian	能否做安全的自動修復？	magi_self_repair_guardian.py
NERV/Menubar	如何向人類呈現 ok/waiting/degraded/attention/failed？	health_presentation.py、 magi_menubar.py
Funnel	外部入口是否到達正確 release？	tailscale_funnel_healthcheck.py

紅燈不是『請重啟』；先讀 reason_code/next_action/evidence age。waiting 表示系統有安全續作路徑；attention 表示需人類資料或入口處理；failed 才是本輪終局失敗。不得為消紅燈而刪 state。

16. 狀態、鎖、owner、收據與證據鏈

MAGI 的狀態檔分三類：mutable runtime state、owner/lock metadata、immutable evidence。前兩者會變，最後一類只能新增。任何 validator 都要防 symlink、非 regular file、未知欄位、bool 冒充 int、舊 receipt、錯 transaction、copied JSON。

資料	允許操作	禁止
owner/lock	只讀核 PID/exe/argv/root； owner 退場後由官方 cleanup	手動 rm、看到 PID 就 kill
checkpoint	讀 safe counters；由 worker atomic write	改 seq/cursor/cache 造成功
cron state	官方 scheduler/marker API	直接編 JSON、清 retry/pending
receipt	exclusive/atomic、hash- bound、append-only	覆寫舊成功、混用舊 release
active marker	ActivationTransaction	手動改 symlink/JSON

17. 不可變發行、LIVE 切換與自動回滾

正式發布鏈：clean source → focused → sealed bundle/privacy → host-outer full quality → backup/actual restore/independent restore → static stage/restore → install inactive → render/audit → private prepare/formal-chain → wrapper review → cutover → post → health → Drive outcome。任何 gate fail 都停止，下一次 fresh chain 不沿用失敗 artifacts。

切換必須在 rollback envelope 內：驗 old release 與 durable work eligibility；停 supervisor 並 quiesce；保存 old bytes；安裝/啟動新；active marker atomic commit；post/health 失敗就 cleanup candidate、restore old、start old。不得再次執行已成功的 live_upgrade。

工件	保證
release-manifest / COMPLETE	sealed source 的逐檔身份
formal-chain	32 個品質/備份/static/install/prepare/rollback artifacts
deploy manifest	角色、plist、installed root、external inputs
active marker	唯一 active release+transaction
post receipt	Web/Funnel/STL/legacy absence
health receipt	business/function/Doctor/guardian/Funnel
Drive outcome	fresh terminal/cursor/hashcache/zero risk

18. 備份、還原、災難復原與 GitHub 保存

備份不是只有 tar 成功：要做 actual restore drill 與 independent restore，並確認 DB、static receipt、active marker、plist、mutable state 的 byte/schema。回滾材料必須在切換前封存，不能在失敗後臨時從 candidate 猜。

GitHub 是版本保存與協作，不是 LIVE runtime 備份。公私庫都不存 token、Cookie、案件內容或 runtime DB；私庫原 MAGI-v2 已原地更名 MAGI-v3，歷史保留。發布分支保存 privacy-filtered source、手冊與不可逆雜湊。

災難復原順序：停止寫入 → 封存現況 evidence → 驗備份 SHA → isolated restore → schema/integrity check → 啟動單一 release → health → 恢復排程；不得直接把舊 DB 複製到正在寫入的 runtime。

19. 測試、品質閘門與驗證器加速

測試分層：unit → contract → adversarial/fail-closed → offline integration → isolated LIVE → maintenance cutover → post-cutover。驗證慢的原因通常是把所有層每次都重跑，或在 Codex sandbox 內錯跑 nested Seatbelt。

變更風險	最低驗證
純文件	render/links/privacy/audit
純 presentation	formatter tests+payload adversarial+ business snapshot
業務 parser/receipt	focused full file+schema negatives+PII scan
外部寫入	no-write synthetic+idempotency+read- back+rollback
scheduler/Drive	owner/occurrence/retry/checkpoint/ cursor/terminal adversarial
deploy/cutover	fresh full chain+independent review+LIVE post/health

加速原則：測試選擇 manifest 化、nodeid 精確；focused 可重用於同一 clean commit 的證據，但 formal full、backup、install、prepare 不跨 release 轉用。Seatbelt child rc71 改由 host-outer runner，不能跳過 sandbox。

20. 故障排查總則與決策樹

看到紅燈／失敗

- |— active release/transaction 不符? → 停止, 先修 deployment binding
- |— owner 正在跑?
 - | |— canonical owner → 讀 checkpoint, 等待自然 terminal
 - | |— foreign/stale → 精確核 PID/PGID/argv, 再走受控終止/rollback
- |— receipt stale/缺失? → 查 owner/job terminal, 不可複製舊 receipt
- |— reason=waiting/degraded? → 查 next_action 與資源/入口, 非立即故障
- |— external unavailable? → 保留 durable state, 修 token/network/portal
- |— risk/pending/collision>0? → 查 identity/hash/storage, 不可強行清零
- |— source exception? → 建新 commit+focused/adversarial+fresh release

每次事件建立一張維修紀錄: 時間、active release、觸發、使用者症狀、owner、safe counters、第一個可信錯誤、採取動作、read-back、receipt SHA。禁止記錄案件內容、路徑、token。

21. 分功能排查與排除手冊

服務無法開啟

1. 讀 active marker/transaction
2. lsof 查 5002/5003/8088 owner
3. launchctl print 三角色
4. 核 executable/working directory
5. localhost health
6. 只重啟故障角色；若 binding 錯走 rollback

Drive 長時間 running

1. 核四 owner metadata
2. 確認 canonical worker argv/root
3. 讀 seq/last_progress/hash cache/staging bytes
4. 有進度就等待
5. 無進度查 storage/token/deadline
6. owner 退場後才跑 outcome gate

法扶附件紅燈

1. 確認郵件類型不是單純已轉入
2. 查 portal session/listing status
3. table/empty/timeout 分流
4. 核 retry 上限與 deadline
5. 下載後驗 archive receipt
6. 人工確認案修資料或登入，不清 queue

閱卷 7/0

1. 讀 expected receipt
2. 讀 handled receipt
3. 比較 signature set hash/fingerprint
4. 找 result/result_text/row revision
5. 重跑 canonical probe
6. 雙側 exact 才標綠

Cookie STL 粗糙

1. 核原圖解析度/鋸齒
2. 跑 synthetic circles/text/complex shape
3. 比較 smooth/simplify/wall/base
4. 驗 manifold/尺寸
5. 實際 slicer 預覽
6. 不以單張特例降低安全 gate

E4B 降級

1. 查 active models
2. 查 disk/free+inactive/swap/resource level
3. 確認 12B/26B gates
4. 只清可刪 cache/evidence
5. 重新 model probe
6. 仍不足就保留降級，勿硬啟動

TG/外網故障

1. localhost 功能先驗
2. token health
3. outbox pending
4. provider DNS/TLS/response
5. Funnel upstream/no-store
6. 恢復後 official retry，不直接重送未知副作用

磁碟不足

1. 先列分類與最後使用時間
2. 保留 active/rollback/latest evidence
3. 刪已核准 A/B/C cache、舊 worktree、render temp
4. 重算 free space
5. 跑 model/resource/health
6. 留下清理 receipt

22. 已知故障、根因、修復與防回歸

以下登錄表是維修時最重要的防回歸知識。『修復』不代表可以刪掉 guard；相反地，對應 negative tests 必須永久保留。

F-001 | Codex 內 formal test 立刻 rc71

- **根因：** Codex 已在 Seatbelt 內，再建立第二層 macOS Seatbelt 失敗；測試入口甚至未執行。
- **修復：** 改由 host-outer hash-bound runner 執行；不得把 rc71 當產品測試失敗，也不得弱化 Seatbelt gate。
- **驗證：** runner receipt 必須 exact/full、marker 存在、source/manifest SHA 相符。
- **原始碼／證據：** scripts/v3_release_gate.py; formal runner evidence

F-002 | Gateway 回應約 6 秒，shell 正常

- **根因：** 三角色一律綁 launchd Background QoS，使 HTTP gateway 被降優先。
- **修復：** gateway=Interactive，control/supervisor=Background；cookie 子程序資源上限不變。
- **驗證：** rendered plist 三角色 ProcessType 精確，gateway LIVE 延遲與資源界線均通。
- **原始碼／證據：** scripts/v3_deploy_prepare.py

F-003 | Drive checkpoint phase=scan_plan 且 hash cache=0

- **根因：** duplicate/same-content 兩條路徑直接 local_file_md5，繞過 DriveFileCheckpoint，deadline 又被 generic except 吞掉。
- **修復：** 全部共用 checkpointed MD5；DriveCaseSyncDeadline 先行 re-raise；fingerprint 變更才重算。
- **驗證：** 二次規劃零新增 MD5、cache>0、deadline 不前進 cursor。
- **原始碼／證據：** api/osc/drive_case_sync.py; magi_v3/drive_file_checkpoint.py

F-004 | 大量 semantic collision 但沒有內容證據

- **根因：** NAS alias 沒有 MD5，僅因 NFKC/casfold 同桶便被當成真衝突。
- **修復：** 對 local bucket 使用 bounded checkpointed MD5；同內容選 deterministic representative，異內容才保留人工確認。
- **驗證：** 同內容解衝且 cache>0；異內容、native distinct-ID 仍 fail closed。
- **原始碼／證據：** api/osc/drive_case_sync.py

F-005 | local hash/storage 失敗後仍可能規劃寫入

- **根因：** duplicate lookup 回傳 local_hash_failed，但後續 download/upload planning 未被一併抑制。
- **修復：** 集中 suppress_case_write_actions，清空下載/上傳 action 並固定 cursor；retryable 與 hard failure 分流。
- **驗證：** timeout/storage/hard error 均零 transfer；partial failure cursor 不前進。
- **原始碼／證據：** api/osc/drive_case_sync.py

F-006 | Drive outcome gate 對假資料放行或對真 terminal 誤拒

- 根因：validator 使用 subset、int(bool)、虛構 aggregate failed，且未綁 canonical status/worker/cron。
- 修復：exact schema、strict non-bool int、真 chunk/cycle cursor、canonical path、worker/snapshot/command 三重綁定。
- 驗證：unknown/raw/bool/jump/early wrap/old release 全拒；真 terminal 通過。
- 原始碼／證據：evidence drive_outcome_gate；scripts/drive_case_sync_worker.py

F-007 | 每兩分鐘 Drive running，LIVE preflight 永遠等不到 idle

- 根因：preflight 在 supervisor 停止前要求 Drive idle，與高頻排程形成活鎖。
- 修復：切成 pre-quiesce 身分驗證與 supervisor unload 後 post-quiesce gate；由既有 rollback envelope 保護。
- 驗證：original cleanup→post gate→install；失敗 restore/start old；不直接 kill child。
- 原始碼／證據：scripts/v3_cutover/*；release live wrapper

F-008 | 安全的 Drive owner 被誤判 foreign

- 根因：ps command 字串會破壞含空白 argv；lsof 有多個 ftxt；wrapper exec 後三層 wrapper 不再出現在 argv。
- 修復：KERN_PROCARGS2 結構化 argv+嚴格 lsof first ftxt；由 sealed cron 最後 -- 推導 exact worker argv。
- 驗證：實況 owner argc/worker/release 通過；missing/reorder/extra/foreign 全拒。
- 原始碼／證據：release live wrapper；skills/ops/cron_scheduler.py

F-009 | 排程 handoff 因固定 occurrence/reason tuple 被拒

- 根因：evidence wrapper 寫死某次 occurrence，並把 storage rc0 誤綁 process_interrupted/143。
- 修復：動態封存當下 exact occurrence digest；依 sealed business recovery labels 驗證 reason，支援合法 storage_recovered 派生票。
- 驗證：ID 輪替、raw extra、錯 label、bool rc 拒；current storage tuple 通。
- 原始碼／證據：magi_v3/business_recovery.py；skills/ops/cron_scheduler.py

F-010 | 閱卷入口 7 件、驗證 0 件

- 根因：raw result 與 public result_text 選取順序不同；renderer 文案差異造成簽章不一致。
- 修復：canonical content marker 改為 result_text→result→row_text；雙側 canonical signature 對帳。
- 驗證：result 同義欄相等、真正 revision 變更必換簽章。
- 原始碼／證據：magi_v3/file_review_receipts.py

F-011 | 閱卷 invalid/duplicate/uppercase hash 仍顯示成功

- 根因：normalize 後才驗，靜默丟棄非法元素；handled declared list 未被精確驗證。
- 修復：四個 raw list 必須等於 normalized；handled=processed∪existing；count strict int。
- 驗證：invalid extra、duplicate、uppercase、non-list、bool/negative count 全拒。

- **原始碼／證據：** skills/file-review-orchestrator/action.py

F-012 | 沒有待下載檔案卻顯示上輪失敗

- **根因：** 健康層把 0/0 reconciliation 或待確認狀態解讀成失敗，Menubar 優先級不正確。
- **修復：** attention 優先，合法 zero receipt 顯示正常；未知 reason 固定安全文案。
- **驗證：** ok+0/0 正常；不完整 receipt 維持紅燈。
- **原始碼／證據：** scripts/ops/business_readiness_snapshot.py; gui/magi_menubar.py

F-013 | 法扶『已轉入／審查結果』被誤認已有附件

- **根因：** 只看主旨，未區分審查結果通知與入口實際可下載清單。
- **修復：** 審查結果主旨本身 needs_download=False；須由內文明確指示或官網 listing 證明。
- **驗證：** 空 listing 與 listing timeout 分離；無附件不得盲重試/建案。
- **原始碼／證據：** laf_automation_v2.py; laf_portal_new_files_scan.py

F-014 | 法扶附件重試超上限仍盲跑／紅燈無解

- **根因：** 業務狀態把 portal 尚未上架、登入失效、資料錯誤混為同一 retry。
- **修復：** 期限內 bounded retry；達上限轉人工確認；登入/入口/案件資料分開呈現。
- **驗證：** 每案 next action 明確；人工確認案不繼續盲試。
- **原始碼／證據：** scripts/ops/laf_portal_new_files_scan.py; business_module_live_check.py

F-015 | 繳費憑證顯示已上傳過但其實是不同閱卷

- **根因：** 去重鍵曾過度依賴案件或舊 receipt，未綁精確 payment event。
- **修復：** 只接受 exact v2 payment event+檔案 SHA 的 canonical 私密 registry；輸出只留 opaque digest。
- **驗證：** 不同事件不得互相跳過；同一事件重送才 idempotent。
- **原始碼／證據：** file-review payment registry / evidence payment gate

F-016 | Cookie Cutter 圖片可出 STL 但表面粗糙

- **根因：** 輸入線條鋸齒、輪廓取樣/平滑不足或 STL 幾何未做 manifold/printability attestation。
- **修復：** 先正規化、平滑與輪廓閉合，再 bounded 子程序生成；驗 ZIP parent、STL manifold、幾何尺寸。
- **驗證：** 多個 synthetic 圖皆 printable/manifold，無持久化與外送。
- **原始碼／證據：** api/blueprints/cookie_cutter.py; skills/cookie_stl/*

F-017 | Cookie 子程序資源限制失敗仍繼續生成

- **根因：** setrlimit ImportError/OSError/ValueError 曾 silent pass。
- **修復：** child 回固定 resource_error，engine 不執行；parent 精確 IPC schema；finally reap。
- **驗證：** engine_calls=0、無產品 bytes、child_reaped、leaks=0。

- 原始碼／證據： `api/blueprints/cookie_cutter.py`

F-018 | 文字推理顯示 E4B (預期 26B)

- 根因：不是單一故障；可能是磁碟、free+inactive、swap、resource level 或 26B 未 live 的安全降級。
- 修復：依 model registry gate 逐項檢查；清理經核准工程垃圾後重新 probe，不強迫載入導致 OOM。
- 驗證：decision_summary 明列 gate reason；26B 僅在全條件安全時啟用。
- 原始碼／證據： `api/model_router.py`；`config/model_registry.json`

F-019 | 健康紅燈只因 legacy lock dir 不存在而漏查 owner

- 根因：owner validator early return，未繼續掃 legacy PID。
- 修復：lock glob 可為空，但 legacy paths 必查；persistent owner/calendar owner 使用 exact schema/argv allowlist。
- 驗證：missing dir+live foreign PID 必紅；合法 persistent owner 綠。
- 原始碼／證據： `refresh_live_health` evidence；`scripts/ops/audit_operational_hardening.py`

F-020 | 健康 audit 被 inherited PYTHONPATH 指到 source/evidence

- 根因：subprocess 繼承 hostile environment，可能用錯版本。
- 修復：執行前綁 installed root、manifest、cron snapshot SHA，覆寫 cwd/PYTHONPATH/MAGI_ROOT。
- 驗證：hostile env 測試仍只載 installed rc release。
- 原始碼／證據： `release refresh_live_health` wrapper

F-021 | formal bundle privacy gate 因測試 fixture 絕對路徑失敗

- 根因：scanner 將測試中的 workstation-style literal 視為私有路徑。
- 修復：fixture 以 runtime concatenation 建構，仍測 absolute path 但不把私有 literal 放入 bundle。
- 驗證：fresh privacy gate violations=0。
- 原始碼／證據： `tests/v3/test_change_scope.py`；`test_validation_router.py`

F-022 | 測試工作樹產生 casper.log，focused gate 失敗

- 根因：api.orchestrator import-time handler 在 MAGI_AGENT_DIR 未隔離時落 root。
- 修復：測試明確綁 tmp agent dir；fixture 覆寫 hostile inherited env；source root 不產 log。
- 驗證：tracked/index clean、forbidden untracked=0。
- 原始碼／證據： `api/orchestrator.py`；`tests/test_admin_runtime_blueprint.py`

F-023 | post-cutover JPG 驗證無法執行

- 根因：wrapper 只綁 SHA，原始輸入 bytes 已不存在；視覺相似或重編碼不能替代。
- 修復：恢復 byte-exact 原檔後先驗 SHA，再僅送 localhost；缺 bytes 時維持 fail closed。
- 驗證：input SHA 精確、regular non-symlink、no persistence/no external。

- **原始碼／證據：** post_cutover evidence; cookie endpoint

F-024 | GitHub 發布混入案件／手機格式資料

- **根因：** 即使私有 repo，也不應保存可逆個資或 runtime dataset。
- **修復：** 公私版都跑 strict audit；個資資料集排除；只保存不可逆 release hash 與文件。
- **驗證：** public/private 0 errors、0 warnings；branch SHA 遠端核對。
- **原始碼／證據：** scripts/public_release_audit.py；PUBLIC_RELEASE.json；PRIVATE_RELEASE.json

F-025 | Menubar 顯示紅燈但底層功能其實正常

- **根因：** presentation 把 stale receipt、waiting、degraded、failed 混為同一文字。
- **修復：** 健康 state 與 next_action 分開；unknown reason 固定文案；attention 先於 ready。
- **驗證：** 同一 payload 在 CLI/JSON/Menubar 語意一致。
- **原始碼／證據：** magi_v3/health_presentation.py；gui/magi_menubar.py

23. 日常維修、升級與自主演進守則

安全維修流程：fork/branch → 重現 → 最小根修 → focused → adversarial → review → fresh release → backup/restore → prepare → authorized cutover → post/health/outcome → Git 保存。installed source 絕不熱修。

可以自主做

必須停手／需要額外授權

只讀診斷、local tests、source-only 修補、文件、建立未執行 wrapper

LIVE cutover、外部上傳/刪除、通知他人、清鎖、kill、改 cron/state

安全 cache/worktree 清理（已核准範圍）

刪 active release、rollback、唯一 backup、案件資料

健康重算與 PII-free report

用舊 receipt 假緣或手改 health JSON

自主演進只能提出可審查 proposal 或在既定 allowlist 內修復，例如清除自己建立且過期的 tmp；不能自行改法律業務判斷、合併案件、上傳文件、刪除遠端檔案或放寬驗證器。

附錄 A. 核心原始碼節錄與解讀

以下節錄是維修最常需要閱讀的核心邏輯；行號以 rc627 branch 為準。完整檔案請沿連結開啟。

magi_v3/gateway.py

位置：[magi_v3/gateway.py:205](#)

release ownership 驗證：把 gateway 綁到 exact installed release/manifest。

```
205 def validate_release_ownership(enviro: Mapping[str, str]) -> ReleaseOwnership:
206     """Fail closed unless gateway and control share one declared release identity."""
207
208     if environ.get("MAGI_V3_ROLE", "").strip() != "gateway":
209         raise GatewayConfigurationError("MAGI_V3_ROLE must equal gateway")
210     release_id = environ.get("MAGI_V3_RELEASE_ID", "").strip()
211     if not _RELEASE_ID.fullmatch(release_id):
212         raise GatewayConfigurationError("MAGI_V3_RELEASE_ID is missing or invalid")
213     raw_path = environ.get("MAGI_V3_OWNERSHIP_MANIFEST", "").strip()
214     if not raw_path:
215         raise GatewayConfigurationError("MAGI_V3_OWNERSHIP_MANIFEST is required")
216     manifest_path = Path(raw_path).expanduser()
217     if not manifest_path.is_absolute():
218         raise GatewayConfigurationError("MAGI_V3_OWNERSHIP_MANIFEST must be absolute")
219     ownership_sha = environ.get("MAGI_V3_OWNERSHIP_MANIFEST_SHA256", "").strip()
220     payload = _json_object(manifest_path, ownership_sha)
221     if payload.get("schema_version") != 1 or payload.get("release_id") != release_id:
222         raise GatewayConfigurationError("ownership manifest release identity mismatch")
223
224     release_sha = payload.get("release_manifest_sha256")
225     env_release_sha = environ.get("MAGI_V3_RELEASE_MANIFEST_SHA256", "").strip()
226     if not isinstance(release_sha, str) or not _SHA256.fullmatch(release_sha):
227         raise GatewayConfigurationError("ownership manifest release hash is invalid")
228     if env_release_sha != release_sha:
229         raise GatewayConfigurationError("environment and ownership release hashes differ")
230
231     rows = payload.get("roles")
232     if not isinstance(rows, list) or any(not isinstance(row, dict) for row in rows):
233         raise GatewayConfigurationError("ownership manifest roles must be a list of objects")
234     by_role: dict[str, dict[str, Any]] = {}
235     for row in rows:
236         role = row.get("role")
237         if not isinstance(role, str) or role in by_role:
238             raise GatewayConfigurationError("ownership manifest contains invalid or duplicate roles")
239         by_role[role] = row
240     if "gateway" not in by_role or "control" not in by_role:
241         raise GatewayConfigurationError("ownership manifest must declare gateway and control roles")
242     gateway = by_role["gateway"]
```



```

243 control = by_role["control"]
244
245 expected = (
246     (gateway, "gateway", "com.magi.v3.gateway", [5002, 5003], _GATEWAY_DOMAINS),
247     (control, "control", "com.magi.v3.control", [8088], _CONTROL_DOMAINS),
248 )
249 for binding, role, label, ports, domains in expected:
250     if binding.get("release_id") != release_id or binding.get("label") != label:
251         raise GatewayConfigurationError(f"{role} ownership does not match the declared release")
252     if binding.get("release_manifest_sha256") != release_sha:
253         raise GatewayConfigurationError(f"{role} ownership release hash mismatch")
254     if binding.get("ports") != ports:
255         raise GatewayConfigurationError(f"{role} ownership ports mismatch")
256     if not domains <= _string_set(binding.get("ownership_domains"), name=f"{role} ownership_domains"):
257         raise GatewayConfigurationError(f"{role} ownership domains are incomplete")
258     declared_manifest = binding.get("ownership_manifest")
259     if not isinstance(declared_manifest, str) or Path(declared_manifest).resolve() != manifest_path:
260         raise GatewayConfigurationError(f"{role} ownership manifest path mismatch")
261
262 if environ.get("MAGI_V3_PORTS", "").strip() != "5002,5003":
263     raise GatewayConfigurationError("gateway environment must declare ports 5002,5003")
264 env_domains = frozenset(
265     item.strip()
266     for item in environ.get("MAGI_V3_OWNERSHIP_DOMAINS", "").split(",")
267     if item.strip()
268 )
269 if not _GATEWAY_DOMAINS <= env_domains:
270     raise GatewayConfigurationError("gateway environment ownership domains are incomplete")
271 return ReleaseOwnership(release_id, manifest_path, release_sha, gateway, control)
272
273

```

magi_v3/cron_service.py

位置: [magi_v3/cron_service.py:80](#)

occurrence 與 timeout 的 deterministic 身分。

```

80 def _cron_occurrence_id(job: dict[str, Any], command_sha256: str) -> str:
81     supplied = str(job.get("_magi_occurrence_id") or "").strip().lower()
82     if len(supplied) == 64 and all(char in "0123456789abcdef" for char in supplied):
83         return supplied
84     due_at = str(job.get("_magi_due_at") or "").strip()
85     if not due_at:
86         # A due occurrence normally carries _magi_due_at. This fallback is
87         # used only by direct execution adapters and is propagated into every
88         # retry before the first process exits.
89         due_at = datetime.now().isoformat(timespec="minutes")
90     raw = "\0".join((str(job.get("id") or ""), command_sha256, due_at))
91     return hashlib.sha256(raw.encode("utf-8")).hexdigest()

```

```

92
93
94 def _cron_timeout_seconds(runtime_policy: Any, job: dict[str, Any]) -> int:
95     """Return the sealed policy timeout with narrowly-approved safety floors."""
96
97     configured = int(runtime_policy.cron_job_timeout(job))
98     floor = int(CRON_TIMEOUT_FLOORS_SECONDS.get(str(job.get("id") or ""), 0))
99     return max(configured, floor)
100
101
102 def _load_bound_cron_environment() -> None:
103     """Load the hash-bound V3 environment before any scheduled child starts."""
104
105     raw = os.environ.get("MAGI_ENV_FILE", "").strip()
106     if not raw:
107         return
108     path = Path(raw).expanduser()
109     if (
110         not path.is_absolute()
111         or path.is_symlink()
112         or not path.is_file()
113     ):
114         raise CronServiceError("MAGI_ENV_FILE is not a safe regular file")
115     expected = os.environ.get("MAGI_ENV_FILE_SHA256", "").strip().lower()
116     if expected:
117         digest = hashlib.sha256(path.read_bytes()).hexdigest()
118         if digest != expected:
119             raise CronServiceError("MAGI_ENV_FILE SHA-256 mismatch")
120     try:
121         from dotenv import load_dotenv
122     except ImportError as exc:
123         raise CronServiceError("python-dotenv is required for MAGI_ENV_FILE") from exc
124     if load_dotenv(path, override=False) is False:
125         raise CronServiceError("MAGI_ENV_FILE could not be loaded")
126

```

magi_v3/drive_file_checkpoint.py

位置: [magi_v3/drive_file_checkpoint.py:72](#)

case/item token、fingerprint、proof 與原子 JSON。

```

72 def case_token(worker_kind: str, canonical_case_id: str) -> str:
73     return _digest("drive-case-v1", worker_kind, canonical_case_id)
74
75
76 def source_fingerprint(
77     *,
78     direction: str,
79     case_key: str,

```

```

80 locator: str,
81 size: int | None = None,
82 modified: object = "",
83 checksum: str = "",
84 opaque_source_id: str = "",
85 ) -> str:
86     return _digest(
87         "drive-source-v1",
88         direction,
89         case_key,
90         locator,
91         int(size or 0),
92         modified,
93         checksum,
94         opaque_source_id,
95     )
96
97
98 def item_token(*, direction: str, case_key: str, source_key: str) -> str:
99     return _digest("drive-item-v1", direction, case_key, source_key)
100
101
102 def proof_hash(*parts: object) -> str:
103     return _digest("drive-proof-v1", *parts)
104
105
106 def snapshot_hash(tokens: Iterable[str]) -> str:
107     clean = sorted({str(token) for token in tokens if _valid_digest(token)})
108     return _digest("drive-snapshot-v1", *clean)
109
110
111 def _strict_atomic_json(path: Path, payload: dict[str, Any]) -> None:
112     """Replace a private JSON file durably, including the containing directory."""
113
114     path = Path(path)
115     path.parent.mkdir(parents=True, exist_ok=True, mode=0o700)
116     try:
117         os.chmod(path.parent, 0o700)
118     except OSError:
119         pass
120     tmp = path.with_name(f"{path.name}.{os.getpid()}.tmp")
121     data = (json.dumps(payload, ensure_ascii=False, sort_keys=True, indent=2) + "\n").encode(
122         "utf-8"
123     )
124     fd = os.open(tmp, os.O_WRONLY | os.O_CREAT | os.O_TRUNC, 0o600)
125     try:
126         with os.fdopen(fd, "wb", closefd=True) as handle:
127             handle.write(data)
128             handle.flush()

```

```

129     os.fsync(handle.fileno())
130     os.replace(tmp, path)
131     os.chmod(path, 0o600)
132     try:
133         dir_fd = os.open(path.parent, os.O_RDONLY)
134     except OSError:
135         dir_fd = -1
136     if dir_fd >= 0:
137         try:
138             os.fsync(dir_fd)
139         finally:
140             os.close(dir_fd)
141     finally:
142         try:
143             tmp.unlink()
144         except FileNotFoundError:
145             pass
146
147

```

magi_v3/file_review_receipts.py

位置: [magi_v3/file_review_receipts.py:16](#)

閱卷 canonical signature 與 snapshot receipt。

```

16 def _first(row: dict[str, Any], *names: str) -> str:
17     for name in names:
18         value = str(row.get(name) or "").strip()
19         if value:
20             return value
21     return ""
22
23
24 def _first_upper(row: dict[str, Any], *names: str) -> str:
25     """Read one alias set using the portal's case-insensitive status semantics."""
26     return _first(row, *names).upper()
27
28
29 def canonical_portal_download_signature(row: dict[str, Any]) -> str:
30     """Hash one actionable OLA row without publishing its case/person data.
31
32     Portal ``rowid`` is the preferred opaque identity. Case/court fields are
33     used only as an in-memory fallback when an older row has no opaque ID; the
34     receipt exposes only the final SHA-256 digest. Revision/status fields make
35     a later upload batch on the same row a different receipt.
36     """
37     if not isinstance(row, dict):
38         return ""
39     row_id = _first(row, "rowid", "no")

```

```

40 identity = {
41     "row_id": row_id,
42     "fallback_court": "" if row_id else _first(row, "court", "crtid"),
43     "fallback_case": "" if row_id else _first(
44         row, "case_number", "yyidno", "court_case_no", "showyyidno", "c60yyidno"
45     ),
46     "apply_at": _first(row, "applydt"),
47 }
48 revision = {
49     "semantic_status": "downloadable",
50     "status_code": _first(row, "status_code", "status"),
51     "portal_status": _first_upper(row, "p_status"),
52     "payment_status": _first(row, "paystatus"),
53     "payment_flag": _first_upper(row, "payment_flag", "payment"),
54     "is_downloaded": _first_upper(row, "isdown"),
55     "download_date": _first(row, "downdt"),
56     "download_time": _first(row, "downtm"),
57     "download_deadline": _first(
58         row, "deadline", "downlimit", "dlmdate", "payedate"
59     ),
60     "payment_deadline": _first(row, "pay_deadline", "paylimitdt", "limitdt"),
61     "updated_at": _first(row, "upddt", "updated_at", "updttime"),
62     "content_marker": hashlib.sha256(
63         re.sub(r"\\s+", " ", _first(row, "result_text", "result", "row_text"))[:1000]
64         .strip()
65         .encode("utf-8")
66     ).hexdigest(),
67 }
68 if not any(identity.values()):
69     return ""
70 material = json.dumps(
71     {
72         "schema": PORTAL_DOWNLOAD_RECEIPT_SCHEMA,
73         "identity": identity,
74         "revision": revision,
75     },
76     ensure_ascii=False,
77     sort_keys=True,
78     separators=(",", ":"),
79 )
80 return hashlib.sha256(material.encode("utf-8")).hexdigest()
81
82
83 def normalize_signature_hashes(values: Iterable[Any] | None) -> list[str]:
84     return sorted(
85         {
86             str(value or "").strip().lower()
87             for value in (values or [])
88             if _SHA256_RE.fullmatch(str(value or "").strip().lower())

```

```

89     }
90 )
91
92
93 def signature_set_hash(values: Iterable[Any] | None) -> str:
94     normalized = normalize_signature_hashes(values)
95     material = json.dumps(
96         {"schema": PORTAL_DOWNLOAD_RECEIPT_SCHEMA, "signatures": normalized},
97         sort_keys=True,
98         separators=(",", ":"),
99     )
100     return hashlib.sha256(material.encode("utf-8")).hexdigest()
101
102
103 def portal_snapshot_fingerprint(values: Iterable[Any] | None) -> str:
104     signatures = normalize_signature_hashes(values)
105     fingerprint_material = json.dumps(
106         {
107             "schema": PORTAL_DOWNLOAD_RECEIPT_SCHEMA,
108             "signature_set_hash": signature_set_hash(signatures),
109             "signature_count": len(signatures),
110         },
111         sort_keys=True,
112         separators=(",", ":"),
113     )
114     return hashlib.sha256(fingerprint_material.encode("utf-8")).hexdigest()
115
116
117 def portal_observed_epoch(value: Any) -> float | None:
118     text = str(value or "").strip()
119     if not text:
120         return None
121     try:
122         parsed = datetime.fromisoformat(text.replace("Z", "+00:00"))
123     except (TypeError, ValueError):
124         return None
125     if parsed.tzinfo is None:
126         return None
127     return parsed.timestamp()
128
129
130 def portal_download_snapshot(
131     items: Iterable[dict[str, Any]] | None,
132     *,
133     observed_at: str = "",
134 ) -> dict[str, Any]:
135     signatures = normalize_signature_hashes(
136         canonical_portal_download_signature(item)
137         for item in (items or [])

```

```

138     if isinstance(item, dict)
139         and str(item.get("status") or "").strip().lower() == "downloadable"
140     )
141     observed = str(observed_at or "").strip() or datetime.now().astimezone().isoformat(
142         timespec="seconds"
143     )
144     set_hash = signature_set_hash(signatures)
145     return {

```

api/model_router.py

位置: [api/model_router.py:273](#)

模型 gate 與 request routing 的安全判斷。

```

273 def _evaluate_gates(spec: ModelSpec, resource: ResourceView, active_models: tuple[str, ...], prompt_len: int) -> tuple[bool, tuple[str, ...], bool]:
274     gates = dict(spec.gates or {})
275     blocked: list[str] = []
276     should_queue = False
277
278     if gates.get("require_model_live", False) and not _active_has(active_models, "26b"):
279         blocked.append("26b_not_live")
280
281     min_disk = _env_float("MAGI_ROUTER_26B_MIN_DISK_GB", float(gates.get("min_disk_free_gb", 70) or 70))
282     if resource.disk_free_gb >= 0 and resource.disk_free_gb < min_disk:
283         blocked.append(f"disk_free<{min_disk:g}GB")
284         should_queue = True
285
286     min_free = _env_float("MAGI_ROUTER_26B_MIN_FREE_GB", float(gates.get("min_free_plus_inactive_gb", 8) or 8))
287     if resource.free_plus_inactive_gb >= 0 and resource.free_plus_inactive_gb < min_free:
288         blocked.append(f"free_plus_inactive<{min_free:g}GB")
289         should_queue = True
290
291     max_swap = _env_float("MAGI_ROUTER_26B_MAX_SWAP_GB", float(gates.get("max_swap_used_gb", 20) or 20))
292     if resource.swap_used_gb >= 0 and resource.swap_used_gb > max_swap:
293         blocked.append(f"swap_used>{max_swap:g}GB")
294         should_queue = True
295
296     allowed_levels = tuple(str(x) for x in gates.get("allowed_resource_levels") or ("normal",))
297     if resource.level not in allowed_levels and resource.level != "unknown":
298         blocked.append(f"resource_level={resource.level}")
299         should_queue = True
300
301     max_prompt = int(os.environ.get("MAGI_ROUTER_26B_MAX_PROMPT_CHARS", "60000") or "60000")
302     if prompt_len > max_prompt:
303         blocked.append(f"prompt_len>{max_prompt}")
304         should_queue = True
305
306     return not blocked, tuple(blocked), should_queue
307

```

```

308
309 def choose_model_for_request(
310     *,
311     task_type: str = "general",
312     prompt: str = "",
313     requested_model: str = "",
314     heavy_opt_in: bool = False,
315     force_quality: bool = False,
316     active_models: Iterable[str] | None = None,
317     resource: ResourceView | dict[str, Any] | None = None,
318     registry: dict[str, ModelSpec] | None = None,
319 ) -> ModelRouteDecision:
320     task = str(task_type or "general").strip() or "general"
321     prompt_len = len(str(prompt or ""))
322     reg = registry or load_registry()
323     active, rv = get_runtime_state(active_models=active_models, resource=resource) if active_models is not None or resource is not None else
get_runtime_state()
324
325     if task == "embedding":
326         return ModelRouteDecision(
327             selected_model=DEFAULT_EMBED_MODEL,
328             tier="embedding_local",
329             reason="embedding tasks must keep the embedding model",
330             task_type=task,
331             provider="omlx",
332             active_models=active,
333             resource_level=rv.level,
334             safe_context_tokens=8192,
335         )
336
337     if requested_model and not is_disallowed_model(requested_model):
338         resolved = resolve_text_model(requested_model, available=active or None)
339         spec = reg.get(resolved) or reg.get(requested_model)
340         if resolved and (not active or resolved in active):
341             return ModelRouteDecision(
342                 selected_model=resolved,
343                 tier=(spec.tier if spec else "explicit"),
344                 reason="explicit model request accepted",
345                 task_type=task,
346                 provider=(spec.provider if spec else "omlx"),
347                 active_models=active,
348                 preferred_model=resolved,
349                 resource_level=rv.level,
350                 safe_context_tokens=(spec.safe_context_tokens if spec else 4096),
351             )
352
353     if heavy_opt_in:
354         return ModelRouteDecision(
355             selected_model="nvidia-nim-heavy-non-china" if _env_bool("NVIDIA_NIM_ENABLE", False) else TEXT_PRIMARY_MODEL,

```



```

356     tier="cloud_heavy" if _env_bool("NVIDIA_NIM_ENABLE", False) else "stable_local",
357     reason="@heavy explicitly requested; NVIDIA NIM is required and failures close without local fallback",
358     task_type=task,
359     provider="nvidia_nim" if _env_bool("NVIDIA_NIM_ENABLE", False) else "omlx",
360     active_models=active,

```

api/blueprints/cookie_cutter.py

位置: [api/blueprints/cookie_cutter.py:45](#)

cookie 子程序資源錯誤、bounded upload 與 parent cleanup。

```

45 def _cookie_generation_child(connection, content: bytes, values: dict[str, float]) -> None:
46     """Spawn-safe, importable child target. Never writes uploads to disk."""
47     try:
48         # Import in the child so macOS spawn does not inherit server state.
49         from skills.cookie_stl import CookieParameters, CookieSTLError, generate_zip_bytes
50     try:
51         import resource
52         resource.setrlimit(
53             resource.RLIMIT_CPU,
54             (MAX_GENERATION_SECONDS, MAX_GENERATION_SECONDS + 1),
55         )
56     except (ImportError, OSError, ValueError):
57         # A child without its CPU ceiling is unsafe to run. Send only a
58         # fixed protocol value: no platform exception details cross IPC.
59         connection.send(("resource_error", _RESOURCE_LIMIT_SETUP_FAILURE))
60     return
61     bundle, summary = generate_zip_bytes(content, CookieParameters(**values))
62     connection.send(("ok", bundle, summary))
63 except CookieSTLError as exc:
64     connection.send(("cookie_error", str(exc)))
65 except Exception:
66     connection.send(("error", "generation_failed"))
67 finally:
68     connection.close()
69
70
71 def _plain_error(message: str, status: int):
72     response = jsonify({"ok": False, "message": message})
73     response.status_code = status
74     response.headers["Cache-Control"] = "no-store"
75     return response
76
77
78 @cookie_cutter_bp.before_request
79 def _reject_oversized_multipart_before_parse():
80     """Reject a declared oversized body before Flask accesses request.files."""
81     if request.method != "POST":
82         return None

```

```

83     declared = request.content_length
84     if declared is not None and declared > MAX_UPLOAD_BYTES + MAX_MULTIPART_OVERHEAD_BYTES:
85         return _plain_error("圖片過大，請控制在 8MB 以內", 413)
86     return None
87
88
89     def _client_key() -> str:
90         # Do not trust a forwarded header directly. The limiter stores only a
91         # SHA-256 of this normalized identity.
92         return str(request.remote_addr or "anonymous")
93
94
95     def _within_rate_limit() -> bool:
96         return not check_rate_limit("cookie_cutter", _client_key(), limiter=_rate_limiter).rejected
97
98
99     def _read_upload_bounded(upload) -> bytes:
100         """Reject oversized multipart streams before retaining an unbounded body."""
101         declared = request.content_length
102         if declared is not None and declared > MAX_UPLOAD_BYTES + MAX_MULTIPART_OVERHEAD_BYTES:
103             raise ValueError("圖片過大，請控制在 8MB 以內")
104         stream = upload.stream
105         remaining = MAX_UPLOAD_BYTES + 1
106         chunks: list[bytes] = []
107         while remaining:
108             chunk = stream.read(min(64 * 1024, remaining))
109             if not chunk:
110                 break
111             chunks.append(chunk)
112             remaining -= len(chunk)
113         payload = b"".join(chunks)
114         if len(payload) > MAX_UPLOAD_BYTES or stream.read(1):
115             raise ValueError("圖片過大，請控制在 8MB 以內")
116         return payload
117
118
119     def _generate_bounded(content: bytes, parameters: CookieParameters):
120         """Run conversion in a killable macOS-spawn child with bounded IPC."""
121         context = multiprocessing.get_context("spawn")
122         parent, child = context.Pipe(duplex=False)
123         worker = context.Process(
124             target=_cookie_generation_child,
125             args=(child, bytes(content), {name: float(getattr(parameters, name)) for name in parameters.__dataclass_fields__}),
126             name="cookie-cutter-generate",
127         )
128         peak_rss_bytes = 0
129         rss_sample_count = 0
130         started = time.monotonic()
131         worker_started = False

```

```

132 bundle: bytes | None = None
133 engine_summary: dict[str, object] | None = None
134 process = None
135 try:
136     worker.start()
137     worker_started = True
138     child.close()
139 try:
140     import psutil

```

scripts/v3_release_bundle.py

位置: [scripts/v3_release_bundle.py:1158](#)

不可變 release bundle 建立與封存。

```

1158 def build_release_bundle(
1159     source_root: Path,
1160     staging_dir: Path,
1161     *,
1162     release_id: str,
1163     commit: str | None = None,
1164     expected_snapshot_sha256: str | None = None,
1165     now: datetime | None = None,
1166 ) -> dict[str, Any]:
1167     """Copy the V3 allowlist and atomically mark a verified staging bundle complete."""
1168
1169     if not RELEASE_ID_RE.fullmatch(release_id):
1170         raise ReleaseBundleError("release_id contains unsupported characters")
1171     source = source_root.resolve(strict=True)
1172     _top_level, head = _git_identity(source)
1173     resolved_commit = commit or head
1174     if not COMMIT_RE.fullmatch(resolved_commit):
1175         raise ReleaseBundleError("commit must be a lowercase 40- or 64-character hex digest")
1176     if resolved_commit != head:
1177         raise ReleaseBundleError("release commit does not exactly match git HEAD")
1178     staging = _assert_safe_staging(source, staging_dir)
1179     before = snapshot_sources(source)
1180     _verify_git_snapshot(source, before, resolved_commit)
1181     privacy_audit = _release_privacy_audit(source, before)
1182     source_snapshot_sha256 = _snapshot_digest(before)
1183     if expected_snapshot_sha256 is not None:
1184         if not SHA256_RE.fullmatch(expected_snapshot_sha256):
1185             raise ReleaseBundleError("expected_snapshot_sha256 must be a lowercase SHA-256 digest")
1186         if source_snapshot_sha256 != expected_snapshot_sha256:
1187             raise ReleaseBundleError("source snapshot does not match expected_snapshot_sha256")
1188     git_provenance = _git_provenance(source)
1189     staging.mkdir(mode=0o755)
1190     for entry in before:
1191         _copy_entry(source, staging, entry)

```

```

1192 after_copy = snapshot_sources(source)
1193 if after_copy != before:
1194     raise ReleaseBundleError("source snapshot changed while building release bundle")
1195 _verify_git_snapshot(source, after_copy, resolved_commit)
1196 copied_files = [entry.manifest_entry() for entry in before]
1197 for entry in before:
1198     destination = staging / entry.path
1199     if destination.is_symlink() or not destination.is_file():
1200         raise ReleaseBundleError(f"staged file is missing or unsafe: {entry.path}")
1201     if destination.stat().st_size != entry.size or _sha256_file(destination) != entry.sha256:
1202         raise ReleaseBundleError(f"staged file verification failed: {entry.path}")
1203 generated_at = (now or datetime.now(timezone.utc)).astimezone(timezone.utc).isoformat()
1204 manifest = {
1205     "schema_version": 1,
1206     "release_id": release_id,
1207     "commit": resolved_commit,
1208     "generated_at": generated_at,
1209     "immutable": True,
1210     "source_snapshot_sha256": source_snapshot_sha256,
1211     "release_sha256": source_snapshot_sha256,
1212     "git_provenance": git_provenance,
1213     "source_file_count": len(copied_files),
1214     "source_allowlist": [*SOURCE_DIRECTORIES, *REQUIRED_FILES],
1215     "required_package_files": list(REQUIRED_PACKAGE_FILES),
1216     "required_test_targets": list(REQUIRED_TEST_TARGETS),
1217     "test_execution_evidence": "not_evaluated_by_bundle_builder",
1218     "privacy_audit": privacy_audit,
1219     "excluded_components": sorted(EXCLUDED_COMPONENTS),
1220     "excluded_mutable_files": sorted(EXCLUDED_MUTABLE_FILES),
1221     "external_template_contract": {
1222         "hearing_leave_template_env": "MAGI_HEARING_LEAVE_TEMPLATE_PATH",
1223         "bundled_local_template": False,
1224     },
1225     "files": copied_files,
1226 }
1227 manifest_bytes = _write_json_exclusive(staging / MANIFEST_NAME, manifest)
1228 final_snapshot = snapshot_sources(source)
1229 if final_snapshot != before:
1230     raise ReleaseBundleError("source snapshot changed before release completion")
1231 _verify_git_snapshot(source, final_snapshot, resolved_commit)
1232 marker = {
1233     "schema_version": 1,
1234     "release_id": release_id,
1235     "commit": resolved_commit,
1236     "completed_at": generated_at,
1237     "manifest": MANIFEST_NAME,
1238     "manifest_sha256": hashlib.sha256(manifest_bytes).hexdigest(),
1239     "source_snapshot_sha256": source_snapshot_sha256,
1240     "release_sha256": source_snapshot_sha256,

```

```

1241     "source_file_count": len(copied_files),
1242     "privacy_audit_sha256": hashlib.sha256(
1243         json.dumps(privacy_audit, sort_keys=True, separators=(",", ":")).encode("utf-8")
1244     ).hexdigest(),
1245 }
1246 _atomic_completion_marker(staging, marker)
1247 _seal_release_tree(staging)
1248 _verify_sealed_release(staging, before)
1249 return marker
1250
1251

```

scripts/v3_cutover/activation.py

位置: [scripts/v3_cutover/activation.py:187](#)

active marker 與 activation transaction。

```

187 def active_release_marker(
188     path: Path,
189     *,
190     expected_release: str,
191     expected_release_id: str | None = None,
192     expected_release_root: Path | None = None,
193     expected_manifest_sha256: str | None = None,
194 ) -> dict[str, Any]:
195     payload = _load(path, description="active release marker")
196     if (
197         payload.get("schema") != MARKER_SCHEMA
198         or payload.get("schema_version") != 1
199         or payload.get("release") != expected_release
200         or not isinstance(payload.get("transaction_id"), str)
201         or not payload["transaction_id"]
202     ):
203         raise CutoverError("active release marker identity mismatch")
204     expected = {
205         "release_id": expected_release_id,
206         "release_root": str(expected_release_root) if expected_release_root else None,
207         "release_manifest_sha256": expected_manifest_sha256,
208     }
209     for key, value in expected.items():
210         if value is not None and payload.get(key) != value:
211             raise CutoverError(f"active release marker {key} mismatch")
212     return payload
213
214
215 @dataclass(slots=True)
216 class ActivationTransaction:
217     journal_path: Path
218     marker_path: Path

```

```

219 transaction_id: str
220 clock: Callable[[], str] = _now
221
222 @classmethod
223 def begin(
224     cls,
225     *,
226     state_parent: Path,
227     plan_sha256: str,
228     release_id: str,
229     release_root: Path,
230     release_manifest_sha256: str,
231     reconciliation_before: Mapping[str, Any],
232     clock: Callable[[], str] = _now,
233 ) -> "ActivationTransaction":
234     if not all(
235         SHA256_RE.fullmatch(value)
236         for value in (plan_sha256, release_manifest_sha256)
237     ):
238         raise CutoverError("activation transaction hash binding is invalid")
239     parent = _safe_parent(state_parent)
240     journal = parent / "cutover-activation.json"
241     marker = parent / "active-release.json"
242     if journal.exists() or journal.is_symlink():
243         previous = _load(journal, description="activation journal")
244         if previous.get("phase") != "complete":
245             raise CutoverError("an incomplete activation transaction requires recovery")
246         journal.unlink()
247     transaction_id = uuid.uuid4().hex
248     current = clock()
249     initial_evidence = {
250         "plan_sha256": plan_sha256,
251         "release_id": release_id,
252         "release_root": str(release_root),
253         "release_manifest_sha256": release_manifest_sha256,
254         "reconciliation_before": dict(reconciliation_before),
255     }
256     history = [
257         _chain_entry(
258             transaction_id=transaction_id,
259             sequence=1,
260             phase="prepared",
261             at=current,
262             previous_entry_sha256="0" * 64,
263             evidence=initial_evidence,
264         )
265     ]
266     payload = {
267         "schema": SCHEMA,

```

```
268     "schema_version": 1,
269     "transaction_id": transaction_id,
270     "operation": "v2_to_v3_cutover",
271     "phase": "prepared",
272     "sequence": 1,
273     "started_at": current,
274     "updated_at": current,
275     **initial_evidence,
```

gui/magi_menubar.py

位置: [gui/magi_menubar.py:925](#)

business/health payload 到人類狀態的轉換。

```
925 def _business_module_status_from_payload(payload: dict) -> dict:
926     result_ok = {}
927     if isinstance(payload, dict):
928         results = payload.get("results") if isinstance(payload.get("results"), list) else []
929         for item in results:
930             if not isinstance(item, dict):
931                 continue
932             name = str(item.get("name") or "").strip()
933             if not name:
934                 continue
935             if "ok" in item:
936                 result_ok[name] = bool(item.get("ok"))
937             elif "success" in item:
938                 result_ok[name] = bool(item.get("success"))
939
940     modules = {}
941     for label, checks in BUSINESS_MODULE_CHECKS.items():
942         state_info = _checks_state(result_ok, checks)
943         state = state_info["state"]
944         modules[label] = {
945             **state_info,
946             "label": _label_for_state(state, OPERATIONAL_TEXT),
947         }
948
949     factory = {}
950     for label, checks in FACTORY_CHECKS.items():
951         state_info = _checks_state(result_ok, checks)
952         state = state_info["state"]
953         factory[label] = {
954             **state_info,
955             "label": _label_for_state(state, CHECK_PASSED_TEXT),
956         }
957
958     credential = _checks_state(result_ok, ("token_health_refresh",))
959     credential_state = credential["state"]
```

```

960 return {
961     "ok": bool(payload.get("ok") if isinstance(payload, dict) else False),
962     "result_ok": result_ok,
963     "modules": modules,
964     "factory": factory,
965     "credential": {
966         **credential,
967         "label": _label_for_state(credential_state, OPERATIONAL_TEXT),
968     },
969 }
970
971
972 def _business_module_status_failure(reason: str, *, returncode: int | None = None) -> dict:
973     """Represent the current live-check round without reusing an older report."""
974     status = _business_module_status_from_payload({"ok": False, "results": []})
975     for group_name in ("modules", "factory"):
976         for info in status.get(group_name, {}).values():
977             if isinstance(info, dict):
978                 info["state"] = "attention"
979                 info["label"] = "本輪檢查失敗"
980     credential = status.get("credential")
981     if isinstance(credential, dict):
982         credential["state"] = "attention"
983         credential["label"] = "本輪檢查失敗"
984     status.update({"ok": False, "failed_reason": str(reason or "live_check_failed")[:160]})
985     if returncode is not None:
986         status["returncode"] = int(returncode)
987     return status
988
989
990 def _health_state_from_payload(kind: str, payload: dict, *, age_sec: float | None = None) -> dict:
991     spec = HEALTH_ARTIFACTS[kind]
992     label = str(spec["label"])
993     if not isinstance(payload, dict) or not payload:
994         return {"state": "attention", "label": f"{label}無法解析", "detail": "健康報告不存在或不是有效的 JSON。"}
995     if age_sec is not None and age_sec > int(spec["max_age_sec"]):
996         return {"state": "waiting", "label": f"{label}檢查逾時", "detail": f"健康報告已超過 {round(age_sec / 3600, 1)} 小時未更新。"}
997     summary = payload.get("summary") if isinstance(payload.get("summary"), dict) else {}
998     requires_human = payload.get("requires_human") if isinstance(payload.get("requires_human"), list) else []
999     errors = int(summary.get("error_count") or 0)
1000     warnings = int(summary.get("warning_count") or 0)
1001     nested_failed = []
1002     nested_missing = []
1003     nested_stale = []
1004     for container_name in ("health", "runtime_health"):
1005         container = payload.get(container_name)
1006         if not isinstance(container, dict):
1007             continue
1008         if isinstance(container.get("failed"), list):

```



```

1009     nested_failed.extend(container["failed"])
1010     if isinstance(container.get("missing"), list):
1011         nested_missing.extend(container["missing"])
1012     if isinstance(container.get("stale"), list):
1013         nested_stale.extend(container["stale"])
1014     errors = max(
1015         errors,
1016         int(summary.get("failed_health_count") or 0)
1017         + int(summary.get("missing_health_count") or 0),
1018         len(nested_failed) + len(nested_missing),
1019     )
1020     warnings = max(
1021         warnings,
1022         int(summary.get("stale_health_count") or 0),
1023         len(nested_stale),
1024     )
1025     if payload.get("ok") is not True or requires_human or errors or warnings:
1026         reasons = []
1027         for item in payload.get("unresolved_issue_ids") or []:
1028             reasons.append(str(item))
1029         for item in payload.get("failed") or []:
1030             if isinstance(item, dict):
1031                 reasons.append(f"{item.get('path') or item.get('name') or '檢查項目': {item.get('reason') or item.get('detail') or '失敗'}}")
1032             for item in nested_failed + nested_missing + nested_stale:
1033                 if isinstance(item, dict):
1034                     reasons.append(
1035                         f"{item.get('name') or item.get('path') or '檢查項目': "
1036                         f"{item.get('reason') or item.get('detail') or '未通過'}}"
1037                     )
1038                 elif item:
1039                     reasons.append(str(item))
1040         if requires_human:
1041             reasons.extend(str(item.get("reason") or item) if isinstance(item, dict) else str(item) for item in requires_human)
1042         detail = "\n".join(dict.fromkeys(reason for reason in reasons if reason))
1043         if not detail:
1044             detail = f"錯誤 {errors} 項、警告 {warnings} 項；請開啟健康報告查看。"
1045         # Warnings and human review items mean the service is still
1046         # operational. Reserve red for an active error (or an unclassified
1047         # failed report), and use amber for review/retry work.
1048         hard_failure = errors > 0 or (
1049             payload.get("ok") is not True
1050             and warnings == 0
1051             and not requires_human
1052         )
1053         state = "attention" if hard_failure else "waiting"
1054         suffix = "需處理" if hard_failure else "待確認"
1055         return {"state": state, "label": f"{label}{suffix}", "detail": detail}
1056     return {"state": "ok", "label": f"{label}通過", "detail": "最近一次健康檢查通過。"}

```


附錄 B. 全部 production 原始碼索引

Production Python 共 **1,061** 檔。每列顯示 path、行數、SHA 前 12 碼與前幾個符號；所有符號與完整 SHA 在 JSON 索引。

api/ (223 檔)

- `api/__init__.py` | 27 行 | 7d79b664f6ca | **getattr**
- `api/admin_allowlist.py` | 93 行 | 59202c01f555 | `_split_csv, _load_file_ids, get_discord_admin_ids, get_line_admin_user_ids, get_telegram_admin_ids, ensure_agent_dir`
- `api/agentic/__init__.py` | 74 行 | f7d41258332f | —
- `api/agentic/contracts.py` | 659 行 | d685f938d1a6 | `SideEffectLevel, SideEffectLevel.rank, StepStatus, StepStatus.terminal, PlanStatus, PlanStatus.terminal, _nonempty, _confidence, _json_safe, _mapping`
- `api/agentic/control.py` | 647 行 | 4590d2277530 | `_utcnow, _iso, _parse_iso, _owner_hash, _token_hash, _reply_hash, _safe_summary, _default_db_path, PlanProposal, PlanProposal.user_message`
- `api/agentic/planner.py` | 250 行 | a2de0bcb3458 | `InvalidTransition, topological_order, ready_steps, pending_confirmations, derive_plan_status, build_plan, confirm_intent, confirm_step, transition_step, cancel_plan`
- `api/agentic/shadow.py` | 152 行 | 85f4a4bed7fe | `should_publish_public_agent_status, public_category_for_message, public_tool_category, observe_start, observe_finish, _result_failed, _public_result_text`
- `api/agentic/telemetry.py` | 478 行 | e7f52710c52b | `build_public_agent_status, write_public_agent_status, public_agent_status_path, _strip_private_fields, _is_private_key, _mapping, _first, _raw_value, _allowed_value, _intent_category`
- `api/agents/__init__.py` | 12 行 | 2bc47f782d10 | —
- `api/agents/models.py` | 42 行 | c26970a826b0 | `utcnow, AgentSpec, AgentMessage, TeamSpec, AgentResponse`
- `api/agents/runtime.py` | 101 行 | 3e2b170a868a | `AgentRuntime, AgentRuntime.respond, TeamRuntime, TeamRuntime.register_agent, TeamRuntime.list_agents, TeamRuntime.dispatch, AgentCoordinator, AgentCoordinator.register_agent, AgentCoordinator.create_team, AgentCoordinator.add_agent_to_team`
- `api/answer_provenance.py` | 277 行 | 2f63746263a2 | `_label_source, _extract_web_titles, _meaningful_memories, build_provenance_footer, store_provenance, get_last_provenance, format_correction_context`
- `api/app_factory.py` | 230 行 | 891f95922de9 | `_env_truthy, _configured_https_public_url, _formal_deployment_mode, _https_enforced, _is_sensitive_static_request, create_base_app, create_base_app._block_sensitive_static_files, install_error_handlers, install_error_handlers.handle_500, install_security_headers`
- `api/authz.py` | 275 行 | 114583144444 | `_get_calling_user_id, _log_access, _check_api_key, _env_truthy, _extract_api_key, _formal_saas_mode, _tenant_header_matches, require_api_key, require_api_key.decorated_function, require_role`

- `api/autopilot_artifacts.py` | 99 行 | d206012f9b3d | `_resolve_root`, `_resolve_runtime_dir`, `get_autopilot_runtime_dir`, `get_kill_reason_path`, `get_legacy_kill_reason_path`, `get_kill_log_path`, `write_kill_reason`, `read_kill_reason`, `cleanup_stale_kill_reason_files`
- `api/blueprints/__init__.py` | 49 行 | 05da9c869fc9 | **getattr**
- `api/blueprints/admin_runtime.py` | 3775 行 | c1487317b391 | `_mutable_static_dir`, `_agent_state_dir`, `_runtime_state_dir`, `_token_health_report_candidates`, `_apple_vision_capability_metadata`, `_read_faiss_metadata`, `_browser_core_health_hard_timeout`, `_wants_json_response`, `_render_health_html`, `_render_health_html.state_for`
- `api/blueprints/cookie_cutter.py` | 422 行 | 2fa1f8db2035 | `_cookie_generation_child`, `_plain_error`, `_reject_oversized_multipart_before_parse`, `_client_key`, `_within_rate_limit`, `_read_upload_bounded`, `_generate_bounded`, `_attest_generated_bundle`, `_image_dimensions`, `build_cookie_cutter_request`
- `api/blueprints/dashboard_pages.py` | 1264 行 | 640194bc79a8 | `_mutable_static_dir`, `_runtime_dir`, `_worldmonitor_report_dir`, `_is_mobile_app_request`, `_maybe_force_mobile_app_login`, `_force_mobile_app_reauth_before_dashboard_page`, `_strip_trailing_dot`, `_tailscale_cli`, `_load_tailscale_status`, `_load_tailscale_serve_url`
- `api/blueprints/exam_tutor.py` | 3961 行 | c55b724e4fce | `ExamTutorInputError`, `ExamTutorInputError.init`, `_clip_text`, `_is_judicial_bar_second_stage`, `_estimated_answer_visual_lines`, `_decode_plain_text`, `_extract_uploaded_text`, `_collect_text_field`, `_official_moex_url`, `_public_https_url`
- `api/blueprints/golem_console.py` | 386 行 | 1dfe15b54bcb | `_read_json`, `_is_admin_user`, `_admin_forbidden_response`, `_mask_secret`, `_parse_env_file`, `_write_env_values`, `_write_pending_env_values`, `_api_key_status`, `_tail`, `_recent_files`
- `api/blueprints/lottery.py` | 226 行 | a9317de52047 | `_norm_header`, `_find_column`, `_clean_cell`, `mask_name`, `mask_phone`, `mask_address`, `_read_csv_rows`, `_read_excel_rows`, `parse_upload`, `_public_row`
- `api/blueprints/osc_accounting.py` | 635 行 | d92241ad2fd7 | `_require_accounting_operator`, `_get_osc_helpers`, `_accounting_transaction_filters`, `_accounting_transactions_sql`, `_as_amount`, `_iso_date_text`, `osc_accounting_transactions_api`, `osc_accounting_transactions_xlsx_api`, `osc_accounting_transactions_xlsx_api.cleanup`, `osc_accounting_transaction_detail_api`
- `api/blueprints/osc_cases.py` | 11339 行 | 98f2b4e84c44 | `_directory_io_route`, `_directory_io_route.wrapped`, `_osc_audit_file_event`, `_osc_shell_nas_helper_url`, `_osc_photo_path`, `_osc_existing_resource_path`, `_osc_clean_case_reason`, `_osc_case_uses_consumer_debt_lawyer`, `_osc_default_case_lawyer`, `_osc_normalize_case_lawyer`
- `api/blueprints/osc_debt.py` | 981 行 | fbcfaa35e173 | `_require_osc_debt_login`, `_require_debt_operator`, `_export_dir`, `_secure_temp_upload_path`, `_file_meta`, `_save_doc`, `_debt_osc_exec`, `_debt_setting_value`, `_prepare_debt_document_data`, `_first_debt_value`

- `api/blueprints/osc_files.py` | 2275 行 | 54d914ae85fb | `_directory_io_route`, `_directory_io_route.wrapped`, `_audit_file_event`, `_require_file_operator`, `_actor_namespace`, `_locked_file`, `_share_store_guard`, `_osc_shell_nas_helper_url`, `_osc_shell_nas_helper_request`, `_osc_shell_nas_stage_request`
- `api/blueprints/osc_gcal.py` | 369 行 | 229b00d13704 | `_require_gcal_operator`, `_get_osc_exec`, `_get_setting`, `_write_token_atomic`, `_load_creds`, `_run_current_gcal_sync`, `_build_redirect_uri`, `_calendar_token_health`, `gcal_status`, `gcal_auth_start`
- `api/blueprints/osc_pdf.py` | 2657 行 | 87b54c6ab9b0 | `_LazyFitz`, `_LazyFitz._load`, `_LazyFitz.getattr`, `_upload_dir`, `_path_from_request`, `_safe_bool`, `_repo_root`, `_osc_exec`, `_load_headless_todo_helpers`, `_load_headless_date_helpers`
- `api/blueprints/osc_settings.py` | 274 行 | f9d03a9ebd27 | `_get_osc_helpers`, `osc_settings_api`, `osc_setting_detail_api`, `osc_courts_api`, `osc_court_detail_api`, `osc_legal_aid_branches_api`, `osc_legal_aid_branch_detail_api`, `osc_discord_test_api`
- `api/blueprints/raziel.py` | 729 行 | 399b5e4495fb | `_has_classifier_script`, `_has_raziel_outputs`, `_safe_glob`, `_safe_is_dir`, `_candidate_roots`, `_candidate_roots.add`, `_raziel_root`, `_config_path`, `_script_path`, `_script_supported_modes`
- `api/blueprints/sentencing_trends.py` | 48 行 | 5506b079d1b6 | `_search_public_judgment_candidates`, `page`, `search_api`
- `api/blueprints/web_runtime.py` | 1421 行 | a85ee2ec4900 | `public_intent_summary`, `_parse_etime_to_sec`, `_process_monitor_markers`, `_agent_state_dir`, `_mutable_static_dir`, `_chat_upload_dir`, `_magi_web_outputs_dir`, `_extract_chat_upload_text`, `_extract_chat_upload_text_for_task`, `_safe_web_url`
- `api/case_display.py` | 128 行 | 2763257959db | `normalize_person_name`, `is_unusable_client_label`, `_path_parts`, `folder_client_name`, `should_trust_folder_client_name`, `display_client_name`, `display_case_label`
- `api/case_path_mapper.py` | 836 行 | 838a13cbbc65 | `_load_local_dotenv`, `_is_dir_accessible`, `_is_dir_accessible._check`, `_is_stale_mount_path`, `_is_file_provider_or_user_mount`, `_write_safe_local_candidate`, `_discover_volume`, `_mount_output_lines`, `_discover_active_smb_share_roots`, `_discover_active_smb_share_roots._add_user`
- `api/channel_context.py` | 187 行 | 089da5b6616f | `ChannelContext`, `_get_magi_root`, `reverse_lookup_telegram_topic`, `reverse_lookup_discord_channel`, `should_skip_nl_router`
- `api/command_registry.py` | 144 行 | f17fa8aaf778 | `CommandContext`, `_CommandEntry`, `CommandRegistry`, `CommandRegistry.init`, `CommandRegistry.command`, `CommandRegistry.command.decorator`, `CommandRegistry.register`, `CommandRegistry.dispatch`, `CommandRegistry.list_commands`
- `api/commands/__init__.py` | 1 行 | 14a5997b9b43 | —
- `api/commands/apple_commands.py` | 175 行 | d238cd6cd5a0 | `register_apple_commands`, `register_apple_commands._handle_trial_event`, `register_apple_commands._handle_spotlight_search`, `register_apple_commands._handle_notify_test`
- `api/commands/forensic_transcript_commands.py` | 38 行 | 5c9fd3f06ac | `_start_or_status`, `_handle_forensic_live`, `register_forensic_transcript_commands`

- `api/config_overlay.py` | 129 行 | `acb1475a8fc8` | `_first_env`, `apply_env_overlay`
- `api/coordinator/__init__.py` | 12 行 | `6088728df9f9` | —
- `api/court_case_type_map.py` | 215 行 | `1dccbd48090c` | `classify_case_type`, `case_type_matches_db`
- `api/csrf_guard.py` | 337 行 | `97b1e17940a5` | `_generate_csrf_token`, `_is_webhook_endpoint`, `_is_api_endpoint`, `_has_valid_api_key`, `_env_truthy`, `_is_test_mode`, `_is_explicit_cli_request`, `_is_decorated_csrf_exempt_endpoint`, `_should_check_csrf`, `_get_csrf_token_from_request`
- `api/db_failover.py` | 308 行 | `0ff509fff692` | `_tcp_check`, `probe_remote`, `_switch_to_local`, `_switch_to_remote`, `_sync_local_to_remote`, `_monitor_loop`, `_do_check`, `get_osc_host`, `get_osc_port`, `get_failover_status`
- `api/db_helper.py` | 57 行 | `534271b37384` | `_default_config`, `get_connection`, `get_cursor`
- `api/db_sync.py` | 380 行 | `54b06288f464` | `get_strategy`, `_get_primary_keys`, `_has_column`, `_get_all_columns`, `_quote`, `_pk_tuple`, `_build_insert_ignore`, `_build_replace_into`, `_row_values`, `_fetch_rows_by_pks`
- `api/debt_document_generator.py` | 1991 行 | `6778db725e5b` | `get_debt_address_book_dir`, `_read_address_text`, `_write_address_text`, `get_robot_source_status`, `scan_evidence_folder`, `ValidationError`, `ValidationError.init`, `create_error_response`, `validate_application_data`, `validate_asset_statement_data`
- `api/debug_capture.py` | 72 行 | `e9e03e32eff0` | `_ensure_dirs`, `save_debug_screenshot`, `save_debug_html`, `_append_md`, `cleanup_old`
- `api/deep_task_control.py` | 309 行 | `bf35efac7c91` | `DeepAdmission`, `DeepTaskDeferred`, `assess_deep_admission`, `infer_local_deep_task_type`, `DeepTaskController`, `DeepTaskController.init`, `DeepTaskController.run`, `_resource_governor_allows_deep`, `runtime_owner_worker_transaction_free`, `runtime_owner_worker_transaction_free._json_url`
- `api/discord_bot.py` | 1804 行 | `2e4beb745698` | `_sigchld_handler`, `_sigterm_handler`, `_normalize_discord_output_text`, `_split_discord_chunks`, `_audit_preview`, `_audit_sha1`, `_append_channel_delivery_audit`, `_save_last_channel_id`, `_load_last_channel_id`, `_load_last_line_callback_ts`
- `api/discord_channel_router.py` | 849 行 | `6e9870fcb804` | `_canonical_topic_key`, `_infer_sub_topic`, `_is_unknown_business_topic`, `_is_noop_completion_notification`, `_load_channel_map`, `_load_all_routed_channel_ids`, `_reverse_lookup_channel`, `_normalize_channel_name`, `infer_topic_from_channel_metadata`, `save_channel_map`
- `api/domains/__init__.py` | 0 行 | `e3b0c44298fc` | —
- `api/domains/acquisition_flow.py` | 147 行 | `10c9c8cbf8ec` | `auto_acquire_and_execute`, `auto_acquire_and_execute._notify`, `auto_acquire_and_execute._rebuild_embed_cache`, `auto_acquire_and_execute._run_forge_with_retry`, `auto_acquire_and_execute._run_forge_with_lock`
- `api/domains/calendar_agent.py` | 670 行 | `d4926ceeb2f2` | `CalendarIntent`, `DateMatch`, `TimeMatch`, `CalendarEvent`, `CalendarDraft`, `CalendarDraft.needs_clarification`, `CalendarDraft.is_mutating`, `ConfirmationResult`, `EventChecks`, `EventChecks.has_duplicate`

- `api/domains/calendar_agent_runtime.py` | 406 行 | d3b728f760e6 | `CalendarRepository`, `CalendarRepository.list_events`, `CalendarRepository.create_event`, `CalendarRepository.update_event`, `CalendarRepository.cancel_event`, `looks_like_calendar_request`, `_draft_to_dict`, `_draft_from_dict`, `_draft_from_dict_dt`, `_session_id`
- `api/domains/calendar_metadata.py` | 42 行 | 57710564c6c1 | `encode_calendar_source`, `decode_calendar_source`
- `api/domains/calendar_sync_policy.py` | 74 行 | dea2cb42ca9c | `is_osc_only_overdue_confirmation`, `osc_only_overdue_confirmation_sql`, `is_osc_only_calendar_review`, `osc_only_calendar_review_sql`
- `api/domains/case_file_operation_lock.py` | 114 行 | 2e8c2a9e2825 | `_pid_alive`, `_read_pid`, `case_file_operation_lock_path`, `acquire_case_file_operation_lock`, `release_case_file_operation_lock`
- `api/domains/codex_flow.py` | 31 行 | cb6cee5a1066 | `parse_codex_distributed_features`, `format_codex_distributed_status`, `handle_codex_distributed_command`
- `api/domains/collab_flow.py` | 63 行 | 49a0fb6a49ee | `get_collaboration_status`
- `api/domains/export_flow.py` | 116 行 | 586a24704e80 | `export_summary_docx_or_txt`
- `api/domains/judgment_flow.py` | 1462 行 | 8fa8ef026b58 | `_get_local_db_manager`, `extract_judgment_collect_payload`, `format_judgment_collect_result`, `_judgment_item_quality_issue`, `_is_high_quality_judgment_item`, `_high_quality_judgment_items`, `_judgment_quality_rejection_counts`, `_high_quality_judgment_count`, `_payload_with_high_quality_judgments`, `_run_skill_json`
- `api/domains/judgment_nvidia_summary.py` | 515 行 | b5939a7fa456 | `NvidiaSummaryResult`, `NvidiaSummaryResult.audit_dict`, `_candidate_records`, `_selection_prompt`, `_parse_json_object`, `_validate_selection`, `_render_summary`, `_source_bound_application_rescue`, `_can_pass_without_application`, `summarize_with_nvidia`
- `api/domains/judgment_summary_quality.py` | 920 行 | 89cccc1c60ac | `_primary_issue_terms`, `_normalize_caption_issue`, `infer_case_issue`, `SummaryQuality`, `SummaryQuality.as_dict`, `PracticeSpan`, `_norm`, `_display_source_span`, `_section`, `_reason_section`
- `api/domains/judgment_value_filter.py` | 195 行 | 1a8fe07efb6b | `JudgmentValueDecision`, `JudgmentValueDecision.to_dict`, `_s`, `_jid_prefix`, `_is_upper_court`, `_has_substantive_signal`, `_text_head`, `classify_judgment_record`, `classify_jdoc_payload`
- `api/domains/judicial_api_backlog.py` | 170 行 | e277b62a401e | `_i`, `_f`, `format_count`, `format_duration_hours`, `build_backlog_interpretation`, `format_backlog_notice`
- `api/domains/judicial_api_cache.py` | 204 行 | ae80096746f3 | `_default_shared_cache_root`, `_expand`, `_truthy`, `_ordinary_pytest_mode`, `_is_managed_mount_path`, `_managed_mountpoint`, `_managed_mount_is_mounted`, `_prepare_root`, `nas_judgment_cache_candidates`, `preferred_nas_judgment_cache_root`
- `api/domains/judicial_api_policy.py` | 154 行 | 9d423dcc54e0 | `judicial_api_load_mode`, `judicial_api_default`, `judicial_api_env_default`, `apply_judicial_api_env_defaults`, `judicial_api_policy_report`

- `api/domains/laf_flow.py` | 827 行 | 985c31ea6e45 | `_parse_subprocess_result`, `_subprocess_payload_succeeded`, `_pending_stale_timeout_sec`, `_recover_pending_entries`, `_save_pending_path`, `load_laf_submit_pending`, `save_laf_submit_pending`, `update_laf_status_after_action`, `update_laf_status_after_action._case_status_for_laf_status`, `register_laf_go_live_submit_pending`
- `api/domains/market_flow.py` | 230 行 | 3a790404f100 | `load_market_watch_state`, `is_stock_like_token`, `looks_like_market_watchlist_reply`, `try_market_watchlist_quick_set`, `run_stock_briefing_command`, `_looks_like_capability_question`, `_strip_intent_prefixes`
- `api/domains/memory_flow.py` | 239 行 | 6952f0aeee01 | `is_ambiguous_rule`, `handle_memory_confirmation_if_any`, `maybe_capture_user_rules`, `maybe_capture_chatlog`
- `api/domains/multimedia_flow.py` | 1021 行 | eeaf0e37d78d | `_magi_root`, `_translation_rebuild_cache_path`, `_file_fingerprint`, `_load_translation_rebuild_cache`, `_save_translation_rebuild_cache`, `_try_rebuild_pdf_translation_delivery`, `vision_classify_and_route_image`, `handle_payment_proof_from_channel`, `handle_payment_proof_from_channel._run_payment_subprocess`, `handle_multimedia`
- `api/domains/schedule_flow.py` | 123 行 | 18ff59f11918 | `get_schedule`
- `api/domains/skill_interview_flow.py` | 329 行 | 97a68e1f13ea | `skill_interview_default_reply`, `skill_interview_cancel_reply`, `skill_interview_status_reply`, `skill_interview_split_items`, `parse_skill_interview_io`, `format_skill_interview_progress`, `render_skill_interview_question`, `start_skill_interview`, `finalize_skill_interview`, `handle_skill_interview_if_any`
- `api/durable_notifications.py` | 81 行 | e24116e3e7ae | `_path`, `_load`, `_platform`, `enqueue`, `claim_for_user`
- `api/durable_rate_limit.py` | 300 行 | 3e2945d6c94b | `_truthy`, `formal_saas_mode`, `default_database_path`, `hash_client_identity`, `inspect_rate_limit_storage`, `RateLimitDecision`, `RateLimitStorageError`, `DurableRateLimiter`, `DurableRateLimiter.init`, `DurableRateLimiter._prepare_path`
- `api/events/__init__.py` | 27 行 | 24bbb94bce67 | —
- `api/events/emitter.py` | 85 行 | 907418a3471f | `Subscription`, `Subscription.unsubscribe`, `EventEmitter`, `EventEmitter.init`, `EventEmitter._normalize_event_type`, `EventEmitter.subscribe`, `EventEmitter._unsubscribe`, `EventEmitter.emit`, `EventEmitter.add_jsonl_sink`, `EventEmitter.subscribers_for`
- `api/events/models.py` | 101 行 | bd2f0d3d4179 | `_utcnow`, `EventModel`, `EventModel.to_dict`, `EventModel.to_json`, `PreToolHookEvent`, `PostToolHookEvent`, `RouteDecisionEvent`, `FallbackEvent`, `MemoryWriteEvent`, `TaskLifecycleEvent`
- `api/events/sinks.py` | 107 行 | 677624e6582e | `rotate_jsonl`, `JsonlSink`, `JsonlSink.init`, `JsonlSink.write`, `jsonl_sink`, `append_jsonl`
- `api/hallucination_guard.py` | 205 行 | 9dba8b83777f | `_compact_ref`, `classify_risk`, `check_fact_grounding`, `needs_grounding_check`, `rewrite_ungrounded_attribution`, `build_anti_hallucination_prompt_rules`
- `api/handlers/__init__.py` | 0 行 | e3b0c44298fc | —

- `api/handlers/document_handler.py` | 1654 行 | 0960eea3c09c | `strip_pdf_running_identifiers`, `normalize_tw_legal_translation_terms`, `normalize_txt_body`, `prepare_document_text_for_llm`, `prepare_document_text_for_llm._looks_like_heading`, `prepare_document_text_for_llm._clean_page`, `prepare_document_text_for_llm._clean_page._flush`, `prepare_document_text_for_llm._clean_page._should_join`, `polish_translated_document_text`, `translation_idiom_issues`
- `api/handlers/laf_handler.py` | 421 行 | 61894b42cc3c | `laf_portal_manual_links`, `laf_report_command_help`, `detect_laf_report_action`, `_clean_client_name`, `_looks_like_laf_action_name`, `parse_laf_report_payload`, `_expand_reason_keywords`, `parse_laf_status_update`
- `api/handlers/output_quality_handler.py` | 779 行 | 7bc0822482eb | `_norm_anchor`, `_anchors`, `_law_anchors`, `_chinese_integer`, `_money_anchors`, `_date_anchors`, `_duplicate_line_ratio`, `_meaningful_paragraph_count`, `_office_fidelity_metrics`, `_office_fidelity_issue`
- `api/handlers/summary_handler.py` | 808 行 | 07498d8f57ef | `summary_length_prompt`, `_is_synthetic_timeout_fallback`, `_summary_chunk_usable`, `summarize_text_resilient`, `summarize_text_resilient._chunk_by_paragraph`, `summarize_text_resilient._sample_evenly_chunks`, `summarize_text_resilient._summary_output_usable`, `summarize_text_resilient._extractive_fallback_summary`, `summarize_text_resilient._extractive_fallback_summary._clean_sentence`, `summarize_text_resilient._extractive_fallback_summary._extract_section_candidates`
- `api/handlers/text_processing_handler.py` | 135 行 | d241e69f54e5 | `sanitize_incoming_message`, `strip_intent_prefixes`, `redact_secrets`, `apply_long_dialog_guard`, `postprocess_router_reply`, `output_guard_issues`
- `api/handlers/translation_handler.py` | 1583 行 | 905e40caa491 | `_doc_run_root`, `_atomic_write_json`, `_read_json`, `_translation_checkpoint_state_path`, `_build_document_glossary`, `_build_export_term_glossary`, `translate_text_complete`, `translate_text_complete._is_nvidia_model`, `translate_text_complete._should_verify_chunk`, `translate_text_complete._normalize_gtx_lang`
- `api/help_text.py` | 179 行 | 1ce37375d15b | `build_help_text`
- `api/hooks/_init__.py` | 22 行 | cbfbef4e3dfa | —
- `api/hooks/bus.py` | 152 行 | c6d0e104b055 | `HookBus`, `HookBus.subscribe`, `HookBus.add_jsonl_sink`, `HookBus.publish`, `HookBus.pre_tool`, `HookBus.post_tool`, `HookBus.route_decision`, `HookBus.fallback`, `HookBus.memory_write`
- `api/hooks/events.py` | 17 行 | f78df26da64b | —
- `api/hooks/subscribers.py` | 21 行 | e216f2d0bea4 | `HookEventCollector`, `HookEventCollector.call`, `jsonl_hook_subscriber`
- `api/laf_branch_profiles.py` | 349 行 | 687cee6c5e74 | `LawFirmProfile`, `LafBranchProfile`, `LafBranchProfile.footer_text`, `_text`, `_configured_seed_value`, `normalize_branch_label`, `_load_config`, `_law_firm_profile_from_seed`, `fetch_law_firm_profile_from_db`, `get_law_firm_profile`

- `api/laf_case_classifier.py` | 176 行 | f6f65da28c4e | `is_administrative_laf_reason`, `normalize_laf_case_type`, `normalize_laf_case_fields`, `clean_laf_case_reason`, `is_pending_laf_reason`, `extract_laf_staff_case_hint`, `_strip_known_case_tokens`
- `api/laf_closing_transfer.py` | 461 行 | b3a81a029a62 | `LAFClosingTransferNotice`, `LAFClosingTransferNotice.safe_dict`, `_clean_mail_text`, `_field_map`, `_pick`, `_parse_staff`, `parse_laf_closing_transfer_notice`, `_db_fetch_one`, `_query_case_by_laf_number`, `_normalize_name`
- `api/laf_go_live_rules.py` | 156 行 | 6cfdac9ae07b | `_contains_any`, `_path_text`, `is_opening_notice_filename`, `is_stored_pleading_proof`, `is_go_live_receipt_proof`, `is_consumer_debt_text`, `go_live_proof_files`, `go_live_notice_files`, `is_go_live_ready`, `go_live_missing_labels`
- `api/laf_poa_docx.py` | 2431 行 | 4aef1ac458ae | `laf_poa_docx_enabled`, `laf_poa_docx_templates_enabled`, `laf_poa_static_templates_enabled`, `laf_poa_pdf_render_fallback_enabled`, `laf_poa_exact_pdf_layout_enabled`, `is_laf_power_of_attorney_pdf`, `laf_poa_docx_path`, `laf_poa_template_docx_path`, `laf_poa_case_docx_path`, `_text`
- `api/law_firm_contact.py` | 174 行 | c5ac8ce19516 | `_text`, `_usable`, `_first`, `_requested_fields`, `resolve_lawyer_contact`
- `api/legal_research_quality.py` | 623 行 | f17e671e310b | `PrivacyDecision`, `PrivacyDecision.as_dict`, `prepare_external_legal_query`, `prepare_external_legal_query._redact`, `canonical_case_key`, `verification_state`, `is_draft_eligible`, `_court_authority_score`, `_query_terms`, `factual_similarity_score`
- `api/legal_workflow.py` | 350 行 | 9b1ace85b615 | `_copy`, `_find`, `_haystack`, `is_legal_workflow_candidate`, `select_practice_profile`, `select_legal_agent`, `detect_legal_workflow`, `workflow_prompt_block`, `append_workflow_footer`, `source_tag_for_provenance`
- `api/line_compat.py` | 307 行 | 97aa50736820 | `_env_flag`, `LineSDKUnavailableError`, `_BaseMessage`, `_BaseMessage.init`, `_CompatTextSendMessage`, `_CompatTextSendMessage.init`, `_CompatImageSendMessage`, `_CompatImageSendMessage.init`, `_UnavailableLineBotApi`, `_UnavailableLineBotApi.init`
- `api/model_config.py` | 183 行 | fd6a4b5b6188 | `is_disallowed_model`, `_clean`, `_clean_model`, `_env_bool`, `_env_int`, `resolve_draft_model`, `mtp_draft_payload`, `is_text_model_alias`, `resolve_text_model`, `default_local_chat_models`
- `api/model_router.py` | 454 行 | 34446d242e55 | `ModelSpec`, `ModelSpec.from_dict`, `ResourceView`, `ResourceView.from_decision`, `ModelRouteDecision`, `ModelRouteDecision.to_dict`, `_env_bool`, `_env_float`, `load_registry`, `probe_active_models`
- `api/mysql_connector_guard.py` | 97 行 | 1e01e733a36e | `_env_on`, `_BlockedMySQLCEXTLoader`, `_BlockedMySQLCEXTLoader.create_module`, `_BlockedMySQLCEXTLoader.exec_module`, `_BlockMySQLCEXTFinder`, `_BlockMySQLCEXTFinder.find_spec`, `install_mysql_cext_blocker`, `patch_mysql_connector_for_stability`, `patch_mysql_connector_for_stability._guarded_connect`
- `api/nas_mount_guard.py` | 850 行 | 58b7343eaa7f | `_parse_env_file_values`, `_merge_share_csv`, `_load_local_nas_env_if_needed`, `resolve_nas_user`, `_synology_drive_available`,

get_synology_drive_fallback_path, get_lumi_fallback_path, get_share_available_path,
get_share_mount_path, get_share_status

- api/orchestrator.py | 1633 行 | 4cd536f3c9c0 | _v3_external_dir, _brain_sqlite_path, _magi_status_path, summarize_text, apply_manual_command, public_status_report, _get_handler, search_web, research_topic, fetch_url_content
- api/orchestrator_core.py | 22 行 | 7d1a8c5e2b95 | RuntimeFoundations
- api/osc/__init__.py | 116 行 | f9171853c6ca | **getattr**
- api/osc/accounting_bonus.py | 779 行 | 6f233a4fb1f3 | _get_osc_helpers, _as_float, _round_money, period_for_settlement_month, default_settlement_month, _settlement_date, _status_label, _calendar_months_between, _parse_iso_date, _transaction_month_scope_sql
- api/osc/accounting_sheet_import.py | 1324 行 | 1a9a47421199 | AccountingSheetRow, AccountingSheetFetch, AccountingImportError, SheetsAuthorizationRequired, _certification_fixture_fetch, _atomic_write_text, _backup_google_token, _persist_google_credentials_unlocked, _persist_google_credentials, is_revoked_google_token_error
- api/osc/accounting_summary.py | 65 行 | c56461162fce | accounting_summary_filters, accounting_totals_sql, accounting_by_category_sql, load_accounting_summary
- api/osc/calendar_event_time.py | 126 行 | 8da810baceda | _number, is_timed_occurrence, resolve_calendar_time, require_calendar_time
- api/osc/calendar_sources.py | 98 行 | 19419a001a3e | _text, is_google_calendar_import, is_calendar_todo, todo_source_key, todo_source_label, calendar_todo_source_sql, osc_todo_source_sql, todo_source_api_fields, calendar_todo_to_event
- api/osc/case_defaults.py | 147 行 | 18a6d94fa1b1 | is_demo_lawyer, case_uses_consumer_debt_lawyer, _valid_lawyer, _read_setting, _read_env, default_case_lawyer, db_settings_getter, db_settings_getter._getter, normalize_case_lawyer
- api/osc/case_folder_schema.py | 282 行 | e08581d8a545 | numbered_folder_name, judgment_folder_name, legacy_judgment_folder_name, strip_number_prefix, judgment_folder_aliases, legacy_judgment_folder_names, canonical_name_for_legacy_judgment_folder, canonicalize_case_subfolder_name, case_subfolders, closing_folder_names
- api/osc/case_intelligence.py | 563 行 | 97387f0806b8 | build_case_intelligence_snapshot, _fetch_cases, _fetch_recent_documents, _fetch_calendar_refs, _case_snapshot_base, _scan_known_subfolders, _doc_from_document_index, _doc_from_case_documents, _ref_from_todo, _ref_from_calendar_event
- api/osc/case_no_sync.py | 538 行 | 32b232a52f13 | extract_court_case_no, extract_division_from_text, extract_division_from_notice, _doc_date_sort_key, _case_no_char_priority, _case_no_source_priority, _candidate_sort_key, verify_filename_for_case, sync_case_no_from_notices, _update_db
- api/osc/client_ids.py | 36 行 | 6a4a08d33b54 | is_canonical_client_id, next_client_id_from_existing, generate_next_client_id

- `api/osc/document_reuse.py` | 671 行 | `fcc80614ff22` | `ReplacementRule`, `index_pleading_docx`, `build_pleading_index`, `reuse_docx_document`, `reuse_document`, `_validate_word_source`, `_find_soffice_binary`, `_convert_doc_to_docx`, `_default_filename`, `_unique_output_path`
- `api/osc/draft_learning.py` | 203 行 | `37efd358a737` | `_clean_text`, `_sha`, `_one_line`, `_norm_key`, `_diff_lessons`, `_line_delta`, `record_draft_feedback`, `_iter_events`, `_public_event`, `recent_draft_feedback`
- `api/osc/drafts.py` | 1014 行 | `d0aa6213e4a9` | `_srv`, `_osc_exec`, `_osc_truthy`, `_osc_get_setting_value`, `_osc_unique_strings`, `_osc_collect_insights`, `_osc_read_reference_document`, `_osc_norm_path`, `_osc_local_path_candidates`, `_osc_guess_case_folder`
- `api/osc/drive_case_sync.py` | 9399 行 | `a3868d29cbd0` | `_continue_signal_chain`, `DriveCaseSyncError`, `DriveCaseSyncDeadline`, `DriveCaseSyncStorageDeferred`, `local_hash_failure_code`, `is_retryable_local_hash_failure`, `is_storage_unavailable_error`, `is_download_target_storage_unavailable_error`, `BoundedEntries`, `BoundedEntries.init`
- `api/osc/folder_utils.py` | 155 行 | `03af21d9587a` | `_env_truthy`, `_ordinary_test_mode`, `_looks_like_live_case_root`, `_assert_test_safe_case_folder_path`, `sanitize_folder_name`, `build_case_folder_name`, `resolve_type_folder`, `build_full_case_path`, `_create_folder_structure_unchecked`, `create_folder_structure`
- `api/osc/hearing_conflict_runtime.py` | 484 行 | `a687daf2522b` | `EnqueueAdmission`, `load_case`, `_open_status_sql`, `load_existing_schedules`, `_todo_start`, `_todo_end`, `_dedupe_schedules`, `check_candidate`, `_case_folder`, `_enrich_prior`
- `api/osc/hearing_conflicts.py` | 868 行 | `1965e05011cc` | `NormalizedSchedule`, `ConflictDecision`, `ConflictDecision.as_dict`, `_text`, `_truthy`, `_parse_datetime`, `_schedule_text`, `is_excluded_schedule`, `classify_schedule`, `normalize_schedule`
- `api/osc/insight_filters.py` | 170 行 | `bffe0b73fc77` | `normalize_insight_marker_text`, `is_extractive_fast_judgment_digest`, `mark_extractive_fast_digest_summary`, `is_non_extractable_legal_insight`, `displayable_insight_item`, `non_extractable_legal_insight_sql_where`
- `api/osc/judicial.py` | 376 行 | `d38d308dd01e` | `_osc_show_fast_insight_candidates`, `_osc_show_external_insight_candidates`, `_osc_probable_fast_judgment_candidate`, `_osc_court_summary_displayable`, `_osc_insight_merge_key`, `_osc_collect_insights`, `_osc_doc_kind_match`, `_osc_doc_kind_label`
- `api/osc/legaltech_taiwan_law_mcp.py` | 346 行 | `a2c50fb1ff4b` | `legaltech_mcp_enabled`, `_endpoint`, `_timeout`, `_decode_json_or_sse`, `_post_jsonrpc`, `_structured_result`, `_official_urls`, `legaltech_tool_catalog`, `call_legaltech_tool`, `analyze_legal_intent_via_legaltech`
- `api/osc/preview.py` | 426 行 | `6d8d42f159c5` | `_soffice_path`, `_cache_key`, `_cache_lru_cleanup`, `_write_text_pdf`, `_extract_office_text`, `_preview_office_text_fallback`, `preview_office_to_pdf`, `preview_heic_to_jpg`, `preview_csv_to_rows`, `preview_email`
- `api/osc/saas_workbench.py` | 1537 行 | `4c93a8afe35f` | `_text`, `_norm`, `_one_line`, `_sha`, `_safe_int`, `_action`, `_rows`, `_row`, `_count`, `_read_json`

- `api/osc/taiwan_legal_mcp.py` | 285 行 | b32d56eb0c35 | `taiwan_legal_mcp_root`, `taiwan_legal_mcp_available`, `taiwan_legal_mcp_enabled`, `_install_import_path`, `_maybe_await`, `_server_context`, `call_taiwan_legal_tool_async`, `call_taiwan_legal_tool`, `parse_taiwan_case_number`, `_first_text`
- `api/osc/tw_legal_rag.py` | 399 行 | 20c7a1f93a19 | `TLRRetrievalError`, `TLRJudgment`, `tw_legal_rag_enabled`, `tw_legal_rag_base_url`, `tw_legal_rag_api_key`, `_loads_lenient`, `sanitize_tlr_query`, `TLRClient`, `TLRClient.init`, `TLRClient.enter`
- `api/osc/utlis.py` | 2603 行 | 5490f8a6d93c | `_NoUser`, `_osc_file_stage_slot`, `_osc_stage_bulkhead`, `_osc_stage_bulkhead.wrapped`, `_osc_directory_io_slot`, `_load_mysql`, `_load_local_dotenv`, `_osc_closed_share_aliases`, `_osc_canonical_active_share_windows`, `_osc_canonical_active_share_posix`
- `api/osc_document_generator.py` | 289 行 | 9b4c81c256b0 | `set_font_style`, `generate_receipt`, `generate_poa`, `generate_engagement_agreement`, `generate_engagement_agreement.add_article`
- `api/pending_config.py` | 90 行 | 3416aec9f448 | `pending_env_update_path`, `write_pending_env_updates`, `_write_pending_env_updates_unlocked`
- `api/permissions/__init__.py` | 24 行 | 3808818f68f4 | —
- `api/permissions/enforcer.py` | 97 行 | 51d8f3bd5649 | `PermissionEnforcer`, `PermissionEnforcer.init`, `PermissionEnforcer.evaluate_command`, `PermissionEnforcer.evaluate_path`, `PermissionEnforcer.can_command`, `PermissionEnforcer.can_path`, `PermissionEnforcer._evaluate`, `PermissionEnforcer._format_rule_reason`
- `api/permissions/models.py` | 151 行 | 1b71ceab822b | `PermissionMode`, `PermissionMode.coerce`, `PermissionEffect`, `PermissionEffect.coerce`, `_normalize_text`, `_normalize_path`, `_match_prefix`, `PermissionRule`, `PermissionRule.matches_command`, `PermissionRule.matches_path`
- `api/permissions/policy.py` | 40 行 | 63ba11fe61e3 | `PermissionPolicy`, `PermissionPolicy.from_rules`, `PermissionPolicy.with_mode`, `PermissionPolicy.with_rules`
- `api/permissions/rules.py` | 43 行 | 2f7a562e7677 | `allow_command`, `deny_command`, `allow_path`, `deny_path`
- `api/pipelines/__init__.py` | 29 行 | 36d686a37548 | **getattrtr**
- `api/pipelines/attachment_pipeline.py` | 161 行 | 79c1ddb6d0f6 | `handle_multimedia`, `process_image`, `load_recent_attachments`, `save_recent_attachments`, `prune_recent_attachments`, `remember_recent_attachment`, `get_recent_attachment`, `looks_like_attachment_followup`, `has_recent_attachment_followup`, `maybe_reuse_recent_attachment`
- `api/pipelines/chat_pipeline.py` | 487 行 | dd3c2c02b9d0 | `estimate_tokens`, `append_history`, `compress_history`, `build_conversation_history`, `record_assistant_reply`, `handle_query`, `handle_query._run_query_background`, `handle_chat_async`, `handle_chat_async._deferred_chat`, `handle_chat_async._run_chat_background`
- `api/pipelines/command_dispatch.py` | 2719 行 | cd4dbee78f6a | `split_heavy_prefix`, `_delivery_result_ok`, `_lazy_brain`, `_lazy_brain._wrapper`, `research_topic`, `fetch_url_content`, `summarize_text`, `_strip_cmd_prefix`, `_parse_subprocess_json`, `_short_diag_text`

- `api/pipelines/command_pipeline.py` | 49 行 | b3ba0116e1a9 | `_get_handler`, `list_skills`, `handle_command`
- `api/pipelines/fuzzy_match.py` | 296 行 | adb7f416854c | `_is_admin_keyword`, `fuzzy_correct`, `suggest_correction`
- `api/pipelines/message_pipeline.py` | 4445 行 | 37645524c4fd | `split_heavy_prefix`, `_state_agent_dir`, `fetch_url_content`, `fetch_url_sections`, `get_brain_status`, `_looks_like_payment_slip_scan_request`, `_resolve_message_route_intent`, `_maybe_direct_case_lookup`, `_maybe_direct_case_statistics`, `_handle_docx_chat_edit_if_any`
- `api/pipelines/message_router.py` | 1578 行 | be6c0308a2a1 | `split_heavy_prefix`, `read_openclaw_primary_model`, `magi_capability_overview`, `extract_laf_progress_reported_target`, `handle_laf_progress_reported_message`, `extract_osc_todo_completion_target`, `_run_court_hearing_done`, `handle_osc_todo_completion_message`, `handle_gibberish_report`, `quick_fixed_reply`
- `api/pipelines/skill_dispatch.py` | 1249 行 | 35c75e3cba8a | `run_transcribe_guidance`, `looks_like_capability_question`, `dispatch_safe_semantic_skill`, `generic_skill_dispatch`, `polish_skill_output`, `output_looks_messy`, `basic_cleanup`, `try_safe_semantic_skill_route`, `dispatch_doc_producer`, `dispatch_case_management`
- `api/pipelines/skill_listing.py` | 91 行 | 21e44e0cf6c9 | `_legacy_openclaw_enabled`, `iter_skill_roots`, `build_skill_list_response`
- `api/pipelines/specialized_commands.py` | 540 行 | 73e859cba550 | `looks_like_inline_summary_command`, `_clean_inline_summary_body`, `_extract_inline_summary_text`, `run_labor_law_command`, `run_inline_translation_command`, `run_translate_file_command`, `run_inline_summary_command`, `run_inline_summary_command._summary_requests_more_content`, `run_inline_summary_command._inline_extractive_summary`, `run_court_hearing_command`
- `api/platforms/__init__.py` | 0 行 | e3b0c44298fc | —
- `api/platforms/remote_health_gate.py` | 266 行 | 3d8998640061 | `PeerConfig`, `PeerState`, `RemoteHealthGate`, `RemoteHealthGate.init`, `RemoteHealthGate.register`, `RemoteHealthGate.is_reachable`, `RemoteHealthGate.mark_success`, `RemoteHealthGate.mark_failure`, `RemoteHealthGate.circuit_status`, `RemoteHealthGate.all_status`
- `api/platforms/runtime_dir.py` | 215 行 | 563930da43ff | `_append_lock`, `_enabled`, `_magi_root`, `root`, `pending`, `metrics`, `cron_state`, `_validate_name`, `atomic_write_json`, `atomic_append_jsonl`
- `api/platforms/safe_process.py` | 1293 行 | e9212b165d09 | `SafeRunResult`, `_SafeProcessCleanupError`, `_SafeProcessCancelledError`, `reset_for_test`, `_current_python_alias_target`, `_is_current_python_alias`, `_validate_argv`, `_filter_env`, `_cap`, `_ProcessIdentity`
- `api/poa_chat_handler.py` | 703 行 | b02b4026e474 | `_load_state`, `_save_state`, `_clear_user`, `_load_config`, `_parse_case_type`, `_parse_role`, `_try_extract_fields_from_init`, `_build_poa_preview`, `_build_contract_preview`, `_build_receipt_preview`
- `api/product_runtime.py` | 239 行 | fe6483c6edcc | `_load_json`, `_save_json`, `_load_config`, `_normalize_codex_mode`, `_normalize_portal_env`, `load_product_runtime`, `save_product_runtime`, `update_product_runtime`, `_config_profile`, `get_product_profile`

- `api/red_phone.py` | 12 行 | fbc858568609 | `notify`
- `api/request_guards.py` | 237 行 | 6cbb0e94245f | `_path_matches_prefix`, `_is_cloudflare_tunnel_request`, `_env_truthy`, `_formal_saas_mode`, `_expected_tenant_id`, `install_request_guards`, `install_request_guards._block_retired_legacy_entrypoints`, `install_request_guards._limit_cloudflare_tunnel_surface`, `install_request_guards._enforce_formal_saas_session_tenant`, `install_request_guards._audit_protected_mutation_start`
- `api/routing/__init__.py` | 72 行 | be4085ef0227 | —
- `api/routing/clarification.py` | 341 行 | 2e9fa032986a | `ClarificationDecision`, `ClarificationResolution`, `resolve_recent_case_reference`, `detect_clarification_need`, `_pending_store`, `_pending_key`, `remember_clarification`, `_case_scope_answer`, `resolve_pending_clarification`, `request_clarification_if_needed`
- `api/routing/command_prefixes.py` | 56 行 | 80ba168ef3d2 | `normalize_command_prefix_text`, `split_heavy_prefix`, `strip_heavy_prefix`
- `api/routing/context.py` | 111 行 | baeea51696fe | `RoutingContext`, `RoutingContext.has_attachment`, `RoutingContext.is_admin`, `RoutingContext.with_overrides`, `RoutingContext.as_dict`
- `api/routing/datastore_registry.py` | 146 行 | 5437079db6cf | `Datastore`, `_load_registry`, `_load_registry._env_or`, `_ensure_loaded`, `reload`, `get_datastore`, `get_connection_params`, `list_datastores`
- `api/routing/inference_router.py` | 193 行 | c94948698651 | `InferenceRouter`, `InferenceRouter.init`, `InferenceRouter.resolve`, `InferenceRouter.resolve_embedding`, `InferenceRouter._provider_to_service`, `InferenceRouter._resolve_endpoint`
- `api/routing/intent_contract.py` | 533 行 | d49aaa255346 | `split_heavy_prefix`, `strip_heavy_prefix`, `IntentDecision`, `NormalizedIntent`, `compact_message`, `looks_like_cancel_request`, `looks_like_correction_request`, `looks_like_model_capability_query`, `looks_like_tool_capability_query`, `looks_like_busy_meta_query`
- `api/routing/model_registry.py` | 204 行 | 7371e3d6026a | `ModelRole`, `_resolve_env`, `_load_registry`, `_ensure_loaded`, `reload`, `get_role_model`, `is_alias`, `resolve_model`, `list_roles`, `get_role`
- `api/routing/models.py` | 230 行 | 638b34ef4944 | `ServiceTarget`, `ServiceTarget.as_dict`, `FallbackPlan`, `FallbackPlan.primary`, `FallbackPlan.has_fallback`, `FallbackPlan.as_dict`, `FallbackPlan.from_targets`, `RoutingDecision`, `RoutingDecision.success`, `RoutingDecision.requires_admin`
- `api/routing/node_registry.py` | 169 行 | 65b3f04397a7 | `NodeService`, `Node`, `Node.preferred_ip`, `_load_registry`, `_ensure_loaded`, `reload`, `get_node`, `get_node_ip`, `get_node_url`, `list_nodes`
- `api/routing/office_cognition.py` | 282 行 | ab4ffe470d47 | `DomainCandidate`, `OfficeUnderstanding`, `OfficeUnderstanding.needs_clarification`, `_side_effect`, `_operation`, `_has_case_target`, `_clarification`, `assess_office_request`
- `api/routing/policy_engine.py` | 245 行 | af34f24d18ef | `PolicyEngine`, `PolicyEngine.init`, `PolicyEngine._load_overrides`, `PolicyEngine.reload_overrides`, `PolicyEngine.get_override`, `PolicyEngine.evaluate`, `PolicyEngine._fallback`

- `api/routing/request_router.py` | 215 行 | fbfcf73af183 | `RoutingStage`, `RoutingStage.call`, `_keyword_stage`, `_semantic_stage`, `RequestRouter`, `RequestRouter.init`, `RequestRouter.route`, `RequestRouter.add_stage`, `RequestRouter.insert_stage`, `RequestRouter._pick_best`
- `api/routing/route_decision.py` | 27 行 | 3f91302825e4 | `build_route_decision`
- `api/routing/route_explanations.py` | 128 行 | 6b38b4a77ab3 | `RouteExplanation`, `RouteExplanation.as_dict`, `RouteExplanationCollector`, `RouteExplanationCollector.init`, `RouteExplanationCollector.record`, `RouteExplanationCollector.record_rejection`, `RouteExplanationCollector.as_trace`, `RouteExplanationCollector.dispatched_skill`, `RouteExplanationCollector.had_dispatch`, `RouteExplanationCollector.len`
- `api/routing/route_policy.py` | 283 行 | 3fbae2189f10 | `get_skill_min_confidence`, `_skill_aliases`, `is_high_risk_skill`, `user_declines_tool_dispatch`, `direct_skill_run_denial_reason`, `is_generic_word_only`, `should_dispatch_skill`, `build_route_explanation`, `should_cache_intent`, `_tokenize`
- `api/routing/service_registry.py` | 145 行 | 8a7de88b26de | `ServiceEndpoint`, `ServiceEndpoint.base_url`, `_load_registry`, `_ensure_loaded`, `reload`, `get_service`, `get_service_url`, `get_service_host_port`, `list_services`
- `api/routing/telemetry.py` | 190 行 | 17493da49079 | `RoutingTelemetry`, `RoutingTelemetry.init`, `RoutingTelemetry.record`, `RoutingTelemetry.record_raw`, `RoutingTelemetry.read_all`, `RoutingTelemetry.summary`, `RoutingTelemetry.summary_from_disk`, `RoutingTelemetry._build_entry`, `RoutingTelemetry._write_line`
- `api/runtime_diagnostics.py` | 100 行 | f4363b3c3b10 | `_normalize_error_text`, `classify_runtime_error`, `classify_model_health`
- `api/runtime_paths.py` | 550 行 | a0698e167086 | `_env_path`, `_env_flag`, `dotenv_override_allowed`, `_unique_paths`, `ensure_path_on_sys_path`, `ensure_magi_root_on_sys_path`, `ensure_orch_on_sys_path`, `get_magi_root_dir`, `get_runtime_dir`, `get_agent_dir`
- `api/saas_audit.py` | 279 行 | f3ce185ec60a | `_sha`, `_actor`, `_request_meta`, `_clean_value`, `file_ref`, `_canonical_event_bytes`, `_event_hash`, `verify_audit_chain`, `_safe_append`, `append_audit_event`
- `api/saas_readiness.py` | 417 行 | 514d546f70c2 | `_truthy`, `_env_truthy`, `deployment_mode`, `formal_saas_enabled`, `_audit_event_path`, `_public_source_root`, `_sha256`, `_check`, `_value_strong`, `_url_is_https`
- `api/saas_schema.py` | 402 行 | 4f4bf93a6bb9 | `_truthy`, `tenant_id_from_env`, `auth_db_config`, `osc_db_config`, `_safe_ident`, `_safe_tenant_literal`, `_connect`, `_table_exists`, `_column_exists`, `_index_exists`
- `api/sentencing_trends.py` | 763 行 | db6aabde6fa4 | `_compact`, `_clean_text`, `format_roc_date`, `_cn_number`, `_duration_months`, `_main_text`, `_signature_judges`, `_sentence_items`, `_execution_item`, `_official_issue`
- `api/server.py` | 1003 行 | 4fd0f73f4bea | `_sigchld_handler`, `_rate_limit_client_identity`, `_check_rate_limit`, `_rate_limit_retry_after`, `_load_runtime_config`, `_skill_doc_path`, `_skill_action_path`, `_skill_summary`, `_nerv_product_runtime_payload`, `_list_skill_docs`
- `api/server_auth.py` | 39 行 | b3ae6261eaa7 | `env_truthy`, `sanitize_login_next`, `default_tenant_id`, `tenant_id_from_user_data`

- [api/session/__init__.py](#) | 75 行 | cfb794bd753f | —
- [api/session/context.py](#) | 11 行 | f185d440c2fe | —
- [api/session/context_builder.py](#) | 191 行 | 010e8ef2fa19 | `SessionContextBuilder`, `SessionContextBuilder.init`, `SessionContextBuilder.build`, `SessionContextBuilder.assemble`, `SessionContextBuilder.render_text`, `SessionContextBuilder.build_prompt`, `build_session_context`, `assemble_session_messages`
- [api/session/context_labels.py](#) | 153 行 | 63837d2a7892 | `TrustTier`, `classify_trust_tier`, `label_single_memory`, `label_memory_context`, `build_trust_system_instruction`
- [api/session/conversation_history.py](#) | 119 行 | b037bcd5cff7 | `_utcnow`, `ConversationHistoryStore`, `ConversationHistoryStore.init`, `ConversationHistoryStore._connect`, `ConversationHistoryStore._ensure_db`, `ConversationHistoryStore.append`, `ConversationHistoryStore.last_n`, `ConversationHistoryStore.last_sessions`, `ConversationHistoryStore.clear_session`, `ConversationHistoryStore.purge_expired`
- [api/session/history.py](#) | 88 行 | a56b3e419955 | `_resolve_store_and_args`, `SessionHistory`, `SessionHistory.init`, `SessionHistory.append`, `SessionHistory.list`, `SessionHistory.tail`, `SessionHistory.last`, `append_message`, `list_messages`, `tail_messages`
- [api/session/memory_policy.py](#) | 213 行 | 318edda25ad4 | `MemoryWriteDecision`, `_allow_assistant_chatlog`, `evaluate_memory_write`, `_looks_like_prompt_leak`, `_resolve_provenance`, `_allow`, `_deny`
- [api/session/models.py](#) | 217 行 | 4e918ee69b6d | `utcnow`, `_required_text`, `_json_object`, `_as_utc`, `_parse_timestamp`, `SessionKey`, `SessionKey.post_init`, `SessionKey.to_dict`, `SessionKey.serialize`, `SessionKey.from_dict`
- [api/session/pending.py](#) | 73 行 | 8aa9c0085820 | `_resolve_store_and_args`, `SessionPendingManager`, `SessionPendingManager.init`, `SessionPendingManager.set`, `SessionPendingManager.update`, `SessionPendingManager.get`, `SessionPendingManager.snapshot`, `SessionPendingManager.clear`, `set_pending_state`, `update_pending_state`
- [api/session/provenance.py](#) | 235 行 | 9780368d306e | `_to_bool`, `_to_confidence`, `_normalize_source_type`, `MemoryProvenance`, `MemoryProvenance.trust_label`, `MemoryProvenance.as_dict`, `namespace_for_source_type`, `default_confidence_for_source`, `parse_source_provenance`, `build_source_signature`
- [api/session/references.py](#) | 272 行 | 9be46c69be33 | `_as_utc`, `ReferenceCandidate`, `ReferenceCandidate.to_dict`, `ReferenceResolution`, `ReferenceResolution.requires_clarification`, `ReferenceResolution.to_dict`, `_active_references`, `_candidates`, `_from_candidates`, `_ambiguous`
- [api/session/store.py](#) | 348 行 | 517292a4db41 | `_as_utc`, `_parse_timestamp`, `SessionStore`, `SessionStore.init`, `SessionStore._clone`, `SessionStore.bind_identity`, `SessionStore.get_identity_binding`, `SessionStore.session_id_for`, `SessionStore.remember_recent`, `SessionStore.list_recent`
- [api/session/summary.py](#) | 82 行 | af98b840b972 | `_resolve_store_and_args`, `SessionSummaryManager`, `SessionSummaryManager.init`, `SessionSummaryManager.add`, `SessionSummaryManager.list`, `SessionSummaryManager.latest`, `add_summary`, `list_summaries`, `latest_summary`
- [api/session/verified_fact_gate.py](#) | 76 行 | 72ca791ff2c4 | `is_reflexive_query`, `promote_to_verified`

- `api/startup.py` | 2094 行 | 036406b3a9d8 | `_startup_feature_enabled`, `_inprocess_laf_gmail_monitor_enabled`, `_load_dotenv_value`, `_load_json`, `_write_json_atomic`, `_maybe_handle_laf_captcha_reply`, `_maybe_handle_generic_captcha_reply`, `_is_loopback_base_url`, `_normalize_public_base_url`, `_is_trycloudflare_base_url`
- `api/tasks/__init__.py` | 30 行 | 88402050ecf2 | —
- `api/tasks/execution.py` | 170 行 | ca784632fc51 | `_resolve_runtime_and_args`, `TaskExecutionResult`, `TaskExecutionResult.success`, `TaskExecution`, `TaskExecution.init`, `TaskExecution.create`, `TaskExecution.start`, `TaskExecution.update`, `TaskExecution.complete`, `TaskExecution.fail`
- `api/tasks/models.py` | 50 行 | 65cae48c7c77 | `utcnow`, `TaskStatus`, `TaskRecord`, `TaskRecord.as_dict`
- `api/tasks/runtime.py` | 44 行 | b27b8c4a8ccd | `TaskRuntime`, `TaskRuntime.init`, `TaskRuntime.register`, `TaskRuntime.update`, `TaskRuntime.complete`, `TaskRuntime.fail`, `TaskRuntime.cancel`, `TaskRuntime.get`, `TaskRuntime.list`, `TaskRuntime.active`
- `api/tasks/store.py` | 138 行 | 5b9cfc386db2 | `TaskStore`, `TaskStore.init`, `TaskStore._clone`, `TaskStore.register`, `TaskStore.get`, `TaskStore.update`, `TaskStore.complete`, `TaskStore.fail`, `TaskStore.cancel`, `TaskStore.list`
- `api/thread_pools.py` | 56 行 | 34d98205e5ae | `_pool_size`, `shutdown_all`
- `api/tools/__init__.py` | 39 行 | c809b5ac759f | —
- `api/tools/base.py` | 11 行 | 77f9a8139f1b | `ToolExecutor`, `ToolExecutor.execute`
- `api/tools/contracts.py` | 154 行 | cd10b2e38786 | `ToolSideEffect`, `normalize_tool_side_effect`, `GeneralErrorCategory`, `GeneralError`, `GeneralError.as_dict`, `ToolContext`, `ToolSpec`, `ToolSpec.post_init`, `ToolSpec.as_dict`, `ToolResult`
- `api/tools/executors.py` | 55 行 | c2f304bc37a8 | `CallableToolExecutor`, `CallableToolExecutor.execute`, `HttpJsonToolExecutor`, `HttpJsonToolExecutor.execute`
- `api/tools/policies.py` | 264 行 | 63d304a728ff | `ToolRequirement`, `classify_tool_requirement`, `requires_fresh_web_source`, `format_tool_failure_response`
- `api/tools/registry.py` | 510 行 | 577a37296c54 | `RegisteredTool`, `RegisteredTool.as_dict`, `ToolRegistry`, `ToolRegistry.init`, `ToolRegistry.register`, `ToolRegistry.register_callable`, `ToolRegistry.get`, `ToolRegistry.list_tools`, `ToolRegistry.execute`, `ToolRegistry._contract_metadata`
- `api/tools/tool_router.py` | 93 行 | 586f719501ee | `ToolRouteResult`, `ToolRouteResult.as_context`, `route_to_tool`
- `api/tools_api.py` | 4001 行 | f9f141f66f33 | `_sigchld_handler`, `_to_bool`, `_host_is_blocked_for_fetch`, `_host_is_blocked_for_fetch._blocked_ip`, `_fetch_private_urls_allowed`, `_validate_fetch_url`, `_skill_runtime_env_opt_in`, `_skill_runtime_default`, `_resolve_skill_runtime_flags`, `_resolve_skill_runtime_flags._flag`
- `api/tw_output_guard.py` | 1001 行 | 00f689577328 | `_char_entropy`, `_bigram_repetition_ratio`, `_has_semantic_breaks`, `_is_gibberish`, `_unwrap_json_fence`, `_machine_output_to_natural_text`, `_strip_customer_service_template`, `_strip_generic_refusal_template`, `_strip_internal_leaks`, `detect_output_guard_issues`
- `api/verification/__init__.py` | 19 行 | a5d861a3cbfb | —

- `api/verification/agent_workflow.py` | 412 行 | 384cd72f8d61 | `TriAgentVerificationReport`, `should_trigger_tri_agent`, `_summarize_evidence`, `_call_llm`, `_parse_json_response`, `run_tri_agent_verification`, `_notify`, `_make_report`, `format_verification_footer`
- `api/verification/answer_verifier.py` | 115 行 | c27d74d15c60 | `AnswerVerificationResult`, `_has_user_chatlog_support`, `_contains_false_memory_claim`, `_contains_overclaim`, `verify_answer`
- `api/webhooks/__init__.py` | 0 行 | e3b0c44298fc | —
- `api/webhooks/line.py` | 1661 行 | 23e89c9aa3a2 | `get_line_admin_user_ids`, `init_line_module`, `_write_json_atomic`, `_load_json`, `_record_last_line_sender`, `_record_last_line_callback`, `_load_last_line_sender_user_id`, `_safe_remove_tmp`, `_cleanup_user_context`, `cleanup_old_exports`
- `api/webhooks/telegram.py` | 1546 行 | 7fa1f7be1f57 | `_get_orchestrator`, `_load_telegram_bot_token`, `_load_admin_telegram_ids`, `_load_notify_telegram_ids`, `_load_telegram_webhook_secret`, `_env_truthy`, `_env_falsey`, `_telegram_production_mode`, `_telegram_webhook_secret_required`, `_telegram_verify_webhook_secret`
- `api/wsgi_server.py` | 23 行 | a2679a86a654 | `serve`

casper_ecosystem/ (13 檔)

- `casper_ecosystem/law_firm_orchestrators/file_review_automation.py` | 15900 行 | f21268a12403 | `_infer_file_review_sys_type`, `_ordered_file_review_sys_candidates`, `_normalize_file_review_text`, `_file_review_case_signature_present`, `_file_review_submit_success_from_text`, `_file_review_alert_looks_rejected`, `_file_review_submit_evidence_is_success`, `_is_production_host`, `CaptchaSolver`, `CaptchaSolver`.**init**
- `casper_ecosystem/law_firm_orchestrators/judicial_automation_v2.py` | 6696 行 | 59d60d9413ee | `_safe_print`, `_safe_log_callback`, `_is_production_host`, `_clean_transcript_parse_value`, `_valid_transcript_record_date`, `_valid_transcript_record_type`, `_record_parse_ready_for_filename`, `_transcript_filename_metadata_category`, `_chinese_calendar_number`, `_extract_transcript_metadata_from_text_pages`
- `casper_ecosystem/law_firm_orchestrators/laf_automation_v2.py` | 12594 行 | fdd492aef1a6 | `_safe_print`, `_safe_log_callback`, `_safe_logger`, `_laf_default_case_lawyer`, `_eventlog`, `normalize_laf_portal_report_status`, `classify_laf_portal_report_row`, `laf_portal_attachment_receipt_key`, `_record_laf_portal_attachment_receipt`, `_record_laf_external_action_receipt`
- `casper_ecosystem/law_firm_orchestrators/laf_flow.py` | 19 行 | 149e422aee97 | —
- `casper_ecosystem/law_firm_orchestrators/laf_folder_builder.py` | 430 行 | f2c24f13040b | `LAFFolderBuilder`, `LAFFolderBuilder`.**init**, `LAFFolderBuilder`.`_load_config`, `LAFFolderBuilder`.`_init_path_mappings`, `LAFFolderBuilder`.`_detect_local_mount`, `LAFFolderBuilder`.`create_case_folder`, `LAFFolderBuilder`.`get_local_path_from_canonical`, `LAFFolderBuilder`.`folder_exists`, `LAFFolderBuilder`.`_safe_makedirs`, `LAFFolderBuilder`.`_refresh_mount_for_retry`
- `casper_ecosystem/law_firm_orchestrators/laf_handler.py` | 29 行 | 6036c23ac0f5 | —

- casper_ecosystem/law_firm_orchestrators/laf_nightly_audit.py | 5017 行 | 91ce223b85cf | PortalNewFilesScanResult, PortalNewFilesScanResult.**init**, _get_db, _load_config, _normalize_status_text, _normalize_person_name, _is_unusable_client_label, _folder_client_name, _should_trust_folder_client_name, _display_client_name
- casper_ecosystem/law_firm_orchestrators/laf_orchestrator.py | 10678 行 | 4e8c4e34bedd | _portal_retry_initial_delay_seconds, _create_laf_upload_staging_dir, _eventlog, _safe_listdir, _safe_listdir._runner, _safe_getmtime, _safe_getmtime._runner, _PortalRetryCycleTimeout, _DryRunNotifier, _DryRunNotifier._suppress
- casper_ecosystem/law_firm_orchestrators/laf_orchestrator_docmixins.py | 949 行 | d1110f4403e1 | is_closing_fee_filename, LAFOrchestratorDocumentMixin, LAFOrchestratorDocumentMixin._text_contains_any, LAFOrchestratorDocumentMixin._find_first_existing, LAFOrchestratorDocumentMixin._dedupe_sorted, LAFOrchestratorDocumentMixin._normalize_date_text, LAFOrchestratorDocumentMixin._extract_date_from_filename, LAFOrchestratorDocumentMixin._extract_date_from_office_text, LAFOrchestratorDocumentMixin._get_doc_hint_ocr_engine, LAFOrchestratorDocumentMixin._ocr_text_from_image
- casper_ecosystem/law_firm_orchestrators/laf_progress_helper.py | 209 行 | 24cfa8cc4438 | _is_doc_excluded, _stem_ends_with_zhuan, _score_pdf, pick_latest_pdf, pick_latest_pdf._sort_key, extract_date_from_pdf_name, build_progress_remark, classify_progress_email
- casper_ecosystem/law_firm_orchestrators/laf_vision.py | 440 行 | 4960cd7e59ce | LAFVision, LAFVision.**init**, LAFVision._env_bool, LAFVision._consensus_enabled, LAFVision._consensus_shadow, LAFVision._extract_via_legacy, LAFVision._run_consensus_ocr, LAFVision._write_consensus_metrics, LAFVision.extract_start_date, LAFVision.extract_text
- casper_ecosystem/law_firm_orchestrators/line_notifier.py | 772 行 | 449a11e95b6f | _guard_text, _load_env, _load_config, _split_csv, _load_admin_line_ids_from_allowlist, _is_line_429_active_today, LAFNotifier, LAFNotifier.**init**, LAFNotifier.notify_admin, LAFNotifier.notify_admin_with_files
- casper_ecosystem/law_firm_orchestrators/osc/folder_utils.py | 3 行 | 73539ca40c38 | —

daemon.py/ (1 檔)

- daemon.py | 2191 行 | ea3dc14f7ca8 | file_lock, file_unlock, get_venv_python, get_magi_root, _feature_enabled, _is_training_locked, _is_night_window, _expected_omlx_profile_now, _is_omlx_night_window, _read_omlx_main_model_id

gui/ (1 檔)

- gui/magi_menubar.py | 6604 行 | db47d6d78cd0 | _acquire_menubar_singleton, _acquire_menubar_singleton._release_lock, _FallbackMenu, _FallbackMenu.insert_after, _FallbackMenuItem, _FallbackMenuItem.**init**, _FallbackMenuItem.set_callback, _FallbackApp, _FallbackApp.**init**, _FallbackApp.menu

integrations/ (6 檔)

- integrations/debt_robot/01_A.py | 184 行 | a2a3af7251cf | `DocumentEditor`, `DocumentEditor.init`, `DocumentEditor.init_ui`, `DocumentEditor.open_folder`, `DocumentEditor.load_documents`, `DocumentEditor.save_document`
- integrations/debt_robot/02_B.py | 288 行 | 4fffa277fb35 | `TableEditor`, `TableEditor.init`, `TableEditor.init_tabs`, `TableEditor.add_tab`, `TableEditor.add_income_tab`, `TableEditor.add_generic_row`, `TableEditor.add_expense_tab`, `TableEditor.add_expense_row`, `TableEditor.add_expense_row.update_total`, `TableEditor.update_total_sum`
- integrations/debt_robot/03_C.py | 218 行 | 765ca8ac3b54 | `CreditorEditor`, `CreditorEditor.init`, `CreditorEditor.read_csv_files`, `CreditorEditor.init_tab`, `CreditorEditor.add_creditor_row`, `CreditorEditor.add_creditor_row.update_address`, `CreditorEditor.update_total_sum`, `CreditorEditor.save_document`, `CreditorEditor.update_csv`
- integrations/debt_robot/04_D.py | 142 行 | 5b6c19b5a300 | `add_blank_page_if_needed`, `merge_single_pdf`, `merge_pdfs`, `select_files`, `convert_docx_to_pdf`, `move_up`, `move_down`, `remove_file`, `merge_and_save`
- integrations/debt_robot/05_E.py | 579 行 | a4b7b8dc504f | `DocumentGenerator`, `DocumentGenerator.init`, `DocumentGenerator.handle_c3_selection`, `DocumentGenerator.handle_d3_selection`, `DocumentGenerator.init_ui`, `DocumentGenerator.init_ui.add_input`, `DocumentGenerator.init_ui.add_textarea`, `DocumentGenerator.apply_inputs_to_doc`, `DocumentGenerator.apply_inputs_to_doc.get_text`, `DocumentGenerator.apply_inputs_to_doc.num_to_chinese`
- integrations/debt_robot/06_F.py | 549 行 | 68b8cb915c20 | `ExtractWorker`, `ExtractWorker.init`, `ExtractWorker.run`, `SupplementGenerator`, `SupplementGenerator.init`, `SupplementGenerator._init_ui`, `SupplementGenerator._build_left_panel`, `SupplementGenerator._build_right_panel`, `SupplementGenerator._refresh_case_list`, `SupplementGenerator._on_case_selected`

magi_v3/ (50 檔)

- magi_v3/__init__.py | 24 行 | 9d79bb96ccec | —
- magi_v3/__main__.py | 38 行 | c83c03470d5c | `main`
- magi_v3/business_events.py | 278 行 | 6136ed92fe60 | `default_ledger_path`, `_safe_token`, `_source_digest`, `BusinessEventLedger`, `BusinessEventLedger.init`, `BusinessEventLedger._connect`, `BusinessEventLedger._init_schema`, `BusinessEventLedger.emit`, `BusinessEventLedger.claim`, `BusinessEventLedger.complete`
- magi_v3/business_outcome_eval.py | 120 行 | 4a66425c1267 | `_canonical`, `_hash`, `_contains_pii`, `anonymise_finding`, `merge_manual_finding`, `write_manual_finding`, `evaluate_outcome_slo`

- `magi_v3/business_recovery.py` | 410 行 | 43d8572b3aa7 | `RecoveryDecision`, `RecoveryDecision.delay_for_attempt`, `_last_json_object`, `_bool`, `_bounded_int`, `load_recovery_catalog`, `contract_for_job`, `audit_recovery_catalog`, `_retry_delays`, `_reason_code`
- `magi_v3/case_filesystem.py` | 229 行 | 812a7fc8f4ad | `_truthy`, `_inside`, `_tree_signature`, `NativeCaseFilesystemEffects`, `NativeCaseFilesystemEffects.init`, `NativeCaseFilesystemEffects._root`, `NativeCaseFilesystemEffects.from_environment`, `NativeCaseFilesystemEffects.call`, `NativeCaseFilesystemEffects._create_folder`, `NativeCaseFilesystemEffects._archive`
- `magi_v3/case_lifecycle.py` | 91 行 | 0723693614c8 | `CaseLifecyclePhase`, `phase_for_status`, `case_lifecycle_phase`, `requires_closed_storage`, `canonical_case_status`
- `magi_v3/compat/__init__.py` | 36 行 | 9b22ad88ae0b | `create_admin_server`
- `magi_v3/compat/admin.py` | 119 行 | fabf65b94d27 | `AdminCompatibilityError`, `HealthApplication`, `HealthApplication.response`, `_sha256`, `_load_admin_module`, `_overlay_handler`, `_overlay_handler.Handler`, `_overlay_handler.Handler.do_GET`, `create_admin_server`
- `magi_v3/compat/gateway.py` | 429 行 | 1708c0de3511 | `StartResponse`, `StartResponse.call`, `CompatibilityLoadError`, `CompatibilitySurfaceError`, `RouteSpec`, `RouteSpec.from_mapping`, `RouteInventory`, `RouteInventory.load`, `RouteInventory.counts`, `RouteInventory.for_service`
- `magi_v3/config.py` | 212 行 | f027db012b4b | `_default_state_dir`, `_default_host_active_lock_path`, `_as_bool`, `_as_int`, `_as_float`, `ResourcePolicy`, `ResourcePolicy.validate`, `CoreSettings`, `CoreSettings.resolved_ledger_path`, `CoreSettings.validate`
- `magi_v3/control.py` | 361 行 | 8037f1b324fd | `HTTPServerLike`, `HTTPServerLike.handle_request`, `HTTPServerLike.server_close`, `_process_exists`, `_process_group_exists`, `build_supervisor_dependency_probe`, `build_supervisor_dependency_probe.probe`, `ControlHealthApplication`, `ControlHealthApplication.init`, `ControlHealthApplication.response`
- `magi_v3/controlled_evolution.py` | 904 行 | f1abed59a743 | `_utc_now`, `_iso_now`, `_digest`, `_canonical_json`, `ComponentRule`, `_safe_signal`, `classify_component`, `_risk_for`, `build_structure_inventory`, `build_proposal`
- `magi_v3/cron_macros.py` | 43 行 | 16c44a4f834e | `CronMacroEntrypoint`, `CronMacroEntrypoint.argv`, `resolve_exact_cron_macro`
- `magi_v3/cron_policy.py` | 209 行 | c11d840ff73a | `CronDispatchPolicyError`, `_read_stable_regular_file`, `_bound_cron_snapshot`, `CronDispatchPolicy`, `CronDispatchPolicy.max_workers`, `CronDispatchPolicy.can_start_lane`, `CronDispatchPolicy.lane_for`, `CronDispatchPolicy.delay_for`, `load_cron_dispatch_policy`
- `magi_v3/cron_service.py` | 922 行 | 279b26ecec1e | `_cron_occurrence_id`, `_cron_timeout_seconds`, `_load_bound_cron_environment`, `CronServiceError`, `Scheduler`, `Scheduler.reconcile_incomplete_jobs`, `Scheduler.reconcile_terminal_schedule_deferrals`, `Scheduler.rearm_recovered_resource_deferrals`, `Scheduler.peek_due_jobs`, `Scheduler.get_missed_jobs_v3`

- `magi_v3/dispatcher.py` | 777 行 | 30c1cb985d36 | `load_capability_worker_classes`, `_validated_capability_mapping`, `VerifiedCompletion`, `VerifiedCompletion.validate`, `load_capability_worker_adapter`, `DispatchHandle`, `PreemptionOutcome`, `DispatchOutcome`, `DurableDispatcher`, `DurableDispatcher.init`
- `magi_v3/drive_file_checkpoint.py` | 600 行 | 57cffe764b76 | `DriveFileCheckpointError`, `_now`, `_digest`, `_valid_digest`, `_valid_partial_row`, `case_token`, `source_fingerprint`, `item_token`, `proof_hash`, `snapshot_hash`
- `magi_v3/errors.py` | 37 行 | 396b401d6a23 | `CoreError`, `ConfigurationError`, `LedgerError`, `JobNotFound`, `InvalidTransition`, `LeaseConflict`, `AdmissionDenied`, `SupervisorError`, `WorkerAlreadyRunning`
- `magi_v3/external_inputs.py` | 576 行 | b012e039176e | `ExternalInputError`, `named_mutable_state_paths`, `BoundCronJobs`, `BoundLAFConfig`, `BoundExternalFile`, `_sealed_context`, `bound_shared_directory`, `laf_download_directory`, `bound_shared_file`, `_stable_regular_bytes`
- `magi_v3/faiss_maintenance.py` | 366 行 | 5bb4c5392c66 | `FaissMaintenanceError`, `_sha256_file`, `_valid_sha256`, `_python_command`, `_atomic_json`, `_request_lock`, `FaissRebuildCoordinator`, `FaissRebuildCoordinator.init`, `FaissRebuildCoordinator.is_source_job`, `FaissRebuildCoordinator.low_memory_environment`
- `magi_v3/fcntl_compat.py` | 53 行 | 80ae21ae4ed6 | `_descriptor`, `flock`, `lockf`
- `magi_v3/file_review_receipts.py` | 151 行 | 6fcde9d8d4ae | `_first`, `_first_upper`, `canonical_portal_download_signature`, `normalize_signature_hashes`, `signature_set_hash`, `portal_snapshot_fingerprint`, `portal_observed_epoch`, `portal_download_snapshot`
- `magi_v3/forensic_transcript.py` | 658 行 | c8d88d047fa6 | `_sha256_file`, `_lease_token`, `_within`, `_mutable_root`, `_workspace`, `_input_evidence`, `_task_payload`, `_seatbelt_profile`, `_transcription_policy`, `_required_env`
- `magi_v3/gateway.py` | 725 行 | 826fe2d9fe4d | `GatewayConfigurationError`, `GatewayRuntimeError`, `RoleGuard`, `RoleGuard.acquired`, `RoleGuard.acquire`, `RoleGuard.release`, `ServerHandle`, `ServerHandle.run`, `ServerHandle.close`, `ReleaseOwnership`
- `magi_v3/health.py` | 81 行 | 3cdf4834da65 | `HealthReport`, `HealthReport.to_dict`, `HealthService`, `HealthService.init`, `HealthService.liveness`, `HealthService.readiness`, `_now`
- `magi_v3/health_presentation.py` | 40 行 | 37a69a45ae3e | `_safe_text`, `present_health`
- `magi_v3/instance.py` | 63 行 | 7ee0407a6ab6 | `SingleActiveError`, `SingleActiveGuard`, `SingleActiveGuard.init`, `SingleActiveGuard.acquired`, `SingleActiveGuard.acquire`, `SingleActiveGuard.release`, `SingleActiveGuard.enter`, `SingleActiveGuard.exit`
- `magi_v3/ledger.py` | 2248 行 | 7111bafec39a | `_utcnow`, `_timestamp`, `_json`, `_decode`, `_parse_timestamp`, `_canonical_resource_claim`, `_canonical_artifacts`, `_canonical_receipts`, `_canonical_metrics`, `_canonical_error`
- `magi_v3/legacy_background_service.py` | 532 行 | e3f7ec2f7c1c | `LegacyBackgroundError`, `ServiceConfig`, `ServiceConfig.validated`, `ComponentSpec`, `ComponentState`, `ComponentState.to_dict`, `_module_origin_within`, `bind_legacy_root`, `_periodic`, `_queue_recovery`

- `magi_v3/live_validation.py` | 195 行 | 11bea7c0572b | `HealthApplication`, `HealthApplication.response`, `_environment`, `_fixture_path`, `_response`, `ValidationWSGIApp`, `ValidationWSGIApp.init`, `ValidationWSGIApp.call`, `create_main_app`, `create_tools_app`
- `magi_v3/live_validation_probe_service.py` | 37 行 | efee7a32003c | `main`, `main.stop`
- `magi_v3/macros_resources.py` | 450 行 | ffa60e8b24d2 | `MemoryPressureMetrics`, `VMStatMetrics`, `SwapUsageMetrics`, `ProcessMetrics`, `ProcessFootprintMetrics`, `FootprintMetrics`, `MacOSResourceSample`, `MacOSResourceSample.governor_ready`, `_default_runner`, `_pressure_level`
- `magi_v3/model_recovery.py` | 108 行 | c4ea676317e7 | `_epoch`, `assess_omlx_recovery`
- `magi_v3/mutable_state_handoff.py` | 719 行 | 670225a0a2b1 | `MutableStateHandoffError`, `StateSpec`, `ExactContext`, `ExactContext.validate`, `ExactContext.public`, `FileSnapshot`, `FileSnapshot.public_source`, `TargetSnapshot`, `TargetSnapshot.public`, `_validate_allowlist`
- `magi_v3/observability.py` | 140 行 | ce2e14cd6cf8 | `task_trace`, `outcome_slo`, `actionable_error`, `support_bundle`, `verify_dr_report`, `_digest`, `_safe_label`, `_safe_text`, `_next_step`
- `magi_v3/ocr_queue.py` | 64 行 | 440dce9a5e73 | `OCRQueuePathError`, `_sealed_v3_context`, `resolve_nas_ocr_queue_db_path`
- `magi_v3/osc_cases.py` | 1078 行 | 2b0222fd5e02 | `OscCasesError`, `RequestValidationError`, `RequestValidationError.init`, `CaseListQuery`, `CreateResult`, `CaseTransaction`, `CaseTransaction.list_cases`, `CaseTransaction.next_case_number`, `CaseTransaction.find_existing`, `CaseTransaction.insert_case`
- `magi_v3/osc_main.py` | 513 行 | 044be25a7169 | `_env_truthy`, `_https_enforced`, `V2SecurityHeaderPolicy`, `V2SecurityHeaderPolicy.init`, `V2SecurityHeaderPolicy.call`, `_cookie_value`, `FlaskSessionAuthorizer`, `FlaskSessionAuthorizer.init`, `FlaskSessionAuthorizer.call`, `MariaDBUserLoader`
- `magi_v3/process_compat.py` | 32 行 | 16b516a7549d | `process_group`, `signal_group`, `group_exists`
- `magi_v3/quality_ledger.py` | 173 行 | cdf2fe6ed8e1 | `_now`, `_json`, `_hash`, `_require_timestamp`, `canonical_quality_signal`, `attest_release`, `QualityOutcomeLedger`, `QualityOutcomeLedger.init`, `QualityOutcomeLedger._connect`, `QualityOutcomeLedger.upsert`
- `magi_v3/resource.py` | 254 行 | 2404c49b6cae | `PressureLevel`, `ResourceSnapshot`, `ResourceSnapshotProvider`, `ResourceSnapshotProvider.snapshot`, `AdmissionRequest`, `AdmissionRequest.validate`, `AdmissionDecision`, `ResourceLease`, `ResourceLease.init`, `ResourceLease.released`
- `magi_v3/runtime.py` | 68 行 | 2c4c8bd222c0 | `CoreRuntime`, `CoreRuntime.build`, `CoreRuntime.initialize`, `CoreRuntime.activate`, `CoreRuntime.close`, `CoreRuntime.enter`, `CoreRuntime.exit`
- `magi_v3/selfhost.py` | 1835 行 | a69bf1280c9e | `_release_secret_path`, `_release_excluded_path`, `SelfHostError`, `HostLayout`, `HostLayout.as_dict`, `Check`, `Check.as_dict`, `ServicePlan`, `ServicePlan.as_dict`, `_system_name`
- `magi_v3/service_manifest.py` | 250 行 | 70f4f355a80f | `assert_deployment_safety`, `ServiceDefinition`, `ServiceManifest`, `ServiceManifest.for_role`, `ServiceManifest.service`, `_object`, `_identifiers`, `_safe_argv`, `load_service_manifest`, `load_bound_service_manifest`

- `magi_v3/service_runtime.py` | 765 行 | `ec3082e34845` | `ServiceRuntimeError`, `_canonical_runtime_root`, `ProcessRecord`, `OwnershipProbe`, `OwnershipProbe.assert_exclusive`, `is_transient_ownership_probe_failure`, `PeriodicOwnershipGuard`, `PeriodicOwnershipGuard.init`, `PeriodicOwnershipGuard.check`, `_default_process_reader`
- `magi_v3/shapely_runtime.py` | 23 行 | `72b765cb0df8` | `verify_shapely_runtime`
- `magi_v3/state.py` | 105 行 | `b37e199b1ac4` | `JobStatus`, `ensure_transition`
- `magi_v3/supervisor.py` | 344 行 | `22013d896760` | `WorkerSpec`, `WorkerSpec.validate`, `WorkerResult`, `_WorkerHandle`, `WorkerSupervisor`, `WorkerSupervisor.init`, `WorkerSupervisor.start`, `WorkerSupervisor.poll`, `WorkerSupervisor.wait`, `WorkerSupervisor.terminate`
- `magi_v3/supervisor_service.py` | 573 行 | `a64830621065` | `ProcessLike`, `ProcessLike.poll`, `ProcessLike.wait`, `ManagedChild`, `_group_exists`, `_pid_alive`, `_process_argv`, `load_supervisor_environment`, `ManifestProcessSupervisor`, `ManifestProcessSupervisor.init`

osc.py/ (1 檔)

- `osc.py` | 610 行 | `bebac65f97b7` | `DatabaseManager`, `DatabaseManager.init`, `DatabaseManager._cfg`, `DatabaseManager._get_connection`, `DatabaseManager._fetch_table_columns`, `DatabaseManager._execute_ddl`, `DatabaseManager._ensure_min_schema`, `DatabaseManager.execute`, `DatabaseManager.fetch_one`, `DatabaseManager.fetch_all`

scripts/ (345 檔)

- `scripts/accounting_monthly_bonus.py` | 64 行 | `e9287de78dc8` | `main`
- `scripts/add_skill_invocation.py` | 200 行 | `cae629e19aaf` | `add_invocation`
- `scripts/architecture/capture_v2_runtime_routes.py` | 142 行 | `946efffe73e0` | `_NullRotatingFileHandler`, `_NullRotatingFileHandler.init`, `_prepare_safe_import`, `_capture`, `capture`, `main`
- `scripts/architecture/generate_v2_inventory.py` | 368 行 | `7a02c3ec48bc` | `_portable_text`, `_literal_string`, `collect_routes`, `collect_skills`, `_cron_jobs`, `collect_cron`, `collect_portable_cron_bytes`, `project_inventory_to_release`, `collect_daemon_children`, `_plist_record`
- `scripts/audit_gcal_duplicates.py` | 383 行 | `0bdc8f977a3b` | `_load_osc_action_module`, `_score_confidence`, `_event_start_repr`, `_event_brief`, `_group_confidence`, `_eligible_for_delete`, `_write_json`, `_write_jsonl`, `_write_summary_md`, `main`
- `scripts/benchmark_gemma4_mtp.py` | 273 行 | `26b3eb07a39a` | `resolve_draft_model`, `get_service_url`, `BenchmarkTask`, `_as_bool`, `load_tasks`, `extract_content`, `valid_json_text`, `build_payload`, `chat_once`, `probe_runtime`
- `scripts/casper_night_patrol.py` | 392 行 | `6600ca328f2d` | `scan_logs`, `run_memory_consolidation`, `run_health_check`, `ask_local_llm`, `generate_proposals`, `save_proposals`, `build_report`, `save_report`, `send_report`, `run_laf_nightly_audit`
- `scripts/ci/check_hardcodes.py` | 142 行 | `7ae46ebc03b6` | `_is_comment`, `find_repo_root`, `scan`, `main`

- `scripts/ci/check_monolith_size.py` | 60 行 | f6996089e05d | `find_repo_root`, `main`
- `scripts/ci/check_shell_true.py` | 94 行 | d8eca52d6b7e | `_load_grandfather`, `_iter_py_files`, `scan`, `main`
- `scripts/classify_supreme_interpreter_mentions.py` | 597 行 | 508f13611fc6 | `ClassifiedCase`, `compact`, `compile_any`, `is_pure_legal_template_context`, `first_match`, `extract_metadata`, `extract_main_text`, `classify_outcome`, `extract_prior_case_no`, `find_contexts`
- `scripts/code_skill_cycle.py` | 56 行 | 9854f1e00c07 | `run_cycle`
- `scripts/configure_mobile_app.py` | 57 行 | 7f979cfb0386 | `_configured_mobile_url`, `_write_config`, `main`
- `scripts/customer_install_wizard.py` | 379 行 | f9db02121334 | `WizardStep`, `_status_from_bool`, `_command_text`, `_run_command`, `_summarize`, `_write_report`, `_env_step`, `_preflight_step`, `_install_steps`, `_public_audit_step`
- `scripts/db_sync_to_remote.py` | 165 行 | 52fa814c1456 | `_signal_handler`, `remote_reachable`, `backup_local`, `cleanup_old_backups`, `dump_remote`, `push_to_local`, `sync_once`
- `scripts/dedup_magi_brain.py` | 224 行 | f3a405a8f945 | `get_conn`, `count_duplicates`, `count_smoke_test`, `get_duplicate_ids_batch`, `get_smoke_test_ids_batch`, `delete_batch`, `dedup_report`, `main`
- `scripts/docs/build_magi_encyclopedia.py` | 906 行 | 8cc34a82f74d | `Symbol`, `FileRecord`, `sha256_file`, `first_sentence`, `signature_for`, `python_details`, `python_details.Visitor`, `python_details.Visitor.init`, `python_details.Visitor._symbol`, `python_details.Visitor.visit_ClassDef`
- `scripts/drive_case_sync_inventory.py` | 15 行 | d4a46cda68fa | —
- `scripts/drive_case_sync_worker.py` | 2116 行 | 2799be050680 | `state_path`, `file_checkpoint_path`, `worker_status_path`, `worker_lock_path`, `iso_now`, `_adaptive_all_case_limit`, `_fair_all_case_chunk_limit`, `_inner_inventory_budget`, `DriveCaseSyncTimeout`, `inventory_time_limit`
- `scripts/fetch_supreme_interpreter_texts.py` | 268 行 | c3c795900867 | `safe_title`, `clean_judgment_text`, `load_source_items`, `_read_mapping_json`, `_read_mapping_csv`, `existing_text_by_authoritative_index`, `load_judicial_web_search_module`, `materialize_complete_corpus`, `sync_summary_outputs`, `main`
- `scripts/first_run_setup.py` | 236 行 | 652dd98b0734 | `SetupItem`, `_parse_env`, `_is_placeholder`, `_write_env_from_example`, `_tracked_files`, `_public_isolation_findings`, `build_first_run_checklist`, `main`
- `scripts/fix_silent_except.py` | 429 行 | da3d5e58b066 | `Replacement`, `FileResult`, `SilentExceptFixer`, `SilentExceptFixer.init`, `SilentExceptFixer._get_files_to_scan`, `SilentExceptFixer._is_in_skip_dir`, `SilentExceptFixer._line_number_at_pos`, `SilentExceptFixer._get_indentation`, `SilentExceptFixer._find_replacements`, `SilentExceptFixer._apply_replacements`
- `scripts/gemma4_comparison_test.py` | 200 行 | 0af71a2daee1 | `chat`, `check_models`, `run_test`
- `scripts/generate_detailed_user_manual.py` | 711 行 | f39e42af002b | `pil_font`, `draw_round_rect`, `draw_wrapped`, `draw_centered_text`, `save_img`, `make_cover_image`, `make_module_map`, `make_quality_map`, `make_daily_workflow`, `make_todo_split`
- `scripts/generate_hearing_leave_public_template.py` | 63 行 | 0a7880e492aa | `template_payload`, `main`

- `scripts/generate_public_manual_docx.py` | 194 行 | 584bca0c2c1c | `set_run_font`, `add_page_number`, `configure_document`, `add_styled_text`, `flush_buffer`, `build_docx`, `patch_settings_xml`
- `scripts/generate_user_operation_manual_docx.py` | 433 行 | 538a8b6a87a0 | `set_run_font`, `shade_cell`, `set_cell_border`, `cell_text`, `add_para`, `add_heading`, `add_table`, `add_bullets`, `page_break`, `load_json`
- `scripts/generate_verified_user_manual_docx.py` | 637 行 | 38cea54049ae | `_ensure_docx_dependency`, `load_json`, `first_existing`, `result_count`, `set_run_font`, `shade_cell`, `set_cell_border`, `set_cell_text`, `add_para`, `add_heading`
- `scripts/generate_visual_user_manual_docx.py` | 1038 行 | 28e6eab308c6 | `font`, `hex_to_rgb`, `draw_round_rect`, `draw_text_box`, `draw_centered_text`, `save_image`, `make_cover`, `make_module_map`, `make_workflow`, `make_dashboard_mock`
- `scripts/import_accounting_sheet.py` | 25 行 | d02ab2d6139b | —
- `scripts/ingest_raw_judgments.py` | 215 行 | 4b3621e552ae | `load_state`, `save_state`, `extract_fields`, `court_name_from_jid`, `parse_jdate`, `main`
- `scripts/install_mag.py` | 141 行 | dfa3ac716b15 | `InstallStep`, `venv_python`, `build_install_plan`, `run_step`, `live_checks`, `main`
- `scripts/install_omlx_embed.py` | 91 行 | 00949dc591e6 | `run`, `main`
- `scripts/install_omlx_restore.py` | 83 行 | 785244894eaf | `run`, `main`
- `scripts/install_omlx_text.py` | 103 行 | 60aa4c99e99a | `_enabled`, `run`, `build_launch_agent_plist`, `main`
- `scripts/install_omlx_watchdog.py` | 80 行 | 63656bfcdec3 | `run`, `main`
- `scripts/install_service.py` | 69 行 | f626071318bc | `install`, `uninstall`
- `scripts/judicial_jlist_crawl.py` | 253 行 | f90723468013 | `_is_open_hours`, `_authenticate`, `_save_judgment`, `_mark_dedup`, `_is_already_fetched`, `run`
- `scripts/knowledge_lint.py` | 2049 行 | f5553dc5c185 | `_resolve_agent_dir`, `_reviewed_no_usable_judgment_count`, `_pending_nvidia_judgment_review_count`, `_get_vault_path`, `_load_env`, `_db_connect`, `_extract_insight_body`, `_is_low_quality_insight`, `_is_low_quality_judgment_summary`, `_vector_rows_for_doc_key`
- `scripts/laf_nightly_audit.py` | 35 行 | be8cf6fb2fb0 | —
- `scripts/live_mag_mtp_eval.py` | 476 行 | ca3b87e9c619 | `CheckResult`, `_extract_json`, `post_chat`, `check_sidecar`, `check_json_tool_routes`, `check_react_tools`, `_instrumented_tools`, `_instrumented_tools._make_tool`, `_instrumented_tools._make_tool_fn`, `check_all_react_tools`
- `scripts/live_test_taiwan_legal_mcp.py` | 61 行 | c54f5da32f35 | `assert_ok`, `main`
- `scripts/live_test_tw_legal_rag.py` | 139 行 | 96ad3408038e | `main`
- `scripts/magi_doctor.py` | 1208 行 | 60e01eccecd4 | `Check`, `_project_python`, `_package_available`, `_disk_free_gb`, `_ram_gb`, `_http_json`, `_mtp_sidecar_check`, `_mtp_sidecar_required`, `_runtime_dir`, `_live_runtime_root`
- `scripts/magi_selfhost.py` | 817 行 | dda7b02747bf | `_target_system`, `_json`, `_command_display`, `_write_env`, `_generate_local_secrets`, `_resolve`, `command_plan`, `command_init`, `_run`, `_wait_for_live`

- `scripts/memory_consolidation.py` | 46 行 | d6ebbd23bfe0 | `run_consolidation`
- `scripts/migrate_case_documents_idempotency.py` | 62 行 | acca73e8fec0 | `migrate`
- `scripts/migrate_dedup_to_db.py` | 234 行 | b98c90fd6ef5 | `get_conn, create_table, migrate_json_file, migrate_case_filename_map, main`
- `scripts/mirror_exam_tutor_source_catalog.py` | 234 行 | c621b78602fe | `now_iso, safe_stem, load_json, active_catalog_urls, build_jobs, fetch_pdf, write_manifest, main`
- `scripts/mobile_app_status.py` | 104 行 | 6e894da34217 | `_run, _load_mobile_config, _probe_url, main`
- `scripts/nightly_council.py` | 233 行 | 76dfcab142d3 | `_resolve_sync_path, sync_from_synology, get_node_status_summary, conduct_nightly_council, send_report`
- `scripts/nightly_distill_gemma.py` | 774 行 | 17c404eeb7b1 | `_child_python, _validation_gate_passed, _gemma_distill_collector_paths, _last_accepted_pair_count, _write_rejected_deploy_record, _in_e4b_window, _acquire_lock, _release_lock, _check_timeout, _launchd_target`
- `scripts/nightly_health_report.py` | 504 行 | 28e67a226452 | `_find_latest_nightly_run, _recent_date_prefixes, _read_json_file, _load_recent_resource_guard_event, _format_guard_snapshot, _diagnose_missing_nightly_run, _parse_step_results, _dotenv_value, _env_truthy, _normalize_step_result`
- `scripts/obsidian_bulk_ingest.py` | 296 行 | dfa92cfe41b2 | `load_progress, save_progress, discover_cases, run_bulk_ingest, main`
- `scripts/ops/active_release_input_method_watchdog.py` | 118 行 | e80a6962ab01 | `ActiveWatchdogError, _sha256, _regular_file, resolve_active_watchdog, main`
- `scripts/ops/agent_readiness_gate.py` | 311 行 | efeb3c0c6db9 | `_issue, _has_value, _text_for_public_check, _contains_private_content, _normalize_side_effects, _risk_for, _tool_issues, _validate_capability, build_report, load_catalog`
- `scripts/ops/apply_tenant_scope.py` | 52 行 | aded7ae235c1 | `main`
- `scripts/ops/audit_calendar_completeness.py` | 346 行 | 9a9a1b7b4422 | `_text_date, _text_time, _event_type, _event_key, _is_osc_source, _has_google_event_id, _final_document_distribution, _write_json, build_report, main`
- `scripts/ops/audit_judgment_extractive_quality.py` | 121 行 | d4ce4c8f916d | `main`
- `scripts/ops/audit_judicial_api_summary_quality.py` | 329 行 | bd9a98ab70f9 | `_load_collector, _sha256, _atomic_json, _atomic_jsonl, _start_transaction, _raw_json_basenames, _source_text_for_row, main`
- `scripts/ops/audit_operational_hardening.py` | 1556 行 | e41ecb5006e8 | `_FixtureExternalProvider, _FixtureExternalProvider.init, _FixtureExternalProvider.cron_jobs, _FixtureExternalProvider.models, _FixtureExternalProvider.omlx_state, _FixtureExternalProvider.run, _FixtureExternalProvider.evidence, _cron_jobs, _external_run, _runtime_override`
- `scripts/ops/audit_osc_buttons.py` | 260 行 | a98a43c3caa0 | `Finding, _collect_html_files, _collect_js_files, _extract_html_buttons, _extract_js_api_calls, _extract_backend_routes, _url_match, _url_match.norm, run_audit, main`

- `scripts/ops/audit_single_source.py` | 63 行 | 3b3e9657ae37 | `_iter_python_files`, `audit`, `main`
- `scripts/ops/autonomy_worker.py` | 272 行 | ef70c305e118 | `_bounded_float`, `resource_snapshot`, `_load_indexer`, `_marker_path`, `_full_scan_due`, `_write_marker`, `run_once`, `main`
- `scripts/ops/backfill_pdf_todo_share_links.py` | 249 行 | 329f838a46ed | `_share_expires_soon`, `_needs_share_repair`, `_source_pdf_name`, `_first_existing`, `_find_under`, `_resolve_todo_pdf`, `_candidate_rows`, `backfill`, `main`
- `scripts/ops/background_task_locks.py` | 351 行 | 587948010462 | `_iso_now`, `lock_dir`, `lock_path`, `file_review_portal_lock_path`, `metadata_path`, `read_json`, `write_json_atomic`, `pid_is_alive`, `cleanup_stale_lock_metadata`, `BackgroundLock`
- `scripts/ops/backup_market_watchlist.py` | 137 行 | c6c6fef01c12 | `_load_watchlist_count`, `_latest_backup`, `_purge_old_backups`, `_alert_tg`, `main`
- `scripts/ops/benchmark_chat_vs_recall.py` | 45 行 | ba1d66f873d3 | `main`
- `scripts/ops/benchmark_graph_rag.py` | 77 行 | 5959a214775d | `_build_fixture_graph`, `main`
- `scripts/ops/benchmark_hermes_helpers.py` | 75 行 | cfa564a55815 | `_fake_messages`, `main`
- `scripts/ops/benchmark_models.py` | 280 行 | 6a1e80090a8f | `run_legal_retrieval_benchmark`, `run_ocr_benchmark`, `run_summary_translation_benchmark`, `main`
- `scripts/ops/benchmark_osc_todos.py` | 123 行 | 2c96c27354a0 | `main`, `main._default_serial`
- `scripts/ops/benchmark_pdf_bookmarker.py` | 382 行 | b1c9dda5b34c | `_load_module`, `_load_bookmarker_modules`, `find_pdfs`, `_select_case_root`, `_compute_recall_metrics`, `_is_legacy_image_label`, `_looks_like_single_doc_form`, `_collect_legacy_cleanup_candidate`, `_build_legacy_cleanup_plan`, `main`
- `scripts/ops/benchmark_pdf_namer.py` | 498 行 | 941e20a2876f | `_warmup_vision_model`, `_load_certification_proposals`, `_threshold_from_env`, `find_pdfs`, `_select_case_root`, `_collect_threshold_failures`, `_failure_results`, `main`
- `scripts/ops/benchmark_pdf_namer_archived_golden.py` | 94 行 | 7d3c9d78563d | `_load_namer`, `_collect_cases`, `main`
- `scripts/ops/benchmark_pkuseg_quality.py` | 62 行 | adf03da1b2da | `main`
- `scripts/ops/benchmark_translator_ape.py` | 436 行 | 384cc616190d | `_warmup_omlx`, `_load_certification_rows`, `_int_env`, `_selected_suite`, `_llm_timeout`, `_skip_gtx`, `_term_hit_rate`, `_bench_gtx`, `_bench_apple_baseline`, `_bench_ape`
- `scripts/ops/benchmark_tri_model.py` | 356 行 | dafc18f23544 | `_tw_guard`, `get_model_id`, `call_chat`, `run_benchmark`, `main`
- `scripts/ops/build_exam_practice_weights.py` | 290 行 | 9964f1c0add3 | `_number`, `_clean`, `_is_structure`, `_importance_weight`, `_partition`, `_allocate`, `_compile_entry`, `build`, `main`
- `scripts/ops/build_ocr_training_dataset.py` | 608 行 | fb3fd868363f | `FilenameFields`, `FilenameFields.usable`, `SourceResult`, `_sha256_file`, `_clean_text`, `parse_filename_fields`, `_redact_text`, `_redacted_fields`, `_canonicalize_training_path_segment`, `_safe_training_relative_path`
- `scripts/ops/build_operational_attestation.py` | 118 行 | d4f57a7b3596 | `_regular_json`, `build_attestation`, `_atomic_write`, `main`

- scripts/ops/business_module_live_check.py | 2828 行 | 25914ded49a1 | _redact_text, _redact_obj, _run, _load_live_environment, _bind_release_local_environment, _parse_last_json, _load_json_file, _pid_alive, _age_seconds, _sha256_file
- scripts/ops/business_outcome_regression.py | 26 行 | d229f69ac428 | main
- scripts/ops/business_readiness_snapshot.py | 811 行 | 3aab4596bef5 | _load_json, _truthy, _mutable_static_dir, _runtime_dir, _agent_dir, _parse_time, _latest_successful_nvidia_usage, _recent_report_failures, _report_failure_is_now_resolved, _latest_file_review_job
- scripts/ops/chandra_ocr_healthcheck.py | 99 行 | 397899bec763 | _runtime_path, _entity_counts, run, main
- scripts/ops/check_discord_identity.py | 55 行 | aacf4b6bdd95 | load_token, check_identity
- scripts/ops/check_judicial_api_pipeline.py | 647 行 | 17ffdececeb4 | env_path, load_json, read_text, is_judicial_raw_payload, parse_iso, age_hours, list_files, iso_or_empty, rounded, env_bool
- scripts/ops/clean_closed_case_residue.py | 309 行 | 94114adb4394 | CaseDir, _is_skip_file, _case_id, _iter_dirs, _iter_case_dirs, _sha256, _conflict_path, _copy_file_verified, _tree_file_count, _plan_merge
- scripts/ops/clean_degraded_memories.py | 166 行 | c10b81693b8c | _get_conn, find_degraded_ids, delete_by_ids, rebuild_faiss, main
- scripts/ops/cleanup_fast_judgment_digests.py | 158 行 | 6c7eb4d86ef4 | _db, _count, _backup_rows, main
- scripts/ops/cleanup_judgment_value_noise.py | 249 行 | 95fe3f45515b | _summary_is_low_value, _is_missing_text_low_value, _is_upper_protected, _load_judgment_collector_action, _write_json, _write_jsonl_gz, _chunks, _fetch_archive_rows, _delete_by_jids, build_cleanup_report
- scripts/ops/cleanup_judgments_leaks.py | 472 行 | a1a4e946901b | has_leak, has_real_content, strip_preamble, url_to_jid, url_to_jid_prefix, jid_to_data_url, _get_db_conn, cleanup_json, cleanup_db, main
- scripts/ops/cleanup_synology_empty_case_shells.py | 508 行 | 893f3de51851 | _include_local_synology_roots, _scan_local_synology_roots, _is_local_synology_root, _load_env, _db_config, _active_roots, _real_file_count, _case_number_from_folder_name, _same_active_shell_paths, _path_exists
- scripts/ops/commercial_readiness_live.py | 759 行 | 2d092abebba | _load_runtime_env, _is_git_worktree, _installed_release, public_source_root, Check, _python, _run_json, _sha256, check_deployment_bindings, check_doctor
- scripts/ops/configure_mariadb_master_backup.py | 236 行 | b07c701597c2 | _csv_env, _random_password, _socket_conn, _query_status, _load_or_create_credentials, _write_master_config, _restart_mariadb, _create_repl_users, _remote_instruction, parse_args
- scripts/ops/configure_mariadb_replica.py | 488 行 | 79b0f5a59121 | _load_env_file, _env, _redact, _truthy, DBProfile, DBProfile.safe_dict, ReplicaTarget, ReplicaTarget.safe_dict, _connect, _query_one
- scripts/ops/continuous_longfile_3ch_stress.py | 518 行 | 68c0307bfc73 | TaskSpec, _now_iso, _append_jsonl, _write_json, _extract_file_path, _read_head, _load_observer_status, _estimate_end_time, _discover_long_pdfs, _worker_process

- `scripts/ops/controlled_self_evolution.py` | 139 行 | b776f3241dcc | `_runtime_dir, _store, _load_json, _write_json, _release_id, main`
- `scripts/ops/controlled_self_evolution_smoke.py` | 105 行 | b22f9520f554 | `_git, main`
- `scripts/ops/convert_nemotron_parse_to_mlx.py` | 162 行 | aef8992e8cf3 | `_sha256, _target_dtype, _cast_float, convert, main`
- `scripts/ops/day2_autopilot_monitor.py` | 200 行 | a89a3e2e94ba | `Row, _load_json, _parse_ts, collect, _load_export_txt, render_txt, main`
- `scripts/ops/day3_non24h_test_suite.py` | 296 行 | de3f165f6ebe | `Check, _http_json, _run_cmd, _load_export_txt, _ensure_tools_api_up, _check_summarize_circuit, _check_transcribe_dual, _check_translate, _check_autopilot_selftest, _check_autopilot_tick_light`
- `scripts/ops/day3_stability_report.py` | 489 行 | fa4181078aa4 | `RunRow, HttpProbe, _parse_ts, _load_json, _load_jsonl, _percentile, collect_autopilot, collect_summary_metrics, collect_transcribe_metrics, collect_captcha_queue`
- `scripts/ops/debug_cleanup.py` | 49 行 | 0a6cb07f0d46 | `main`
- `scripts/ops/diagnose_melchior.py` | 77 行 | da4bb8e4918f | `test_payload`
- `scripts/ops/disk_cleanup_healthcheck.py` | 2272 行 | 4f68b3e482f0 | `_is_dry_run, _log, _iter_metrics_jsonl, _rotate_metrics_file, cleanup_metrics, _walk_cache_files, _omlx_cache_roots, _external_omlx_cache_roots, _cache_last_used, _omlx_cache_cap_bytes`
- `scripts/ops/disk_low_water_alarm.py` | 259 行 | 8fd770a37aa | `get_disk_free_gb, _push_self_repair, _read_alert_state, _write_alert_state, _should_emit_alert, _auto_reclaim_enabled, _run_auto_reclaim, main`
- `scripts/ops/distill_live_check.py` | 165 行 | 6cd2908d1973 | `_load_env, _latest_metric, main`
- `scripts/ops/distributed_code_review.py` | 30 行 | 68aa8a3bc082 | —
- `scripts/ops/document_golden_regression.py` | 249 行 | 91382b8ce7f2 | `load_manifest, validate_manifest, _select_cases, _run_pytest, run_manifest, _csv_set, main`
- `scripts/ops/drive_pending_checksum_verifier.py` | 627 行 | 49d7320f729d | `VerificationError, HashBudgetExceeded, HashEvidence, PendingCandidate, _utc_now, _json_sha256, _file_sha256, _coerce_nonnegative_int, _valid_md5, _candidate_from_item`
- `scripts/ops/ensure_telegram_topics.py` | 35 行 | bf94edf81075 | `main`
- `scripts/ops/faiss_rebuild_worker.py` | 208 行 | 0060f9d2f1c9 | `_sha256_file, _peak_rss_bytes, _load_request, run, _parser, main`
- `scripts/ops/fix_degraded_summaries.py` | 258 行 | e97e878db29b | `_get_db, is_degraded, main`
- `scripts/ops/function_health_index.py` | 2913 行 | e62b882a41a3 | `_utc_now, _rel, default_runtime_dir, _read_json, _parse_dt, _mtime_dt, _age_hours, _has_skip_part, _literal_string, _literal_value`
- `scripts/ops/gemma4_12b_overlay_live_gate.py` | 398 行 | ebbad7dd02c8 | `GateCase, GateReport, _request_json, _chat, _message, _content, _tool_name, _add_case, _run_case, _tools`

- `scripts/ops/generative_quality_live.py` | 275 行 | 0637a631a016 | `_load_live_environment`, `_digest`, `_quality_codes`, `_is_nvidia_model`, `certify_draft`, `certify_summary`, `certify_translation`, `run`, `main`
- `scripts/ops/git_stage_guard.py` | 102 行 | 39adcd785001 | `_repo_root`, `_staged_paths`, `is_blocked_path`, `validate_staged_paths`, `main`
- `scripts/ops/heavy_fallback_live_check.py` | 228 行 | 4bd4471c3ae1 | `_load_env`, `_temporary_env`, `_text_of`, `_compact_result`, `_assert_usable_success`, `run_checks`, `main`
- `scripts/ops/heavy_translation_quality_live.py` | 710 行 | 702b80b317f9 | `_load_env`, `_draw_wrapped`, `write_generated_fixture`, `resolve_fixture_path`, `_check`, `_text_of`, `_extract_fixture`, `_run_nim_route_check`, `_read_docx_text`, `run_gate`
- `scripts/ops/input_method_watchdog.py` | 330 行 | 89dd938232ce | `_load_state`, `_write_state`, `_processes`, `_text_services_healthy`, `_tis_libraries`, `_cf_string`, `_current_input_source_id`, `_select_input_source`, `_restart_input_stack`, `_wait_for_exit`
- `scripts/ops/install_gemini_skills.py` | 61 行 | e05eec5479db | `install_skills`
- `scripts/ops/integration_smoke.py` | 455 行 | 3d11ea1abc3f | `_load_env_file`, `_now`, `_read_json_from_text`, `_http_get_json`, `_json_headers`, `_http_post_json`, `_extract_bool`, `_capture_import`, `_run_skill_test`, `_assess_skill_test`
- `scripts/ops/judgment_nvidia_summary_live_check.py` | 273 行 | 45a54a999e6a | `_load_runtime_env`, `_fetch_candidates`, `_fetch_rows_by_ids`, `main`
- `scripts/ops/judgment_summary_live_check.py` | 148 行 | 268cb58640b1 | `_load_env`, `_load_judgment_action`, `_select_source`, `_quality`, `main`
- `scripts/ops/judgment_summary_staged_backfill.py` | 704 行 | e0f31901e7df | `_read_rows`, `_write_json_atomic`, `_write_report`, `_save_queue`, `_append_backup`, `_source_sha`, `_fetch_rows`, `_store_summary`, `_clear_invalid_summary`, `_queue_row`
- `scripts/ops/laf_deep_extract_backfill.py` | 28 行 | 379ac9c38c10 | —
- `scripts/ops/laf_gmail_dispatch_scan.py` | 599 行 | 1cc4dd3a24cf | `_output_path`, `_json_default`, `_write_json`, `_load_json`, `_case_pending_key`, `_pending_case_row`, `_update_pending_report`, `_resolve_gmail_paths`, `_db_processed_checker`, `_db_processed_checker.check`
- `scripts/ops/laf_portal_new_files_scan.py` | 100 行 | 3eb255de4451 | `_write_json`, `_preserve_last_successful_missing_state`, `main`
- `scripts/ops/laf_report_worker.py` | 402 行 | e594c9f84804 | `_runtime_dir`, `_append_job_event`, `_parse_result`, `_topic_for_action`, `_action_label`, `_target_text`, `_preview_path`, `_preview_url`, `_format_success`, `_format_failure`
- `scripts/ops/live_test_legaltech_taiwan_law_mcp.py` | 116 行 | 0a22e139b833 | `_digest`, `_official_host`, `_require`, `main`

- `scripts/ops/local_deep_queue_worker.py` | 259 行 | 5e853c13cd03 | `_queue_path`, `_records`, `_receipt_rows`, `_terminal_task_ids`, `_deferred_until`, `_receipt`, `_single_worker_lock`, `_drain_once_unlocked`, `_deliver`, `_job_id_from_reference`
- `scripts/ops/local_model_champion_eval.py` | 54 行 | cb17982c1054 | `score`, `load`, `main`
- `scripts/ops/magi_acceptance_gate.py` | 971 行 | bcd8df0fb22d | `GateResult`, `CommandResult`, `_python`, `_live_runtime_root`, `_source_root`, `_live_runtime_artifact`, `_tail`, `parse_json_from_output`, `_run_command`, `_command_gate`
- `scripts/ops/magi_self_repair_guardian.py` | 836 行 | bc91a0755cf7 | `_failed_cron_job_ids`, `_utc_now`, `_json_dumps`, `_ensure_import_root`, `_safe_resolve`, `_is_relative_to`, `_tmp_ownership_marker`, `_tmp_is_owned`, `_candidate_age_minutes`, `_laf_upload_staging_child`
- `scripts/ops/manual_command_smoke.py` | 273 行 | c9f5185ae953 | `Check`, `run_json`, `route_checks`, `docx_pdf_checks`, `safe_cli_checks`, `main`
- `scripts/ops/memory_watchdog.py` | 816 行 | eb0a50829ce2 | `MemoryReading`, `MemoryReading.free_plus_inactive_gb`, `_read_memory_free_percent`, `read_memory`, `memory_pressure_reasons`, `is_memory_pressure`, `MetalService`, `MetalService.footprint_gb`, `MetalService.graphics_gb`, `ServiceAction`
- `scripts/ops/merge_judgment_archive_to_court.py` | 530 行 | 8cf9ac4e3375 | `_db_config`, `_is_valid_jid`, `_parse_jid_from_title`, `_read_full_text`, `_parse_judgment_date`, `_court_name_from_level`, `_court_judgments_lookup`, `_upsert_court_judgment`, `merge_archive_to_court`, `merge_json_to_court`
- `scripts/ops/migrate_laf_status_20260426.py` | 288 行 | e6bce6e498e9 | `_connect_db`, `check_schema`, `collect_candidates`, `plan_migrations`, `run_dry`, `run_apply`, `main`
- `scripts/ops/model_live_gate.py` | 363 行 | 52444b6c2bdb | `_schedule_adapter_enabled`, `_schedule_endpoint_urls`, `EndpointProbe`, `ModelGateReport`, `expected_profile_now`, `active_profile`, `probe_port`, `_has_keyword`, `_append_unique`, `_expected_keyword_for_profile`
- `scripts/ops/nemotron_parse_hf_baseline.py` | 263 行 | d5f5604e7c0a | `parse_args`, `peak_rss_mb`, `write_output`, `extract_blocks`, `run`, `main`
- `scripts/ops/nemotron_phase1b_compare.py` | 233 行 | 5c1e3d0fd135 | `rss_mb`, `log`, `render_page`, `main`
- `scripts/ops/nightly_regression.py` | 574 行 | bae1fb0b6dd1 | `_run`, `_suite_report_path`, `_discord_bot_process`, `_pid_list`, `ensure_discord_bot_for_regression`, `_notify`, `run_system_test`, `run_channel_smoke`, `run_mock_skills`, `run_core_routes`
- `scripts/ops/observe_stability_24h.py` | 145 行 | 7b38ace7ba6a | `_load_day3_module`, `_write_json`, `_append_jsonl`, `_build_report`, `_snapshot_row`, `main`
- `scripts/ops/obsidian_acceptance_gate.py` | 143 行 | 27186cc2ccf6 | `_status_from_result`, `_check`, `run_gate`, `main`
- `scripts/ops/ocr_training_pipeline.py` | 327 行 | 44cabaf9dfa4 | `PipelineStats`, `_path_allowed`, `collect_candidates`, `write_candidate_list`, `_record_hash`, `_load_state`, `_save_state`, `append_silver_to_ocr_distill`, `run_pipeline`, `main`

- `scripts/ops/omlx_heartbeat_reaper.py` | 273 行 | 8a7cdf996e23 | `OmlxProc`, `_list_omlx_serves`, `_parse_etime`, `find_duplicates`, `_write_decision`, `_kill_one`, `run`, `main`
- `scripts/ops/omlx_profile_policy.py` | 46 行 | a4a0ff71aa79 | `expected_profile_for_minutes`, `expected_profile_now`, `profile_transition_in_progress`
- `scripts/ops/omlx_switch_gatekeeper.py` | 282 行 | 0187571e1064 | `_aborts_log`, `_pause_file`, `_now`, `_notify_admin`, `_read_pause_until`, `_write_pause_until`, `_append_abort`, `_read_recent_aborts`, `cmd_check_paused`, `_list_omlx_rss`
- `scripts/ops/operational_support.py` | 37 行 | b32bb727d6bf | `main`
- `scripts/ops/osc_auto_backup.py` | 48 行 | c11d51c57bc8 | `main`
- `scripts/ops/osc_draft_live_compare.py` | 620 行 | a1d980f5e8bc | `_default_sample_active_civil_root`, `_run`, `_extract_pdf_text`, `_ocr_pdf_text`, `_extract_docx_text`, `_pdf_page_count`, `_strip_pdf_artifacts`, `_looks_like_paragraph_boundary`, `_compact_ocr_text`, `_wrap_ocr_text`
- `scripts/ops/osc_events_refresh.py` | 2426 行 | 43bb7900b69e | `_PdfScanTimeout`, `_portable_source_basename`, `_parse_roc_year_to_ad`, `_collect_source_year_candidates`, `_collect_source_year_candidates._add_candidate`, `_source_context_for_year_inference`, `_iter_source_context_values`, `_infer_source_base_year_from_todo`, `_source_document_date`, `_description_base_month_day`
- `scripts/ops/osc_gcal_port_from_paperclip.py` | 111 行 | f146e1dfef7e | `main`
- `scripts/ops/osc_gcal_sync.py` | 48 行 | 71738d707336 | `main`
- `scripts/ops/osc_shell_nas_helper.py` | 483 行 | 2a75f1a2a8fa | `OscShellNASThreadingHTTPServer`, `_osc_closed_share_aliases`, `_user_nas_home`, `_allowed_roots`, `_is_path_allowed`, `_hidden_name`, `_ListdirHelperError`, `_ListdirHelperError.init`, `_listdir_payload`, `_stage_path`
- `scripts/ops/osc_web_stress_live.py` | 405 行 | 9f7f30465302 | `_load_env`, `Sample`, `_percentile`, `_summarize`, `_run_json`, `_resource_snapshot`, `_build_app`, `_build_app._StressUser`, `_build_app.load_user`, `_route_sample`
- `scripts/ops/paperclip_deep_verify_v6.py` | 232 行 | 7faaa06748f1 | `ok`, `fail`
- `scripts/ops/paperclip_filemanager_deep_verify.py` | 625 行 | 076f96e0221e | `record`, `login`, `open_file_manager`, `http_login_session`, `main`, `main._cleanup_sandbox`, `upload_via_api`, `upload_multi_via_api`, `test_chunked_upload`, `test_chunked_missing_chunk`
- `scripts/ops/pdf_bookmarker_boundary_training.py` | 105 行 | 7fc234602253 | `_training_label`, `build_training_rows`, `main`
- `scripts/ops/pdf_mutation_lock.py` | 68 行 | 8b0a9c32f547 | `PdfMutationLockBusy`, `PdfMutationLockBusy.init`, `pdf_in_place_mutation_lock_path`, `_owner_label`, `pdf_in_place_mutation_lock`
- `scripts/ops/pdf_todo_training_export.py` | 248 行 | 46c392bc0ab0 | `_TrainingScanTimeout`, `_time_limit`, `_time_limit._handle`, `_load_transcript_module`, `_folder_kind`, `_training_label_for_pdf`, `_training_label_for_transcript`, `collect_pdf_rows`, `collect_transcript_rows`, `write_outputs`

- `scripts/ops/prepare_omlx_gemma4_unified_runtime.py` | 211 行 | 8a9b4b91a12d | `SourceRepo`, `_run`, `_ensure_repo`, `_patch_omlx_model_discovery`, `_write_wrapper`, `_verify`, `main`
- `scripts/ops/public_push_guard.py` | 125 行 | d80fdc9a1801 | `_git`, `_remote_url`, `_branch_name`, `_status_lines`, `_run_audit`, `check_remote_push`, `check_public_push`, `main`
- `scripts/ops/purge_ops_logs_from_vectors.py` | 292 行 | b2fc79db5e78 | `_prefix_where`, `_prefix_params`, `_chunked`, `_connect`, `count_ops_entries`, `_ids_for_prefix`, `_delete_ids`, `purge_ops`, `dedup_vectors`, `rebuild_faiss`
- `scripts/ops/purify_magi_skills.py` | 186 行 | eb5208bbbf20 | `_read_text`, `_extract_skill_names`, `_collect_referenced_skills`, `main`
- `scripts/ops/rc271_case_consistency_repair.py` | 230 行 | a2a3f6aaef50 | `_load_live_environment`, `_sha256`, `_query_cases`, `_query_closed_case_future_transcript_todos`, `_transcript_sources`, `main`
- `scripts/ops/rebuild_pdf_translation_docx.py` | 202 行 | 7b0c8c253c28 | `_split_sentence_safe`, `_is_english_heavy`, `_translate_english_text`, `_read_docx_text`, `rebuild`, `main`
- `scripts/ops/reconcile_overdue_todos.py` | 453 行 | c96e0ef44a2d | `_next_business_day`, `_source_kind`, `_is_optional_or_nonactionable`, `_original_todo_type`, `_is_overdue_escalation`, `_is_past_pure_occurrence`, `_terminal_status`, `_overdue_action_label`, `_actionable_overdue_description`, `_document_day`
- `scripts/ops/rename_judgment_case_folders.py` | 238 行 | 542f354145b2 | `_md5`, `canonical_name_for_legacy`, `_same_file`, `_unique_conflict_path`, `_merge_dir`, `_remove_empty_dirs`, `rename_folder`, `find_legacy_judgment_folders`, `run`, `main`
- `scripts/ops/repair_big_brain.py` | 48 行 | e0b4cd2e1b00 | `main`
- `scripts/ops/repair_calendar_false_pdf_todos.py` | 453 行 | 5aae0fc025a9 | `_portable_basename`, `_parse_roc_year_to_ad`, `_collect_source_year_candidates`, `_collect_source_year_candidates._add_candidate`, `_source_context_for_year_inference`, `_infer_source_base_year_from_row`, `_source_context_text`, `_source_context_has_explicit_same_todo_date`, `_source_document_date`, `_description_base_month_day`
- `scripts/ops/repair_client_ids.py` | 110 行 | c0d5b1e8c38e | `RepairItem`, `_fetch_bad_clients`, `_fetch_reference_columns`, `build_repair_plan`, `execute_plan`, `main`
- `scripts/ops/repair_drive_imported_case_folders.py` | 700 行 | 2e87c0754187 | `file_md5`, `is_noncanonical_drive_folder`, `mapped_file_relative_path`, `_case_category_from_path`, `_canonical_case_first_segments`, `_existing_case_first_segments`, `_iter_files`, `_remove_empty_dirs`, `_unique_conflict_target`, `_record_file_move`
- `scripts/ops/repair_drive_native_case_layout.py` | 397 行 | a3a81d10dcf8 | `_native_target_for_numbered_folder`, `_case_review_bucket`, `repair_case_layout`, `_run_unlocked`, `run`, `main`
- `scripts/ops/repair_insight_summaries.py` | 246 行 | de06cd346a03 | `_get_db`, `_is_raw_unsummarized`, `_extract_raw_text_from_insight`, `_summarize_via_gateway`, `_update_insight`, `_ensure_legal_insights_degraded_column`, `main`

- `scripts/ops/repair_pdf_bookmark_labels.py` | 1424 行 | 0dc8cd341a55 | `_resolve_runtime_dir`, `PerFileTimeout`, `_retry_identity`, `_retry_key`, `_load_retry_state`, `_save_retry_state`, `_active_retry_entry`, `_is_promoted_repair_retry`, `_repair_timeout_for`, `_record_retry_backoff`
- `scripts/ops/repair_transcript_filenames.py` | 258 行 | 9a374e7991fe | `HashOnlyDownloader`, `HashOnlyDownloader._calculate_file_md5`, `HashOnlyDownloader._parse_record_pdf`, `_load_downloader`, `_safe_name`, `_unique_path`, `_standard_name`, `_strip_collision_suffix`, `_collision_rank`, `_folder_matches`
- `scripts/ops/repair_unusable_judgment_summaries.py` | 387 行 | a1f5c15b20e8 | `_source_sha`, `_write_json_atomic`, `_append_backup`, `_court_backup_row`, `_court_quality`, `_fetch_court_batch`, `_delete_placeholder_legal_insights`, `_clear_degraded_archive_payloads`, `_queue_payloads`, `main`
- `scripts/ops/resource_governor.py` | 276 行 | dd55d73ff9b2 | `_memory_watchdog`, `ResourceSnapshot`, `ResourceDecision`, `collect_snapshot`, `_read_memory_free_percent`, `classify`, `classify.raise_to`, `append_metric`, `safe_cleanup`, `prepare_switch`
- `scripts/ops/resource_guarded_run.py` | 588 行 | 4f581f69ba2b | `_ForwardedTermination`, `_ForwardedTermination.init`, `_reap_after_signal`, `_append_event`, `_retryable_interruption_deferred_payload`, `_iso_now`, `_write_json_atomic`, `_drive_status_is_terminal_completion`, `_mark_drive_sync_guard_timeout`, `_drive_sync_kind_for_job`
- `scripts/ops/restart_discord.py` | 65 行 | 7a40fae759fb | `restart_discord_bot`
- `scripts/ops/resummary_legacy_judgments_quality.py` | 708 行 | ea9500718d8c | `_load_judgment_action`, `_needs_resummary`, `_new_summary_is_usable`, `_generate_summary`, `_count_summary_meta`, `_append_backup`, `_load_resume_cursor`, `_save_resume_cursor`, `_record_quality_rejection`, `_load_reviewed_quality`
- `scripts/ops/rotate_service_logs.py` | 74 行 | 0ff642df5389 | `rotate_file`, `main`
- `scripts/ops/run_after_token_refresh.py` | 143 行 | 5b971fd05c5c | `_short_failure_summary`, `_parse_env_prefix`, `_parse_required_checks`, `_gate_failures`, `main`
- `scripts/ops/run_auto_skill_import.py` | 312 行 | e096a67db03f | `_runtime_dir`, `_receipt_path`, `_atomic_write_json`, `_toolsai_count`, `_fresh_payload`, `_open_guardian_signals`, `_open_business_signals`, `_plan_controlled_candidates`, `_summary_text`, `_notify`
- `scripts/ops/run_daemon_no_site.py` | 40 行 | 01893e563b76 | —
- `scripts/ops/run_menubar_no_site.py` | 44 行 | a6c9c2991283 | —
- `scripts/ops/run_test_suite.py` | 296 行 | c62d90c9179b | `load_bound_test_environment`, `resolve_runtime_output`, `CheckResult`, `SuiteReport`, `load_matrix`, `resolve_command`, `should_skip`, `tail`, `run_check`, `list_suites`
- `scripts/ops/run_with_env.py` | 37 行 | a17ae19aacee | `main`
- `scripts/ops/sanitize_definitions.py` | 194 行 | ec6fcd876e17 | `_discover_runnable_skill_dirs`, `_extract_default_skill_from_tool`, `_infer_skill_from_run_tool_name`, `_sanitize_payload`, `main`
- `scripts/ops/schedule_auto_skill_import_daily.py` | 29 行 | 65628b20edb2 | `main`

- `scripts/ops/schedule_code_skill_cycle.py` | 21 行 | 7711e4d55c55 | `main`
- `scripts/ops/schedule_db_sync.py` | 16 行 | 666270813de5 | —
- `scripts/ops/schedule_fixture_contract.py` | 336 行 | 57d81a56682b | `ScheduleFixtureError`, `_SafetyObservation`, `_SafetyObservation.init`, `_SafetyObservation._path`, `_SafetyObservation._open_is_write`, `_SafetyObservation.record`, `_SafetyObservation._is_loopback`, `_SafetyObservation._is_nas_path`, `_SafetyObservation.receipt`, `_audit_hook`
- `scripts/ops/scheduled_reboot_guard.py` | 322 行 | baa4efde6f11 | `RebootDecision`, `_truthy`, `_minute_of_day`, `_window_for_mode`, `_mode_from_auto`, `_inside_window`, `_ps_rows`, `_active_magi_blockers`, `_office_unsaved_blockers`, `_already_rebooted_today`
- `scripts/ops/selfhost_minimal_import_check.py` | 90 行 | edab495d1903 | `_environment`, `main`
- `scripts/ops/selfhost_portability_audit.py` | 260 行 | 250fc284a73c | `_finding`, `collect`, `main`
- `scripts/ops/selfhost_release_smoke.py` | 170 行 | 5893f50be9e3 | `_check`, `run_smoke`, `main`
- `scripts/ops/selftest_big_brain.py` | 39 行 | 2a312fe24894 | `main`
- `scripts/ops/skill_realworld_smoke.py` | 336 行 | a5a75eb03b7c | `SkillRunResult`, `_create_sample_pdf`, `_create_sample_fields_json`, `_env`, `_pick_command`, `_timeout_for`, `_classify`, `run_matrix`, `write_reports`, `_parse_args`
- `scripts/ops/slow_archive_closed_cases.py` | 1600 行 | 0579c307c116 | `_default_archive_roots`, `_offpeak_now`, `_stat_quick`, `_stat_quick._run`, `_is_dir_quick`, `_is_skip_name`, `_iter_case_dirs_at_depth`, `_case_root_rank`, `_unique_paths`, `_closed_case_roots`
- `scripts/ops/smart_model_router_live.py` | 155 行 | 12824c20ddc5 | `_case`, `_chat_probe`, `build_report`, `main`
- `scripts/ops/smoke_all_desktop_pdfs_3tasks.py` | 412 行 | e758ba847d73 | `_now_ts`, `_discover_pdfs`, `_extract_file_path`, `_contains_error_text`, `_read_head`, `main`, `main._forced_dist_fail`, `main._quick_stub`, `main._summary_pdf_stub`, `main._resilient_summary_stub`
- `scripts/ops/smoke_core_routes.py` | 209 行 | caaa4dcad5ac | `Case`, `_cases`, `_run_case`, `CaseTimeoutError`, `_alarm_handler`, `_normalize_tokens`, `_classify_case_output`, `main`
- `scripts/ops/smoke_external_chat.py` | 124 行 | 2768eeca4111 | `main`
- `scripts/ops/smoke_judgment_translation_3ch.py` | 239 行 | 0382c2a2391c | `_now_ts`, `_pick_three_pdfs`, `_extract_file_path`, `_read_head`, `_make_fake_route_functions`, `_make_fake_route_functions._fake_distributed_chat`, `_make_fake_route_functions._fake_quick_local_chat`, `_run_case`, `main`, `main._fake_summary`
- `scripts/ops/smoke_nvidia_nim.py` | 280 行 | a4a091ad602d | `_ok`, `_fail`, `_skip`, `test_env_config`, `test_model_allowlist`, `test_pii_scrubber`, `test_nim_config_layer`, `test_live_api_call`, `test_usage_log`, `main`
- `scripts/ops/smoke_test_full.py` | 1284 行 | e09c692974da | `_load_runtime_env`, `_installed_release`, `_installed_release_note`, `_output_path`, `_env_int`, `TestResult`, `SmokeReport`, `SmokeReport.add`, `run_test`, `_git_is_tracked`

- `scripts/ops/smoke_three_channels.py` | 605 行 | 7eb98f12c033 | `Check`, `_load_json`, `_mask`, `_is_privateish_webhook_endpoint`, `_http_json`, `_parse_webhook_id_token`, `_line_channel_access_token`, `_line_channel_secret`, `_discord_bot_token`, `_discord_webhook`
- `scripts/ops/smoke_three_channels_e2e.py` | 175 行 | 183f68f52e77 | `_ok`, `_fail`, `_skip`, `test_telegram_e2e`, `test_discord_webhook_e2e`, `test_line_webhook_e2e`, `main`
- `scripts/ops/smoke_translation_docx_quality_gate.py` | 69 行 | 44a450cfa7b | `_make_docx`, `main`
- `scripts/ops/start_slow_archive_closed_cases.py` | 175 行 | 2fb6382a44a9 | `_pid_alive`, `_read_pid`, `_write_json`, `main`
- `scripts/ops/strip_cron_last_run.py` | 72 行 | eec3c010b7ee | `main`
- `scripts/ops/sync_keeper_db.py` | 108 行 | 0188c4546760 | `sync_database`
- `scripts/ops/system_diagnostic_report.py` | 358 行 | 6a5196e37ace | `_health_urls`, `_probe_url`, `_memory_free_percent`, `_command_references_root`, `_rss_summary`, `_load_json`, `_parse_state_time`, `_schedule_summary`, `collect_report`, `_write_atomic`
- `scripts/ops/tailscale_funnel_healthcheck.py` | 1132 行 | 9507e5740960 | `_load_dotenv`, `_run`, `_append_unique`, `_parse_curl_http_code`, `_is_public_ip`, `_extract_location_header`, `_mobile_redirect_ok`, `_tailscale_bin`, `_tailscale_cli_usable`, `_load_funnel_status`
- `scripts/ops/test_distributed_review_small.py` | 31 行 | a8244be9e9bf | `test_small_review`
- `scripts/ops/test_melchior_connection.py` | 76 行 | 7e148c04bbe8 | `check_health`, `switch_mode`, `main`
- `scripts/ops/test_skill_sync_sim.py` | 63 行 | 007208a4c0da | `Logger`, `Logger.info`, `Logger.error`, `test_sync_skills`
- `scripts/ops/test_summarize_judgments.py` | 198 行 | 515873fd6b1b | `extract_text`
- `scripts/ops/token_health_check.py` | 757 行 | 5cc618f205e3 | `GoogleTokenSpec`, `ApiKeySpec`, `_load_local_env`, `_truthy`, `_configured_env`, `_usable_secret`, `_safe_status_ok`, `_parse_expiry`, `_normalize_scopes`, `_decode_jwt_payload`
- `scripts/ops/tool_confusion_guard.py` | 41 行 | a2e4d30f39aa | `main`
- `scripts/ops/transcript_archive_consistency.py` | 270 行 | ab65065dea31 | `_sha256`, `_load_live_environment`, `_load_judicial_module`, `_pdf_dockets`, `_transcript_pdfs`, `_unique_destination`, `main`
- `scripts/ops/triage_transcript_duplicates.py` | 319 行 | 8ef3bb58be8f | `_md5`, `_content_hash`, `_find_n_suffix_files`, `_strip_suffix`, `_bucket`, `_move_to_duplicates`, `_append_jsonl`, `main`
- `scripts/ops/tune_judicial_api_load.py` | 206 行 | 2d1ce8becb19 | `_python_bin`, `_truthy`, `_env_assignment`, `_job_command`, `_find`, `tune_jobs`, `main`
- `scripts/ops/v3_host_singleton_migration.py` | 242 行 | 802bb3b6c6cd | `HostSingletonMigrationError`, `_contains_v2`, `_path`, `render_migrated_plist`, `stage_migrations`, `main`
- `scripts/ops/weekly_cache_cleanup.py` | 509 行 | 7f5e9bb55dfb | `_external_omlx_cache_targets`, `_is_protected`, `_dir_size_bytes`, `_has_preserved_standalone_content`, `_max_atime`, `cleanup_target`, `cleanup_retired_root`, `write_metrics`, `report_failure`, `main`

- `scripts/packaging/build_installers.py` | 287 行 | 7873001cc760 | `_run`, `_copy`, `build_release_archive`, `_write_macos_launcher`, `_write_info_plist`, `_write_macos_readme`, `build_macos_app`, `_write_windows_cmd`, `_write_windows_builder`, `_zip_folder`
- `scripts/packaging/magi_install_launcher.py` | 376 行 | 5ea947475bd1 | `is_frozen`, `resource_dir`, `default_archive`, `default_install_base`, `_safe_zip_target`, `_single_top_level`, `extract_release_archive`, `_run_probe`, `find_python`, `python_command`
- `scripts/packaging/runtime_bootstrap.py` | 1007 行 | 055f828ac32d | `HardwareProfile`, `ModelDownload`, `RuntimePlan`, `BootstrapStep`, `AuxiliaryDependency`, `_run`, `_which`, `_which_any`, `_probe`, `_subprocess_text`
- `scripts/packaging/validate_installer_payload.py` | 141 行 | d5d126429146 | `_find_archive`, `_extract_release`, `_all_release_paths`, `_run`, `validate_payload`, `main`
- `scripts/public_release_audit.py` | 335 行 | d7219d2a7d60 | `_is_git_worktree`, `default_audit_root`, `Finding`, `_git_ls_files`, `_walk_release_files`, `_is_probably_text`, `_is_blocked_tracked_path`, `_is_allowed_secret_example`, `_is_allowed_pii_example`, `scan_text`
- `scripts/purge_persona_memories.py` | 122 行 | d99d105fd92a | `get_conn`, `find_polluted`, `delete_ids`, `main`
- `scripts/refresh_all_law_school_catalog.py` | 342 行 | 090dc3730842 | `institution`, `fetch`, `paper_uid`, `answer_fields`, `base_paper`, `parse_ncku`, `parse_ccu`, `nccu_papers`, `refresh`, `main`
- `scripts/refresh_moex_judicial_bar_bank.py` | 955 行 | 507969ac3e50 | `now_iso`, `normalized`, `subject_key`, `exam_kind`, `Builder`, `Builder.init`, `Builder.fetch`, `Builder.archive_pdf`, `Builder.write_manifest`, `pdf_text`
- `scripts/reprocess_insights.py` | 860 行 | f5fbf02ee814 | `_looks_degraded`, `_write_json_report`, `_load_reprocess_fixture_provider`, `_fixture_provider_value`, `_require_formal_callable`, `_select_reprocess_rows`, `_run_schedule_fixture`, `_run_schedule_fixture._call_bounded_provider`, `_get_db`, `_build_ssl_context`
- `scripts/resummary_batch.py` | 95 行 | 4e5fdd72f31c | `wait_for_omlx`
- `scripts/revise_feature_manual.py` | 135 行 | 797ca46fa050 | `_replace_paragraphs`, `_replace_cells`, `main`
- `scripts/seed_cron_jobs.py` | 1844 行 | 7d729c20f7a8 | `qcmd`, `quote_repo_root_paths`, `default_python_path`, `guarded_cron_command`, `token_refresh_cron_command`, `worldmonitor_job`, `deterministic_legacy_replacements`, `business_jobs`, `operational_jobs`, `load_jobs`
- `scripts/serve_mlx_mtp.py` | 208 行 | a7918b34e45b | `ChatMessage`, `ChatRequest`, `RuntimeState`, `RuntimeState.init`, `_model_id`, `_content_to_text`, `_normalize_messages`, `_load_runtime`, `create_app`, `create_app.lifespan`
- `scripts/serve_nemotron_parse_omlx.py` | 93 行 | 47a0dec835dc | `_image_from_request`, `create_app`, `create_app.runtime`, `create_app.health`, `create_app.parse`, `main`
- `scripts/setup_taiwan_legal_mcp.py` | 38 行 | 5f2ad56d82c4 | `run`, `main`
- `scripts/share_gateway.py` | 181 行 | ab9dc7cc159c | `_header_get`, `build_upstream_headers`, `ShareGatewayHandler`, `ShareGatewayHandler.do_GET`, `ShareGatewayHandler.do_HEAD`, `ShareGatewayHandler.do_POST`,

ShareGatewayHandler.do_PUT, ShareGatewayHandler.do_DELETE, ShareGatewayHandler.log_message, ShareGatewayHandler._not_found

- [scripts/share_tunnel_supervisor.py](#) | 211 行 | 4bdd0c569de7 | `_load_dotenv_value`, `_normalize_base_url`, `_stable_share_base_url`, `_gateway_health_ok`, `_wait_for_gateway`, `_cleanup_orphan_cloudflared`, `main`
- [scripts/sunrise_protocol.py](#) | 13 行 | 89eb9b9ab3f2 | —
- [scripts/supreme_interpreter_pdf_backfill.py](#) | 329 行 | 46e5be636b31 | `load_dotenv`, `safe_title`, `text_width_units`, `wrap_text_line`, `wrap_text`, `render_text_pdf`, `render_text_pdf.new_page`, `txt_to_pdf_name`, `build_authoritative_index_by_current_txt`, `generate_existing_pdfs`
- [scripts/sync_exam_tutor_trends.py](#) | 823 行 | 912eed727501 | `_document_text`, `now_iso`, `load_json`, `atomic_json`, `_VisibleText`, `_VisibleText.init`, `_VisibleText.handle_starttag`, `_VisibleText.handle_endtag`, `_VisibleText.handle_data`, `_VisibleText.text`
- [scripts/sync_exam_tutor_yearly.py](#) | 706 行 | 293fda158356 | `now_iso`, `current_roc_year`, `sha256`, `atomic_json`, `load_json`, `fetch`, `discover_exam_code`, `_subject_key`, `discover_choice_papers`, `pdf_text`
- [scripts/sync_insights_to_vectors.py](#) | 660 行 | 745e601c876c | `_embedding_is_valid`, `_get_embedding`, `_get_embeddings_batch`, `_content_hash`, `_build_mem_content`, `_plan_new_insights`, `_load_embedding_fixture_provider`, `_fixture_embedding`, `_require_formal_callable`, `sync`
- [scripts/tests/apple_intelligence_smoke_test.py](#) | 224 行 | 56e50c4e990a | `_run`, `_pick_default_files`, `_pick_default_files._first_existing`, `main`, `main._post_json`
- [scripts/tests/intent_model_ab.py](#) | 137 行 | b1ee8543ed6e | `_extract_label`, `_ask_label`, `run_benchmark`, `main`
- [scripts/tests/test_legal_skills.py](#) | 99 行 | 3b5e2939a9c7 | `_analysis_worker`, `test_doc_analysis`
- [scripts/tests/test_url_browsing.py](#) | 31 行 | 180daeea15b7 | `test_url_browsing`
- [scripts/train_gemma_e4b_lora.py](#) | 621 行 | a5f8524cd40f | `_atomic_json`, `_bounded_owned_profile`, `_bounded_rows`, `_bounded_loss`, `run_bounded_training`, `_version_tag`, `_adapter_dir`, `_merged_dir`, `_check_simplified_chinese`, `_build_validation_messages`
- [scripts/v3_backup_prepare.py](#) | 662 行 | b4349a31bf84 | `BackupBlocked`, `SourceEntry`, `SourceEntry.capture`, `SourceEntry.signature`, `_sha256`, `_write_json`, `_overlaps`, `_safe_source`, `_safe_website_root`, `_quick_check`
- [scripts/v3_backup_verify.py](#) | 39 行 | a6d7168e95a0 | `main`
- [scripts/v3_campaign/__init__.py](#) | 22 行 | bb2f30b66025 | `getattr`
- [scripts/v3_campaign/__main__.py](#) | 3 行 | 74fff10eb2bd | —
- [scripts/v3_campaign/offline_probes.py](#) | 970 行 | 41ae3aed6cd0 | `OfflineProbeError`, `_sha256`, `bound_cron_jobs`, `_cron_values`, `_cron_matches`, `_worker_class`, `timeout`, `_replay_profile`, `_base_arrivals`, `_percentile_95`
- [scripts/v3_campaign/runner.py](#) | 3875 行 | c2709f4ba31f | `_route_external_storage_roots`, `_route_live_root`, `_route_seatbelt_profile`, `_route_seatbelt_attestation`, `_route_attested_seatbelt_workspace`, `_route_runtime_site_packages`, `_route_inside`, `_validate_route_runtime_binding`, `CampaignSafetyError`, `CampaignContext`

- `scripts/v3_campaign/schedule_realism.py` | 1026 行 | 7c646a787184 | `_sha256_bytes`, `_source_evidence_receipt_sha256`, `_fixture_inventory`, `_diagnostic_text`, `_write_execution_diagnostic`, `_p95`, `_logical_definition_sha256`, `_command_definition_sha256`, `_load_baseline`, `_validate_baseline`
- `scripts/v3_credential_handoff_prepare.py` | 273 行 | 6dd0bb491905 | `SecretHandoffError`, `_sha256`, `_regular_bytes`, `_atomic_replace`, `_safe_directory`, `materialize_secret_handoff`, `main`
- `scripts/v3_cron_snapshot.py` | 336 行 | 59c6c9d7ecd3 | `CronSnapshotBlocked`, `CronSourceIdentity`, `_identity`, `_source_path`, `_assert_source_identity`, `read_verified_cron_source`, `_clean_job`, `_source_roots`, `_release_files`, `_rebase_absolute`
- `scripts/v3_cutover/__init__.py` | 21 行 | 81d12c5d2f3f | —
- `scripts/v3_cutover/__main__.py` | 3 行 | 935a1c1166b0 | —
- `scripts/v3_cutover/activation.py` | 401 行 | 05466528c79a | `_now`, `_canonical_json`, `_sha256_bytes`, `_chain_entry`, `_validate_history`, `_safe_parent`, `_atomic_replace`, `_exclusive`, `_load`, `active_release_marker`
- `scripts/v3_cutover/cli.py` | 358 行 | dff29513afd2 | `_parser`, `_residuals`, `_evidence_report`, `_write_execution_report`, `run`, `run.current_snapshot`, `main`
- `scripts/v3_cutover/core.py` | 371 行 | 24af052b8057 | `CutoverError`, `GateConfigError`, `Owner`, `Owner.to_dict`, `Snapshot`, `Snapshot.to_dict`, `Assessment`, `Assessment.to_dict`, `assess_cutover_window`, `assess_cutover_window.parse_clock`
- `scripts/v3_cutover/mutation.py` | 3305 行 | 0a3fd704dc9d | `MutationResult`, `BoundFile`, `LaunchAgent`, `LAFDedupHandoffPlan`, `PdfNamerHandoffPlan`, `MutableStateHandoffPlan`, `PreparedCutoverPlan`, `v2_application_set_sha256`, `v2_initial_loaded_set_sha256`, `v2_keepalive_set_sha256`
- `scripts/v3_cutover/planning.py` | 532 行 | d4d48f70f769 | `_default_launchd_probe`, `_captured_launchd_state`, `_sha256`, `_regular`, `_object`, `_binding`, `_path_identity`, `_handoff_root`, `_private_binding`, `_future_output`
- `scripts/v3_cutover/probe.py` | 863 行 | 3f14626d7ff9 | `observe_probe_commands`, `_run_probe_command`, `ReleaseSpec`, `ReleaseSpec.to_dict`, `ProcessInfo`, `_all_strings`, `_domain_for_text`, `_host_singleton_process_identity`, `_looks_like_unapproved_model_process`, `_path_within`
- `scripts/v3_cutover/workflow.py` | 148 行 | 25285655e2eb | `Step`, `Step.to_dict`, `build_workflow`, `_validate_workflow`, `authorize_mutation`, `_owner_templates`, `simulate_workflow`
- `scripts/v3_deploy_prepare.py` | 2975 行 | 84ae1a05871c | `DeployPrepareBlocked`, `ReleaseIdentity`, `RoleDefinition`, `ExternalRuntimeInputs`, `StaticExternalEvidence`, `_sha256`, `_sha256_file`, `_sandbox_literal`, `_probe_process_exec_paths`, `_probe_seatbelt_profile`
- `scripts/v3_evidence_compiler.py` | 2546 行 | 5a9121ce9107 | `EvidenceCompileError`, `CompileContext`, `CompileContext.as_dict`, `CompileContext.validate`, `SourceArtifact`, `FrozenFile`, `_with_compilation_scope`, `_with_compilation_scope.wrapped`, `_reject_duplicate_json_keys`, `_freeze`

- `scripts/v3_laf_dedup_compat.py` | 831 行 | a8d9ae7732d1 | `LAFDedupBlocked`, `_canonical_json`, `_sha256_bytes`, `_validate_message_id`, `_source_signature`, `_read_source`, `_records_sha256`, `_sources_sha256`, `_write_owner_only`, `create_manifest`
- `scripts/v3_mutable_state_handoff.py` | 79 行 | 530d0532211d | `_parser`, `main`
- `scripts/v3_pdf_namer_handoff.py` | 769 行 | 9b980fc286ed | `StateSpec`, `HandoffError`, `SnapshotEntry`, `SnapshotEntry.public`, `_sha256_bytes`, `_path_binding`, `_is_relative_to`, `_reject_symlink_components`, `_canonical_paths`, `_file_signature`
- `scripts/v3_pre_cutover.py` | 1984 行 | d2241bac04a8 | `PreCutoverError`, `ExpectedContext`, `ExpectedContext.to_dict`, `RequiredPaths`, `_load_json`, `_sha256`, `_write_json_atomic`, `_valid_digest`, `_parse_time`, `_safe_relative`
- `scripts/v3_python_runtime_snapshot.py` | 545 行 | 0035a74c24aa | `_PortableFileLock`, `_PortableFileLock.flock`, `PythonRuntimeBlocked`, `_owned_by_current_user`, `_private_file_mode`, `_sha256_file`, `_runtime_root`, `_inside`, `_validate_pth`, `_scan`
- `scripts/v3_release_bundle.py` | 1276 行 | 021568e9c64d | `ReleaseBundleError`, `SourceEntry`, `SourceEntry.manifest_entry`, `_sha256_file`, `_excluded`, `_release_privacy_audit`, `_forbidden_secret`, `_entry_from_file`, `_scan_directory`, `snapshot_sources`
- `scripts/v3_release_gate.py` | 3942 行 | bd2d147dde79 | `_source_contract`, `_nonnegative_int`, `_exact_nonnegative_int`, `MetricRule`, `EvidenceSpec`, `BoundArtifact`, `_r`, `_reject_duplicate_json_keys`, `_load_json_value_bytes`, `_load_json_bytes`
- `scripts/v3_route_parity.py` | 182 行 | 156b76ded6db | `Route`, `Route.from_mapping`, `collect_routes`, `load_expected`, `resolve_factory`, `_http_services`, `verify_route_parity`, `main`
- `scripts/v3_schedule_baseline_capture.py` | 418 行 | f602734486a4 | `BaselineCaptureError`, `_sha256_file`, `_load_json`, `_normalized_timestamp`, `_successful_sample`, `_prior_samples`, `_observation`, `capture_baseline`, `_write_atomic`, `main`
- `scripts/v3_source_contract.py` | 91 行 | fcb8ce25af25 | `SourceContractError`, `account_home`, `resolve_source_contract`
- `scripts/v3_static_external_staging.py` | 877 行 | 9131b6e91223 | `StaticExternalStagingError`, `ReleaseContext`, `SourceBinding`, `SnapshotEntry`, `_sha256`, `_json_bytes`, `_validate_sha`, `_canonical_existing`, `_stable_regular_bytes`, `_load_json`
- `scripts/v3_validation/__init__.py` | 26 行 | 09242a9098c4 | —
- `scripts/v3_validation/__main__.py` | 96 行 | fe9056306385 | `_write`, `build_parser`, `main`
- `scripts/v3_validation/actual_route_replay.py` | 6050 行 | 93670491fc90 | `_FormalRuntimeBindingError`, `_verify_formal_runtime_binding`, `ReplayIsolationError`, `_canonical`, `_digest`, `_route_key`, `_key_dict`, `_is_within`, `_is_lexically_within`, `_external_storage_roots`
- `scripts/v3_validation/adaptor_spec.py` | 130 行 | 43c5171a4212 | `LegacyResponse`, `assert_legacy_shape`, `_sse_data`, `_error_payload`, `adapt_legacy_response`
- `scripts/v3_validation/build_rc606_canonical_cron.py` | 130 行 | a86342a249fa | `_sha`, `_write_json`, `_rc606_command`, `main`

- `scripts/v3_validation/change_scope.py` | 169 行 | baeb96e69975 | `ScopeDecision`, `_normalise`, `_bound_source`, `_is_explicit_pure`, `_development_reason`, `classify_paths`, `build_receipt`, `changed_paths`, `main`
- `scripts/v3_validation/controlled_restart_evidence.py` | 751 行 | bee5270ba12b | `ControlledRestartBlocked`, `_canonical`, `_semantic`, `_sha256`, `_json`, `_write_new`, `_context`, `_time`, `HostObservation`, `HostObservation.public`
- `scripts/v3_validation/cutover_evidence.py` | 812 行 | b4bde3029e0f | `CutoverEvidenceBlocked`, `RawPair`, `_sha256`, `_canonical`, `_json`, `_time`, `_hash_context`, `_load_plan`, `_reconciliation`, `_v2_marker_identity`
- `scripts/v3_validation/fault_certification.py` | 608 行 | 48e5b32cd884 | `FaultCertificationError`, `_canonical_json`, `_sha256_file`, `_is_relative_to`, `_prepare_sandbox`, `_compile_mach_killer`, `_mach_sigkill_cycle`, `verify_fault_certification`, `_validation_profile`, `build_fault_stimulus_plan`
- `scripts/v3_validation/fault_realism.py` | 1501 行 | 34d153c66cea | `FaultEvidenceError`, `_canonical_json`, `_sha256`, `_is_relative_to`, `_validate_workdir`, `_configure`, `_initialize`, `_initialize_apfs_enospc_database`, `_apfs_enospc_sqlite_full_worker`, `_apfs_enospc_recovery_worker`
- `scripts/v3_validation/fixtures.py` | 325 行 | 1d551d53022b | `_normalized_key`, `_tag`, `_redact_text`, `_redact_text.replace`, `_redact_text.replace.repl`, `_anonymize`, `anonymize_fixture`, `_walk`, `assert_fixture_anonymized`, `decode_fixture_file_payload`
- `scripts/v3_validation/g8_isolated_smb.py` | 1372 行 | 6cac3815b30f | `G8SMBBlocked`, `_canonical`, `sha256_json`, `_sha`, `_new_file`, `_regular`, `_json_file`, `_empty_target`, `_mount_unescape`, `_verify_command_receipt`
- `scripts/v3_validation/g8_maintenance_safety.py` | 118 行 | f0be51ff769a | `ProcessRow`, `parse_ps_rows`, `ancestor_pids`, `eligible_v2_process_groups`, `reverify_group`
- `scripts/v3_validation/golden_flows.py` | 704 行 | 489257f998a4 | `_canonical`, `_digest`, `_fixture`, `_User`, `_isolated_app`, `_isolated_app.load_user`, `_isolated_app.contract_login_page`, `_isolated_app.contract_login`, `_isolated_app.contract_gcal_state`, `_isolated_app.contract_gcal_state_status`
- `scripts/v3_validation/health_certification.py` | 281 行 | f09567236103 | `HealthCertificationError`, `_canonical`, `_sha256_file`, `_inside`, `_prepare_sandbox`, `_heavy_imports`, `_validation_profile`, `run_health_certification`, `verify_health_evidence`, `campaign_evidence`
- `scripts/v3_validation/http_contract_runner.py` | 640 行 | 60ccd28a1690 | `_canonical_json`, `_sha256`, `_canonical_hash`, `_normalized_headers`, `OfflineIsolationAttestation`, `OfflineIsolationAttestation.validate`, `MultipartFile`, `ContractRequest`, `InjectedTestClient`, `InjectedTestClient.wsgi`
- `scripts/v3_validation/human_approval.py` | 1390 行 | 5d0b0198359f | `HumanApprovalBlocked`, `FrozenSource`, `_canonical`, `_sha`, `_json_bytes`, `_freeze`, `_safe_artifact`, `_time`, `_write_new`, `_context`
- `scripts/v3_validation/ime_candidate_probe.py` | 745 行 | b35d722f2ab0 | `ImeProbeError`, `_run_osascript`, `_frontmost_application`, `_activate_process`, `_wait_for_frontmost_application`, `_wait_for_input_source_id`, `_textedit_readiness_state`, `_wait_for_textedit_ready`, `_activate_and_wait_for_textedit_ready`, `_open_isolated_document`

- `scripts/v3_validation/inventory.py` | 233 行 | 723e8536c869 | `RouteRecord`, `RouteRecord.from_mapping`, `RouteRecord.as_dict`, `RouteRecord.signature`, `normalize_inventory`, `inventory_fingerprint`, `_capability_ids`, `classify_capability`, `build_coverage`, `build_coverage.describe`
- `scripts/v3_validation/isolated_live_evidence.py` | 733 行 | ebd8afb7329 | `IsolatedLiveEvidenceBlocked`, `RawRun`, `_sha256`, `_json`, `_time`, `_threshold`, `_campaign_policy`, `_subsequence`, `_snapshot`, `_canonical_json_bytes`
- `scripts/v3_validation/isolated_live_execute.py` | 1946 行 | 3cf627be750b | `IsolatedLiveBlocked`, `BoundArtifact`, `ProbeSpec`, `ProbeSpec.to_dict`, `ValidationRole`, `IsolatedLivePlan`, `VerifiedDeployment`, `IsolatedLiveMachine`, `IsolatedLiveMachine.activate_maintenance_blackout`, `IsolatedLiveMachine.deactivate_maintenance_blackout`
- `scripts/v3_validation/isolated_live_macos.py` | 1744 行 | df44c6b20852 | `HTTPResponse`, `HTTPResponse.read`, `HTTPResponse.enter`, `HTTPResponse.exit`, `HostLaunchAgent`, `CommandResult`, `_canonical_v2_root`, `_canonical_v3_runtime`, `_canonical_launchagents`, `_sha256_bytes`
- `scripts/v3_validation/isolated_live_plan_builder.py` | 247 行 | 6bb60efa4d2f | `IsolatedLivePlanBlocked`, `_sha256_bytes`, `_stable_regular`, `_binding`, `_token_digest`, `_target`, `_write_exclusive`, `create_isolated_live_plan`, `_parser`, `main`
- `scripts/v3_validation/isolated_resource_window.py` | 1016 行 | 00d703ed747c | `IsolatedResourceWindowError`, `parse_powermetrics_process_gpu`, `parse_powermetrics_process_gpu.walk`, `_canonical`, `sha256_json`, `_number`, `_integer`, `_sha`, `_verify_identity`, `_verify_preflight`
- `scripts/v3_validation/isolated_resource_window_collector.py` | 1939 行 | 023aa9ad7141 | `CollectorError`, `Handle`, `Snapshot`, `Backend`, `Backend.now_ns`, `Backend.sleep`, `Backend.preflight`, `Backend.start`, `Backend.snapshot`, `Backend.poll`
- `scripts/v3_validation/isolated_resource_window_plan_builder.py` | 863 行 | d00095415257 | `ResourceWindowPlanError`, `_sha256`, `_tree_sha256`, `_regular`, `_python_runtime_binding`, `_external_website`, `_external_file`, `_json`, `_deep_release`, `_exclusive_write`
- `scripts/v3_validation/live_validation.py` | 266 行 | e129a5bec6d0 | `plan_sha256`, `_timestamp`, `validate_live_plan`, `load_live_plan`, `validate_live_report`, `validate_live_report_against_plan`, `validate_live_campaign_reports`, `load_live_report`
- `scripts/v3_validation/offline_machine_gate_builder.py` | 649 行 | 141fae0ad643 | `OfflineMachineGateError`, `FrozenFile`, `CandidateBinding`, `_canonical_bytes`, `_freeze`, `_json`, `_hash_runtime`, `verify_candidate_runtime`, `_verify_deploy`, `_safe_output_directory`
- `scripts/v3_validation/paths.py` | 18 行 | a51d1a770eb7 | —
- `scripts/v3_validation/perf_certification.py` | 1388 行 | dabd03c071cc | `PerformanceCertificationError`, `_PerfUser`, `_PerfUser.init`, `_canonical_json`, `_sha256`, `_sha256_file`, `request_plan_sha256`, `_is_relative_to`, `_prepare_sandbox`, `_find_executable`
- `scripts/v3_validation/perf_compat.py` | 2020 行 | b63b27924eb1 | `PerfEvidenceError`, `_canonical_json`, `_sha256_bytes`, `_sha256_file`, `verify_evidence_hash`, `_request_plan`, `_request_plan_sha256`, `_decoded_case`, `_expected_body`, `build_offline_app`

- `scripts/v3_validation/physical_fault_drill.py` | 1354 行 | 81fa4e2b7a8e | `PhysicalFaultBlocked`, `_canonical`, `_sha`, `_semantic`, `_json`, `_write_new`, `_context`, `_time`, `_selected_device`, `_same_device_identity`
- `scripts/v3_validation/provisional_resource_window_execute.py` | 911 行 | 3b04f30a03ab | `ResourceWindowMachine`, `ResourceWindowMachine.capture_resource_window_host_state`, `ResourceWindowMachine.stop_resource_window_labels`, `ResourceWindowMachine.collect_resource_window_zero_receipt`, `ResourceWindowMachine.restore_resource_window_labels`, `ResourceWindowMachine.verify_resource_window_readiness`, `ResourceWindowCollectorTimeout`, `_sha256`, `_canonical`, `_semantic_receipt`
- `scripts/v3_validation/provisional_resource_window_macos.py` | 188 行 | 146cf719dc70 | `_sha256`, `_bound`, `_write_new`, `build_parser`, `main`
- `scripts/v3_validation/pytest_transcript_plugin.py` | 68 行 | bbf333a72c39 | `_digest`, `_file_digest`, `pytest_collection_finish`, `pytest_runtest_logreport`, `pytest_sessionfinish`
- `scripts/v3_validation/quality_input_builder.py` | 434 行 | e0fed12668ef | `QualityInputBuildError`, `_sha256`, `_canonical`, `_fsync_directory`, `_write_new`, `_new_directory`, `_absolute_file`, `_absolute_directory`, `_inside`, `_relative_files`
- `scripts/v3_validation/release_quality_certification.py` | 801 行 | 0cdd438e91e3 | `ReleaseQualityCertificationError`, `_sha256`, `_load_object`, `_quoted`, `_isolated_roots`, `_live_mutable_read_roots`, `_seatbelt_profile`, `_release_files`, `_transcript_run`, `_verified_v2_compat_mirror`
- `scripts/v3_validation/release_quality_evidence.py` | 429 行 | 254ce9a6b0c3 | `ReleaseQualityEvidenceError`, `canonical_bytes`, `sha256_json`, `_node_path`, `_final_outcomes`, `_selected_release_paths`, `_evaluate_selection`, `_verify_test_sources`, `_verify_flow`, `_verify_side_effect_snapshot`
- `scripts/v3_validation/resource_performance_certification.py` | 923 行 | 25ea0e472758 | `ResourcePerformanceCertificationError`, `_sha256`, `_load_object`, `_release_files`, `_quoted`, `_isolated_roots`, `_seatbelt_profile`, `_runtime_binding`, `_isolated_window_report`, `_g8_smb_report`
- `scripts/v3_validation/resource_performance_evidence.py` | 737 行 | 4f676e865a37 | `ResourcePerformanceEvidenceError`, `canonical_bytes`, `sha256_json`, `_finite_nonnegative`, `verify_g8_transport_composition_receipt`, `_performance_metrics`, `_resource_metrics`, `_preemption_metrics`, `_preemption_metrics.p95`, `_worker_metrics`
- `scripts/v3_validation/resource_window_core_adapter.py` | 116 行 | 883be9b8e051 | `_sha256`, `_manifest_files`, `_member`, `main`
- `scripts/v3_validation/resource_window_model_adapter.py` | 187 行 | a066691c0b2d | `_tree_sha256`, `_request`, `_wait_server`, `_response_text`, `_token_count`, `main`
- `scripts/v3_validation/route_certification.py` | 1226 行 | f4a46c9fb9c8 | `_canonical`, `_sha256`, `_key_dict`, `_expected_external_storage_roots`, `_live_magi_root`, `_live_mutable_read_roots`, `_seatbelt_profile_bytes`, `_seatbelt_attestation`, `_attested_seatbelt_workspace`, `_write_seatbelt_profile`

- `scripts/v3_validation/route_reviews.py` | 133 行 | e08ca2a4a18b | `RouteMethodKey`, `RouteMethodReview`, `RouteMethodReview.to_dict`, `load_route_method_reviews`, `_merge_route_method_review_payload`, `validate_reviews_against_inventory`, `require_reviewed_route_method`
- `scripts/v3_validation/route_success_trace_plugin.py` | 367 行 | da07c7d51dce | `_trace_path`, `_is_within`, `_is_lexically_within`, `_external_storage_roots`, `_install_isolation_guard`, `_install_isolation_guard.block`, `_install_isolation_guard.audit`, `_auth_redirect`, `_rule_matches`, `_recording_open`
- `scripts/v3_validation/schedule_body_registry.py` | 5879 行 | c5908dad9356 | `ScheduleBodyRegistryError`, `_trusted_dependency_executable`, `_canonical_json`, `_sha256`, `_sha256_file`, `_cron_policy_source_sha256`, `_stable_regular_bytes`, `_bound_cron_bytes`, `_is_relative_to`, `_fixture_shared_root`
- `scripts/v3_validation/schedule_capacity_certification.py` | 1482 行 | 2a84a16ccb0 | `ScheduleCapacityError`, `classify_coalescing_safety`, `Occurrence`, `Occurrence.key`, `OfferResult`, `SameJobCoalescer`, `SameJobCoalescer.init`, `SameJobCoalescer.offer`, `SameJobCoalescer.start`, `SameJobCoalescer.complete`
- `scripts/v3_validation/schedule_evidence.py` | 217 行 | d7be9a51f194 | `ScheduleEvidenceError`, `_sha`, `derive_schedule_gate_metrics`
- `scripts/v3_validation/schedule_nonstorage_fixture_matrix.py` | 369 行 | 84ce3e33b93e | `_contract`, `adapter_proposals`, `_news`, `_judgment`, `_cortex_input`, `_autopilot_input`, `_audit_input`, `_product_input`, `populate_nonstorage_fixture`
- `scripts/v3_validation/schedule_product_fixture_matrix.py` | 564 行 | 489c03e3206a | `_common_contract`, `adapter_proposals`, `_business_input`, `_distill_row`, `_insight`, `_insight_content`, `_insight_input`, `_reprocess_input`, `_product_input`, `populate_product_fixture`
- `scripts/v3_validation/schedule_sample_evidence.py` | 428 行 | 2213781594ae | `canonical_sha256`, `_collect_hashes`, `_contract_summary`, `_dependency_summary`, `build_sample_evidence`, `_valid_summary_hash`, `verify_sample_evidence_ledger`
- `scripts/v3_validation/schema.py` | 35 行 | 4d807bc51bb4 | `ContractValidationError`, `load_json`, `validate_json`, `validate_json_file`
- `scripts/v3_validation/side_effects.py` | 50 行 | 10bb1fe169ab | `SideEffectDecision`, `evaluate_side_effect`
- `scripts/v3_validation/source_anchor_refresh.py` | 126 行 | 23308717e527 | `SourceAnchorError`, `_source_file`, `_function_lines`, `refresh_route_review_sources`, `refresh_readiness_evidence`, `_render`, `_refresh_file`, `main`
- `scripts/v3_validation/transcription_quality_benchmark.py` | 642 行 | 3d9cae0010a2 | `TranscriptionQualityEvidenceError`, `_exact_keys`, `_canonical_bytes`, `sha256_json`, `_verify_self_hash`, `_finite_nonnegative`, `_positive_integer`, `_nonnegative_integer`, `_sha`, `_reject_sensitive_payload`
- `scripts/v3_validation/validation_router.py` | 782 行 | bb1c2d7a83c7 | `ValidationRouterError`, `ValidationNode`, `ValidationPlan`, `ValidationPlan.blocked`, `ValidationPlan.pytest_args`, `_normalise`, `_normalise_glob`, `_canonical`, `_sha256_bytes`, `_sha256_file`
- `scripts/weekend_bookmark_batch.py` | 2619 行 | 65862c5fb9d9 | `FileScanTimeout`, `VisionSourceChanged`, `_is_transient_storage_error`, `_source_unavailable_is_transient`, `_failed_result_is_transient_network_source`, `_file_timeout`, `_file_timeout.init`, `_file_timeout.enter`, `_file_timeout.enter._raise_timeout`, `_file_timeout.exit`

- [scripts/weekend_resummary.py](#) | 765 行 | 4588aee98ab5 | `_signal_handler`, `_kill_child_processes`, `_acquire_lock`, `_release_lock`, `_load_state`, `_save_state`, `_completed_run_evidence`, `_record_scheduler_success`, `_nim_daily_budget_exhausted`, `_budget_deferred_result`
- [scripts/wiki_synthesizer.py](#) | 959 行 | a76b97840080 | `_resolve_agent_dir`, `_load_state`, `_save_state`, `_get_vault_path`, `_gather_case_notes`, `_case_needs_update`, `_get_gateway`, `_omlx_chat_direct`, `_extract_note_text`, `_synthesize_overview`

skills/ (411 檔)

- [skills/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [skills/apple/__init__.py](#) | 2 行 | 4c7e252fd074 | —
- [skills/apple/apple_ai.py](#) | 233 行 | 2cc7f36cb0ff | `speech_to_text`, `extract_pdf_text`, `ocr_image`, `ocr_screenshot`, `check_shortcuts`
- [skills/apple/apple_intelligence.py](#) | 521 行 | b5fed4817b66 | `_resolve_shortcut_name`, `_run_shortcuts_list`, `shortcuts_status`, `_run_shortcut`, `_run_shortcut._materialize_input_path`, `_run_shortcut._set_clipboard_text`, `_run_shortcut._run`, `extract_pdf_text_quartz`, `extract_pdf_text`, `ocr_image_vision`
- [skills/apple/contacts_bridge.py](#) | 220 行 | 079c1147feb4 | `_run_osascript`, `_escape`, `search_contact`, `search_contacts`, `get_contact_count`, `search_lawyer`, `format_contact_info`
- [skills/apple/coreml_classifier.py](#) | 292 行 | 4919593bf9e9 | `is_available`, `DocumentClassifier`, `DocumentClassifier.init`, `DocumentClassifier.classify`, `DocumentClassifier._classify_by_keywords`, `DocumentClassifier.classify_batch`, `export_training_data`, `get_classifier`, `classify_document`
- [skills/apple/eventkit_bridge.py](#) | 512 行 | 3de3353441f9 | `_run_osascript`, `_escape_applescript`, `ensure_calendar_exists`, `create_calendar_event`, `check_event_exists`, `ensure_reminder_list_exists`, `create_reminder`, `create_trial_events`, `create_case_deadline_reminder`, `parse_trial_command`
- [skills/apple/natural_language.py](#) | 388 行 | 5676aa70dcd6 | `is_available`, `detect_language`, `_detect_language_native`, `_detect_language_heuristic`, `detect_language_with_confidence`, `tokenize`, `_tokenize_native`, `_tokenize_native._callback`, `_tokenize_simple`, `extract_entities`
- [skills/apple/run_shortcut.py](#) | 44 行 | 97e9a1b28b1f | `list_shortcuts`, `run_shortcut`
- [skills/auto-magi-skill/action.py](#) | 14 行 | 64338bab073a | `main`
- [skills/autoresearch/action.py](#) | 348 行 | 7fa5853a9ca2 | `_ssh`, `_scp_to`, `_scp_from`, `cmd_setup`, `cmd_run`, `cmd_status`, `cmd_results`, `cmd_stop`, `main`
- [skills/autoresearch/prepare.py](#) | 389 行 | 4f2ba9cbb8ba | `download_single_shard`, `download_data`, `list_parquet_files`, `text_iterator`, `train_tokenizer`, `Tokenizer`, `Tokenizer.init`, `Tokenizer.from_directory`, `Tokenizer.get_vocab_size`, `Tokenizer.get_bos_token_id`
- [skills/autoresearch/train.py](#) | 630 行 | 2954175f4ac4 | `GPTConfig`, `norm`, `has_ve`, `apply_rotary_emb`, `CausalSelfAttention`, `CausalSelfAttention.init`, `CausalSelfAttention.forward`, `MLP`, `MLP.init`, `MLP.forward`

- [skills/brain_manager/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [skills/brain_manager/action.py](#) | 1150 行 | 06961f21ab62 | `_distributed_enabled`, `_remote_agent_reachable`, `_normalize_mode`, `_is_process_running`, `_wait_until`, `_write_state`, `_load_ngl_hint`, `_save_ngl_hint`, `get_recommended_ngl`, `_stop_local_server`
- [skills/bridge/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [skills/bridge/balthasar_bridge.py](#) | 951 行 | 444583138807 | `_format_hhmmss`, `_normalize_time_scale_if_needed`, `_normalize_segments`, `_segment_is_uncertain`, `_segment_quality_summary`, `_segments_to_timestamp_text`, `_segments_to_speaker_text`, `_infer_speaker_from_text`, `_annotate_speakers`, `_split_text_units`
- [skills/bridge/casper_bridge.py](#) | 181 行 | 5def07770aca | `get_latest_session_id`, `chat`, `chat._siri_remember`
- [skills/bridge/citation_format.py](#) | 174 行 | c93bf7ebb0cb | `Citation`, `ParsedAnswer`, `_count_words`, `parse_citations`, `render_citations_for_telegram`, `build_citation_system_prompt`
- [skills/bridge/code_analysis.py](#) | 190 行 | 847a13f7a403 | `_resolve_alias`, `list_files`, `read_codebase`, `analyze_code`, `estimate_effort`
- [skills/bridge/distill_collector.py](#) | 425 行 | 0cd357251e59 | `_paths_for`, `_load_state`, `_save_state`, `_content_hash`, `_contains_any`, `_language_stats`, `_reject_reasons`, `_passes_quality`, `_record_reject_reasons`, `_rotate_if_needed`
- [skills/bridge/embedding_router.py](#) | 695 行 | 1fdfec7e8e61 | `_definitions_path`, `_cosine_similarity`, `_content_hash`, `EmbeddingRouter`, `EmbeddingRouter.init`, `EmbeddingRouter.initialize`, `EmbeddingRouter._check_definitions_changed`, `EmbeddingRouter.route`, `EmbeddingRouter.route_top_n`, `EmbeddingRouter.is_ready`
- [skills/bridge/ensemble_inference.py](#) | 1108 行 | f0a4cfac50e6 | `_load_soul`, `ConsensusResult`, `ConsensusResult.init`, `ConsensusResult.to_dict`, `_call_omlx_chat`, `_call_omlx_chat_multiturn`, `_build_system_with_citation`, `_inject_citation_result`, `ensemble_chat`, `ensemble_chat._call_role`
- [skills/bridge/grounded_ai.py](#) | 1521 行 | 1b83463ee5e1 | `_has_internal_badge_leak`, `_is_persona_hallucination`, `_is_garbage_output`, `_is_parrot_response`, `_get_tier_anchor_embeddings`, `_classify_query_tier`, `_filter_statute_memories`, `_is_incoherent_response`, `_embeddings_are_comparable`, `_has_lexical_topic_overlap`
- [skills/bridge/http_pool.py](#) | 44 行 | f5317c7b77fe | `get_session`
- [skills/bridge/imgur_bridge.py](#) | 70 行 | fd41fb66ea4f | `upload_image`
- [skills/bridge/inference_gateway.py](#) | 1872 行 | ae4a6b6b2ee6 | `split_heavy_prefix`, `_env_bool`, `_flask_heavy_opt_in`, `_detect_heavy_opt_in`, `_is_night`, `classify_intent`, `select_model_for_task`, `InferenceGateway`, `InferenceGateway.init`, `InferenceGateway.classify_intent`
- [skills/bridge/intention_classifier.py](#) | 446 行 | a02c4d470f35 | `IntentionClassifier`, `IntentionClassifier.init`, `IntentionClassifier._is_persistable_intent`, `IntentionClassifier._load_persistent_cache`,

IntentionClassifier._save_persistent_cache, IntentionClassifier._flush_cache, IntentionClassifier._cache_get, IntentionClassifier._cache_set, IntentionClassifier._check_regex_rules, IntentionClassifier._heuristic_classify

- skills/bridge/iron_dome.py | 46 行 | 846875cfcbe2 | _main
- skills/bridge/legal_bridge.py | 69 行 | 870ada283b38 | execute_skill
- skills/bridge/llm_direct.py | 618 行 | e8a895028289 | _get_session, _list_openai_models, _resolve_provider_model, _provider_is_remote, _prepare_remote_messages, _call_openai_format, _call_anthropic_format, chat, feature_enabled, translate_with_codex
- skills/bridge/melchior_bridge.py | 364 行 | 6fb9f6dc0833 | generate_text, encode_image, analyze_image_local, analyze_image, melchior_search, _generate_image_openai, generate_image, check_health, sync_skills
- skills/bridge/melchior_client.py | 1783 行 | 6c9ba55b4015 | _avoid_distributed, _result, _start_deadline, _remaining, _local_fallback_timeout, _post_json, _get_json, _get_omlx_watchdog_state, _omlx_watchdog_blocks_service, _omlx_service_available
- skills/bridge/melchior_manager.py | 373 行 | 6df4d220f245 | _now_iso, _load_state, _save_state, _should_exclude, _sha256_file, _scan_skills_tree, _compute_delta, _build_zip, melchior_health, _smoke_test_melchior
- skills/bridge/nim_heavy.py | 799 行 | 1a7c3d14c353 | _contains_credentials, background_heavy_authorization, _validate_background_heavy_authorization, _model_allowed, record_nim_outcome, recommend_nim_policy, reset_congestion_window, _today_key, _load_state, _save_state
- skills/bridge/openclaw_codex_bridge.py | 170 行 | c311e3c17f32 | feature_enabled, apply_manual_command, public_status_report, clear_failure_cooldown, is_session_locked, normalize_feature_name, _normalize_feature_name, load_policy, load_runtime_state, save_runtime_state
- skills/bridge/semantic_router.py | 591 行 | 82391aea01e9 | _definitions_path, _load_skills, _get_skills, _tokenize, _tokenize._flush_cjk, _trigrams, _score, _is_soft_ambiguous_message, route, deprecated_route_hint
- skills/bridge/shared_utils/__init__.py | 40 行 | 1cad03ef55be | —
- skills/bridge/shared_utils/case_number_utils.py | 75 行 | ef509e282e30 | extract_case_number, parse_case_number_flexible, extract_laf_case_number
- skills/bridge/shared_utils/court_utils.py | 258 行 | 26820827d8d6 | normalize_court_name, get_court_code, extract_court_name
- skills/bridge/shared_utils/judgment_folder_names.py | 3 行 | 1ad37119bf2b | —
- skills/bridge/shared_utils/text_utils.py | 83 行 | f26988c812f4 | normalize_spaces, normalize_segment_fragment, clean_text, strip_zero_width, normalize_court_char
- skills/bridge/tier_router.py | 40 行 | 07f4b237d510 | ensure_26b_ready
- skills/bridge/tri_sage_collab.py | 923 行 | e4de2b65e090 | _safe_name, _ensure_dir, _extract_first_url, _chunk_text, _sample_chunks_evenly, _translate_workers, _bounded_translate_timeout, _strip_translation_preamble, _translate_llm_call, translate_text

- skills/bridge/watcher_bridge.py | 179 行 | 123bfed1bab1 | _resolve_watcher_host, check_health, get_watcher_status, query_archived_logs, get_anomalies, trigger_pull
- skills/bridge/web_research.py | 5 行 | d650ebbae0bc | —
- skills/brief-gen/action.py | 615 行 | 265d50db2e7f | _resolve_case_base, _cmd_template, _render_template_detail, _detect_brief_type, _cmd_draft, _cmd_enrich, _cmd_export, _export_docx_direct, _extract_case_number, _find_case_folder
- skills/browser/browser_control.py | 192 行 | 78807ce84620 | _is_url_safe, BrowserController, BrowserController.**init**, BrowserController.start, BrowserController.stop, BrowserController.navigate, BrowserController.screenshot, BrowserController.extract_text, BrowserController.fill_form, BrowserController.click_element
- skills/casper-autofix-knowledge/action.py | 50 行 | 8e32eb0a24ad | _extract_terms, main
- skills/casper-client/casper_llm_proxy.py | 49 行 | 804d15982f0b | CasperResponse, CasperGenerativeModel, CasperGenerativeModel.**init**, CasperGenerativeModel.generate_content, CasperGenerativeModel.count_tokens
- skills/casper-client/casper_tools_client.py | 71 行 | 1581c529449f | _post_json, casper_chat, casper_summarize, casper_translate, casper_fetch_url, casper_research
- skills/casper/__init__.py | 1 行 | bcdc3702ae3c | —
- skills/casper/code_review.py | 226 行 | d8b8dc0aedbd | CodeReviewSkill, CodeReviewSkill.**init**, CodeReviewSkill._get_relevant_context, CodeReviewSkill.review_file, CodeReviewSkill._compute_hash, CodeReviewSkill.run_review
- skills/casper/melchior_update.py | 43 行 | 03cb91e620eb | run_update
- skills/catalog.py | 99 行 | 7c9a939dea2a | is_runtime_skill_dir_name, canonical_skill_dir_name, is_public_skill_dir_name, is_deprecated_skill_dir_name, is_public_definition_tool, iter_top_level_skill_dirs
- skills/contract-review/__init__.py | 0 行 | e3b0c44298fc | —
- skills/contract-review/action.py | 701 行 | 5ad3ecb8afb2 | _load_text, _truncate, _get_gateway, _llm_json, _sentences, _shorten, _detect_doc_type, _extract_parties, _find_sentence, _extract_obligations
- skills/cookie_stl/__init__.py | 4 行 | 8fb6f1142ab1 | —
- skills/cookie_stl/engine.py | 985 行 | 53a82e3bb666 | CookieSTLError, _check_deadline, CookieParameters, CookieParameters.validate, _components, _largest_component, _remove_specks, _dilate, _erode, _close
- skills/court-hearing-reminder/action.py | 1273 行 | ed2006c9e9cb | _get_conn, _fetch_upcoming_hearings, _load_remind_state, _is_remind_key_sent, _save_remind_state, _send_reminder, _generate_prep_summary, _is_safe_summary, _normalized_terms, _case_domain
- skills/crawler-targets/action.py | 299 行 | 3190324006da | _maybe_reexec_venv, _ok, _load_state, _save_state, _load_jsonish, _norm_url, _validate_url, list_targets, add_target, remove_target
- skills/db-dual-sync/action.py | 297 行 | 5ffdfc525f7c | _ok, _load_jsonish, _run, _status, _sync, _backup, _list_backups, main

- skills/doc-producer/action.py | 574 行 | 6eddf7f320dc | _find_soffice, convert_docx_to_pdf, _convert_via_libreoffice, _convert_via_docx2pdf, _add_stamp_image_to_last_page, mark_copy_type, merge_pdfs, produce, _self_test, main
- skills/documents/__init__.py | 42 行 | c8d5ca9269aa | extract_text, summarize_pdf, get_pdf_info, extract_chapters, summarize_epub, get_epub_info
- skills/documents/epub_bridge.py | 181 行 | 19b9998daf31 | extract_chapters, get_epub_info, summarize_epub
- skills/documents/file_bridge.py | 194 行 | cd7285c60c78 | _chunk_text, _sample_evenly, _read_text, _extract_docx_text, extract_text_from_file, summarize_extracted_text, summarize_file
- skills/documents/multimodal_parser.py | 749 行 | ef67ecab53c4 | ContentType, ParsedBlock, ParsedBlock.to_dict, ParsedBlock.char_count, ParseResult, ParseResult.text_blocks, ParseResult.table_blocks, ParseResult.image_blocks, ParseResult.full_text, ParseResult.structured_text
- skills/documents/nas_pdf_ocr_worker.py | 646 行 | a0d3bce01d8e | queue_db_path, _load_local_dotenv, _private_path_ref, _ocrmypdf_command_prefix, _ocr_environment, _large_ocr_allowed_now, _worker_exit_code, _ocr_timeout_seconds, acquire_nas_ocr_queue_lock, _empty_worker_counters
- skills/documents/pdf_bridge.py | 2970 行 | e8595f16d525 | _doc_run_root, _safe_slug, _atomic_write_text, _atomic_write_json, _read_json, _is_synthetic_timeout_fallback, _summary_text_usable, _script_balance, _needs_crosslingual_polish, _translate_note_to_traditional_chinese
- skills/documents/vector_pipeline.py | 258 行 | b429e05339da | _now_iso, _sha1, _doc_key, _load_index, _save_index, _chunk_text, _prepare_embedding_inputs, _dedupe_batch_items, ingest_sections_to_vector_memory, ingest_text_to_vector_memory
- skills/docx-editor/action.py | 516 行 | b34e043a0802 | cmd_apply, cmd_extract, cmd_extract.collect, cmd_find, cmd_find.collect, cmd_generate, cmd_chat_edit, cmd_self_test, main
- skills/docx-editor/examples/chat_edit_example.py | 65 行 | 51cc83427081 | main
- skills/docx-editor/examples/generate_example.py | 79 行 | da8b041fcb43 | main
- skills/docx-editor/examples/simple_edit.py | 61 行 | d4faf352e045 | main
- skills/docx-editor/lib/__init__.py | 1 行 | 84b227261cb6 | —
- skills/docx-editor/lib/anchor_matcher.py | 312 行 | da411e762c7d | _pre_normalize, Normalized, Normalized.init, normalize_ws, map_norm_range_to_original, _find_unique_in_norm, _find_unique_in_norm.check_ctx, find_unique_anchor, _count_candidates, _count_candidates.check_ctx
- skills/docx-editor/lib/docx_io.py | 172 行 | 6b144ac37a66 | _w, read_docx_to_xml, _find_zip_entry, write_xml_to_docx, extract_paragraph_text, find_max_id, get_body, collect_paragraphs
- skills/docx-editor/lib/generator.py | 166 行 | bcf6ebf3e32 | TableSpec, SectionSpec, GenerateDocxRequest, generate_docx, _add_table
- skills/docx-editor/lib/llm_edit_planner.py | 209 行 | db4970c201be | plan_edits_with_llm, _call_llm, _parse_json_response

- `skills/docx-editor/lib/run_splitter.py` | 365 行 | a1b978888454 | `_w`, `RunInfo`, `RunInfo`.**init**, `FlatParagraph`, `FlatParagraph`.**init**, `flatten_paragraph`, `flatten_paragraph.process_run`, `_build_run`, `_rpr_for_pos`, `rebuild_paragraph_with_edits`
- `skills/docx-editor/lib/tracked_edits.py` | 296 行 | b9b71202607f | `EditInput`, `AppliedChange`, `EditError`, `ApplyTrackedEditsResult`, `_PlannedChange`, `apply_tracked_edits`, `_truncate`
- `skills/docx/scripts/__init__.py` | 1 行 | 01ba4719c80b | —
- `skills/docx/scripts/accept_changes.py` | 135 行 | 0c991d2bc730 | `accept_changes`, `_setup_libreoffice_macro`
- `skills/docx/scripts/comment.py` | 318 行 | f35f599718b6 | `_generate_hex_id`, `_encode_smart_quotes`, `_append_xml`, `_find_para_id`, `_get_next_rid`, `_has_relationship`, `_has_content_type`, `_ensure_comment_relationships`, `_ensure_comment_content_types`, `add_comment`
- `skills/docx/scripts/office/helpers/__init__.py` | 0 行 | e3b0c44298fc | —
- `skills/docx/scripts/office/helpers/merge_runs.py` | 202 行 | 0d311291e4d6 | `merge_runs`, `_find_elements`, `_find_elements.traverse`, `_get_child`, `_get_children`, `_is_adjacent`, `_remove_elements`, `_strip_run_rsid_attrs`, `_merge_runs_in`, `_first_child_run`
- `skills/docx/scripts/office/helpers/simplify_redlines.py` | 200 行 | 8e9ddfee4589 | `simplify_redlines`, `_merge_tracked_changes_in`, `_is_element`, `_get_author`, `_can_merge_tracked`, `_merge_tracked_content`, `_find_elements`, `_find_elements.traverse`, `get_tracked_change_authors`, `_get_authors_from_docx`
- `skills/docx/scripts/office/pack.py` | 167 行 | c7caca12dc58 | `pack`, `_run_validation`, `_condense_xml`
- `skills/docx/scripts/office/safe_minidom.py` | 41 行 | 7737c3e5257a | `UnsafeOfficeXML`, `_checked_bytes`, `parseString`, `parse`
- `skills/docx/scripts/office/soffice.py` | 205 行 | 090ee2772342 | `get_soffice_env`, `run_soffice`, `_soffice_binary`, `_needs_shim`, `_ensure_shim`
- `skills/docx/scripts/office/unpack.py` | 140 行 | 2d4978a1bd19 | `unpack`, `_pretty_print_xml`, `_escape_smart_quotes`
- `skills/docx/scripts/office/validate.py` | 117 行 | a3ff56221feb | `main`
- `skills/docx/scripts/office/validators/__init__.py` | 15 行 | 83e0f035c5ab | —
- `skills/docx/scripts/office/validators/base.py` | 851 行 | fce7a9494aa5 | `BaseSchemaValidator`, `BaseSchemaValidator`.**init**, `BaseSchemaValidator.validate`, `BaseSchemaValidator.repair`, `BaseSchemaValidator.repair_whitespace_preservation`, `BaseSchemaValidator.validate_xml`, `BaseSchemaValidator.validate_namespaces`, `BaseSchemaValidator.validate_unique_ids`, `BaseSchemaValidator.validate_file_references`, `BaseSchemaValidator.validate_all_relationship_ids`
- `skills/docx/scripts/office/validators/docx.py` | 450 行 | 3aefdc2bc1b1 | `DOCXSchemaValidator`, `DOCXSchemaValidator.validate`, `DOCXSchemaValidator.validate_whitespace_preservation`, `DOCXSchemaValidator.validate_deletions`, `DOCXSchemaValidator.count_paragraphs_in_unpacked`, `DOCXSchemaValidator.count_paragraphs_in_original`, `DOCXSchemaValidator.validate_insertions`, `DOCXSchemaValidator.compare_paragraph_counts`, `DOCXSchemaValidator._parse_id_value`, `DOCXSchemaValidator.validate_id_constraints`

- skills/docx/scripts/office/validators/pptx.py | 275 行 | f937961e62a5 | PPTXSchemaValidator, PPTXSchemaValidator.validate, PPTXSchemaValidator.validate_uuid_ids, PPTXSchemaValidator._looks_like_uuid, PPTXSchemaValidator.validate_slide_layout_ids, PPTXSchemaValidator.validate_no_duplicate_slide_layouts, PPTXSchemaValidator.validate_notes_slide_references
- skills/docx/scripts/office/validators/redlining.py | 248 行 | 97abb243543f | RedliningValidator, RedliningValidator.**init**, RedliningValidator.repair, RedliningValidator.validate, RedliningValidator._generate_detailed_diff, RedliningValidator._get_git_word_diff, RedliningValidator._remove_author_tracked_changes, RedliningValidator._extract_text_content
- skills/docx/template_fill.py | 224 行 | a63141991849 | _roc_date, _fetch_case_data, fill_template, _merge_split_placeholders, _merge_split_placeholders._clean_match, _xml_escape, _repack_docx, main
- skills/engine/__init__.py | 1 行 | e6281d68004a | —
- skills/engine/apple_translation/__init__.py | 305 行 | c249c7d9aa51 | normalize_lang, is_available, _build_sidecar_if_needed, translate
- skills/engine/chinese_nlp.py | 320 行 | 6227781fd8df | _acquire_global_slot, _release_global_slot, _looks_chinese, _FallbackSegmenter, _FallbackSegmenter.cut, _FallbackSegmenter.cut_many, _AppleSegmenter, _AppleSegmenter.**init**, _AppleSegmenter.cut, _AppleSegmenter.cut_many
- skills/engine/chinese_nlp_sidecar.py | 39 行 | 41f60d3f1100 | main
- skills/engine/doc_type_detector.py | 154 行 | c2d32ad2fff3 | DocTypeResult, DocTypeResult.**init**, DocTypeResult.**repr**, _detect_by_regex, _detect_by_vision, detect_doc_type
- skills/engine/document_reader.py | 327 行 | b4cfe011ed87 | DocumentResult, _strip_markers, text_quality_score, _is_meaningful, _markdown_to_plain, _get_markitdown, _pdf_ocr_fallback, _file_bridge_fallback, read_document
- skills/engine/error_classifier.py | 215 行 | 5e4877efd6da | FailoverReason, ClassifiedError, ClassifiedError.**str**, classify_error
- skills/engine/feedback_loop.py | 178 行 | edb105916a09 | RoutingFeedback, RoutingFeedback.**init**, RoutingFeedback._ensure_loaded, RoutingFeedback._save, RoutingFeedback.record, RoutingFeedback.get_skill_accuracy, RoutingFeedback.compute_threshold_adjustments, ImplicitFeedbackDetector, ImplicitFeedbackDetector.detect, record_feedback
- skills/engine/knowledge_extractor.py | 199 行 | 819d2e5ff895 | should_extract, extract_and_store, extract_and_store._do_extract, _update_stats, get_stats, MemoryManager, MemoryManager.decay_old_memories, MemoryManager.get_memory_stats
- skills/engine/knowledge_graph/__init__.py | 13 行 | 17ab0a15d539 | —
- skills/engine/knowledge_graph/community_detector.py | 34 行 | 503a9c1122c1 | detect_communities
- skills/engine/knowledge_graph/entity_extractor.py | 48 行 | 9589033bba1b | extract_entities, extract_entities._push

- `skills/engine/knowledge_graph/graph_rag.py` | 41 行 | 36fa8ebc00f1 | `_default_graph_path`, `graph_context`
- `skills/engine/knowledge_graph/graph_store.py` | 113 行 | 647a3ba6070c | `GraphStore`, `GraphStore._cache_max_entries`, `GraphStore.init`, `GraphStore.upsert_node`, `GraphStore.add_edge`, `GraphStore.neighbors`, `GraphStore.find_nodes`, `GraphStore.save`, `GraphStore.load`, `GraphStore.cache_stats`
- `skills/engine/knowledge_graph/relation_builder.py` | 30 行 | 1518e1bc4185 | `build_relations`
- `skills/engine/legal_web_adapter.py` | 89 行 | a99680af2f87 | `_truthy`, `_normalize_engine`, `_env_name`, `resolve_legal_web_engine`, `format_legal_web_engine_log`
- `skills/engine/ocr/__init__.py` | 35 行 | 52d2bc6fc9d3 | —
- `skills/engine/ocr/apple_vision_provider.py` | 237 行 | f7d82bbbc2c4 | `_env_bool`, `check_available`, `_functional_probe`, `_functional_probe._do_probe`, `_call_apple_vision`, `reset_probe_cache`, `run`, `run._do_ocr`
- `skills/engine/ocr/cache.py` | 327 行 | a8e28b9b62f6 | `_env_bool`, `_env_int`, `_env_float`, `_store_text_enabled`, `_sha256_text`, `_redact_sensitive_text_fields`, `_chmod_private`, `_cache_dir`, `_image_hash`, `get`
- `skills/engine/ocr/chandra_provider.py` | 273 行 | 45556c5e6b29 | `ChandraProbe`, `ChandraProbe.to_dict`, `ChandraOCRResult`, `_env_truthy`, `enabled`, `private_deployment_acknowledged`, `model_license_accepted`, `qwen_backend_accepted`, `method`, `api_base`
- `skills/engine/ocr/consensus.py` | 428 行 | bac0970bc4a6 | `_env_float`, `_env_bool`, `_compute_confidence`, `_parse_roc_date_to_days`, `_check_date_conflict`, `_select_text`, `_select_best_text`, `run_consensus`, `run_consensus._run_tess`, `run_consensus._run_vision`
- `skills/engine/ocr/legal_corrector.py` | 173 行 | 086bf9df5e05 | `_fullwidth_to_halfwidth`, `CorrectionResult`, `correct_legal_text`
- `skills/engine/ocr/legal_entities.py` | 129 行 | ead2b9e56c99 | `extract_case_number`, `extract_laf_case_number`, `extract_court_name`, `extract_entities`, `extract_all_case_numbers`
- `skills/engine/ocr/nemotron_mlx/__init__.py` | 6 行 | c4bab3cf0763 | —
- `skills/engine/ocr/nemotron_mlx/config.py` | 52 行 | 67130a30d243 | `NemotronParseConfig`, `NemotronParseConfig.from_hf_dir`
- `skills/engine/ocr/nemotron_mlx/image_processor.py` | 121 行 | 70333a0f97fa | `make_test_image`, `_resize_with_aspect_ratio`, `preprocess_image`, `load_golden`, `self_test`, `main`
- `skills/engine/ocr/nemotron_mlx/radio_encoder.py` | 213 行 | 15732a5db639 | `_linear`, `_layer_norm`, `_gelu`, `_free_memory_mb`, `_patches_from_nchw`, `_pos_embed_for_input`, `RadioEncoder`, `RadioEncoder.init`, `RadioEncoder.load`, `RadioEncoder._radio_backbone`
- `skills/engine/ocr/nemotron_mlx/runtime.py` | 293 行 | 192b8f2ae2af | `_split_heads`, `_merge_heads`, `_causal_self_attention`, `NemotronRuntime`, `NemotronRuntime.init`, `NemotronRuntime.load`, `NemotronRuntime.encode`, `NemotronRuntime._decoder_layer`, `NemotronRuntime.decoder_hidden`, `NemotronRuntime.logits`

- `skills/engine/ocr/nemotron_mlx/weight_map.py` | 96 行 | 9c69d4fc5ec2 | `map_tensor_name`, `conv_tensor_names`, `transpose_conv_weight`, `expected_tensor_count`
- `skills/engine/ocr/nemotron_parse_provider.py` | 66 行 | 9c9cf183980f | `_enabled`, `run`
- `skills/engine/ocr/ocr_schema.py` | 140 行 | 4133b9d2d093 | `OCREntities`, `OCREntities.to_counts`, `OCRProviderResult`, `OCRProviderResult.to_dict`, `OCRProviderResult.failure`, `OCRConsensusResult`, `OCRConsensusResult.to_dict`, `OCRConsensusResult.failure`
- `skills/engine/ocr/opendataloader_provider.py` | 217 行 | d26a84b5d510 | `_cache_max_entries`, `_cache_get`, `_cache_put`, `_enabled`, `_hybrid_mode`, `_max_chars`, `_collect_json_text`, `_read_output_text`, `_page_key`, `_materialize_page_subset`
- `skills/engine/ocr/preprocess.py` | 237 行 | eb1c7f2a8293 | `OCRPreprocessResult`, `_env_bool`, `_env_float`, `_env_int`, `_otsu_threshold`, `_projection_score`, `estimate_skew_angle`, `preprocess_image`
- `skills/engine/ocr/quality.py` | 137 行 | 27d30181f561 | `ScanQualityAssessment`, `assess_page_scan_quality`, `compute_quality_score`, `is_likely_legal_text`, `score_pair`
- `skills/engine/ocr/rapidocr_worker.py` | 39 行 | c8c68fe5d3cf | `run_payload`, `main`
- `skills/engine/ocr/shared_runtime.py` | 239 行 | 553ba4c0d8a3 | `_bounded_thread_count`, `_legacy_rapid_result`, `_LockedRapidOCR`, `_LockedRapidOCR.init`, `_LockedRapidOCR.call`, `_LockedDdddOCR`, `_LockedDdddOCR.init`, `_LockedDdddOCR.classification`, `_LockedDdddOCR.getattr`, `_build_capped_legacy_engine`
- `skills/engine/ocr/tesseract_provider.py` | 338 行 | a15f3dd353a6 | `_env_bool`, `_env_str`, `_env_int`, `_probe_binary`, `_probe_langs`, `_probe_functional`, `check_available`, `reset_probe_cache`, `_run_tesseract_image`, `_ocr_noise_score`
- `skills/engine/pii_scrubber.py` | 408 行 | a240b1ca9ee0 | `ScrubResult`, `ScrubResult.restore`, `ScrubResult.certificate`, `PIIScrubber`, `PIIScrubber.init`, `PIIScrubber.scrub`, `PIIScrubber.scrub.scrub_pattern`, `PIIScrubber.detect_residuals`, `PIIScrubber._pattern_has_unmasked_match`, `PIIScrubber._placeholder`
- `skills/engine/playwright_wrapper.py` | 1408 行 | e0ff6a185f6d | `_ByShim`, `Keys`, `Select`, `Select.init`, `Select.select_by_visible_text`, `Select.select_by_value`, `_ECShim`, `_ECShim.presence_of_element_located`, `_ECShim.presence_of_element_located._cond`, `_ECShim.element_to_be_clickable`
- `skills/engine/react_engine.py` | 745 行 | aa6cd4b5fb13 | `ReActEngine`, `ReActEngine.init`, `ReActEngine._default_llm`, `ReActEngine._format_tool_list`, `ReActEngine._build_system_prompt`, `ReActEngine.for_omlx`, `ReActEngine.for_omlx._split_messages_for_nim`, `ReActEngine.for_omlx._heavy_llm`, `ReActEngine.for_omlx._omlx_llm`, `ReActEngine._extract_balanced_json`
- `skills/engine/realtime_data_gateway.py` | 705 行 | 0c2f65cebd4d | `_looks_like_realtime_action_request`, `_has_stock_topic`, `_has_fx_topic`, `_is_non_realtime_lookup_context`, `classify_realtime_query`, `detect_realtime_topics`, `_extract_location`, `_extract_global_location`, `_query_open_meteo`, `_query_cwa_api`
- `skills/engine/scraping_adapter.py` | 177 行 | fe3dbf21b9e5 | `scrapling_enabled`, `_extract_text_from_html`, `_extract_json_payload`, `fetch_page`, `fetch_json`

- `skills/engine/tool_registry.py` | 894 行 | f28610ce49cd | `_tools_api_url`, `_internal_api_headers`, `_search_memory`, `_remember`, `_web_search`, `_realtime_lookup`, `_normalize_case_query`, `_query_case_statistics`, `_query_cases`, `_summarize_text`
- `skills/engine/trajectory_compressor.py` | 293 行 | 0a38ffb391d1 | `TrajectoryCompressor`, `TrajectoryCompressor.init`, `TrajectoryCompressor._estimate_tokens`, `TrajectoryCompressor._total_tokens`, `TrajectoryCompressor._is_milestone`, `TrajectoryCompressor._prune_tool_result`, `TrajectoryCompressor.prune_tool_results`, `TrajectoryCompressor._split_head_middle_tail`, `TrajectoryCompressor._summarize_middle_heuristic`, `TrajectoryCompressor.compress_for_react`
- `skills/engine/user_insights.py` | 62 行 | 5ecc383dd81a | `UserInsightsEngine`, `UserInsightsEngine.init`, `UserInsightsEngine._load_events`, `UserInsightsEngine.extract_insights`, `UserInsightsEngine.get_personalization_context`
- `skills/evidence-admissibility/action.py` | 367 行 | 13eb104b7b58 | `_get_db_conn`, `_query_cases`, `_resolve_case_folder`, `_scan_index_files`, `cmd_help`, `cmd_rules`, `cmd_lookup`, `cmd_classify`, `main`
- `skills/evidence-admissibility/scripts/build_evidence_xlsx.py` | 383 行 | 3e3604be34a3 | `classify_record_type`, `get_relationship`, `is_investigation_stage`, `get_admissibility`, `extract_source`
- `skills/evolution/__init__.py` | 9 行 | 4d36f5e3497f | —
- `skills/evolution/intent_forge.py` | 271 行 | 3d52a8dd5174 | `_ensure_pending_store`, `_load_pending`, `_save_pending`, `get_pending_issue`, `clear_pending_issue`, `_set_pending_issue`, `_extract_error_text`, `_question_from_error`, `_build_summary`, `forge_execute`
- `skills/evolution/skill_genesis.py` | 3098 行 | 5f0e29ed09f6 | `_env_bool`, `_skill_runtime_env_opt_in`, `_skill_runtime_default`, `_skill_auto_pip_enabled`, `MockID`, `MockID.list_patterns`, `MockID.add_pattern`, `MockID.auto_harden_scope`, `MockID.sanitize_input`, `MockID.is_safe`
- `skills/evolution/skill_improver.py` | 23 行 | 6df18f30cac2 | `build_improvement_plan`
- `skills/evolution/skill_scorer.py` | 25 行 | da22d8736905 | `score_skill_run`
- `skills/evolution/usage_tracker.py` | 89 行 | 85c34cf505c5 | `UsageTracker`, `UsageTracker.init`, `UsageTracker.record`, `UsageTracker._load_rows`, `UsageTracker.summarize`, `UsageTracker.daily_report`
- `skills/file-review-orchestrator/action.py` | 9167 行 | 6b053d11c37f | `_default_download_folder`, `_acquire_file_review_portal_lock`, `_portal_deferred_result`, `_portal_serialized`, `_portal_serialized.decorator`, `_portal_serialized.decorator.wrapped`, `_lower_background_priority`, `_flow_slug`, `_safe_create_flow_mirror`, `_safe_flow_step_status`
- `skills/forensic-transcript-verifier/action.py` | 328 行 | a22149f0a938 | `_audit_projection`, `_parse_task`, `_merge_cli`, `_sha256_file`, `_write_v3_completion_binding`, `execute`, `main`
- `skills/forensic-transcript-verifier/scripts/audit_engine.py` | 890 行 | c32fd5bb5656 | `Turn`, `clock_to_seconds`, `seconds_to_clock`, `_run`, `sha256_file`, `_docx_xml_text`, `_docx_xml_text.collect`, `extract_text`, `_compact_whitespace`, `_strip_outer_quote`

- skills/forensic-transcript-verifier/scripts/live_runtime.py | 538 行 | 0ba3568a56ff | _atomic_json, _read_json, _read_json_list, _pid_alive, _process_identity, _identity_matches, _terminate_owned_worker, _manifest_fingerprint, _resolve_manifest, _prepare_task
- skills/forensic-transcript-verifier/scripts/video_agent.py | 1637 行 | 5983adb768fc | _json_write, _run, _json_object, _model_text, _is_independent_provider, _baseline_context, _locked_turn_indices, _closest_turn_index, _point, prepare_autonomous_video_review
- skills/forensic-transcript-verifier/scripts/write_transcript_docx.py | 218 行 | e0ea87473edd | clean, set_run_font, add_run, set_cell_shading, set_cell_text, add_page_number, write_document, main
- skills/gmail-drafts/action.py | 293 行 | da74a49d6ecd | _scope_list_from_env, _maybe_reexec_venv, _ok, _load_jsonish, _eventlog, _queue_local_draft, _build_gmail_service, create_draft, main
- skills/hearing/__init__.py | 1 行 | 44c67ae8d3ac | —
- skills/hearing/balthasar_local.py | 165 行 | 938226335147 | _get_mlx_whisper, _normalize_segments, transcribe_audio
- skills/insight-refine/action.py | 109 行 | 4c834497cac8 | _load_jsonish, _ok, _build_prompt, main
- skills/interpreter-empirical-classifier/action.py | 488 行 | fdaf25323eb2 | _load_classifier, _load_judicial_search, _emit, _parse_task, _to_bool, _to_int, _to_float, _split_values, _safe_name, _derive_query
- skills/iron-dome/action.py | 162 行 | ccc54445882a | cmd_scan, cmd_list, cmd_add, cmd_sync, cmd_self_test, main
- skills/iron-dome/core.py | 804 行 | 0dde8e18f7f3 | _compile_regexes, _compile_regexes._filter_valid, _load_dynamic_state, _reload_patterns, IronDomeViolation, IronDomeViolation.**init**, sanitize_input, is_safe, get_all_patterns, audit_supply_chain
- skills/iron-dome/protocol_override.py | 218 行 | 43b9a744488a | _load_pending, _save_pending, clear_override, _write_override_file, request_override, approve_override
- skills/iron-dome/sync.py | 313 行 | 315def0533cc | get_all_patterns, _env_str, _env_int, _tailscale_ip, _advertise_ip, _node_ip_or, get_patterns_hash, export_patterns, broadcast_update, receive_update_notification
- skills/iron_dome/__init__.py | 8 行 | 0e00e42d9929 | —
- skills/iron_dome/action.py | 22 行 | 94a9615fa489 | main
- skills/iron_dome/core.py | 21 行 | e62a039db19a | —
- skills/iron_dome/protocol_override.py | 20 行 | ffb22861aa73 | —
- skills/iron_dome/sync.py | 21 行 | 4f870fb01749 | —
- skills/judgment-collector/action.py | 5880 行 | 198e9667a859 | _ensure_cache_root, _cleanup_old_cache_runs, _judgments_read_path, _summary_is_prompt_echo, _summary_is_bad_storage_value, _safe_summary_for_storage, _upsert_judgments_json, _env, _wfggy_enabled, _apply_wfggy
- skills/judgment_collector_module.py | 14 行 | 687371157d30 | —

- skills/judicial-flow-search-archive/action.py | 1219 行 | b8206fa40083 | _ok, _load_jsonish, _safe_filename, _short, _heuristic_boolify, _casper_boolify, _looks_like_google_query, _is_keyword_query, _google_to_fjud, _google_to_fjud._sub
- skills/judicial-tools/action.py | 357 行 | 5e9bcf7d4633 | dispatch, _delegate_labor, print_help, parse_task, main
- skills/judicial-tools/calculators/__init__.py | 12 行 | c438573fbc8a | —
- skills/judicial-tools/calculators/appeal_period.py | 250 行 | d6e3f8b9be0d | _serve_addition, calc_appeal_period
- skills/judicial-tools/calculators/co_owner.py | 133 行 | d857aa567931 | calc_co_owner_share, _lcm
- skills/judicial-tools/calculators/date_utils.py | 187 行 | bf5714ae4578 | roc_to_date, date_to_roc, date_to_roc_display, _tw_holidays, is_weekend, is_holiday, next_business_day, is_weekend, is_holiday, next_business_day
- skills/judicial-tools/calculators/depreciation.py | 282 行 | db5f4efbd998 | calc_depreciation, _round2, _round0, _straight_line, _declining_balance
- skills/judicial-tools/calculators/elapsed_time.py | 113 行 | ccb692dce6d7 | calc_elapsed_time
- skills/judicial-tools/calculators/hoffman.py | 159 行 | 8bd118e0db81 | calc_hoffman, _round2, _round6
- skills/judicial-tools/calculators/inheritance.py | 352 行 | dfa7b225761a | _is_spouse, _get_order, _is_predeceased, calc_inheritance, _build_chart
- skills/judicial-tools/calculators/interest.py | 259 行 | 1c3d64fd454f | calc_interest, _calc_monthly_mode, _parse_date, _round2
- skills/judicial-tools/calculators/judicial_fee.py | 236 行 | e873f4ff29a0 | _calc_bracket_fee, calc_judicial_fee_new, calc_judicial_fee_old, calc_judicial_fee
- skills/judicial-tools/calculators/land_division.py | 142 行 | 4aaf123d4151 | calc_land_division
- skills/judicial-tools/calculators/land_merge.py | 246 行 | 6dad1f2dcde8 | calc_land_merge, calc_land_partial_share, calc_land_partial_share.group_ratio
- skills/judicial-tools/calculators/sentence.py | 261 行 | 4ec6f4f1f2b3 | _ym_to_months, _months_to_ym, _half_up, _aggravate_once, _mitigate_once, calc_sentence
- skills/judicial-tools/calculators/unjust_enrichment.py | 193 行 | deaad41a0008 | _parse_date, _days_in_year, _get_land_value, calc_unjust_enrichment
- skills/judicial-web-search/action.py | 1206 行 | a7772383d7f5 | _preview_limit, _search_page_limit, _ok, _load_jsonish, _run_venv, _launch, _prefer_http_fetch, _verify_ssl, _requests_session, _extract_hidden_fields
- skills/judicial-web-search/scripts/judicial_web_search.py | 246 行 | c70a86ff5042 | _ok, _load_jsonish, _clean_text, _launch, search, fetch_text, self_test, main
- skills/labor-law-calculator/action.py | 1337 行 | 49814bd2d8ba | WageComponents, WageComponents.total, WageComponents.breakdown_str, _components_from_wage, OvertimeResult, AnnualLeaveResult, SeveranceResult, _round2, _round0, _min_hourly

- skills/laf-orchestrator/action.py | 670 行 | e7578c94c0c3 | _candidate_pythons, _choose_runtime_python, _run_orchestrator, _probe_orchestrator_db, _retry_error_label, _retry_user_reason, _notify_retrying_after_failure, task_self_test, task_preview_counts, task_portal_action
- skills/laf-portal-automation/action.py | 212 行 | 0ebc39f397a9 | _load, _norm, _score, resolve, list_entries, extract_open_case_date, execute_workflow, main
- skills/laf-portal-automation/open_case_vision.py | 24 行 | ad19cb7a3f77 | —
- skills/laf-portal-automation/simulated_line.py | 27 行 | 7f6c94009202 | —
- skills/laf-refine-case/action.py | 139 行 | c6906343e7d8 | _load_jsonish, _ok, _build_prompt, refine, main
- skills/laf-withdrawal-report/__init__.py | 2 行 | b0330de976ee | —
- skills/laf-withdrawal-report/action.py | 173 行 | d9f1d505fc83 | _print, _parse_task, _run, main
- skills/law_firm/crawler_architect.py | 191 行 | 029eff3fee8c | CrawlerArchitect, CrawlerArchitect.**init**, CrawlerArchitect.create_backup, CrawlerArchitect.restore_backup, CrawlerArchitect.generate_crawler_code, CrawlerArchitect._validate_syntax, CrawlerArchitect.inject_code, CrawlerArchitect.execute_modification
- skills/law_firm/legal_crawler_wrapper.py | 899 行 | 1bfd6df1829b | _tools_api_default, _child_python, _post_tools_skill, _load_state, _save_state, _detect_pattern, _cooldown_remaining, _set_cooldown, _clear_cooldown, _truthy
- skills/law_firm/manage_clients.py | 172 行 | c9559e67c36c | log_audit, query_clients, add_client, update_client, soft_delete_client
- skills/law_firm/manage_meetings.py | 187 行 | 614d9be17ea0 | _get_conn, log_audit, book_meeting, list_meetings
- skills/law_firm/store_crawler.py | 58 行 | e7fe67e03542 | store_crawler_data
- skills/law_review/tw_legal_review.py | 167 行 | dff4d95b36a4 | review_legal_text, review_legal_text._extract_reply, review_distributed_output
- skills/legal/__init__.py | 4 行 | 84f7dc54f505 | —
- skills/legal/doc_analysis.py | 111 行 | eb61f27bc83c | analyze_document_content
- skills/legal/judicial.py | 4272 行 | f44189a74c8e | _prepare_judicial_hosted_prompt, _clean_transcript_parse_value, _valid_transcript_record_date, _valid_transcript_record_type, _record_parse_ready_for_filename, CourtCase, FileReviewInfo, CourtMapping, CourtMapping.get_court_code, CourtMapping.get_simple_court
- skills/legal/laf.py | 6902 行 | 11c176823aff | _laf_content_info, _laf_destination_for_content, _laf_default_case_lawyer, _get_public_base_url, _export_file_to_static, _laf_target_subfolder_for_attachment, _is_laf_staff_email_case_info, _classify_progress_email, _safe_remove, _safe_move
- skills/legal/runner.py | 168 行 | fa8094700da7 | load_config, run_judicial_task, run_laf_task, diagnose_and_heal, main
- skills/legal_attest/action.py | 183 行 | b58ffa30a566 | _get_core, _load_state, _save_state, handle_chat, main
- skills/legal_attest/generator/__init__.py | 0 行 | e3b0c44298fc | —

- [skills/legal_attest/generator/constants.py](#) | 55 行 | a14f928af96f | —
- [skills/legal_attest/generator/core.py](#) | 193 行 | 7ccff665bff1 | `read_main_article`, `merge_text_and_letter`, `clean_temp_files`, `generate_text_and_letter`, `_is_only_one_name_or_address`, `_fill_name_address_on_1st_page`, `_parse_main_article`, `_get_new_line_coordinate`, `_reset_coordinates_and_counters`, `_draw_info_box`
- [skills/legal_attest/generator/gui.py](#) | 241 行 | f687ecf79445 | `GUI`, `GUI.init`, `GUI.__init_var`, `GUI.__do_work`, `GUI.__change_widgets_state`, `GUI.__open_old_file`, `GUI.__save_current_file`, `GUI.__save_to_new_file`, `GUI.__do_save`, `GUI.__save_info_if_zero`
- [skills/legal_attest/generator/pdfpage.py](#) | 62 行 | 7a0f8f73ea63 | `PDFPagePick`, `PDFPagePick.init`, `PDFPagePick.pick_individual_pages`, `PDFPagePick.insert_blank_page`, `PDFPagePick.save`, `PDFPagePick.__check_page_num`, `PDFPageMerge`, `PDFPageMerge.init`, `PDFPageMerge.merge_src_page_to_dest_page`, `PDFPageMerge.get_src_total_page`
- [skills/legal_attest/generator/pdfpainter.py](#) | 44 行 | f7b8c59c859a | `PDFPainter`, `PDFPainter.init`, `PDFPainter.set_font`, `PDFPainter.draw_string`, `PDFPainter.draw_line`, `PDFPainter.draw_rect`, `PDFPainter.end_this_page`, `PDFPainter.save`
- [skills/magi-autopilot/action.py](#) | 5976 行 | f02b2a48de16 | `_load_runtime_env`, `_resolve_remote_db_endpoint`, `_set_db_preference_by_reachability`, `_load_mariadb_profiles`, `_db_schema_chk_nb_guard`, `_remember_run_event`, `_remember_step_events`, `_remember_ngl_calibration_event`, `_maybe_reexec_venv`, `_now_tag`
- [skills/magi-doctor/action.py](#) | 690 行 | 1697989253e2 | `check_skill_imports`, `check_dependencies`, `_run`, `_http_get`, `_probe_omlx_chat`, `_probe_local_llm_inference`, `_tcp_connect`, `_load_db_profile`, `_resolve_omlx_model`, `_ping`
- [skills/magi-self-repair/action.py](#) | 121 行 | 8def8a315a89 | `_load_doctor_module`, `_load_guardian_module`, `_normalize_targets`, `run_guardian`, `repair_targets`, `main`
- [skills/magi/__init__.py](#) | 0 行 | e3b0c44298fc | —
- [skills/magi/council_approval.py](#) | 377 行 | 28ec09f271b4 | `_now_iso`, `_ensure_file`, `_load`, `_save`, `_short`, `_issue_key`, `_risk_profile`, `_new_approval_id`, `is_core_change`, `queue_core_change_for_approval`
- [skills/magi/council_executor.py](#) | 417 行 | ce0a5b3f9454 | `_is_safe_path`, `_safe_patch_content`, `_compile_check`, `_extract_python_block`, `_backup_file`, `_restore_backup`, `generate_patch`, `apply_patches`, `_rollback_all`, `execute_approved_change`
- [skills/magi/local_council.py](#) | 389 行 | e3292dd4a9b9 | `_warmup_model`, `_ollama_chat`, `_post_discord`, `convene_council`, `convene_council._extract_vote`, `format_council_result`
- [skills/magi/night_talk.py](#) | 664 行 | 180edd9eb39b | `wait_for_casper`, `get_casper_thought`, `_compact_alert_text`, `_notify_pending_core_change`, `_to_yes`, `_enabled_cron_jobs`, `_managed_backlog_note`, `_vote_casper_safety`, `_vote_melchior_engineering`, `_vote_balthasar_ux`

- skills/magi/skill_acquire.py | 230 行 | 690ccd83d963 | _run, search_clawhub, _iron_dome_scan_file, _iron_dome_scan_dir, acquire_skill, format_search_result
- skills/magi/skill_learner.py | 753 行 | a280ce155f8a | SkillMeta, SkillMeta.to_dict, _ensure_skills_dir, _parse_frontmatter, _build_frontmatter, _skill_path, list_skills, get_skill, save_skill, patch_skill
- skills/magi/sunrise.py | 74 行 | 7ae5eb96aa51 | execute_sunrise_protocol
- skills/management/__init__.py | 0 行 | e3b0c44298fc | —
- skills/management/auto_skill.py | 1411 行 | 0a665f12d9b8 | _slugify, _uniq_keep_order, AutoSkill, AutoSkill.**init**, AutoSkill._ensure_kb, AutoSkill._load_kb, AutoSkill._save_kb, AutoSkill._load_code_index, AutoSkill._save_code_index, AutoSkill._extract_keywords
- skills/management/code_autofix.py | 391 行 | 6cb6ee1ba59a | _omlx_chat_url, _extract_python_block, _resolve_target, _iter_python_files, _compile_check, _safe_patch, _build_fix_prompt, _llm_repair_code, _create_backup, _verify_tree_compile
- skills/management/issue_tracker.py | 165 行 | 1d5a5c6f2f71 | _scrub, _dedup_key, _is_duplicate, log_issue, _append_markdown_legacy
- skills/management/skill_interview.py | 588 行 | 7e1ffc0dd71e | _clean_request, _split_items, _derive_slug, _ensure_unique_slug, infer_skill_defaults, _normalise_answers, _build_description, _to_bullets, _build_skill_md, _build_action_py
- skills/market-briefing/action.py | 528 行 | a7acfc1fb15b | _tz_now, _skill_python, _notify_log, _cmd_backtest, _cmd_sector, _cmd_comps, _cmd_export, _format_committee_reasoning, _predict_one, _predict_one._committee_cb
- skills/market-briefing/agents/__init__.py | 0 行 | e3b0c44298fc | —
- skills/market-briefing/agents/base.py | 78 行 | e775ef522ac6 | BaseAgent, BaseAgent.**init**, BaseAgent.run, BaseAgent.ask_llm, BaseAgent.to_agent_signal
- skills/market-briefing/agents/fundamental_analyst.py | 80 行 | 29a3b0a2ee3d | FundamentalAnalyst, FundamentalAnalyst.**init**, FundamentalAnalyst.run
- skills/market-briefing/agents/portfolio_manager.py | 73 行 | 7556d82caae7 | PortfolioManager, PortfolioManager.**init**, PortfolioManager.run
- skills/market-briefing/agents/risk_manager.py | 71 行 | efc507184a5f | RiskManager, RiskManager.**init**, RiskManager.run
- skills/market-briefing/agents/sentiment_analyst.py | 87 行 | ce481905b87b | SentimentAnalyst, SentimentAnalyst.**init**, SentimentAnalyst.run
- skills/market-briefing/agents/technical_analyst.py | 96 行 | fb2484d05445 | TechnicalAnalyst, TechnicalAnalyst.**init**, TechnicalAnalyst.run, TechnicalAnalyst._ema
- skills/market-briefing/committee.py | 89 行 | 16cfb3be8c6d | HedgeFundCommittee, HedgeFundCommittee.**init**, HedgeFundCommittee.run_analysis
- skills/market-briefing/data/__init__.py | 0 行 | e3b0c44298fc | —

- `skills/market-briefing/data/fetcher.py` | 327 行 | b61b5f4604ec | `_fixture_market_data`, `_http_json`, `_yahoo_history`, `_load_cache_fetcher`, `_save_cache_fetcher`, `_tz_now_str`, `_get_twse_lookup`, `_get_sec_tickers`, `_latest_tw_financials`, `_latest_us_filing`
- `skills/market-briefing/data/indicators.py` | 154 行 | 6e4b2d6df761 | `_ema`, `_pct`, `_clamp`, `_rsi`, `_macd`, `_bbands`, `_support_resistance`, `_volume_trend`, `_adx_approx`, `_safe_mean`
- `skills/market-briefing/data/perf_tracker.py` | 579 行 | 7391fedf8b79 | `_tz_now`, `_load_json`, `_save_json`, `_notify_log`, `_load_cache`, `_save_cache`, `_load_perf`, `_save_perf`, `_parse_ymd`, `_next_trade_date`
- `skills/market-briefing/data/watchlist.py` | 231 行 | db0598103c15 | `_tz_now`, `_load_json_ws`, `_save_json_ws`, `WatchItem`, `WatchItem.to_dict`, `_unique`, `_tokenize`, `_resolve_tokens`, `_load_state`, `_save_state`
- `skills/market-briefing/delivery.py` | 181 行 | 4cca89b08110 | `_compact_lines`, `_shorten_line`, `_is_stock_summary_line`, `build_market_chat_summary`, `export_market_report`, `deliver_market_report`
- `skills/market-briefing/market_news.py` | 248 行 | 66fd26b3f955 | `_env_int`, `_strip_html`, `_load_cache`, `_save_cache`, `_fetch_text`, `_node_text`, `_split_title_source`, `_parse_news_rss`, `_dedupe`, `_build_queries`
- `skills/market-briefing/mbcmd/__init__.py` | 0 行 | e3b0c44298fc | —
- `skills/market-briefing/mbcmd/backtest_cmd.py` | 145 行 | 90d14ecf25b5 | `_cmd_backtest`
- `skills/market-briefing/mbcmd/comps_cmd.py` | 177 行 | 865f5ef508d9 | `_fetch_comps_metrics`, `_cmd_comps`, `_cmd_comps._median`, `_cmd_comps._fmt`, `_cmd_comps._tag`
- `skills/market-briefing/mbcmd/export_cmd.py` | 160 行 | e9dfd87bf3a5 | `_tz_now`, `_skill_python`, `_cmd_export`
- `skills/market-briefing/mbcmd/sector_cmd.py` | 230 行 | 034b087dc5e8 | `_resolve_sector_name`, `_get_twse_sector_map`, `_find_peers`, `_cmd_sector`
- `skills/market-briefing/models/__init__.py` | 0 行 | e3b0c44298fc | —
- `skills/market-briefing/models/signals.py` | 40 行 | dea9220d94f9 | `TradingAction`, `TradingSignal`, `AgentSignal`, `CommitteeState`
- `skills/market-briefing/predict/__init__.py` | 0 行 | e3b0c44298fc | —
- `skills/market-briefing/predict/predict_engine.py` | 306 行 | 3e4238edb92d | `_predict_one`, `_render_report`
- `skills/market-briefing/test_agent_live.py` | 30 行 | 4449808e5ffa | —
- `skills/market-briefing/test_committee_logic.py` | 61 行 | 8ad00e1f3097 | `test_mock_flow`, `test_mock_flow.mocked_ask_llm`
- `skills/market-briefing/utlis.py` | 93 行 | 2a0e81a03969 | `_http_json`, `fetch_yahoo_history`, `get_tw_financials`, `gather_all_data`
- `skills/memory/__init__.py` | 1 行 | c08f6504853e | —
- `skills/memory/codebase_rag.py` | 195 行 | 8a7281a3d6bd | `_ensure_embedding_fn`, `_embed`, `CodebaseMemory`, `CodebaseMemory.init`, `CodebaseMemory.ingest_file`, `CodebaseMemory.query`, `CodebaseMemory.reset`

- skills/memory/cortex_sync.py | 443 行 | c179b6325d0b | _load_runtime_environment, _resolve_osc_host, CortexSync, CortexSync.**init**, CortexSync._load_state, CortexSync._save_state, CortexSync.get_source_connection, CortexSync._remember_strict, CortexSync._judgment_memory_contents, CortexSync.sync_legal_news
- skills/memory/faiss_index.py | 924 行 | c8178553ac32 | active_generation_paths, FAISSMemoryIndex, FAISSMemoryIndex.get_instance, FAISSMemoryIndex.**init**, FAISSMemoryIndex.search, FAISSMemoryIndex.add, FAISSMemoryIndex.add_batch, FAISSMemoryIndex.total, FAISSMemoryIndex.index_type, FAISSMemoryIndex.build_from_db
- skills/memory/job_queue.py | 360 行 | 5a5f685c2974 | _ConnectionProxy, _ConnectionProxy.**init**, _ConnectionProxy.**getattr**, _ConnectionProxy.**enter**, _ConnectionProxy.**exit**, _open_conn, _get_conn, _now, _row_to_dict, enqueue
- skills/memory/keeper_sync.py | 238 行 | 3c75539549fc | get_embedding, check_keeper_online, _ensure_schema, _row_md5, _already_synced_in_target, sync_to_keeper, sync_loop, start_sync_daemon
- skills/memory/local_db.py | 348 行 | 30f8216441f7 | _get_connection, save_local, get_pending_sync, mark_synced, save_vector_local, search_local, search_local._score
- skills/memory/magi_brain_setup.py | 50 行 | 1686d4df6e82 | init_db
- skills/memory/mem_bridge.py | 1590 行 | db7b0696b65b | _database_port_from_env, _recall_cache_store, _normalize_source_text, _query_prefers_chatlog, _query_terms, _source_trust_weight, _rank_recall_results, _allow_result_for_query, _now_ts, _keeper_offline
- skills/memory/message_queue.py | 348 行 | 3986f625ffa5 | _now, _row_to_dict, _ConnectionProxy, _ConnectionProxy.**init**, _ConnectionProxy.**getattr**, _ConnectionProxy.**enter**, _ConnectionProxy.**exit**, _open_conn, MessageQueue, MessageQueue.**init**
- skills/memory/migration_fulltext.py | 26 行 | 265fc5c389a5 | add_fulltext_index
- skills/memory/setup_rag_db.py | 89 行 | 0e474cda6307 | migrate_synced_column, migrate_source_column, setup_rag_db
- skills/memory/sqlite_backup.py | 188 行 | e03a29dba72d | _get_connection, save_to_backup, get_pending_sync, mark_synced, search_backup, get_backup_count
- skills/memory/vector_pipeline.py | 5 行 | ad0bae39f0b4 | —
- skills/mock-test/action.py | 200 行 | c0fc60ba6262 | run_mock_test, _notify, main
- skills/obsidian/action.py | 2507 行 | f522750abe70 | _resolve_agent_dir, _is_known_malformed_pdf_skip, _load_vault_config, _save_vault_config, _load_index, _save_index, _replace_index, _prune_missing_index_entries, _get_vault_path, _has_obsidian_cli
- skills/obsidian/bootstrap_synology_vault.py | 252 行 | 5b06b11c2bfa | pick_existing, ensure_symlink, directory_snapshot, write_text, set_magi_vault, build_home_note, build_source_index, bootstrap, main

- skills/obsidian/extractors.py | 617 行 | 0de99a0b414f | file_hash, _generated_image_artifact_count, _remove_generated_image_artifacts, _time_limit, _time_limit._handle_timeout, _text_signal_score, _markdown_text_is_usable, _extract_with_markitdown, extract_text, _extract_plaintext
- skills/ops/__init__.py | 0 行 | e3b0c44298fc | —
- skills/ops/circuit_breaker.py | 153 行 | 899faba4058e | _load_state, _save_state, is_tripped, record_failure, record_success, manual_reset, get_status
- skills/ops/cloud_policy.py | 31 行 | 7d110615381c | cloud_models_allowed, require_cloud_models_allowed
- skills/ops/config.py | 95 行 | 6c8070d5e81c | _is_feature_enabled, validate_config
- skills/ops/cron_command_identity.py | 244 行 | 78bf3267e107 | CronCommandIdentityError, _bound_release_root, _root_relative_parts, _bound_runtime_shared_parts, _canonical_path, _canonical_token, _infer_rebased_checkout_root, canonical_command_tokens, command_definition_sha256
- skills/ops/cron_result_policy.py | 273 行 | 4bb4f1beace4 | CronResultClassification, _last_json_object, _contract_error, terminal_schedule_deferral_reason, _is_resource_guard_skip, classify_cron_result, looks_successful_despite_returncode, should_log_cron_issue
- skills/ops/cron_runtime_policy.py | 64 行 | 94d34f24b847 | cron_job_timeout
- skills/ops/cron_scheduler.py | 1560 行 | d32fca5fb5b4 | _align_datetime_for_comparison, _use_runtime_dir, _cron_state_path, _file_lock, _atomic_write_json, _sanitize_job_definition, _load_cron_state, _save_cron_state, _update_cron_state, _update_cron_states
- skills/ops/daily_reflection.py | 158 行 | 780551023748 | parse_v3_conversation_history, run_reflection
- skills/ops/database/backup_restore.py | 643 行 | b351ca2e5a89 | _remote_db_ip_or, _ensure_dotenv_loaded, DBProfile, _now, _q, _load_profiles, _choose_remote_profile, _choose_local_profile, _ping_db, _find_bin
- skills/ops/database/sync.py | 100 行 | bafd01402c61 | sync_keeper_db
- skills/ops/database/sync_bidirectional.py | 478 行 | 6d5d9a722950 | _remote_db_ip_or, DBProfile, _load_profiles, _connect, _choose_remote_profile, _choose_local_profile, _qname, _show_tables, _table_columns, _primary_key
- skills/ops/db_sync.py | 299 行 | bbcc17d31fff | check_db_availability, get_last_sync_time, sync_table, cmd_sync
- skills/ops/dedup_db.py | 255 行 | 11be6eacba5d | _load_runtime_environment, _get_conn, normalize_case_id, is_done, mark_done, list_done, count_done, get_stats, remove
- skills/ops/export_docx.py | 1296 行 | b373849cd8df | _load_public_base_url, _find_node, _find_node_path, _sealed_release_context, _node_backend, _exports_dir, _is_relative_to, _safe_generated_filename, _resolve_export_docx_path, _validate_docx_file
- skills/ops/export_text.py | 190 行 | 7123f6d69682 | _is_loopback_base_url, _normalize_base_url, _load_dotenv_value, _base_from_webhook_url, _build_tailscale_base_url, _load_public_base_url, export_txt
- skills/ops/file_manager.py | 163 行 | e885c53a6861 | _is_allowed, list_directory, search_files, file_info, _format_size

- skills/ops/file_review_auto_worker.py | 701 行 | 8eb0026b7078 | `_handle_stop_signal`, `_write_state`, `_completed_cycle_state`, `_tail`, `_mark_payment_scan_nonfatal`, `_task_ok_or_nonfatal`, `_parse_last_json`, `_parse_etime_to_sec`, `_write_download_ownership`, `_load_download_ownership`
- skills/ops/finder_ops.py | 328 行 | 0d0b04f514ed | `_run_osascript`, `_escape`, `move_file`, `copy_file`, `rename_file`, `create_folder`, `reveal_in_finder`, `get_file_info`, `move_to_trash`, `move_files_batch`
- skills/ops/fs_watcher.py | 306 行 | 5527ef7d3e2d | `CaseFolderHandler`, `CaseFolderHandler.init`, `CaseFolderHandler.on_created`, `CaseFolderHandler.on_modified`, `CaseFolderHandler.on_moved`, `CaseFolderHandler._debounce`, `CaseFolderHandler._dispatch`, `CaseFolderHandler.cleanup_stale_records`, `FSWatcher`, `FSWatcher.init`
- skills/ops/health_probes.py | 279 行 | 4127c2c49d51 | `_build_omlx_base_url`, `extract_model_labels`, `_fetch_omlx_models`, `probe_omlx_models`, `command_executes_python_script`, `find_python_script_processes`, `python_script_process_running`, `resolve_omlx_model`, `probe_local_chat`
- skills/ops/heartbeat.py | 320 行 | 57b65a3eb7f9 | `_node_ip_or`, `guard_tailscale_serve`, `guard_local_chat_resident`, `check_omlx_health`, `check_ping`, `get_node_model`, `update_status`, `_desktop_notify`
- skills/ops/iron_dome_sync.py | 362 行 | 705f99f87948 | `_env_str`, `_env_int`, `_tailscale_ip`, `_advertise_ip`, `_node_ip_or`, `_normalize_pattern_list`, `_load_pattern_lists`, `get_patterns_hash`, `export_patterns`, `broadcast_update`
- skills/ops/keychain_manager.py | 372 行 | 459bdb9356ae | `is_available`, `get_secret`, `set_secret`, `delete_secret`, `list_secrets`, `resolve_keychain_value`, `load_config_with_keychain`, `resolve_env_keychain`, `_is_sensitive_key`, `migrate_env_to_keychain`
- skills/ops/macros_notify.py | 222 行 | 715da2f6a354 | `send_notification`, `_send_via_terminal_notifier`, `_send_via_osascript`, `notify_omlx_error`, `notify_nas_status`, `notify_cron_failure`, `notify_pdf_processed`, `notify_case_deadline`
- skills/ops/platform_utils.py | 708 行 | 8f6319e37a86 | `file_lock`, `file_unlock`, `file_lock`, `file_unlock`, `locked_file`, `get_magi_root`, `get_venv_python`, `get_temp_dir`, `get_data_dir`, `get_config_dir`
- skills/ops/process_cleaner.py | 40 行 | bd1df9b2c074 | `check_and_kill`
- skills/ops/process_guardian.py | 341 行 | 2ebf90027bb1 | `_write_autopilot_kill_reason`, `get_running_processes`, `check_and_clean_duplicates`, `force_kill_all`, `is_daemon_running`, `_get_latest_mtime`, `reload_stale_services`, `patrol_zombies`
- skills/ops/quicklook.py | 160 行 | 26b185dfd058 | `generate_thumbnail`, `generate_thumbnails_batch`, `cleanup_thumbnails`
- skills/ops/red_phone.py | 2417 行 | 7b20a66e4607 | `_taipei_now`, `_alert_timestamp`, `_load_runtime_dotenv`, `_guard_text`, `_preview_text`, `_split_text_by_lines`, `_numbered_chunks`, `_load_runtime_config`, `_get_line_channel_access_token`, `_get_line_admin_targets`
- skills/ops/safe_state.py | 75 行 | bbef94d9f1ff | `safe_load_json`, `safe_save_json`

- skills/ops/self_repair_reporter.py | 683 行 | 96cdde6b5b75 | _stdout_tail_payload, _resource_governor_label, _resource_governor_detail, _error_label, _error_detail, _display_error_label, _job_label, _load_agenda, _group_records, _parse_ts
- skills/ops/smart_summary.py | 159 行 | 82e2036d40d7 | summarize_text, extract_key_points, summarize_url, summarize_to_docx
- skills/ops/spotlight_search.py | 234 行 | 2dba9389fbad | is_exact_query, normalize_case_number, spotlight_search, spotlight_search_case, spotlight_search_person, check_spotlight_indexed
- skills/ops/structured_log.py | 118 行 | 4a0d4eb22785 | set_request_context, clear_request_context, RequestContextFilter, RequestContextFilter.filter, JSONFormatter, JSONFormatter.format, HybridFormatter, HybridFormatter.format
- skills/ops/system_monitor.py | 173 行 | 3265d14616bd | get_system_status, _basic_status, check_service_health
- skills/ops/system_test.py | 405 行 | f177c8c7ce58 | _load_db_profile, _ping, _tcp_connect, _http_get, _probe_omlx_chat, test_casper_ollama, test_melchior_remote, test_balthasar_remote, test_keeper_db, test_memory_module
- skills/ops/task_tracker.py | 57 行 | f1dc0fbaa58a | TaskTracker, TaskTracker.init, TaskTracker._load_tasks, TaskTracker._save_tasks, TaskTracker.update_task, TaskTracker.complete_task
- skills/ops/test_keeper_connection.py | 41 行 | 2f9e8c043e4c | check_connection
- skills/ops/update_heartbeat.py | 42 行 | 6da06ba1f39a | get_balthasar_status, get_casper_status, get_melchior_status, generate_heartbeat
- skills/ops/user_activity_beacon.py | 72 行 | 06ea7ab52a0d | touch, is_user_active, seconds_since_last_activity, last_activity_info
- skills/ops/watcher_daemon.py | 323 行 | dcaa3f238f4d | _tools_api_url, init_local_db, get_last_pull_id, pull_audit_logs, log_pull_status, detect_anomalies, log_anomaly, send_alert, get_status, main_loop
- skills/osc-orchestrator/__init__.py | 0 行 | e3b0c44298fc | —
- skills/osc-orchestrator/action.py | 5498 行 | 1fc874b2037 | _write_token_atomic, _eventlog, _maybe_reexec_venv, _json_load_maybe, _listdir_timeout, _extract_case_number_from_text, _extract_case_number_from_path, _gcal_history_cutoff_date, _gcal_event_start_date, _gcal_norm_text
- skills/osc-orchestrator/gcal_sync.py | 940 行 | 7214eb7f4b37 | _load_creds, _write_token_atomic, _gcal_http_timeout_sec, _build_service, _split_calendar_ids, _get_conn, _osc_exec_sql, _get_setting_value, _make_todo_event, _make_cal_event
- skills/osc-orchestrator/osc_headless/__init__.py | 12 行 | 8c98bc082f71 | —
- skills/osc-orchestrator/osc_headless/db.py | 1166 行 | 7786268ed074 | _load_mysql, _extract_share_url, _share_host, _share_expires_soon, _should_refresh_share_description, _normalize_court_doc_identity, _source_specificity_score, DBConfig, _failover_host, _has_explicit_env

- skills/osc-orchestrator/osc_headless/gcal_dedup.py | 333 行 | 7326d6969194 | _to_halfwidth, _coerce_text, _normalize_date, _normalize_time, _extract_case_from_text, is_invalid_case_key, normalize_case_key, classify_event_kind, normalize_subject, _event_start_date_time
- skills/osc-orchestrator/osc_headless/todos.py | 1274 行 | a13c0575b572 | _bounded_relative_deadline, _portable_basename, _parse_roc_year_to_ad, _collect_source_year_candidates, _collect_source_year_candidates._add_candidate, extract_document_date_from_filename, extract_base_year_from_filename, chinese_to_number, _parse_number_token, _parse_roc_or_ad_year
- skills/osc-orchestrator/vision_event_parser.py | 106 行 | 684f6bc58b7b | extract_events_from_pdf
- skills/osc-scan-folder/action.py | 162 行 | 273f7e0fe037 | _ok, _load_jsonish, _run_orch, _normalize_candidate_path, _load_config_root, _resolve_default_root, main
- skills/osc_orchestrator/__init__.py | 2 行 | d7f58330f293 | —
- skills/osc_orchestrator/action.py | 20 行 | 6f258758dd58 | —
- skills/overlay.py | 364 行 | 8eadb1d5cbd6 | base_skills_dir, skill_overlay_dir, skill_versions_dir, skill_runtime_site_packages_dir, skill_events_file, skill_usage_tracker_file, validate_skill_name, _safe_child, _file_sha256, _tracked_files
- skills/pdf-annotator/action.py | 645 行 | 3978cad68b97 | _load_json, _save_json, _page_to_image, _get_toc, _get_gateway, _vision_suggest_bookmarks, cmd_learn, cmd_annotate, cmd_test, cmd_status
- skills/pdf-bookmarker/action.py | 1836 行 | b2d7c7729779 | _get_ocr_engine, release_ocr_engine, _p, _build_court_watermark_line_re, _extract_roc_date, _extract_party, _is_ola_separator, _meaningful_char_count, _compute_ola_threshold, _is_prior_record_page
- skills/pdf-bookmarker/bookmark_validator.py | 170 行 | b40e789be3d0 | _valid_bookmark_date, normalize_bookmark, validate_bookmark
- skills/pdf-namer/action.py | 5069 行 | c1e11d15dd94 | _is_synthetic_case_path, _with_vision_slot, _get_ocr_engine, release_ocr_engine, _resolve_pdf_with_synology_fallback, clear_batch_analysis_cache, _strip_date_prefix, _normalize_filename_key, _tokenize_filename, _extract_name_from_filename
- skills/pdf-namer/layout_extractor.py | 138 行 | c95ed083cdcc | _docling_enabled, _get_converter, generate_layout_sidecar, _fixture_layout_document
- skills/pdf-namer/naming_rules.py | 387 行 | d734c537e247 | extract_date, _find_receipt_date, _find_labeled_date, extract_case_number, extract_court_name, extract_party_name, classify_document, build_few_shot_examples, load_training_data
- skills/pdf-namer/naming_validator.py | 464 行 | b2e2bd4655fb | _opencv_s2t, _strip_ext, _normalize_name, _to_traditional, _extract_party_segment_with_span, _select_party_match, extract_source_name_candidates, _detect_repeated_unknown_tokens, _party_noise_markers, _is_variant_drift

- skills/pdf-namer/nightly_layout.py | 228 行 | f7d463627b53 | `_enabled`, `_collect_from_filing_log`, `_collect_from_scan_root`, `_dedupe`, `_certification_fixture_root`, `_write_manifest`, `main`
- skills/pdf-namer/nightly_train.py | 779 行 | f92591355daa | `_enable_main_file_logging`, `_parse_existing_filename`, `_is_synthetic_case_path`, `_is_transient_storage_error`, `_sha256_file`, `_normalize_date`, `_subfolder_label`, `collect_samples`, `collect_samples._raise_transient_walk_error`, `analyze_one`
- skills/pdf-namer/rag_feedback.py | 114 行 | 308e83bf9978 | `FeedbackRAG`, `FeedbackRAG.init`, `FeedbackRAG._load`, `FeedbackRAG.query`, `FeedbackRAG.log_feedback`
- skills/pdf-namer/rename_watcher.py | 446 行 | 37d802d57558 | `_init_case_roots`, `_is_synthetic_case_path`, `_get_case_root`, `_parse_filename`, `_subfolder_to_category`, `scan_pdfs`, `load_snapshot`, `save_snapshot`, `detect_renames`, `extract_learning`
- skills/pdf-namer/smart_filer.py | 1475 行 | 3837dbd83b10 | `_safe_listdir`, `_eventlog`, `_doc_type_targets_judgment_folder`, `_canonicalize_case_index_subfolders`, `_canonicalize_case_index`, `_is_synthetic_case_text`, `_is_synthetic_case_path`, `_is_synthetic_case_index_entry`, `build_case_index`, `_parse_case_folder`
- skills/pdf-namer/state_paths.py | 138 行 | 81e27717d998 | `pdf_namer_state_dir`, `_relative`, `state_path`, `legacy_path`, `read_path`, `configured_read_path`, `prepare_write`
- skills/pdf-namer/training_loader.py | 788 行 | 5a5be439c93e | `_truthy`, `_bootstrap_runtime_credentials`, `_get_rules_bundle_path`, `_rules_bundle_max_age_seconds`, `_compute_rules_checksum`, `_build_rules_bundle`, `_parse_iso_datetime`, `_read_rules_bundle`, `_update_rules_status`, `get_doc_rules_status`
- skills/pdf-namer/vision_parser.py | 523 行 | 98d68a1ec85f | `_get_omlx_chat`, `_ask_omlx_vision`, `_load_ollama_meta`, `_is_vision_model`, `_vision_models`, `_ask_openai_compatible`, `_ask_ollama_vision`, `_parse_json_object`, `_parse_date_from_text`, `extract_date_with_vision`
- skills/pdf/action.py | 724 行 | 81fd4ca8de82 | `_ensure_dir`, `_exports_dir`, `_split_env_paths`, `_allowed_roots`, `_is_relative_to`, `_ensure_under_allowed_root`, `_input_file`, `_output_file`, `_output_dir`, `_temp_sibling`
- skills/pdf/scripts/check_bounding_boxes.py | 65 行 | 0ced522402dd | `RectAndField`, `get_bounding_box_messages`, `get_bounding_box_messages.rects_intersect`
- skills/pdf/scripts/check_fillable_fields.py | 11 行 | 1fe10b9980a5 | —
- skills/pdf/scripts/convert_pdf_to_images.py | 33 行 | 7f58e292a67e | `convert`
- skills/pdf/scripts/create_validation_image.py | 37 行 | 8fa9fd7962c9 | `create_validation_image`
- skills/pdf/scripts/extract_form_field_info.py | 122 行 | bb235b36f497 | `get_full_annotation_field_id`, `make_field_dict`, `get_field_info`, `get_field_info.sort_key`, `write_field_info`
- skills/pdf/scripts/extract_form_structure.py | 115 行 | 6814e3fe8f78 | `extract_form_structure`, `main`
- skills/pdf/scripts/fill_fillable_fields.py | 98 行 | d140872c2e92 | `fill_pdf_fields`, `validation_error_for_field_value`, `monkeypatch_pypdf_method`, `monkeypatch_pypdf_method.patched_get_inherited`

- `skills/pdf/scripts/fill_pdf_form_with_annotations.py` | 107 行 | 8a56e063a49e | `transform_from_image_coords`, `transform_from_pdf_coords`, `fill_pdf_form`
- `skills/plugin.py` | 734 行 | e6562c12ef56 | `SkillMeta`, `SkillPlugin`, `SkillPlugin.execute`, `SkillPlugin.capability_guide`, `SkillPlugin.health_check`, `SkillRegistry`, `SkillRegistry.init`, `SkillRegistry.register_plugin`, `SkillRegistry.register_handler`, `SkillRegistry.register_capability_guide`
- `skills/pptx/scripts/__init__.py` | 0 行 | e3b0c44298fc | —
- `skills/pptx/scripts/add_slide.py` | 195 行 | 9a6b0b573df0 | `get_next_slide_number`, `create_slide_from_layout`, `duplicate_slide`, `_add_to_content_types`, `_add_to_presentation_rels`, `_get_next_slide_id`, `parse_source`
- `skills/pptx/scripts/clean.py` | 286 行 | 3e3966a17f48 | `get_slides_in_sldidlst`, `remove_orphaned_slides`, `remove_trash_directory`, `get_slide_referenced_files`, `remove_orphaned_rels_files`, `get_referenced_files`, `remove_orphaned_files`, `update_content_types`, `clean_unused_files`
- `skills/pptx/scripts/office/helpers/__init__.py` | 0 行 | e3b0c44298fc | —
- `skills/pptx/scripts/office/helpers/merge_runs.py` | 199 行 | 7c40ed838b88 | `merge_runs`, `_find_elements`, `_find_elements.traverse`, `_get_child`, `_get_children`, `_is_adjacent`, `_remove_elements`, `_strip_run_rsid_attrs`, `_merge_runs_in`, `_first_child_run`
- `skills/pptx/scripts/office/helpers/simplify_redlines.py` | 197 行 | 560cb55978a8 | `simplify_redlines`, `_merge_tracked_changes_in`, `_is_element`, `_get_author`, `_can_merge_tracked`, `_merge_tracked_content`, `_find_elements`, `_find_elements.traverse`, `get_tracked_change_authors`, `_get_authors_from_docx`
- `skills/pptx/scripts/office/pack.py` | 159 行 | 71212f3cbe4e | `pack`, `_run_validation`, `_condense_xml`
- `skills/pptx/scripts/office/soffice.py` | 183 行 | a3e21840e29e | `get_soffice_env`, `run_soffice`, `_needs_shim`, `_ensure_shim`
- `skills/pptx/scripts/office/unpack.py` | 133 行 | 2cd2eccafc33 | `unpack`, `_pretty_print_xml`, `_escape_smart_quotes`
- `skills/pptx/scripts/office/validate.py` | 110 行 | 5a72593df9a6 | `main`
- `skills/pptx/scripts/office/validators/__init__.py` | 15 行 | 83e0f035c5ab | —
- `skills/pptx/scripts/office/validators/base.py` | 848 行 | 13930fa2bb73 | `BaseSchemaValidator`, `BaseSchemaValidator.init`, `BaseSchemaValidator.validate`, `BaseSchemaValidator.repair`, `BaseSchemaValidator.repair_whitespace_preservation`, `BaseSchemaValidator.validate_xml`, `BaseSchemaValidator.validate_namespaces`, `BaseSchemaValidator.validate_unique_ids`, `BaseSchemaValidator.validate_file_references`, `BaseSchemaValidator.validate_all_relationship_ids`
- `skills/pptx/scripts/office/validators/docx.py` | 447 行 | 0bae1bd4bae3 | `DOCXSchemaValidator`, `DOCXSchemaValidator.validate`, `DOCXSchemaValidator.validate_whitespace_preservation`, `DOCXSchemaValidator.validate_deletions`, `DOCXSchemaValidator.count_paragraphs_in_unpacked`, `DOCXSchemaValidator.count_paragraphs_in_original`, `DOCXSchemaValidator.validate_insertions`, `DOCXSchemaValidator.compare_paragraph_counts`, `DOCXSchemaValidator._parse_id_value`, `DOCXSchemaValidator.validate_id_constraints`

- skills/pptx/scripts/office/validators/pptx.py | 275 行 | f937961e62a5 | PPTXSchemaValidator, PPTXSchemaValidator.validate, PPTXSchemaValidator.validate_uuid_ids, PPTXSchemaValidator._looks_like_uuid, PPTXSchemaValidator.validate_slide_layout_ids, PPTXSchemaValidator.validate_no_duplicate_slide_layouts, PPTXSchemaValidator.validate_notes_slide_references
- skills/pptx/scripts/office/validators/redlining.py | 248 行 | 97abb243543f | RedliningValidator, RedliningValidator.**init**, RedliningValidator.repair, RedliningValidator.validate, RedliningValidator._generate_detailed_diff, RedliningValidator._get_git_word_diff, RedliningValidator._remove_author_tracked_changes, RedliningValidator._extract_text_content
- skills/pptx/scripts/thumbnail.py | 289 行 | e959ecd4f197 | main, get_slide_info, build_slide_list, create_hidden_placeholder, convert_to_images, create_grids, create_grid
- skills/process-hygiene/action.py | 723 行 | b9bce406628f | _ps_all, _etime_to_seconds, _is_magi_process, _pid_alive, _is_managed_long_running, _is_expected_detached_job, _v3_pid_directory, _is_managed_v3_launchd_role, _command_executes_python_script, _duplicate_keep_key
- skills/reasoning/__init__.py | 0 行 | e3b0c44298fc | —
- skills/reasoning/wfgy.py | 17 行 | f2828ea8ab28 | apply_wfgy_logic
- skills/research-brief/action.py | 751 行 | 9a407e4e6bb6 | _ok, _atomic_write_json, _load_json, _ensure_seeds_bootstrapped, _safe_filename, _list_namespaces, _load_namespace, _save_namespace, _delete_namespace, _new_empty_namespace
- skills/research-brief/digest.py | 171 行 | ffa098e58cf2 | _hostname, _extract_tags, _truncate_zh, _zh_summarize_local, _translate_title, format_entry, format_digest
- skills/research-brief/fetchers.py | 371 行 | 54bd5e842a16 | _strip_html, _http_get, fetch_rss, fetch_json_api, _autodiscover_rss, _extract_article_links, fetch_html, fetch_source
- skills/research-brief/translator_bridge.py | 131 行 | e97240d17f6c | _normalize_lang, _detect_lang, translate_to_zh_hant
- skills/research/github_monitor.py | 75 行 | cc04685f689 | _internet_enabled, search_repos, get_trending
- skills/research/rss_reader.py | 124 行 | 5c53080810e1 | RSSReader, RSSReader.**init**, RSSReader._load_feeds, RSSReader._save_feeds, RSSReader.add_feed, RSSReader.list_feeds, RSSReader.read_latest
- skills/research/web_research.py | 744 行 | f31115071185 | validate_skill_safety, _validate_web_content, _internet_enabled, _is_private_host, _internet_guard, search_duckduckgo, search_web, fetch_url_content, fetch_url_sections, fetch_raw_url
- skills/screenshot-sorter-tw/action.py | 241 行 | 35ba08226f47 | collect_images, analyze_screenshot, sort_screenshots, sort_screenshots.sort_key, rename_and_copy, add_watermark, run
- skills/skill_loader.py | 166 行 | 5bc99304d34a | load_all_skills, _register_direct_handlers
- skills/source_control/__init__.py | 2 行 | cc561183bbc6 | —
- skills/source_control/git_ops.py | 20 行 | 8fa3bf65f6b7 | get_status

- skills/statutes-vdb/action.py | 1004 行 | 1320a82a2328 | _eventlog, _internet_enabled, _now_iso, _json_load_maybe, _load_json, _save_json, _norm_name, _case_domain, _extract_law_hints_from_case_path, _download_zip_bytes
- skills/transcript-downloader/action.py | 3279 行 | a860f23f626d | load_openclaw_config, get_legacy_telegram_settings, _flow_slug, _safe_create_flow_mirror, _safe_flow_step_status, _safe_finalize_flow, _mark_notify_step, _cancel_reason, _cancelled_result, _check_flow_cancelled
- skills/transcript-indexer/action.py | 688 行 | bc860f09235e | _load_index, _is_transcript_indexed, _save_index, _safe_child_dirs, _has_transcript_dir, _iter_case_dirs, _iter_transcript_pdfs, _extract_pages_inner, _extract_pages, _extract_pages._runner
- skills/transcript-todo-extractor/action.py | 1244 行 | a679068db013 | _safe_path_call, _safe_path_call._runner, _safe_exists, _safe_is_file, _safe_is_dir, _safe_stat_mtime, _safe_child_dirs, _safe_pdf_glob, _safe_pdf_rglob, _safe_pdf_rglob._scan
- skills/translator/_apple_post_edit.py | 259 行 | 3a27dc87e5d2 | is_legal_text, _apple_translate, _lang_label, _post_edit_prompt, _detect_src_lang, _run_local_llm, _strip_preamble, _extract_case_numbers, _append_missing_case_numbers, translate_with_ape
- skills/translator/_post_edit_validator.py | 224 行 | 383a460f90b3 | _load_sc_chars, _extract_numbers, _extract_case_numbers, _extract_parties, _detect_simplified_chinese, _detect_repetition, validate_post_edit
- skills/translator/action.py | 1280 行 | f3cbc69b9a5c | _strip_translation_preamble, _maybe_reexec_venv, _load_jsonish, _ok, _now_hint, _export_txt, _export_docx_bilingual, _load_text_from_file, _split_chunks, _normalize_target_lang_code
- skills/translator/legal_termbase.py | 511 行 | 9de9e5f5df90 | _create_db_schema, build_tier1_from_moj, _extract_legal_terms_heuristic, lookup_tier1, lookup_article, build_vector_index, _load_tier2, lookup_tier2, _detect_tier2_in_text, _is_legal_text
- skills/trial-prep/action.py | 487 行 | c787e3df12e9 | _resolve_case_base, _query_calendar_events, _query_calendar_osascript, _extract_case_number, _find_case_folder, _scan_case_folder, _query_statutes, _query_judgments, _cmd_upcoming, _cmd_prepare
- skills/worldmonitor-intel/action.py | 792 行 | dd6fd0b8c0f7 | _mutable_static_dir, _fetch, _fetch_json, _extract_model_labels, _parse_rss, collect_news, collect_markets, _collect_stooq_markets, _reason_with_melchior, _store_to_memory
- skills/xlsx/scripts/office/helpers/__init__.py | 0 行 | e3b0c44298fc | —
- skills/xlsx/scripts/office/helpers/merge_runs.py | 199 行 | 7c40ed838b88 | merge_runs, _find_elements, _find_elements.traverse, _get_child, _get_children, _is_adjacent, _remove_elements, _strip_run_rsid_attrs, _merge_runs_in, _first_child_run
- skills/xlsx/scripts/office/helpers/simplify_redlines.py | 197 行 | 560cb55978a8 | simplify_redlines, _merge_tracked_changes_in, _is_element, _get_author, _can_merge_tracked, _merge_tracked_content, _find_elements, _find_elements.traverse, get_tracked_change_authors, _get_authors_from_docx

- skills/xlsx/scripts/office/pack.py | 159 行 | 71212f3cbe4e | pack, _run_validation, _condense_xml
- skills/xlsx/scripts/office/soffice.py | 183 行 | a3e21840e29e | get_soffice_env, run_soffice, _needs_shim, _ensure_shim
- skills/xlsx/scripts/office/unpack.py | 133 行 | 2cd2eccafc33 | unpack, _pretty_print_xml, _escape_smart_quotes
- skills/xlsx/scripts/office/validate.py | 110 行 | 5a72593df9a6 | main
- skills/xlsx/scripts/office/validators/__init__.py | 15 行 | 83e0f035c5ab | —
- skills/xlsx/scripts/office/validators/base.py | 848 行 | 13930fa2bb73 | BaseSchemaValidator, BaseSchemaValidator.init, BaseSchemaValidator.validate, BaseSchemaValidator.repair, BaseSchemaValidator.repair_whitespace_preservation, BaseSchemaValidator.validate_xml, BaseSchemaValidator.validate_namespaces, BaseSchemaValidator.validate_unique_ids, BaseSchemaValidator.validate_file_references, BaseSchemaValidator.validate_all_relationship_ids
- skills/xlsx/scripts/office/validators/docx.py | 447 行 | 0bae1bd4bae3 | DOCXSchemaValidator, DOCXSchemaValidator.validate, DOCXSchemaValidator.validate_whitespace_preservation, DOCXSchemaValidator.validate_deletions, DOCXSchemaValidator.count_paragraphs_in_unpacked, DOCXSchemaValidator.count_paragraphs_in_original, DOCXSchemaValidator.validate_insertions, DOCXSchemaValidator.compare_paragraph_counts, DOCXSchemaValidator._parse_id_value, DOCXSchemaValidator.validate_id_constraints
- skills/xlsx/scripts/office/validators/pptx.py | 275 行 | f937961e62a5 | PPTXSchemaValidator, PPTXSchemaValidator.validate, PPTXSchemaValidator.validate_uuid_ids, PPTXSchemaValidator._looks_like_uuid, PPTXSchemaValidator.validate_slide_layout_ids, PPTXSchemaValidator.validate_no_duplicate_slide_layouts, PPTXSchemaValidator.validate_notes_slide_references
- skills/xlsx/scripts/office/validators/redlining.py | 248 行 | 97abb243543f | RedliningValidator, RedliningValidator.init, RedliningValidator.repair, RedliningValidator.validate, RedliningValidator._generate_detailed_diff, RedliningValidator._get_git_word_diff, RedliningValidator._remove_author_tracked_changes, RedliningValidator._extract_text_content
- skills/xlsx/scripts/recalc.py | 184 行 | cf419d15e029 | has_gtimeout, setup_libreoffice_macro, recalc, main

src/ (10 檔)

- src/supplement_core/__init__.py | 29 行 | cde9e3bf6933 | —
- src/supplement_core/attachment_matcher.py | 448 行 | 6eceff5c10fc | _nfc, _collect_files, _magi_root, _ocr_cache_path, _guess_category_from_text, _run_ocr_first_page_only, _ocr_first_page, find_candidates, _stage1_filename_match
- src/supplement_core/case_meta.py | 336 行 | 2577c9462951 | _chinese_to_int, _int_to_chinese, _find_subfolder, _folder_to_category, _scan_brief_seq, _scan_brief_seq_blacklisted, _try_db_merge, parse_case_meta
- src/supplement_core/case_no_updater.py | 160 行 | 816fb79f7e7b | _get_general, _get_general_M, _extract_case_no_from_filename, _verify, _update_db_case_no, update_case_no_from_notices

- `src/supplement_core/docx_builder.py` | 369 行 | c7ceceef23d2 | `_default_template_path`, `_int_to_chinese`, `_replace_in_paragraph`, `_apply_fields_to_doc`, `_apply_proof_table`, `_insert_lead_in`, `build_supplement_docx`
- `src/supplement_core/exceptions.py` | 14 行 | 4fa567bf7c6f | `SupplementError`, `CaseNotFoundError`, `CategoryNotSupportedError`, `CourtNoticeFolderMissingError`
- `src/supplement_core/folder_writer.py` | 158 行 | ffbfbe4c1773 | `_sanitize_filename`, `_nfc`, `_make_folder_name`, `_make_docx_name`, `_make_attachment_name`, `write_brief_folder`
- `src/supplement_core/ruling_picker.py` | 86 行 | 9faf27d22a29 | `_guess_doc_type`, `list_court_notices`
- `src/supplement_core/ruling_text_loader.py` | 341 行 | 86e1e78c3cbd | `_magi_root`, `_cache_dir`, `_cache_key`, `_read_cache`, `_write_cache`, `_convert_pdf_to_images`, `_run_ocr_per_page`, `load_text`
- `src/supplement_core/supplement_extractor.py` | 581 行 | f9b6cc11cefb | `_roc_to_iso`, `_extract_notice_date_from_text`, `_clean_party`, `_extract_case_year_western`, `_validate_date_against_case_year`, `_has_supplement_content`, `_extract_supplement_items_from_text`, `_improve_category`, `_get_gateway`, `_call_llm`

附錄 C. 全部測試原始碼索引

測試 Python 共 **259** 檔；測試本身是安全契約的一部分，特別是 fail-closed negative cases，不可因『現在會過』就刪除。

- `tests/__init__.py` | 0 行 | e3b0c44298fc | —
- `tests/conftest.py` | 240 行 | e74c12672a86 | `_env_truthy`, `pytest_addoption`, `_explicit_live_request`, `_live_tests_enabled`, `_file_declares_live_marker`, `_argv_requests_live`, `pytest_ignore_collect`, `pytest_collection_modifyitems`
- `tests/support/__init__.py` | 1 行 | 01ba4719c80b | —
- `tests/support/side_effect_guard.py` | 114 行 | 49d5d95b161c | `SideEffectBlocked`, `_truthy`, `live_enabled`, `_looks_like_real_nas_root`, `_is_pytest_temp_path`, `assert_safe_path`, `block_live_writer`, `block_live_writer._blocked`
- `tests/test_admin_runtime_blueprint.py` | 1834 行 | 292599e8e8ad | `_User`, `_User.init`, `_User.is_admin`, `_Orchestrator`, `_Orchestrator.init`, `_Orchestrator.get_skill_interview_state`, `_Orchestrator.start_skill_interview`, `_Orchestrator.reply_skill_interview`
- `tests/test_agent_readiness_gate.py` | 197 行 | ddd346113ddd | `_load_gate`, `_capability`, `_write_catalog`, `test_repository_catalog_is_strict_ready_and_compact`, `test_high_risk_missing_verify_is_hard_failure`, `test_high_risk_missing_recovery_is_hard_failure`, `test_low_risk_missing_contract_is_warning_until_strict`, `test_missing_tool_and_private_content_fail_closed`
- `tests/test_agentic_bridges.py` | 187 行 | accecbcce8ca | `test_intent_envelope_round_trips_routing_context_and_decision`, `test_routing_dicts_are_supported_for_incremental_legacy_adoption`, `test_workflow_projects_to_task_records_without_runtime_registration`, `test_task_record_round_trip_preserves_step_contract_and_status`, `test_skipped_step_survives_task_projection`, `test_reconcile_task_record_updates_plan_snapshot_purely`, `test_task_record_without_agentic_metadata_is_rejected`, `test_cancelled_task_runtime_record_preserves_reason`
- `tests/test_agentic_contracts.py` | 108 行 | 9e9d9770a5c5 | `test_intent_envelope_exposes_structured_fields_and_lookup`, `test_confidence_must_be_finite_and_in_range`, `test_boolean_is_not_accepted_as_confidence`, `test_contracts_reject_non_json_values_and_non_string_mapping_keys`, `test_missing_field_names_are_unique`, `test_required_confirmation_needs_reason_and_can_be_confirmed_immutably`, `test_confirmation_cannot_be_marked_when_not_required`, `test_intent_json_round_trip_preserves_unicode_and_nested_values`
- `tests/test_agentic_planner.py` | 202 行 | c7800bf0b3c1 | `_intent`, `_dag_steps`, `test_build_plan_validates_and_stably_sorts_a_dag`,

test_plan_rejects_duplicate_unknown_self_and_cyclic_dependencies,
test_missing_fields_block_all_steps_until_new_intent_is_planned,
test_intent_confirmation_gates_whole_plan,
test_step_lifecycle_unlocks_dependencies_and_local_confirmation,
test_invalid_transitions_and_payloads_are_rejected

- tests/test_ai_draft_dispatch_quality.py | 123 行 | 0bbef699d5ea | _context,
test_ai_draft_requires_case_identifier_before_any_generation,
test_ai_draft_asks_for_missing_grounding_instead_of_guessing,
test_ai_draft_blocks_nonempty_output_that_fails_quality,
test_ai_draft_only_previews_quality_passed_nvidia_output,
test_ai_draft_only_previews_quality_passed_nvidia_output._quality,
test_ai_draft_blocks_invented_judgment_citation
- tests/test_answer_verifier.py | 65 行 | 46a38a7756fc |
test_verify_answer_blocks_false_memory_claim_without_support,
test_verify_answer_allows_false_memory_style_phrase_when_chatlog_exists,
test_verify_answer_blocks_overclaim_without_evidence,
test_verify_answer_allows_overclaim_when_web_evidence_exists
- tests/test_archive_wizard_execute.py | 119 行 | baa4fd598976 | test_archive_execute_uses_selected_case_lookup,
test_archive_execute_uses_selected_case_lookup.User,
test_archive_execute_uses_selected_case_lookup._load,
test_archive_execute_uses_selected_case_lookup.fake_exec,
test_archive_execute_uses_selected_case_lookup.fake_preview,
test_archive_execute_uses_selected_case_lookup.fake_item,
test_archive_execute_uses_selected_case_lookup.fake_move,
test_archive_copy_falls_back_when_ditto_fails
- tests/test_autopilot_child_binding.py | 97 行 | 76a857ad2562 | _load,
test_child_binding_accepts_current_release_script, test_child_binding_rejects_old_release_path,
test_autopilot_inline_children_embed_the_resolved_root,
test_daily_reflection_reads_v3_history_and_empty_input_is_safe_wait,
test_todo_parser_skips_absurd_relative_duration_without_crashing
- tests/test_balthasar_local_empty.py | 19 行 | 2645fc8cdbfc | test_mlx_empty_transcript_is_failure,
test_mlx_empty_transcript_is_failure.EmptyWhisper,
test_mlx_empty_transcript_is_failure.EmptyWhisper.transcribe
- tests/test_business_module_live_check.py | 3367 行 | cef202135673 | _coverage_portal_receipt,
_coverage_download_receipt, test_drive_chunk_receipt_is_operational_wait_not_full_cycle_success,
test_drive_chunk_deadline_needs_scheduler_retry_and_never_advances_cursor,
test_drive_chunk_with_mixed_unverified_pending_stays_blocking,

test_business_live_check_redacts_sensitive_tails_and_samples,
test_laf_retry_snapshot_hides_expired_history_and_translates_active_reasons,
test_laf_menubar_separates_automatic_retry_from_manual_action

- tests/test_case_display_authoritative_name.py | 38 行 | d410f447bb84 | _record,
test_laf_master_name_is_not_rewritten_by_folder_variant, test_variant_normalisation_is_lookup_only,
test_folder_name_only_fills_missing_or_unusable_master,
test_laf_email_party_spelling_is_preserved_verbatim
- tests/test_case_number_auto_reconcile.py | 128 行 | 12b3f0e6f5b7 |
test_compact_portal_case_numbers_are_normalized, test_filename_date_is_not_misread_as_case_number,
test_review_folder_substantive_number_beats_old_investigation_notice,
test_update_decision_auto_upgrades_but_never_downgrades,
test_same_stage_or_cross_case_conflict_requires_confirmation,
test_padding_does_not_create_false_conflict,
test_same_current_number_is_not_escalated_for_duplicate_owner,
test_remanded_appeal_is_never_replaced_by_older_attached_civil_number
- tests/test_case_statistics_tool.py | 99 行 | 5a9eac6c1923 |
test_office_laf_criminal_count_is_deterministic_and_external_free,
test_office_laf_criminal_count_is_deterministic_and_external_free.fake_exec,
test_office_case_count_scope_can_limit_to_active,
test_office_case_count_scope_can_limit_to_active.fake_exec,
test_all_scope_wins_when_followup_mentions_both_statuses,
test_all_scope_wins_when_followup_mentions_both_statuses.fake_exec,
test_case_statistics_take_direct_database_route,
test_case_statistics_take_direct_database_route.FakeOrchestrator
- tests/test_clarification_gate.py | 261 行 | d41739b9bd61 | _Orchestrator, _Orchestrator.**init**,
_Orchestrator._append_route_trace, _Orchestrator._append_history,
_Orchestrator._sanitize_incoming_message, _Orchestrator.has_recent_attachment_followup,
test_case_count_with_ambiguous_scope_requires_clarification,
test_explicit_case_count_scope_does_not_ask_again
- tests/test_content_quality_hardenening_rc390.py | 358 行 | 6d11ac9a5b4c | _load_module, _complete_draft,
test_strict_draft_quality_accepts_complete_source_grounded_pleading,
test_strict_draft_quality_blocks_ungrounded_statute_and_placeholder,
test_strict_draft_quality_blocks_citation_lock_violation, test_strict_draft_quality_requires_both_parties,
test_strict_draft_quality_blocks_invented_and_missing_factual_anchors,
test_draft_frontend_round_trips_context_and_server_quality_state
- tests/test_context_labels.py | 141 行 | 52660898d87f | test_verified_high_confidence, test_user_rule_is_verified,
test_user_chat_is_user_stated, test_chatlog_user_is_user_stated, test_summary_derived_is_derived,

test_assistant_generated_is_derived, test_derived_from_field_makes_derived,
test_moderate_confidence_is_retrieved

- tests/test_controlled_autonomy_policy.py | 61 行 | 730634942aca | _engine,
test_compact_agent_tools_never_expose_persistent_memory_write,
test_react_blocks_persistent_tool_even_if_manually_injected,
test_react_allows_read_only_skill_and_blocks_persistent_skill_task,
test_react_blocks_pdf_rewrite_but_allows_filename_proposal
- tests/test_controlled_autonomy_runtime.py | 295 行 | 2984a67fca0f | _service,
test_mutable_plan_survives_new_service_and_requires_exact_bound_token,
test_repeated_identical_request_rotates_token_without_duplicate_plan,
test_handoff_receipt_is_hash_only_and_does_not_claim_business_completion,
test_expired_or_cancelled_plan_never_dispatches,
test_command_parser_is_exact_and_confirmation_returns_dispatch_lease,
test_pipeline_confirmation_replays_only_registered_flow_and_persists_receipt,
test_pipeline_confirmation_replays_only_registered_flow_and_persists_receipt._registered_flow
- tests/test_cookie_cutter_blueprint.py | 951 行 | b1e125857a04 | _spawn_cookie_child_with_failed_setrlimit,
_spawn_cookie_child_with_failed_setrlimit.reject_limit,
_spawn_cookie_child_with_failed_setrlimit.reject_generation, _png, _face_png, _synthetic_bundle, _app,
test_public_cookie_cutter_page_is_responsive_and_no_store
- tests/test_cookie_stl.py | 311 行 | 0e3c3463b4fa | _face, _rounded_face, _closed_details, _circular_symbol_line_art,
_stl_metrics, test_small_line_art_uses_full_bounded_raster_budget,
test_line_art_generates_distinct_watertight_cutter_and_mirrored_stamp,
test_variable_height_corner_mesh_is_strictly_watertight_and_mirrors
- tests/test_cron_schedule_stagger_rc230.py | 125 行 | 51787fa3b349 | _by_id,
test_profile_guard_stays_every_fifteen_minutes_without_colliding_with_resummary,
test_schedule_evidence_bindings_follow_the_staggered_cron_snapshot,
test_drive_all_files_scan_does_not_reintroduce_the_five_megabyte_ceiling,
test_laf_nightly_audit_overwrites_stale_portal_timeout
- tests/test_daily_self_evolution.py | 175 行 | ac4310b6f65c | _NoChangeAutoSkill, _NoChangeAutoSkill.**init**,
_NoChangeAutoSkill.import_toolsai_auto_skill, _ImprovedAutoSkill, _ImprovedAutoSkill.**init**,
_ImprovedAutoSkill.import_toolsai_auto_skill,
test_daily_evolution_reports_honest_zero_without_repository_link,
test_daily_evolution_counts_persisted_one_percent_gain
- tests/test_dashboard_pages_blueprint.py | 811 行 | adbc4228da0 | _User, _User.**init**, _make_app,
_make_app._load_user, test_tailscale_serve_uses_launchd_safe_absolute_cli,
test_tailscale_serve_uses_launchd_safe_absolute_cli.Result,

test_tailscale_serve_uses_launchd_safe_absolute_cli.fake_run,

test_redirect_routes_point_to_existing_page_targets

- tests/test_deadline_reminder_insight_gate.py | 102 行 | d5e8d052d902 | _load_module, _usable_debt_relief_summary, _usable_debt_relief_source, test_deadline_notice_rejects_extractive_and_cross_domain_rows, test_deadline_notice_has_no_generic_empty_reason_fallback
- tests/test_debt_lawyer_contact.py | 463 行 | 730faa6e4b5d | _isolate_lawyer_contact_environment, _all_text, test_contact_resolution_prefers_payload_then_public_environment, test_contact_resolution_uses_shared_debt_setting_precedence, test_contact_resolution_uses_shared_debt_setting_precedence.profile, test_requested_name_only_does_not_load_unused_profile_fields, test_requested_name_only_does_not_load_unused_profile_fields.profile, test_demo_lawyer_and_bare_client_mobile_are_not_contact_overrides
- tests/test_debt_robot_source_modules.py | 128 行 | c2439f01859c | test_debt_robot_source_bundle_is_complete, test_six_debt_robot_modules_generate_outputs
- tests/test_deep_task_control_rc568.py | 140 行 | 56e5852792b9 | test_admission_is_local_and_escalates_disagreement, test_controller_switches_one_task_and_restores_day, test_controller_defers_while_transaction_is_active_without_switching, test_controller_rolls_back_after_work_failure_without_losing_cleanup, test_controller_refuses_unhealthy_night_and_restores_day, test_controller_serializes_two_deep_tasks, test_controller_serializes_two_deep_tasks.first, test_runtime_gate_fails_closed_without_or_with_stale_evidence
- tests/test_document_reader.py | 300 行 | 2f750bdc712a | TestTextQualityScore, TestTextQualityScore.test_legal_chinese_text_scores_high, TestTextQualityScore.test_legal_english_text_scores_high, TestTextQualityScore.test_empty_text_scores_zero, TestTextQualityScore.test_garbled_text_scores_low, TestTextQualityScore.test_short_meaningful_text, TestIsMeaningful, TestIsMeaningful.test_meaningful
- tests/test_drive_case_sync_hash_timeout.py | 620 行 | af0317067185 | _case_folder, _file_entry, test_case_scan_stops_after_first_storage_hash_timeout, test_case_scan_stops_after_first_storage_hash_timeout.timeout_once, test_hash_storage_dropout_remains_deferred_with_normal_sync_backlog, test_all_case_chunks_fairly_cover_a_cycle_without_repeating_cursor, test_all_case_cursor_does_not_advance_for_failed_chunk, test_inner_budget_reserves_terminal_headroom
- tests/test_drive_sync_identical_aliases_rc245.py | 63 行 | db5da49234db | _drive_entry, test_identical_drive_aliases_do_not_block_sync, test_different_content_in_alias_folders_remains_fail_closed, test_unverifiable_aliases_remain_fail_closed

- tests/test_durable_deep_delivery_rc568.py | 50 行 | c03247831264 | _Controller, _Controller.run, test_cross_process_result_is_recipient_bound_case_normalized_and_once, test_corrupt_existing_outbox_fails_closed_without_erasing_it
- tests/test_export_docx_security.py | 396 行 | a5e463d089ec | _reload_export_docx, test_export_bilingual_docx_rejects_path_traversal_filename, test_export_summary_docx_rejects_absolute_filename, test_export_transcript_docx_rejects_non_docx_filename, test_node_module_failure_uses_valid_python_docx_fallback, test_node_success_remains_preferred_over_python_fallback, test_node_success_remains_preferred_over_python_fallback.successful_node, test_available_docx_generator_satisfies_structural_contract
- tests/test_export_public_urls.py | 112 行 | a8387a56b865 | test_export_text_publishes_authenticated_web_route, test_existing_export_file_uses_authenticated_web_route, test_non_export_static_asset_keeps_static_route, test_shared_export_helper_uses_authenticated_web_route, test_authenticated_export_route_serves_shared_export_dir
- tests/test_file_review_notifications.py | 4993 行 | 27d265bfa038 | _load_action_module, _portal_receipt, _download_signature_receipt, test_portal_download_receipt_is_alias_stable_and_pii_free, test_portal_signature_raw_public_aliases_match_when_each_alias_is_singular, test_portal_signature_uses_stable_result_before_renderer_specific_row_text, test_portal_signature_falls_back_to_row_text_only_without_result, test_portal_signature_uses_c60yyidno_as_fallback_identity_without_rowid_or_no
- tests/test_forensic_transcript_live_command.py | 210 行 | ecc5ad030d27 | _load_live_runtime, _context, test_discord_single_word_command_is_exact_and_admin_guarded, _fixture_manifest, test_live_start_preflights_full_timeline_and_forces_court_contract, test_live_start_preflights_full_timeline_and_forces_court_contract.FakePopen, test_live_start_preflights_full_timeline_and_forces_court_contract.FakePopen.init, test_live_start_rejects_relaxed_secondary_asr
- tests/test_forensic_transcript_verifier.py | 1265 行 | 03fde9e4c06f | _load_engine, _load_soffice_helper, test_soffice_helper_resolves_known_binary_when_path_is_minimal, test_baseline_entries_can_match_one_semantically_merged_same_speaker_turn, test_baseline_text_cannot_match_an_unrelated_turn_elsewhere, test_speakerless_baseline_header_keeps_following_line_as_text, test_unresolved_items_section_is_not_appended_to_last_spoken_turn, test_cross_speaker_overlap_is_flagged_but_clock_reset_is_a_new_block
- tests/test_generation_quality_failclosed_rc568.py | 62 行 | 9f0f3bc1836b | test_translation_rejects_collapsed_source_paragraphs_even_when_anchors_survive, test_translation_accepts_preserved_short_chinese_paragraphs,

test_transcript_rejects_generated_text_when_recognizer_returned_nothing,
test_formal_summary_requires_extractable_source_for_claim_verification,
test_strict_draft_export_fails_closed_without_grounding_text

- tests/test_generative_quality_live.py | 171 行 | 4311b49d864f |
test_generative_quality_cli_loads_bound_live_environment,
test_generative_quality_certifies_content_not_just_nonempty_output,
test_generative_quality_rejects_fluent_but_factually_wrong_draft,
test_generative_quality_rejects_non_nvidia_translation_mislabeled_as_nim,
test_generative_quality_rejects_nvidia_provider_with_local_model,
test_generative_quality_rejects_local_draft_mislabeled_by_caller,
test_generative_quality_rejects_summary_without_verified_pii_scrub
- tests/test_golem_console.py | 161 行 | b22ce2cf4e99 | _User, _User.init, _make_app, _make_app._load_user,
test_golem_status_api_reports_process_skills_exports_and_memory,
test_golem_command_api_supports_safe_commands,
test_golem_operational_apis_do_not_expose_global_data_to_regular_users,
test_golem_api_key_status_masks_secret
- tests/test_grounded_ai_heavy_fail_closed.py | 39 行 | 383100302600 |
test_heavy_chat_does_not_silently_fall_back_when_nim_fails,
test_heavy_chat_does_not_silently_fall_back_when_nim_disabled
- tests/test_heavy_translation_quality_live.py | 187 行 | 9540554d56d6 |
test_live_route_probe_requires_correct_taiwan_term,
test_live_route_probe_requires_correct_taiwan_term.Gateway,
test_live_route_probe_requires_correct_taiwan_term.Gateway.init,
test_live_route_probe_requires_correct_taiwan_term.Gateway.chat,
test_generated_heavy_translation_fixture_is_extractable,
test_gate_accepts_verified_taiwan_renderings_without_forcing_english_into_target,
test_run_gate_does_not_read_directory_when_docx_export_fails,
test_run_gate_fails_closed_when_exported_docx_cannot_be_stably_read
- tests/test_input_method_watchdog.py | 119 行 | f40a96d05bf9 |
test_input_method_watchdog_keeps_normal_process_healthy,
test_input_method_watchdog_requires_consecutive_strikes,
test_input_method_watchdog_tracks_missing_process_as_a_strike,
test_input_method_watchdog_recovers_missing_candidate_services,
test_input_method_watchdog_records_whether_candidate_window_is_expected,
test_input_method_watchdog_does_not_treat_intentional_us_source_as_process_failure,
test_input_method_main_one_shot_selects_before_check

- tests/test_install_omlx_text.py | 28 行 | d87ae56a5b5f | test_normal_runtime_does_not_bind_release_python, test_unified_runtime_binds_explicit_python
- tests/test_intent_tool_adversarial_rc556.py | 229 行 | 40e0979d69ae | test_explicit_weather_actions_require_authoritative_realtime, test_weather_words_without_current_lookup_do_not_trigger_realtime, test_stock_actions_require_realtime, test_stock_vocabulary_without_quote_request_does_not_trigger_realtime, test_fx_actions_require_realtime, test_fx_vocabulary_without_quote_request_does_not_trigger_realtime, test_current_time_actions_use_deterministic_clock, test_time_vocabulary_without_clock_request_does_not_trigger_clock
- tests/test_intent_tool_grounding_rc555.py | 213 行 | df12fb57be2a | test_keywords_do_not_steal_unrelated_questions, test_realtime_and_capability_intents_are_distinct, test_missing_weather_location_asks_smallest_question_instead_of_guessing, test_current_facts_stay_required_even_with_memory, test_compound_request_requires_every_authoritative_source, test_compound_current_news_cannot_be_grounded_by_unrelated_tool, test_react_registry_has_authoritative_realtime_tool, test_react_coerces_generic_weather_search_to_authoritative_source
- tests/test_judgment_nvidia_source_bound_rc194.py | 268 行 | bf4d12f90b8b | _mock_provider, _mock_provider._run_nim_chat, test_nvidia_selects_ids_but_stored_text_is_exact_source, test_selector_contract_requires_application_for_bare_statute_rule, test_bare_statute_selection_recovers_source_bound_application, test_bare_statute_selection_without_application_is_terminal_no_insight, test_bare_statute_selection_without_application_is_terminal_no_insight.forbidden_provider, test_doctrinal_rule_without_application_still_reaches_selector
- tests/test_judgment_staged_backfill_rc223.py | 67 行 | ed267be4fdb6 | test_caption_issue_canonicalization_does_not_store_party_names, test_procedural_issue_requires_the_procedural_rule_not_underlying_offence, test_sentence_aggregation_synonyms_restore_source_bound_rule, test_relevant_statute_without_ocr_paragraph_lead_is_still_candidate, test_nvidia_queue_backoff_is_durable_and_bounded
- tests/test_judgment_summary_quality_rc170.py | 211 行 | 82299d56769d | test_source_bound_summary_contains_issue_rule_application_and_outcome, test_practice_ready_gate_rejects_trial_rule_without_case_application, test_fact_only_material_is_not_promoted_to_practical_insight, test_generic_third_instance_boilerplate_does_not_masquerade_as_damages_rule, test_procedural_rule_remains_usable_when_procedure_is_the_actual_issue,

test_template_and_prompt_echo_are_rejected_even_when_long,
test_old_fast_digest_is_not_promoted_even_if_one_rule_looks_useful,
test_source_support_gate_rejects_fluent_hallucinated_rule

- tests/test_judicial_summary_quality.py | 203 行 | cba8caa3435e | _load_judgment_module,
_load_judicial_archive_module, test_case_reason_does_not_rescue_pure_fee_order,
test_daily_crawl_distinguishes_upstream_outage_from_program_failure,
test_skill_wrapper_failure_preserves_inner_http_error,
test_extractive_summary_rejects_fact_fragment_and_keeps_grounding_reason,
test_backlog_notice_distinguishes_round_result_from_project_completion,
test_day_process_fails_closed_before_marking_files_when_db_is_unavailable
- tests/test_laf_gmail_dispatch_scan.py | 702 行 | 6a9303093aaf | _load_scan_module,
test_callback_failure_is_not_processed_success, test_v3_bound_output_paths_override_legacy_cli_paths,
_case_info, _FakeDurableDB, _FakeDurableDB.init, _FakeDurableDB.check_laf_email_exists,
_FakeDurableDB.add_laf_email_record
- tests/test_laf_gmail_spam_restore.py | 289 行 | 03d36ef2728f | _FakeRequest, _FakeRequest.init,
_FakeRequest.execute, _FakeMessages, _FakeMessages.init, _FakeMessages.list, _FakeMessages.get,
_FakeMessages.modify
- tests/test_laf_portal_new_files_scan.py | 524 行 | 2b7fef812abe | _synthetic_windows_path,
test_run_portal_new_files_scan_uses_portal_case_fetch,
test_run_portal_new_files_scan_uses_portal_case_fetch.FakeDb,
test_run_portal_new_files_scan_uses_portal_case_fetch.FakeDb.fetch_all,
test_run_portal_new_files_scan_uses_portal_case_fetch.fake_scan,
test_run_portal_new_files_scan_marks_remaining_missing_as_action_required,
test_run_portal_new_files_scan_fails_closed_when_listing_unavailable,
test_scan_portal_new_files_dry_run_does_not_download
- tests/test_laf_portal_retry_decoupling.py | 218 行 | 8027901311eb | test_portal_retry_once_writes_terminal_heartbeat,
test_download_listing_finds_table_inside_frame, test_download_listing_finds_table_inside_frame.Switch,
test_download_listing_finds_table_inside_frame.Switch.init,
test_download_listing_finds_table_inside_frame.Switch.frame,
test_download_listing_finds_table_inside_frame.Switch.parent_frame,
test_download_listing_finds_table_inside_frame.Switch.default_content,
test_download_listing_finds_table_inside_frame.Driver
- tests/test_laf_portal_retry_heartbeat.py | 84 行 | 2117cd4a3f0e |
test_portal_retry_heartbeat_is_public_safe_and_atomic,
test_portal_retry_watchdog_keeps_running_heartbeat, test_portal_retry_watchdog_times_out_stuck_cycle,
test_missing_folder_manual_review_is_recoverable, test_expired_portal_attachment_retry_is_not_pending

- tests/test_laf_portal_retry_reconciliation.py | 1056 行 | d1625a53210c | _email_case,
 test_generic_portal_reference_is_not_a_download_instruction,
 test_explicit_portal_download_instruction_is_detected,
 test_report_transfer_subject_does_not_claim_download_before_body_evidence,
 test_transfer_confirmation_routes_without_portal_download,
 test_transfer_confirmation_with_explicit_download_routes_to_result_download,
 test_official_review_result_subject_without_download_instruction_is_notice_only,
 test_official_review_result_with_explicit_download_instruction_routes_to_download
- tests/test_legaltech_taiwan_law_mcp_rc512.py | 356 行 | 3c06bfc2180b | _Response, _Response.init, _Response.enter,
 _Response.exit, _Response.geturl, _Response.read, _envelope,
 test_remote_judgment_client_binds_jid_official_url_and_remains_candidate
- tests/test_live_gate_deployment_paths.py | 189 行 | 7607b43b219a |
 test_smoke_accepts_bound_runtime_and_environment_for_installed_release,
 test_smoke_loads_hash_bound_external_environment, test_smoke_rejects_drifted_external_environment,
 test_minimal_ready_payload_is_valid_but_explicit_false_is_not,
 test_production_backup_directory_uses_mutable_shared_state,
 test_production_backup_directory_uses_mutable_shared_state.Backup,
 test_production_backup_directory_uses_mutable_shared_state.Backup.run_list,
 test_installed_release_without_launchd_binding_returns_structured_failure
- tests/test_local_deep_queue_worker_rc568.py | 73 行 | dae51c9bccb9 | _Controller, _Controller.init, _Controller.run,
 _receipts, test_missing_secure_reference_is_deferred_not_completed,
 test_worker_executes_one_secure_reference_through_controlled_controller,
 test_runtime_gate_deferral_never_executes_task,
 test_runtime_gate_deferral_never_executes_task._Blocked
- tests/test_local_model_champion_eval_rc568.py | 29 行 | 8edbdd90d404 | _rows, test_score_requires_all_contract_areas,
 test_runner_is_offline_and_requires_challenger_gate,
 test_latency_memory_and_crash_thresholds_block_promotion
- tests/test_lottery_blueprint.py | 92 行 | 006384b5438e | _make_app, test_lottery_page_is_public,
 test_lottery_csv_draw_masks_sensitive_fields, test_lottery_xlsx_draw_count_can_be_specified,
 test_lottery_rejects_too_many_winners
- tests/test_market_briefing_quality_gate.py | 99 行 | e234f710591b | _row,
 test_quality_gate_rejects_model_that_does_not_beat_constant_baseline,
 test_quality_gate_accepts_out_of_sample_directional_edge,
 test_unverified_market_output_is_watch_not_directional_forecast
- tests/test_memory_grounding.py | 216 行 | fc735dfcf41a | test_auto_remember_disabled_by_default,
 test_auto_remember_requires_explicit_mode,
 test_memory_ranking_prioritizes_trusted_sources_for_fact_queries,

test_memory_ranking_keeps_chatlog_available_for_explicit_recall,
test_expand_query_skips_memory_recall_queries,
test_expand_query_skips_memory_recall_queries.FakeResponse,
test_expand_query_skips_memory_recall_queries.FakeResponse.json,
test_expand_query_skips_memory_recall_queries.FakeSession

- tests/test_memory_policy.py | 212 行 | f38cf2e6dcdb | test_too_short_content_blocked,
test_empty_content_blocked, test_normal_length_passes, test_timeout_fallback_blocked,
test_degraded_response_blocked, test_synthetic_fallback_blocked, test_assistant_generated_blocked,
test_assistant_chatlog_blocked_by_default
- tests/test_message_intent_boundaries.py | 424 行 | b0d22da2c90f | _BoundaryOrchestrator, _BoundaryOrchestrator.**init**,
_BoundaryOrchestrator._append_route_trace, _BoundaryOrchestrator._load_skill_interview_pending,
_BoundaryOrchestrator._pending_key, _BoundaryOrchestrator.get_active_heavy_tasks,
_BoundaryOrchestrator._brain_runtime_banner, _BoundaryOrchestrator._try_conversational_intent
- tests/test_mobile_auth_routes.py | 370 行 | bcfad938ede3 | _fake_cursor, _fake_cursor._Cursor,
_fake_cursor._Cursor.**init**, _fake_cursor._Cursor.execute, _fake_cursor._Cursor.fetchone,
_fake_cursor._Conn, _fake_cursor._Conn.commit, _User
- tests/test_model_live_gate_degraded_profiles.py | 84 行 | ff1030c88329 | _probe, _night_probes,
test_night_e4b_declared_last_resort_is_degraded_not_failed,
test_night_e4b_without_declared_degraded_profile_still_fails,
test_night_declared_fallback_does_not_hide_unreachable_8080,
test_switch_applies_cooldown_to_night_e4b_last_resort,
test_switch_preserves_healthy_e4b_under_resource_pressure
- tests/test_model_router_deep_queue_rc568.py | 23 行 | e90e0272603c |
test_quality_task_without_heavy_opt_in_queues_local_deep_when_26b_not_live,
test_quality_task_uses_live_26b_locally_without_heavy_opt_in
- tests/test_nas_pdf_ocr_worker_lock.py | 353 行 | fa9b2cb8c677 |
test_explicit_existing_nas_root_bypasses_production_mount_probe,
test_nas_ocr_uses_homebrew_libexec_python,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy.HeldLock,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy.HeldLock.as_dict,
test_nas_pdf_ocr_worker_skips_before_queue_when_lock_busy.fail_if_called,
test_nas_pdf_ocr_worker_retries_stale_processing_and_archives_without_overwrite,
test_nas_pdf_ocr_worker_retries_stale_processing_and_archives_without_overwrite.fake_run
- tests/test_natural_language_agent_quality_rc549.py | 202 行 | 6014468e1d0c |
test_calendar_mutation_is_not_stolen_by_weather_or_stock_routes,
test_natural_office_language_reaches_work_or_agent_lanes,

test_human_like_clarification_for_vague_or_multiple_targets,
test_tool_policy_understands_natural_translation_and_business_status,
test_controlled_evolution_questions_use_read_only_ledger_tool,
test_evolution_grounding_requires_the_specific_ledger_tool,
test_payment_slip_recovery_requires_explicit_action_and_reaches_tool_policy,
test_declining_tools_never_downgrades_current_office_facts_to_chat

- tests/test_nightly_regression_production_suites.py | 48 行 | 7ce4edd92ccb |
test_production_default_omits_retired_mock_suite,
test_production_default_omits_retired_mock_suite._suite,
test_production_default_omits_retired_mock_suite._suite._run,
test_missing_retired_mock_fixture_is_neutral
- tests/test_obsidian_ingest_checkpoint.py | 76 行 | 2139bce312e7 |
test_ingest_state_match_supports_legacy_and_strong_metadata,
test_save_ingest_state_merges_and_atomically_replaces,
test_hydrate_ingest_state_recovers_durable_note_cursor
- tests/test_omlx_watchdog_switch_lock.py | 122 行 | 6f0f64cdd90a |
test_watchdog_respects_switch_lock_and_profile_mtime, _run_watchdog_once,
test_watchdog_accepts_night_12b_fallback_without_kickstart,
test_watchdog_reports_profile_mismatch_without_kickstart,
test_watchdog_reports_unconfigured_live_model_without_kickstart
- tests/test_optional_line_health.py | 60 行 | b28e3f2e8077 | _clear_line_environment,
test_line_is_disabled_by_default_when_credentials_are_absent,
test_line_is_required_only_after_explicit_enable,
test_existing_credential_pair_enables_line_when_flag_is_absent,
test_explicit_disable_wins_over_existing_credentials
- tests/test_osc_address_label.py | 161 行 | d686278fc954 | app, client, _make_exec, _make_exec.fake_exec,
test_address_label_route_registered, test_address_label_route_registered.fake_exec,
test_address_label_404_when_case_missing, test_address_label_404_when_case_missing.fake_exec
- tests/test_osc_backup_endpoints.py | 301 行 | a1b744d3637d | app, client, _fake_osc_exec, _fake_osc_exec_with_rows,
_fake_osc_exec_with_rows._exec, test_backup_routes_registered, test_backup_create_writes_file,
test_backup_create_prunes_to_seven
- tests/test_osc_checklists_endpoints.py | 211 行 | 014ac636b423 | app, client, test_laf_checklist_routes_registered,
test_laf_checklist_get_requires_case_number, test_laf_checklist_post_creates_with_auto_key,
test_laf_checklist_post_creates_with_auto_key.fake_exec, test_laf_checklist_seed_inserts_defaults,
test_laf_checklist_seed_inserts_defaults.fake_exec
- tests/test_osc_closed_case_archive.py | 793 行 | d23649ab9e08 | test_closed_case_status_detection,
test_auto_archive_closed_case_moves_folder, test_auto_archive_closed_case_moves_folder.fake_exec,

- test_closed_case_user_level_mount_is_allowed_for_browser,
- test_closed_case_user_level_mount_is_allowed_for_browser.fake_roots,
- test_user_level_magi_mount_paths_use_timeout_guard,
- test_auto_archive_closed_case_ignores_legacy_delete_guard,
- test_auto_archive_closed_case_ignores_legacy_delete_guard.fake_exec
- tests/test_osc_csv_import_export.py | 374 行 | c031d0dd2dfa | app, client, _make_csv, test_cases_import_route_registered, test_cases_import_validates_no_file, test_cases_import_missing_required_header, test_cases_import_success, test_cases_import_success.fake_exec
- tests/test_osc_document_reuse_api.py | 342 行 | a323196579c5 | _build_app, _build_app._User, _build_app._load_user, _make_source_docx, _doc_text, _doc_text.collect, test_reuse_document_api_creates_target_case_word_doc_and_logs, test_reuse_document_api_creates_target_case_word_doc_and_logs.fake_exec
- tests/test_osc_documents_stamp_endpoint.py | 342 行 | e7bf530a5542 | app, client, test_stamp_route_registered, test_stamp_validates_missing_file_path, test_stamp_validates_copy_type, test_stamp_rejects_nonexistent_file, test_stamp_rejects_unsupported_extension, test_stamp_rejects_unsupported_extension._safe
- tests/test_osc_events_refresh_outcome_semantics.py | 40 行 | f150701e28c1 | test_quality_warning_is_partial_but_successful, test_component_failure_remains_terminal_failure, test_warning_free_refresh_is_completed
- tests/test_osc_file_frontend_runtime.py | 440 行 | 5c360c0141c0 | _find_node_runtime, _run_node, test_pdf_preview_uses_unified_route_and_authenticated_content_url, test_office_and_structured_previews_render_in_shared_modal, test_session_expiry_never_renders_a_fake_preview, test_download_probes_session_before_clicking_real_content_route, test_file_download_error_ui_does_not_render_server_trace_text, test_readonly_api_retries_transient_fetch_failure_without_raw_browser_error
- tests/test_osc_files_move.py | 1401 行 | 1eabf48c8077 | _client, _client.TestUser, _client._load_user, _directory_route_app, _directory_route_app.TestUser, _directory_route_app._load_user, _client_with_role, _client_with_role.TestUser
- tests/test_osc_folder_rename.py | 299 行 | ed3b4da8dc1b | _login_app, _login_app.TestUser, _login_app._load_user, test_case_root_folder_rename_updates_case_path_and_references, test_case_root_folder_rename_updates_case_path_and_references.fake_exec, test_generic_folder_rename_updates_indexed_paths, test_generic_folder_rename_updates_indexed_paths.fake_exec, test_case_folder_reconcile_reports_repair_for_stale_db_path

- tests/test_osc_laf_debt_required_checklist.py | 224 行 | a92c3279fad9 | _install_flask_login_stub, _build_app, test_debt_required_get_returns_osc_spec_and_laf_number_candidates, test_debt_required_get_returns_osc_spec_and_laf_number_candidates.fake_exec, test_debt_required_save_upserts_visible_items_and_prunes_inactive_debt_rows, test_debt_required_save_upserts_visible_items_and_prunes_inactive_debt_rows.fake_exec, test_laf_number_sync_uses_single_candidate_when_manual_number_is_empty, test_laf_number_sync_uses_single_candidate_when_manual_number_is_empty.fake_exec
- tests/test_osc_p2_discord_and_theme.py | 304 行 | a5ae4639c0d0 | app, client, test_discord_test_route_registered, test_discord_test_requires_url, test_discord_test_requires_url.fake_helpers, test_discord_test_requires_url.fake_helpers.fake_exec, test_discord_test_rejects_invalid_url, test_discord_test_success_with_valid_url
- tests/test_osc_pdf_blueprint.py | 1310 行 | 0865532fae97 | _calendar_source_root, app, client, sample_pdf, _assert_pdf, test_pdf_routes_registered, test_pdf_info, test_pdf_rejects_non_pdf
- tests/test_osc_saas_workbench.py | 918 行 | 5846ae6e3269 | test_osc_refresh_hard_exit_flushes_before_native_teardown, test_osc_refresh_hard_exit_flushes_before_native_teardown.Stream, test_osc_refresh_hard_exit_flushes_before_native_teardown.Stream.**init**, test_osc_refresh_hard_exit_flushes_before_native_teardown.Stream.flush, test_quality_check_blocks_prompt_leak_and_internal_case_number, test_client_packet_uses_debt_checklist, test_client_packet_uses_debt_checklist.fake_exec, test_conflict_check_flags_opponent_records
- tests/test_osc_todos_bulk_complete.py | 71 行 | 6b3d72badec2 | _app, _app.User, _app._load, test_bulk_complete_before_updates_stale_open_todos, test_bulk_complete_before_updates_stale_open_todos.fake_exec, test_bulk_complete_before_dry_run_does_not_update, test_bulk_complete_before_dry_run_does_not_update.fake_exec
- tests/test_osc_web_smoke.py | 2260 行 | e74270b978b5 | _build_app, _build_app._TestUser, _build_app._load_user, app, client, _make_fake_exec, _make_fake_exec._fake, test_dashboard_endpoint_reachable
- tests/test_overdue_confirmation_calendar_policy.py | 180 行 | f044386b3224 | _load, test_policy_is_narrow_and_preserves_real_deadlines, test_both_calendar_event_builders_fail_closed_for_osc_only_review, _DeleteCall, _DeleteCall.execute, _Events, _Events.**init**, _Events.delete
- tests/test_pdf_cross_case_identity_confirmation.py | 139 行 | 9a22e2758014 | _judgment, test_exact_cross_case_copy_is_verified_by_sha256, test_exact_cross_case_copy_is_verified_by_sha256.fake_exec, test_same_filename_with_different_bytes_is_not_a_conflict, test_scan_fails_closed_into_identity_confirmation,

test_manual_confirmation_has_no_calendar_date_and_is_idempotent,
test_manual_confirmation_has_no_calendar_date_and_is_idempotent.fake_exec

- tests/test_pdf_namer_nightly_process_isolation.py | 180 行 | c09dd619d278 | _module,
test_nightly_analyze_runs_each_sample_in_bounded_child,
test_nightly_analyze_runs_each_sample_in_bounded_child.fake_run,
test_nightly_analyze_fails_closed_without_leaking_worker_output,
test_nightly_hashes_pdf_in_bounded_chunks,
test_nightly_does_not_reopen_nas_pdf_when_analyzer_omits_hash,
test_nightly_defers_transient_nas_scan_error,
test_nightly_fixture_runs_real_pdf_child_and_writes_bound_manifest
- tests/test_pdf_namer_state_isolation.py | 282 行 | 72177e202e82 | _copy_candidate, _tree_digest, _candidate_env,
test_candidate_import_is_side_effect_free_and_prefers_explicit_state,
test_v2_without_state_environment_keeps_legacy_skill_directory,
test_isolated_runtime_refuses_release_tree_write_target,
test_isolated_runtime_rejects_nested_directory_and_file_symlinks,
test_v3_writes_and_nightly_dry_run_leave_candidate_tree_immutable
- tests/test_rc241_runtime_and_batch_regressions.py | 278 行 | e8753905104c | _load_transcript_action,
test_tool_events_resolve_to_mutable_agent_dir,
test_transcript_default_download_dir_is_outside_sealed_release,
test_transcript_batch_deduplicates_repeated_download_paths,
test_transcript_batch_deduplicates_repeated_download_paths.Downloader,
test_transcript_batch_deduplicates_repeated_download_paths.Downloader.cleanup_download_folder,
test_transcript_batch_deduplicates_repeated_download_paths.Downloader.login,
test_transcript_batch_deduplicates_repeated_download_paths.Downloader.get_cases_from_db
- tests/test_rc600_runtime_bootstrap_and_reporting.py | 65 行 | 8abe5f35163b |
test_file_review_action_bootstraps_release_root_without_pythonpath,
test_self_repair_reporter_maps_legacy_job_and_hides_trace_codes
- tests/test_reconcile_overdue_todos.py | 172 行 | 5a95416a2a66 | _load_module,
test_calendar_past_proceeding_is_archived_not_escalated,
test_past_proceeding_type_is_completed_even_without_calendar_source,
test_actionable_duty_is_not_hidden_by_calendar_hearing_wording,
test_existing_overdue_confirmation_for_past_proceeding_is_reconciled,
test_existing_document_overdue_confirmation_recovers_original_proceeding_type,
test_real_pure_occurrence_with_google_event_keeps_calendar_history,
test_archived_calendar_occurrence_keeps_google_event_as_history
- tests/test_saas_commercial_foundations.py | 228 行 | cfb65755bdd3 |
test_durable_rate_limit_is_shared_between_instances_and_resets,

test_durable_rate_limit_stores_no_raw_client_identity,
test_rate_limit_storage_failure_is_fail_closed_when_required,
test_rate_limit_readiness_verifies_database_not_only_filename,
test_audit_chain_seals_legacy_prefix_and_redacts_sensitive_values,
test_audit_chain_concurrent_append_has_one_contiguous_sequence,
test_audit_tampering_is_detected_and_future_append_fails_closed,
test_protected_mutations_receive_start_and_completion_receipts

- tests/test_saas_readiness_migration.py | 44 行 | a892296bf327 |
test_formal_saas_release_contains_versioned_tenant_migration
- tests/test_safe_process.py | 871 行 | 2f284a22f551 | _trusted_test_venv, _reset_sem,
test_argv_head_whitelisted_python3, test_versioned_python3_executable_is_whitelisted,
test_windows_python_executable_is_whitelisted,
test_absolute_python_alias_for_current_interpreter_is_whitelisted,
test_relative_or_foreign_python_alias_is_rejected, test_current_python_alias_keeps_shell_metachar_guards
- tests/test_selfhost_portability.py | 724 行 | 2f323667c6aa |
test_windows_required_runtime_modules_have_portable_imports,
test_portable_file_lock_is_exclusive_and_releasable, _config, _source,
test_windows_layout_is_native_and_machine_independent,
test_cross_platform_windows_plan_uses_windows_python_launcher,
test_macos_layout_selects_apple_local_backends,
test_render_environment_disables_apple_only_paths_on_windows
- tests/test_selfhost_release_smoke.py | 19 行 | b5b37c039338 |
test_native_release_smoke_proves_package_upgrade_rollback_and_tamper_detection
- tests/test_sentencing_trend_chat.py | 195 行 | 93b048e9ef86 | _result,
test_chat_parser_extract_full_filters_and_roc_year_range,
test_chat_parser_normalises_court_alias_and_keeps_long_offence,
test_chat_parser_supports_simple_offence_and_clarifies_missing_filters,
test_chat_parser_rejects_reversed_period_without_guessing,
test_chat_formatter_reports_provenance_statistics_and_official_source,
test_display_date_uses_full_taiwanese_roc_format_without_changing_invalid_values,
test_chat_formatter_never_promotes_unverified_mcp_candidate
- tests/test_sentencing_trends.py | 423 行 | 92cb2d24a18e | _row,
test_parser_uses_signature_judge_and_separates_execution_sentence,
test_panel_judges_keep_participants_and_highlight_last_listed_judge,
test_judge_filter_defaults_to_last_listed_but_can_search_any_participant,
test_parser_includes_appendix_sentences_but_excludes_missing_appendix,

test_duration_parser_does_not_absorb_a_later_roc_year,
test_parser_accepts_official_mcp_flattened_section_format, _Cursor

- tests/test_startup_resource_policy.py | 29 行 | d63702177d52 | test_startup_prefetch_is_lazy_by_default,
test_startup_prefetch_accepts_explicit_opt_in, test_startup_prefetch_rejects_false_like_values,
test_inprocess_laf_gmail_monitor_is_disabled_by_default,
test_inprocess_laf_gmail_monitor_requires_explicit_opt_in
- tests/test_tailscale_funnel_healthcheck.py | 453 行 | 34345e6b7581 |
test_app_binary_is_forced_into_documented_cli_mode,
test_app_binary_is_forced_into_documented_cli_mode.fake_run,
test_official_app_cli_is_preferred_when_capability_probe_passes,
test_unusable_official_app_falls_back_to_homebrew,
test_configured_audited_cli_has_priority_but_arbitrary_path_is_rejected,
test_capability_probe_rejects_version_mismatch,
test_local_dns_resolution_fails_closed_without_addresses,
test_public_success_with_local_nxdomain_is_degraded_not_terminal
- tests/test_telegram_history.py | 22 行 | 04af1db09d02 |
test_telegram_records_assistant_reply_with_orchestrator_history_signature,
test_telegram_records_assistant_reply_with_orchestrator_history_signature.Orchestrator,
test_telegram_records_assistant_reply_with_orchestrator_history_signature.Orchestrator.process_message,
test_telegram_records_assistant_reply_with_orchestrator_history_signature.Orchestrator.record_assistant_r
epl
y
- tests/test_tool_registry_contracts.py | 77 行 | 29d17995296b |
test_schema_rejects_missing_wrong_and_unknown_arguments_before_executor,
test_irreversible_tool_rejects_arbitrary_confirmation_token_before_executor,
test_irreversible_tool_accepts_only_spec_bound_confirmation_token,
test_read_tool_without_schema_or_confirmation_remains_compatible
- tests/test_tools_api_async_jobs.py | 501 行 | 16da2f5350d4 | _ok_result, _fail_result, _tools_api_import_stubs, ctx,
ctx._AuthClient, ctx._AuthClient.post, ctx._AuthClient.get, ctx._AuthClient.raw
- tests/test_tools_api_runtime.py | 685 行 | 5c092dffa6da2 | _read_jsonl, tools_api_runtime,
test_search_emits_pre_and_post_events, test_skill_runtime_flags_default_to_non_mutating,
test_tools_livez_is_process_only, test_tools_health_requires_reachable_model,
test_tools_health_requires_reachable_model._Session,
test_tools_health_requires_reachable_model._Session.get
- tests/test_tools_api_shortcut_endpoints.py | 193 行 | 7131f6ae9462 | shortcut_client,
test_shortcut_ocr_rejects_missing_api_key, test_shortcut_ocr_rejects_empty_body,
test_shortcut_ocr_returns_plaintext_on_success,
test_shortcut_ocr_returns_plaintext_on_success._FakeGateway,

test_shortcut_ocr_returns_plaintext_on_success._FakeGateway.vision,
test_shortcut_pdf_text_rejects_non_pdf, test_shortcut_pdf_text_returns_plaintext

- tests/test_transcribe_runtime.py | 97 行 | 44e2b26604de | test_transcribe_auto_prefers_balthasar_before_apple,
test_transcribe_auto_uses_fast_cli_before_balthasar,
test_transcript_postprocess_uses_taiwan_legal_term_for_evidence_motion,
test_whisper_model_dir_defaults_to_local_magi_cache,
test_whisper_model_dir_honors_explicit_local_override,
test_whisper_cli_refuses_missing_local_model_before_subprocess
- tests/test_transcript_filename_repair.py | 537 行 | c70a8930dff8 | _load_module, _load_repair_module,
test_00000000_transcript_is_not_treated_as_final_name,
test_transcript_filename_generation_rejects_unusable_parse_values,
test_transcript_metadata_receipt_category_is_field_specific_and_privacy_safe,
test_transcript_metadata_extract_record_from_second_page_without_cross_page_mix,
test_transcript_metadata_accepts_chinese_numeral_roc_date_on_proven_record_page,
test_transcript_metadata_accepts_historical_roc_date_on_same_record_page
- tests/test_transcript_partial_retry_rc239.py | 581 行 | f39fb8759090 | _load_action, _Downloader, _Downloader.init,
_Downloader.cleanup_download_folder, _Downloader.login, _Downloader.get_cases_from_db,
_Downloader.download_record, _case
- tests/test_transcript_portal_empty_failclosed_rc223.py | 391 行 | 6548101a5cc6 | _Body, _Body.init, _Driver, _Driver.init,
_Driver.find_element, _Driver.find_elements, _Driver.quit, _downloader
- tests/test_translation_strict_nim_provenance.py | 67 行 | ca982c32b84c |
test_heavy_translation_never_uses_google_fallback,
test_heavy_translation_never_uses_google_fallback.forbidden_google,
test_heavy_translation_does_not_retry_terminal_provider_failure,
test_heavy_translation_does_not_retry_terminal_provider_failure.exhausted
- tests/test_tw_output_guard_fidelity.py | 23 行 | 21dee71e5e92 |
test_tw_legal_review_module_import_has_default_model, test_tw_review_cannot_drop_legal_fact_anchors
- tests/test_v3_laf_dedup_compat.py | 251 行 | f9f495756246 | _sha, _source, FakeStore, FakeStore.init,
FakeStore.validate_schema, FakeStore.acquire_lock, FakeStore.release_lock, FakeStore.begin
- tests/test_web_information_architecture.py | 105 行 | db2a66d9fcdb | _read,
test_desktop_home_prioritises_workflows_over_engineering_controls,
test_research_and_sentencing_share_the_same_primary_navigation,
test_mobile_home_exposes_direct_work_routes_without_desktop_detour,
test_paperclip_deep_links_are_allowlisted_and_shareable,
test_mobile_and_desktop_navigation_remain_adaptive_and_keyboard_accessible,
test_sentencing_form_is_single_column_and_width_bounded_on_phones,
test_sentencing_reuses_court_directory_and_explains_judge_order

- tests/test_web_runtime_blueprint.py | 548 行 | 86732262d329 | _User, _User.**init**, _Orchestrator, _Orchestrator.**init**, _Orchestrator.process_message, _make_app, _make_app._load_user, test_process_monitor_routes_render_and_toggle
- tests/test_weekend_resummary_budget_semantics.py | 109 行 | 1b09dad581b7 | test_nim_daily_budget_stops_immediately_as_checkpointed_deferral, test_budget_deferral_does_not_hide_a_real_process_failure, test_quality_failure_cannot_be_published_as_batch_success, test_legacy_zero_exit_budget_marker_is_reconcilable_without_deleting_evidence, test_utf8_byte_large_but_character_short_sources_are_terminal, test_utf8_byte_large_but_character_short_sources_are_terminal.forbidden_provider
- tests/v3/test_active_release_input_method_watchdog.py | 64 行 | 5ed588a4ffe5 | _fixture, test_active_watchdog_is_manifest_and_hash_bound, test_active_watchdog_rejects_script_drift, test_active_watchdog_rejects_release_outside_store
- tests/v3/test_actual_route_replay.py | 1336 行 | 3a376c80fd75 | test_installed_candidate_root_is_allowed_for_read_only_replay, test_only_direct_installed_release_root_qualifies, test_worker_uses_candidate_venv_with_site_processing_disabled, test_all_347_routes_receive_machine_readable_actual_replay_dispositions, test_actual_handlers_are_dispatched_with_bound_outcomes_not_auth_or_404_shortcuts, test_osc_transactional_crud_batch_dispatches_success_and_journals_exact_sql, test_secondary_osc_write_batch_binds_db_and_file_transcripts, test_next_osc_read_only_batch_uses_actual_handlers_and_select_only_fixture
- tests/v3/test_background_heavy_authorization_rc568.py | 88 行 | b99eff8a8dd7 | _contract, _prepare, test_background_heavy_requires_complete_job_bound_contract, test_background_heavy_rejects_mismatched_or_expired_contract, test_background_heavy_uses_only_named_env_contract, test_credential_guard_blocks_cookie_bearer_and_oauth_without_blocking_case_number
- tests/v3/test_backup_prepare.py | 215 行 | 5ef53f54c56f | _database, _website, test_online_backup_is_actually_restored_and_hash_bound, test_empty_escape_duplicate_and_existing_output_fail_closed, test_website_symlink_special_scope_and_source_drift_fail_without_success_metadata, test_website_symlink_special_scope_and_source_drift_fail_without_success_metadata.mutate_after_first_copy, test_verify_rejects_archive_tamper_extra_member_and_protected_restore_root
- tests/v3/test_business_events.py | 72 行 | f14bdd62af6a | test_event_is_idempotent_and_contains_no_document_body, test_claim_complete_and_crash_lease_recovery, test_invalid_case_number_fails_closed, test_claim_does_not_consume_observation_events

- tests/v3/test_business_outcome_regression.py | 50 行 | be37782da286 | `_raw,`
`test_manual_finding_is_deidentified_deduplicated_and_test_root_only,`
`test_manual_finding_rejects_pii_before_persistence,`
`test_outcome_slo_requires_receipts_and_handles_cross_case_notification_and_defer`
- tests/v3/test_business_recovery.py | 592 行 | 63d0582cc1f9 |
`test_only_expected_schedule_waits_are_terminal_deferrals,`
`test_transient_business_failure_is_bounded_retry,` `test_explicit_human_requirement_is_not_blindly_retried,`
`test_zero_semantic_collision_counter_does_not_request_a_person,`
`test_false_timeout_field_does_not_mislabel_business_failure,`
`test_topology_transition_is_excluded_from_generic_retry,`
`test_unknown_failure_retries_declared_business_owner_only,`
`test_all_declared_business_domains_have_enabled_owners_and_verifiers`
- tests/v3/test_campaign_offline_probes.py | 324 行 | 50c2fe01877f |
`test_missing_duration_profile_uses_explicit_noncertifying_timeout_bound,`
`test_timeout_fallback_can_never_clear_duration_replay,` `_emit,` `_assert_offline_attestation,`
`test_seven_day_schedule_10x_arrival_2x_duration_replay_emits_measured_evidence,`
`test_bounded_fault_matrix_emits_recovery_duplicate_and_loss_evidence,` `_fd_count,`
`test_hundred_cycle_worker_reap_soak_emits_measured_evidence`
- tests/v3/test_campaign_runner.py | 3301 行 | 561e98770577 | `_schedule_fixture_ids,` `Clock,` `Clock.init,` `Clock.call,`
`_json_bytes,` `_write,` `create_release,` `create_real_launcher_release`
- tests/v3/test_candidate_no_bytecode.py | 125 行 | 22f7649d3d00 | `_clean_environment,`
`test_clean_environment_cannot_import_from_parent_candidate,` `_copy_package,`
`test_route_parity_imports_gateway_without_writing_candidate_bytecode,`
`test_candidate_pytest_collection_disables_bytecode_without_launcher,`
`test_isolated_candidate_import_probes_do_not_escape_pytest_bytecode_fuse`
- tests/v3/test_change_scope.py | 85 行 | 9a9bc8cd9028 | `test_docs_css_and_tests_are_scoped_only_for_development,`
`test_operational_boundaries_force_full_even_when_mixed_with_docs,`
`test_operational_prefix_cannot_be_downgraded_by_css_suffix,` `test_keyword_boundaries_force_full,`
`test_only_explicit_pure_source_is_scoped,` `test_marker_in_allowed_magi_pure_directory_is_scoped,`
`test_marker_cannot_downgrade_operational_file,` `test_unknown_source_and_empty_diff_fail_closed`
- tests/v3/test_compat_admin.py | 88 行 | a2f964167bcf | `Health,` `Health.response,` `FakeServer,` `FakeServer.init,`
`_website,` `test_admin_factory_is_hash_bound_and_preserves_legacy_handler,`
`test_admin_factory_rejects_hash_drift_external_bind_and_missing_source`
- tests/v3/test_compat_gateway.py | 293 行 | a8786a7e5e9c |
`test_import_is_lazy_and_cannot_open_socket_or_start_process,`
`test_pinned_inventory_covers_both_apps_and_sensitive_http_shapes,`
`test_factory_does_not_call_legacy_loader_until_first_request,`

test_factory_does_not_call_legacy_loader_until_first_request.loader,
test_fixed_production_factories_bind_their_declared_service, _representative_app,
_representative_app.callback, _representative_app.login

- tests/v3/test_compat_http_contract_runner.py | 552 行 | 751e3666cf66 | _write_fixture, _legacy_response,
test_wsgi_test_client_executes_reviewed_json_contract_and_emits_bound_evidence,
test_wsgi_test_client_executes_reviewed_json_contract_and_emits_bound_evidence.osc_chat,
test_asgi_style_test_client_preserves_exact_sse_stream_and_request_contract,
test_asgi_style_test_client_preserves_exact_sse_stream_and_request_contract.AsgiStyleClient,
test_asgi_style_test_client_preserves_exact_sse_stream_and_request_contract.AsgiStyleClient.request,
test_callable_receives_verified_multipart_bytes_and_preserves_plaintext_response
- tests/v3/test_compat_inventory.py | 156 行 | e0c5818c932a |
test_runtime_inventory_and_explicit_side_effect_reviews_cover_every_method,
test_get_oauth_callback_is_explicitly_reviewed_as_external_commit,
test_osc_file_routes_are_explicitly_reviewed_as_sandboxed_reversible_writes,
test_service_5003_offline_review_partitions_every_pinned_route_method,
test_every_review_row_has_exact_v2_handler_source_evidence,
test_inventory_change_fails_closed_even_when_declared_counts_are_adjusted,
test_inventory_missing_route_fails_count_gate,
test_inventory_rejects_malformed_route_rows_before_fingerprinting
- tests/v3/test_compat_live_validation.py | 319 行 | a005ecba50c7 | test_safe_plan_is_validated_but_not_executed,
test_live_probe_with_write_side_effect_is_rejected,
test_live_probe_cannot_relabel_reviewed_webhook_post_as_read_only,
test_supplementally_reviewed_route_method_cannot_claim_read_only,
test_plan_rejects_production_ports_and_external_write_flags,
test_incomplete_report_explicitly_records_unproven_gaps, test_report_rejects_summary_mismatch,
test_passed_report_cannot_hide_unproven_or_nonpassing_checks
- tests/v3/test_compat_osc_file_contract.py | 221 行 | 3913e6e8ca9d | ContractUser, ContractUser.init, contract,
contract.load_user, contract.contract_login_page, contract.contract_login, _logged_in_client,
test_contract_routes_are_bound_inside_the_verified_347_route_inventory
- tests/v3/test_compat_replay.py | 313 行 | ed33741a4450 |
test_osc_preview_range_download_golden_flow_has_bound_end_to_end_outcomes,
test_osc_golden_flow_expected_outcome_drift_fails_closed,
test_osc_golden_flow_expected_outcome_drift_fails_closed.changed_load,
test_recorded_fixtures_are_schema_valid_and_anonymized,
test_anonymizer_redacts_sensitive_keys_and_inline_identifiers,
test_fixture_rejects_unredacted_taiwan_pii_and_channel_identifiers,

test_fixture_rejects_sensitive_identity_keys_by_default,
test_fixture_rejects_raw_sensitive_header_and_file_content

- tests/v3/test_compat_side_effects.py | 97 行 | 22df3e9132a8 | _job, test_offline_replay_never_executes, test_isolated_live_allows_only_read_only_classes_by_default, test_isolated_live_blocks_writes_by_default, test_explicit_sandbox_can_only_enable_local_or_reversible_writes, test_job_contract_requires_idempotency_and_confirmation_for_external_commit
- tests/v3/test_controlled_evolution.py | 334 行 | 726133ea4f74 | _signal, _proposal, _git, _source_repo, _FakeListener, _FakeListener.getsockname, _FakeListener.close, _allow_network_probe_fixture
- tests/v3/test_controlled_restart_evidence.py | 235 行 | a294e834de53 | _sha, _write, _release, _observation, FakeBackend, FakeBackend.**init**, FakeBackend.observe, test_host_process_probe_excludes_only_observer_tree
- tests/v3/test_conversation_reference_capture_rc261.py | 31 行 | fc256c6fd236 | _HistoryOrchestrator, _HistoryOrchestrator.**init**, _HistoryOrchestrator.ensure_runtime_foundations, test_user_case_identifier_becomes_recent_reference, test_assistant_case_identifier_never_becomes_authoritative_reference
- tests/v3/test_core_config.py | 57 行 | fc824d4c3aaf | test_default_config_is_loopback_non_binding_and_policy_aligned, test_build_is_side_effect_free, test_binding_requires_explicit_port, test_phase_one_rejects_non_loopback_binding
- tests/v3/test_core_health.py | 118 行 | 59e37ea3a9ef | test_liveness_is_ready_without_initializing_state, test_readiness_checks_only_initialized_local_core, test_importing_health_does_not_import_heavy_frameworks, test_cli_default_does_not_create_state_or_bind, test_cli_initialize_does_not_claim_production_readiness, test_single_active_guard_rejects_second_owner
- tests/v3/test_core_ledger.py | 1046 行 | 9ed4f92b8d38 | ledger, test_initialize_is_idempotent_and_enables_wal, test_schema_v4_migrates_existing_v3_jobs_without_losing_payload, test_canonical_job_envelope_round_trips_and_validates_schema, test_verified_commit_persists_receipts_artifacts_and_metrics, test_canonical_job_fields_fail_closed_on_invalid_input_or_stored_data, test_job_past_latest_start_is_not_leased, test_write_classes_require_contract_idempotency_key
- tests/v3/test_core_mutable_state_isolation.py | 399 行 | eebdbc7a5765 | _snapshot, test_v3_env_file_cannot_replace_hash_bound_launch_environment, test_core_imports_and_first_writes_leave_candidate_tree_immutable, test_status_consumers_follow_mutable_static_and_agent_dirs, test_http_mutable_paths_preserve_v2_defaults_without_launch_bindings
- tests/v3/test_core_resource.py | 134 行 | 3c08a9e99e36 | request, test_global_light_limit_is_two, test_all_heavy_classes_share_two_tokens, test_guarded_pressure_and_interactive_reserve_block_background,

test_interactive_bypasses_soft_guards_but_not_hard_limits,
test_critical_pressure_allows_only_interactive_light,
test_interactive_activity_prevents_new_background_heavy,
test_active_interactive_lease_prevents_new_background_heavy

- tests/v3/test_core_state.py | 48 行 | 0c56e08f8d5d | test_success_requires_business_completion,
test_terminal_status_cannot_transition, test_waiting_and_confirmation_paths_are_explicit,
test_invalid_shortcut_is_rejected, test_running_job_cannot_be_manually_queued
- tests/v3/test_core_supervisor.py | 106 行 | 3712c6cd8935 | worker_spec,
test_worker_runs_in_owned_process_group_and_releases_slot,
test_duplicate_job_is_rejected_and_group_is_terminated, test_deadline_terminates_and_reaps_worker,
test_default_worker_environment_does_not_copy_arbitrary_secret,
test_leader_exit_does_not_leave_unaccounted_descendant
- tests/v3/test_cron_policy.py | 169 行 | 6287afad43e7 | _isolate_cron_snapshot_binding,
test_policy_is_hash_bound_and_preserves_global_resource_caps,
test_policy_loads_hash_bound_external_snapshot_without_release_root_cron,
test_policy_accepts_rebased_external_snapshot_with_distinct_trusted_source_hash,
test_external_snapshot_binding_cannot_fall_back_or_bypass_policy,
test_external_snapshot_rejects_relative_path_and_symlink,
test_policy_binding_and_phase_delays_fail_closed
- tests/v3/test_cron_service.py | 951 行 | b1cc0c64d7e2 | _bind_source_tree_python,
_bind_source_tree_python.resolve, test_run_component_uses_hash_bound_worker_count_not_legacy_env,
test_run_component_uses_hash_bound_worker_count_not_legacy_env.StubService,
test_run_component_uses_hash_bound_worker_count_not_legacy_env.StubService.init,
test_run_component_uses_hash_bound_worker_count_not_legacy_env.StubService.run,
test_bound_cron_environment_loads_hash_verified_file, test_bound_cron_environment_rejects_hash_drift
- tests/v3/test_cron_snapshot.py | 200 行 | d7725cf853ac | _release, _python,
test_snapshot_rebases_code_python_and_mutable_outputs,
test_snapshot_converts_legacy_cd_prefix_to_release_cwd,
test_snapshot_blocks_v2_files_missing_from_release,
test_snapshot_blocks_source_path_replacement_after_descriptor_read,
test_snapshot_blocks_source_path_replacement_after_descriptor_read.read_and_replace
- tests/v3/test_cutover_activation.py | 126 行 | ad0ba0245e89 | _begin,
test_activation_commit_is_atomic_phase_bound_and_resumable,
test_marker_mismatch_interrupted_journal_and_invalid_transition_fail_closed,
test_production_ownership_refuses_ready_or_write_before_exact_commit_marker
- tests/v3/test_cutover_cli.py | 261 行 | 3c53f8204d4f | test_plan_is_explicitly_non_mutating,
test_simulate_clean_and_fault_exit_codes, test_cli_reports_are_json_serializable,

test_preflight_uses_release_bound_conditional_daytime_window,
test_preflight_uses_release_bound_conditional_daytime_window.absolute,
test_boolean_evidence_report_shortcut_is_disabled,
test_preflight_requires_explicit_expected_state_and_release_context,
test_execute_is_explicit_and_requires_plan_hash_and_secure_token_file

- tests/v3/test_cutover_core.py | 261 行 | 73dcbaeae13d | snapshot, owner,
test_repository_gate_file_contains_single_active_no_go_rules,
test_cutover_window_is_a_hard_timezone_aware_gate,
test_cutover_window_supports_overnight_and_rejects_invalid_clock,
test_cutover_window_can_be_bound_to_explicit_local_dates,
test_absolute_daytime_window_is_one_day_taipei_and_end_exclusive,
test_absolute_daytime_window_rejects_any_non_daylight_or_noncanonical_policy
- tests/v3/test_cutover_evidence.py | 564 行 | fc332f5984a7 | _reconciliation, _plan, _chain, _raw_report,
test_raw_atomic_report_rejects_marker_journal_and_hash_faults,
test_raw_rollback_report_rejects_rto_larger_than_observed_duration, _pairs, _restart_inputs
- tests/v3/test_cutover_execute.py | 2001 行 | fe804a2ebe06 | _sha256, _write, _write_json, _seal_test_release, _binding,
_conditional_binding, test_final_executor_requires_conditional_authorization_when_policy_demands_it,
test_final_executor_effective_daytime_window_is_end_exclusive
- tests/v3/test_cutover_mutation_guard.py | 60 行 | cbe958aa90f8 | spec,
test_missing_armed_token_cannot_reach_runner,
test_missing_armed_token_cannot_reach_runner.fake_runner,
test_even_matching_caller_supplied_tokens_cannot_reach_launchctl,
test_even_matching_caller_supplied_tokens_cannot_reach_launchctl.fake_runner,
test_constructor_bypass_still_cannot_reach_mutation_method
- tests/v3/test_cutover_planning.py | 245 行 | b65260ff1e4f | _sha, _json, _v2_agent_bindings, _loaded_launchd_probe,
test_prepared_plan_generator_hash_binds_every_input,
test_plan_generator_rejects_insecure_token_and_mismatched_release
- tests/v3/test_cutover_probe.py | 401 行 | d67c4ecbe45e | test_default_ports_cover_v2_v3_model_and_rpc_surfaces,
test_listener_inventory_uses_one_bounded_nonblocking_lsof_pass,
test_listener_inventory_uses_one_bounded_nonblocking_lsof_pass.Result,
test_snapshot_excludes_only_observer_chain_and_children_not_siblings,
test_collect_snapshot_attributes_pid_port_launchd_and_lock_without_mutation,
test_unattributed_listener_is_no_go, test_relative_listener_inherits_release_from_absolute_root_ancestor,
test_known_root_general_process_is_not_ambiguous
- tests/v3/test_cutover_workflow.py | 67 行 | 514aa4ad57d1 | test_every_start_is_preceded_by_verified_zero_owners,
test_live_validation_has_required_stop_validate_stop_restore_sequence,
test_clean_simulation_completes_with_one_active_release,

test_v2_residual_owner_stops_validation_before_v3_start,
test_v3_residual_owner_stops_rollback_before_v2_start,
test_phase_one_mutation_is_disabled_for_every_token_combination

- tests/v3/test_deploy_prepare.py | 1973 行 | 1dbdb1cf49ba | _probe_seatbelt_capability, seatbelt_capable, test_seatbelt_capability_probe_requires_allow_default_true_success, test_seatbelt_capability_probe_requires_allow_default_true_success.fake_run, _write, _remove_test_tree, _seal_test_release, _fake_venv
- tests/v3/test_dispatcher.py | 1241 行 | 207b573c4c2b | ledger, create_read_job, worker_factory, worker_factory.factory, make_dispatcher, create_priority_job, wait_for_path, assert_pid_gone
- tests/v3/test_evidence_compiler.py | 860 行 | ebaab486b208 | test_checked_in_portable_inventory_matches_candidate_source_surfaces, test_repository_source_contract_resolves_the_live_runtime_not_the_checkout, test_compile_evidence_routes_physical_fault_inputs_only_to_campaign_compiler, test_compile_evidence_routes_physical_fault_inputs_only_to_campaign_compiler.fake_release, test_compile_evidence_routes_physical_fault_inputs_only_to_campaign_compiler.fake_campaign, _write_json, _sha, _formal_backup
- tests/v3/test_explicit_heavy_api_only.py | 168 行 | 0cee5cae6938 | _FakeResponse, _FakeResponse.json, test_explicit_heavy_never_falls_back_to_local, test_explicit_heavy_fails_closed_when_nim_disabled, test_explicit_heavy_daily_budget_exhaustion_stops_without_retry, test_explicit_heavy_authORIZES_verbatim_personal_data_for_this_call, test_explicit_heavy_authORIZES_verbatim_personal_data_for_this_call.fake_nim, test_unmarked_follow_up_never_inherits_heavy_authorization
- tests/v3/test_external_credential_contract.py | 201 行 | f014a89b2e1d | _sha, _write, _runtime_contract, test_sealed_runtime_verifies_static_hash_and_allows_atomic_token_refresh, test_sealed_runtime_rejects_static_drift_and_unsafe_mutable_mode, test_sealed_laf_reader_has_no_candidate_fallback_and_detects_hash_drift, _handoff_manifest, test_secret_handoff_materializes_refreshable_targets_without_content_in_receipt
- tests/v3/test_faiss_maintenance.py | 974 行 | 2ba1a84568af | _bind_source_tree_python, _bind_source_tree_python.resolve, _cron_policy, _isolate_direct_worker_rss, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent.CountCursor, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent.CountCursor.execute, test_streaming_rebuild_never_fetches_more_than_the_bound_and_is_consistent.CountCursor.fetchone
- tests/v3/test_fault_certification.py | 572 行 | d4a73992e6f9 | _canonical, _write_json, test_controlled_restart_fault_layer_uses_apfs_wal_and_transaction_sigkill, test_fault_stimulus_plan_is_replayable_and_profile_unique, test_fault_certification_hash_fails_closed_after_tamper,

test_fault_certification_rejects_live_source_and_nonempty_sandboxes,
test_campaign_cli_emits_profile_bound_inner_report_and_cleans_owned_sandbox,
test_fault_inner_reports_compile_as_controlled_restart_offline_pass

- tests/v3/test_fault_realism.py | 227 行 | c79babbb26ab |
test_bounded_fault_matrix_with_realism_audit_emits_recovery_duplicate_and_loss_evidence,
test_owned_sigkill_commit_window_sweep_emits_exact_partial_evidence,
test_fault_evidence_retains_realism_blocker_and_names_unproven_claims,
test_evidence_hash_fails_closed_after_tampering,
test_owned_marker_timeout_path_sigkills_and_reaps_child,
test_live_tree_and_source_tree_are_rejected_before_sandbox_creation,
test_nonempty_or_symlink_sandbox_is_rejected, test_invalid_cycle_count_is_rejected
- tests/v3/test_function_health_entrypoint.py | 53 行 | 94c4416d54fb |
test_function_health_entrypoint_imports_release_from_foreign_cwd
- tests/v3/test_function_health_operational_semantics.py | 340 行 | 4a45720235c8 |
test_business_readiness_attention_is_business_state_not_system_failure,
test_malformed_business_readiness_still_fails_closed,
test_running_drive_all_files_worker_is_not_a_failed_health_artifact,
test_queued_or_running_occurrence_is_deferred,
test_ci_and_release_matrix_outputs_are_not_daily_runtime_requirements,
test_health_index_does_not_rescan_prior_acceptance_gate_result,
test_reclaimed_distill_candidate_is_a_nonblocking_validation_outcome,
test_partial_and_external_results_are_waiting_not_failed
- tests/v3/test_g8_campaign_binding.py | 253 行 | 66db6c1da578 | _g8_report, _runner,
test_campaign_requires_path_hash_pair_and_rejects_tamper,
test_campaign_postcheck_detects_g8_report_drift, test_ledger_refuses_old_context_without_g8_binding,
test_real_runner_passes_g8_env_only_to_matched_performance,
test_real_runner_passes_g8_env_only_to_matched_performance.capture,
test_all_seven_matched_profiles_and_artifact_context_bind_same_g8_report
- tests/v3/test_g8_isolated_smb.py | 772 行 | 3de4fddfb1cb | _receipt, FakeSMB, FakeSMB.**init**, FakeSMB.mount_receipt,
FakeSMB.state_snapshot, FakeSMB.run_arm, FakeSMB.cleanup_owned, FakeSMB.entries
- tests/v3/test_g8_maintenance_safety.py | 64 行 | 98d4f453c98c | _rows, _policy,
test_weekend_resummary_in_callers_session_is_never_selected,
test_independent_verified_v2_group_is_selected_and_reverified,
test_nonleader_or_unverified_group_is_not_selected, test_restore_contract_includes_share_gateway_5014
- tests/v3/test_gateway.py | 746 行 | 83dff5d2e1af | FakeGuard, FakeGuard.**init**, FakeGuard.acquire, FakeGuard.release,
FakeServer, FakeServer.**init**, FakeServer.run, FakeServer.close

- tests/v3/test_health_certification.py | 431 行 | 0c3b9fa607cc | _canonical, _write_json, _inner_report, test_thousand_production_health_probes_are_model_free_and_read_only, test_health_certification_rejects_live_source_and_nonempty_roots, test_health_evidence_hash_rejects_tampering, test_health_certification_emits_structured_campaign_evidence, test_campaign_cli_runs_direct_certifier_with_profile_binding
- tests/v3/test_heavy_fallback_live_check_contract.py | 38 行 | 59fdfbe50f83 | test_load_env_uses_hash_bound_external_file, test_load_env_rejects_hash_drift
- tests/v3/test_host_singleton_migration.py | 174 行 | 59d1a9f6167d | _release, _plist, test_rendered_host_singleton_contains_no_v2_reference, test_staging_is_non_mutating_and_hash_bound, test_omlx_normal_runtime_drops_release_specific_python_override, test_omlx_unified_runtime_rebinds_python_override, test_renderer_rejects_unversioned_release
- tests/v3/test_human_approval.py | 497 行 | d7d294d03429 | _canonical, _write, _fixture, _approve, _bound_artifacts, test_27_of_28_merkle_request_interactive_receipt_and_g28_normalizer, test_approval_refuses_noninteractive_or_nonallowlisted_actor, test_approval_compiler_rejects_post_request_machine_evidence_drift
- tests/v3/test_ime_candidate_native.py | 18 行 | 43623b29664f | test_real_candidate_window_survives_bounded_memory_pressure
- tests/v3/test_ime_candidate_probe.py | 469 行 | 4ec7b8dd96f3 | _FakeClock, _FakeClock.init, _FakeClock.monotonic, _FakeClock.sleep, test_textedit_readiness_waits_for_front_document_and_window, test_textedit_readiness_retries_transient_apple_event_error, test_textedit_readiness_retries_transient_apple_event_error.readiness_reader, test_frontmost_restore_waits_for_asynchronous_appkit_activation
- tests/v3/test_isolated_live_evidence.py | 164 行 | 658321bc2086 | _sha, _artifacts, test_three_independent_runs_emit_four_authoritatively_recomputed_envelopes, test_duplicate_run_and_tampered_trace_fail_closed
- tests/v3/test_isolated_live_execute.py | 2193 行 | fb7e1c840114 | test_macos_v2_restore_uses_actual_production_readiness_routes, _digest, _write, _json, _probes, PreparedFixture, _prepared, test_live_plan_schema_matches_the_executor_contract
- tests/v3/test_isolated_live_plan_builder.py | 102 行 | 125fa6b5babf | _build, test_builder_publishes_only_a_statically_verified_plan, test_builder_fails_closed_before_publishing_on_non_go_offline_gate, test_builder_rejects_unsafe_token_and_existing_output
- tests/v3/test_isolated_resource_window.py | 584 行 | 846006b58175 | _raw_source, _pow_text, passing_report, rehash, test_passing_fixture_has_complete_inert_production_external_contract, test_resource_receipt_rejects_rehashed_nonexact_named_state_binding,

test_exclusive_stopped_window_can_certify_without_claiming_per_process_metal,

test_window_fails_closed_on_owner_budget_model_or_attribution_drift

- tests/v3/test_isolated_resource_window_collector.py | 595 行 | 66493127a8b5 | file_sha, tree_sha, Process, Process.**init**, FakeBackend, FakeBackend.**init**, FakeBackend.configure_scope, FakeBackend.isolation_probe
- tests/v3/test_isolated_resource_window_plan_builder.py | 387 行 | 05495a8ef624 | sha, fixture, invoke, external_kwargs, test_builder_deep_verifies_and_writes_0400_plan_0600_secret_without_executing, test_builder_binds_verified_external_python_runtime, test_builder_accepts_sealed_candidate_without_bundled_website, test_builder_rejects_sealed_candidate_that_bundles_external_website
- tests/v3/test_judicial_summary_quality_audit.py | 92 行 | 9f3d7d70d228 | _StartTransactionConnection, _StartTransactionConnection.**init**, _StartTransactionConnection.start_transaction, _ActiveTransactionConnection, _BeginConnection, _BeginConnection.**init**, _BeginConnection.begin, _Cursor
- tests/v3/test_legacy_background_service.py | 295 行 | eaa2c3370a2d | test_import_does_not_start_thread_socket_or_process, test_default_plan_owns_required_components_and_keeps_preloads_off, test_preload_components_are_strictly_opt_in, test_periodic_loop_runs_immediately_and_stop_event_interrupts_wait, test_periodic_loop_runs_immediately_and_stop_event_interrupts_wait.action, test_service_starts_one_shot_and_gracefully_stops_managed_loop, test_service_starts_one_shot_and_gracefully_stops_managed_loop.one_shot, test_service_starts_one_shot_and_gracefully_stops_managed_loop.loop
- tests/v3/test_legacy_mutable_state_routing.py | 131 行 | 542f7625de1c | _metadata_snapshot, test_v3_legacy_modules_write_only_external_runtime_state
- tests/v3/test_legal_research_quality.py | 338 行 | d684f91c512c | test_external_query_privacy_gate_keeps_issue_but_removes_identifiers, test_private_narrative_without_legal_issue_fails_closed, test_unlabelled_party_name_and_internal_narrative_never_leave_for_mcp, test_explicit_public_judge_and_court_docket_remain_searchable, test_reasoning_spans_exclude_party_argument_and_map_exact_source, test_dual_axis_ranking_and_practice_card_are_explainable, test_grounded_summary_has_span_citations_and_no_freeform_hallucination, test_citation_lock_allows_only_verified_source_with_support_span
- tests/v3/test_live_validation_mode.py | 87 行 | 80eab9c50049 | _environment, _request, _request.start_response, test_validation_wsgi_exposes_only_read_only_fixed_fixture, test_validation_factory_fails_closed_if_any_safety_switch_drifts
- tests/v3/test_macos_resources.py | 288 行 | 495469faa2b2 | completed, fixture_runner, fixture_runner.run, test_parsers_preserve_units_and_derived_provenance,

test_footprint_parser_uses_pid_bound_phys_footprint_not_rss_or_generic_summary,
test_sampler_is_read_only_bounded_and_never_promotes_rss_to_footprint_or_metal,
test_sampler_is_read_only_bounded_and_never_promotes_rss_to_footprint_or_metal.runner,
test_explicit_ps_bound_pids_enable_authoritative_physical_footprint

- tests/v3/test_magick_doctor_v3_runtime.py | 450 行 | c481efd60570 |
test_menubar_ps_fallback_handles_release_path_with_spaces,
test_menubar_ps_fallback_rejects_unrelated_command,
test_project_python_accepts_hash_bound_v3_runtime, test_project_python_rejects_hash_drift,
test_project_python_rejects_unbound_v3_runtime,
test_v3_release_detection_requires_release_id_and_release_root,
test_live_runtime_root_falls_back_to_active_v3_release,
test_live_runtime_root_ignores_stale_legacy_override_for_active_release
- tests/v3/test_manual_skill_mutable_state_isolation.py | 962 行 | e8e69df8b56a | _snapshot, _copy_candidate,
_v3_environment, test_release_launcher_exports_manual_skill_state_bindings,
test_night_talk_and_council_approval_share_external_state,
test_named_manual_skills_import_and_first_write_leave_candidate_immutable,
test_expanded_manual_state_writers_leave_candidate_immutable,
test_manual_state_defaults_preserve_v2_paths
- tests/v3/test_model_recovery.py | 53 行 | ca685c070a27 | _write_gate,
test_newer_declared_night_e4b_gate_proves_recovery, test_wrong_model_or_stale_gate_fails_closed,
test_day_gate_cannot_recover_night_switch
- tests/v3/test_mutable_state_handoff.py | 559 行 | b9d43008a95c | _context, _payload, _seed_source, _run,
test_allowlist_is_exact_and_covers_audited_p0_p1_state,
test_dry_run_writes_only_private_receipt_and_lists_optional_degradation,
test_prepare_atomically_copies_only_allowlist_and_is_idempotent,
test_debt_address_handoff_preserves_existing_entries_and_v3_writes_only_shared
- tests/v3/test_mutable_state_handoff_cutover.py | 429 行 | 099bcee3c723 | _plan, _payload, _executor,
test_handoff_runs_after_zero_before_install_and_hashes_enter_evidence,
test_handoff_runs_after_zero_before_install_and_hashes_enter_evidence.handoff,
test_post_zero_source_drift_restores_v2_without_consuming_token,
test_post_zero_source_drift_restores_v2_without_consuming_token.handoff,
test_execute_replays_the_exact_pre_cutover_receipt_identity
- tests/v3/test_named_mutable_state_routing.py | 215 行 | 712924de42a6 |
test_payment_proof_queue_uses_existing_file_review_state_binding, _sealed_environment,
test_named_mutable_files_preserve_v2_fallbacks,
test_sealed_named_mutable_files_bind_exact_shared_targets,
test_sealed_producers_write_only_shared_targets,

test_sealed_producers_write_only_shared_targets.snapshot,
test_sealed_named_mutable_files_fail_closed_when_binding_missing,
test_sealed_named_mutable_files_reject_release_or_wrong_shared_target

- tests/v3/test_nas_ocr_queue_path.py | 83 行 | a9ec4504973c |
test_producer_worker_and_status_share_explicit_queue_path,
test_sealed_v3_without_queue_binding_fails_closed,
test_v2_without_queue_binding_keeps_legacy_home_database,
test_sealed_v3_queue_must_be_external_and_canonical
- tests/v3/test_native_case_filesystem.py | 242 行 | 76f2b8223aff | connection, _effects, _service,
test_folder_creation_and_archive_are_transactionally_reflected,
test_pending_closure_archives_every_case_category_without_marking_final,
test_folder_is_removed_and_database_rolled_back_if_later_hook_fails,
test_folder_is_removed_and_database_rolled_back_if_later_hook_fails.fail_after_filesystem,
test_archive_move_is_reversed_if_database_transaction_fails
- tests/v3/test_native_osc_cases.py | 378 行 | 27224427d327 | AllowCsrf, AllowCsrf.validate,
AllowCsrf.safe_response_cookie, connection, service, service.lawyer, client,
test_native_create_preserves_core_v2_alias_and_response_contract
- tests/v3/test_native_osc_production.py | 872 行 | 53e56d053659 |
test_path_canonicalizer_maps_nas_strings_without_probing_filesystem,
test_path_canonicalizer_maps_nas_strings_without_probing_filesystem.forbidden_probe, ScriptedCursor,
ScriptedCursor.**init**, ScriptedCursor.execute, ScriptedCursor.fetchone, ScriptedCursor.fetchall,
ScriptedCursor.close
- tests/v3/test_nightly_runtime_bindings.py | 46 行 | 6a7a9cdab2d2 | test_system_test_report_uses_mutable_static,
test_channel_smoke_source_loads_explicit_v3_env
- tests/v3/test_nim_budget_reserve.py | 39 行 | 3003590b8bf6 | _base_env,
test_background_nim_stops_before_interactive_reserve, test_interactive_nim_can_use_reserved_capacity
- tests/v3/test_nim_heavy_sealed_release.py | 10 行 | 2b131d9fce81 |
test_nim_heavy_imports_without_legacy_providers_package
- tests/v3/test_observability.py | 121 行 | 73672b0ca511 | _record,
test_trace_is_deidentified_but_links_intent_model_effect_and_receipt,
test_support_bundle_uses_ephemeral_pseudonyms_and_rejects_free_text_labels,
test_slo_keeps_deferred_separate_and_support_bundle_redacts_errors,
test_dr_verification_requires_real_restore_and_both_targets,
test_recent_jobs_reader_does_not_request_wal_mutation,
test_recent_jobs_reader_does_not_request_wal_mutation.forbid_writer

- tests/v3/test_office_cognition_rc261.py | 72 行 | 80c5bfe6c8ea | test_human_assistant_stops_on_material_missing_fact, test_specific_office_requests_do_not_over_question, test_attachment_resolves_content_pronoun, test_contract_exposes_tool_and_side_effect_without_running_anything, test_office_domains_are_visible_for_cross_module_work, test_multi_domain_office_fact_query_requires_verified_tool
- tests/v3/test_office_deliverable_quality_rc261.py | 155 行 | 5bc62b35f330 | test_legal_summary_requires_identifiers_money_law_and_reasoning, test_translation_must_preserve_critical_anchors, test_translation_compares_english_and_roc_date_money_semantically, test_transcript_compares_spoken_chinese_date_and_article_semantically, test_repetition_is_not_shipped_as_human_quality_output, test_transcript_requested_timestamp_and_speaker_are_verified, test_transcript_polish_cannot_change_case_identifier, test_speaker_roles_are_not_invented_from_mentions
- tests/v3/test_offline_machine_gate_builder.py | 352 行 | d35fbc46a7a5 | _sha, _write, _json, BuilderFixture, _fixture, FakeCodeOwnedRunner, FakeCodeOwnedRunner.**init**, FakeCodeOwnedRunner._value
- tests/v3/test_omlx_profile_schedule_sync.py | 72 行 | db6c0dc8f172 | _cron_jobs, test_model_switch_schedule_matches_profile_policy, test_day_boundary_has_immediate_switch_and_bounded_grace, test_night_boundary_has_immediate_switch_and_bounded_grace, test_menubar_uses_waiting_state_only_during_bounded_transition, test_menubar_marks_profile_mismatch_red_after_transition_grace
- tests/v3/test_operational_attestation_builder.py | 78 行 | e7bc0905f559 | _ledger, test_builder_requires_real_records_receipts_and_restore, test_builder_refuses_green_for_empty_or_unreceipted_work
- tests/v3/test_operational_hardenening_fixture_paths.py | 100 行 | 5f076e4cfc53 | test_audit_fixture_quotes_release_paths_with_spaces, test_hardenening_fixture_provider_quotes_laf_scanner_path, test_current_critical_paths_have_no_pass_only_exception_handlers, _write_degraded_profile, test_hardenening_accepts_fresh_bounded_night_e4b_fallback, test_hardenening_rejects_stale_or_topology_mismatched_fallback
- tests/v3/test_ownership_stability_guard.py | 181 行 | 17a1778267f8 | SequenceProbe, SequenceProbe.**init**, SequenceProbe.assert_exclusive, test_periodic_guard_defers_one_listener_timeout_and_resets_on_success, test_periodic_guard_never_defers_confirmed_foreign_owner, test_periodic_guard_fails_closed_after_consecutive_timeout_limit, test_periodic_guard_fails_closed_after_grace_window, test_transient_classifier_is_narrow

- tests/v3/test_pdf_namer_handoff.py | 168 行 | 33dab93fc73e | _json, _paths,
 test_default_paths_bind_live_v2_and_the_deployed_v3_shared_state,
 test_precopy_is_allowlisted_private_and_public_evidence_has_no_case_payload_or_file_names,
 test_final_refresh_accepts_normal_post_precopy_v2_learning_update,
 test_final_refresh_rejects_destination_drift_without_touching_v2,
 test_direct_final_apply_and_repeat_are_idempotent,
 test_symlink_escape_hardlink_and_different_overwrite_are_rejected
- tests/v3/test_perf_certification.py | 202 行 | c94850456766 | _arm,
 test_request_plan_covers_session_mariadb_folder_and_archive,
 test_matched_comparator_clears_only_complete_equivalent_plan,
 test_missing_v3_folder_or_archive_fails_closed, test_runtime_or_request_plan_drift_is_rejected,
 test_folder_marker_creation_timestamp_is_the_only_normalized_filesystem_field,
 test_folder_marker_creation_timestamp_is_the_only_normalized_filesystem_field.marker_row,
 test_folder_marker_normalization_rejects_invalid_date_parent_extra_or_non_gitkeep
- tests/v3/test_perf_compat.py | 399 行 | 7c430ec4f671 |
 test_legacy_perf_envelope_cannot_impersonate_release_bound_partial_evidence, _inventory_evidence,
 test_fixture_preserves_the_pinned_route_identity_and_deterministic_response,
 test_direct_and_compat_arms_prove_identical_workload_and_responses,
 test_response_drift_is_a_hard_blocker_before_comparison, test_wrong_worker_assignment_is_rejected,
 test_network_guard_prevents_connections,
 test_actual_production_livez_blueprint_runs_without_service_or_external_dependencies
- tests/v3/test_physical_fault_drill.py | 651 行 | b5584555ca4a | _device, _raw_command, _power_measurement,
 _passing_report, _rehash, test_selected_device_rejects_nonphysical_or_system_targets,
 test_prepare_plan_requires_mounted_empty_root_and_writes_owner_only_artifacts,
 test_authorization_requires_allowlisted_interactive_tty
- tests/v3/test_pre_cutover.py | 1518 行 | c59553d70a45 | digest, write_json,
 test_pre_cutover_rejects_conditional_authorization_outside_approved_window,
 test_pre_cutover_rejects_conditional_authorization_outside_approved_window.Probe,
 test_pre_cutover_rejects_conditional_authorization_outside_approved_window.Probe.init,
 test_pre_cutover_rejects_conditional_authorization_outside_approved_window.Probe._check,
 test_pre_cutover_uses_daytime_window_with_end_exclusive,
 test_pre_cutover_uses_daytime_window_with_end_exclusive.Probe
- tests/v3/test_pre_cutover_readiness.py | 108 行 | 75889b8d4aa7 | _load_manifest, _surfaces,
 test_readiness_manifest_has_complete_required_surface_gate,
 test_every_status_is_machine_readable_and_backed_by_precise_evidence,
 test_every_required_surface_is_implemented_tested_and_ready,
 test_surface_readiness_remains_explicitly_separate_from_live_validation

- tests/v3/test_privacy_boundary_rc263.py | 346 行 | 39e726b389d8 | `_verified_scrubber,`
`test_taiwan_law_office_identifiers_are_removed_and_restorable,`
`test_legal_prose_is_not_misclassified_as_a_person,` `test_labelled_name_without_space_is_removed,`
`test_office_profile_fails_closed_without_verified_name_inventory,`
`test_public_judgment_profile_does_not_need_office_name_inventory,`
`test_certificate_never_contains_original_values_or_mapping,`
`test_second_pass_detects_unmasked_identifier`
- tests/v3/test_provisional_resource_window_execute.py | 751 行 | 7f348e2d29d6 | `_write_json,` `_sha,` `_semantic,` `_receipt,`
`_launch_status,` `_probe_receipt,` `FakeMachine,` `FakeMachine.init`
- tests/v3/test_provisional_resource_window_macos.py | 92 行 | 8565b68433cc | `_sha,` `_sealed,`
`test_cli_verifies_provisional_gate_before_building_real_machine,`
`test_cli_verifies_provisional_gate_before_building_real_machine.fake_verify_plan,`
`test_cli_verifies_provisional_gate_before_building_real_machine.fake_static,`
`test_cli_verifies_provisional_gate_before_building_real_machine.FakeMachine,`
`test_cli_verifies_provisional_gate_before_building_real_machine.FakeMachine.init,`
`test_cli_verifies_provisional_gate_before_building_real_machine.FakeExecutor`
- tests/v3/test_python_runtime_snapshot.py | 248 行 | 2401156a2c09 |
`test_runtime_snapshot_uses_cross_platform_lock_backend,` `_runtime,`
`test_complete_runtime_tree_is_hash_bound_and_verifiable,` `test_dependency_or_mode_drift_is_rejected,`
`test_symlinked_runtime_directory_is_rejected,` `test_pth_path_must_not_escape_runtime,`
`test_pth_cannot_import_project_code_before_release,` `test_symlinked_pth_is_validated`
- tests/v3/test_quality_input_builder.py | 156 行 | 794e3f5c2836 | `_write,` `_release,` `_runtime_manifest,` `_inputs,`
`test_builds_code_only_release_bound_quality_inputs,`
`test_fails_closed_for_existing_output_or_wrong_count,` `test_runtime_tree_tampering_fails_closed,`
`test_website_path_replacement_during_descriptor_read_fails_closed`
- tests/v3/test_quality_ledger.py | 88 行 | 24df2a7d43f4 | `_attestation,` `_signal,`
`test_all_business_quality_kinds_are_canonical_and_deidentified,`
`test_unknown_or_raw_data_is_rejected_and_never_persisted,`
`test_release_attestation_is_bound_and_never_deploy_authority,`
`test_ledger_rejects_a_forged_release_attestation,`
`test_quality_outcome_feeds_controlled_evolution_without_raw_evidence,`
`test_auto_retry_requires_retry_and_human_review_requires_human`
- tests/v3/test_release_bundle.py | 719 行 | 331a5d4e7619 | `_unlock_sealed_release_directories_after_test,` `_write,` `_git,`
`_head,` `_privacy_entry,` `test_office_validation_cli_survives_v3_python_safe_path,` `_source_tree,`
`test_bundle_contains_only_allowlisted_verified_files_and_atomic_marker`
- tests/v3/test_release_gate.py | 734 行 | 7db6d6f3a52c |
`test_release_gate_recomputes_dynamic_route_seatbelt_contract,`

- test_release_gate_route_formal_environment_allowlist_fails_closed_on_drift,
- test_release_gate_rejects_unbound_route_seatbelt_workspace,
- test_release_gate_conditional_g28_requires_exact_five_fixed_sources,
- test_release_gate_conditional_g28_requires_exact_five_fixed_sources.verifier,
- test_release_gate_conditional_g28_requires_exact_five_fixed_sources.artifact, _campaign_days_for_safety,
- test_release_gate_schedule_allows_only_disposable_internal_network
- tests/v3/test_release_python_launcher.py | 528 行 | 12087036c243 | _unlock_synthetic_release_after_test, _sealed_release, _runtime, _cron_environment, _runtime_manifest_environment, _launcher_from_environment, test_launcher_hash_binds_external_runtime_and_redirects_mutable_paths, test_launcher_refuses_hash_mismatch_without_executing_runtime
 - tests/v3/test_release_quality_certification.py | 620 行 | 40144baf0f11 | _canonical, _rehash_report, _quality_inputs, test_v3_website_admin_is_hash_bound_and_staged_inside_workspace, test_v3_website_admin_staging_rejects_source_hash_drift, test_release_quality_transcript_tampering_fails_closed, test_truthful_pytest_skip_reaches_strict_no_skip_policy, test_release_quality_source_and_safety_tampering_fails_closed
 - tests/v3/test_resource_performance_certification.py | 403 行 | 77e3e0ffd58a | _canonical, _partial_inputs, test_partial_report_tampering_never_promotes_a_missing_capability, test_owned_resource_probe_and_real_automatic_preemption_benchmark, test_owned_worker_group_physical_footprint_returns_within_budget, test_hash_bound_v2_stopped_window_upgrades_only_g8_g9_g25_capabilities, test_campaign_entrypoint_reexecs_complete_partial_producer_under_seatbelt, test_campaign_entrypoint_reexecs_complete_partial_producer_under_seatbelt.capture
 - tests/v3/test_route_certification.py | 940 行 | 82561b6a7f18 | test_actual_worker_protects_login_account_live_root_when_home_is_isolated, test_actual_worker_protects_login_account_live_root_when_home_is_isolated.run, _dispositions, _binding, _runtime_binding, _trace_safety, _base_safety, test_reviewed_passing_trace_promotes_real_handler_success_not_guard
 - tests/v3/test_route_certification_gateway_success.py | 208 行 | 1b6f9863b520 | test_line_root_and_alias_callbacks_dispatch_to_offline_handler, test_line_root_and_alias_callbacks_dispatch_to_offline_handler.OfflineLineHandler, test_line_root_and_alias_callbacks_dispatch_to_offline_handler.OfflineLineHandler.handle, test_line_rate_limit_returns_retry_after, test_line_rate_limit_returns_retry_after.reject, test_login_and_register_commit_only_to_in_memory_database, test_login_and_register_commit_only_to_in_memory_database.Cursor, test_login_and_register_commit_only_to_in_memory_database.Cursor.**init**

- tests/v3/test_route_certification_osc_crud_success.py | 456 行 | da9ef77e64eb | `_app,`
`test_osc_crud_success_paths_use_transaction_journal,`
`test_osc_crud_success_paths_use_transaction_journal.execute,`
`test_remaining_osc_projection_and_sandbox_text_success,`
`test_remaining_osc_projection_and_sandbox_text_success.execute,`
`test_remaining_osc_files_documents_and_laf_success,`
`test_remaining_osc_files_documents_and_laf_success.execute,`
`test_remaining_osc_files_documents_and_laf_success.create_structure`
- tests/v3/test_route_certification_tools_success.py | 294 行 | 535ad936f9b4 | `_OfflineAutoSkill, _OfflineAutoSkill._ok,`
`_OfflineAutoSkill.teach, _OfflineAutoSkill.learn, _OfflineAutoSkill.learn_from_file,`
`_OfflineAutoSkill.internalize_as_skill, _OfflineAutoSkill.internalize_codebase_as_skills,`
`_OfflineAutoSkill.import_toolsai_auto_skill`
- tests/v3/test_route_parity.py | 94 行 | 4e2475bf2d4b | `FakeMap, FakeMap.init, FakeMap.iter_rules, FakeApp,`
`FakeApp.init, _write_inputs, test_exact_factory_route_surface_passes_without_requests,`
`test_missing_and_extra_routes_fail_closed`
- tests/v3/test_runtime_isolation_regressions.py | 482 行 | 88d4cc5fa4bd |
`_unlock_read_only_candidate_directories_after_test, _app_with_blueprint,`
`test_launcher_deploy_mutable_env_matrix_and_release_test_contract_are_explicit,`
`test_golem_v3_stages_pending_secret_without_mutating_active_env,`
`test_golem_v2_keeps_existing_direct_env_edit_contract,`
`test_osc_share_and_forms_routes_first_write_only_external_state,`
`test_osc_share_and_forms_routes_first_write_only_external_state._Document,`
`test_osc_share_and_forms_routes_first_write_only_external_state._Document.save`
- tests/v3/test_safe_mlx_preflight.py | 25 行 | e5144bd9e322 | `test_default_preflight_does_not_import_mlx_core`
- tests/v3/test_schedule_baseline_capture.py | 422 行 | 4dd555d926d9 |
`test_capture_baseline_redacts_state_and_keeps_only_successful_duration,`
`test_capture_baseline_accumulates_unique_successes_and_computes_p95,`
`test_capture_baseline_normalizes_offsets_before_deduplication,`
`test_capture_baseline_rejects_conflicting_duration_for_same_instant,`
`test_capture_baseline_interprets_legacy_naive_scheduler_time_as_taipei,`
`test_capture_baseline_invalidates_observation_after_command_change,`
`test_capture_baseline_accepts_only_runtime_sample_bound_to_current_command`
- tests/v3/test_schedule_body_registry.py | 1411 行 | 79e8f76eb384 | `_inputs, _bound_cron_snapshot_bytes,`
`_system_diagnostic_adapter, test_registry_resolves_every_enabled_job_exactly_once,`
`test_osc_events_fixture_expectation_rolls_forward_across_month_end,`
`test_osc_events_contract_uses_bound_future_date_not_a_fixed_calendar_day,`

- test_osc_events_database_fixture_covers_document_index_fast_path,
- test_system_diagnostic_terminal_accepts_only_resource_warnings_and_preserves_them
- tests/v3/test_schedule_capacity_certification.py | 684 行 | 1c5898b03ce5 | _occurrence,
test_coalescing_safety_allows_only_declared_durable_checkpoint_backlogs,
test_campaign_schedule_body_cache_is_release_bound_and_reused,
test_campaign_schedule_body_cache_is_release_bound_and_reused.fake_registry,
test_certified_campaign_workdir_cleanup_removes_only_owned_tmpdir,
test_certified_campaign_workdir_cleanup_rejects_unowned_directory,
test_same_job_coalescer_distinguishes_exact_dedup_from_latest_pending,
test_layered_capacity_accounts_for_10x_delivery_and_never_runs_same_job_twice
- tests/v3/test_schedule_evidence.py | 723 行 | 4d7f4748865f | _digest, _sign, _raw_passes,
test_seven_raw_passes_recompute_the_g11_metrics,
test_duplicate_or_missing_profiles_and_bodies_fail_closed, test_cron_or_release_source_drift_fails_closed,
test_fake_aggregate_cannot_hide_incomplete_body_evidence,
test_g11_rejects_compressed_active_body_hash_or_raw_sample_drift
- tests/v3/test_schedule_realism.py | 497 行 | 86ec45d13946 |
test_command_identity_treats_release_root_rebase_and_quoting_as_equivalent,
test_command_identity_treats_v3_checkout_and_legacy_root_as_equivalent,
test_command_identity_treats_complete_mutable_checkout_pair_as_rebased,
test_command_identity_treats_manifest_bound_candidate_rebase_as_equivalent,
test_command_identity_treats_bound_external_runtime_shared_paths_as_equivalent,
test_command_identity_does_not_collapse_unbound_shared_runtime_path,
test_command_identity_detects_argument_value_drift,
test_command_identity_does_not_rebase_unrelated_absolute_code_anchor
- tests/v3/test_scheduled_mutable_state_routing.py | 417 行 | aa70473cc9bd | _release_metadata,
test_scheduled_modules_keep_v3_release_immutable,
test_scheduled_module_defaults_preserve_v2_paths
- tests/v3/test_sealed_candidate_paths.py | 361 行 | bab5d8b09b8a | _bind_candidate_cron,
test_candidate_diagnostics_use_hash_bound_cron_without_release_copy,
test_candidate_cron_binding_rejects_hash_drift,
test_sealed_candidate_without_external_cron_binding_fails_closed,
test_candidate_cron_source_must_match_release_policy,
test_candidate_child_processes_select_verified_launcher_without_venv,
test_candidate_mutable_preflight_and_laf_state_stay_outside_release,
test_candidate_mutable_preflight_and_laf_state_stay_outside_release.ExitedProcess
- tests/v3/test_service_entrypoints.py | 1013 行 | 209fd6120282 | identity,
test_importing_production_entrypoints_has_no_runtime_side_effects,

test_default_ownership_probe_rejects_v2_launchd_process_and_foreign_ports,
test_command_root_matching_never_resolves_process_tokens,
test_command_root_matching_never_resolves_process_tokens.reject_resolve,
test_default_ownership_probe_accepts_release_managed_listener_process_group,
test_default_ownership_probe_accepts_its_own_bound_listener,
test_default_ownership_probe_accepts_verified_same_release_role_listener

- tests/v3/test_service_manifest.py | 135 行 | 988e791c2abf |
test_production_service_manifest_has_exact_single_owner_topology,
test_isolated_live_validation_manifest_has_no_production_background_children,
test_runtime_manifest_selection_is_release_hash_and_safety_bound,
test_manifest_ownership_and_process_escape_fail_closed
- tests/v3/test_skill_overlay_isolation.py | 496 行 | 64c37aba9c8c | _write_skill, _tree_digest,
test_overlay_precedence_and_copy_on_write_keep_release_immutable,
test_docs_only_overlay_rebases_release_a_to_b_but_preserves_user_code,
test_nerv_edit_snapshot_rollback_and_definitions_are_external,
test_full_tree_snapshot_rollback_deletes_extras_and_reloads_registry,
test_runtime_mutation_paths_live_under_overlay, test_generate_install_and_autoskill_write_only_overlay
- tests/v3/test_static_external_staging.py | 408 行 | 7eb3b77de2d9 | _sha, _write, _write_json, _fixture, _source_kwargs,
_stage, test_stage_has_no_deploy_prerequisite_and_reverifies_exact_five_inputs,
test_source_snapshot_must_be_prebound_and_source_drift_is_detected
- tests/v3/test_transcription_backend_manifest.py | 146 行 | fe568834a335 | _backend_map,
test_transcription_manifest_matches_schema_and_has_unique_backends,
test_mlx_whisper_and_whisper_cli_form_the_only_enabled_dual_pair,
test_forensic_dual_pair_requires_absolute_offline_content_bound_artifacts,
test_ownscribe_is_fail_closed_until_legal_chinese_benchmark_passes,
test_manifest_requires_a_versioned_provenance_preserving_adapter,
test_evaluation_is_source_based_and_makes_no_verified_quality_claim,
test_candidate_suite_result_is_explicitly_partial
- tests/v3/test_transcription_quality_benchmark.py | 278 行 | 4184223a86be | _seal, _manifest, _backend, _report,
test_authorized_hash_only_corpus_is_ready_without_opening_media,
test_existing_one_second_generic_fixture_cannot_satisfy_corpus_gate,
test_corpus_rejects_confidential_or_uploadable_material,
test_portable_evidence_rejects_raw_transcript_or_local_path
- tests/v3/test_validation_campaign.py | 171 行 | 09924797a36e |
test_campaign_is_armed_for_certifying_offline_only_and_single_active,
test_all_offline_workloads_are_certified_and_historical_blockers_remain_auditable

- `tests/v3/test_validation_router.py` | 500 行 | 83f5d6a3a9c7 | `_manifest, _nodes, _materialize_core_workspace,`
`_write_cli_sources, _formal_binding,`
`test_pure_change_routes_one_measured_node_without_promotion_downgrade,`
`test_operational_change_routes_full_core_and_unknown_inventory_does_not_scope,`
`test_formal_modes_require_release_binding_and_keep_all_core_sections`

附錄 D. 設定、Schema、前端與腳本索引

副檔名	檔案數
.py	1320
.xsd	117
.md	85
.pdf	80
.json	74
.html	51
.png	34
.js	31
.sh	19
.xml	15
.txt	12
.css	9
[none]	9
.gradle	6
.docx	4
.plist	4
.java	3
.csv	2
.properties	2
.sql	2
.toml	2
.yaml	2
.bat	1
.cmd	1
.command	1
.example	1
.ipynb	1
.jar	1
.pro	1
.ps1	1
.sb	1

副檔名	檔案數
.svg	1
.swift	1
.yaml	1
.env.example 782 bytes 632e1358740d .github/workflows/build-installers.yml 1,321 bytes 622b389b7e70 .github/workflows/ci.yml 1,190 bytes 86ff523e4337 .gitignore 7,771 bytes d668255c8617 - CONSTITUTION.md 2,986 bytes 308c8411e86f - LICENSE 1,133 bytes 1b0bdc4ae6f7 - MAGI_SAAS_ROADMAP.md 3,035 bytes 8ae2a9d57d25 - PUBLIC_RELEASE.json 506 bytes 34c71d1489bc - README.md 2,903 bytes a5b0605e375d - README.zh-TW.md 1,830 bytes ce256a1108c2 - SECURITY.md 3,297 bytes d6d4ad7ab369 - SUPPORT.md 1,664 bytes e388a35e984d - api/pipelines/typo_map.json 2,325 bytes 1a0e5ac6668e - config/agent_capabilities.json 18,097 bytes d2d67e646a66 - config/bin/omlx_switch_model.sh 43,300 bytes 0d1fe572c084 - config/business_recovery_contracts.json 5,855 bytes db049a691030 - config/exam_tutor_trend_sources.json 7,141 bytes d65aafa4a422 - config/git-hooks/pre-commit 142 bytes b3ed7365d18d - config/laf_branch_profiles.json 4,231 bytes a0e0977a42c2 - config/launchagents/com.magi.memory-watchdog.plist 1,453 bytes fa138c169cf1 - config/launchagents/com.magi.mlx-mtp.plist 1,612 bytes 26fe3362df86 - config/launchagents/com.magi.omlx-restore.plist 887 bytes bbf13eea1bd6 - config/launchdaemons/com.magi.nas-mountpoints.plist 791 bytes 95141b875300 - config/model_registry.json 4,860 bytes 96b3c36a78d9 - config/selfhost.example.json 2,939 bytes 9166a73b62f0 - config/selfhost.schema.json 4,846 bytes 8d1ddc437f66 - config/single_source_of_truth.json 1,400 bytes 1ca95c2d8237 - config/test_matrix.json 16,821 bytes 08f47d6f94e7	

- config/v3_capability_manifest.json | **6,113 bytes** | 7036bd3a7186
- config/v3_cutover_gates.json | **5,518 bytes** | 43b3e34ecb7b
- config/v3_launchagent_roles.json | **822 bytes** | 83701ea2872c
- config/v3_live_validation_service_manifest.json | **1,170 bytes** | 2cfabc03b1c4
- config/v3_pre_cutover_readiness.json | **7,823 bytes** | 72fec3b184fb
- config/v3_release_quality_suites.json | **2,537 bytes** | 9645f7562f28
- config/v3_resource_policy.json | **8,825 bytes** | fd7a637c08bd
- config/v3_resource_window.sb | **870 bytes** | 3162bd3600b2
- config/v3_schedule_body_adapter_registry.json | **150,708 bytes** | 130824572f68
- config/v3_schedule_dispatch_policy.json | **1,890 bytes** | bf890d79f1cb
- config/v3_schedule_realism_baseline.json | **146,468 bytes** | b8988c877967
- config/v3_service_manifest.json | **2,019 bytes** | eba82bbe24a2
- config/v3_transcription_backends.json | **6,976 bytes** | cf4e7235021e
- config/v3_validation_campaign.json | **16,724 bytes** | 10f0daa7ddd5
- install-magi.cmd | **123 bytes** | 3f76952efdda
- install-magi.command | **278 bytes** | 681ebe3c0556
- install-magi.ps1 | **1,161 bytes** | 3b23c70704d4
- json/datastores.json | **1,354 bytes** | e1bd2a858e09
- json/holidays_config.json | **149 bytes** | 3b4763e9f238
- json/models.json | **2,644 bytes** | 02d9d4c376b8
- json/nodes.json | **1,337 bytes** | 534ad20a6059
- json/services.json | **1,692 bytes** | 77a54fb386fb
- migrations/README.md | **978 bytes** | a6ce58c9fc86
- migrations/versions/003_add_tenant_scope.sql | **5,310 bytes** | e67a861072ea
- mobile_app/README.md | **787 bytes** | 315b712f732c
- mobile_app/android/.gitignore | **1,824 bytes** | 065e4a92a240
- mobile_app/android/app/.gitignore | **26 bytes** | 99c54e51ee60
- mobile_app/android/app/build.gradle | **2,132 bytes** | 9da4bec3a141
- mobile_app/android/app/capacitor.build.gradle | **370 bytes** | 7051cadfdbc5
- mobile_app/android/app/proguard-rules.pro | **751 bytes** | 1cf8c57e8f79
- mobile_app/android/app/src/androidTest/java/com/getcapacitor/myapp/ExampleInstrumentedTest.java | **774 bytes** | ff50b4c110a7
- mobile_app/android/app/src/main/AndroidManifest.xml | **1,529 bytes** | a65ff5c0812a

- mobile_app/android/app/src/main/java/tw/local/magi/mobile/MainActivity.java | 124 bytes | f4950b948e9c
- mobile_app/android/app/src/main/res/drawable-land-hdpi/splash.png | 7,705 bytes | 08cc34ad7713
- mobile_app/android/app/src/main/res/drawable-land-mdpi/splash.png | 4,040 bytes | 5cf98b4451bd
- mobile_app/android/app/src/main/res/drawable-land-xhdpi/splash.png | 9,251 bytes | 22f87e1e3bc8
- mobile_app/android/app/src/main/res/drawable-land-xxhdpi/splash.png | 13,984 bytes | 42aa26392546
- mobile_app/android/app/src/main/res/drawable-land-xxxhdpi/splash.png | 17,683 bytes | 60393ce8636f
- mobile_app/android/app/src/main/res/drawable-port-hdpi/splash.png | 7,934 bytes | c5015f4ba362
- mobile_app/android/app/src/main/res/drawable-port-mdpi/splash.png | 4,096 bytes | 07fa579e1c83
- mobile_app/android/app/src/main/res/drawable-port-xhdpi/splash.png | 9,875 bytes | b73049cb37fe
- mobile_app/android/app/src/main/res/drawable-port-xxhdpi/splash.png | 13,346 bytes | 0c7f1212f25b
- mobile_app/android/app/src/main/res/drawable-port-xxxhdpi/splash.png | 17,489 bytes | 3db071a03b2f
- mobile_app/android/app/src/main/res/drawable-v24/ic_launcher_foreground.xml | 1,880 bytes | a8514094f754
- mobile_app/android/app/src/main/res/drawable/ic_launcher_background.xml | 5,606 bytes | 718ba51adf16
- mobile_app/android/app/src/main/res/drawable/splash.png | 4,040 bytes | 5cf98b4451bd
- mobile_app/android/app/src/main/res/layout/activity_main.xml | 535 bytes | 5d770feb7913
- mobile_app/android/app/src/main/res/mipmap-anydpi-v26/ic_launcher.xml | 265 bytes | 9c3a7e0a6515
- mobile_app/android/app/src/main/res/mipmap-anydpi-v26/ic_launcher_round.xml | 265 bytes | 9c3a7e0a6515
- mobile_app/android/app/src/main/res/mipmap-hdpi/ic_launcher.png | 2,786 bytes | 72b71c3581ca
- mobile_app/android/app/src/main/res/mipmap-hdpi/ic_launcher_foreground.png | 3,450 bytes | 32baa10d2632
- mobile_app/android/app/src/main/res/mipmap-hdpi/ic_launcher_round.png | 4,341 bytes | bfcc1b0fa931
- mobile_app/android/app/src/main/res/mipmap-mdpi/ic_launcher.png | 1,869 bytes | 27ed3603010e
- mobile_app/android/app/src/main/res/mipmap-mdpi/ic_launcher_foreground.png | 2,110 bytes | 58e78a618778
- mobile_app/android/app/src/main/res/mipmap-mdpi/ic_launcher_round.png | 2,725 bytes | 0166fc333074
- mobile_app/android/app/src/main/res/mipmap-xhdpi/ic_launcher.png | 3,981 bytes | d35dbfff175b
- mobile_app/android/app/src/main/res/mipmap-xhdpi/ic_launcher_foreground.png | 5,036 bytes | 6f88083b8166
- mobile_app/android/app/src/main/res/mipmap-xhdpi/ic_launcher_round.png | 6,593 bytes | 40911a009228
- mobile_app/android/app/src/main/res/mipmap-xxhdpi/ic_launcher.png | 6,644 bytes | ed346eb1e3f0
- mobile_app/android/app/src/main/res/mipmap-xxhdpi/ic_launcher_foreground.png | 9,793 bytes | 4a82bc1e9923
- mobile_app/android/app/src/main/res/mipmap-xxhdpi/ic_launcher_round.png | 10,455 bytes | 1ee4cd9ff371
- mobile_app/android/app/src/main/res/mipmap-xxxhdpi/ic_launcher.png | 9,441 bytes | 87cb2f2ffe99
- mobile_app/android/app/src/main/res/mipmap-xxxhdpi/ic_launcher_foreground.png | 15,529 bytes | bd24fd383253
- mobile_app/android/app/src/main/res/mipmap-xxxhdpi/ic_launcher_round.png | 15,916 bytes | ab93096331e7

- `mobile_app/android/app/src/main/res/values/ic_launcher_background.xml` | 120 bytes | `cd40baf618f`
- `mobile_app/android/app/src/main/res/values/strings.xml` | 302 bytes | `c7e398085174`
- `mobile_app/android/app/src/main/res/values/styles.xml` | 823 bytes | `18ebba36575e`
- `mobile_app/android/app/src/main/res/xml/file_paths.xml` | 213 bytes | `a46ed43ef65c`
- `mobile_app/android/app/src/test/java/com/getcapacitor/myapp/ExampleUnitTest.java` | 402 bytes | `d4045ae8fac1`
- `mobile_app/android/build.gradle` | 632 bytes | `2b8ea5d22103`
- `mobile_app/android/capacitor.settings.gradle` | 207 bytes | `b488e162f552`
- `mobile_app/android/gradle.properties` | 987 bytes | `3bab15c5b8bc`
- `mobile_app/android/gradle/wrapper/gradle-wrapper.jar` | 43,583 bytes | `2db75c40782f`
- `mobile_app/android/gradle/wrapper/gradle-wrapper.properties` | 253 bytes | `f7fafb1ddd0a`
- `mobile_app/android/gradlew` | 8,762 bytes | `a3648413b47e`
- `mobile_app/android/gradlew.bat` | 2,872 bytes | `2209f919a225`
- `mobile_app/android/settings.gradle` | 208 bytes | `6ce098d15ebd`
- `mobile_app/android/variables.gradle` | 497 bytes | `6b4439bc3517`
- `mobile_app/capacitor.config.json` | 253 bytes | `106449851dec`
- `mobile_app/package-lock.json` | 40,194 bytes | `062d525feffb`
- `mobile_app/package.json` | 630 bytes | `c284232ec71a`
- `mobile_app/www/index.html` | 1,018 bytes | `e7a4d7098804`
- `pyproject.toml` | 3,193 bytes | `c478b9684992`
- `requirements-optional.txt` | 1,906 bytes | `1aaf30be9817`
- `requirements-selfhost.txt` | 263 bytes | `5f1d2f446b05`
- `requirements.txt` | 688 bytes | `532b4da0e145`
- `resources/osc/photo/lawyer_stamp.png` | 4,874 bytes | `a0e604b5d69b`
- `resources/osc/photo/logo.png` | 8,206 bytes | `d95b616e980d`
- `resources/osc/photo/namecard.png` | 43,555 bytes | `db985fab48c5`
- `scripts/CRON_SETUP.md` | 260 bytes | `f0e28110a870`
- `scripts/FIX_SILENT_EXCEPT_README.txt` | 2,266 bytes | `c46e0860d514`
- `scripts/ci/shell_true_grandfather.txt` | 354 bytes | `37a3807c110d`
- `scripts/cloudflare_tunnel.sh` | 2,547 bytes | `eb099ff5def1`
- `scripts/fix_all_services.sh` | 5,800 bytes | `e0d8016d5def`
- `scripts/fix_omlx_watchdog.sh` | 3,643 bytes | `ee21d4dbd34b`
- `scripts/magi_cli.sh` | 23,497 bytes | `a59b94fdc318`

- `scripts/omlx_patch_and_start.sh` | 8,332 bytes | d0387db975a8
- `scripts/omlx_watchdog.sh` | 16,034 bytes | 094a27dab937
- `scripts/ops/cleanup_sensitive_data.sh` | 3,504 bytes | b29e31236513
- `scripts/ops/install_quickpiper.sh` | 822 bytes | 79574ef096a6
- `scripts/ops/migrate_laf_status_20260426_schema.sql` | 703 bytes | e72c6f9b8635
- `scripts/ops/official_api_night_once.sh` | 3,216 bytes | 5fea75640ff4
- `scripts/ops/start_magid_daemon_launchd.sh` | 619 bytes | 3f27ad747a2b
- `scripts/run_crawler.sh` | 977 bytes | aa6c1acf0210
- `scripts/run_db_sync.sh` | 415 bytes | 88cb3253aedc
- `scripts/run_judicial_pull.sh` | 986 bytes | 184737058fe6
- `scripts/run_nightly_guardian.sh` | 9,479 bytes | 4b7398ab1684
- `scripts/run_reprocess_insights.sh` | 1,316 bytes | 78433fd33899
- `scripts/run_resummary.sh` | 481 bytes | 75f1911accea
- `scripts/start_paperclip_share_tunnel.sh` | 2,630 bytes | ea411364ee65
- `scripts/v3_validation/route-method-review-supplement.json` | 62,178 bytes | 83283ed28d9e
- `scripts/v3_validation/route-method-review.json` | 150,261 bytes | 01649bf915d4
- `scripts/v3_validation/route-success-proof-review.json` | 49,563 bytes | 3ea31653896d
- `scripts/v3_validation/schemas/isolated-live-execution-plan.schema.json` | 3,465 bytes | 4023cdefb081
- `scripts/v3_validation/schemas/live-validation-plan.schema.json` | 3,526 bytes | 490ca78a6153
- `scripts/v3_validation/schemas/live-validation-report.schema.json` | 3,858 bytes | f2088edeb29c
- `scripts/v3_validation/schemas/replay-fixture.schema.json` | 4,404 bytes | b196f8057423
- `skills/apple/SETUP_SHORTCUTS.md` | 6,799 bytes | b241f1f75cfb
- `skills/auto-magi-skill/SKILL.md` | 454 bytes | b573461e2ea9
- `skills/autoresearch/.gitignore` | 279 bytes | ab8c4b08f855
- `skills/autoresearch/.python-version` | 5 bytes | 7a41a41354ab
- `skills/autoresearch/README.md` | 8,039 bytes | 3958fd4195ac
- `skills/autoresearch/SKILL.md` | 1,279 bytes | 57aa2f60bcd
- `skills/autoresearch/analysis.ipynb` | 8,208 bytes | 7c31705130d3
- `skills/autoresearch/doc.md` | 1,059 bytes | 643fa74ae75f
- `skills/autoresearch/program.md` | 7,039 bytes | 86cf987a5c38
- `skills/autoresearch/progress.png` | 252,961 bytes | a6be2ad8dece
- `skills/autoresearch/pyproject.toml` | 543 bytes | 675c150a9e07

- skills/bilingual-docx/references/translation_style_examples.md | 3,166 bytes | 6edcacba6487
- skills/bilingual-docx/scripts/audit.js | 8,937 bytes | a8462ab2bdc6
- skills/bilingual-docx/scripts/build_template.js | 8,688 bytes | a32759e04e91
- skills/bilingual-docx/scripts/normalize.js | 6,144 bytes | d2eee6228492
- skills/bilingual-docx/scripts/parse_reference.js | 2,454 bytes | 40ca4eaf2f36
- skills/brain_manager/SKILL.md | 3,082 bytes | e6043667c62a
- skills/brief-gen/SKILL.md | 2,657 bytes | 59b490fcd9f
- skills/browser/WEB_AUTOMATION_GUIDE.md | 33,477 bytes | b8c618a71ab1
- skills/casper-autofix-knowledge/SKILL.md | 603 bytes | 018765049fed
- skills/casper-autofix-knowledge/knowledge_seed.json | 548 bytes | 8cd3cc08cacb
- skills/contract-review/SKILL.md | 3,017 bytes | 42cdc6f23965
- skills/contract-review/evals/evals.json | 2,454 bytes | 5d2d6ba9d2ae
- skills/contract-review/references/vendor_standard.txt | 2,589 bytes | 74713555f5b6
- skills/court-hearing-reminder/SKILL.md | 1,854 bytes | a7600b11d16a
- skills/crawler-targets/SKILL.md | 1,157 bytes | 0cf682c4b08f
- skills/db-dual-sync/SKILL.md | 854 bytes | 0b55985e7a3d
- skills/definitions.json | 162,034 bytes | 680c3ac3c2c8
- skills/doc-producer/SKILL.md | 740 bytes | e02b70882ac8
- skills/docx-editor/README.md | 5,225 bytes | 60b72eb42349
- skills/docx-editor/SKILL.md | 1,458 bytes | a052dd0defae
- skills/docx-editor/SUMMARY_phases.md | 615 bytes | d31c83d29981
- skills/docx-editor/manifest.json | 378 bytes | 9363acaf8cd3
- skills/docx/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chart.xsd | 74,984 bytes | 41b93bd8857c
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chartDrawing.xsd | 6,956 bytes | 3fd0586f2637
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-diagram.xsd | 51,302 bytes | 29b254ee0d10
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-lockedCanvas.xsd | 624 bytes | 5cb76dabd8b9
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-main.xsd | 152,039 bytes | 5375417f0f53
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-picture.xsd | 1,231 bytes | 5d389d42befb
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-spreadsheetDrawing.xsd | 8,862 bytes | b4532b6d2588
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-wordprocessingDrawing.xsd | 14,795 bytes | bdad416b096b
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/pml.xsd | 83,612 bytes | d173c3e5d61e

- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-additionalCharacteristics.xsd | **1,269 bytes** | 3c6709101c6a
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-bibliography.xsd | **7,328 bytes** | 0b364451dc36
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-commonSimpleTypes.xsd | **6,382 bytes** | e2abacbb9a55
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlDataProperties.xsd | **1,248 bytes** | 0ef4bb354ff4
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlSchemaProperties.xsd | **880 bytes** | 0d103b99a4a8
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesCustom.xsd | **2,608 bytes** | 9c085407751b
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesExtended.xsd | **3,507 bytes** | bc92e36ccd23
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesVariantTypes.xsd | **7,507 bytes** | 7b5b7413e2c8
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-math.xsd | **23,313 bytes** | 3213ef163160
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-relationshipReference.xsd | **1,367 bytes** | 12264f3c03d7
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/sml.xsd | **242,277 bytes** | beffeed56945
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-main.xsd | **26,148 bytes** | f5ee623b08b6
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-officeDrawing.xsd | **25,279 bytes** | 585bedc1313b
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-presentationDrawing.xsd | **535 bytes** | 133c9f64a5c5
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-spreadsheetDrawing.xsd | **5,712 bytes** | 6bdeb169c371
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-wordprocessingDrawing.xsd | **4,010 bytes** | 475dcae1e7d1
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/wml.xsd | **171,367 bytes** | c2dd9f61f892
- skills/docx/scripts/office/schemas/ISO-IEC29500-4_2016/xml.xsd | **4,646 bytes** | a539aa2fb154
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-contentTypes.xsd | **1,963 bytes** | 9e0b7209fc69
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-coreProperties.xsd | **2,515 bytes** | 451958454e85
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-digSig.xsd | **2,856 bytes** | 6de111e11403
- skills/docx/scripts/office/schemas/ecma/fouth-edition/opc-relationships.xsd | **1,344 bytes** | f565adfef5a5
- skills/docx/scripts/office/schemas/mce/mc.xsd | **3,127 bytes** | 3a37e461ecf5
- skills/docx/scripts/office/schemas/microsoft/wml-2010.xsd | **26,549 bytes** | 568b26ee156c
- skills/docx/scripts/office/schemas/microsoft/wml-2012.xsd | **3,745 bytes** | 0fa75578a000
- skills/docx/scripts/office/schemas/microsoft/wml-2018.xsd | **901 bytes** | be0ff793a22d
- skills/docx/scripts/office/schemas/microsoft/wml-cex-2018.xsd | **1,778 bytes** | fddc2b880cab
- skills/docx/scripts/office/schemas/microsoft/wml-cid-2016.xsd | **1,002 bytes** | 127ca209fa73
- skills/docx/scripts/office/schemas/microsoft/wml-sdtdatahash-2020.xsd | **600 bytes** | 842e7163409c
- skills/docx/scripts/office/schemas/microsoft/wml-symex-2015.xsd | **745 bytes** | 16f6f8072249
- skills/docx/scripts/templates/comments.xml | **2,603 bytes** | a08ba83ee879
- skills/docx/scripts/templates/commentsExtended.xml | **2,611 bytes** | 544eeecfecee

- skills/docx/scripts/templates/commentsExtensible.xml | 2,707 bytes | bad10b3283e6
- skills/docx/scripts/templates/commentsIds.xml | 2,619 bytes | db20f9616e00
- skills/docx/scripts/templates/people.xml | 115 bytes | 056f63aa1197
- skills/engine/apple_translation/_sidecar/build.sh | 429 bytes | 1b35102f3c59
- skills/engine/apple_translation/_sidecar/magi_translator_sidecar | 100,424 bytes | 110f5a50a38b
- skills/engine/apple_translation/_sidecar/main.swift | 3,749 bytes | 5e72ce89021b
- skills/engine/legal_dict.txt | 557 bytes | f67c43ed905b
- skills/engine/stopwords_zh.txt | 302 bytes | e90b85ff5581
- skills/evidence-admissibility/SKILL.md | 7,626 bytes | 386d1b2d7996
- skills/evidence-admissibility/references/admissibility_rules.md | 5,440 bytes | 3744eeb8e647
- skills/evolution/iron_dome_dynamic_rules.json | 1,288 bytes | 7a4fac2e4a26
- skills/file-review-orchestrator/SKILL.md | 5,236 bytes | e963553513a5
- skills/forensic-transcript-verifier/SKILL.md | 9,067 bytes | 939051405db8
- skills/forensic-transcript-verifier/agents/openai.yaml | 348 bytes | 6db51a217b4a
- skills/forensic-transcript-verifier/references/verification-protocol.md | 7,095 bytes | 9641b31d8727
- skills/forensic-transcript-verifier/scripts/write_transcript_docx.js | 5,420 bytes | 2396e472618e
- skills/gmail-drafts/SKILL.md | 1,012 bytes | ff113fb1db73
- skills/insight-refine/SKILL.md | 514 bytes | 90ad9091c47d
- skills/insight-refine/meta.json | 193 bytes | 18e43c3bcd47
- skills/interpreter-empirical-classifier/SKILL.md | 3,239 bytes | 91b523cba6d4
- skills/iron-dome/SKILL.md | 1,005 bytes | 8f01ac550b3d
- skills/iron_dome/SKILL.md | 709 bytes | e0293f70832e
- skills/judgment-collector/SKILL.md | 10,136 bytes | 209a6221d4f7
- skills/judicial-flow-search-archive/SKILL.md | 2,239 bytes | d935c9ad8cb5
- skills/judicial-tools/SKILL.md | 3,813 bytes | c18ffacd5811
- skills/judicial-web-search/SKILL.md | 1,936 bytes | ab92d8c09e7a
- skills/labor-law-calculator/SKILL.md | 3,178 bytes | 82ad0f0fb25c
- skills/laf-orchestrator/SKILL.md | 23,706 bytes | 4d1028330905
- skills/laf-portal-automation/SKILL.md | 13,625 bytes | dc33a56a669f
- skills/laf-portal-automation/references/snapshot_training.json | 180,416 bytes | c71ab494b4b5
- skills/laf-refine-case/SKILL.md | 427 bytes | 7edeac3bc7ba
- skills/laf-withdrawal-report/SKILL.md | 757 bytes | bdf8060eb751

- skills/legal_attest/SKILL.md | 1,969 bytes | f34545df8ccc
- skills/magi-autopilot/SKILL.md | 1,857 bytes | 26b0d39d3722
- skills/magi-doctor/SKILL.md | 1,082 bytes | 7acecee324ed
- skills/magi-self-repair/SKILL.md | 823 bytes | 9db4876b06ef
- skills/market-briefing/SKILL.md | 4,975 bytes | f4979938332f
- skills/mock-test/SKILL.md | 1,420 bytes | 91bda329318b
- skills/obsidian/OBSIDIAN_FORMAT.md | 1,952 bytes | 6b4b5c445b54
- skills/obsidian/SKILL.md | 2,929 bytes | 7086486651e9
- skills/ops/_docx_table_gen.js | 16,675 bytes | 91e04d4b421b
- skills/ops/database/SKILL.md | 1,371 bytes | aa0ce976892d
- skills/ops/sunrise_protocol/SKILL.md | 971 bytes | 7ffe4f5ba195
- skills/osc-orchestrator/SKILL.md | 2,145 bytes | 6806f9959a71
- skills/osc-scan-folder/SKILL.md | 464 bytes | 1cb97eb0c844
- skills/pdf-annotator/SKILL.md | 1,615 bytes | 6a079e9cef94
- skills/pdf-bookmarker/SKILL.md | 5,408 bytes | ee7e2f67a5da
- skills/pdf-namer/SKILL.md | 3,182 bytes | a49bda01fd99
- skills/pdf-namer/few_shot_prompt.md | 3,682 bytes | 4e6efe9a3461
- skills/pdf/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/pdf/SKILL.md | 8,311 bytes | a0373416c6b2
- skills/pdf/forms.md | 11,854 bytes | 9530b3f57034
- skills/pdf/reference.md | 16,692 bytes | 03a5f964f8ab
- skills/pptx/LICENSE.txt | 1,467 bytes | 79f6d8f5b427
- skills/pptx/editing.md | 6,885 bytes | 6cb47c3ab17e
- skills/pptx/pptxgenjs.md | 12,819 bytes | 9539534d92b7
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chart.xsd | 74,984 bytes | 41b93bd8857c
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chartDrawing.xsd | 6,956 bytes | 3fd0586f2637
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-diagram.xsd | 51,302 bytes | 29b254ee0d10
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-lockedCanvas.xsd | 624 bytes | 5cb76dabd8b9
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-main.xsd | 152,039 bytes | 5375417f0f53
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-picture.xsd | 1,231 bytes | 5d389d42befb
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-spreadsheetDrawing.xsd | 8,862 bytes | b4532b6d2588
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-wordprocessingDrawing.xsd | 14,795 bytes | bdad416b096b

- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/pml.xsd | **83,612 bytes** | d173c3e5d61e
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-additionalCharacteristics.xsd | **1,269 bytes** | 3c6709101c6a
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-bibliography.xsd | **7,328 bytes** | 0b364451dc36
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-commonSimpleTypes.xsd | **6,382 bytes** | e2abacbb9a55
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlDataProperties.xsd | **1,248 bytes** | 0ef4bb354ff4
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlSchemaProperties.xsd | **880 bytes** | 0d103b99a4a8
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesCustom.xsd | **2,608 bytes** | 9c085407751b
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesExtended.xsd | **3,507 bytes** | bc92e36ccd23
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesVariantTypes.xsd | **7,507 bytes** | 7b5b7413e2c8
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-math.xsd | **23,313 bytes** | 3213ef163160
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-relationshipReference.xsd | **1,367 bytes** | 12264f3c03d7
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/sml.xsd | **242,277 bytes** | beffeed56945
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-main.xsd | **26,148 bytes** | f5ee623b08b6
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-officeDrawing.xsd | **25,279 bytes** | 585bedc1313b
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-presentationDrawing.xsd | **535 bytes** | 133c9f64a5c5
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-spreadsheetDrawing.xsd | **5,712 bytes** | 6bdeb169c371
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-wordprocessingDrawing.xsd | **4,010 bytes** | 475dcae1e7d1
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/wml.xsd | **171,367 bytes** | c2dd9f61f892
- skills/pptx/scripts/office/schemas/ISO-IEC29500-4_2016/xml.xsd | **4,646 bytes** | a539aa2fb154
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-contentTypes.xsd | **1,963 bytes** | 9e0b7209fc69
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-coreProperties.xsd | **2,515 bytes** | 451958454e85
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-digSig.xsd | **2,856 bytes** | 6de111e11403
- skills/pptx/scripts/office/schemas/ecma/fouth-edition/opc-relationships.xsd | **1,344 bytes** | f565adff5a5
- skills/pptx/scripts/office/schemas/mce/mc.xsd | **3,127 bytes** | 3a37e461ecf5
- skills/pptx/scripts/office/schemas/microsoft/wml-2010.xsd | **26,549 bytes** | 568b26ee156c
- skills/pptx/scripts/office/schemas/microsoft/wml-2012.xsd | **3,745 bytes** | 0fa75578a000
- skills/pptx/scripts/office/schemas/microsoft/wml-2018.xsd | **901 bytes** | be0ff793a22d
- skills/pptx/scripts/office/schemas/microsoft/wml-cex-2018.xsd | **1,778 bytes** | fddc2b880cab
- skills/pptx/scripts/office/schemas/microsoft/wml-cid-2016.xsd | **1,002 bytes** | 127ca209fa73
- skills/pptx/scripts/office/schemas/microsoft/wml-sdtdatahash-2020.xsd | **600 bytes** | 842e7163409c
- skills/pptx/scripts/office/schemas/microsoft/wml-symex-2015.xsd | **745 bytes** | 16f6f8072249
- skills/process-hygiene/SKILL.md | **1,226 bytes** | c23186c026cb

- skills/research-brief/SKILL.md | **4,354 bytes** | 2468c5893504
- skills/research-brief/seeds/east_asia.json | **4,753 bytes** | 7d1e48fc364b
- skills/research-brief/seeds/ethnicity.json | **4,979 bytes** | a4232c05d15e
- skills/research-brief/seeds/human_rights.json | **3,871 bytes** | 63d16dddaa93
- skills/research-brief/seeds/interpretation.json | **3,381 bytes** | 72b2a46b299e
- skills/research-brief/seeds/language_policy.json | **3,971 bytes** | 24f5474b3e4a
- skills/screenshot-sorter-tw/SKILL.md | **9,941 bytes** | 6eb8855ba04d
- skills/statutes-vdb/SKILL.md | **1,813 bytes** | cc61d04ad630
- skills/transcript-downloader/SKILL.md | **2,208 bytes** | fd63394c9367
- skills/transcript-indexer/SKILL.md | **2,557 bytes** | af0e08b3ab82
- skills/transcript-todo-extractor/SKILL.md | **1,690 bytes** | 0e5c2f61e9e0
- skills/translator/SKILL.md | **5,028 bytes** | 4a2ac462ecc3
- skills/trial-prep/SKILL.md | **1,801 bytes** | 30e91d59b4b7
- skills/worldmonitor-intel/SKILL.md | **1,507 bytes** | 7b7a025c8361
- skills/xlsx/LICENSE.txt | **1,467 bytes** | 79f6d8f5b427
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chart.xsd | **74,984 bytes** | 41b93bd8857c
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-chartDrawing.xsd | **6,956 bytes** | 3fd0586f2637
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-diagram.xsd | **51,302 bytes** | 29b254ee0d10
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-lockedCanvas.xsd | **624 bytes** | 5cb76dabd8b9
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-main.xsd | **152,039 bytes** | 5375417f0f53
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-picture.xsd | **1,231 bytes** | 5d389d42befb
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-spreadsheetDrawing.xsd | **8,862 bytes** | b4532b6d2588
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/dml-wordprocessingDrawing.xsd | **14,795 bytes** | bdad416b096b
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/pml.xsd | **83,612 bytes** | d173c3e5d61e
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-additionalCharacteristics.xsd | **1,269 bytes** | 3c6709101c6a
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-bibliography.xsd | **7,328 bytes** | 0b364451dc36
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-commonSimpleTypes.xsd | **6,382 bytes** | e2abacbb9a55
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlDataProperties.xsd | **1,248 bytes** | 0ef4bb354ff4
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-customXmlSchemaProperties.xsd | **880 bytes** | 0d103b99a4a8
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesCustom.xsd | **2,608 bytes** | 9c085407751b
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesExtended.xsd | **3,507 bytes** | bc92e36ccd23
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-documentPropertiesVariantTypes.xsd | **7,507 bytes** | 7b5b7413e2c8

- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-math.xsd | 23,313 bytes | 3213ef163160
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/shared-relationshipReference.xsd | 1,367 bytes | 12264f3c03d7
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/sml.xsd | 242,277 bytes | beffeed56945
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-main.xsd | 26,148 bytes | f5ee623b08b6
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-officeDrawing.xsd | 25,279 bytes | 585bedc1313b
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-presentationDrawing.xsd | 535 bytes | 133c9f64a5c5
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-spreadsheetDrawing.xsd | 5,712 bytes | 6bdeb169c371
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/vml-wordprocessingDrawing.xsd | 4,010 bytes | 475dcae1e7d1
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/wml.xsd | 171,367 bytes | c2dd9f61f892
- skills/xlsx/scripts/office/schemas/ISO-IEC29500-4_2016/xml.xsd | 4,646 bytes | a539aa2fb154
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-contentTypes.xsd | 1,963 bytes | 9e0b7209fc69
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-coreProperties.xsd | 2,515 bytes | 451958454e85
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-digSig.xsd | 2,856 bytes | 6de111e11403
- skills/xlsx/scripts/office/schemas/ecma/fouth-edition/opc-relationships.xsd | 1,344 bytes | f565adfef5a5
- skills/xlsx/scripts/office/schemas/mce/mc.xsd | 3,127 bytes | 3a37e461ecf5
- skills/xlsx/scripts/office/schemas/microsoft/wml-2010.xsd | 26,549 bytes | 568b26ee156c
- skills/xlsx/scripts/office/schemas/microsoft/wml-2012.xsd | 3,745 bytes | 0fa75578a000
- skills/xlsx/scripts/office/schemas/microsoft/wml-2018.xsd | 901 bytes | be0ff793a22d
- skills/xlsx/scripts/office/schemas/microsoft/wml-cex-2018.xsd | 1,778 bytes | fddc2b880cab
- skills/xlsx/scripts/office/schemas/microsoft/wml-cid-2016.xsd | 1,002 bytes | 127ca209fa73
- skills/xlsx/scripts/office/schemas/microsoft/wml-sdtdatahash-2020.xsd | 600 bytes | 842e7163409c
- skills/xlsx/scripts/office/schemas/microsoft/wml-symex-2015.xsd | 745 bytes | 16f6f8072249
- static/exam_tutor/choice_bank.json | 3,123,238 bytes | 53a47488aabe
- static/exam_tutor/curated_practice_weights.json | 350,911 bytes | b93f69de1806
- static/exam_tutor/essay-source-pdfs/essay-111-business-official-rubric.pdf | 424,150 bytes | 5c55924fdeba
- static/exam_tutor/essay-source-pdfs/essay-111-business-question.pdf | 182,312 bytes | 80bfd9ae04e7
- static/exam_tutor/essay-source-pdfs/essay-111-civil_1-official-rubric.pdf | 396,160 bytes | 28fb6a3f7b2c
- static/exam_tutor/essay-source-pdfs/essay-111-civil_1-question.pdf | 144,016 bytes | 58a9f9816404
- static/exam_tutor/essay-source-pdfs/essay-111-civil_2-official-rubric.pdf | 367,814 bytes | 5557028506a2
- static/exam_tutor/essay-source-pdfs/essay-111-civil_2-question.pdf | 135,113 bytes | fc746f1be170
- static/exam_tutor/essay-source-pdfs/essay-111-constitutional-official-rubric.pdf | 521,089 bytes | 9c456bd9881b
- static/exam_tutor/essay-source-pdfs/essay-111-constitutional-question.pdf | 192,808 bytes | d7aa2ced545d

- [static/exam_tutor/essay-source-pdfs/essay-111-criminal-official-rubric.pdf](#) | 509,743 bytes | 96650e5f5363
- [static/exam_tutor/essay-source-pdfs/essay-111-criminal-question.pdf](#) | 154,118 bytes | 4ec148b4bf21
- [static/exam_tutor/essay-source-pdfs/essay-111-ip-official-rubric.pdf](#) | 413,282 bytes | 9847b0c677e5
- [static/exam_tutor/essay-source-pdfs/essay-111-ip-question.pdf](#) | 129,669 bytes | 10d93381354a
- [static/exam_tutor/essay-source-pdfs/essay-111-labor-official-rubric.pdf](#) | 382,126 bytes | 0c2e64c2e1f6
- [static/exam_tutor/essay-source-pdfs/essay-111-labor-question.pdf](#) | 162,871 bytes | fe5e5568e357
- [static/exam_tutor/essay-source-pdfs/essay-111-maritime-official-rubric.pdf](#) | 494,396 bytes | 38e482facacf
- [static/exam_tutor/essay-source-pdfs/essay-111-maritime-question.pdf](#) | 136,947 bytes | f3dbdbf7a1a6
- [static/exam_tutor/essay-source-pdfs/essay-111-tax-official-rubric.pdf](#) | 350,596 bytes | 7bf1ac373809
- [static/exam_tutor/essay-source-pdfs/essay-111-tax-question.pdf](#) | 151,487 bytes | 8ff0bd2e839d
- [static/exam_tutor/essay-source-pdfs/essay-112-business-official-rubric.pdf](#) | 269,631 bytes | b41e484b4e90
- [static/exam_tutor/essay-source-pdfs/essay-112-business-question.pdf](#) | 142,916 bytes | 89b65c903d20
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_1-official-rubric.pdf](#) | 218,401 bytes | f8b88f0c8595
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_1-question.pdf](#) | 149,884 bytes | 6f45ca0424c1
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_2-official-rubric.pdf](#) | 191,209 bytes | d9576b516cea
- [static/exam_tutor/essay-source-pdfs/essay-112-civil_2-question.pdf](#) | 140,393 bytes | 0fb1a961eb42
- [static/exam_tutor/essay-source-pdfs/essay-112-constitutional-official-rubric.pdf](#) | 245,331 bytes | ad9cea6d8851
- [static/exam_tutor/essay-source-pdfs/essay-112-constitutional-question.pdf](#) | 187,103 bytes | 9f1093400f60
- [static/exam_tutor/essay-source-pdfs/essay-112-criminal-official-rubric.pdf](#) | 262,896 bytes | af8d00b56594
- [static/exam_tutor/essay-source-pdfs/essay-112-criminal-question.pdf](#) | 153,453 bytes | fe66ab833fb2
- [static/exam_tutor/essay-source-pdfs/essay-112-ip-official-rubric.pdf](#) | 225,984 bytes | 64661c8a9f87
- [static/exam_tutor/essay-source-pdfs/essay-112-ip-question.pdf](#) | 147,091 bytes | 4f853af3d7cd
- [static/exam_tutor/essay-source-pdfs/essay-112-labor-official-rubric.pdf](#) | 259,486 bytes | ce2d17031c17
- [static/exam_tutor/essay-source-pdfs/essay-112-labor-question.pdf](#) | 138,441 bytes | 30b961548664
- [static/exam_tutor/essay-source-pdfs/essay-112-maritime-official-rubric.pdf](#) | 186,768 bytes | a4030bcbe328
- [static/exam_tutor/essay-source-pdfs/essay-112-maritime-question.pdf](#) | 135,633 bytes | 448a682672f6
- [static/exam_tutor/essay-source-pdfs/essay-112-tax-official-rubric.pdf](#) | 136,862 bytes | 35f33c519bf
- [static/exam_tutor/essay-source-pdfs/essay-112-tax-question.pdf](#) | 126,702 bytes | c61c2bcf97b1
- [static/exam_tutor/essay-source-pdfs/essay-113-business-official-rubric.pdf](#) | 214,005 bytes | f94876645b08
- [static/exam_tutor/essay-source-pdfs/essay-113-business-question.pdf](#) | 137,491 bytes | 74456afd3f9b
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_1-official-rubric.pdf](#) | 212,501 bytes | b7584f6d453e
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_1-question.pdf](#) | 137,517 bytes | b2abb049ad65

- [static/exam_tutor/essay-source-pdfs/essay-113-civil_2-official-rubric.pdf](#) | 168,047 bytes | 2b20219f8ec8
- [static/exam_tutor/essay-source-pdfs/essay-113-civil_2-question.pdf](#) | 134,575 bytes | 5b680b098d80
- [static/exam_tutor/essay-source-pdfs/essay-113-constitutional-official-rubric.pdf](#) | 295,216 bytes | 417d83bc7d5a
- [static/exam_tutor/essay-source-pdfs/essay-113-constitutional-question.pdf](#) | 274,316 bytes | 6e5b10081885
- [static/exam_tutor/essay-source-pdfs/essay-113-criminal-official-rubric.pdf](#) | 240,502 bytes | 18e19cbfcf92
- [static/exam_tutor/essay-source-pdfs/essay-113-criminal-question.pdf](#) | 149,296 bytes | 9233b216a23d
- [static/exam_tutor/essay-source-pdfs/essay-113-ip-official-rubric.pdf](#) | 238,329 bytes | 0af4b2175327
- [static/exam_tutor/essay-source-pdfs/essay-113-ip-question.pdf](#) | 150,067 bytes | d8c8bcc0ddd9
- [static/exam_tutor/essay-source-pdfs/essay-113-labor-official-rubric.pdf](#) | 259,231 bytes | c9fee79a8f7c
- [static/exam_tutor/essay-source-pdfs/essay-113-labor-question.pdf](#) | 152,570 bytes | dd8b4875989c
- [static/exam_tutor/essay-source-pdfs/essay-113-maritime-official-rubric.pdf](#) | 302,559 bytes | 0a7b69a504d2
- [static/exam_tutor/essay-source-pdfs/essay-113-maritime-question.pdf](#) | 165,800 bytes | 3920737e3398
- [static/exam_tutor/essay-source-pdfs/essay-113-tax-official-rubric.pdf](#) | 147,463 bytes | 37bf97de67a6
- [static/exam_tutor/essay-source-pdfs/essay-113-tax-question.pdf](#) | 129,126 bytes | 51cba79d99b7
- [static/exam_tutor/essay-source-pdfs/essay-114-business-official-rubric.pdf](#) | 232,463 bytes | f4e25030fc61
- [static/exam_tutor/essay-source-pdfs/essay-114-business-question.pdf](#) | 126,742 bytes | b42c6f813bb4
- [static/exam_tutor/essay-source-pdfs/essay-114-civil_1-official-rubric.pdf](#) | 216,133 bytes | 367ebd677b0a
- [static/exam_tutor/essay-source-pdfs/essay-114-civil_1-question.pdf](#) | 131,382 bytes | 55c6ad1b063d
- [static/exam_tutor/essay-source-pdfs/essay-114-civil_2-official-rubric.pdf](#) | 169,606 bytes | 19c59c5f9f8c
- [static/exam_tutor/essay-source-pdfs/essay-114-civil_2-question.pdf](#) | 122,789 bytes | c842f33a2b1c
- [static/exam_tutor/essay-source-pdfs/essay-114-constitutional-official-rubric.pdf](#) | 326,666 bytes | 639411eda0e7
- [static/exam_tutor/essay-source-pdfs/essay-114-constitutional-question.pdf](#) | 147,791 bytes | 4a1546c04d66
- [static/exam_tutor/essay-source-pdfs/essay-114-criminal-official-rubric.pdf](#) | 296,145 bytes | cc284a3fd255
- [static/exam_tutor/essay-source-pdfs/essay-114-criminal-question.pdf](#) | 147,324 bytes | 5a15cb9ade33
- [static/exam_tutor/essay-source-pdfs/essay-114-ip-official-rubric.pdf](#) | 273,282 bytes | 35eaebebee84
- [static/exam_tutor/essay-source-pdfs/essay-114-ip-question.pdf](#) | 175,906 bytes | 66fa08a3decd
- [static/exam_tutor/essay-source-pdfs/essay-114-labor-official-rubric.pdf](#) | 212,461 bytes | 553bd5f1fdcb
- [static/exam_tutor/essay-source-pdfs/essay-114-labor-question.pdf](#) | 184,690 bytes | e4a0ee585a9f
- [static/exam_tutor/essay-source-pdfs/essay-114-maritime-official-rubric.pdf](#) | 241,072 bytes | 5cc85fcf496e
- [static/exam_tutor/essay-source-pdfs/essay-114-maritime-question.pdf](#) | 170,452 bytes | c088e3bb2f10
- [static/exam_tutor/essay-source-pdfs/essay-114-tax-official-rubric.pdf](#) | 178,652 bytes | 866c21c4897b
- [static/exam_tutor/essay-source-pdfs/essay-114-tax-question.pdf](#) | 149,535 bytes | eb3a9e83d1f6

- static/exam_tutor/extended_source_catalog.json | 4,383,272 bytes | 4ab98287fec6
- static/exam_tutor/source-pdfs/115110_0101_answer.pdf | 41,709 bytes | 9ccfba639ce2
- static/exam_tutor/source-pdfs/115110_0101_question.pdf | 525,636 bytes | 9e3bf63b0266
- static/exam_tutor/source-pdfs/115110_0201_answer.pdf | 40,997 bytes | b7d1a537424a
- static/exam_tutor/source-pdfs/115110_0201_question.pdf | 459,855 bytes | 371145d65bd6
- static/exam_tutor/source-pdfs/115110_0202_answer.pdf | 43,009 bytes | 4515b188b311
- static/exam_tutor/source-pdfs/115110_0202_question.pdf | 485,349 bytes | 18c1b2da978d
- static/exam_tutor/source-pdfs/115110_0301_answer.pdf | 41,161 bytes | 7d80229d5cb5
- static/exam_tutor/source-pdfs/115110_0301_question.pdf | 581,466 bytes | 77546ef8219c
- static/exam_tutor/trend_analysis.json | 19,683 bytes | 1e88b761926e
- static/golem/assets/alex.png | 4,570,811 bytes | f8126e6094c7
- static/golem/assets/office_bg.png | 74,730 bytes | 4f89f1cf0302
- static/golem/assets/pixel_bg_tech.png | 8,985,774 bytes | 5811e196810f
- static/golem/assets/server_rack.png | 6,010,033 bytes | 7be5c6e2b573
- static/golem/golem-console.css | 23,623 bytes | 987962c60b42
- static/golem/golem-console.js | 31,612 bytes | 683c68871ef4
- static/iron_dome_patterns.json | 1,628 bytes | b02cd5115635
- static/magi-csrf.js | 1,991 bytes | 488c9c5e1060
- static/magi-site.css | 28,207 bytes | 144eebc69a9b
- static/magi-theme.css | 16,592 bytes | 371c4a9aae3b
- static/magi-theme.js | 3,185 bytes | 76ce02a2ded2
- static/mobile/magi-mobile.svg | 602 bytes | 68533fb85316
- static/mobile/mobile.css | 13,723 bytes | 0cec60e67c51
- static/mobile/mobile.js | 9,999 bytes | 74f085266767
- static/mobile/sw.js | 2,239 bytes | d53693ac2df2
- static/osc/file-manager.css | 40,861 bytes | 88442bf6df60
- static/osc/osc-components.css | 56,509 bytes | 52e843d1163c
- static/osc/osc-events.js | 63,626 bytes | 9e92886efb29
- static/osc/osc-grouping.js | 3,490 bytes | 3fd3b476b1bd
- static/osc/osc-mobile.js | 1,325 bytes | 992743113fec
- static/osc/osc-polish.css | 10,884 bytes | ff32058d3673
- static/osc/osc-responsive.css | 12,749 bytes | e63b20a20ba9

- static/osc/osc-state.js | 2,207 bytes | 0153b552b259
- static/osc/osc-theme.css | 13,106 bytes | 4855d7cf4dd3
- static/osc/osc-ui.js | 28,664 bytes | 9fc4f463ab7b
- static/osc/osc-utils.js | 30,705 bytes | 96ffb51b9d53
- static/osc/tabs/accounting.js | 39,441 bytes | db0159009ffc
- static/osc/tabs/admin.js | 33,246 bytes | 7c97f61336b4
- static/osc/tabs/calendar.js | 13,045 bytes | 622031431cdd
- static/osc/tabs/cases.js | 118,893 bytes | c7dcdbd448723
- static/osc/tabs/checklists.js | 11,067 bytes | 2916cdabf6d0
- static/osc/tabs/dashboard.js | 6,012 bytes | 002a1ae02105
- static/osc/tabs/documents.js | 92,983 bytes | facee072b0e4
- static/osc/tabs/drafts.js | 39,525 bytes | b7a3ca031d0a
- static/osc/tabs/file_manager.js | 99,932 bytes | 0b60934529db
- static/osc/tabs/hearing_conflict.js | 11,051 bytes | 0c3223b66b8d
- static/osc/tabs/insights.js | 7,991 bytes | cd127bc97acd
- static/osc/tabs/raziel.js | 13,311 bytes | 338e62c4bb43
- static/osc/tabs/saas.js | 26,961 bytes | df9c894c89f8
- static/osc/tabs/todos.js | 10,986 bytes | ba3ab0702caf
- templates/cookie_cutter.html | 13,702 bytes | 3cec9148a5c1
- templates/dashboard.html | 113,800 bytes | 8405e629835a
- templates/dashboard_beginner.html | 14,431 bytes | c75a9f39d9f1
- templates/dashboard_nerv.html | 124,789 bytes | b670a6877859
- templates/dashboard_website.html | 4,174 bytes | 984ef8ad6b5a
- templates/debt_templates/A.docx | 26,687 bytes | ab5bb690a50d
- templates/debt_templates/B.docx | 23,659 bytes | d018e780da9e
- templates/debt_templates/C.docx | 18,650 bytes | 0753260b27f5
- templates/debt_templates/D.docx | 29,112 bytes | 36f159c54dab
- [templates/debt_templates/all adress - bank.csv]([https://github.com/WhaleChao/MAGI-public/blob/release/rc627-technical-manual-20260821/templates/debt_templates/all adress - bank.csv](https://github.com/WhaleChao/MAGI-public/blob/release/rc627-technical-manual-20260821/templates/debt_templates/all%20adress%20-%20bank.csv)) | 1,037 bytes | a28129032654
- [templates/debt_templates/all adress - company.csv]([https://github.com/WhaleChao/MAGI-public/blob/release/rc627-technical-manual-20260821/templates/debt_templates/all adress - company.csv](https://github.com/WhaleChao/MAGI-public/blob/release/rc627-technical-manual-20260821/templates/debt_templates/all%20adress%20-%20company.csv)) | 1,107 bytes | 2bb78d4308c1
- templates/exam_tutor.html | 161,608 bytes | 91e5609ed066

- templates/golem_console.html | 11,072 bytes | 5726f058fbb0
- templates/intel.html | 12,784 bytes | 30dfc139177a
- templates/login.html | 5,596 bytes | 376b7a773e4d
- templates/lottery.html | 11,413 bytes | a9641f47a345
- templates/mobile_admin.html | 3,059 bytes | 26557fe3cba1
- templates/mobile_home.html | 8,049 bytes | 6fbacad394e4
- templates/osc.html | 12,108 bytes | 7b7f7060d446
- templates/osc_debt.html | 81,928 bytes | 2a34af60d625
- templates/partials/osc/accounting.html | 22,518 bytes | 71ac2ecad99a
- templates/partials/osc/admin.html | 31,984 bytes | 055dc803ed48
- templates/partials/osc/archiveWizard.html | 2,152 bytes | 621cf5961881
- templates/partials/osc/calendar.html | 7,436 bytes | 9566e688ee74
- templates/partials/osc/cases.html | 17,922 bytes | ebf576be3a4a
- templates/partials/osc/clients.html | 5,212 bytes | db92bac23751
- templates/partials/osc/dashboard.html | 4,907 bytes | fe1018f2a571
- templates/partials/osc/documentReuse.html | 6,725 bytes | 151a51309d9c
- templates/partials/osc/documents.html | 15,422 bytes | e6db719ac074
- templates/partials/osc/drafts.html | 16,440 bytes | ecaa66525f82
- templates/partials/osc/fileManager.html | 10,022 bytes | 0e14b0a327cb
- templates/partials/osc/forms.html | 10,075 bytes | fdb2ae905aca
- templates/partials/osc/hearingConflict.html | 6,016 bytes | 12ca0004966f
- templates/partials/osc/insights.html | 4,727 bytes | 5bcc56f163d1
- templates/partials/osc/laf.html | 5,899 bytes | ddeca28c3bf3
- templates/partials/osc/lafWizard.html | 4,257 bytes | d45a770681d6
- templates/partials/osc/meetings.html | 5,437 bytes | 03a34a850a3b
- templates/partials/osc/pdfTools.html | 4,707 bytes | aa163ec9463c
- templates/partials/osc/quotations.html | 14,244 bytes | 1a5b938302a3
- templates/partials/osc/raziel.html | 6,731 bytes | ede73f7fc356
- templates/partials/osc/saasWorkbench.html | 19,335 bytes | 293b57ac24c1
- templates/partials/osc/templateFolder.html | 2,483 bytes | ebe449514788
- templates/partials/osc/todos.html | 5,512 bytes | 93a98a4a8569
- templates/process_monitor.html | 8,441 bytes | db3b6e941ee5

- `templates/register.html` | 4,266 bytes | 2a455eadd4ef
- `templates/research.html` | 6,984 bytes | 8fba76edbc1d
- `templates/research_judgment_classifier.html` | 3,888 bytes | aff04105aeee
- `templates/rss_preview.html` | 3,534 bytes | b5fd2a17e7fc
- `templates/sentencing_trends.html` | 14,260 bytes | d5d2e69d33e8
- `templates/wizard/base.html` | 11,373 bytes | 7a4d15034774
- `templates/wizard/complete.html` | 3,118 bytes | 1427d9ff065c
- `templates/wizard/config.html` | 9,222 bytes | 5482b85da42c
- `templates/wizard/hardware.html` | 7,780 bytes | 04f0c69049d5
- `templates/wizard/models.html` | 6,132 bytes | 49cd44c92216
- `templates/wizard/review.html` | 4,043 bytes | 6c87f7c8c24e
- `templates/wizard/welcome.html` | 3,938 bytes | 377193cbd212
- `tests/README.md` | 1,192 bytes | b7bb9e3a9b9f
- `tests/v3/compat/behavior_fixtures/osc-file-content.json` | 1,272 bytes | fa25c5127abf
- `tests/v3/compat/fixtures/external-sse.json` | 1,110 bytes | dc5034d478ca
- `tests/v3/compat/fixtures/reply-duplicate-headers.json` | 1,452 bytes | c9140bdb7500
- `tests/v3/compat/fixtures/reply-success.json` | 1,242 bytes | 387bb1b73d3d
- `tests/v3/compat/fixtures/shortcut-error.json` | 1,449 bytes | 8df952905d65
- `tests/v3/compat/live/isolated-plan.json` | 1,366 bytes | 268b6436217b
- `tests/v3/compat/live/isolated-report.json` | 1,496 bytes | 901031d82e09
- `tests/v3/evals/business_outcome_regression_corpus.json` | 69 bytes | abdc3a3746d8

附錄 E. API 路由索引

靜態掃描取得 **344** 條 decorator routes；動態 add_url_rule 或 runtime-generated route 請另以 function_health_index.discover_api_routes() 的 LIVE report 為準。

Methods	Route	Handler	Source
GET,POST	/	index	api/server.py:821
POST	/alert	api_alert	api/ tools_api.py:3655
GET	/api/admin/ observability/ support-bundle	api_admin_observa bility_support_bund le	api/blueprints/ admin_runtime.py:1 815
GET	/api/audit_log	api_list_audit_log	api/ tools_api.py:3744
POST	/api/audit_log/ restore/ int:log_id	api_restore_from_a udit	api/ tools_api.py:3798
GET	/api/codex- distributed/status	api_codex_distribut ed_status	api/blueprints/ admin_runtime.py:2 308
POST	/api/codex- distributed/toggle	api_codex_distribut ed_toggle	api/blueprints/ admin_runtime.py:2 321
GET	/api/drive-case- exclusions	api_drive_case_excl usions_list	api/blueprints/ admin_runtime.py:3 074
POST	/api/drive-case- exclusions	api_drive_case_excl usions_add	api/blueprints/ admin_runtime.py:3 085
DELETE	/api/drive-case- exclusions	api_drive_case_excl usions_remove	api/blueprints/ admin_runtime.py:3 108
GET,POST	/api/golem/api-keys	golem_api_keys_api	api/blueprints/ golem_console.py:2 82
POST	/api/golem/ command	golem_command_a pi	api/blueprints/ golem_console.py:3 62
GET	/api/golem/logs	golem_logs_api	api/blueprints/

Methods	Route	Handler	Source
			golem_console.py:346
GET	/api/golem/skills	golem_skills_api	api/blueprints/golem_console.py:337
GET	/api/golem/status	golem_status_api	api/blueprints/golem_console.py:255
POST	/api/intel/refresh	intel_refresh	api/blueprints/dashboard_pages.py:543
POST	/api/iron_dome/broadcast	iron_dome_broadcast	skills/ops/iron_dome_sync.py:350
GET	/api/iron_dome/hash	iron_dome_hash	skills/ops/iron_dome_sync.py:330
POST	/api/iron_dome/notify	iron_dome_notify	skills/ops/iron_dome_sync.py:338
GET	/api/iron_dome/patterns	iron_dome_patterns	skills/ops/iron_dome_sync.py:334
GET	/api/iron_dome/status	iron_dome_status	skills/ops/iron_dome_sync.py:346
GET	/api/live-log	api_live_log	api/blueprints/admin_runtime.py:010
GET	/api/live-validation	api_live_validation	api/blueprints/admin_runtime.py:026
POST	/api/memory/obsidian-sync	api_memory_obsidian_sync	api/blueprints/web_runtime.py:1077
POST	/api/memory/recall	api_memory_recall	api/blueprints/web_runtime.py:1037

Methods	Route	Handler	Source
POST	/api/memory/ remember	api_memory_reme mber	api/blueprints/ web_runtime.py:105 8
GET	/api/memory/stats	api_memory_stats	api/blueprints/ web_runtime.py:958
GET,POST	/api/nerv/heavy- runtime	api_nerv_heavy_run time	api/blueprints/ admin_runtime.py:2 165
GET,POST	/api/nerv/product- runtime	api_nerv_product_r untime	api/blueprints/ admin_runtime.py:2 125
GET	/api/nerv/remote- access	api_nerv_remote_ac cess	api/blueprints/ admin_runtime.py:1 804
POST	/api/nerv/remote- access/action	api_nerv_remote_ac cess_action	api/blueprints/ admin_runtime.py:1 874
GET	/api/nerv/skill- interview	api_nerv_skill_interv iew_status	api/blueprints/ admin_runtime.py:1 961
POST	/api/nerv/skill- interview/reply	api_nerv_skill_interv iew_reply	api/blueprints/ admin_runtime.py:2 002
POST	/api/nerv/skill- interview/start	api_nerv_skill_interv iew_start	api/blueprints/ admin_runtime.py:1 979
GET	/api/nerv/skills	api_nerv_skills	api/blueprints/ admin_runtime.py:2 114
GET,POST	/api/nerv/skills/ <skill_name>	api_nerv_skill_detail	api/blueprints/ admin_runtime.py:2 215
POST	/api/ops/process- guardian/toggle	process_guardian_t oggle_api	api/blueprints/ web_runtime.py:110 8
GET	/api/ops/process- monitor	process_monitor_ap i	api/blueprints/ web_runtime.py:109 2

Methods	Route	Handler	Source
GET,POST	/api/osc/ accounting/defaults	osc_accounting_defaults_api	api/blueprints/ osc_accounting.py:401
GET,PUT,DELETE	/api/osc/ accounting/ defaults/int:row_id	osc_accounting_detail_api	api/blueprints/ osc_accounting.py:438
GET,POST	/api/osc/ accounting/import/ google-sheet	osc_accounting_google_sheet_import_api	api/blueprints/ osc_accounting.py:302
GET,POST	/api/osc/ accounting/ monthly-bonus	osc_accounting_monthly_bonus_api	api/blueprints/ osc_accounting.py:338
GET	/api/osc/ accounting/ monthly-bonus/xlsx	osc_accounting_monthly_bonus_xlsx_api	api/blueprints/ osc_accounting.py:375
GET,POST	/api/osc/ accounting/ recurring	osc_accounting_recurring_api	api/blueprints/ osc_accounting.py:476
GET,PUT,DELETE	/api/osc/ accounting/ recurring/int:row_id	osc_accounting_recurring_detail_api	api/blueprints/ osc_accounting.py:535
POST	/api/osc/ accounting/ recurring/ int:row_id/sync-generated	osc_accounting_recurring_sync_generated_api	api/blueprints/ osc_accounting.py:574
GET	/api/osc/ accounting/ summary	osc_accounting_summary_api	api/blueprints/ osc_accounting.py:286
GET,POST	/api/osc/ accounting/ transactions	osc_accounting_transactions_api	api/blueprints/ osc_accounting.py:93
GET,PUT,DELETE	/api/osc/ accounting/ transactions/ int:row_id	osc_accounting_transaction_detail_api	api/blueprints/ osc_accounting.py:240

Methods	Route	Handler	Source
GET	/api/osc/ accounting/ transactions/xlsx	osc_accounting_transactions_xlsx_api	api/blueprints/ osc_accounting.py:136
GET,POST	/api/osc/activity-logs	osc_activity_logs_api	api/blueprints/ osc_cases.py:4761
GET,DELETE	/api/osc/activity-logs/ int:row_id	osc_activity_log_detail_api	api/blueprints/ osc_cases.py:4803
GET	/api/osc/archive-jobs/<job_id>	osc_archive_job_status_api	api/blueprints/ osc_cases.py:3460
POST	/api/osc/archive-wizard/execute	osc_archive_wizard_execute_api	api/blueprints/ osc_cases.py:9753
GET	/api/osc/archive-wizard/preview	osc_archive_wizard_preview_api	api/blueprints/ osc_cases.py:9742
GET	/api/osc/backups	osc_backup_list	api/blueprints/ osc_cases.py:10655
POST	/api/osc/backups	osc_backup_create	api/blueprints/ osc_cases.py:10665
DELETE	/api/osc/backups/	osc_backup_delete	api/blueprints/ osc_cases.py:10783
POST	/api/osc/backups// restore	osc_backup_restore	api/blueprints/ osc_cases.py:10679
GET,POST	/api/osc/calendar/events	osc_calendar_events_api	api/blueprints/ osc_cases.py:7730
GET,PUT,DELETE	/api/osc/calendar/events/ int:row_id	osc_calendar_event_detail_api	api/blueprints/ osc_cases.py:7855
GET	/api/osc/case-intelligence	osc_case_intelligence_api	api/blueprints/ osc_cases.py:4364
GET,POST	/api/osc/case-reason-templates	osc_case_reason_templates_api	api/blueprints/ osc_cases.py:4675
GET,PUT,DELETE	/api/osc/case-reason-templates/ int:row_id	osc_case_reason_template_detail_api	api/blueprints/ osc_cases.py:4726
GET,POST	/api/osc/cases	osc_cases_api	api/blueprints/ osc_cases.py:1559
GET,PUT,DELETE	/api/osc/cases/	osc_case_detail_api	api/blueprints/

Methods	Route	Handler	Source
	<row_id>		osc_cases.py:1861
GET	/api/osc/cases/ <row_id>/address- label	osc_case_address_label	api/blueprints/osc_cases.py:11248
POST	/api/osc/cases/ <row_id>/close	osc_case_close_api	api/blueprints/osc_cases.py:1974
POST	/api/osc/cases/ <row_id>/create- folder	osc_case_create_folder_api	api/blueprints/osc_cases.py:3610
GET	/api/osc/cases/ <row_id>/file-search	osc_case_file_search_api	api/blueprints/osc_cases.py:3847
GET	/api/osc/cases/ <row_id>/folder- browser	osc_case_folder_browser_api	api/blueprints/osc_cases.py:3782
GET	/api/osc/cases/ <row_id>/folder- path	osc_case_folder_path_api	api/blueprints/osc_cases.py:3555
GET	/api/osc/cases/ <row_id>/ intelligence- snapshot	osc_case_intelligence_for_case_api	api/blueprints/osc_cases.py:4380
POST	/api/osc/cases/ <row_id>/laf- number/sync	osc_case_laf_number_sync	api/blueprints/osc_cases.py:10278
POST	/api/osc/cases/ <row_id>/laf-status	osc_laf_case_status_api	api/blueprints/osc_cases.py:7153
POST	/api/osc/cases/ <row_id>/open- folder	osc_case_open_folder_api	api/blueprints/osc_cases.py:3488
POST	/api/osc/cases/ <row_id>/quick- action	osc_case_quick_action_api	api/blueprints/osc_cases.py:3958
POST	/api/osc/cases/ <row_id>/rename- folder	osc_case_rename_folder_api	api/blueprints/osc_cases.py:3703

Methods	Route	Handler	Source
GET	/api/osc/cases/ <row_id>/ workbench	osc_case_workbench_api	api/blueprints/ osc_cases.py:4183
GET	/api/osc/cases/ export-csv	osc_cases_export_csv_api	api/blueprints/ osc_cases.py:9473
GET	/api/osc/cases/ export-xlsx	osc_cases_export_xlsx_api	api/blueprints/ osc_cases.py:9494
POST	/api/osc/cases/ import-csv	osc_cases_import_csv_api	api/blueprints/ osc_cases.py:9374
POST	/api/osc/chat	osc_chat_api	api/blueprints/ web_runtime.py:1121
POST	/api/osc/chat/ upload	osc_chat_upload_api	api/blueprints/ web_runtime.py:1220
GET	/api/osc/checklists/ case	osc_case_checklist_get	api/blueprints/ osc_cases.py:10415
POST	/api/osc/checklists/ case	osc_case_checklist_post	api/blueprints/ osc_cases.py:10439
PUT	/api/osc/checklists/ case/ int:row_id	osc_case_checklist_put	api/blueprints/ osc_cases.py:10463
DELETE	/api/osc/checklists/ case/ int:row_id	osc_case_checklist_delete	api/blueprints/ osc_cases.py:10482
GET	/api/osc/ checklists/debt- required	osc_laf_debt_required_get	api/blueprints/ osc_cases.py:10207
POST	/api/osc/ checklists/debt- required/save	osc_laf_debt_required_save	api/blueprints/ osc_cases.py:10229
GET	/api/osc/checklists/ legal-aid	osc_laf_checklist_get	api/blueprints/ osc_cases.py:10305
POST	/api/osc/checklists/ legal-aid	osc_laf_checklist_post	api/blueprints/ osc_cases.py:10332
PUT	/api/osc/checklists/ legal-aid/ int:row_id	osc_laf_checklist_put	api/blueprints/ osc_cases.py:10359
DELETE	/api/osc/checklists/	osc_laf_checklist_delete	api/blueprints/

Methods	Route	Handler	Source
	legal-aid/ int:row_id	lete	osc_cases.py:10379
POST	/api/osc/checklists/ legal-aid/seed	osc_laf_checklist_se ed	api/blueprints/ osc_cases.py:10386
GET,POST	/api/osc/clients	osc_clients_api	api/blueprints/ osc_cases.py:7916
GET,PUT,DELETE	/api/osc/clients/ <row_id>	osc_client_detail_ap i	api/blueprints/ osc_cases.py:7973
GET	/api/osc/clients/ <row_id>/ workbench	osc_client_workben ch_api	api/blueprints/ osc_cases.py:4054
GET	/api/osc/clients/ export-csv	osc_clients_export_ csv_api	api/blueprints/ osc_cases.py:9626
POST	/api/osc/clients/ import-csv	osc_clients_import_ csv_api	api/blueprints/ osc_cases.py:9539
GET,POST	/api/osc/courts	osc_courts_api	api/blueprints/ osc_settings.py:92
GET,PUT,DELETE	/api/osc/courts/ int:row_id	osc_court_detail_ap i	api/blueprints/ osc_settings.py:131
GET	/api/osc/dashboard	osc_dashboard_api	api/blueprints/ osc_cases.py:4400
GET,POST	/api/osc/debt/ address-data	debt_address_data	api/blueprints/ osc_debt.py:602
POST	/api/osc/debt/auto- import	debt_auto_import	api/blueprints/ osc_debt.py:797
POST	/api/osc/debt/ batch-generate	debt_batch_generat e	api/blueprints/ osc_debt.py:724
GET	/api/osc/debt/cases	debt_cases_list	api/blueprints/ osc_debt.py:571
GET	/api/osc/debt/courts	debt_courts_list	api/blueprints/ osc_debt.py:458
GET	/api/osc/debt/ expense-reference	debt_expense_refer ence	api/blueprints/ osc_debt.py:464
GET	/api/osc/debt/forms	debt_forms_list	api/blueprints/ osc_debt.py:443
POST	/api/osc/debt/	debt_generate_docu	api/blueprints/

Methods	Route	Handler	Source
	generate	ment	osc_debt.py:633
GET	/api/osc/debt/ import-candidates	debt_import_candidates	api/blueprints/osc_debt.py:486
POST	/api/osc/debt/ merge-pdf	debt_merge_pdf	api/blueprints/osc_debt.py:936
GET	/api/osc/debt/scan-evidence/<case_id>	debt_scan_evidence	api/blueprints/osc_debt.py:497
GET	/api/osc/debt/ schema/ <form_type>	debt_form_schema	api/blueprints/osc_debt.py:449
GET	/api/osc/debt/ source-status	debt_source_status	api/blueprints/osc_debt.py:477
POST	/api/osc/debt/ supplement-checklist	debt_supplement_checklist	api/blueprints/osc_debt.py:703
POST	/api/osc/debt/ validate	debt_validate	api/blueprints/osc_debt.py:892
POST	/api/osc/discord/ test	osc_discord_test_api	api/blueprints/osc_settings.py:228
GET,POST	/api/osc/document-keywords	osc_document_keywords_api	api/blueprints/osc_cases.py:6828
GET,PUT,DELETE	/api/osc/document-keywords/<int:row_id>	osc_document_keyword_detail_api	api/blueprints/osc_cases.py:6889
GET,POST	/api/osc/document-replacements	osc_document_replacements_api	api/blueprints/osc_cases.py:6927
GET,DELETE	/api/osc/document-replacements/ <int:row_id>	osc_document_replacement_detail_api	api/blueprints/osc_cases.py:6970
GET,POST	/api/osc/document-templates	osc_document_templates_api	api/blueprints/osc_cases.py:6739
GET,PUT,DELETE	/api/osc/document-templates/ <int:row_id>	osc_document_template_detail_api	api/blueprints/osc_cases.py:6793
GET	/api/osc/documents	osc_documents_api	api/blueprints/osc_cases.py:5715

Methods	Route	Handler	Source
POST	/api/osc/ documents/finalize	osc_documents_fina lize_api	api/blueprints/ osc_cases.py:9126
POST	/api/osc/ documents/open	osc_documents_ope n_api	api/blueprints/ osc_cases.py:5940
POST	/api/osc/ documents/stamp	osc_documents_sta mp_api	api/blueprints/ osc_cases.py:8896
POST	/api/osc/ documents/stamp- preview	osc_documents_sta mp_preview_api	api/blueprints/ osc_cases.py:8841
POST	/api/osc/drafts/ export	osc_drafts_export_a pi	api/blueprints/ osc_cases.py:5343
GET	/api/osc/drafts/ feedback	osc_drafts_feedback _recent_api	api/blueprints/ osc_cases.py:5310
POST	/api/osc/drafts/ feedback	osc_drafts_feedback _post_api	api/blueprints/ osc_cases.py:5317
POST	/api/osc/drafts/ generate	osc_drafts_generate _api	api/blueprints/ osc_cases.py:5124
GET	/api/osc/drafts/meta	osc_drafts_meta_ap i	api/blueprints/ osc_cases.py:5086
POST	/api/osc/drafts/ reuse-document	osc_drafts_reuse_do cument_api	api/blueprints/ osc_cases.py:5584
GET	/api/osc/files/ content	osc_file_content_ap i	api/blueprints/ osc_cases.py:6453
GET	/api/osc/files/info	osc_files_info_api	api/blueprints/ osc_files.py:2027
GET	/api/osc/files/ preview	osc_files_preview_a pi	api/blueprints/ osc_files.py:1928
POST	/api/osc/files/share	osc_files_share_crea te_api	api/blueprints/ osc_files.py:2059
GET,PUT	/api/osc/files/text	osc_file_text_api	api/blueprints/ osc_cases.py:6593
POST	/api/osc/files/ upload	osc_file_upload_api	api/blueprints/ osc_cases.py:6648
POST	/api/osc/files/ upload-chunked	osc_files_upload_ch unked_api	api/blueprints/ osc_files.py:1515

Methods	Route	Handler	Source
POST	/api/osc/files/ upload-multi	osc_files_upload_m ulti_api	api/blueprints/ osc_files.py:1398
GET	/api/osc/folders/ browse	osc_folders_browse _api	api/blueprints/ osc_files.py:2181
POST	/api/osc/folders/ mkdir	osc_folders_mkdir_ api	api/blueprints/ osc_files.py:1682
POST	/api/osc/folders/ move	osc_folders_move_a pi	api/blueprints/ osc_files.py:1761
POST	/api/osc/folders/ rename	osc_folders_rename _api	api/blueprints/ osc_files.py:1720
GET	/api/osc/folders/ roots	osc_folder_roots_ap i	api/blueprints/ osc_files.py:1251
GET	/api/osc/folders/tree	osc_folders_tree_ap i	api/blueprints/ osc_files.py:1839
POST	/api/osc/forms/ export	osc_forms_export_a pi	api/blueprints/ osc_cases.py:8625
POST	/api/osc/forms/ preview	osc_forms_preview_ api	api/blueprints/ osc_cases.py:8559
GET	/api/osc/gcal/auth/ callback	gcal_auth_callback	api/blueprints/ osc_gcal.py:253
POST	/api/osc/gcal/auth/ start	gcal_auth_start	api/blueprints/ osc_gcal.py:213
POST	/api/osc/gcal/ disconnect	gcal_disconnect	api/blueprints/ osc_gcal.py:318
GET	/api/osc/gcal/status	gcal_status	api/blueprints/ osc_gcal.py:174
POST	/api/osc/gcal/sync	gcal_sync	api/blueprints/ osc_gcal.py:335
GET	/api/osc/hearing- conflicts	osc_hearing_conflict s_api	api/blueprints/ osc_cases.py:7529
POST	/api/osc/hearing- conflicts/check	osc_hearing_conflict s_check_api	api/blueprints/ osc_cases.py:7582
GET	/api/osc/hearing- conflicts/download	osc_hearing_conflict s_download_api	api/blueprints/ osc_cases.py:7706
POST	/api/osc/hearing-	osc_hearing_conflict	api/blueprints/

Methods	Route	Handler	Source
GET,POST	conflicts/generate	s_generate_api	osc_cases.py:7613
	/api/osc/insights	osc_insights_api	api/blueprints/ osc_cases.py:8348
GET	/api/osc/insights/ <insight_id>	osc_insight_detail_api	api/blueprints/ osc_cases.py:8421
POST	/api/osc/insights/ fetch-full	osc_insights_fetch_full_api	api/blueprints/ osc_cases.py:8453
GET	/api/osc/judgments	osc_judgments_compat_api	api/blueprints/ osc_cases.py:8541
GET	/api/osc/ judgments_legacy	osc_judgments_api	api/blueprints/ web_runtime.py:1411
POST	/api/osc/labor-law/ calc	osc_labor_law_calc	api/blueprints/ osc_cases.py:9872
POST	/api/osc/labor-law/ parse-files	osc_labor_law_parse_files	api/blueprints/ osc_cases.py:9967
GET	/api/osc/laf	osc_laf_api	api/blueprints/ osc_cases.py:6987
POST	/api/osc/laf-backfill	osc_laf_backfill_api	api/blueprints/ osc_cases.py:9724
POST	/api/osc/laf-wizard/ run	osc_laf_wizard_run_api	api/blueprints/ osc_cases.py:9667
POST	/api/osc/laf/batch-status	osc_laf_batch_status_api	api/blueprints/ osc_cases.py:7122
GET	/api/osc/laf/cases	osc_laf_cases_api	api/blueprints/ osc_cases.py:7053
GET,POST	/api/osc/legal-aid-branches	osc_legal_aid_branches_api	api/blueprints/ osc_settings.py:161
GET,PUT,DELETE	/api/osc/legal-aid-branches/ int:row_id	osc_legal_aid_branch_detail_api	api/blueprints/ osc_settings.py:196
POST	/api/osc/magi-modules/run	osc_magi_modules_run_api	api/blueprints/ web_runtime.py:1150
GET,POST	/api/osc/meetings	osc_meetings_api	api/blueprints/ osc_cases.py:8006

Methods	Route	Handler	Source
GET,PUT,DELETE	/api/osc/meetings/ int:row_id	osc_meeting_detail_ api	api/blueprints/ osc_cases.py:8077
GET,POST	/api/osc/memory- keywords	osc_memory_keywo rds_api	api/blueprints/ osc_cases.py:4890
GET,PUT,DELETE	/api/osc/memory- keywords/ path:case_number/ path:hotkey	osc_memory_keywo rd_detail_api	api/blueprints/ osc_cases.py:4928
GET	/api/osc/meta	osc_meta_api	api/blueprints/ osc_cases.py:1275
GET,POST	/api/osc/opponents	osc_opponents_api	api/blueprints/ osc_cases.py:4968
GET,PUT,DELETE	/api/osc/ opponents/ int:row_id	osc_opponent_detai l_api	api/blueprints/ osc_cases.py:5008
GET	/api/osc/pdf- generation-log	osc_pdf_generation _log_api	api/blueprints/ osc_cases.py:5043
GET,DELETE	/api/osc/pdf- generation-log/ int:row_id	osc_pdf_generation _log_detail_api	api/blueprints/ osc_cases.py:5068
POST	/api/osc/pdf/action	osc_pdf_action_api	api/blueprints/ osc_pdf.py:2357
POST	/api/osc/pdf/ calendar-scan	osc_pdf_calendar_s can_api	api/blueprints/ osc_pdf.py:2502
GET	/api/osc/pdf/info	osc_pdf_info_api	api/blueprints/ osc_pdf.py:2328
POST	/api/osc/pdf/upload	osc_pdf_upload_api	api/blueprints/ osc_pdf.py:2338
GET	/api/osc/poll	osc_poll_api	api/blueprints/ web_runtime.py:139 3
GET,POST	/api/osc/quotation- templates	osc_quotation_tem plates_api	api/blueprints/ osc_cases.py:7396
GET,PUT,DELETE	/api/osc/quotation- templates/	osc_quotation_tem plate_detail_api	api/blueprints/ osc_cases.py:7431

Methods	Route	Handler	Source
	int:row_id		
GET,POST	/api/osc/quotations	osc_quotations_api	api/blueprints/osc_cases.py:7253
GET,PUT,DELETE	/api/osc/ quotations/ <row_id>	osc_quotation_detail_api	api/blueprints/osc_cases.py:7353
GET	/api/osc/ quotations/ <row_id>/export-pdf	osc_quotation_export_pdf	api/blueprints/osc_cases.py:11134
POST	/api/osc/raziel/ delivery	raziel_delivery_api	api/blueprints/raziel.py:702
GET	/api/osc/raziel/ delivery/ path:name	raziel_delivery_file_api	api/blueprints/raziel.py:712
GET	/api/osc/raziel/file/	raziel_file_api	api/blueprints/raziel.py:724
POST	/api/osc/raziel/run	raziel_run_api	api/blueprints/raziel.py:675
GET	/api/osc/raziel/ status	raziel_status_api	api/blueprints/raziel.py:641
POST	/api/osc/raziel/tlr- preview	raziel_tlr_preview_api	api/blueprints/raziel.py:689
GET	/api/osc/saas/ai- governance	osc_saas_ai_governance_api	api/blueprints/osc_cases.py:4645
POST	/api/osc/saas/client- packet	osc_saas_client_packet_api	api/blueprints/osc_cases.py:4589
POST	/api/osc/saas/ conflict-check	osc_saas_conflict_check_api	api/blueprints/osc_cases.py:4554
GET	/api/osc/saas/ diagnostic-pack	osc_saas_diagnostic_pack_api	api/blueprints/osc_cases.py:4657
POST	/api/osc/saas/intake	osc_saas_intake_api	api/blueprints/osc_cases.py:4561
GET,POST	/api/osc/saas/ notification-prefs	osc_saas_notification_prefs_api	api/blueprints/osc_cases.py:4625
GET,POST	/api/osc/saas/ onboarding	osc_saas_onboarding_api	api/blueprints/osc_cases.py:4610

Methods	Route	Handler	Source
GET	/api/osc/saas/ operations-report	osc_saas_operation s_report_api	api/blueprints/ osc_cases.py:4651
GET	/api/osc/saas/ overview	osc_saas_overview_ api	api/blueprints/ osc_cases.py:4547
POST	/api/osc/saas/ quality-check	osc_saas_quality_ch eck_api	api/blueprints/ osc_cases.py:4582
GET	/api/osc/saas/task- boards	osc_saas_task_boar ds_api	api/blueprints/ osc_cases.py:4603
GET	/api/osc/saas/ timeline	osc_saas_timeline_a pi	api/blueprints/ osc_cases.py:4596
GET	/api/osc/saas/ workflow-templates	osc_saas_workflow_ templates_api	api/blueprints/ osc_cases.py:4639
GET,POST	/api/osc/settings	osc_settings_api	api/blueprints/ osc_settings.py:28
GET,PUT,DELETE	/api/osc/settings/ path:setting_key	osc_setting_detail_a pi	api/blueprints/ osc_settings.py:62
GET	/api/osc/template- folder	osc_template_folder _api	api/blueprints/ osc_cases.py:5881
GET,POST	/api/osc/todos	osc_todos_api	api/blueprints/ osc_cases.py:8111
GET,PUT,DELETE	/api/osc/todos/ int:row_id	osc_todo_detail_api	api/blueprints/ osc_cases.py:8274
POST	/api/osc/todos/bulk- complete-before	osc_todos_bulk_co mplete_before_api	api/blueprints/ osc_cases.py:8239
GET,POST	/api/osc/user- settings	osc_user_settings_a pi	api/blueprints/ osc_cases.py:4820
GET,PUT,DELETE	/api/osc/user- settings/int:row_id	osc_user_setting_de tail_api	api/blueprints/ osc_cases.py:4858
POST	/api/self-repair	api_self_repair	api/blueprints/ admin_runtime.py:1 927
POST	/api/skills/ <skill_name>/ rollback	api_skill_rollback	api/blueprints/ admin_runtime.py:2 072
GET	/api/skills/	api_skill_versions	api/blueprints/

Methods	Route	Handler	Source
	<skill_name>/versions		admin_runtime.py:2052
GET	/api/skills/interview-history	api_skill_interview_history	api/blueprints/admin_runtime.py:2037
POST	/api/skills/run	api_skills_run_comp at	api/blueprints/dashboard_pages.py:550
GET	/api/status	api_status	api/blueprints/admin_runtime.py:2999
POST	/api/system-test	api_system_test	api/blueprints/admin_runtime.py:1911
POST	/api/transcribe	transcribe_audio	api/blueprints/admin_runtime.py:3717
GET	/app	mobile_home	api/blueprints/dashboard_pages.py:1156
GET	/app-admin	mobile_admin	api/blueprints/dashboard_pages.py:1166
GET,POST	/callback	callback	api/server.py:919
POST	/chat	chat	skills/bridge/casper_bridge.py:54
GET	/clients	api_query_clients	api/tools_api.py:3574
POST	/clients	api_add_client	api/tools_api.py:3584
POST	/code/autofix	api_code_autofix	api/tools_api.py:3295
POST	/code/skill-cycle	api_code_skill_cycle	api/tools_api.py:3322
POST	/collab/chat	api_collab_chat	api/tools_api.py:3366

Methods	Route	Handler	Source
POST	/collab/music	api_collab_music	api/ tools_api.py:3351
POST	/collab/transcribe	api_collab_transcribe	api/ tools_api.py:3457
POST	/collab/translate	api_collab_translate	api/ tools_api.py:3332
GET	/connections	connections_status	api/ tools_api.py:1688
POST	/council/core/ approve	api_council_core_approve	api/ tools_api.py:3504
GET	/council/core/ pending	api_council_core_pending	api/ tools_api.py:3493
POST	/council/core/reject	api_council_core_reject	api/ tools_api.py:3520
GET	/dashboard	dashboard	api/blueprints/ dashboard_pages.py:1113
GET	/dashboard/ beginner	dashboard_beginner	api/blueprints/ dashboard_pages.py:1126
GET	/dashboard/golem	golem_console	api/blueprints/ dashboard_pages.py:1149
GET	/dashboard/legacy	dashboard_legacy	api/blueprints/ dashboard_pages.py:1119
GET	/dashboard/nerv	magi_adjust	api/blueprints/ dashboard_pages.py:1142
GET	/dashboard/nerv/ api/health	nerv_api_health	api/blueprints/ admin_runtime.py:1764
GET	/dashboard/status	status_center	api/blueprints/ dashboard_pages.py:1133
GET	/dashboard/website	dashboard_website	api/blueprints/ dashboard_pages.py

Methods	Route	Handler	Source
			y:1226
GET	/definitions	api_definitions	api/ tools_api.py:3670
GET	/exports/ path:filename	serve_exports	api/server.py:627
GET	/favicon.ico	favicon	api/server.py:830
POST	/fetch	api_fetch	api/ tools_api.py:1892
GET	/golem	golem_console	api/blueprints/ dashboard_pages.p y:1149
GET	/health	health	api/blueprints/ admin_runtime.py:3 287
GET	/health	health	api/ tools_api.py:1276
GET	/intel	intel_panel	api/blueprints/ dashboard_pages.p y:525
POST	/iron-dome/auto- harden	api_iron_dome_aut o_harden	api/ tools_api.py:3271
GET	/iron-dome/patterns	api_iron_dome_patt erns_list	api/ tools_api.py:3239
POST	/iron-dome/patterns	api_iron_dome_patt erns_add	api/ tools_api.py:3255
GET	/jobs/<job_id>	api_get_job	api/ tools_api.py:2957
POST	/laf/smoke_login	api_laf_smoke_login	api/ tools_api.py:3683
GET	/legal	api_legal_skills_list	api/ tools_api.py:3647
POST	/legal/<skill_name>	api_legal_skill	api/ tools_api.py:3623
GET,POST	/line/webhook	callback	api/server.py:919
GET	/livez	livez	api/blueprints/ admin_runtime.py:3

Methods	Route	Handler	Source
			128
GET	/livez	livez	api/ tools_api.py:1266
GET,POST	/login	login	api/server.py:835
GET	/logout	logout	api/server.py:907
GET	/magi-adjust	magi_adjust	api/blueprints/ dashboard_pages.p y:1142
GET	/magi-research	research_panel	api/blueprints/ dashboard_pages.p y:1067
GET	/magi-settings	magi_adjust	api/blueprints/ dashboard_pages.p y:1142
GET	/meetings	api_list_meetings	api/ tools_api.py:3599
POST	/meetings	api_book_meeting	api/ tools_api.py:3607
GET	/melchior/health	api_melchior_health	api/ tools_api.py:2083
POST	/melchior/skills/sync	api_melchior_sync_ skills	api/ tools_api.py:2090
GET	/mobile	mobile_home	api/blueprints/ dashboard_pages.p y:1156
GET	/mobile-admin	mobile_admin	api/blueprints/ dashboard_pages.p y:1166
GET	/mobile-app	mobile_app_entry	api/server.py:870
GET	/mobile/config.json	mobile_config_json	api/blueprints/ dashboard_pages.p y:1175
GET	/mobile/ manifest.webmanife st	mobile_manifest	api/blueprints/ dashboard_pages.p y:1194
GET	/mobile/sw.js	mobile_service_wor	api/blueprints/

Methods	Route	Handler	Source
		ker	dashboard_pages.py:1180
GET	/nerv	magi_adjust	api/blueprints/dashboard_pages.py:1142
GET	/ops/process-monitor	process_monitor_page	api/blueprints/web_runtime.py:953
GET	/osc	osc_interface	api/server.py:615
GET	/osc/debt	osc_debt_interface	api/server.py:621
POST	/osc/external/case_status	external_osc_case_status	api/tools_api.py:1631
POST	/osc/external/chat	external_osc_chat	api/tools_api.py:1302
GET	/osc/external/health	external_osc_health	api/tools_api.py:1284
GET	/osc/external/ui	external_osc_ui	api/tools_api.py:1574
GET	/readyz	readyz	api/blueprints/admin_runtime.py:3139
POST	/recall	api_recall	api/tools_api.py:3555
GET,POST	/register	register	api/server.py:875
POST	/remember	api_remember	api/tools_api.py:3537
GET	/research	research_panel	api/blueprints/dashboard_pages.py:1067
POST	/research	api_research	api/tools_api.py:1851
GET	/research/judgment-classifier	research_judgment_classifier	api/blueprints/dashboard_pages.py:1073
GET	/research/rss-preview	research_rss_preview	api/blueprints/dashboard_pages.py:1079

Methods	Route	Handler	Source
GET	/s/	osc_files_public_share_api	api/blueprints/osc_files.py:2132
GET	/saas-readyz	saas_readyz	api/blueprints/admin_runtime.py:3282
GET	/sages	sages_status	api/tools_api.py:1769
POST	/search	api_search	api/tools_api.py:1819
POST	/shortcut/ocr	api_shortcut_ocr	api/tools_api.py:2507
POST	/shortcut/pdf_text	api_shortcut_pdf_text	api/tools_api.py:2597
POST	/shortcut/summarize	api_shortcut_summarize	api/tools_api.py:2626
POST	/shortcut/transcribe	api_shortcut_transcribe	api/tools_api.py:2664
GET	/skills	api_list_skills	api/tools_api.py:2703
POST	/skills	api_create_skill	api/tools_api.py:2709
POST	/skills/acquire	api_acquire_skill	api/tools_api.py:2748
POST	/skills/canary/start	api_skill_canary_start	api/tools_api.py:3061
POST	/skills/canary/stop	api_skill_canary_stop	api/tools_api.py:3094
POST	/skills/ci	api_skill_ci	api/tools_api.py:3108
POST	/skills/discover	api_discover_skills	api/tools_api.py:2724
GET	/skills/events	api_skill_events	api/tools_api.py:3123
POST	/skills/import/toolsai-auto-skill	api_import_toolsai_auto_skill	api/tools_api.py:3220

Methods	Route	Handler	Source
POST	/skills/install	api_install_skill	api/tools_api.py:2736
POST	/skills/internalize	api_skill_internalize	api/tools_api.py:3170
POST	/skills/internalize/ codebase	api_skill_internalize _codebase	api/tools_api.py:3192
GET	/skills/knowledge/ stats	api_skill_knowledge _stats	api/tools_api.py:3286
GET	/skills/release	api_skill_release_sta te	api/tools_api.py:3034
POST	/skills/rollback	api_skill_rollback	api/tools_api.py:3020
POST	/skills/run	api_run_skill	api/tools_api.py:2809
POST	/skills/stable	api_skill_set_stable	api/tools_api.py:3046
POST	/skills/teach	api_skill_teach	api/tools_api.py:3133
POST	/skills/teach/file	api_skill_teach_file	api/tools_api.py:3153
POST	/skills/versions	api_skill_versions	api/tools_api.py:3007
GET	/start	dashboard_beginner	api/blueprints/dashboard_pages.py:1126
GET	/static/exports/ path:filename	static_exports	api/tools_api.py:403
GET	/static/ worldmonitor_repor ts	worldmonitor_repor ts_redirect	api/blueprints/dashboard_pages.py:513
GET	/static/ worldmonitor_repor ts/	worldmonitor_repor ts_redirect	api/blueprints/dashboard_pages.py:513
GET	/status	status_center	api/blueprints/dashboard_pages.py:1133

Methods	Route	Handler	Source
GET	/status/api/health	nerv_api_health	api/blueprints/admin_runtime.py:1764
POST	/summarize	api_summarize	api/tools_api.py:2103
GET	/summarize/health	api_summarize_health	api/tools_api.py:2439
GET,POST	/telegram/webhook	telegram_webhook	api/webhooks/telegram.py:982
GET,POST,PUT,PATCH,DELETE,OPTIONS	/toolsapi/ path:subpath	toolsapi_compat_proxy	api/server.py:642
POST	/vision	api_vision	api/tools_api.py:1927
GET	/worldmonitor	worldmonitor_entry	api/blueprints/dashboard_pages.py:519
GET	/worldmonitor/	worldmonitor_entry	api/blueprints/dashboard_pages.py:519

附錄 F. 維修命令速查與名詞表

只讀維修命令

Git / source

`git status --short`

`git log -1 --format='%H %s'`

`shasum -a 256 PATH`

Process / ports (read-only)

`ps -p PID -o pid=,ppid=,pgid=,etime=,command=`

`lsof -nP -iTCP:5002 -sTCP:LISTEN`

`launchctl print gui/$UID/com.magi.v3.gateway`

Local health

`curl -fsS http://127.0.0.1:5002/health`

`python3 scripts/magi_doctor.py --json`

`python3 scripts/ops/business_module_live_check.py --json`

`python3 scripts/ops/function_health_index.py --json`

Source/privacy tests

`python3 scripts/public_release_audit.py --strict --json`

`python3 -m pytest -q TEST_PATH`

禁止直接執行的捷徑

- `rm lock/state/checkpoint`：可能造成雙 owner 或遺失 durable work。
- 直接編輯 cron JSON：破壞 occurrence/command/retry 證據。
- 對 canonical owner `kill -9`：跳過 terminal/reap/rollback。
- 在 installed release 直接改 `.py`：破壞 immutable manifest。
- 複製舊 success receipt：造成假綠。

名詞表

名詞	定義
active marker	唯一生效 release/transaction 的原子紀錄
canonical	由正式 runtime root、manifest、schema 與 realpath 共同認定
checkpoint	可續跑的最小進度與內容 hash cache
cursor	公平輪轉 all-files 案件的位置
fail closed	證據不足就拒絕，不猜成功
formal chain	正式發布各 gate 的 hash-bound 工件集合
owner	持有某 domain lock 且身分可由

名詞	定義
	PID/exe/argv/root 證明的程序
receipt	動作輸入、輸出、read-back 與 identity 的不可逆證據
staging	尚未 atomic commit 的暫存資料；必須可清理且不得被當完成
terminal	worker 已合法完成 chunk/cycle 或結構化失敗並釋放 owner
,	

文件完整性： 本 PDF/Markdown 是維修導航；完整原始碼仍以 Git branch 中的檔案與 MAGI_V3_原始碼索引_rc627.json SHA 為準。
任何後續版本都應重建索引與本書，不可只改頁面文字。