

# **Bases Between Given Exponents (BBGE)**

Language specification

By Anonymous

July 2020

**Table of Contents**

Description.....3

Example.....4

BNF.....5

References.....6

## Description

Bases Between Given Exponents (BBGE) is a theoretical, esoteric, non-Turing complete programming language dedicated to printing the results of problems of the nature: “Output all bases between these bounds for which the product of raising the base(s) to a given exponent is also a whole number for which another base can be raised to a second exponent”. Hence Bases Between Given Exponents(BBGE).

## Example

“Code golf challenge: Print out a list of numbers from 1-10000 who's square is also a cube number”(2020, Cass). This can also be expressed as: “find all the bases between 1 and 10,000(inclusively) for which the following statement is true:  $\sqrt[3]{base^2} = whole\ number$ ”. Using the syntax highlighted by the BNF, this would give “b1-10000g2e3e” which when written in BBGE style pseudo code gives: “bases 1-10000 given exponent 2 and exponent 3”. “b1-10000g2e3e” would output: “1 8 27 64 125 216 343 512 729 1000 1331 1728 2197 2744 3375 4096 4913 5832 6859 80000 9261”.

# BNF

<program>	::=	<bases><between><given><exponents>
<bases>	::=	b
<between>	::=	<lowerBound>“-”<upperBound>
<lowerBound>	::=	<numberValue>
<upperBound>	::=	<numberValue>
<given>	::=	g
<exponents>	::=	<exponent><exponent>
<exponent>	::=	<numberValue>e
<numberValue>	::=	<digit>  <digit><numberValue>
<digit>	::=	0 1 2 3 4 5 6 7 8 9

## References

Will Cass, 2020, Bundle of Sticks, Telegram, 20:08, July 24th