

Peak fused change evidence







Fraction of AOI above threshold, per time bin




Estimated change onset (alarmed pixels)







Alarmed area (ha)




South Docks: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar




South Docks: NDVI vs AOI median (clear scenes)




South Docks: Landsat surface temp vs AOI median (K)




Radar Site: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar




Radar Site: NDVI vs AOI median (clear scenes)




Radar Site: Landsat surface temp vs AOI median (K)




Water Plant: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar




Water Plant: NDVI vs AOI median (clear scenes)





Water Plant: Landsat surface temp vs AOI median (K)





Winter Landsat surface temperature relative to the AOI median (red = warmer than surroundings)































Change clusters by evidence class (numbers = id, clusters of 1 ha or more)



Largest clusters, strongest evidence first

id	ha	evidence	onset	status	VH z	NDVI z
3	3.2	optical-only	2021-09-26	absorbed	-	+5.8
4	0.9	optical-only	2021-09-26	absorbed	-	+7.3
2	0.7	optical-only	2020-11-25	absorbed	-	+6.8
1	0.4	weak	2022-10-11	absorbed	-	-0.4


Scene availability (one tick per scene; grey = Nov-Mar)
thermal (180)
optical (412)
SAR asc84 (1)
2019
2020
2021
2022
2023
2024
2025
2026
Scenes per year
SAR asc84
optical
thermal
0
10
20
30
40
50
2018
2019
2020
2021
2022
2023
2024
2025
2026