


Peak fused change evidence




Estimated change onset (alarmed pixels)



Fraction of AOI above threshold, per time bin



Alarmed area (ha)



Page 2: sites (points of interest) (not produced this run)

No points of interest are defined for this project.

Add them to config.yaml (or answer the questions in `sarfuse new`), for example:

```
zones:
  - {name: main apron, lat: 15.0850, lon: 145.6300, radius_m: 300}
```

Page 3: winter thermal maps (not produced this run)

No Landsat thermal scenes are in this project.

Fetch them with: sarfuse-fetch NAME --sensor thermal (then sarfuse run NAME).

Change clusters by evidence class (numbers = id, clusters of 1 ha or more)



Largest clusters, strongest evidence first

id	ha	evidence	onset	status	VH z	NDVI z
3	107.2	both	2024-11-17	absorbed	-2.4	-6.6
2	19.2	both	2025-03-07	absorbed	-2.3	-6.5
7	5.6	both	2024-08-29	absorbed	-5.6	-6.3
8	2.2	both	2025-08-04	absorbed	-2.8	-7.1
6	2.1	both	2025-03-07	absorbed	-7.1	-6.9
11	0.7	both	2025-03-07	absorbed	-3.5	-6.7
4	0.6	both	2025-03-07	absorbed	-5.5	-6.6
9	0.6	both	2025-08-04	absorbed	-2.3	-6.9
1	0.5	both	2026-05-19	absorbed	-3.4	-6.8
5	0.4	both	2025-10-23	absorbed	-6.4	-7.7
14	1.5	sar-only	2020-05-02	absorbed	-6.2	+1.4
16	0.4	sar-only	2020-07-25	absorbed	-3.0	-2.3
15	0.3	sar-only	2020-04-27	absorbed	-6.7	-
17	0.3	sar-only	2019-05-08	absorbed	-7.3	-
10	11.3	optical-only	2021-07-01	absorbed	-0.1	-6.2
12	2.4	optical-only	2024-06-30	absorbed	-1.6	-7.0
13	1.4	optical-only	2026-05-19	active	-	-6.5


Scene availability (one tick per scene; grey = Nov-Mar)
optical (326)
SAR des31 (163)
2018
2019
2020
2021
2022
2023
2024
2025
2026
Scenes per year
SAR des31
optical
0
10
20
30
40
50
2018
2019
2020
2021
2022
2023
2024
2025
2026