


Peak fused change evidence






Estimated change onset (alarmed pixels)







Fraction of AOI above threshold, per time bin





Alarmed area (ha)






South Docks: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar
zone mean
brightest 5%
South Docks: NDVI vs AOI median (clear scenes)
South Docks: Landsat surface temp vs AOI median (K)
zone mean
hottest 5%
Power Plant: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar
zone mean
brightest 5%
Power Plant: NDVI vs AOI median (clear scenes)
Power Plant: Landsat surface temp vs AOI median (K)
zone mean
hottest 5%


Winter Landsat surface temperature relative to the AOI median (red = warmer than surroundings)






























Change clusters by evidence class (numbers = id, clusters of 1 ha or more)



Largest clusters, strongest evidence first

id	ha	evidence	onset	status	VH z	NDVI z
3	1.0	optical-only	2022-04-19	absorbed	-	-5.0
6	0.7	optical-only	2019-10-12	absorbed	-	+4.5
2	0.6	optical-only	2021-12-05	absorbed	-	-3.8
4	0.3	optical-only	2023-11-20	absorbed	-	-5.9
1	3.0	weak	2021-12-05	absorbed	-	+1.6
5	0.3	weak	2023-12-10	absorbed	-	-1.3

Scene availability (one tick per scene; grey = Nov-Mar)



Scenes per year

