


Peak fused change evidence




Estimated change onset (alarmed pixels)




Fraction of AOI above threshold, per time bin




Alarmed area (ha)





West Docks: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar
West Docks: NDVI vs AOI median (clear scenes)
West Docks: Landsat surface temp vs AOI median (K)
zone mean
hottest 5%
South Beach: VH (cross-pol) vs AOI median (dB); grey = Nov-Mar
South Beach: NDVI vs AOI median (clear scenes)
South Beach: Landsat surface temp vs AOI median (K)
zone mean
hottest 5%

Winter Landsat surface temperature relative to the AOI median (red = warmer than surroundings)




Change clusters by evidence class (numbers = id, clusters of 1 ha or more)



Largest clusters, strongest evidence first

id	ha	evidence	onset	status	VH z	NDVI z
4	5.7	optical-only	2021-12-05	absorbed	-	+3.5
15	4.9	optical-only	2026-04-18	absorbed	-	-3.9
14	2.5	optical-only	2024-04-08	absorbed	-	-5.5
2	1.8	optical-only	2021-12-15	absorbed	-	+6.7
13	1.8	optical-only	2026-09-05	active	-	+7.1
3	1.2	optical-only	2021-12-15	absorbed	-	+6.2
8	1.0	optical-only	2021-12-15	absorbed	-	+6.5
6	0.9	optical-only	2021-12-15	absorbed	-	+5.6
10	0.8	optical-only	2021-12-05	absorbed	-	+3.6
19	0.8	optical-only	2018-11-21	absorbed	-	+4.8
17	0.6	optical-only	2026-09-20	active	-	+7.5
20	0.4	optical-only	2026-09-20	absorbed	-	+7.6
7	0.4	optical-only	2021-12-15	absorbed	-	+6.3
11	0.4	optical-only	2021-12-15	absorbed	-	+5.9
22	0.3	optical-only	2025-12-04	absorbed	-	+3.4
1	0.3	optical-only	2022-01-09	absorbed	-	+5.9
5	0.3	optical-only	2021-12-15	absorbed	-	+6.1
21	1.7	weak	2021-12-05	absorbed	-	+2.8
18	0.9	weak	2018-11-21	absorbed	-	+2.9
16	0.8	weak	2025-02-27	absorbed	-	-1.3
12	0.8	weak	2021-12-05	absorbed	-	+1.6
9	0.3	weak	2024-10-30	absorbed	-	+1.2
23	0.3	weak	2021-12-15	absorbed	-	+0.6


Scene availability (one tick per scene; grey = Nov-Mar)
thermal (287)
optical (409)
2019
2020
2021
2022
2023
2024
2025
2026
Scenes per year
optical
thermal
50
40
30
20
10
0
2018
2019
2020
2021
2022
2023
2024
2025
2026