


Peak fused change evidence






Estimated change onset (alarmed pixels)






Fraction of AOI above threshold, per time bin



Alarmed area (ha)




Page 2: sites (points of interest) (not produced this run)


No points of interest are defined for this project.


Add them to config.yaml (or answer the questions in `sarfuse new`), for example:


```
zones:
  - {name: main apron, lat: 15.0850, lon: 145.6300, radius_m: 300}
```


Winter Landsat surface temperature relative to the AOI median (red = warmer than surroundings)


































Largest clusters, strongest evidence first

id	ha	evidence	onset	status	VH z	NDVI z
2	1.2	optical-only	2021-09-01	absorbed	-	+7.6
1	1.1	optical-only	2018-11-21	absorbed	-	+4.3
4	0.8	optical-only	2021-08-27	absorbed	-	-7.8
3	0.3	optical-only	2019-01-30	absorbed	-	+7.0


Scene availability (one tick per scene; grey = Nov-Mar)
thermal (169)
optical (412)
SAR des149 (1)
SAR asc84hh (1)
SAR asc84 (1)
2019
2020
2021
2022
2023
2024
2025
2026


Scenes per year
SAR asc84
SAR asc84hh
SAR des149
optical
thermal
50
40
30
20
10
0
2018
2019
2020
2021
2022
2023
2024
2025
2026