

Grupo I

$$1) p_1 \leftrightarrow \neg p_2$$

$$v(p_1) \neq v(p_2)$$

$$\neg p_1 \vee p_2 \Leftrightarrow p_1 \rightarrow p_2$$

logo

$$v(p_1) = 0$$

$$v(p_2) = 1$$

$$\Gamma = \{ \varphi \in \mathcal{F}^{cp} \mid v(\varphi) = 1 \text{ para a valoração } v \text{ onde } v(p_1) = 0 \text{ e } v(p_2) = 1 \}$$

$$2) g(x_2, t_1)[x_0/x_2]$$

$$= g(x_0, t_1[x_0/x_2])$$

igualando

$$x_0 = t_2$$

$$t_1[x_0/x_2] = g(x_1, x_1)$$

$$t_1 = g(x_1, x_1)$$

$$3) R(x_0, x_1) \vee \exists x_1 R(x_1, x_1)$$

$$4) \exists x_0 (x_0 = x_1) \vee \neg (\rho(x_0) = x_1)$$

5)

$$6) a_0(x_2) = -2 \quad \text{e} \quad a_0(x_1) = -1$$

$$f(x_1, c) = a_0(x_1) \times 1 = -1 \times 1 = -1$$

$$f(x_2, f(x_1, c)) = a_0(x_2) \times (-1) = -2 \times (-1) = 2$$

7)