VOSSIE MARKETPLACE

Design system


An implementation-ready visual, interaction and governance specification for the verified student marketplace.

vossie MARKETPLACE

01 Foundations and tokens

02 Components and patterns

03 Delivery and governance



Primary teal | Sky blue | Beige | Forest | White

RECONCILED / 12 OCTOBER 2026 / VERSION 1.1

Design principles and authority

Student-first commerce with premium restraint. Product trust, clarity and verified state take priority over decoration.

Calm and discoverable

White space is the default. Real product and service media provides visual interest.

Marketplace, not merch shop

Vossie is the platform. Independent sellers retain their own shop names and content.

Campus clear, fulfillment honest

Show selected campus and only data-backed cross-campus or delivery availability.

Native feeling, shared system

Use familiar platform interaction patterns while maintaining consistent Vossie semantics.

Authoritative state

Price, stock, identity, booking, payment, delivery and payout come from trusted data.

Screen-by-screen approval

The owner-supplied screen is the visual source for the current build. Historical atlases are context.

Wordmark / non-negotiable

Use the approved geometric Vossie wordmark artwork with its linked ss, baseline and MARKETPLACE tracking. Do not type, redraw, stretch, recolor arbitrarily, add effects, or regenerate it.

Primitive colour palette

A teal-led marketplace palette supported by quiet campus-inspired surfaces and high-contrast text.

Teal 500

#376371

Forest 700

#1C352D

Navy 700

#24394C

Sky 200

#C8D9E6

Mist 100

#E9F2F5

Beige 100

#F8F0E5

Sage 200

#DDE5D9

Slate 600

#526674

Neutral 0

#FFFFFF

Usage rule

Use navy or forest for body copy on pale surfaces. Teal is the primary action color. Sky, mist, beige and sage support hierarchy but are not body-text colors. Product imagery keeps its natural color. Every actual pair requires contrast verification.

Light-theme semantic aliases

Components consume semantic aliases so the brand can evolve without screen-level color rewrites.

Background

canvas #FFFFFF | subtle #FAFBFC | brand soft #E9F2F5 | warm #F8F0E5

Text

primary #24394C | secondary #526674 | muted #74838C | inverse #FFFFFF

Action

primary #376371 | hover #2E5561 | pressed #244752 | disabled #E8EDF0

Border

default #C8D2D8 | subtle #E8EDF0 | strong #9DAEB8 | focus #376371

Success

Confirmed

Warning

Attention

Danger

Destructive

Info

Informational

State rule

Status always includes text and, when useful, an icon. Color alone never distinguishes paid, late, delivered, cancelled, restricted, or unavailable states.

Experimental dark aliases

Dark mode is documented for future work but remains disabled until every component, image, badge and shadow passes audit.

Canvas

#10181D

Surface

#172027

Raised

#1E2A31

Selected

#244752

Text

#F5F7F8

Muted

#9DAEB8

Release gate

Do not expose a dark-mode control until component contrast, product photography, charts, status colors, platform controls and reduced-transparency behavior are verified on web, iOS and Android.

Typography and wordmark

Editorial display type creates character; interface type stays readable in dense commerce and operations workflows.

Display / Canto

Page titles, carefully selected campaigns and sparse empty-state headlines. Requires licensed font files. Fallback: Georgia, then platform serif.

Interface / Minimalist

Navigation, forms, prices, labels, cards, statuses and tables. Requires licensed font files. Fallback: Inter or the platform system sans.

STYLE	SIZE / LINE	WEIGHT	USE
Display	32 / 38	regular	Hero only
Page heading	27 / 34	regular	Screen title
Section	19 / 26	semibold	Section hierarchy
Card title	15 / 21	semibold	Listing/service
Body	14 / 21	regular	Description
Label	12 / 17	medium	Field/status
Micro	11 / 15	medium	Auxiliary

Spacing, grid and responsive layout

An 8-point rhythm with 4-point micro increments keeps phone, tablet and desktop experiences related.

Spacing

4, 8, 12, 16, 20, 24, 32, 40, 48, 64

Compact

0-599: 4 columns, 16-20 margins, mobile navigation

Medium

600-1023: 8 columns, 24 margins, split views where useful

Expanded

1024-1439: 12 columns, 32 margins, sidebar/table layouts

Wide

1440+: 12 columns, max content 1200, reading width 720

Section rhythm

16 inside cards, 24 between related groups, 32-64 between major regions

Adaptation rule

Change composition when space changes; do not merely stretch phone UI. Preserve safe areas, keyboard access, orientation, text scaling and meaningful focus order.

Shape, elevation and iconography

Soft shapes support approachability; restrained elevation preserves clarity and performance.

8	12	16	20	24	999
Micro	Field	Card	Hero	Sheet	Pill

Elevation

Use borders for ordinary cards. Shadow small: menus and compact floating elements. Shadow medium: modal/sheet separation. Navigation shadow: floating bottom dock only. Never use elevation to imply authority.

Icons

Use 20-24 optical-size icons with consistent stroke and filled selected states. Map SF Symbols on iOS to licensed or custom SVG equivalents on Android/web. Every unlabeled icon button needs an accessible name and at least 44 by 44 interaction area.

Imagery

Use real, diverse student marketplace content with explicit rights. Define aspect ratio and crop focal point. Avoid embedding text in images. Provide alt text for informative images, empty alt for redundant decoration, and a neutral placeholder that does not imply stock or verification.

Motion, feedback and haptics

Motion explains cause and effect. Essential work never waits for decoration.

120 ms

Press feedback

180 ms

Control/state

260 ms

View transition

320 ms

Sheet/complex

0 ms

Reduced-motion transform

Easing

Standard 0.2,0,0,1; decelerate for entry; accelerate for exit.

Distance

Use small movement. Avoid decorative parallax in transaction flows.

Haptics

Confirmation only for deliberate native actions; never substitute for visible state.

Loading

Skeleton for content, progress for known work, pending state for provider uncertainty.

Reduce Motion

Remove spring, parallax and travel; retain immediate opacity/status updates.

Buttons and action hierarchy

One clear primary action per task region, with stable labels and honest loading behavior.

Continue

View details

Delete listing

Unavailable

Variants

Primary, secondary, ghost, destructive, icon and link.

States

Default, hover, focus-visible, pressed, loading and disabled.

Sizing

40 small, 48 default, 56 large; minimum touch target remains 44.

Behavior

Loading prevents duplicates and keeps width stable. Destructive labels name the result.

Accessibility

Visible focus, semantic role/state, clear name, sufficient contrast and keyboard activation.

Do not

Use vague labels, color-only hierarchy, fake success, or repeated confirmation for reversible work.

Inputs and selection controls

Persistent labels, precise recovery and platform-appropriate keyboards make forms trustworthy.

Search

Search products, services and sellers

Campus

Select a campus

Choose the campus linked to your verified student profile.

Anatomy

Label, control, optional affordance, help or error. Placeholder never replaces label.

Input states

Empty, filled, hover, focus, valid, error, disabled, read-only and loading.

Selection

Checkbox for many, radio for one, switch for immediate setting, segmented control for peer views.

Validation

Validate at a useful moment, preserve safe input, focus the first error and summarize long forms.

Sensitive data

Mark read-only institutional fields. Never request Eduvos password or Authenticator secret.

Marketplace cards and content

Cards expose enough information to decide without inventing trust, price, stock or fulfillment signals.

Campus laptop bag R 450

Independent seller | Potchefstroom

Availability from live data

Student lunch bowl R 75

Independent seller | Potchefstroom

Availability from live data

Required anatomy

Media, name, seller/trust context, price, campus/fulfillment, availability/status and action.

Variants

Product, food, service, rental, skeleton and unavailable.

Integrity


Verification, rating, stock, ETA, discount and distance appear only from authoritative data.

Media

Approved rights, stable aspect ratio, focal crop, informative alt text and neutral placeholder.

Navigation and application shells

Navigation follows approved product scope. Visibility helps orientation but never grants authorization.



V1 marketplace navigation

Home, Explore, Activity and Account. Account contains profile, verification, role switching, wallet/earnings access, saved items, inbox and settings.

Feature-gated Reels slot

Reels remains part of the broader architecture but is deferred from v1. When the project owner reactivates it, place it between Explore and Activity and re-test all navigation variants.

Role shells

Seller and courier modes use task-specific destinations. Operations uses a desktop sidebar at expanded widths and a compact drawer below that. Role switching never changes server authority.

Deep links and back behavior

Every deep link re-checks session, eligibility, role and object access. Preserve intended destination through sign-in when safe. Clear protected content on denial or logout.

Feedback, overlays and empty states

Feedback must remain visible long enough to understand and must not become the only record of important outcomes.

Toast

Brief, non-blocking confirmation. Financial outcomes also live in Activity/receipt.

Banner

Persistent page-level notice with clear next action.

Inline alert

Local validation or recoverable failure near its cause.

Modal

Blocking decision, focus trap, labelled title and deliberate dismissal.

Sheet

Contextual mobile task with drag and explicit close.

Empty state

Reason, one useful action, no blame or invented activity.

Skeleton

Mirrors content structure while authoritative data loads.

Offline

Marks cached data stale and disables authoritative mutations.

Core journey patterns

Each pattern defines authority, recovery and the moment a state may be presented as complete.

Institutional sign-in

Delegate to Eduvos/Microsoft. Never recreate an institutional password form. Enter Vossie only after verified session and eligibility.

Listing publication

Draft -> checks -> published, or flagged -> human review. Preserve the seller draft on recoverable failure.

Checkout

Revalidate price, stock, slot and fulfillment; show immutable breakdown; prevent duplicate payment attempts.

Order tracking

Separate payment, seller, fulfillment, delivery, issue-window and payout states. Server is authoritative.

Handoff

One-time code plus actor, role, place and timestamp. Scan/code is evidence input, not automatic authority.

Dispute

Structured reason, evidence, timeline and operations decision. Hold affected funds while preserving unrelated orders.

Accessibility acceptance criteria

Accessibility is part of component and screen completion, not a final visual review.

- Minimum 44 by 44 point touch area with adequate separation.
- WCAG AA target for actual text/background pairs, including image overlays.
- Visible keyboard focus and logical focus order on web.
- Text scales without clipping; fixed heights are avoided for variable copy.
- Status uses text and icon in addition to color.
- All informative images have meaningful alternatives; decorative images are ignored.
- Inputs have persistent labels, errors, hints and programmatic relationships.
- Reduced motion removes travel and spring while preserving state change.
- Screen-reader announcements cover async success, error and important status updates.
- Zoom, orientation, safe area, keyboard and high-contrast behavior are verified.

Platform and responsive behavior

A shared Expo system adapts composition while preserving product semantics across iOS, Android and web.

Compact phone

Bottom navigation, full-width flows, sheets, one primary action, 16-20 margins.

Tablet

Wider cards, split detail/context views, 8-column grid and 24 margins.

Desktop marketplace

12-column grid, constrained reading width and pointer/keyboard states.

Desktop operations

Persistent sidebar, tables, multi-column cases and dense but readable controls.

Platform mapping

Use SF Symbols only where permitted on iOS. Map to matching custom or licensed vectors on Android/web. Use platform date/time, share, camera and permission conventions through typed adapters. Do not assume web background location, push or camera behavior equals native.

Figma and code mapping

One semantic source maps into Figma variables, CSS custom properties and typed Expo tokens.

TOKEN	**color.text.primary** Figma variable -> CSS --v-color-text-primary -> TypeScript color.text.primary
COMPONENT	**Marketplace/ListingCard/Product/Default** Figma component -> React Native component -> visual/unit tests
VARIANT	**Button/Primary/Loading** Variant property -> typed prop/state -> duplicate-submit guard
SCREEN	**Buyer/Explore/Default** Approved frame -> Expo route -> screen composition -> analytics contract
MOTION	**Order/Status/Advance** Figma motion note -> Kinetic contract -> reduced-motion equivalent

Delivery package

The design folder includes JSON, CSS and TypeScript tokens, component contracts, screen intake and governance. Application adoption remains a scoped implementation task with tests and Guardian review.

Governance and versioning

The system stays trustworthy when design decisions, code, Figma and documentation change together.

Naming

Semantic token names. Domain/Component/Variant/State for components.

Patch

Documentation correction or non-rendering alias.

Minor

Additive token, component or compatible variant.

Major

Removed/renamed contract, navigation or brand direction change.

Deprecation

Replacement plus removal target; search confirms no approved usage before removal.

Promotion

A screen-specific pattern becomes shared after two verified uses.

Ownership

Pixel implements, Kinetic owns motion, Lens verifies, Scribe documents, Guardian gates.

Human authority

Project owner approves brand, navigation and product-scope changes.

Screen-by-screen delivery checklist

The project owner supplies the correct screens one by one; each becomes a complete behavior and verification contract.

1. Identify

Route, role, supplied reference, approval date and user goal.

2. Decompose

Sections, controls, reusable components, data and assets.

3. Contract

Entry, exit, actions, validation, authorization and analytics.

4. Complete states

Loading, empty, offline, denied, error, retry, expired and success.

5. Adapt

Phone, tablet, desktop, keyboard, safe area, text scale and orientation.

6. Implement

Approved contracts only; label sandbox or local prototype behavior.

7. Verify

Lint, typecheck, tests, export, Expo Doctor, Chrome and physical iPhone.

8. Gate

Guardian PASS, docs synchronization and focused commit-ready handoff.

Version 1.1 additions

Expanded from visual reference into a build-ready design contract aligned with the current Vossie implementation plan.

- Added complete semantic light-theme colors and state aliases.
- Added experimental dark aliases with a production audit gate.
- Added responsive breakpoints, grids, content widths and adaptive-shell rules.
- Added component anatomy, variants, states and accessibility behavior.
- Added commerce, identity, checkout, tracking, handoff and dispute patterns.
- Feature-gated Reels to match the approved v1 scope while preserving future placement.
- Added Figma, CSS and Expo token mappings plus governance and versioning.
- Added screen-by-screen intake and delivery requirements.

Implementation note

This design system does not by itself change the application theme. Pixel must reconcile src/theme/index.ts in a scoped task, verify every affected screen and obtain Guardian PASS.