

Developer Series 4

Cinematic Pitch Film, Live Product Demonstration & Motion Production Blueprint — Version 1

Locked presentation architecture: approximately 4 minutes of cinematic origin/team storytelling, followed by a 15–20 minute Danny-led product demonstration, differentiation narrative and ecosystem pitch, then a short cinematic close.

Purpose: make Vossie itself the presentation. Act I explains why the platform exists and who built it through illustration, motion graphics, typography, 3D/device shots and engineering visualization. Act II reveals the real application and lets Danny drive Buyer, Seller, Courier, cross-campus logistics and Operations while the relevant UI and backend-system visualizations react to his narration.

Continuity with previous series. The film uses the confirmed 177-screen architecture and two application families; the existing Figma/Motion pipeline remains the UI source, and the agentic engineering sequence reflects the Atlas/Sentinel reliability workflow already specified in Series 3.

Motion signature

The Vossie dot is the recurring visual particle. It can become a person, research point, cursor, request, notification, package, courier location, campus node, data point, agent task, Git commit or transition — and finally returns to the dot above the i.

1. Runtime & act structure

Block	Target duration	Purpose	Presentation mode
Act I — Origin + Team	~4:00	Problem, product thinking, design, research/development, project coordination, business analysis, marketing	Pre-rendered cinematic film
Act II — Danny / Pitch Lead	15:00–20:00	Full live/controlled demonstration, differentiation, user journeys, operational depth and value proposition	Presenter-led app + synchronized motion/visual cues
Finale	~0:30–0:45	Recombine Buyer/Seller/Courier/Operations into one ecosystem and close on Vossie identity	Pre-rendered or cue-triggered cinematic close

Act II should be modular rather than one uninterruptible video. Danny must be able to pause, answer a judge, jump to another feature, recover from a demo issue and resume. The visual system therefore needs cueable chapters and fallback recordings for every critical live interaction.

2. Team integration — roles become visual sequences

Team member	Role	How the film visualizes the contribution
Malindi Mpumelelo	Product Lead	Fragmented campus needs reorganize into Buyer, Seller, Courier, Marketplace, Campus/Operations and Incubation. Product structure emerges before UI.
Oratile Modise	UI/UX Designer	Product model flattens into wireframes, tokens, components, cards, navigation, Reels, maps and refined responsive frames. Finished UI is teased, not fully demonstrated.
Babalo Kali	Developer & Research Lead	Research signals become technical decisions; architecture becomes agentic implementation, testing, GitHub, verification and deployment.
Danny Mohale	Project Manager + Pitch Lead	Parallel streams become milestones/dependencies and converge into a release. Later, the film hands control to Danny and Vossie becomes his presentation.
Babalo Kali + Danny Mohale	Business Analysts + Marketing Leads	Demand/supply/logistics/business signals become opportunity analysis, positioning, launch communication and campus growth narrative.

3. Act I — four-minute cinematic shot list

The following is the production baseline. Timing is editable during animatic/voice-over lock, but sequence logic should remain stable.

ID / time	Shot / camera	Motion + visual action	Audio / narrative intent
A01 00:00–00:05	Locked black frame → centered macro	Black hold. Dot fades in, compresses, first small bounce.	Near-silence; soft low-frequency impact.
A02 00:05–00:13	Camera begins vertical follow	Second/higher bounce; third jump reaches apex; dot drops rapidly.	Impacts build; brief vacuum/silence at apex.
A03 00:13–00:20	Macro push into wordmark	Dot lands above i; controlled wave reveals VOSSIE, then MARKETPLACE.	Audio logo resolves. No narration.
A04 00:20–00:35	Push through dot → 35° aerial campus	Dot becomes illustrated campus world; students appear as stylized figures/nodes.	VO: campus already contains an economy.
A05 00:35–00:58	Slow lateral campus glide	Book need vs unused book; food vs hungry student; designer vs customer; delivery need vs passing student.	Each need/supply gets a small icon/dot; subtle campus ambience.
A06 00:58–01:12	Wider camera; increasing parallax	DMs, chat bubbles, cash, posts and disconnected channels accumulate; composition becomes noisy.	VO establishes fragmentation; notification sound texture rises.
A07 01:12–01:20	Hard freeze → negative space	All clutter drops away; four dots remain: BUY / SELL / MOVE / GROW.	Audio abruptly cleans.
A08 01:20–01:42	Orbital product-system camera	Malindi title enters. Dots connect into Buyer → Marketplace → Seller, with Courier below and Campus/Operations/Incubation around it.	Product Lead contribution: problem becomes coherent system.
A09 01:42–01:50	Product diagram rotates toward camera	System lines flatten into grid/wireframe plane.	Transition from product thinking to design.
A10 01:50–02:12	Figma-canvas style dolly	Oratile title. Rough rectangles become components: card, search, nav, buttons, Reel, map, sheets; tokens settle.	UI/UX contribution: rough → refined.
A11 02:12–02:22	Device 3/4 hero angle	Finished Buyer screen briefly resolves on phone; camera approaches but screen separates into layers before full reveal.	Tease only; do not demo app yet.
A12 02:22–02:42	Dark volumetric technical space	Babalo title. Research cards/points: behaviour, identity, logistics, payments, security, feasibility; findings connect.	Research Lead: evidence becomes decisions.
A13 02:42–03:03	Forward flight through architecture	Research points transform into auth, database, frontend, maps, logistics, payments, integrations.	Developer: decisions become architecture.
A14 03:03–03:27	Central Atlas node; radial camera	Atlas dispatches Pixel/Forge/Schema/Market/Relay/Bridge/Kinetic. Each assembles its domain and streams output back.	Engineering system becomes visual choreography.
A15 03:27–03:40	Rapid diagnostic push-in	Build turns red; Medic isolates failure, repair applied, green. Guardian checks surrounding workflow.	Self-checking reliability shown without code-wall overload.
A16 03:40–03:52	Commit becomes moving dot	Commit → GitHub PR → Sentinel chamber; Lens/Aegis/Vector/Pulse/Vault run; Resolver handles one failure; Watchtower confirms.	Independent verification; align with Series 3 workflow.
A17 03:52–04:02	Timeline converges to center	Danny Project Manager title. Product/design/research/dev/test/marketing streams snap onto milestones and converge.	Coordination contribution.
A18 04:02–04:14	Data-space morph	Babalo + Danny: demand, supply, logistics and seller-growth clusters become business insight; then launch/QR/social/campus positioning.	Business analysis + marketing.
A19 04:14–04:22	Everything collapses to one dot	Dot lands; VOSSIE LIVE flashes but UI remains hidden; cut black.	Build-up complete.
A20 04:22–04:30	Centered title card	DANNY MOHALE — PITCH LEAD. Dot bounces once and reveals phone silhouette.	Handoff from film to presenter.

4. Act II — Danny's 15–20 minute product demonstration

Act II is a controlled live presentation system. The application is the primary visual; motion graphics expand only when the concept is larger than a screen (for example cross-campus routing or system architecture). Each chapter has a live path, a pre-recorded fallback, and a cue marker so Danny can advance without waiting for an editor.

Chapter / target	What Danny demonstrates	On-screen choreography	Differentiation point to prove
D01 Reveal / 1:00	What Vossie is; verified identity; role switching	Phone emerges from darkness; screen wakes; Buyer/Seller/Courier orbit then Buyer activates	One verified campus identity with multiple participation modes
D02 Buyer discovery / 2:00	Home, campus, search, filters, categories, seller profiles, product/service discovery	Camera moves into real UI; cursor/touch actions enlarged subtly; cards react to speech	Campus-scoped discovery rather than generic classifieds
D03 Marketplace Reels / 1:30	Vertical discovery, tagged products/services, tap-through	Reel fills stage; swipe rhythm; tagged product lifts out of video into Product Detail	Content → discovery → commerce in one marketplace
D04 Purchase / 1:30	Product detail, cart, quantity, delivery/pickup, sandbox payment, confirmation, tracking	Selected product remains spatially continuous through cart/checkout; order becomes tracking card	End-to-end transaction rather than lead/contact-only marketplace
D05 Buyer Requests / 1:30	No suitable listing → Request It; budget, campus, timing, optional image	Failed search clears; Request CTA grows; submitted request becomes Vossie dot leaving device	Demand can be expressed before supply exists
D06 Seller response / 2:00	Request inbox, offer, acceptance, shop, product creation, stock, orders, analytics, payouts	Request dot lands on Seller; offer returns to Buyer; accepted offer transforms into order	Two-sided request/offer marketplace + business tooling
D07 Seller Reels loop / 1:15	Seller posts product Reel; Buyer discovers and purchases	Post travels through network; same Reel appears on Buyer; tap → product → cart	Seller marketing loop is native to commerce
D08 Courier / 2:00	Activate mode, vehicle type, go online, job card, accept, navigate, QR pickup, live tracking, delivery, earnings	Flat map tilts into campus; courier dot travels; Buyer tracking floats alongside	Student delivery layer with verification and package/vehicle constraints
D09 Cross-campus / 2:00	Hub scan, manifest, custody, inter-hub route, destination handoff	Real tracking UI expands into animated campus network; package-dot passes QR custody nodes	Cross-campus uses hub/transfer network, not unrealistic student long-distance driving
D10 Operations / 2:00	Campus Hub, Transfers, moderation, users, disputes, security, announcements	Phone widens/morphs into desktop; modules slide past as Danny narrates	Separate operational family with permission-controlled workspaces
D11 Incubation / 1:15	Demand trends, emerging sellers, business support evidence	Seller node grows with orders; request clusters form demand map; Incubation dashboard resolves	Marketplace activity becomes entrepreneurship insight
D12 Differentiation recap / 1:00	Requests + Reels + student courier + cross-campus hubs + incubation + operations	Six capability nodes orbit Vossie; each lights as Danny summarizes	Show integrated system rather than claiming one isolated novelty

Timing note: the chapter targets above total approximately 18 minutes. Danny can compress to ~15 minutes by shortening D02/D06/D08/D10, or expand toward 20 minutes with judge-facing explanation and live interaction.

5. Act II interaction, cueing & demo safety

System	Production rule
Cue model	Every chapter has a named cue: REVEAL, BUYER, REELS, CHECKOUT, REQUEST, SELLER, COURIER, CROSS_CAMPUS, OPERATIONS, INCUBATION, RECAP, FINALE.
Live UI	Use the real prototype wherever stable. Danny's actions should be deterministic with seeded demo accounts/data and known starting states.
Synchronized graphics	A cue can trigger overlays, device framing, camera crop, background motion, map expansion or data visualization while leaving the real app legible.
Fallback	Every critical live path has a frame-accurate prerecorded fallback matching the same starting UI. Switching should not require explaining a failure to the audience.
Reset	One-click/reset script restores demo accounts, carts, request state, courier job, hub shipment and Operations data to the known pitch state.
Presenter freedom	Danny may pause between cues. Motion must settle into a hold state; nothing essential should auto-advance while he is speaking or answering.
No fake functionality	Conceptual visuals are clearly cinematic expansions of real platform logic; they must not imply production integrations or live capabilities that the prototype does not actually have.

6. Camera, lens & motion grammar

Use	Camera / angle	Motion rule
Identity / logo	Macro centered; shallow perceived depth	Few moves; heavy timing; dot impacts use squash/stretch + restrained overshoot
Campus problem	30–40° aerial/isometric	Slow lateral glides and controlled parallax; chaos comes from content, not shaky camera
Team roles	3/4 spatial compositions	Camera moves toward the contribution, then that contribution becomes the transition
Device hero	Front 3/4 at reveal; later straight-on for legibility	Cinematic orbit only before interaction; during demo, prioritize readable UI
Inside UI	Orthographic/near-flat	Use push-through, card lift, sheet rise, matched geometry; avoid excessive perspective
Maps/logistics	Top-down → 35° tilt	Use route drawing, location pulse and package-dot movement; custody changes get discrete scan beats
Engineering	Forward flight + radial node layouts	Faster than product sections but readable; failures use punch-in, not glitch spam
Operations	Desktop straight-on / slight parallax	Lateral module transitions; tables stay legible
Finale	Wide pullback	Progressively reveal more nodes until ecosystem resolves into wordmark

Motion easing should feel physical but controlled: quick response, short overshoot only where appropriate, and longer ease-in/ease-out for camera travel. The film should never imitate Apple's exact shots or branding; it uses a restrained launch-film grammar adapted to Vossie's own identity.

7. Asset manifest

Asset family	Required assets	Source / production treatment
Brand	Vossie master logo, wordmark, dot, palette, type rules, icon set	Vector exports from approved brand/Figma; dot built as reusable AE precomp
UI	Buyer/Seller/Courier/Operations screens, states, modals, Reels, maps, checkout, requests	Native Figma frames/components + real prototype capture; no AI-generated fake UI
Team	Names/roles; optional portraits/silhouettes if desired	Typography-led by default; portraits only if team wants them
Campus	Stylized buildings, paths, student figures, product/service icons	Illustration/3D kit designed in Vossie language; generic unless approved campus references are supplied
Devices	Phone/tablet/desktop frames	3D or high-quality device mockups; screen replacements linked to real captures
Logistics	Package, QR, route, hub, vehicle/walking icons, manifests, custody nodes	Vector/3D hybrid; dot acts as package/location token
Engineering	Atlas/Sentinel agent nodes, Git/PR/test/deploy visual objects	Abstract motion graphics based on Series 3 roles; avoid unreadable fake code walls
Audio	Audio logo, impacts, UI taps, scans, route pulses, ambience, music stems	Original/licensed assets only; separate stems for presenter ducking
Demo data	Seed users, products, requests, offers, order, courier job, cross-campus shipment, Incubation metrics	Deterministic staging/demo dataset with reset capability

8. After Effects / production project architecture

Build modularly. Do not create one 20+ minute After Effects timeline containing every live interaction.

Folder / comp family	Contents
00_MASTER	Master Act I render, Finale render, reference audio, delivery comps
01_IDENT	Dot physics, Vossie reveal, audio-logo timing
02_CAMPUS	Campus world, student nodes, fragmented channels
03_TEAM_PRODUCT	Malindi/product-system compositions
04_TEAM_DESIGN	Oratile/wireframe/component/Figma-style compositions
05_TEAM_DEV	Babalo/research, architecture, agentic engineering, Git/verification/deploy
06_TEAM_PM_BIZ	Danny PM + Babalo/Danny business/marketing sequences
07_DEVICE	Phone/desktop device rigs and reusable screen-replacement comps
08_DEMO_OVERLAYS	Cueable chapter titles, highlights, masks, pointer/touch emphasis, background states
09_LOGISTICS	Courier map, QR/custody, cross-campus network
10_OPERATIONS	Desktop transitions, analytics/incubation visualization
11_FINALE	Ecosystem pullback, node field, wordmark reconstruction
ASSETS	Figma exports, SVG, PNG/EXR, 3D, fonts-by-reference, audio, prototype recordings

Where Work mode can access After Effects, the production specification should be used to create/import assets, organize comps, animate, preview and render. If a required AE capability/plugin is unavailable, the same shot specification remains executable through alternate motion/3D tools and can be assembled in the final edit.

9. Shot-production schema

Every production shot should be tracked using the following fields so Work/After Effects or a human motion designer can execute without interpreting vague creative direction.

Field	Example
shot_id	A14_SH03
timecode / duration	03:09.000–03:13.500 / 4.5s
sequence / cue	TEAM_DEV / ATLAS_BUILD
narration	Exact locked voice-over or Danny cue line
camera	3/4 orbit, 35mm-equivalent visual feel, slow push 8%
composition	Atlas center; specialist nodes radial; UI layers behind
motion	Task dots fire to agents; outputs return with stagger
UI / Figma refs	Frame/component IDs and version
assets	SVG/PNG/3D/audio filenames
AE comp	05_TEAM_DEV/ATLAS_BUILD_03
transition in/out	Architecture tunnel → radial node / commit-dot wipe
SFX / music	Task pulse x7; music stem B rise
render	4K master, alpha overlay or stage playback output
dependency	Requires locked Series 3 agent names + final Vossie palette
fallback	Simplified 2D node composition
status	BLOCKED / READY / ANIMATING / REVIEW / APPROVED / RENDERED

10. Production workflow

Phase	Output / gate
01 Narrative lock	Final 4-minute Act I script + Danny's 15–20 minute speaking outline + differentiation claims approved
02 Demo map	Select exact screens/states from the 177-screen architecture; create deterministic demo accounts/data
03 Storyboard	One frame per shot/cue; verify visual continuity and role representation
04 Animatic	Rough timing, temp VO, temp music; confirm 4-minute Act I pacing before polish
05 Asset build	Figma exports, campus illustration/3D, device rigs, icons, logistics and engineering visual kit
06 Act I animation	Animate ident → team story → Pitch Lead handoff; review in low-res before final rendering
07 Live demo package	Prototype/staging environment + cue controller + overlays + fallback recordings + reset script
08 Act II rehearsal	Danny rehearses against cues; capture timing; shorten/expand chapters to competition limit
09 Finale	Build ecosystem/wordmark close and final audio-logo return
10 Audio	Voice-over cleanup, original/licensed music, SFX, ducking and loudness consistency
11 Technical rehearsal	Run full pitch on actual presentation hardware/network; deliberately test offline/fallback path
12 Delivery	4K master where needed, 1080p stage-safe playback, fallback videos, cue sheet, offline package and rehearsal copy

The production must preserve the platform truth: Marketplace contains Buyer, Seller and Courier role-specific experiences, while Operations contains Hub, Transfers, Incubation and permission-controlled operational workspaces. The current screen architecture totals 177 designs across all confirmed areas, so the demo should select representative flows rather than attempt to show every screen.

11. Locked creative decisions for Series 4 v1

- 01. Opening identity uses the bouncing Vossie dot and ends with the dot landing above the i.
- 02. The first ~4 minutes introduce the problem, Vossie concept and team contributions without fully demonstrating the application.
- 03. Malindi = Product; Oratile = UI/UX; Babalo = Development + Research; Danny = Project Management + Pitch; Babalo + Danny = Business Analysis + Marketing.
- 04. Danny's Pitch Lead handoff is the first complete reveal of the working application.
- 05. Danny receives ~15–20 minutes for Buyer, Reels, purchase, Requests, Seller, Courier, cross-campus logistics, Operations, Incubation and differentiation.
- 06. Act II is cueable and presenter-controlled, not a single locked video.
- 07. Real Figma/prototype UI is used for product demonstrations. Motion graphics explain systems that cannot be understood from one screen.
- 08. Every critical live flow has deterministic demo data, a reset path and a prerecorded fallback.
- 09. The dot is the recurring motion signature across identity, campus, product, engineering, logistics, data and finale.
- 10. Final production is modular: After Effects comps, real app capture, optional 3D, synchronized audio and cue-controlled live presentation.

Next production artifact

Once the exact competition pitch limit and the final Vossie prototype states are locked, this blueprint can be expanded into the frame-level production workbook: 60–90+ individual Act I/finale shots plus cue-by-cue Act II states, exact narration, Figma frame references, AE comp names, asset filenames, camera values, easing, audio events, dependencies and approval status.

12. ChatGPT Work Execution Handoff

This section is the execution bridge from the Series 4 specification into production. The user will provide the approved Vossie brand identity package and the Figma files/links containing the designed application pages and states. Work must treat those supplied assets as source-of-truth inputs, not recreate or reinterpret them unnecessarily.

Required handoff package

Input	How Work must use it
Developer Series 4 v2 PDF	Authoritative creative, shot, motion, demo, production and delivery specification.
Vossie Brand Identity	Authoritative logo, colour, typography, iconography, spacing, visual-language and brand-use rules. Use these assets before creating any new visual element.
Vossie Figma files / page designs	Authoritative UI/UX source for Buyer, Seller, Courier and Operations screens. Preserve component hierarchy and approved states where possible.
Working Vossie prototype	Use for real interaction capture and stable live-demo paths where available.
Optional media	Team portraits, campus references, audio, approved photography/video and any other supplied production assets.

Asset precedence

If two inputs conflict, stop that affected shot and flag the conflict instead of guessing. For visual identity, the supplied Brand Identity overrides temporary styling in older production examples. For application UI, the supplied approved Figma/prototype state overrides illustrative UI shown elsewhere. Series 4 controls narrative, motion intent, shot structure and production workflow.

13. Master prompt to paste into ChatGPT Work

Attach this PDF plus the Brand Identity and Figma files first. Then paste the following prompt:

VOSSIE SERIES 4 - MASTER PRODUCTION EXECUTION You are the production lead for the Vossie cinematic pitch experience. Read the entire attached Developer Series 4 specification before creating or changing anything. The user will also provide the approved Vossie Brand Identity and the Figma files or links containing the application pages. Treat those as authoritative source assets. Do not invent replacement branding or application screens when an approved source exists. GOAL Execute the Series 4 production: the approximately four-minute cinematic origin/team film, the cue-driven 15-20 minute Danny-led product demonstration package, and the cinematic ecosystem finale. FIRST ACTIONS 1. Audit every attached file, link and available application/tool. 2. Confirm which Vossie brand assets, Figma screens, prototype states, fonts, vector assets, audio assets and production applications are accessible. 3. Create a production manifest mapping Series 4 shot/cue IDs to source assets, output files, dependencies and status. 4. Create an organized, non-destructive Vossie production workspace. 5. Only then begin production. SOURCE-OF-TRUTH RULES - Brand Identity controls logo, palette, typography, iconography and visual language. - Approved Figma/prototype assets control product UI. - Developer Series 4 controls narrative, shot structure, motion intent, demo chapters and delivery requirements. - Never fabricate a feature or production integration. - If source files conflict, flag the conflict rather than silently choosing. APPLICATION ROUTING - Use Adobe Illustrator when available for editable vector/illustration work: Vossie dot assets, campus graphics, icons, logistics graphics, diagrams and other vector elements. - Use the supplied Figma source for real Vossie UI. Preserve approved components/states and export the exact frames required by each shot. - Use Adobe After Effects when available for cinematic sequences, motion graphics, device compositions, transitions, engineering visualization, logistics sequences and the finale. - Use appropriate editing/audio/render tools available in the environment for assembly, sound and delivery. - Do not claim an application was used if it is unavailable. Record the blocker and use the closest viable production route that preserves the specification. PRODUCTION ORDER Build and validate sequence-by-sequence: 01_IDENT 02_CAMPUS 03_TEAM_PRODUCT 04_TEAM_DESIGN 05_TEAM_DEV 06_TEAM_PM_BIZ 07_PITCH_HANDOFF 08_DEMO_OVERLAYS 09_LOGISTICS 10_OPERATIONS 11_FINALE 00_MASTER FOR EACH SEQUENCE Gather approved assets -> build -> preview -> compare against Series 4 -> find errors -> repair -> preview again -> mark approved only after validation. ACT II Do not turn Danny's 15-20 minute section into one fixed movie. Build it as presenter-controlled chapters using the defined cues: REVEAL, BUYER, REELS, CHECKOUT, REQUEST, SELLER, COURIER, CROSS_CAMPUS, OPERATIONS, INCUBATION, RECAP and FINALE. Use the real prototype for stable interactions. Prepare deterministic demo data, known starting states, a reset procedure and a prerecorded fallback for every critical path. Motion overlays must settle into hold states so Danny can pause or answer judges without the presentation advancing. QUALITY AND RECOVERY Do not stop at a raw error when a safe repair is possible. Diagnose, attempt repair, rerun the affected preview/test and document the result. Ask the user only when credentials, unavailable source assets, licensing, an irreversible action or an undefined creative decision prevents safe continuation. Maintain the production manifest throughout. For every shot/cue record: ID, duration, narration/cue, source assets, Figma reference, application, composition/file, dependencies, status, blocker, fallback and render output. FINAL QA Audit branding, UI fidelity, missing media, fonts/references, composition dependencies, motion timing, UI legibility, audio synchronization, render errors, demo reset, offline fallback and stage playback. DELIVER Act I master, cue-driven live-demo package, overlays, fallback recordings, finale, cue sheet, production manifest, stage-safe render and offline presentation package. Start now by reading the complete Series 4 specification and auditing the supplied Brand Identity, Figma files and available production environment. Produce the manifest and then continue into the first executable production sequence. Do not stop after planning if the required tools and assets are available.

14. Work recovery and QA prompts

Resume after interruption

Continue Vossie Series 4 production from the current production manifest. Read Series 4 and the manifest first. Revalidate the last approved sequence, identify the next incomplete shot/cue, preserve approved work and continue from there. Do not recreate approved assets unnecessarily. Repair recoverable errors before escalating them.

Full project audit

Audit the complete Vossie Series 4 project against the specification, Brand Identity and approved Figma/prototype sources. Check every shot and cue for missing assets, incorrect branding, UI drift, broken references, timing or motion problems, audio issues, demo-state problems, missing fallbacks and render errors. Repair issues that are unambiguously defined by the source material, rerun validation and update the production manifest.

Figma/UI fidelity audit

Compare every product-facing visual in Series 4 against the supplied approved Vossie Figma/prototype source. Identify invented, stale or mismatched UI. Replace mismatches with approved states while preserving the Series 4 camera and motion intent. Do not redesign the product during film production unless the user explicitly requests a product-design change.

Asset rule

The Brand Identity and Figma files are expected user-supplied production inputs. The workflow should remain blocked only for shots that genuinely require an unavailable source. Other independent shots may continue.