

# Copilot Studio and Azure AI Workshop

Lab 4: Deploying the Sales Buddy  
Agent.

Hands-on Lab Step-by-Step Guide

April 2025

## Lab Overview and Pre-requisites

### Learning Objectives

In this lab, participants will deploy the **Sales Buddy Agent** to **Microsoft Teams** and a **demo website**, enabling seamless collaboration and customer interaction.


### Pre-requisites

- You will need credentials to a demo tenant that has Copilot Studio and AI Builder trial enabled.
- You should have completed Lab 2
- Access to Lab 4 Assets folder


## Lab 4: Deploying the Sales Buddy Agent.

>>Publish the Sales Buddy agent<<

1. Login to Copilot Studio <https://copilotstudio.microsoft.com/> and click on the Sales Buddy agent you have worked on. Click on **Publish**



2. Click on **Publish**, again



Just FYI: There might be risks, depending on the agent configuration. You can proceed and click on Publish

---

## Publish this agent

Review the status of this agent or choose Publish to make the content available across all channels this agent is connected to.

 There are risks that should be reviewed. 1 risk ^

**Your agent is shared with all users in the organization** Share settings

Allowing anyone in an organization to chat with your agent allows them to access content added to your agent. [Learn more](#)

Publish Cancel

While the agent is being published, you can close the window. This will not impact the process.

## Your agent is being published




Publishing...


Feel free to close this window. Your agent will keep publishing in the background.

Close


3. You will see confirmation that the agent is now published



4. Click on Channels



You will also see that the agent is published



5. Scroll down and click on Teams + Microsoft 365

 **Sales Buddy**  [Overview](#) [Knowledge](#) [Topics](#) [Actions](#) [Activity](#) [Analytics](#) **[Channels](#)**

 Because you chose Microsoft authentication, only the Teams + Microsoft 365 channel is available. To use other channels, [change your authentication settings](#).

**Published agent status**

 Published by MOD Administrator 3/5/2025, 5:23 PM

**Channels**

Configure your agent channels to meet your customers where they are.

 **Telephony**

 **Teams + Microsoft 365**

 **Demo website**

 **Custom website**

 **Mobile app**

 **Facebook**

 **Skype**

 **Slack**

 **Telegram**

 **Twilio**

 **Line**

 **GroupMe**


 **Direct Line Speech**

 **Email**


6. Click on Add Channel

**Add channel**


7. Here you have the chance to customize some aspects by clicking on **Edit Details**



8. You can change the color and Icon. Click **Change Icon** and upload the PNG file as Icon available in **Lab 4 Assets** folder. Click **Change Color** and select a new background color.



Example:



9. Provide **Short Description**: *Sales Buddy built using Microsoft Copilot Studio.*

In the long description, you can use the same description as the initial one provided when the agent was created: *Sales Buddy agent provides information on sales process, customer onboarding, customer events and information from dataverse like - Accounts, Contacts and Activities*

### Short description

Sales Buddy built using Microsoft Copilot Studio.

Up to 80 characters

### Long description

Sales Buddy agent provides information on sales process, customer onboarding, customer events and information from dataverse like - Accounts, Contacts and Activities

Up to 3400 characters

10. Select both: Users can add this agent to a team and Use this agent for group and meeting chats

#### Teams settings

Decide where and how your agent should function in Teams.

☒ Users can add this agent to a team

 Review best practices and adjust settings to prevent spamming team members.[Go to Teams settings](#) 

☒ Use this agent for group and meeting chats

11. Click on **More** and Complete with your name

More 


### Developer name

Your developer name

Up to 32 characters

12. Click on **Save**





13. Close the Teams + M365 Channel


### Teams + Microsoft 365



Microsoft 365 is your cloud-powered productivity solution and includes Outlook, Word, Excel, PowerPoint, and OneDrive. [Learn more](#)

When you publish your agent to Microsoft 365, we'll publish it to Teams too. You'll get all of your agent's advantages in Teams: meeting summaries and transcripts, pointers to open issues or unresolved questions, and more effective collaboration.

14. Publish the agent again (Steps 1 to 3)



15. Go back to Teams + M365 Channel

The screenshot shows the 'Sales Buddy' interface with a navigation bar at the top containing 'Overview', 'Knowledge', 'Topics', 'Actions', 'Activity', 'Analytics', and 'Channels'. The 'Channels' tab is selected. Below the navigation bar, there is a message: 'Because you chose Microsoft authentication, only the Teams + Microsoft 365 channel is available. To use other channels, [change your authentication settings.](#)' Below this message, the 'Published agent status' is shown as 'Published by MOD Administrator 3/5/2025, 5:23 PM'. The 'Channels' section is titled 'Configure your agent channels to meet your customers where they are.' and contains three channel cards: 'Telephony', 'Teams + Microsoft 365' (which is highlighted with a red border), and 'Demo website'.

16. Click on **See agent in Teams**

Important: This will show the agent in your Microsoft Teams app only. This will not make the agent available to anyone else. This step is useful for testing. We will cover how to make the agent available to the entire organization later in this guide


The screenshot shows the 'Sales Buddy' agent details page. At the top, there is a green icon for 'Sales Buddy' and the text 'Sales Buddy built using Microsoft Copilot Studio.' To the right of this is an 'Edit details' button. Below this, there is a section titled 'Availability options' which contains a button labeled 'See agent in Teams' (highlighted with a red border).

If it tries to open the Teams application, click **Cancel** to open Teams on web.

**Note:** In case you already have MS Teams app configured, you can proceed and use the application. Keeping the Teams on Edge will help you to save time if your Teams app is not installed and/or configured

The screenshot shows a Windows security warning dialog. The text reads: 'This site is trying to open Microsoft Teams. https://teams.microsoft.com wants to open this application.' Below this, there is a checkbox labeled 'Always allow teams.microsoft.com to open links of this type in the associated app'. At the bottom, there are two buttons: 'Open' and 'Cancel' (highlighted with a red border).


Click on **Use the web app instead**



17. On MS Teams, click on **Add**




18. Then click on **Open**



19. Now you have the agent ready on your MS Teams. You can ask questions like you did while testing on Copilot Studio

For the first time, it might ask you to connect to access the connectors




20. Click on each **connect** option

| <input type="checkbox"/> | Name                                                                                                                                                                                                                | Used By                   | Status          |                         |
|--------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|-----------------|-------------------------|
| <input type="checkbox"/> |  <b>Excel Online (Business)</b><br>Excel Online (Business) connector lets you work with Excel files in document libraries suppo... | <a href="#">1 action</a>  | ⚙ Not Connected | <a href="#">Connect</a> |
| <input type="checkbox"/> |  <b>Microsoft Dataverse</b><br>Provides access to Microsoft Dataverse actions and triggers for Power Platform environme...        | <a href="#">1 action</a>  | ⚙ Not Connected | <a href="#">Connect</a> |
| <input type="checkbox"/> |  <b>Register Attendee</b>                                                                                                        | <a href="#">2 actions</a> | ⚙ Not Connected | <a href="#">Connect</a> |


21. And then on **Submit**.




22. Once all connectors are connected, you can go back to Teams and click on Retry



23. You now have the agent working in your Microsoft Teams. You can ask a question.



24. Let's make sure the agent is available to the entire organization. Back to Copilot Studio, you will see the Teams + Microsoft 365 Channel. Click on Availability Options



Here you will see 4 options:

- A. Get a link and manage who can open the agent in Microsoft Teams using this link
- B. Download a file so you can add this agent to Microsoft Teams or M365 Store
- C. Use the store to show the agent to selected people
- D. Use the store to make the agent available to the entire organization. This guide will cover this option

25. Click on **Show to everyone in my org**

## Show in the store

Decide who you want to show your agent to:

Show to my teammates and shared users

Appears in **Built by your colleagues**

Show to everyone in my org

Appears in **Built by your org** after admin approval

26. Click on submit for admin approval. This will send the Agent to be approved by the Admin

**Submit for admin approval**

27. Click on **Yes**

## Give everyone access to this agent?

Sharing your agent with your organization requires you to give everyone access to the agent. Do you want to do this?

[Learn more](#)

**Yes**


Cancel

You will see the confirmation that the agent was submitted for approval


**i** Your agent is submitted and waiting for approval from your Teams admin.

28. To approve the Agent, access <https://admin.microsoft.com/> and login as Tenant Admin

Click on **Settings** and then **Integrated Apps**



29. Click Requested Apps



30. You will see the Sales Buddy with Publish Pending Status. Click on the Agent name

| Name                                                                                                                                                        | Host products | Status                                                                                              | Last Modified ↓ |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|-----------------------------------------------------------------------------------------------------|-----------------|
|  <b>Sales Buddy</b><br>Sales Buddy built using Microsoft Copilot Studio. | Teams         |  Publish Pending | 3/5/2025        |

31. Click on Publish

**Description**  
Sales Buddy agent provides information on sales process, customer onboarding, customer events and information from dataverse like - Accounts, Contacts and Activities

**Actions**  

Publish

Reject

32. And then click on confirm

Confirm

Cancel

Now the Agent appears on "Available Apps". You can use the Search Bar to find the Agent and then manage it.

Deployed apps

Available apps

Blocked apps

Requested apps

Shared agents

All apps in this list are available for users in your organization to install according to the status shown in Availability Status.

Any changes you make here will affect how these apps show up in Outlook, Microsoft 365 (formerly known as Office.com) and Microsoft Copilot. Apps installed for a user may be automatically used by Microsoft 365 Copilot to answer that user's prompt or take actions such as create, update or delete records on behalf of user as per the capabilities provided by the app. Once acquired from app store by users, apps will be default enabled for use in Microsoft Copilot. Each app is provided under its own terms of use. [Learn more](#)

To manage how these apps show up in Teams, go to the Teams Admin Center. To view or edit policies for Outlook add-ins, go to the Exchange Admin Center. To view or edit status for Word, Excel, and PowerPoint add-ins, go to Microsoft 365 Admin Center > Org Settings.

Refresh

1 items


Filter

sales buddy

| Name ↑                                                                                                                                                      | Host products | Availability Status                                                                                                             |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|---------------------------------------------------------------------------------------------------------------------------------|
|  <b>Sales Buddy</b><br>Sales Buddy built using Microsoft Copilot Studio. | Teams         |  All users in the organization can install |

At this point, any user in the organization can access the Apps in Microsoft Teams, click on "Built for your org" and see the agent available






## Testing the Sales Buddy Agent on a Demo Website


Now that the Sales Buddy Agent is successfully deployed to Microsoft Teams, let's test its functionality on a demo website. This will mimic the process of deploying the bot to an external custom website, allowing us to evaluate its interactions in a web-based environment before full integration.

First, let's make changes to the security configuration so the Agent can be published outside of Teams and/or Copilot. This will allow the agent to access user's files when published in website by asking for authentication


1. Go back to Copilot Studio and Click on the **Sales Buddy agent**



2. Click on **Settings**



3. Click on **Security**



4. Click on **Authentication**

**Security**

**Authentication**  
Verify a user's identity during a chat.

**Web channel security**  
Review other enhanced security options.

**Allowlist**  
Let other agents call your agent as a skill.

5. Select **Authenticate Manually** and enable "Require users to sign in"

**Choose an option**

☐ No authentication   
Publicly available in any channel

☐ Authenticate with Microsoft  
Entra ID authentication in Microsoft Teams, Power Apps, or Microsoft 365 Copilot

☒ **Authenticate manually**  
Set up authentication for any channel

☒ **Require users to sign in**

**Redirect URL**  

https://token.botframework.com/.auth/web/re

 **Copy**

**Service provider \***  

Azure Active Directory v2

**Client ID \***  


37433d59-75c2-46e4-a00c-603dc3780777

**Client secret \***  


.....

Now, we need to get the Client ID and Client Secret on Entra ID Portal. Access <https://entra.microsoft.com/>

6. On the left menu, click on **Applications** and then **App Registrations**




7. Click on **All applications**



8. Look for your application on the list and click on it



9. Copy the Application (client) ID and save it in a notepad for next step.



Delete Endpoints Preview features

^ Essentials

Display name : [Sales Buddy \(Microsoft Copilot Studio\)](#)


Application (client) ID : 37433d59-75c2-46e4-a00c-603dc3780777 

Object ID : ffbc34ac-0c7a-4e8c-b287-2c154f88966f

Directory (tenant) ID : ab47e045-4057-4b28-b975-0c3e171afd87

Supported account types : [My organization only](#)

10. Go back to Copilot Studio and paste the ID in the **Client ID** field



Service provider \*

Azure Active Directory v2

Client ID \*

Enter your client ID

Client secret \*

.....


Token exchange URL (required for SSO) [Learn more about SSO](#)

Enter your token exchange URL (required for S


Tenant ID

ab47e045-4057-4b28-b975-0c3e171afd87


11. Go back to **Entra ID** and click on **Certificates & secrets**




12. Click on **Client Secrets** and then **+ New Client Secret**



13. Enter a **description** and select **expiration date**

A screenshot of the 'Add a client secret' dialog box. It has a title bar with a close button (X). The dialog contains two fields: 'Description' and 'Expires'. The 'Description' field is a text input containing the text 'Sales Buddy - Website'. The 'Expires' field is a dropdown menu showing 'Recommended: 180 days (6 months)' with a downward arrow.


14. Below you will see the new entry created. Copy the **Value** field and save it in a notepad  
(**Note:** you won't be able to access the client secret if you close or refresh the window)



15. Go back to Copilot Studio, paste the **Value** to **Client Secret** field and save it


A screenshot of the Copilot Studio configuration form. The form has several fields: "Service provider" (dropdown menu with "Azure Active Directory v2"), "Client ID" (text input with placeholder "Enter your client ID"), "Client secret" (text input with placeholder "....." and a red box around it), "Token exchange URL (required for SSO)" (text input with placeholder "Enter your token exchange URL (required for S"), "Tenant ID" (text input with value "ab47e045-4057-4b28-b975-0c3e171afd87"), and "Scopes" (text input with value "profile openid"). At the bottom, there is a "Save" button with a red box around it.

16. **Publish** the agent again



Now the Copilot Studio security configuration is completed. We will need to complete the configuration on the Entra ID portal to allow the agent to access the user's files.

17. Back to **Entra ID Admin Center**, click on **Authentication**



18. Click on + **Add a platform**



 Got feedback?

---

### Platform configurations

Depending on the platform or device this application is targeting, additional configuration may be required such as redirect URIs, specific authentication settings, or fields specific to the platform.

 Add a platform

### Supported account types

Who can use this application or access this API?

☒ Accounts in this organizational directory only (Contoso only - Single tenant)

☐ Accounts in any organizational directory (Any Microsoft Entra ID tenant - Multitenant)

19. Click on Web

### Web applications

 **Web**  
Build, host, and deploy a web server application. .NET, Java, Python

 **Single-page application**  
Configure browser client applications and progressive web applications. Javascript.

20. On Redirect URIs insert: <https://token.botframework.com/.auth/web/redirect>

**\* Redirect URIs**

The URIs we will accept as destinations when returning authentication responses (tokens) after successfully authenticating or signing out users. The redirect URI you send in the request to the login server should match one listed here. Also referred to as reply URLs. [Learn more about Redirect URIs and their restrictions](#)



21. On Front-channel logout URL insert:

<https://unitedstates.token.botframework.com/.auth/web/redirect>

### Front-channel logout URL

This is where we send a request to have the application clear the user's session data. This is required for single sign-out to work correctly.


<https://unitedstates.token.botframework.com/.auth/web/redirect> ✓

22. Select both options as below and select **Configure**.

Select the tokens you would like to be issued by the authorization endpoint:

- ☒ Access tokens (used for implicit flows)
- ☒ ID tokens (used for implicit and hybrid flows)

23. Click on **API Permissions**




24. And then click on **+ Add a permission**

### Configured permissions


Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. all the permissions the application needs. [Learn more about permissions and consent](#)

[+ Add a permission](#) ✓ Grant admin consent for Contoso

## 25. Select Microsoft Graph




## 26. And select Delegated permissions



## 27. Using the search bar, add the following permissions:

Files.Read.All  
offline\_access  
openid  
profile  
Sites.Read.All  
User.Read



Example (do the same for all permissions above)

Select permissions

expand all

files.read.all

The "Admin consent required" column shows the default value for an organization. However, user consent can be customized per permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app will be used. [Learn more](#)

| Permission                                                                                                                   | Admin consent required |
|------------------------------------------------------------------------------------------------------------------------------|------------------------|
| Files (1)                                                                                                                    |                        |
| <div><div><input checked="" type="checkbox"/></div><div>Files.Read.All ⓘ<br/>Read all files that user can access</div></div> | No                     |

28. Once all permissions are added, click on **Grant admin consent**

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions should include all the permissions the application needs. [Learn more about permissions and consent](#)

+ Add a permission

☒ Grant admin consent for Contoso

| API / Permissions name | Type      | Description                                         | Admin consent requ... | Status |
|------------------------|-----------|-----------------------------------------------------|-----------------------|--------|
| Microsoft Graph (6)    |           |                                                     |                       | ...    |
| Files.Read.All         | Delegated | Read all files that user can access                 | No                    | ...    |
| offline_access         | Delegated | Maintain access to data you have given it access to | No                    | ...    |
| openid                 | Delegated | Sign users in                                       | No                    | ...    |
| profile                | Delegated | View users' basic profile                           | No                    | ...    |
| Sites.Read.All         | Delegated | Read items in all site collections                  | No                    | ...    |
| User.Read              | Delegated | Sign in and read user profile                       | No                    | ...    |

29. Click on **Yes**


**Grant admin consent confirmation.**

Do you want to grant consent for the requested permissions for all accounts in Contoso? This will update any existing admin consent records this application already has to match what is listed below.


Yes

No


30. Click on **Expose an API**



31. Click on **Add a scope**



32. You can modify or accept the Application ID URI. Click **Save and Continue**.



33. Complete the fields as below

Scope name \* ⓘ  
Files.Read  
api://37433d59-75c2-46e4-a00c-603dc3780777/Files.Read

Who can consent? ⓘ  
Admins and users Admins only

Admin consent display name \* ⓘ  
Read User files

Admin consent description \* ⓘ  
Allow the app to read sign-in user's files

User consent display name ⓘ  
Read your files ✓


User consent description ⓘ  
Allows the app to read your files

State ⓘ  
Enabled Disabled

34. Click on **Add scope**



35. Go back to Copilot Studio, click on **Channels** and then **Demo website**



36. Copy the URL and open it in a new window

**Welcome message**  
Introduce your agent and its purpose to your team members.  

Try out the agent we made!

**Conversation starters**  
Provide some common trigger phrases to help your team members start a conversation with your agent.  

"Hello"  
"Start over"  
"Talk to a person"

**Share your website**  
To invite team members to see your agent in action, copy the link below.  

<https://copilotstudio.microsoft.com/environments/5134d38b-999c-ebf9-8c59-467fc> Copy

37. Click on **Login** and follow the authentication process (if not done yet)



Hello! To be able to help you, I'll need you to sign in.

To continue, please login

Login

Just now


38. A new window will appear. Copy the code

Please enter this validation code into the chat window to complete the sign-in:


970609

Copy

39. Go back to the **Demo website** and paste the code




When you see the greetings, your BOT is ready to answer your questions



Example:






Congratulations! You have completed Lab 4.


## Appendix: Publish the Sales Buddy Agent to Microsoft 365 Copilot Chat

The following instructions demonstrate how to publish the Sales Buddy agent to Microsoft 365 Copilot Chat.

1. Open the Sales Buddy Agent in Copilot Studio and navigate to Channels. Click **Teams + Microsoft 365**.




2. Under **Turn on Microsoft 365**, make sure the checkbox beside **Make agent available in Microsoft 365 Copilot** is selected, click **Save**, then close the channel details pane.



3. Republish the agent by clicking the **Publish** button in the top right of Copilot Studio.

4. Open the **Teams + Microsoft 365** channel details pane again, and under **Agent preview**, click **See agent in Teams**.
5. In the agent details window that appears, click **Update now**.



6. Open Microsoft 365 Copilot Chat. The Sales Buddy agent should appear under the **Agents** menu on the right.