

GAME REGISTRATION CONFIRMED

The neon signs of an overgrown, empty Shibuya flicker to life. Your smartphone lights up with a sharp vibration: **VISA EXPIRES AT MIDNIGHT**. You are no longer just an engineer; your code is the only lifeline keeping the collar around your neck from detonating.

WARNING: SYSTEM INTEGRITY DEPENDENT ON CODE EXECUTION

♠ THE SPADES: PHYSICAL & BODILY ENDURANCE

VENUE: ABANDONED GYMNASIUMS, ROOFTOPS & HIGHWAYS

1. Three of Spades — The Gale-Force Sprint [Open-Meteo API](#)

You stand at the edge of the Shinjuku expressway, surrounded by motion-tracking red perimeter lasers. The central terminal only shuts the lasers down during the seven-day forecast's most brutal weather windows (maximum wind velocity, driving storms, freezing lows). You must ingest the Open-Meteo payload, interpolate missing telemetry frames, and program an escape route that forces players to sprint through hazardous downpours to reach the extraction zone before the timer hits zero.

2. Four of Spades — The Seismic Collapse Corridors [USGS Earthquake API](#)

An underground arena begins to crack and crumble. Poll the live USGS earthquake feed for local seismic depth and magnitude telemetry. Your terminal must map dynamic blast radiuses in real time, recalculating and invalidating crumbling escape routes as active tremors strike the zone.

3. Five of Spades — The Cardiac Quota [Open-Meteo API](#)

Locked inside a glass greenhouse under the midday sun, your biometric collar tracks pulse, core temp, and exertion load. The Dealer demands an automated 72-hour exercise prescription driven purely by outside meteorological telemetry. To clear the game, your algorithm must order grueling HIIT drills during peak heat waves—pushing human biological limits to the absolute edge without triggering cardiac arrest.

4. Six of Spades — The Suffocation Threshold [WAQI API](#)

You are trapped on the lowest sublevel of the Tokyo Metro as ventilation louvers grind shut. Ingest real-time WAQI streams for your coordinates and map rising particulate spikes into critical survival tiers. The UI must visualize airborne toxicity so viscerally that the automated life-support dispenser validates your biological distress and unlocks emergency oxygen canisters.

5. Seven of Spades — The Headmaster's Lockdown [WAQI API](#)

The bunker intercom announces a 7-day facility quarantine. As the automated supervisor, you parse particulate matter forecasts to mandate whether survivor teams must harvest rooftop hydroponics or shelter inside. The scoring algorithm eliminates you unless your scheduler cold-bloodedly prioritizes facility deadlines over human respiratory thresholds.

6. Eight of Spades — The Fractured Border Run [REST Countries API](#)

Armed lasers guard the checkpoint at the Rainbow Bridge. The terminal challenges you to an adaptive country-attribute gauntlet querying borders, currencies, capitals, and languages from the REST Countries API. To survive, your logic must rapidly surface geopolitical contradictions—shared languages, disputed territories, and multiple capitals—to bypass the automated checkpoint gates.

7. Nine of Spades — The Liminal Sector Maze Zippopotam.is API

You wake up in a pitch-black subterranean utility network with nothing but a green CRT display flashing partial postal codes. Fetch coordinates and regional tokens to chart an escape corridor through the dark. If your UI fails to navigate the desolate, featureless data void before your battery drains, the blast doors seal permanently.

8. Ten of Spades — The Hunter's Targeting Array IPify API

The arena broadcast announces an invisible sniper unit on the surrounding rooftops. Fetch your public network address via IPify and map local subnet bounds in an active elimination game. As the algorithmic hints zero in on your physical location step by step, the interface must simulate the creeping dread of a sniper laser tracking toward your skull.

9. Jack of Spades — The Airspace Intercept Protocol OpenSky Network API

Automated patrol gunships circle the cloudy airspace above Shibuya. Query live OpenSky ADS-B state vectors within your sector. You must pilot an evacuation drone through the airspace grid, using live altitude, speed, and trajectory math to weave through active patrols without being intercepted.

◆ THE DIAMONDS: PURE INTELLECT & ABSTRACT LOGIC

VENUE: MODERN ART MUSEUMS, OBSERVATORIES & VAULTS

1. Ace of Diamonds — The Biomorph Evolution Vault PokeAPI

A bioweapons control bank demands an evolutionary analysis. Traverse PokéAPI evolution trees and map base-stat deltas across forms. You must render these transitions not as battle upgrades, but as painful anatomical mutations forced by hostile environments to unlock the cryogenic vault doors.

2. Four of Diamonds — The Cosmic Isolation Exam NASA APOD API

Sealed inside an astronomical observatory, an automated AI judge sits across from you. Ingest 10 days of NASA APOD descriptions and synthesize a progressive logic exam. The quiz questions cannot ask simple facts; they must weaponize celestial scales to mathematically and philosophically expose human insignificance to satisfy the Dealer's clear condition.

3. Six of Diamonds — The Absurdist Telescope Trial NASA APOD API

A blast door terminal requires a solution to an impossible cosmic challenge before dawn breaks. Extract daily APOD imagery and metadata to construct an engine that generates paradoxical, philosophically absurd survival tasks (e.g., calculating the gravitational drag of human despair against a black hole).

4. Eight of Diamonds — The Ruin Threshold CoinGecko API

A dealer presents you with ten debt-ridden players hooked to shock plates. Pull 30 days of market telemetry across 10 tokens. Reject conventional metrics; your code must calculate volatility thresholds that isolate the exact point a speculator enters an irreversible panic-buying or panic-selling spiral.

5. Nine of Diamonds — The Gilded Trap CoinGecko API

You are granted a simulated ledger with ten million credits in volatile tokens. Build a portfolio tracking engine calculating total drawdowns, but program the UI to expose nominal gains as fleeting, worthless numbers, luring the other players into hubris until their balances wipe out.

6. Ten of Diamonds — The Compressing Chamber Picsum Photos API

Hydraulic walls inch toward you inside an empty modern gallery. Ingest randomized images from Picsum and place them via a custom mathematical packing algorithm without CSS Flexbox or Grid. The layout must pack elements with suffocating, claustrophobic density; if the visual composition fails to make the Game Master feel trapped, the room crushes you.

7. Jack of Diamonds — The Optical Mirage Trial [Picsum Photos API](#)

Two completely random, unrelated images appear on your pedestal screen. The Game Master demands you identify the hidden algorithmic connection. Your code must generate a mathematically plausible, entirely fabricated narrative that gaslights the judge into seeing a pattern that does not exist.

8. Queen of Diamonds — The Vault of Heretical Logic [Open Library API](#)

Trapped in an underground archive, a locked terminal holds your food rations. Ingest Open Library author metadata, subject classifications, and publication timelines to trace obscure intellectual lineages. Selecting an ideologically flawed philosophical link permanently jams the lock and subtracts three visa days.

9. King of Diamonds — The Terminal of Semantic Decay [Free Dictionary API](#)

You must enter password ciphers using live dictionary definitions from an interrogation console. For every incorrect attempt, your algorithm strips away syntax, etymology, and phonetics, breaking language down until the terminal outputs pure semantic noise.

♣ THE CLUBS: TRUST, COOPERATION & COLD SYSTEMIC RUIN

VENUE: ABANDONED ARCADES, OFFICE TOWERS & CITY HALLS

1. Two of Clubs — The Scavenger's Exchange [Faker API](#)

Your survivor camp must build an automated bartering registry to trade with an armed rival faction. Using the Faker API, seed an inventory catalog with 20 black-market commodities and 5 survival categories, enforcing rigid pricing constraints that reflect the grim realities of an apocalyptic city.

2. Three of Clubs — The Famine Allocation Ledger [TheMealDB API](#)

The communal supply crate holds fixed ingredients, and the settlement has two weeks before extraction. Query TheMealDB recipes to allocate calories and nutrients. The allocation engine must force your squad to vote on which non-productive members lose their food rations to keep the frontline scouts alive.

3. Four of Clubs — The Hollow City Administration [Faker API](#)

You are appointed magistrate over a settlement of 100 survivors and 20 supply depots. Build a relational dataset mapping citizens to work details, but write queries that surface underlying resource corruption, missing worker records, and exploitation in the municipal registry.

4. Five of Clubs — The Synthetic Population Audit [RandomUser API](#)

The Game Masters introduce 100 synthetic survivors generated via RandomUser. Clean duplicates and balance demographic distributions, but style the group directory to prove this artificial populace possesses a collective soul—if your visualization looks cold and clinical, your team is purged.

5. Six of Clubs — The Exclusion Protocol [RandomUser API](#)

50 outside survivors beg to enter your safe zone, but the vault only has enough water for 10. Build an automated ranking pipeline driven by absurd metadata constraints (e.g., coordinate symmetry or name character count). You must justify this tyrannical triage algorithm to the judging panel to earn your visas.

6. Seven of Clubs — The Toxic Collective [JSONPlaceholder API](#)

A closed local network connects five survivor shelters across the district. Ingest mock posts and comments to build a message board that algorithmically dampens constructive dialogue while surfacing micro-aggressions, testing whether the alliance collapses into infighting.

7. Eight of Clubs — The Quota Engine JSONPlaceholder API

Survivor work bands are assigned daily maintenance tasks. Pull mock /todos payloads and program a rolling priority calculator. Every time a user clears a task, your algorithm must inject new high-priority obligations, proving mathematically that collective freedom is unattainable.

8. Nine of Clubs — The Burnout Archive Jikan API

An underground shelter's morale is collapsing. Fetch broadcast schedules and genre metadata from the Jikan API, but configure the recommendation logic to detect player exhaustion and feed them bleak, psychologically draining anime titles that force the bunker to confront their shared despair.

9. Jack of Clubs — The Factional Schism Jikan API

Two rival factions share an entertainment terminal. Design an algorithm that balances watchlists across seasons, runtimes, and review scores, while deliberately curating polarized genres and ratings to sow Discord and shatter the alliance.

10. King of Clubs — The Biosphere Triage System GBIF API

You are assigned to manage a life-support biodome. Ingest real-world biodiversity and taxonomic occurrence data from GBIF. As system oxygen plummets, your team must vote to algorithmically sacrifice entire taxonomic kingdoms from the habitat simulation to keep the human life-support loops online.

♥ THE HEARTS: PSYCHOLOGICAL TORMENT, DECEPTION & BETRAYAL

VENUE: BOTANICAL GARDENS, LUXURY HOTEL SUITES & BATHHOUSES

1. Two of Hearts — The Lifespan Counter TMvaze API

A video monitor loops scenes of your past life while a digital clock ticks down your visa. Fetch complete season runtimes via the TMvaze API for a chosen series. The dashboard must calculate the precise percentage of human lifespan surrendered to the screen, forcing the player to confront the reality of their wasted existence.

2. Four of Hearts — The Sacrificial Synergies PokeAPI

Assemble a team of six entities from PokéAPI that satisfies strict defensive type balance. Discard victory stats; your algorithm must dynamically generate an interdependent backstory of shared trauma, forcing the team to bond with creatures they must eventually sacrifice to clear the floor.

3. Five of Hearts — The Blood-Pact Trials PotterDB API

An interrogation pedestal pairs players into duos. Ingest PotterDB spells and character traits to generate 20 progressive ethical challenges. Each trial requires casting an incantation that guarantees personal survival only by condemning your partner to elimination.

4. Six of Hearts — The Catacomb Riddles Cat Facts API

A locked stone door is monitored by a terminal depicting Egyptian feline statues. Ingest Cat Facts string tokens and generate an escalating sequence of cryptic, ritualistic riddles. The progression logic must scale in cognitive dissonance until the player questions their own sanity.

5. Seven of Hearts — The Flaw Extractor The Dog API

A solitary chair sits before a mirror terminal. Players take a personality questionnaire whose responses map directly to breed traits from The Dog API (temperament, energy, dependence). The output algorithm must use breed characteristics to expose the contestant's deepest personal cowardice and character flaws.

6. Ten of Hearts — The Dissolving Self [Dicebear API](#)

To enter the safe district, you must register a digital avatar using your real name as a seed. With every page reload or terminal check-in, the algorithm subtly alters and corrupts facial vectors, inducing the uncanny dread that your physical self is being replaced by a digital phantom.

7. Jack of Hearts — The Gaslight Protocol [ZenQuotes API](#)

A survivor confesses daily anxieties and psychological distress to a medical console. Whenever despair or grief is detected, the engine queries ZenQuotes to return aggressively cheerful, dismissive aphorisms that frame their suffering as a personal attitude failure.