



LADDER DIAGRAM

MAZATROL Smooth Ai
MAZATROL Smooth Ez
MAZATROL Smooth X
MAZATROL Smooth G
MAZATROL Smooth C

SERIAL NUMBER:

MANUAL NO. DLX10LB2300A

MANUAL NO.

Serial No. 368959
Copyright (c) 2013 YAMAZAKI MAZAK CORPORATION. All rights reserved.

MO5028		p491S1	638S1
		DAT. CLR FIN	
MO5029	X_ZPLS	*488S1	
		DTR. ACT	
		244S1	263S1
		439S1	
MO5030	X_ZMEMO	DATA CLEAR	
		444S1	525S1
MO5031		UNITSYNCALL FIN	
		195S1	213S1

[illegible]

M05303	WAKE UP	EMG RCV					
	*3490S2	3491S2					
M05304	RESET	REQUEST					
	3492S2	*3494S2	3499S2				
M05321	DIF.	DETECT					
	*2771S2	2772S2	2777S2				
M05322	REC-HIS 1						
	2779S2	*2782S2					
M05323	REC-HIS 2						
	*2780S2	2786S2					
M05340	MPG-NC	MODE SW	INFO				
	260S2	*2827S2	2828S2	3026S2	3041S2	3052S2	3055S2
M05341	MPG-NC	WARNING	INFO				
	84S2	172S2	*2842S2	2843S2	3061S2	3064S2	3067S2
	3070S2	3073S2	3076S2	3079S2	3088S2		
M05342	MPG-NC	SPECIAL	INFO1				
	*2849S2	2850S2	3000S2	3006S2	3012S2	3018S2	
M05343	MPG-NC	SPECIAL	INFO2				
	*2864S2	2865S2	2978S2	2983S2	2989S2	2994S2	
M05344	MPG-NC	POS. REC	INFO				
	*2879S2	2880S2	3099S2	3102S2	3109S2	3112S2	3119S2
	3122S2	3129S2	3132S2				
M05345	MPG-NC	FINISH	INFO				
	*2894S2	2895S2					
M05349	MPG-NC	NOP	INFO				
	*2903S2	2904S2	2952S2				
M05350	MPG	MODEINITIAL	MODE-A				
	57S2	69S2	769S2	*2909S2			
M05351	MPG	MODEINITIAL	MODE-B				
	*2914S2						
M05352	MPG	MODEPEARING	MODE-A				
	371S2	*2919S2					
M05353	MPG	MODEPEARING	MODE-B				
	360S2	*2924S2					
M05354	MPG	MODENORMAL					
	60S2	70S2	311S2	356S2	367S2	*2933S2	
M05355	MPG	MODET. CL./UCL	MODE				
	63S2	71S2	223S2	*2942S2			
M05356	MPG	MODEPOS. REC.	MODE				
	66S2	72S2	135S2	*2951S2			
M05357	NC->MPG	MODE					
	73S2	*76S2					
M05358	SQ NO.	CLEAR					
	p77S2						
M05359	SEND	FIN					
	90S2	96S2	102S2	108S2	114S2	120S2	126S2
	132S2	149S2	178S2	184S2	190S2	196S2	202S2
	208S2	214S2	220S2	237S2	266S2	272S2	278S2
	284S2	290S2	296S2	302S2	308S2	325S2	378S2
	386S2	392S2	398S2	404S2	410S2	416S2	430S2
	436S2	454S2	460S2	478S2	484S2	502S2	508S2
	526S2	532S2	550S2	556S2	574S2	580S2	598S2
	604S2	622S2	628S2	646S2	652S2	670S2	676S2
	694S2	700S2	718S2	724S2	742S2	748S2	766S2
	790S2	*2899S2					
M05360	KEEP	RESET					
	74S2	*351S2					
M05361	T. CLMP	SW	TMP				
	2982S2	*2988S2	3004S2				
M05362	T. UCLMP	SW	TMP				
	2993S2	*2999S2	3016S2				
M05363	TOOL. CL.	SW	ON				
	3005S2	*3011S2	3170S2				
M05364	TOOL. UCL	SW	ON				
	3017S2	*3023S2	3172S2				
M05365	ENABLE	SWITCH					
	3054S2	*3060S2	3174S2				
M05366	*MPG	EMG. SW.					
	3063S2	*3066S2	3176S2	3324S2	3340S2		
M05367	REC. POS	No. 1					

MO5864	PC->PJ2 NC-DATA AUTO				
	245S5	308S5	310S5	344S5	354S5
MO5866	PC->PJ2 MAINTC CHECK				470S5
	313S5				
MO5867	PC->PJ2 CYC TIMECALCULAT				
	375S5	384S5			
MO5868	PC->PJ2 WORK PCSMOSSETIN				
	491S5	500S5			
MO5869	PC->PJ2 CYC FIN LED PT2				
	295S5	300S5			
MO5880	PJ1->PJ2ALARM				
	191S5	246S5			
MO5881	PJ1->PJ2CYC FIN				
	143S5	170S5	208S5	278S5	283S5
MO5882	PJ1->PJ2CYC ST				
	211S5				
MO5884	PJ1->PJ2SPECIAL WHITE				
	214S5				
MO5885	PJ1->PJ2SPECIAL BLUE				
	217S5				
MO5887	PJ2->PJ1INDICATRALARM				
	*700S5	738S5			
MO5900	LED ON READY				
	s112S5				
MO5901	LED ON CMD RED				
	*255S5	261S5			
MO5902	LED ON CMD YELLOW				
	*281S5	288S5			
MO5903	LED ON CMD BLUE				
	*321S5	327S5			
MO5904	LED ON CMD GREEN				
	*347S5	358S5			
MO5905	LED ON CMD L BLUE				
	*463S5	474S5			
MO5906	LED ON CMD WHITE				
	*575S5	576S5			
MO5908	NO CHG LED ON STAGE&PT				
	*631S5	644S5	650S5	711S5	
MO5909	M/C DOWNAL				
	*248S5	254S5	257S5		
MO5910	INIT PLS				
	s23S5	36S5	219S5		


PLC Ver.X10B2300

M07215	r516S4 s525S4 879S4 1178S4 NO. OF CUTTING TEETH R-ERR.	M07417	264S4 272S4 348S4 358S4 527S4 583S4 592S4 CVC CONTROLLER->PLC DATA 17 TEMP	T00041	CURRENT. W PHASE OA TIMER
M07216	r519S4 s528S4 880S4 1181S4 SP LOAD R-ERR.	M07418	275S4 283S4 383S4 388S4 393S4 398S4 CVC CONTROLLER->PLC DATA 18 TEMP	T00195	1360S3 1365S3 RESERVED
M07217	r343S4 s353S4 881S4 1189S4 SP O/R R-ERR.	M07419	384S4 389S4 394S4 399S4 CVC CONTROLLER->PLC DATA 19 TEMP	C00000	*11M 70M LED ON REQUEST RETRY
M07218	r346S4 s356S4 882S4 1192S4 SETTING R-ERR.	M07420	363S4 368S4 373S4 378S4 CVC CONTROLLER->PLC DATA 20 TEMP	D00000	r670S5 *687S5 699S5
M07219	r350S4 s361S4 883S4 1195S4 SP SPEED R-ERR.	M07421	364S4 369S4 374S4 379S4 CVC CONTROLLER->PLC DATA 21 TEMP	D00001	*82S1 1070S1 1076S1 1086S1 1087S1 1584S2 1588S2
M07220	r287S4 s290S4 884S4 1204S4 CVC SUCCESS SIGNAL	M10200	349S4 359S4 ON	D00002	2638S2 2642S2
M07221	165S4 168S4 s267S4 r270S4 r273S4 r447S4 1020S4 1037S4 1340S4 CVC FAIL SIGNAL		0M 1M *2M 3M 52M 1S3 4S3 7S3 10S3 13S3 480S3 484S3 488S3 1S4 4S4 8S4 12S4 16S4 20S4 24S4 28S4 44S4 47S4 59S4 63S4 66S4 71S4 85S4 90S4 104S4 145S4 148S4 151S4 154S4 157S4 162S4 167S4 172S4 175S4 178S4 185S4 812S4 944S4 975S4 1075S4 1235S4 1S5 10S5 21S5 24S5 32S5 600S5 724S5	D00003	*86S1
M07222	170S4 173S4 s278S4 r281S4 r284S4 r448S4 1314S4 CVC FAIL FLAG			D00004	874S1 892S1
M07223	*1091S4 1112S4 CONDITION OFF CVC VFC RUNNING.			D00005	880S1 893S1
M07224	1029S4 *1063S4 1080S4 1084S4 1116S4 RESET CVC ALARM.	L00000	WORK LIGHT ON	D00006	886S1 894S1
M07225	*1165S4 1291S4 1298S4 1312S4 5 SEC TIMER START FLAG	F01100	1366S3 *1370S3 1371S3 CT MALF. ALM.	D00007	909S1 927S1
	r224S4 s229S4 r306S4 s311S4 r411S4 s416S4 r538S4 s543S4 r603S4 s608S4 r652S4 s657S4 r695S4 s712S4 r724S4 s729S4 r767S4 s784S4 805S4	T00000	1350S3 1359S3 1367S3 s1373S3 r1379S3 SEQUENCE STOP DETECT	D00008	915S1 928S1
M07226	5 SEC TIMER RUNNING FLAG	T00002	449S1 612S1 616S1 WEAK UP FROM UNTOFF TMR	D00009	921S1 929S1
	230S4 312S4 417S4 544S4 609S4 658S4 714S4 730S4 786S4 *811S4	T00003	575S1 *580S1	D00010	954S1
M07227	CVC FEED FINISH PLS			D00011	960S1
M07228	*862S4 889S4 CYCLE START CONDITION	T00005	591S1 595S1 APW OFF CLR TIM	D00012	1040S1 1058S1
M07229	*1095S4 1113S4 CYCLE START ON PLS	T00006	*1534S1 1538S1 NOT RECOVER	D00013	1046S1
M07230	p1130S4 1133S4 RESTRIST FOR NUM OF CYCLE START	T00007	*627S1 1284S1 RESET & CLEAR KT	D00014	1052S1
M07231	1134S4 *1151S4 INITIAL SP O/R R-ERR.	T00008	*1322S1 1329S1 lmin	D00015	1059S1
M07232	r293S4 s296S4 885S4 1207S4 SP UP TO SPEED	T00010	1102S1 *1103S1 1107S1 MPG BAT LOW CHK	D00016	1060S1
M07233	*139S4 497S4 500S4 CONTROL MODE R-ERR.	T00011	*3325S2 3329S2 MPG LOST	D00017	1576S2
M07234	890S4 r1246S4 s1256S4 1278S4 SP UP TO SPEED DELAY MASK	T00012	*3341S2 3345S2 NC-MPG CHN STP	D00018	1580S2 2634S2
M07235	128S4 *135S4 138S4 SP UP TO SPEED FLAG	T00013	*3360S2 3364S2 WKUP CHKFEINTIMER1	D00019	2630S2
M07236	*123S4 137S4 CVC VFC INHIBIT	T00014	*3481S2 3493S2 RESET REQ TIM	D00020	3053S2
M07237	*1018S4 1019S4 1021S4 1132S4 1135S4 1152S4 VIBRATION SENSOR SELECT R-ERR.	T00016	*3495S2 3500S2 CONTINUECHECK	D00021	3062S2
M07316	891S4 r1267S4 s1277S4 1281S4 PLC->CVC CONTROLLER DATA 16 TEMP	T00020	158S2 246S2 334S2 808S2 *2773S2 CVC COUNT 3	D00022	3068S2
M07317	s443S4 r446S4 PLC->CVC CONTROLLER DATA 17 TEMP	T00022	1305S4 *1308S4 CVC COUNT 5	D00023	3074S2
M07318	r455S4 s461S4 r467S4 s473S4 PLC->CVC CONTROLLER DATA 18 TEMP	T00024	*806S4 810S4 TURN ON CONTROLLER AL 3SEC.	D00024	3100S2
M07319	r456S4 r462S4 s468S4 s474S4 PLC->CVC CONTROLLER DATA 19 TEMP	T00025	1290S4 *1293S4 TURN ON SIGNAL FOR 0.2 SEC.	D00025	3110S2
M07320	r479S4 s485S4 r491S4 PLC->CVC CONTROLLER DATA 20 TEMP	T00026	1023S4 *1025S4 CVC SINGLE BLOCK 0.1 SEC.	D00026	3120S2
M07321	r480S4 r486S4 s492S4 PLC->CVC CONTROLLER DATA 21 TEMP	T00027	1332S4 *1335S4 CVC CYCLE START 0.1 SEC.	D00027	3130S2
M07400	s498S4 r501S4 CVC CONTROLLER->PLC DATA 0 TEMP	T00030	1137S4 *1139S4 NC-DATA REFRESH TIMEOUT	D00028	*3171S2
M07408	286S4 289S4 342S4 352S4 512S4 521S4 577S4 586S4 CVC CONTROLLER->PLC DATA 8 TEMP	T00031	134S5 138S5 LED ON REQUEST TIMEOUT	D00029	*3173S2
	292S4 295S4 345S4 355S4 515S4 518S4 524S4 580S4 589S4	T00032	680S5 681S5 686S5 P12->PG CVC FIN INVALID TIMER	D00080	*3175S2
M07416	CVC CONTROLLER->PLC DATA 16 TEMP	T00040	162S5 *165S5 CURRENT. U PHASE OA TIMER	D00081	*3177S2 LED->P12IND1CATR
			*1351S3 1364S3		11S5 LED->P12IND1CATR


[illegible]

[illegible]


PLC Ver.X10B2300




Copyright (c) 2013 Y...




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




P8
DAT
CON




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300





PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300



PLC Ver.X10B2300





PLC Ver.X10B2300




_____ [MOV] K0

_____ [MOV] K84


_____ [MOV] K0




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




[MOV]	HOE000	D1215 SENDDATA
[WOR]	D1215 SENDDATA	HO D1215 SENDDATA
[WOR]	D1215 SENDDATA	H1 D1215 SENDDATA




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300



PLC Ver.X10B2300




PLC Ver.X10B2300




-----[WOR D1215 H9FE
SENDDATA

-----[MOV HO



-----[WOR D1215 H9FE
SENDDATA




PLC Ver.X10B2300




[MOV H1FF
[MOV H2FF




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300





PLC Ver.X10B2300





Address	Instruction	Operand 1	Operand 2	Comment
408S3	[=	K21	D1500 EN-B STEP No.	
416S3	[=	K20	D1500 EN-B STEP No.	
428S3	[=	K19	D1500 EN-B STEP No.	
436S3				
437S3	[=	K26	D1500 EN-B STEP No.	
445S3				
453S3				
461S3				
469S3				
477S3				
485S3				
493S3				
501S3				
509S3				
517S3				
525S3				
533S3				
541S3				
549S3				
557S3				
565S3				
573S3				
581S3				
589S3				
597S3				
605S3				
613S3				
621S3				
629S3				
637S3				
645S3				
653S3				
661S3				
669S3				
677S3				
685S3				
693S3				
701S3				
709S3				
717S3				
725S3				
733S3				
741S3				
749S3				
757S3				
765S3				
773S3				
781S3				
789S3				
797S3				
805S3				
813S3				
821S3				
829S3				
837S3				
845S3				
853S3				
861S3				
869S3				
877S3				
885S3				
893S3				
901S3				
909S3				
917S3				
925S3				
933S3				
941S3				
949S3				
957S3				
965S3				
973S3				
981S3				
989S3				
997S3				
1005S3				
1013S3				
1021S3				
1029S3				
1037S3				
1045S3				
1053S3				
1061S3				
1069S3				
1077S3				
1085S3				
1093S3				
1101S3				
1109S3				
1117S3				
1125S3				
1133S3				
1141S3				
1149S3				
1157S3				
1165S3				
1173S3				
1181S3				
1189S3				
1197S3				
1205S3				
1213S3				
1221S3				
1229S3				





PLC Ver.X10B2300





PLC Ver.X10B2300




PLC Ver.X10B2300





PLC Ver.X10B2300




Address	Instruction	Operand 1	Operand 2	Operand 3	Operand 4	Comment
1000	MOV	K4X14A0	K4M7000 E-B->PLC DATA 0			
1001	MOV	K4M7100 PLC->E-B DATA 0	K4Y14A0			
1002	MOV	K4X14C0	K4M7000 E-B->PLC DATA 0			
1003	MOV	K4M7100 PLC->E-B DATA 0	K4Y14C0			
1004	MOV	K4X14E0	K4M7000 E-B->PLC DATA 0			
1005	MOV	K4M7100 PLC->E-B DATA 0	K4Y14E0			




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




PLC Ver.X10B2300




[MOV]	D1563 SP SPEED TEMP	D1559 SP SPEED
[+]	D1563 SP SPEED TEMP	D1559 SP SPEED
[D/]	R10006	H3E8
		D1568 CURRENT SP SPEED TEMP




PLC Ver.X10B2300




PLC Ver.X10B2300





PLC Ver.X10B2300



MOV KO D1575
CONTROL
MODE CON
FIRM




-----[MOV	D1590 CURRENT SP 0/R	K2 PL C LEI 8
-----[MOV	H0	K2 PL




Copyright




PLC Ver.X10B2300



PLC Ver.X10B2300




PLC Ver.X10B2300




Copyright ©


MOV HOF




PLC Ver.X10B2300




PLC Ver.X10B2300




Address	Instruction	Operands	Comments
P202			
943S4	ON	M10200	[* K-1 ZR4291 RS292:0/ R DIFF. MAX RATE D1584 ZR4291 M INUS TEM P]*
949S4	M4019 CVC ON S IGNAL	M7203 VFC FUNC TION RUN NING IN CVC.	[< ZR4291 RS292:0/ R DIFF. MAX RATE D1581 SP O/R D IFFERENC E VALUE] [MOV ZR4291 RS292:0/ R DIFF. MAX RATE D1544 CVC O/R TEMP VFC RUN NING]*
			[> D1584 ZR4291 M INUS TEM P D1581 SP O/R D IFFERENC E VALUE] [MOV D1584 ZR4291 M INUS TEM P D1544 CVC O/R TEMP VFC RUN NING]*
			[<= D1584 ZR4291 M INUS TEM P D1581 SP O/R D IFFERENC E VALUE] [<= D1581 SP O/R D IFFERENC E VALUE ZR4291 RS292:0/ R DIFF. MAX RATE] [MOV D1581 SP O/R D IFFERENC E VALUE D1544 CVC O/R TEMP VFC RUN NING]*
975S4	M10200 ON	M4019 CVC ON S IGNAL	[MOV KO D1544 CVC O/R TEMP VFC RUN NING]*
			[MOV KO D100 CVC OVER IDE ADDE D VALUE]*
981S4	M4019 CVC ON S IGNAL	M7203 VFC FUNC TION RUN NING IN CVC.	[< ZR4291 RS292:0/ R DIFF. MAX RATE D1581 SP O/R D IFFERENC E VALUE] [MOV ZR4291 RS292:0/ R DIFF. MAX RATE D100 CVC OVER IDE ADDE D VALUE]*
			[> D1584 ZR4291 M INUS TEM P D1581 SP O/R D IFFERENC E VALUE] [MOV D1584 ZR4291 M INUS TEM P D100 CVC OVER IDE ADDE D VALUE]*
			[<= D1584 ZR4291 M INUS TEM P D1581 SP O/R D IFFERENC E VALUE] [<= D1581 SP O/R D IFFERENC E VALUE ZR4291 RS292:0/ R DIFF. MAX RATE] [MOV D1581 SP O/R D IFFERENC E VALUE D100 CVC OVER IDE ADDE D VALUE]*
	M7203		[MOV D1544 CVC O/R TEMP VFC RUN NING D100 CVC OVER IDE ADDE D VALUE]*




Copyright ©




PLC Ver.X10B2300




PLC Ver.X10B2300





PLC Ver.X10B2300




PLC Ver.X10B2300



PLC Ver.X10B2300




PLC Ver.X10B2300




Copyright © 2014

—[CMOV] K4100


D105
LED
CMD




PLC Ver.X10B2300



PLC Ver.X10B2300



PLC Ver.X10B2300




Copyright ©


LED ON
COLOR

MOV

K4M83
PJ2->P
NC-DAT
REFRESH



PLC Ver.X10B2300



Serial No. 368959
Copyright (c) 2013 YAMAZAKI MAZAK CORPORATION. All rights reserved.