

Input file	Input string	Expectations	Reality	
TESTING WRONG INPUT				
NONE	esed -i file.in -o file.out replace hello hi	Input file 'replace.in' does not exist	Input file 'replace.in' does not exist	
file.in: Hello World Proin eleifend. Morbi ultricies eleifend velit. Duis facilisis Quisque	esed -i file.in -o file.out replace	Invalid args: from to expected after replace	Invalid args: from to expected after replace	
	esed -i file.in -o file.out replace hello	Invalid args: from to expected after replace	Invalid args: from to expected after replace	
	esed -i file.in -o file.out replce hello hi	Command not provided, use 'esed -h' for help	Command not provided, use 'esed -h' for help	
	esed -i file.in -o file.out remove 100	Hello World Proin eleifend. Morbi ultricies eleifend velit. Duis facilisis Quisque	Hello World Proin eleifend. Morbi ultricies eleifend velit. Duis facilisis Quisque	
	esed -i file.in -o file.out remove -1	Hello World Proin eleifend. Morbi ultricies eleifend velit. Duis facilisis Quisque	Hello World Proin eleifend. Morbi ultricies eleifend velit. Duis facilisis Quisque	
	esed -i file.in -o file.out remove	Invalid args: line number expected after remove	Invalid args: line number expected after remove	
file.in: fdssd 666 fffhf edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	esed -i file2.in -o file2.out insert 0 123	fdssd 666 fffhf edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	fdssd 666 fffhf edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	
	esed -i file2.in -o file2.out insert 0	Invalid args: line number and string expected after insert	Invalid args: line number and string expected after insert	
	esed -i file2.in -o file2.out insrte 2 3	Command not provided, use 'esed -h' for help	Command not provided, use 'esed -h' for help	
	esed -i file2.in -o file2.out insert-abve 666 0	Command not provided, use 'esed -h' for help	Command not provided, use 'esed -h' for help	
	esed -i file2.in -o file2.out insert-above	Invalid args: pattern and string expected after insert-above	Invalid args: pattern and string expected after insert-abov	

	esed -i file2.in -o file2.out insert-above 2 2	fdssd 666 fffff edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	fdssd 666 fffff edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	
	esed -i file2.in -o file2.out insert-below	Invalid args: pattern and string expected after insert-below	Invalid args: pattern and string expected after insert-below	
	esed -i file2.in -o file2.out insert-below -2 3	fdssd 666 fffff edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	fdssd 666 fffff edgeyhre dddddddddd 22edss dfsggbe 3454fe45de 33322dfetg	
	esed -i file2.in -o file2.out insert-belwo 666 1	Command not provided, use 'esed -h' for help	Command not provided, use 'esed -h' for help	
if command not provided	esed -h	esed-h: command not found anastasia@ubuntu:~/Desktop/esed/test\$ anastasia@ubuntu:~/Desktop/esed/test\$ esed -h Usage: esed [-i input_file] [-o output_file] command command may be: replace <from> <to> insert <at_line> <string_to_insert> remove <line> insert-below <pattern> <string_to_insert> insert-above <pattern> <string_to_insert>		
TESTING INSTALL, UNINSTALL, CLEAN				
-	make && sudo make install	Installing esed... esed successfully installed!	Installing esed... esed successfully installed!	
-	sudo make uninstall	Uninstalling esed... esed successfully uninstalled!	Uninstalling esed... esed successfully uninstalled!	
-	sudo make clean	Cleaning... esed directory successfully cleaned!	Cleaning... esed directory successfully cleaned!	
TESTING STDIN STDOUT				
stdin: hello world	esed replace hello hi	hi world	hi world	
stdin: qwerty qwerty asdfgh lkjhgcds	esed insert 2 hello	qwerty qwerty hello asdfgh lkjhgcds	qwerty qwerty hello asdfgh lkjhgcds	
	esed remove 3	qwerty qwerty asdfgh	qwerty qwerty asdfgh	
	esed remove 300	qwerty qwerty asdfgh lkjhgcds	qwerty qwerty asdfgh lkjhgcds	
stdin:	esed insert-above Proin* awawaw	awawaw Proin eleifend	awawaw Proin eleifend	

[illegible]