



ООО «ВАЙФАЙНДЕР»

Ваш проводник в мир высоких технологий

117335, г. Москва, ул. Гарибальди, д. 21 ИНН 7728501020 КПП 772801001

www.wifinder.biz

Фактический адрес: 107113, г. Москва, ул. Сокольнический вал, дом 1А

тел.: (495) 509-30-07

факс: (499) 795-28-55

E-mail: info@wifinder.biz**Honeywell****Система охранной сигнализации
и контроля доступа "Honeywell Security"**

Индекс	Описание	Цена
010109.10	BUS-1 1-detector group connection module	3 093,90p.
010109.17	BUS-1 1-detector group connection module	3 094,13p.
010110.10	BUS-1 2-detector group connection module	4 694,20p.
010110.17	BUS-1 2-detector group connection module	4 694,54p.
010111	BUS-1 Universal connection module, built-in version	2 411,11p.
010112	BUS-1 Universal connection module, flush-mounted version	3 670,01p.
010116	BUS-1 distributor module	3 392,62p.
010116.17	BUS-1 distributor module	3 392,87p.
010118	BUS-1 2-detector group connection module, flush-mounted	4 480,83p.
010120	DUO I/O module BUS-2/BUS-1, flush-mount	6 102,46p.
010120.17	DUO I/O module BUS-2/BUS-1, flush-mount	6 102,90p.
010121	DUO relay module 230 V AC/8 A, flush-mounted	1 941,69p.
010121.17	DUO relay module 230 V AC/8 A, flush-mounted	1 941,83p.
010123	2-module cover frame for DUO-IO/relay module	490,76p.
010123.17	2-module cover frame for DUO-IO/relay module	490,79p.
010124	Decorative foil for DUO module	1 664,31p.
010124.17	Decorative foil for DUO module	1 664,43p.
010125	BUS-1 key switch operating unit	12 322,27p.
010138	BUS-1 tester	7 980,14p.
010145.10	IACP 50-M5	16 130,97p.
010146	IACP 100-A5 in ZG 1	19 843,65p.
010686.01	Power supply/charger unit 230 V AC / 12 V DC / 17Ah	11 138,05p.
010690.01	Power supply/charger unit 230 V AC / 12 V DC / 32 Ah	14 936,08p.
010690.02	Power supply/charger unit 230 V AC / 12 V DC / 40 Ah	20 441,10p.
010691	Power supply/charger unit 230 V AC / 12 V DC / 20 Ah	24 537,85p.
010692	Power supply/charger unit 230 V AC / 12 V DC / 32 Ah	27 695,77p.
010693	NTC temperature sensor	533,43p.
010920.10	Compact operating unit for the IACP series 100-AB8	4 767,15p.
010935	Compact operating unit for IACP HB/MB24 and HB/MB48	5 761,06p.
011900	IACP 561-H8 in ZG2	30 853,68p.
012135	Power supply/charger unit 230 V AC / 12 V DC / 7.2 Ah	11 479,45p.
012141	Power supply/charger unit 230 V AC / 12 V DC / 17 Ah	21 721,33p.
012168	Power supply/charger unit 230 V AC / 12 V DC / 80 Ah	40 156,73p.
012169	Power supply/charger unit 230 V AC / 12 V DC / 24 V DC / 80 Ah	50 398,62p.
012170	Power supply/charger unit 230 V AC / 12 V DC / 130 Ah	29 360,07p.
012171	ZG4 housing for power supply 012170	48 168,87p.
012415	Flush-mounted housing for 012601	1 466,82p.
012520	Flush-mounted outdoor safety operating unit excluding logic	12 126,68p.
012521	Decorative film for outdoor safety operating unit 012520	757,92p.
012525	Surface-mounted outdoor safety operating unit including logic	11 050,92p.
012526	Surface-mounted outdoor security operating unit excluding logic	10 415,25p.
012529	Decorative film for operating units 012525, 012526 and 010125	1 100,20p.

012532	8-DG compact operating unit with disabling unit	8 001,47p.
012532.17	8-DG compact operating unit with disabling unit	8 001,74p.
012540	2 x 40-digit LCD operating unit, German version	10 801,99p.
012540.17	2 x 40-digit LCD operating unit, German version	10 802,35p.
012540.F0.17	2 x 40-digit LCD operating unit, French version	20 926,59p.
012540.G0.17	2 x 40-digit LCD operating unit, English version	20 926,59p.
012540.HR.17	2 x 40-digit LCD operating unit, Croatian version	20 926,59p.
012540.I0.17	2 x 40-digit LCD operating unit, Italian version	20 926,59p.
012540.NL.17	2 x 40-digit LCD operating unit, Dutch version	20 926,59p.
012540.P1.17	2 x 40-digit LCD operating unit, Polish version	20 926,59p.
012540.RO.17	2 x 40-digit LCD operating unit, Romanian version	20 926,59p.
012540.T0.17	2 x 40-digit LCD operating unit, Czech version	20 926,59p.
012540.U0.17	2 x 40-digit LCD operating unit, Russian / Cyrillic version	12 349,35p.
012540.W0.17	2 x 40-digit LCD operating unit, Hungarian version	20 926,59p.
012541	2 x 40-digit LCD operating unit, German version	10 801,99p.
012541.17	2 x 40-digit LCD operating unit, German version	10 802,35p.
012541.F0.17	2x40-stelliges LCD-Bedienteil, aP, French version	20 926,59p.
012541.G0.17	2 x 40-digit LCD operating unit, English version	11 415,82p.
012541.P1.17	2 x 40 character LCD operating unit, Polish version	20 926,59p.
012541.U0.17	2x40 digit LCD operating device, s.m., Russian / Cyrillic version	12 349,35p.
012542	16-DG disable and display module	8 081,49p.
012542.17	16-DG disable and display module	8 081,76p.
012544	16-DG operating unit (10 DGs can be disabled)	8 001,47p.
012544.17	16-DG operating unit (10 DGs can be disabled)	8 001,74p.
012544.G0.17	16-DG operating unit (10 detector groups can be disabled)	14 912,64p.
012546	Flush-mounting and extension kit	2 693,83p.
012546.17	Flush-mounting and extension kit	2 693,92p.
012548	16-DG display module	7 334,68p.
012548.17	16-DG display module	7 334,93p.
012550	3-wire flat-band cable	497,87p.
012575.10	Comfort Touch Colour BUS-2 operating and display panel	101 805,42p.
012577.10	TouchCenter TFT BUS-2 graphic operating unit	21 692,88p.
012578	VdS kit for TouchCenter	1 955,92p.
012590	PanelPC with WINMAG touch	190 079,45p.
012591	WINMAG Touch inclusive option EMA and BMA	142 999,83p.
012690.03	Siren plug-in card for 2 pressure chamber loudspeakers	2 731,17p.
012820	IACP MB12 Bundle with LCD 012540	23 899,48p.
012821	IACP MB12 Bundle with LED 012544	22 576,47p.
012822	IACP MB12 Bundle with LED 010935	20 869,36p.
012823	IACP MB12 Bundle with TouchCenter 012577.10	39 092,72p.
012830	IACP 561-MB24	20 142,38p.
012831	IACP 561-MB24 "bundle LCD"	32 520,36p.
012832	IACP 561-MB24 "bundle LED"	28 636,70p.
012833	IACP 561-MB24 "bundle LCD/DS/IK3"	61 797,22p.
012834	IACP 561-MB24 "bundle Touch/IK3"	46 902,72p.
012835	Mechanical kit for MB24/MB12	1 109,54p.
012911	IACP 561-MB48 in ZG3.1	24 793,90p.
013069	V.24 connection adapter set	3 606,00p.
013100.04	16-detector group input module type A	8 534,91p.
013100.05	2-block lock /10-detector group input module	7 425,37p.
013100.08	Relay extension module	6 742,58p.
013100.10	Connecting cable set 40 mm / 250 mm	1 540,28p.
013100.11	Connecting cable 400 mm	1 051,30p.
013100.12	Connecting cable 250 mm	831,26p.
013100.13	Connecting cable 1000 mm	1 418,04p.
013100.14	Connecting cable 650 mm	1 222,45p.

013106	Rear wall mounting plate for 19" rear wall mounting	6 870,60p.
013118	19" dummy unit 6 HU	5 476,56p.
013119	19" dummy unit 3 HU	3 789,59p.
013128	BUS-2 isolation module	3 328,61p.
013128.17	BUS-2 isolation module	3 328,86p.
013130.10	5-input module BUS-2	6 870,60p.
013130.17	5-input module BUS-2	6 871,10p.
013131.10	5-output module BUS-2	6 358,50p.
013131.17	5-output module BUS-2	6 358,97p.
013133	Mini module BUS-2	3 606,00p.
013140	64-DG display terminal BUS-2	55 059,03p.
013201.10	IACP 561-MB100 in ZG3.1	50 313,27p.
013202.10	IACP 561-MB100 in ZG3.1, incl. printer	121 537,05p.
013203.10	IACP 561-MB100 in ZG4	74 040,30p.
013204.10	IACP 561-MB100 in ZG4, incl. printer	145 050,71p.
013208.10	IACP 561-MB100, 19", incl. LCD operating unit	65 206,68p.
013209.10	IACP 561-MB100, 19", incl. LCD operating unit and printer	135 278,25p.
013211.10	RS-232/RS-485 interface for 561-MB24/48/100	21 722,92p.
013220.04	Connection module for MB256 / MB256 plus	25 769,19p.
013220.05	I/O basic module for MB256 / MB256 plus	30 597,64p.
013220.06	Keypad module	15 618,88p.
013220.07	BUS-2 module	14 381,32p.
013220.07	BUS-2 module	14 381,32p.
013220.07.10	BUS-2 loop module	15 960,27p.
013220.11	BUS-1 module	14 381,32p.
013220.11	BUS-1 module	14 381,32p.
013220.13	Adapter for additional power supply	3 862,04p.
013220.14	Connection PCB for table-top printers	13 698,52p.
013222.10	IACP 561-MB256 plus in ZG4 housing	141 722,10p.
013223.10	IACP 561-MB256 plus in ZG4, incl. printer	215 292,99p.
013224.10	IACP 561-MB256 plus 19" version	112 788,77p.
013225.10	IACP 561-MB256 plus 19" model, incl. printer	186 316,98p.
013228.10	IACP 561-MB256 plus 19" model, incl. LCD operating unit	131 063,03p.
013229.10	IACP 561-MB256 plus 19" model, incl. operating unit and printer	204 596,60p.
013230	Retrofit kit IDC 561-MB256 to IACP 561-MB256 plus	69 474,13p.
013320.03	16-detector group input module type B	8 961,65p.
013330.10	IGIS-LOOP Controller	25 204,64p.
013331.10	IGIS-LOOP Controller (in housing ZG 0)	31 583,59p.
013332.10	IGIS-LOOP Controller (in housing ZG2)	40 234,08p.
013336	Ethernet connection module	6 659,00p.
013337	Secure transmission according to BSI	31 737,37p.
013350	EIB-Interface 4HB 128MG	84 715,11p.
013355	EIB-Interface 64HB 512MG	104 261,47p.
013466	PC adapter cable V.24 / BUS-2	3 520,65p.
013467.10	USB adapter box	8 263,74p.
013498	WINFEM Advanced parameterisation software	10 284,56p.
013552	WINFEM-AB 8 parameterisation software	3 227,00p.
013590	Universal Gateway for PC	175 285,62p.
013595	WINFEM - User	16 087,41p.
013596	IQ SystemControl	34 668,61p.
013598	Option IACP User ControlCenter for PC for IQSC or IQMA	17 504,01p.
013598	Option IACP User ControlCenter for PC for IQSC or IQMA	17 504,01p.
013601	Intrusion detection technology licence	35 953,29p.
013603	Access control licence	35 953,29p.
013604	Licence Video technology	119 542,02p.
013605	Escape route technology/escape door control licence	35 953,29p.

013606	Licence WINMAG plus SDK	119 755,39p.
013607	Developer Kit WINMAG plus SDK	226 099,42p.
013608	WINMAG plus including RDT licence	70 519,65p.
013610	DVD control centre software WINMAG plus standard package	23 097,59p.
013611	OPC Server licence	312 387,95p.
013612	OPC Client licence	244 799,91p.
013613	Notification licence	92 070,29p.
013616	Upgrade of a WINMAG installation from version 6	88 602,99p.
013618	Data point package	106 882,05p.
013619	Licence HeiTel video connection	119 492,66p.
013620	Licence MaxPRO VMS	35 954,49p.
013623	DEZ 9000 interface licence	35 953,29p.
013624	Redundancy licence	257 105,13p.
013625	WINMAG plus Client licence	206 277,99p.
013626	Fire detection technology licence	35 953,29p.
013627	BACnet Server licence	519 152,92p.
013628	Licence BACnet-Client	488 746,30p.
013629	Licence Geutebrück video connection	119 492,66p.
013630	WINMAG plus control centre software standard licence	331 047,64p.
013631	WINMAG plus control centre software standard licence	331 047,64p.
013632	Licence Dallmeier video connection	119 492,66p.
013635	WINMAG Lite including USB copy-protection plug	116 234,74p.
013636	WINMAG Lite upgrade to WINMAG plus full version	215 613,04p.
013636	WINMAG Lite upgrade to WINMAG plus full version	215 613,04p.
013638	Licence Honeywell video	35 954,49p.
013642	Licence Notifier Fire panels	35 954,49p.
013643	Licence Galaxy Dimension	35 954,49p.
013645	Replacement Dongle USB instead Parallel	35 954,49p.
013646	Licence DS 6750/7700	35 954,49p.
013650	Escalation licence	91 803,57p.
013651	DTMF control option licence	35 953,29p.
013652	Client processing ability licence	118 368,47p.
013653	Multi-Monitor licence	87 429,44p.
013655	Auto-CAD® connection licence	174 858,87p.
013658	Licence SeeTec video connection	119 492,66p.
013660	WEBX licence	210 065,36p.
013900	Alphanumeric heat transfer printer	69 431,45p.
013901	Paper roll for 40-digit heat transfer printer	1 955,92p.
015600.01	RF BUS-2 wireless receiver	17 552,91p.
015601.01	RF 4 I/O module	18 335,21p.
015602	Relay card, 1 output for RF 4 I/O module, for MB radio system	1 466,94p.
015605	Lithium battery for MB radio components	1 466,94p.
015610.01	Viewguard PIR RF, radio PIR motion detector	13 543,61p.
015620.01	RF smoke detector base	10 023,25p.
015625	Lithium batteries	2 371,35p.
015630	RF Panic Button	8 019,25p.
018001.10	12 V accumulator / capacity 1.2 Ah	1 386,92p.
018002.10	12 V accumulator / capacity 2.0 Ah	1 613,63p.
018003.10	12 V accumulator / capacity 3.5 Ah	2 616,04p.
018004.10	12 V accumulator / capacity 6.5 Ah	1 589,18p.
018005.10	12 V accumulator / capacity 10 Ah	2 389,77p.
018006.10	12 V accumulator / capacity 24 Ah	5 085,38p.
018007.10	12 V accumulator / capacity 17 Ah	3 093,90p.
018008.10	12 V accumulator / capacity 38 Ah	7 468,04p.
018010.10	12 V DC accumulator / capacity 65 Ah	14 893,41p.
018011.10	12 V accumulator / capacity 12 Ah	3 157,91p.

018012	12V DC accumulator / capacity 16 Ah	7 236,89p.
018050	3 V lithium battery	537,88p.
018051	9 V alkali-manganese battery	449,86p.
018053	6 V lithium battery for manual hold-up radio transmitter	757,86p.
019020	Threaded sleeve	1 222,45p.
019022	Counter unit with flange	376,51p.
019023	Counter unit with flange	430,30p.
019024	Surface mounting kit	7 090,19p.
019025	Surface mounting kit	6 601,22p.
019026	Angular face plate	2 102,61p.
019028	Mounting aid	1 711,43p.
019030.10	Replacement locking bolt for locking element 1	327,62p.
019030.20	Electro-mechanical blocking element 1 plus	7 090,19p.
019032	Electro-mechanical blocking element 3	14 620,47p.
019033	Electro-mechanical blocking element SE 1 plus / magnetic contact	7 872,56p.
019035	Special face plate	611,22p.
019036	Special face plate	660,12p.
019038.10	Blocking element SLIM-LOCK	7 090,19p.
019039	Conventional control unit SLIM-LOCK, surface-mounted	6 650,11p.
019039.17	Conventional control unit SLIM-LOCK, surface-mounted	6 649,57p.
019050	Electrical safety lock 809, version E, 65 mm bolt length	37 974,11p.
019051	Electrical safety lock 809, version F, 65 mm bolt length	37 974,11p.
019052	Electrical safety lock 809, version C, 65 mm bolt length	37 974,11p.
019053	Electrical safety lock 809, version D, 65 mm bolt length	37 974,11p.
019054	Electrical safety lock 809, version E, 35 mm bolt length	34 619,71p.
019055	Electrical safety lock 809, version F, 35 mm bolt length	34 619,71p.
019056	Electrical safety lock 809, version C, 35 mm bolt length	34 619,71p.
019057	Electrical safety lock 809, version D, 35 mm bolt length	34 619,71p.
019059	Flat face plate, 24 mm wide, for electrical safety lock	1 642,97p.
019070	Stainless steel fitting for 809 lock with 35 mm bolt length	13 935,90p.
019072	Stainless steel fitting for 809 lock with 65 mm bolt length	12 517,86p.
019090	Electric door strike 118RR	8 487,98p.
019091	Electric door strike 118FRR for fire doors	14 575,27p.
019092	Flat striking plate	391,15p.
019093	Angled striking plate DIN left	845,86p.
019094	Angled striking plate DIN right	845,86p.
019095	Pre-load electronic assembly 760-12, 12 V DC / 24 V DC	2 332,24p.
019101	Blocking bolt for normal doors/windows	312,95p.
019103	Blocking bolt for heavy doors/windows	757,92p.
019105	Blocking bolt with adjusting option	513,43p.
019106	Surface mounting kit	317,39p.
019500	Electric door strike Universal DIN left and DIN right, load current	7 244,89p.
019502	Electric door strike Universal DIN left and DIN right, quiescent current	10 973,04p.
019505	Security door strike DIN L and DIN R	20 450,70p.
019510	Angled striking plate for door strikes 019500, 019502 and 019505 DIN R	953,95p.
019511	Angled striking plate for door strikes 019500, 019502 and 019505 DIN L	953,95p.
019520	Motor lock DIN L / DIN R, bolt length 35, type SVP 2719	47 728,61p.
019522	Motor lock DIN L / DIN R, bolt length 65 mm, type SVP 2277/2278	47 728,61p.
019525	SVP-PR 12 Power Reserve Module for fire and smoke protection doors	5 202,74p.
019526	SVP-S 22 DCW motor lock control 12/24 V	22 370,79p.
019527	SVP-S 23 DCW motor lock control 12/24 V	27 432,61p.
019528	SVP-S 24 DCW motor lock control 230 V	34 012,31p.
019529	SVP-A 1000 connection cable, 12-wire, 10 m	3 511,58p.
019530	Aluminium protective coating, PZ 72 mm, long plate, type SVP-SB 210	10 426,45p.
019531	Aluminium protective coating, PZ 92 mm, short plate, type SVP-SB 710	11 519,63p.
019533	Aluminium protective coating, PZ 92 mm, short plate, type SVP-SB 711	11 519,63p.

019534	Aluminium protective coating, PZ 72 mm, long plate, type SVP-SB 211	11 519,63p.
019535	Anti-panic lock M-SVP 2000 H 65/72 DIN L	85 195,78p.
019535.01	Anti-panic lock M-SVP 2000 H 65/72 DIN R	85 195,78p.
019536	Anti-panic lock M-SVP 2000 H 55/92 DIN L	85 195,78p.
019536.01	Anti-panic lock M-SVP 2000 H 55/92 DIN R	85 195,78p.
019537.01	Anti-panic lock M-SVP 2000 UU6 35/92 DIN R	85 195,78p.
019537.99	Anti-panic lock M-SVP 2000 UU6 35/92 DIN R	85 192,11p.
019538	Anti-panic lock M-SVP 2000 FF DIN L	85 195,78p.
019538.01	Anti-panic lock M-SVP 2000 FF DIN R	85 195,78p.
019540.10	SVP 6276/6277 Anti-panic key switch	34 010,84p.
019541.10	SVP 6276/6277 Anti-panic key switch	34 010,84p.
019542.10	SVP 6275/6278 Anti-panic key switch	34 010,84p.
019543.10	SVP 6275/6278 Anti-panic key switch	34 010,84p.
019544	SVP 6719 Anti-panic key switch	34 012,31p.
019545	SVP 6719 Anti-panic key switch	34 012,31p.
019546	SVP 6710 Anti-panic key switch	34 012,31p.
019547	SVP 6710 Anti-panic key switch	34 012,31p.
019660	Tear-off detector AM115	3 841,60p.
019661.01	Heavy-duty dowel SLD 41 M12/100	2 743,26p.
019661.02	Heavy-duty dowel SLD 51 M16/100	4 898,68p.
019661.99	Heavy-duty dowel SLD 31 M10/100	2 088,29p.
021130	Surface-mounted block switch with mechanical lock disabling	19 265,77p.
021131	Flush-mounted block switch with mechanical lock disabling	19 265,77p.
021150	Dead bolt lock for half cylinders	4 889,79p.
022060	Block lock surface mounting kit	23 275,40p.
022080.10	Motor lock control for type 509X	35 441,19p.
022081.10	Connecting cable 10 m, 16-pin for motor lock 509X	3 129,47p.
022082.10	Flanged striking plate for motor lock 509X	2 337,32p.
022085.10	Motor lock DIN right-/left-hand bolt length 35 mm, type 509X	47 347,83p.
022087.10	Motor lock DIN right-/left-hand bolt length 65 mm, type 509X	46 071,60p.
022090	Adjustable locking plate	5 226,76p.
022099	Standard block lock	15 549,53p.
022100	Standard block lock including mechanical protection against drilling	17 407,65p.
022102	Standard block lock including electronic protection against drilling	18 727,89p.
022112	Bolt length extension from 25 to 50 mm	1 149,10p.
022113	Bolt length extension from 25 to 65 mm	1 295,79p.
022114.01	Extension of special bolt length from 25 mm to 35 mm	1 344,69p.
022114.02	Extension of special bolt length from 25 mm to 55 mm	1 491,39p.
022114.03	Extension of special bolt length from 25 mm to 80 mm	1 686,98p.
022114.04	Extension of special bolt length from 25 mm to 100 mm	1 882,57p.
022115	Safety rosette for half cylinder	5 525,46p.
022117	Spacer	2 004,81p.
022120	Core drawback protection rosette, chrome-coloured	7 628,07p.
022121	Set for face plate special dimensions	611,22p.
022122	Chrome-coloured safety door plate	9 926,27p.
022123	Chrome-coloured safety door plate	14 864,96p.
022136	Chrome-coloured internal escutcheon including profiled cylinder perforation	3 031,42p.
022138	Internal rosette with profiled cylinder perforation	1 173,55p.
022167	IK2 rosette	2 540,47p.
022169	IK2 rosette	2 880,53p.
022172	Gluing set	620,11p.
022180	Spacer for IK2 rosette	208,04p.
022182	Spacer for IK2 rosette	248,05p.
022183	IK2 operating unit	11 442,11p.
022185	ID key cap	1 589,18p.
022189	Decorative film for IK2 operating unit 022183	1 760,32p.

022190	proX1 key ring	221,91p.
022193	Decorative foil for IK2 operating units 022194 and 022195.10	977,96p.
022194	IK2 operating unit	9 161,69p.
022195.10	IK2 operating unit, contactless, with numeric keypad	11 442,11p.
022196	Adapter base for IK2 operating unit 022194	368,07p.
022197	Adapter base for "Classic" readers and keypads	440,08p.
022198	Comfort-Key IK2	10 201,88p.
022199	Replacement cover for IK operating unit 022198	640,12p.
022220	IK2-block lock	13 984,80p.
022310.10	BUS-1 door module 1 for conv. block lock connection	10 281,89p.
022310.17	BUS-1 door module 1 for conv. block lock connection	10 282,24p.
022420.10	ACD contactless, 8 mm	19 803,65p.
022421.10	ACD pin code, 8 mm	17 749,94p.
022700	MEDIATOR Lock, Tubular Frame Version	19 093,72p.
022701	MEDIATOR lock for wooden and steel doors, lock facing 20 mm	19 093,72p.
022702	MEDIATOR lock, wooden and steel doors, lock facing 24 mm	19 093,72p.
022703	MEDIATOR electric strike with flat strike plate	25 972,20p.
022704	MEDIATOR electric strike with angled strike plate DIN left	25 972,20p.
022705	MEDIATOR electric strike with angled strike plate DIN right	25 972,20p.
022706	Sliding piece for MEDIATOR	221,72p.
022706	Sliding piece for MEDIATOR	221,72p.
022707	Spacer plate for tubular frame lock	1 020,94p.
022708	Spacer plate for tubular frame lock	1 020,94p.
022709	Spacer plate for wooden and steel doors	1 020,94p.
022710	MEDIATOR Spacer plate	1 020,94p.
022711	Fire protection module	6 594,89p.
022712	Power supply unit 1003-UP, f. m.	3 872,37p.
022713	Mediator door fittings for full leaf version	25 771,10p.
022714	Mediator door fittings for tubular frame version	25 095,63p.
022715	Half spindles with screw roller	711,57p.
022716	Half spindles with screw roller	711,57p.
022717	Half spindles with screw roller	711,57p.
022718	Half spindles with screw roller	711,57p.
022719	Half spindles with screw roller	711,57p.
022900.10	DLC proX offline reader module, outer knob for digital locking cylinders	22 868,12p.
022902.10	DLC proX offline reader module, outer knob for digital locking cylinders	25 570,01p.
022903.10	DLC proX MasterCard reader module, outer knob for digital locking cylinders	19 119,50p.
022908	DLC Servicetool	6 342,23p.
022909	IrDA-USB adaptor	5 207,85p.
022910	DLC battery pack for digital locking cylinders	742,54p.
022911	DLC battery changing tool for digital locking cylinders	1 613,99p.
022912	DLC emergency power tool for digital locking cylinders	3 506,42p.
022914	Small DLC inner knob for digital locking cylinders	2 026,51p.
022915	Large DLC inner knob for digital locking cylinders	2 325,58p.
022916	DLC plug for digital locking cylinders	654,88p.
022917	DLC protective rosette for digital locking cylinders	6 600,33p.
022920	DLC adapter for digital locking cylinders	3 114,53p.
022921	DLC adapter for digital locking cylinders	3 114,53p.
022922	DLC adapter for digital locking cylinders	3 114,53p.
022923	DLC adapter for digital locking cylinders	3 449,70p.
022924	DLC adapter for digital locking cylinders	3 753,94p.
022925	DLC adapter for digital locking cylinders	4 053,01p.
022926	DLC adapter for digital locking cylinders	4 388,19p.
022927	DLC adapter for digital locking cylinders	4 651,17p.
022928	DLC adapter for digital locking cylinders	3 114,53p.
022929	DLC adapter for digital locking cylinders	3 439,39p.

022930	DLC adapter for digital locking cylinders	3 753,94p.
022931	DLC adapter for digital locking cylinders	4 053,01p.
022932	DLC adapter for digital locking cylinders	4 388,19p.
022933	DLC adapter for digital locking cylinders	4 651,17p.
022934	DLC adapter for digital locking cylinders	4 950,25p.
022935	DLC adapter for digital locking cylinders	3 753,94p.
022936	DLC adapter for digital locking cylinders	4 053,01p.
022937	DLC adapter for digital locking cylinders	4 388,19p.
022938	DLC adapter for digital locking cylinders	4 651,17p.
022939	DLC adapter for digital locking cylinders	4 950,25p.
022940	DLC adapter for digital locking cylinders	5 290,57p.
022941	DLC adapter for digital locking cylinders	4 388,19p.
022942	DLC adapter for digital locking cylinders	4 651,17p.
022943	DLC adapter for digital locking cylinders	4 950,25p.
022944	DLC adapter for digital locking cylinders	5 290,57p.
022945	DLC adapter for digital locking cylinders	5 589,65p.
022946	DLC adapter for digital locking cylinders	4 950,25p.
022947	DLC adapter for digital locking cylinders	5 290,57p.
022948	DLC adapter for digital locking cylinders	5 589,65p.
022949	DLC adapter for digital locking cylinders	5 888,73p.
022950	DLC adapter for digital locking cylinders	5 589,65p.
022951	DLC adapter for digital locking cylinders	5 888,73p.
022952	DLC adapter for digital locking cylinders	6 223,90p.
022953	DLC adapter, special length for digital locking cylinders	#3HA4!
022954	DLC half cylinder adapter for digital locking cylinders	2 887,64p.
022955	DLC half cylinder adapter for digital locking cylinders	2 887,64p.
022956	DLC half cylinder adapter for digital locking cylinders	2 964,99p.
022957	DLC half cylinder adapter for digital locking cylinders	3 037,18p.
022958	DLC half cylinder adapter for digital locking cylinders	3 114,53p.
022959	DLC half cylinder adapter for digital locking cylinders	3 186,72p.
022960.10	DLC proX online reader module, outer knob for digital locking cylinders	28 117,21p.
022963	Trafficpoint RS-485 for DLC and DLF online	21 073,27p.
022964	DLF proX online fitting, handle left, 72 mm	38 398,84p.
022965	DLF proX online fitting, handle right, 72 mm	38 398,84p.
022966	DLF LEGIC online fitting, handle left, 72 mm	46 081,70p.
022967	DLF LEGIC online fitting, handle right, 72 mm	46 081,70p.
022968	DLF mifare online fitting, handle left, 72 mm	42 786,84p.
022969.99	DLF mifare online fitting, handle right, 72 mm	42 786,84p.
022970	DLF proX offline fitting, door handle left, 72 mm	31 820,79p.
022971	DLF proX offline fitting, door handle right, 72 mm	31 820,79p.
022972.99	DLF proX offline fitting, without perforation, door handle left	31 819,42p.
022973	DLF proX offline fitting, without perforation, door handle right	31 820,79p.
022974	DLF LEGIC offline fitting, door handle left, 72 mm	38 400,49p.
022975	DLF LEGIC offline fitting, door handle right, 72 mm	38 400,49p.
022976	DLF LEGIC offline fitting, without perforation, door handle left	38 400,49p.
022977	DLF LEGIC offline fitting, without perforation, door handle right	38 400,49p.
022978	DLF mifare offline fitting, door handle left, 72 mm	34 017,47p.
022979	DLF mifare offline fitting, door handle right, 72 mm	34 017,47p.
022980	DLF mifare offline fitting, without perforation, door handle left	34 017,47p.
022981	DLF mifare offline fitting, without perforation, door handle right	34 017,47p.
022982	DLF hole gauge	8 662,93p.
022983	DLF battery pack	257,83p.
022984	DLF internal escutcheon, 72 mm	9 874,71p.
022985	DLF internal escutcheon, without perforation	9 874,71p.
022986	DLF mounting kit, 32 - 45 mm door thickness	3 295,01p.
022987	DLF mounting kit, 44 - 57 mm door thickness	3 295,01p.

022988	DLF mounting kit, 56 - 69 mm door thickness	3 295,01p.
022989	DLF mounting kit, 68 - 81 mm door thickness	3 295,01p.
022990	DLF mounting kit, 80 - 93 mm door thickness	3 295,01p.
022991	DLF mounting kit, 92 - 105 mm door thickness	3 295,01p.
022993	DLF slot cylinder with key, single-locking	964,27p.
022994	DLF slot cylinder, monokey	763,16p.
022996	DLF key, monokey	206,26p.
023100	IK2/proX1 key ring with ring	1 344,69p.
023101	IK3/proX2 key ring with ring	1 344,69p.
023310	Conventional IK3 evaluating unit	15 802,91p.
023310.17	Conventional IK3 evaluating unit	15 803,44p.
023312.10	IK3 evaluating unit for BUS-2	12 042,22p.
023312.17	IK3 evaluating unit for BUS-2	12 042,62p.
023314	Face plate for IK3 and "Accentric" readers with keypad, white aluminium	1 640,30p.
023315	Face plate IK3 and "Accentric" readers with keypad, pure white	1 040,19p.
023316.99	Face plate for IK3 and "Accentric" readers with keypad, anthracite	1 860,40p.
023317	Face plate for IK3 and "Accentric" readers, pure white	1 040,19p.
023318	Face plate for IK3 and "Accentric" readers, anthracite	2 000,37p.
023319	Face plate for IK3 and "Accentric" readers, white aluminium	1 640,30p.
023320	IK3 reader with keypad, white aluminium	11 002,03p.
023322.99	IK3 reader without keypad, contactless, white aluminium	11 930,11p.
023324	Housing bottom with cover contact for Accentric readers	1 640,30p.
023329	Mounting plate for "Accentric" readers	1 900,35p.
023330	Contactless Siedle reader IK3 / proX2, white	18 972,38p.
023331	Contactless Siedle reader IK3 / proX2, titanium	18 972,38p.
023332.99	Contactless Siedle reader IK3 / proX2, silver	18 970,83p.
023333	Contactless Siedle reader IK3 / proX2, graphite-brown	18 970,83p.
023340	Contactless Siedle reader with keypad IK3 / proX2, white	21 074,99p.
023341	Contactless Siedle reader with keypad IK3 / proX2, titanium	21 073,27p.
023342	Contactless Siedle reader with keypad IK3 / proX2, silver	21 074,99p.
023343	Contactless Siedle reader with keypad IK3 / proX2, graphite-brown	21 073,27p.
023350.10	Door controller module for MB	6 881,50p.
023350.17	Door controller module for MB	6 881,50p.
023360	proX2, IK3 USB desktop reader	17 603,24p.
023500	Plastic shield (view/weather) for "Classic" readers and keypads	2 940,54p.
023501	Plastic housing (weather/view)	2 940,54p.
023502	Plastic shield (view/weather) for fingerkey	4 082,97p.
025050	Door code compact device	20 537,12p.
025105	Keypad unit, lockable (matrix)	10 072,97p.
026000.10	ID magnetic card (coded), with inscription	136,56p.
026000.11	ID magnetic card (coded), without inscription	157,91p.
026003.10	ID magnetic card, codeable, with inscription	89,62p.
026008.00	Coding of ID magnetic or chip cards	102,68p.
026008.01	Sealing and coding magnetic card inlets	254,25p.
026008.10	Coding of ID magnetic or chip cards	127,12p.
026009.00	ID card holder	136,56p.
026028.00	Cleaning set for mortise readers	2 835,85p.
026101.10	Access Control Central Control Unit ACT	17 965,98p.
026109	PC adapter cable RS-232/9-pin Sub-D	2 987,22p.
026110	Software upgrade for ACT 300 to 800 persons	2 219,08p.
026362	mifare card DESFire EV1 card blank, printable	298,25p.
026363.02	mifare card 4k, coded for mifare fingerkey	537,88p.
026363.07	mifare key ring 4k, coded for mifare fingerkey	537,88p.
026364	mifare card, printable	375,54p.
026364.01	mifare card, printable, with magnetic stripe	479,20p.
026364.02	mifare card, printable	479,20p.

026364.03	mifare card, printable, with magnetic stripe	537,88p.
026364.04	Coding a mifare card	102,68p.
026364.05	mifare key ring	479,20p.
026366.10	proX1 proximity reader - with extended range	16 643,07p.
026367	LEGIC card, printable	418,21p.
026367.01	LEGIC card, printable, with magnetic stripe	469,42p.
026367.02	Blank LEGIC card, blank	469,42p.
026367.03	LEGIC card, printable, with magnetic stripe	512,09p.
026367.04	Coding a LEGIC card	102,68p.
026367.05	LEGIC key ring	512,09p.
026368.00	IK2/proX1 ID card, printable	328,59p.
026370.00	IK2/proX1 ID card, printed	328,59p.
026371.00	IK2/proX1 ID card, with inscription, with uncoded magnetic stripe	375,54p.
026372.00	IK2/proX1 ID card, printable, with uncoded magnetic stripe	375,54p.
026373	LEGIC advant card	537,83p.
026373.02	LEGIC advant card, blank	586,73p.
026375	IK3/proX2 ID card, with imprint	757,92p.
026376	IK3/proX2 ID card, with inscription with magnetic stripe	831,26p.
026377	IK3/proX2 ID card, printable, with magnetic stripe	733,47p.
026378	IK3/proX2 ID card, printable	586,77p.
026379.10	Foil for contactless readers	733,47p.
026380.00	"Classic" proX1 proximity reader	12 204,91p.
026384.10	ACCK 50	17 798,83p.
026389.10	ACC 50	13 838,10p.
026420.10	"Accentric" proX2 reader without keypad	15 500,63p.
026421.10	"Accentric" proX2 reader with keypad	17 456,55p.
026422	"Accentric" mifare reader without keypad	19 559,16p.
026423	"Accentric" mifare reader with keypad	21 612,87p.
026424	"Accentric" LEGIC advant reader without keypad	20 697,15p.
026425	"Accentric" LEGIC advant reader with keypad	22 446,80p.
026435	mifare DESFire EV1 reader "Accentric" without keypad	28 847,40p.
026436	mifare DESFire EV1 reader "Accentric" with keypad	32 856,70p.
026445	proX1 reader with scramble keypad, plastic housing	86 586,61p.
026445.10	proX1 reader with scramble keypad, stainless steel housing	125 960,98p.
026480.10	"Classic" proX1 proximity reader	11 223,40p.
026481	"Classic" proX1 proximity reader with keypad	13 954,57p.
026487	Read-in station for non-read-protected mifare cards	41 070,87p.
026547	ACS-2 plus, 230V AC, without interface	46 306,31p.
026548	ACS-2 plus, 12V AC, without interface	44 741,57p.
026575	ACS-8 standard system, 12 V DC	60 372,01p.
026580	ACS-8 standard system with freely selectable power supply unit installation	56 824,69p.
026585	ACS-8 standard system, 230 V AC	63 919,33p.
026587	Communication module	17 128,49p.
026590	Input module, RS-485	14 662,26p.
026591	Output module, RS-485	14 662,26p.
026592	Input/output module, RS-485	16 351,46p.
026593.10	Door controller, 12 V DC, RS-485	22 939,34p.
026594.10	Door module, 230 V AC, RS-485	26 250,17p.
026595.10	Module potential separation, RS-485	6 621,66p.
026596	1 MB RAM memory card for ACS-8 / ACS-2 plus	14 189,28p.
026596	1 MB RAM memory card for ACS-8 / ACS-2 plus	14 189,28p.
026597	2 MB RAM memory card for ACS-8 / ACS-2 plus	17 736,60p.
026597	2 MB RAM memory card for ACS-8 / ACS-2 plus	17 736,60p.
026598	3 MB RAM memory card for ACS-8 / ACS-2 plus	24 831,24p.
026598	3 MB RAM memory card for ACS-8 / ACS-2 plus	24 831,24p.
026692	RS -485 interface (5-wire and 3-wire)	5 547,69p.

026693	RS -485 interface (5-wire and 3-wire)	6 827,92p.
026809	Serial connecting cable	2 987,22p.
026817.03	Interface converter	22 105,40p.
026840.03	Asynchronous RS-232 host interface	5 590,36p.
026840.16	Current loop current interface	6 230,48p.
026840.29	Ethernet interface 10/100 Mbps/s	11 833,29p.
027009	MultiAccess Lite Demo Version	1 394,70p.
027010	MultiAccess Lite	44 808,25p.
027011.99	Upgrade from EnterpriseAccess 2000 to MultiAccess Lite	20 486,54p.
027468	USB desktop reader LEGIC advant	44 737,91p.
027660	"Insertic-50" proX reader, clock/data interface	10 113,86p.
027661	"Insertic-50" proX reader, RS-485 interface	10 113,86p.
027662	"Insertic-50" mifare reader, clock/data interface	13 229,10p.
027663	"Insertic-50" mifare reader, RS-485 interface	13 229,10p.
027664	"Insertic-50" LEGIC reader, clock/data interface	17 923,30p.
027664.10	"Insertic-50" LEGIC advant reader, clock/data interface	25 327,04p.
027665	"Insertic-50" LEGIC reader, RS-485 interface	17 496,56p.
027665.10	"Insertic-50" LEGIC advant reader, RS-485 interface	25 327,04p.
027666	"Insertic" proX reader without keypad, clock/data interface	10 113,86p.
027667	"Insertic" proX reader with keypad, clock/data interface	11 692,82p.
027668	"Insertic" proX reader without keypad, RS-485 interface	10 113,86p.
027669	"Insertic" proX reader with keypad, RS-485 interface	11 692,82p.
027670	"Insertic" mifare reader without keypad, clock/data interface	13 229,10p.
027671	"Insertic" mifare reader with keypad, clock/data interface	14 808,06p.
027672	"Insertic" mifare reader without keypad, RS-485 interface	14 936,08p.
027673	"Insertic" mifare reader with keypad, RS-485 interface	16 643,07p.
027674	"Insertic" LEGIC reader without keypad, clock/data interface	16 429,69p.
027674.10	"Insertic" LEGIC reader without keypad, clock/data interface	25 327,04p.
027675	"Insertic" LEGIC reader with keypad, clock/data interface	18 222,02p.
027675.10	"Insertic" LEGIC advant reader with keypad, clock/data interface	30 167,53p.
027676	"Insertic" LEGIC reader without keypad, RS-485 interface	16 429,69p.
027676.10	"Insertic" LEGIC reader without keypad, RS-485 interface	25 327,04p.
027677	"Insertic" LEGIC reader with keypad, RS-485 interface	18 222,02p.
027677.10	"Insertic" LEGIC advant reader with keypad, RS-485 interface	28 162,88p.
027850	10 protective cover for EC, ID cards	349,93p.
027865	Printing continuous numbers 1 to 100 units	77,48p.
027865.01	Printing continuous numbers from 101 units	77,48p.
027870.99	Card print	12 397,38p.
027871	Card print	320,27p.
027872	Card print	268,61p.
027873	Card print	242,78p.
027874	Card print	371,92p.
027875	Card print	320,27p.
027876	Card print	278,70p.
027901	Reader converter board	4 438,15p.
028028	VdS half cylinder, Ikon 5532	3 202,81p.
028029	VdS half cylinder, Ikon 5532, including core drawback protection	3 936,28p.
028031	Half cylinder	1 418,04p.
028032	Half cylinder	709,02p.
028033	VdS half cylinder, Winkhaus TI602	4 816,44p.
028034	VdS half cylinder	3 422,85p.
028050	VdS lock insert	1 442,49p.
028050	VdS lock insert	1 442,49p.
029340	"Accenttic" IK3 finger key reader	43 442,67p.
029341	"Accenttic" mifare reader with keypad	56 074,33p.
029600	IQ MultiAccess Demo Version	5 183,18p.

029601	Basic Version - IQ MultiAccess for 300 ID-cards	77 111,98p.
029602	Basic Version - IQ MultiAccess for 500 ID-cards	97 649,10p.
029603	Basic Version - IQ MultiAccess for 800 ID-cards	128 454,77p.
029604	Basic Version - IQ MultiAccess for 1,000 ID-cards	164 443,62p.
029605	Basic Version - IQ MultiAccess for 1,500 ID-cards	205 517,85p.
029606	Basic Version - IQ MultiAccess for 2,000 ID-cards	251 824,16p.
029607	Basic Version - IQ MultiAccess for 3,000 ID-cards	303 215,85p.
029608	Basic Version - IQ MultiAccess for 5,000 ID-cards	359 692,91p.
029609	Basic Version - IQ MultiAccess for 7,500 ID-cards	447 073,45p.
029610	Basic Version - IQ MultiAccess for 10,000 ID-cards	539 539,37p.
029611	Database Expansion - IQ MultiAccess from 300 to 500 ID-cards	20 586,01p.
029612	Database Expansion - IQ MultiAccess from 500 to 800 ID-cards	30 854,57p.
029613	Database Expansion - IQ MultiAccess from 800 to 1,000 ID-cards	35 988,85p.
029614	Database Expansion - IQ MultiAccess from 1,000 to 1,500 ID-cards	41 172,03p.
029615	Database Expansion - IQ MultiAccess from 1,500 to 2,000 ID-cards	46 306,31p.
029616	Database Expansion - IQ MultiAccess from 2,000 to 3,000 ID-cards	51 440,59p.
029617	Database Expansion - IQ MultiAccess from 3,000 to 5,000 ID-cards	56 525,97p.
029618	Database Expansion - IQ MultiAccess 5,000 to 7,500 ID-cards	87 380,54p.
029619	Database Expansion - IQ MultiAccess 7,500 to 10,000 ID-cards	92 514,82p.
029620	Database Expansion - IQ MultiAccess > 10,000 ID-cards	174 208,94p.
029621	Client processing ability, multi-location ability	51 440,59p.
029622	Zone change control, balancing, blocking of repeated access options	61 660,25p.
029624	Gate keeper module with image comparison option	51 440,59p.
029625	ID card and form management option	51 440,59p.
029626	Connection to intrusion detection control panel option	51 440,59p.
029631	Professional Package - IQ MultiAccess, 300 cards, prep. f. SQL databases	102 783,37p.
029632	Professional Package - IQ MultiAccess, 500 cards, prep. f. SQL databases	123 369,39p.
029633	Professional Package - IQ MultiAccess, 800 cards, prep. f. SQL databases	149 040,78p.
029634	Professional Package - IQ MultiAccess, 1,000 cards, prep. f. SQL databases	185 029,63p.
029635	Professional Package - IQ MultiAccess, 1,500 cards, prep. f. SQL databases	226 103,87p.
029636	Professional Package - IQ MultiAccess, 2,000 cards, prep. f. SQL databases	277 495,55p.
029637	Professional Package - IQ MultiAccess, 3,000 cards, prep. f. SQL databases	323 752,96p.
029638	Professional Package - IQ MultiAccess, 5,000 cards, prep. f. SQL databases	380 230,03p.
029639	Professional Package - IQ MultiAccess, 7,500 cards, prep. f. SQL databases	467 610,57p.
029640	Professional Package - IQ MultiAccess, 10,000 cards, prep. f. SQL databases	560 076,49p.
029641	MultiAccess for Windows upgrade to IQ MultiAccess	41 172,03p.
029642	Upgrade MultiAccess Lite to IQ MultiAccess	92 514,82p.
029643	Upgrade IQ SystemControl to IQ MultiAccess	122 293,63p.
030000.16	Recessed reed contact "N"	660,12p.
030000.17	Recessed reed contact "N"	660,07p.
030001.16	Flat reed contact "N", white, 6 m	562,33p.
030001.17	Flat reed contact "N", white, 6 m	562,28p.
030002.16	Block type reed contact "N", white, 6 m	733,47p.
030002.17	Block type reed contact "N", white, 6 m	733,41p.
030010.16	Round reed contact "N", white, 6 m	513,43p.
030010.17	Round reed contact "N", white, 6 m	513,39p.
030100.16	Universal reed contact slimline "Z", white, 6 m	537,88p.
030100.17	Universal reed contact slimline "Z", white, 6 m	537,83p.
030110.16	Surface mounted base for slimline sensors	1 124,65p.
030110.17	Surface mounted base for slimline sensors	1 124,56p.
030200.16	Recessed reed contact "Z", white, 6 m	635,67p.
030200.17	Recessed reed contact "Z", white, 6 m	635,62p.
030201.16	Flat reed contact "Z", white, 6m	660,12p.
030201.17	Flat reed contact "Z", white, 6m	660,07p.
030202.16	Block type reed contact "Z", white, 6 m	831,26p.
030202.17	Block type reed contact "Z", white, 6 m	831,20p.

030210.16	Round reed contact "Z", white, 6 m	611,22p.
030210.17	Round reed contact "Z", white, 6 m	611,17p.
030211.16	Round reed contact "Z", white, 6 m	488,98p.
030211.17	Round reed contact "Z", white, 6 m	488,94p.
030241.16	Recessed reed contact "Z", brown, 6 m	635,67p.
030243.16	Flat reed contact "Z", brown, 6 m	660,12p.
030245.16	Block type reed contact "Z", brown, 6 m	831,26p.
030247.16	Round reed contact "Z", brown, 6 m	611,22p.
030249.16	Round reed contact "Z", brown, 6 m	488,98p.
030260.16	Flat reed contact "Z", white, 6 m	1 026,86p.
030260.17	Flat reed contact "Z", white, 6 m	1 026,77p.
030261.16	Flat reed contact "Z", brown, 6 m	1 026,86p.
030270.16	Recessed reed contact "Z", white, 6 m	1 026,86p.
030270.17	Recessed reed contact "Z", white, 6 m	1 026,77p.
030271.16	Recessed reed contact "Z", brown, 6 m	1 026,86p.
030295	Round reed contact with flange	733,47p.
030296	Steel mounting kit, white	322,73p.
030297	Steel mounting kit, brown	322,73p.
030800.16	Installation support for recessed reed contacts Class A/B	151,58p.
030800.17	Installation support for recessed reed contacts Class A/B	151,57p.
030801.16	Installation support for round reed contacts with flange	151,58p.
030801.17	Installation support for round reed contacts with flange	151,57p.
030802.16	Installation support for recessed reed contacts, Class C	151,58p.
030802.17	Installation support for recessed reed contacts, Class C	151,57p.
030803	Installation support for recessed reed contacts, Class C	151,58p.
030810.16	Surface-mounted base for flat reed contacts	200,48p.
030810.17	Surface-mounted base for flat reed contacts	200,46p.
030811.16	Surface-mounted base for block type reed contacts	273,83p.
030811.17	Surface-mounted base for block type reed contacts	273,81p.
030812	Installation support for recessed reed contacts Class A/B	151,58p.
030813	Surface-mounted base for flat reed contacts	210,26p.
030814	Surface-mounted base for block type reed contacts	298,28p.
030815	Installation support for round reed contacts with flange	224,93p.
031000	Cone contact	831,26p.
031000.17	Cone contact	831,20p.
031001	Pin contact	1 173,55p.
031030	Micro contact with spring lever	278,72p.
031065	Sliding door contact in plastic housing	1 393,59p.
031066	Sliding door contact in plastic housing	1 686,98p.
031067	Sliding door contact in aluminium housing	1 564,73p.
031068	Terminal box	733,47p.
031102	Trip wire switch with cover contact	3 496,20p.
031102.17	Trip wire switch with cover contact	3 495,91p.
031110	Rope 100 meters	2 582,70p.
031125	Mechanical kit including turnbuckle and suspension hook	1 222,45p.
031125.03	Guide roller for angled mounting	929,06p.
031125.04	Guide roller for linear mounting	929,06p.
031203	Recessed tappet contact, 4-pin, brown	2 347,10p.
031204	Recessed tappet contact, 4-pin, white	2 347,10p.
031204.17	Recessed tappet contact, 4-pin, white	2 346,91p.
031207	Screw-on tappet contact, 4-pin, white	2 347,10p.
031207.17	Screw-on tappet contact, 4-pin, white	2 346,91p.
031208	Surface mounted base for screw-on tappet contact, white	97,80p.
031208.17	Surface mounted base for screw-on tappet contact, white	97,79p.
031220	Spring contact	3 887,38p.
031230	Floor mat 720 x 390 mm	3 936,28p.

031300	Bolt switching contact in zinc die-cast housing	1 711,43p.
031308	Bolt switching contact	1 124,65p.
031309.06	Bolt switching contact	1 491,39p.
031311	Mounting plate	855,71p.
031521	Hold-up floor alarm bar, 30 cm long	5 427,67p.
031530	Paper money contact standard design	6 992,40p.
031540	Module for hold-up pushbutton BUS-1	6 210,03p.
031550	Hold-up detector, grey white, surface mounted	1 858,12p.
031551	Closing cover with cap, grey	400,96p.
031552	Paper seal	78,24p.
031561.16	Water detector for wall mounting, white	3 422,85p.
031561.17	Water detector for wall mounting, white	3 422,57p.
031580	Alarm wall paper	5 427,67p.
031581	Wall paper terminal strip	1 931,47p.
031590	Hold-up detector, white, surface mounted, without LED display	1 907,02p.
031591	Hold-up detector, white, surface mounted, without LED display	1 907,02p.
031592	Hold-up detector, white, surface mounted, with LED display	3 129,47p.
031593	Hold-up detector, white, flush mounted, with LED display	3 105,02p.
031594	Paper seal	200,48p.
032000	Foil connecting terminal	430,30p.
032025	Self-adhesive copper foil	6 111,74p.
032113	Electronic vibration detector	2 787,18p.
032113.17	Electronic vibration detector	2 786,95p.
032208	Tester DETEKT 1000	7 510,72p.
032209	Adapter for manual tester	3 307,52p.
032210	IDENTLOC evaluating unit, conventional	6 614,55p.
032210.17	IDENTLOC evaluating unit, conventional	6 615,03p.
032211.10	IDENTLOC evaluating unit, BUS-2 / BUS-1	4 992,92p.
032211.17	IDENTLOC evaluating unit, BUS-2 / BUS-1	4 993,28p.
032215	IDENTLOC flush mounting kit	874,83p.
032215.17	IDENTLOC flush mounting kit	874,89p.
032220	IDENTLOC transmission unit	640,12p.
032220.17	IDENTLOC transmission unit	640,16p.
032221.10	IDENTLOC opening sensor	704,13p.
032221.17	IDENTLOC opening sensor	704,18p.
032222.10	IDENTLOC opening sensor, including cable	810,82p.
032222.17	IDENTLOC opening sensor, including cable	810,88p.
032223	IDENTLOC Alarm glass sensor with socket	1 685,77p.
032223.17	IDENTLOC Alarm glass sensor with 4-pole socket	1 685,77p.
032230.10	IDENTLOC glass breakage sensor	1 024,19p.
032230.17	IDENTLOC glass breakage sensor	1 024,26p.
032232	IDENTLOC cable for window handle lock monitoring	243,24p.
032235	IDENTLOC slimline transmission unit	789,48p.
032235.17	IDENTLOC slimline transmission unit	789,54p.
032236	IDENTLOC slimline locking sensor	2 603,15p.
032236.17	IDENTLOC slimline locking sensor	2 603,34p.
032237	IDENTLOC Slimline opening sensor	874,83p.
032237.17	IDENTLOC Slimline opening sensor	874,89p.
032238	IDENTLOC Slimline glass breakage sensor	1 344,25p.
032238.17	IDENTLOC Slimline glass breakage sensor	1 344,35p.
032242	IDENTLOC alarm glass sensor, slimline with socket	2 091,20p.
032242.17	IDENTLOC alarm glass sensor, slimline with socket	2 091,20p.
032245	Locking sensor with magnetic contact	1 784,77p.
032245.17	Locking sensor with magnetic contact	1 784,63p.
032256.01	Sensor tester for passive glass breakage sensors	11 223,40p.
032265	Silicone glue RTV	977,96p.

032266	Contact spray	555,66p.
032267	Glass/metal gluing set	2 400,44p.
032268	Glue gauge for passive glass breakage sensor	1 237,56p.
032272.16	Mini glass breakage sensor "Z", white, 6 m	853,49p.
032272.17	Mini glass breakage sensor "Z", white, 6 m	853,55p.
032274.16	Mini glass breakage sensor "Z", brown, 6 m	874,83p.
032420	Acoustic glass breakage sensor DETEKT 1000 BUS-1	5 718,39p.
032420.17	Acoustic glass breakage sensor DETEKT 1000 BUS-1	5 718,80p.
032540.10	Remote test system GMYA7-AS for GM775	24 789,20p.
033080	IRS 509 light barrier inside, 22 cm high, 1 beam	24 546,74p.
033081	IRS 509 light barrier inside, 100 cm high, 3 beams	82 441,85p.
033082	IRS 509 light barrier inside, 150 cm high, 5 beams	133 540,15p.
033083	IRS 509 light barrier inside, 200 cm high, 8 beams	208 402,83p.
033084	IRS 509 O light barrier outside, 22 cm high, 1 beam	26 404,86p.
033085	IRS 509 O light barrier outside, 100 cm high, 3 beams	88 847,47p.
033086	IRS 509 O light barrier outside, 150 cm high, 4 beams	115 203,44p.
033087	IRS 509 O light barrier outside, 200 cm high, 6 beams	172 413,98p.
033090	Adjusting device including LED and adapter cable	11 539,90p.
033095	Square profiled mast, black, for setting in concrete	7 872,56p.
033096	Square profiled mast, black, including plate	7 872,56p.
033150	Dual/AM-ceiling detector DD666AM-D, 20 m	11 734,53p.
033151	Dual detector DD666-D, 20 m	9 534,31p.
033152	360FM Mounting kit for ceiling mounting	322,70p.
033330.01	Viewguard PIR FAI with area optics	2 713,61p.
033332.21	Viewguard PIR BUS-2/BUS-1 with area optics	3 982,96p.
033360	SCM 2000 first alarm indication with area optics	1 573,62p.
033361	SCM 2000 first alarm indication with long range optics	1 840,34p.
033362	SCM 2000 first alarm indication with curtain optics	1 867,01p.
033370	SCM 2000 BUS-1 with area optics	3 200,59p.
033371	SCM 2000 BUS-1 with long range optics	3 467,31p.
033372	SCM 2000 BUS-1 with curtain optics	3 600,66p.
033390	Adjustable hinge for motion detectors	611,22p.
033390.17	Adjustable hinge for motion detectors	611,17p.
033391	Lock seals for motion detectors	317,84p.
033391.17	Lock seals for motion detectors	317,81p.
033401	SCM 3000 BUS-1 with area optics	4 534,17p.
033404	SCM 3000 BUS-1 with long range optics	4 694,20p.
033407	SCM 3000 BUS-1 with curtain optics	4 800,88p.
033430.01	Viewguard PIR AM FAI with area optics	3 960,41p.
033432.21	Viewguard PIR AM BUS-2/BUS-1 with area optics	5 654,37p.
033434	Viewguard PIR set of mirrors Curtain optics	1 152,21p.
033435	Viewguard PIR set of mirrors Long range optics	1 152,21p.
033440.01	Viewguard DUAL AM FAI with area optics	7 553,94p.
033441.01	Viewguard DUAL FAI with area optics	5 163,99p.
033442.21	Viewguard AM BUS-2/BUS-1 with area optics	7 219,11p.
033443.21	Viewguard DUAL BUS-2/BUS-1 with area optics	4 409,70p.
033450	Viewguard DUAL AM FAI	8 236,78p.
033451	Viewguard DUAL FAI	5 590,77p.
033588	Ball joint set for wall and corner mounting	902,39p.
033588.17	Ball joint set for wall and corner mounting	902,34p.
041150.10	BUS-1 switching module, 24 V DC / 1 A	5 035,59p.
041150.17	BUS-1 switching module, 24 V DC / 1 A	5 035,96p.
041151.10	BUS-1 switching module, 250 V DC / 5 A	5 761,06p.
041151.17	BUS-1 switching module, 250 V DC / 5 A	5 761,48p.
041411	Day alarm BUS-1	15 842,92p.
041450	Doorguard-Plus BUS-2	18 139,63p.

041450.17	Doorguard-Plus BUS-2	18 139,63p.
041460	Doorguard-Plus conventional	12 076,79p.
041460.17	Doorguard-Plus conventional	12 076,79p.
042100	Optic alarm device, red	4 425,26p.
042100.17	Optic alarm device, red	4 424,90p.
042105	Optic alarm device, yellow	6 014,44p.
042105.17	Optic alarm device, yellow	6 013,95p.
042120	Supporting bracket for alarm devices 042100/.17 and 042105/.17	1 540,28p.
042230	Indoor blinking light, conventional connection	2 322,65p.
042230.17	Indoor blinking light, conventional connection	2 322,46p.
042235	Indoor blinking light, BUS-1 connection	3 153,91p.
042235.17	Indoor blinking light, BUS-1 connection	3 153,66p.
043050	Module for indoor siren, BUS-1	6 699,01p.
043060	Piezo indoor siren, BUS-1 connection	4 327,46p.
043060.17	Piezo indoor siren, BUS-1 connection	4 327,11p.
043065.10	Piezo indoor siren, conventional connection	3 267,27p.
043065.17	Piezo indoor siren, conventional connection	3 267,17p.
043066.10	Piezo indoor siren, conventional connection - red	3 267,27p.
043117	Replacement card for loudspeaker monitoring	577,88p.
043119.02	Connection module for pressure chamber loudspeaker	755,69p.
043130	Electronic buzzer	711,24p.
048700	Audible alarm device	6 014,44p.
048700.17	Audible alarm device	6 013,95p.
048720	Compact alarm in a plastic housing	9 089,67p.
048720.17	Compact alarm in a plastic housing	9 090,34p.
050000	8-pin surface-mounted distributor without cover contact	243,24p.
050000.17	8-pin surface-mounted distributor without cover contact	243,26p.
050002	6-pin surface-mounted distributor with cover contact	337,13p.
050002.17	6-pin surface-mounted distributor with cover contact	337,15p.
050019	Distributor block, 16-pin	349,93p.
050020	Distributor, 16-pin	3 156,14p.
050021	Distributor, 32-pin	3 734,02p.
050022	Metal distributor, 44-pin	3 594,00p.
050023	Metal distributor, 88-pin	5 085,38p.
050024	Metal distributor, 176-pin	8 165,95p.
050025	16-pin surface-mounted distributor with cover contact	733,47p.
050025.17	16-pin surface-mounted distributor with cover contact	733,41p.
050030	Solder distribution terminal, 16-pin	635,67p.
050034	Distributor, 64-pin	5 280,97p.
050035	Alarm glass terminal box	562,33p.
050035.17	Alarm glass terminal box	562,28p.
050040	Additional housing ZG1	6 307,83p.
050046	Additional housing ZG2	11 833,29p.
050049	Additional housing ZG3.1	15 696,22p.
050050	Additional housing ZG3.2	17 065,37p.
050055	19" additional housing ZG4	36 331,14p.
050057	19" additional housing ZG6	67 919,18p.
050060	Distributor, 48-pin	12 077,78p.
050061	Distributor, 96-pin	7 553,39p.
050062	Distributor, 160-pin	10 801,99p.
050065	Surface mounted plastic distributor box	562,33p.
050065.10	Distributor board containing 23 double soldering tabs and 1 cover contact	684,57p.
050065.17	Surface mounted plastic distributor box	684,51p.
050065.17	Surface mounted plastic distributor box	684,51p.
050066	Flush mounted plastic distributor box	512,09p.
050066.17	Flush mounted plastic distributor box	512,13p.

050067	Flush mounted housing for articles 050066	254,27p.
050067.17	Flush mounted housing for article 050066.17	254,25p.
050070	Standard block lock distributor	2 689,38p.
050070.17	Standard block lock distributor	2 689,16p.
050095	Plug-in labelling field for distributor block	243,24p.
050097	VdS adhesive seal Ø 12 mm	106,69p.
050162	Flush-mounted box distributor, soldering technology	704,13p.
050163	Flush-mounted box distributor, IDC method of termination	1 222,45p.
050164	Flush-mounted box distributor, spring terminal technology	1 931,47p.
050165	Cover for flush-mounted distributor	2 322,65p.
050189	19" additional housing ZG6.0.B	59 997,72p.
050205	Fixing caps for metal protective tube type II, white	64,01p.
050205.17	Fixing caps for metal protective tube type II, white	64,02p.
050206	Fixing caps for metal protective tube type II, brown	64,01p.
050213	Protective sleeve for metal protective tube type II, white	98,15p.
050223	Cable link type II, white	349,93p.
050223.17	Cable link type II, white	349,96p.
050226	Metal protective tube type II, white	2 987,22p.
050233	Cable link type II, brown	349,93p.
050236	Metal protective tube type II, brown	2 645,82p.
050250	Concealed cable link, long	1 984,37p.
050251	Concealed cable link, short	1 322,91p.
050252	Concealed cable link, narrow	1 664,31p.
050260	Concealed cable link, medium	960,18p.
050261	Concealed cable link, short	746,80p.
050262	Concealed cable link, long	1 066,86p.
050265	Miniature cable link	554,77p.
050302	Flush-mounted housing	200,57p.
050302.17	Flush-mounted housing	200,58p.
050304	Flush-mounted basic housing cover, without LED opening	324,33p.
050304.17	Flush-mounted basic housing cover, without LED opening	324,35p.
050305.17	Flush-mounted basic housing cover, 1 LED opening	426,78p.
050306	Flush-mounted basic housing cover, 2 LED openings	533,43p.
050306.17	Flush-mounted basic housing cover, 2 LED openings	533,47p.
050510	Mains interference suppression filter type 2KV3	1 813,67p.
055105	Sealing caps	85,35p.
055106	Press-in mandrel for sealing caps	1 088,20p.
055111	2-pin solder plug-in strip	127,13p.
055112	3-pin solder plug-in strip	156,47p.
055113	4-pin solder plug-in strip	156,47p.
055114	5-pin solder plug-in strip	156,47p.
055115	6-pin solder plug-in strip	156,47p.
055131	Sealing screws, M4x6	349,93p.
055260	Glass/metal gluing set	684,57p.
055280	Fixing band for accumulators, dual lock	1 466,82p.
055280	Fixing band for accumulators, dual lock	1 466,82p.
055300	Cable drum 4 x 0.14, white	2 133,73p.
055300.17	Cable drum 4 x 0.14, white	2 133,88p.
055301	Cable drum 4 x 0.14, brown	2 133,73p.
057350.99	Compact gas detector for methane	8 752,01p.
057351	Compact gas detector for propane	8 752,72p.
057355.10	Compact heat detector	6 405,62p.
057356	Compact cold detector	6 405,62p.
057530.10	Power supply/charger unit 230 V AC / 12 V DC / 7.2 Ah	6 059,78p.
057550	ADO-8 / TAE-6 / IAE covering case	4 155,98p.
057551	Covering case for NTBA and terminal box	4 449,71p.

057572	GSM adapter for ISDN reception module	15 451,73p.
057575	RFW-3000 GSM/GPRS transmission system	49 778,06p.
057580	RFW-2000 E	77 894,35p.
057590	RFW 4000 GSM/GPRS add-on module	29 874,17p.
057591	GSM exterior antenna with 5 m cable	6 991,83p.
057592	GSM cable, 5 m	2 493,59p.
057605	AWAG 4200 dialler with annunciator	24 986,82p.
057631	Additional housing ZG0 for ISDN transmission devices	5 280,97p.
057632	Additional housing ZG1 for ISDN transmission devices	6 507,87p.
057650.10	DS 7600 ISDN transmission device, incl. voice transmission	30 658,98p.
057651.10	DS 7700 ISDN/IP transmission device	38 238,15p.
057655	FDS connection board for transmission device	3 495,91p.
057846	ISDN connecting cable including two Western connectors, 1.5 m	449,86p.
057850	ISDN terminal box	831,26p.
057860	DS 6600 Analog transmission device with Contact ID and TELIM	21 026,09p.
057864	DS 6700 PSTN/IP auto dialler	32 856,70p.
057865	DS 6750 PSTN/IP-auto dialler	38 919,54p.
057871.10	DS 9500 ISDN transmission device with AWAG function	22 393,40p.
057872.10	DS 9600 ISDN transmission device with dialler function for MB24	19 802,03p.
057880	DEZ 9000 alarm receiver in housing	250 797,30p.
057881	DEZ 9000 19" front plate 6 HE, installation in 19" cabinet	234 074,22p.
057882	19" mounting plate	4 620,85p.
057883	TELIM receiver module for DEZ 9000	33 984,04p.
057884	2 MB RAM extension for DEZ 9000	39 607,29p.
057888	IP receiver module for DEZ 9000	58 628,58p.
058200	High-speed modem V.90 external	22 248,54p.
059000	EPROM update, German for IACP 561-MB8	2 713,61p.
059001	EPROM update, German for IACP 561-MB16	2 713,61p.
059002	EPROM update, German for IACP 561-MB100	6 796,25p.
059003	EPROM update, German for IACP 561-MB256	6 796,25p.
059004	EPROM update, German for IACP 561-HB48	2 713,61p.
059200	Software update, German for DEZ 9000	4 082,64p.
059200	Software update, German for DEZ 9000	4 082,64p.
059201	Software update, German for DEZ ISDN receiver module	3 178,10p.
059201	Software update, German for DEZ ISDN receiver module	3 178,10p.
059202	Software update, German for DEZ TELIM receiver module	3 275,89p.
059202	Software update, German for DEZ TELIM receiver module	3 275,89p.
059203	Software update, German for Datex-P receiver module	3 178,10p.
059203	Software update, German for Datex-P receiver module	3 178,10p.
059205	EPROM update, German for DS 7500	5 231,65p.
062090	Smoke Detector Base BUS-2/BUS-1	3 227,26p.
062092	Fixed temperature detector IQ8Quad	3 862,93p.
062093	Rate-of-rise detector IQ8Quad	3 862,93p.
062094	Optical smoke detector IQ8Quad	4 889,79p.
062095	O ² T intelligent detector IQ8Quad	6 747,91p.
062096	OTG intelligent detector (CO) IQ8Quad	7 236,89p.
070478	Group relay card	2 347,10p.
082001.16	Universal reed contact "N", white, 6 m	396,07p.
082001.17	Universal reed contact "N", white, 6 m	396,04p.
082003.16	Universal round reed contact "Z", white, 6 m	488,98p.
082003.17	Universal round reed contact "Z", white, 6 m	488,94p.
082004	Universal reed contact set "Z", white 4 m	537,88p.
082004.17	Universal reed contact set "Z", white 4 m	537,83p.
082013.16	Universal reed contact "Z", brown, 6 m	488,98p.
082402.16	Surface mounted housing for universal reed contacts	513,43p.
082402.17	Surface mounted housing for universal reed contacts	513,39p.

082403.16	Spacer plates for surface mounted housing	141,80p.
082403.17	Spacer plates for surface mounted housing	141,79p.
082412	Surface mounted housing for universal reed contacts	513,43p.
082413	Spacer plates for surface mounted housing	435,19p.
094051	Power supply unit 230 V AC / 12 V DC / 0.5 A	4 864,90p.
120015	Electronic indoor siren	1 760,32p.
120016	Electronic indoor siren with integrated flashing light	3 153,91p.
120211	Surface mounted plastic distributor VVD 215, 30-pin	1 146,88p.
120213	Plastic distributor VVD 215K, 30-pin	1 680,31p.
120215	Surface mounted plastic distributor VVD 320, 40-pin	1 386,92p.
120240	Plastic distributor box VVD 230 (surface mounted)	560,10p.
120242	Plastic distributor box VVD 230K	613,45p.
120244	Plastic distributor box VVD 230 (flush mounted)	560,10p.
120250	Distributor LSA 16 w	960,18p.
120252	Distributor LSA 32 w	1 493,61p.
120253	Distributor LSA 32 b	1 493,61p.
120254	Distributor LSA 64 w	2 747,17p.
154428	Key switch SS 90	4 571,95p.
154430	Key switch SS 90	5 183,18p.
154437	Protection against drilling	1 173,55p.
154438	Mounting kit for flush-mounting in wall	1 051,30p.
154439	Hollow-wall mounting kit	1 222,45p.
160204	Surface mounted distributor VVD 300, 48-pin	4 560,84p.
160206	Surface mounted distributor VVD 400, 84-pin	7 147,98p.
160209	Surface-mounted distributor VVD 600	11 895,52p.
160215	Paper money contact GSK 1 E	7 139,09p.
160435.10	Acoustic glass breakage detector AGB 600	6 405,62p.
160436	Tester for acoustic glass breakage detector AGB 600	9 632,89p.
160455.10	Optic/Acoustic compact alarm device P2500	10 513,05p.
160456.10	Acoustic compact alarm device P2500	6 992,40p.
160705	Surface mounted plastic distributor, 20-pin	853,49p.
170080	Active glass breakage sensor MAGS-E	13 887,00p.
170084	Sensor of active glass breakage sensor	1 344,69p.
170087	Gluing gauge for active glass breakage sensor MAGS-E	5 623,26p.
170088.10	Electronic test device for active glass breakage detector MAGS-E or MAGS-S	14 179,23p.
180012	Screw-on strip	1 333,58p.
180844	100-pin distributor terminal	2 240,41p.
381156	92-pin distributor with cover contact	2 587,14p.
382030	10-pin distributor without cover contact	384,07p.
382031	42-pin distributor with cover contact	906,83p.
784830	Entering a detection point	517,45p.
784832.10	Text page input	800,17p.
784833	Entering a graphics page	8 428,50p.
784839	Conversion of a graphics page	2 507,21p.
788600	Grey surface-mounted housing	831,20p.
788650.10	White surface-mounted housing	831,20p.
788651.10	Flush mounted housing, white	831,20p.
790725	Safety screws	337,37p.
797027	Special Allen key	156,47p.
IS310WH	"IS-310WH" access control motion detectors	3 055,87p.
IS320WH	"IS-320WH" access control motion detector plus	4 571,58p.
SC100	Universal Seismic Sensor	8 979,16p.
SC105	Universal Seismic Sensor	8 134,59p.
SC110	Mounting plate for SC100/SC105	1 533,57p.
SC111	Movable mounting kit for SC10x	4 800,74p.
SC112	Keyhole protect kit for SC10x	3 489,43p.

SC113	Internal seismic test transmitter for SC100/SC105	1 600,25p.
SC114	Armored cable kit for SC100/SC105, 1,8 m (8 wires)	1 466,89p.
SC115	External seismic test transmitter	17 336,01p.
SC116	Wall recess mounting box	5 067,45p.
SC117	Floor reces mounting box	8 579,10p.
SC118	Spacer for SC112	488,96p.