



ООО «ВАЙФАЙНДЕР»

Ваш проводник в мир высоких технологий

117335, г. Москва, ул. Гарибальди, д. 21 ИНН 7728501020 КПП 772801001

www.wifinder.biz

Фактический адрес: 107113, г. Москва, ул. Сокольнический вал, дом 1А

тел.: (495) 509-30-07

факс: (499) 795-28-55

E-mail: info@wifinder.biz

Honeywell

**Система охранной сигнализации
и контроля доступа "Honeywell Security"**

Индекс	Описание	Цена
010109.10	BUS-1 1-detector group connection module	2 629,82p.
010109.17	BUS-1 1-detector group connection module	2 630,01p.
010110.10	BUS-1 2-detector group connection module	3 990,07p.
010110.17	BUS-1 2-detector group connection module	3 990,36p.
010111	BUS-1 Universal connection module, built-in version	2 049,44p.
010112	BUS-1 Universal connection module, flush-mounted version	3 119,51p.
010116	BUS-1 distributor module	2 883,73p.
010116.17	BUS-1 distributor module	2 883,94p.
010118	BUS-1 2-detector group connection module, flush-mounted	3 808,70p.
010120	DUO I/O module BUS-2/BUS-1, flush-mount	5 187,09p.
010120.17	DUO I/O module BUS-2/BUS-1, flush-mount	5 187,47p.
010121	DUO relay module 230 V AC/8 A, flush-mounted	1 650,44p.
010121.17	DUO relay module 230 V AC/8 A, flush-mounted	1 650,56p.
010123	2-module cover frame for DUO-IO/relay module	417,14p.
010123.17	2-module cover frame for DUO-IO/relay module	417,17p.
010124	Decorative foil for DUO module	1 414,66p.
010124.17	Decorative foil for DUO module	1 414,76p.
010125	BUS-1 key switch operating unit	10 473,93p.
010138	BUS-1 tester	6 783,12p.
010145.10	IACP 50-M5	13 711,33p.
010146	IACP 100-A5 in ZG 1	16 867,11p.
010686.01	Power supply/charger unit 230 V AC / 12 V DC / 17Ah	9 467,34p.
010690.01	Power supply/charger unit 230 V AC / 12 V DC / 32 Ah	12 695,67p.
010690.02	Power supply/charger unit 230 V AC / 12 V DC / 40 Ah	17 374,93p.
010691	Power supply/charger unit 230 V AC / 12 V DC / 20 Ah	20 857,17p.
010692	Power supply/charger unit 230 V AC / 12 V DC / 32 Ah	23 541,40p.
010693	NTC temperature sensor	453,42p.
010920.10	Compact operating unit for the IACP series 100-AB8	4 052,08p.
010935	Compact operating unit for IACP HB/MB24 and HB/MB48	4 896,90p.
011900	IACP 561-H8 in ZG2	26 225,63p.
012135	Power supply/charger unit 230 V AC / 12 V DC / 7.2 Ah	9 757,53p.
012141	Power supply/charger unit 230 V AC / 12 V DC / 17 Ah	18 463,13p.
012168	Power supply/charger unit 230 V AC / 12 V DC / 80 Ah	34 133,22p.
012169	Power supply/charger unit 230 V AC / 12 V DC / 24 V DC / 80 Ah	42 838,82p.
012170	Power supply/charger unit 230 V AC / 12 V DC / 130 Ah	24 956,06p.
012171	ZG4 housing for power supply 012170	40 943,54p.
012415	Flush-mounted housing for 012601	1 246,79p.
012520	Flush-mounted outdoor safety operating unit excluding logic	10 307,68p.
012521	Decorative film for outdoor safety operating unit 012520	644,23p.
012525	Surface-mounted outdoor safety operating unit including logic	9 393,29p.
012526	Surface-mounted outdoor security operating unit excluding logic	8 852,96p.
012529	Decorative film for operating units 012525, 012526 and 010125	935,17p.
012532	8-DG compact operating unit with disabling unit	6 801,25p.
012532.17	8-DG compact operating unit with disabling unit	6 801,48p.
012540	2 x 40-digit LCD operating unit, German version	9 181,69p.
012540.17	2 x 40-digit LCD operating unit, German version	9 182,00p.
012540.F0.17	2 x 40-digit LCD operating unit, French version	17 787,60p.
012540.G0.17	2 x 40-digit LCD operating unit, English version	17 787,60p.
012540.HR.17	2 x 40-digit LCD operating unit, Croatian version	17 787,60p.

012540.I0.17	2 x 40-digit LCD operating unit, Italian version	17 787,60p.
012540.NL.17	2 x 40-digit LCD operating unit, Dutch version	17 787,60p.
012540.P1.17	2 x 40-digit LCD operating unit, Polish version	17 787,60p.
012540.RO.17	2 x 40-digit LCD operating unit, Romanian version	17 787,60p.
012540.TO.17	2 x 40-digit LCD operating unit, Czech version	17 787,60p.
012540.U0.17	2 x 40-digit LCD operating unit, Russian / Cyrillic version	10 496,95p.
012540.W0.17	2 x 40-digit LCD operating unit, Hungarian version	17 787,60p.
012541	2 x 40-digit LCD operating unit, German version	9 181,69p.
012541.17	2 x 40-digit LCD operating unit, German version	9 182,00p.
012541.F0.17	2x40-stelliges LCD-Bedienteil, aP, French version	17 787,60p.
012541.G0.17	2 x 40-digit LCD operating unit, English version	9 703,44p.
012541.P1.17	2 x 40 character LCD operating unit, Polish version	17 787,60p.
012541.U0.17	2x40 digit LCD operating device, s.m., Russian / Cyrillic version	10 496,95p.
012542	16-DG disable and display module	6 869,27p.
012542.17	16-DG disable and display module	6 869,49p.
012544	16-DG operating unit (10 DGs can be disabled)	6 801,25p.
012544.17	16-DG operating unit (10 DGs can be disabled)	6 801,48p.
012544.G0.17	16-DG operating unit (10 detector groups can be disabled)	12 675,74p.
012546	Flush-mounting and extension kit	2 289,76p.
012546.17	Flush-mounting and extension kit	2 289,83p.
012548	16-DG display module	6 234,48p.
012548.17	16-DG display module	6 234,69p.
012550	3-wire flat-band cable	423,19p.
012575.10	Comfort Touch Colour BUS-2 operating and display panel	86 534,60p.
012577.10	TouchCenter TFT BUS-2 graphic operating unit	18 438,95p.
012578	VdS kit for TouchCenter	1 662,53p.
012590	PanelPC with WINMAG touch	161 567,53p.
012591	WINMAG Touch inclusive option EMA and BMA	121 549,85p.
012690.03	Siren plug-in card for 2 pressure chamber loudspeakers	2 321,49p.
012820	IACP MB12 Bundle with LCD 012540	20 314,56p.
012821	IACP MB12 Bundle with LED 012544	19 190,00p.
012822	IACP MB12 Bundle with LED 010935	17 738,96p.
012823	IACP MB12 Bundle with TouchCenter 012577.10	33 228,81p.
012830	IACP 561-MB24	17 121,02p.
012831	IACP 561-MB24 "bundle LCD"	27 642,31p.
012832	IACP 561-MB24 "bundle LED"	24 341,19p.
012833	IACP 561-MB24 "bundle LCD/DS/IK3"	52 527,64p.
012834	IACP 561-MB24 "bundle Touch/IK3"	39 867,32p.
012835	Mechanical kit for MB24/MB12	943,11p.
012911	IACP 561-MB48 in ZG3.1	21 074,81p.
013069	V.24 connection adapter set	3 065,10p.
013100.04	16-detector group input module type A	7 254,67p.
013100.05	2-block lock /10-detector group input module	6 311,56p.
013100.08	Relay extension module	5 731,19p.
013100.10	Connecting cable set 40 mm / 250 mm	1 309,24p.
013100.11	Connecting cable 400 mm	893,61p.
013100.12	Connecting cable 250 mm	706,57p.
013100.13	Connecting cable 1000 mm	1 205,33p.
013100.14	Connecting cable 650 mm	1 039,08p.
013106	Rear wall mounting plate for 19" rear wall mounting	5 840,01p.
013118	19" dummy unit 6 HU	4 655,08p.
013119	19" dummy unit 3 HU	3 221,15p.
013128	BUS-2 isolation module	2 829,32p.
013128.17	BUS-2 isolation module	2 829,53p.
013130.10	5-input module BUS-2	5 840,01p.
013130.17	5-input module BUS-2	5 840,43p.
013131.10	5-output module BUS-2	5 404,73p.
013131.17	5-output module BUS-2	5 405,12p.
013133	Mini module BUS-2	3 065,10p.
013140	64-DG display terminal BUS-2	46 800,18p.
013201.10	IACP 561-MB100 in ZG3.1	42 766,28p.
013202.10	IACP 561-MB100 in ZG3.1, incl. printer	103 306,49p.
013203.10	IACP 561-MB100 in ZG4	62 934,26p.
013204.10	IACP 561-MB100 in ZG4, incl. printer	123 293,11p.

013208.10	IACP 561-MB100, 19", incl. LCD operating unit	55 425,67p.
013209.10	IACP 561-MB100, 19", incl. LCD operating unit and printer	114 986,51p.
013211.10	RS-232/RS-485 interface for 561-MB24/48/100	18 464,48p.
013220.04	Connection module for MB256 / MB256 plus	21 903,81p.
013220.05	I/O basic module for MB256 / MB256 plus	26 007,99p.
013220.06	Keypad module	13 276,05p.
013220.07	BUS-2 module	12 224,12p.
013220.07	BUS-2 module	12 224,12p.
013220.07.10	BUS-2 loop module	13 566,23p.
013220.11	BUS-1 module	12 224,12p.
013220.11	BUS-1 module	12 224,12p.
013220.13	Adapter for additional power supply	3 282,74p.
013220.14	Connection PCB for table-top printers	11 643,74p.
013222.10	IACP 561-MB256 plus in ZG4 housing	120 463,79p.
013223.10	IACP 561-MB256 plus in ZG4, incl. printer	182 999,04p.
013224.10	IACP 561-MB256 plus 19" version	95 870,46p.
013225.10	IACP 561-MB256 plus 19" model, incl. printer	158 369,43p.
013228.10	IACP 561-MB256 plus 19" model, incl. LCD operating unit	111 403,57p.
013229.10	IACP 561-MB256 plus 19" model, incl. operating unit and printer	173 907,11p.
013230	Retrofit kit IDC 561-MB256 to IACP 561-MB256 plus	59 053,01p.
013320.03	16-detector group input module type B	7 617,40p.
013330.10	IGIS-LOOP Controller	21 423,95p.
013331.10	IGIS-LOOP Controller (in housing ZG 0)	26 846,06p.
013332.10	IGIS-LOOP Controller (in housing ZG2)	34 198,97p.
013336	Ethernet connection module	5 660,15p.
013337	Secure transmission according to BSI	26 976,76p.
013350	EIB-Interface 4HB 128MG	72 007,84p.
013355	EIB-Interface 64HB 512MG	88 622,25p.
013466	PC adapter cable V.24 / BUS-2	2 992,55p.
013467.10	USB adapter box	7 024,18p.
013498	WINFEM Advanced parameterisation software	8 741,88p.
013552	WINFEM-AB 8 parameterisation software	2 742,95p.
013590	Universal Gateway for PC	148 992,77p.
013595	WINFEM - User	13 674,30p.
013596	IQ SystemControl	29 468,32p.
013598	Option IACP User ControlCenter for PC for IQSC or IQMA	14 878,41p.
013598	Option IACP User ControlCenter for PC for IQSC or IQMA	14 878,41p.
013601	Intrusion detection technology licence	30 560,30p.
013603	Access control licence	30 560,30p.
013604	Licence Video technology	101 610,71p.
013605	Escape route technology/escape door control licence	30 560,30p.
013606	Licence WINMAG plus SDK	101 792,08p.
013607	Developer Kit WINMAG plus SDK	192 184,51p.
013608	WINMAG plus including RDT licence	59 941,71p.
013610	DVD control centre software WINMAG plus standard package	19 632,95p.
013611	OPC Server licence	265 529,75p.
013612	OPC Client licence	208 079,92p.
013613	Notification licence	78 259,75p.
013616	Upgrade of a WINMAG installation from version 6	75 312,54p.
013618	Data point package	90 849,74p.
013619	Licence HeiTel video connection	101 568,76p.
013620	Licence MaxPRO VMS	30 561,31p.
013623	DEZ 9000 interface licence	30 560,30p.
013624	Redundancy licence	218 539,36p.
013625	WINMAG plus Client licence	175 336,29p.
013626	Fire detection technology licence	30 560,30p.
013627	BACnet Server licence	441 279,98p.
013628	Licence BACnet-Client	415 434,36p.
013629	Licence Geutebrück video connection	101 568,76p.
013630	WINMAG plus control centre software standard licence	281 390,49p.
013631	WINMAG plus control centre software standard licence	281 390,49p.
013632	Licence Dallmeier video connection	101 568,76p.
013635	WINMAG Lite including USB copy-protection plug	98 799,53p.
013636	WINMAG Lite upgrade to WINMAG plus full version	183 271,09p.

013636	WINMAG Lite upgrade to WINMAG plus full version	183 271,09p.
013638	Licence Honeywell video	30 561,31p.
013642	Licence Notifier Fire panels	30 561,31p.
013643	Licence Galaxy Dimension	30 561,31p.
013645	Replacement Dongle USB instead Parallel	30 561,31p.
013646	Licence DS 6750/7700	30 561,31p.
013650	Escalation licence	78 033,04p.
013651	DTMF control option licence	30 560,30p.
013652	Client processing ability licence	100 613,20p.
013653	Multi-Monitor licence	74 315,02p.
013655	Auto-CAD® connection licence	148 630,04p.
013658	Licence SeeTec video connection	101 568,76p.
013660	WEBX licence	178 555,55p.
013900	Alphanumeric heat transfer printer	59 016,74p.
013901	Paper roll for 40-digit heat transfer printer	1 662,53p.
015600.01	RF BUS-2 wireless receiver	14 919,97p.
015601.01	RF 4 I/O module	15 584,93p.
015602	Relay card, 1 output for RF 4 I/O module, for MB radio system	1 246,90p.
015605	Lithium battery for MB radio components	1 246,90p.
015610.01	Viewguard PIR RF, radio PIR motion detector	11 512,07p.
015620.01	RF smoke detector base	8 519,76p.
015625	Lithium batteries	2 015,65p.
015630	RF Panic Button	6 816,37p.
018001.10	12 V accumulator / capacity 1.2 Ah	1 178,88p.
018002.10	12 V accumulator / capacity 2.0 Ah	1 371,59p.
018003.10	12 V accumulator / capacity 3.5 Ah	2 223,63p.
018004.10	12 V accumulator / capacity 6.5 Ah	1 350,80p.
018005.10	12 V accumulator / capacity 10 Ah	2 031,31p.
018006.10	12 V accumulator / capacity 24 Ah	4 322,57p.
018007.10	12 V accumulator / capacity 17 Ah	2 629,82p.
018008.10	12 V accumulator / capacity 38 Ah	6 347,84p.
018010.10	12 V DC accumulator / capacity 65 Ah	12 659,40p.
018011.10	12 V accumulator / capacity 12 Ah	2 684,23p.
018012	12V DC accumulator / capacity 16 Ah	6 151,36p.
018050	3 V lithium battery	457,20p.
018051	9 V alkali-manganese battery	382,38p.
018053	6 V lithium battery for manual hold-up radio transmitter	644,18p.
019020	Threaded sleeve	1 039,08p.
019022	Counter unit with flange	320,04p.
019023	Counter unit with flange	365,76p.
019024	Surface mounting kit	6 026,67p.
019025	Surface mounting kit	5 611,03p.
019026	Angular face plate	1 787,22p.
019028	Mounting aid	1 454,71p.
019030.10	Replacement locking bolt for locking element 1	278,47p.
019030.20	Electro-mechanical blocking element 1 plus	6 026,67p.
019032	Electro-mechanical blocking element 3	12 427,40p.
019033	Electro-mechanical blocking element SE 1 plus / magnetic contact	6 691,68p.
019035	Special face plate	519,54p.
019036	Special face plate	561,10p.
019038.10	Blocking element SLIM-LOCK	6 026,67p.
019039	Conventional control unit SLIM-LOCK, surface-mounted	5 652,60p.
019039.17	Conventional control unit SLIM-LOCK, surface-mounted	5 652,13p.
019050	Electrical safety lock 809, version E, 65 mm bolt length	32 277,99p.
019051	Electrical safety lock 809, version F, 65 mm bolt length	32 277,99p.
019052	Electrical safety lock 809, version C, 65 mm bolt length	32 277,99p.
019053	Electrical safety lock 809, version D, 65 mm bolt length	32 277,99p.
019054	Electrical safety lock 809, version E, 35 mm bolt length	29 426,75p.
019055	Electrical safety lock 809, version F, 35 mm bolt length	29 426,75p.
019056	Electrical safety lock 809, version C, 35 mm bolt length	29 426,75p.
019057	Electrical safety lock 809, version D, 35 mm bolt length	29 426,75p.
019059	Flat face plate, 24 mm wide, for electrical safety lock	1 396,52p.
019070	Stainless steel fitting for 809 lock with 35 mm bolt length	11 845,52p.
019072	Stainless steel fitting for 809 lock with 65 mm bolt length	10 640,18p.

019090	Electric door strike 118RR	7 214,78p.
019091	Electric door strike 118FRR for fire doors	12 388,98p.
019092	Flat striking plate	332,48p.
019093	Angled striking plate DIN left	718,98p.
019094	Angled striking plate DIN right	718,98p.
019095	Pre-load electronic assembly 760-12, 12 V DC / 24 V DC	1 982,40p.
019101	Blocking bolt for normal doors/windows	266,00p.
019103	Blocking bolt for heavy doors/windows	644,23p.
019105	Blocking bolt with adjusting option	436,41p.
019106	Surface mounting kit	269,78p.
019500	Electric door strike Universal DIN left and DIN right, load current	6 158,16p.
019502	Electric door strike Universal DIN left and DIN right, quiescent current	9 327,09p.
019505	Security door strike DIN L and DIN R	17 383,09p.
019510	Angled striking plate for door strikes 019500, 019502 and 019505 DIN R	810,86p.
019511	Angled striking plate for door strikes 019500, 019502 and 019505 DIN L	810,86p.
019520	Motor lock DIN L / DIN R, bolt length 35, type SVP 2719	40 569,32p.
019522	Motor lock DIN L / DIN R, bolt length 65 mm, type SVP 2277/2278	40 569,32p.
019525	SVP-PR 12 Power Reserve Module for fire and smoke protection doors	4 422,33p.
019526	SVP-S 22 DCW motor lock control 12/24 V	19 015,17p.
019527	SVP-S 23 DCW motor lock control 12/24 V	23 317,72p.
019528	SVP-S 24 DCW motor lock control 230 V	28 910,46p.
019529	SVP-A 1000 connection cable, 12-wire, 10 m	2 984,84p.
019530	Aluminium protective coating, PZ 72 mm, long plate, type SVP-SB 210	8 862,49p.
019531	Aluminium protective coating, PZ 92 mm, short plate, type SVP-SB 710	9 791,69p.
019533	Aluminium protective coating, PZ 92 mm, short plate, type SVP-SB 711	9 791,69p.
019534	Aluminium protective coating, PZ 72 mm, long plate, type SVP-SB 211	9 791,69p.
019535	Anti-panic lock M-SVP 2000 H 65/72 DIN L	72 416,41p.
019535.01	Anti-panic lock M-SVP 2000 H 65/72 DIN R	72 416,41p.
019536	Anti-panic lock M-SVP 2000 H 55/92 DIN L	72 416,41p.
019536.01	Anti-panic lock M-SVP 2000 H 55/92 DIN R	72 416,41p.
019537.01	Anti-panic lock M-SVP 2000 UU6 35/92 DIN R	72 416,41p.
019537.99	Anti-panic lock M-SVP 2000 UU6 35/92 DIN R	72 413,29p.
019538	Anti-panic lock M-SVP 2000 FF DIN L	72 416,41p.
019538.01	Anti-panic lock M-SVP 2000 FF DIN R	72 416,41p.
019540.10	SVP 6276/6277 Anti-panic key switch	28 909,22p.
019541.10	SVP 6276/6277 Anti-panic key switch	28 909,22p.
019542.10	SVP 6275/6278 Anti-panic key switch	28 909,22p.
019543.10	SVP 6275/6278 Anti-panic key switch	28 909,22p.
019544	SVP 6719 Anti-panic key switch	28 910,46p.
019545	SVP 6719 Anti-panic key switch	28 910,46p.
019546	SVP 6710 Anti-panic key switch	28 910,46p.
019547	SVP 6710 Anti-panic key switch	28 910,46p.
019660	Tear-off detector AM115	3 265,36p.
019661.01	Heavy-duty dowel SLD 41 M12/100	2 331,77p.
019661.02	Heavy-duty dowel SLD 51 M16/100	4 163,88p.
019661.99	Heavy-duty dowel SLD 31 M10/100	1 775,05p.
021130	Surface-mounted block switch with mechanical lock disabling	16 375,90p.
021131	Flush-mounted block switch with mechanical lock disabling	16 375,90p.
021150	Dead bolt lock for half cylinders	4 156,32p.
022060	Block lock surface mounting kit	19 784,09p.
022080.10	Motor lock control for type 509X	30 125,01p.
022081.10	Connecting cable 10 m, 16-pin for motor lock 509X	2 660,05p.
022082.10	Flanged striking plate for motor lock 509X	1 986,72p.
022085.10	Motor lock DIN right-/left-hand bolt length 35 mm, type 509X	40 245,66p.
022087.10	Motor lock DIN right-/left-hand bolt length 65 mm, type 509X	39 160,86p.
022090	Adjustable locking plate	4 442,74p.
022099	Standard block lock	13 217,10p.
022100	Standard block lock including mechanical protection against drilling	14 796,50p.
022102	Standard block lock including electronic protection against drilling	15 918,71p.
022112	Bolt length extension from 25 to 50 mm	976,74p.
022113	Bolt length extension from 25 to 65 mm	1 101,43p.
022114.01	Extension of special bolt length from 25 mm to 35 mm	1 142,99p.
022114.02	Extension of special bolt length from 25 mm to 55 mm	1 267,68p.
022114.03	Extension of special bolt length from 25 mm to 80 mm	1 433,93p.

022114.04	Extension of special bolt length from 25 mm to 100 mm	1 600,18p.
022115	Safety rosette for half cylinder	4 696,64p.
022117	Spacer	1 704,09p.
022120	Core drawback protection rosette, chrome-coloured	6 483,86p.
022121	Set for face plate special dimensions	519,54p.
022122	Chrome-coloured safety door plate	8 437,33p.
022123	Chrome-coloured safety door plate	12 635,22p.
022136	Chrome-coloured internal escutcheon including profiled cylinder perforation	2 576,71p.
022138	Internal rosette with profiled cylinder perforation	997,52p.
022167	IK2 rosette	2 159,40p.
022169	IK2 rosette	2 448,45p.
022172	Gluing set	527,10p.
022180	Spacer for IK2 rosette	176,83p.
022182	Spacer for IK2 rosette	210,84p.
022183	IK2 operating unit	9 725,79p.
022185	ID key cap	1 350,80p.
022189	Decorative film for IK2 operating unit 022183	1 496,28p.
022190	proX1 key ring	188,62p.
022193	Decorative foil for IK2 operating units 022194 and 022195.10	831,26p.
022194	IK2 operating unit	7 787,43p.
022195.10	IK2 operating unit, contactless, with numeric keypad	9 725,79p.
022196	Adapter base for IK2 operating unit 022194	312,86p.
022197	Adapter base for "Classic" readers and keypads	374,07p.
022198	Comfort-Key IK2	8 671,60p.
022199	Replacement cover for IK operating unit 022198	544,10p.
022220	IK2-block lock	11 887,08p.
022310.10	BUS-1 door module 1 for conv. block lock connection	8 739,61p.
022310.17	BUS-1 door module 1 for conv. block lock connection	8 739,90p.
022420.10	ACD contactless, 8 mm	16 833,10p.
022421.10	ACD pin code, 8 mm	15 087,45p.
022700	MEDIATOR Lock, Tubular Frame Version	16 229,66p.
022701	MEDIATOR lock for wooden and steel doors, lock facing 20 mm	16 229,66p.
022702	MEDIATOR lock, wooden and steel doors, lock facing 24 mm	16 229,66p.
022703	MEDIATOR electric strike with flat strike plate	22 076,37p.
022704	MEDIATOR electric strike with angled strike plate DIN left	22 076,37p.
022705	MEDIATOR electric strike with angled strike plate DIN right	22 076,37p.
022706	Sliding piece for MEDIATOR	188,46p.
022706	Sliding piece for MEDIATOR	188,46p.
022707	Spacer plate for tubular frame lock	867,80p.
022708	Spacer plate for tubular frame lock	867,80p.
022709	Spacer plate for wooden and steel doors	867,80p.
022710	MEDIATOR Spacer plate	867,80p.
022711	Fire protection module	5 605,65p.
022712	Power supply unit 1003-UP, f. m.	3 291,51p.
022713	Mediator door fittings for full leaf version	21 905,44p.
022714	Mediator door fittings for tubular frame version	21 331,28p.
022715	Half spindles with screw roller	604,83p.
022716	Half spindles with screw roller	604,83p.
022717	Half spindles with screw roller	604,83p.
022718	Half spindles with screw roller	604,83p.
022719	Half spindles with screw roller	604,83p.
022900.10	DLC proX offline reader module, outer knob for digital locking cylinders	19 437,90p.
022902.10	DLC proX offline reader module, outer knob for digital locking cylinders	21 734,51p.
022903.10	DLC proX MasterCard reader module, outer knob for digital locking cylinders	16 251,57p.
022908	DLC Servicetool	5 390,89p.
022909	IrDA-USB adaptor	4 426,67p.
022910	DLC battery pack for digital locking cylinders	631,16p.
022911	DLC battery changing tool for digital locking cylinders	1 371,89p.
022912	DLC emergency power tool for digital locking cylinders	2 980,46p.
022914	Small DLC inner knob for digital locking cylinders	1 722,53p.
022915	Large DLC inner knob for digital locking cylinders	1 976,75p.
022916	DLC plug for digital locking cylinders	556,64p.
022917	DLC protective rosette for digital locking cylinders	5 610,28p.
022920	DLC adapter for digital locking cylinders	2 647,35p.

022921	DLC adapter for digital locking cylinders	2 647,35p.
022922	DLC adapter for digital locking cylinders	2 647,35p.
022923	DLC adapter for digital locking cylinders	2 932,25p.
022924	DLC adapter for digital locking cylinders	3 190,85p.
022925	DLC adapter for digital locking cylinders	3 445,06p.
022926	DLC adapter for digital locking cylinders	3 729,96p.
022927	DLC adapter for digital locking cylinders	3 953,49p.
022928	DLC adapter for digital locking cylinders	2 647,35p.
022929	DLC adapter for digital locking cylinders	2 923,48p.
022930	DLC adapter for digital locking cylinders	3 190,85p.
022931	DLC adapter for digital locking cylinders	3 445,06p.
022932	DLC adapter for digital locking cylinders	3 729,96p.
022933	DLC adapter for digital locking cylinders	3 953,49p.
022934	DLC adapter for digital locking cylinders	4 207,71p.
022935	DLC adapter for digital locking cylinders	3 190,85p.
022936	DLC adapter for digital locking cylinders	3 445,06p.
022937	DLC adapter for digital locking cylinders	3 729,96p.
022938	DLC adapter for digital locking cylinders	3 953,49p.
022939	DLC adapter for digital locking cylinders	4 207,71p.
022940	DLC adapter for digital locking cylinders	4 496,99p.
022941	DLC adapter for digital locking cylinders	3 729,96p.
022942	DLC adapter for digital locking cylinders	3 953,49p.
022943	DLC adapter for digital locking cylinders	4 207,71p.
022944	DLC adapter for digital locking cylinders	4 496,99p.
022945	DLC adapter for digital locking cylinders	4 751,20p.
022946	DLC adapter for digital locking cylinders	4 207,71p.
022947	DLC adapter for digital locking cylinders	4 496,99p.
022948	DLC adapter for digital locking cylinders	4 751,20p.
022949	DLC adapter for digital locking cylinders	5 005,42p.
022950	DLC adapter for digital locking cylinders	4 751,20p.
022951	DLC adapter for digital locking cylinders	5 005,42p.
022952	DLC adapter for digital locking cylinders	5 290,32p.
022953	DLC adapter, special length for digital locking cylinders	#3HA4!
022954	DLC half cylinder adapter for digital locking cylinders	2 454,50p.
022955	DLC half cylinder adapter for digital locking cylinders	2 454,50p.
022956	DLC half cylinder adapter for digital locking cylinders	2 520,24p.
022957	DLC half cylinder adapter for digital locking cylinders	2 581,60p.
022958	DLC half cylinder adapter for digital locking cylinders	2 647,35p.
022959	DLC half cylinder adapter for digital locking cylinders	2 708,71p.
022960.10	DLC proX online reader module, outer knob for digital locking cylinders	23 899,63p.
022963	Trafficpoint RS-485 for DLC and DLF online	17 912,28p.
022964	DLF proX online fitting, handle left, 72 mm	32 639,01p.
022965	DLF proX online fitting, handle right, 72 mm	32 639,01p.
022966	DLF LEGIC online fitting, handle left, 72 mm	39 169,45p.
022967	DLF LEGIC online fitting, handle right, 72 mm	39 169,45p.
022968	DLF mifare online fitting, handle left, 72 mm	36 368,81p.
022969.99	DLF mifare online fitting, handle right, 72 mm	36 368,81p.
022970	DLF proX offline fitting, door handle left, 72 mm	27 047,67p.
022971	DLF proX offline fitting, door handle right, 72 mm	27 047,67p.
022972.99	DLF proX offline fitting, without perforation, door handle left	27 046,51p.
022973	DLF proX offline fitting, without perforation, door handle right	27 047,67p.
022974	DLF LEGIC offline fitting, door handle left, 72 mm	32 640,42p.
022975	DLF LEGIC offline fitting, door handle right, 72 mm	32 640,42p.
022976	DLF LEGIC offline fitting, without perforation, door handle left	32 640,42p.
022977	DLF LEGIC offline fitting, without perforation, door handle right	32 640,42p.
022978	DLF mifare offline fitting, door handle left, 72 mm	28 914,85p.
022979	DLF mifare offline fitting, door handle right, 72 mm	28 914,85p.
022980	DLF mifare offline fitting, without perforation, door handle left	28 914,85p.
022981	DLF mifare offline fitting, without perforation, door handle right	28 914,85p.
022982	DLF hole gauge	7 363,49p.
022983	DLF battery pack	219,15p.
022984	DLF internal escutcheon, 72 mm	8 393,50p.
022985	DLF internal escutcheon, without perforation	8 393,50p.
022986	DLF mounting kit, 32 - 45 mm door thickness	2 800,76p.

022987	DLF mounting kit, 44 - 57 mm door thickness	2 800,76p.
022988	DLF mounting kit, 56 - 69 mm door thickness	2 800,76p.
022989	DLF mounting kit, 68 - 81 mm door thickness	2 800,76p.
022990	DLF mounting kit, 80 - 93 mm door thickness	2 800,76p.
022991	DLF mounting kit, 92 - 105 mm door thickness	2 800,76p.
022993	DLF slot cylinder with key, single-locking	819,63p.
022994	DLF slot cylinder, monokey	648,69p.
022996	DLF key, monokey	175,32p.
023100	IK2/proX1 key ring with ring	1 142,99p.
023101	IK3/proX2 key ring with ring	1 142,99p.
023310	Conventional IK3 evaluating unit	13 432,47p.
023310.17	Conventional IK3 evaluating unit	13 432,92p.
023312.10	IK3 evaluating unit for BUS-2	10 235,89p.
023312.17	IK3 evaluating unit for BUS-2	10 236,23p.
023314	Face plate for IK3 and "Accentric" readers with keypad, white aluminium	1 394,26p.
023315	Face plate IK3 and "Accentric" readers with keypad, pure white	884,16p.
023316.99	Face plate for IK3 and "Accentric" readers with keypad, anthracite	1 581,34p.
023317	Face plate for IK3 and "Accentric" readers, pure white	884,16p.
023318	Face plate for IK3 and "Accentric" readers, anthracite	1 700,31p.
023319	Face plate for IK3 and "Accentric" readers, white aluminium	1 394,26p.
023320	IK3 reader with keypad, white aluminium	9 351,72p.
023322.99	IK3 reader without keypad, contactless, white aluminium	10 140,59p.
023324	Housing bottom with cover contact for Accentric readers	1 394,26p.
023329	Mounting plate for "Accentric" readers	1 615,30p.
023330	Contactless Siedle reader IK3 / proX2, white	16 126,53p.
023331	Contactless Siedle reader IK3 / proX2, titanium	16 126,53p.
023332.99	Contactless Siedle reader IK3 / proX2, silver	16 125,21p.
023333	Contactless Siedle reader IK3 / proX2, graphite-brown	16 125,21p.
023340	Contactless Siedle reader with keypad IK3 / proX2, white	17 913,74p.
023341	Contactless Siedle reader with keypad IK3 / proX2, titanium	17 912,28p.
023342	Contactless Siedle reader with keypad IK3 / proX2, silver	17 913,74p.
023343	Contactless Siedle reader with keypad IK3 / proX2, graphite-brown	17 912,28p.
023350.10	Door controller module for MB	5 849,27p.
023350.17	Door controller module for MB	5 849,27p.
023360	proX2, IK3 USB desktop reader	14 962,76p.
023500	Plastic shield (view/weather) for "Classic" readers and keypads	2 499,46p.
023501	Plastic housing (weather/view)	2 499,46p.
023502	Plastic shield (view/weather) for fingerkey	3 470,53p.
025050	Door code compact device	17 456,55p.
025105	Keypad unit, lockable (matrix)	8 562,02p.
026000.10	ID magnetic card (coded), with inscription	116,07p.
026000.11	ID magnetic card (coded), without inscription	134,22p.
026003.10	ID magnetic card, codeable, with inscription	76,18p.
026008.00	Coding of ID magnetic or chip cards	87,28p.
026008.01	Sealing and coding magnetic card inlets	216,11p.
026008.10	Coding of ID magnetic or chip cards	108,06p.
026009.00	ID card holder	116,07p.
026028.00	Cleaning set for mortise readers	2 410,47p.
026101.10	Access Control Central Control Unit ACT	15 271,08p.
026109	PC adapter cable RS-232/9-pin Sub-D	2 539,13p.
026110	Software upgrade for ACT 300 to 800 persons	1 886,21p.
026362	mifare card DESFire EV1 card blank, printable	253,51p.
026363.02	mifare card 4k, coded for mifare fingerkey	457,20p.
026363.07	mifare key ring 4k, coded for mifare fingerkey	457,20p.
026364	mifare card, printable	319,21p.
026364.01	mifare card, printable, with magnetic stripe	407,32p.
026364.02	mifare card, printable	407,32p.
026364.03	mifare card, printable, with magnetic stripe	457,20p.
026364.04	Coding a mifare card	87,28p.
026364.05	mifare key ring	407,32p.
026366.10	proX1 proximity reader - with extended range	14 146,61p.
026367	LEGIC card, printable	355,48p.
026367.01	LEGIC card, printable, with magnetic stripe	399,01p.
026367.02	Blank LEGIC card, blank	399,01p.

026367.03	LEGIC card, printable, with magnetic stripe	435,28p.
026367.04	Coding a LEGIC card	87,28p.
026367.05	LEGIC key ring	435,28p.
026368.00	IK2/proX1 ID card, printable	279,30p.
026370.00	IK2/proX1 ID card, printed	279,30p.
026371.00	IK2/proX1 ID card, with inscription, with uncoded magnetic stripe	319,21p.
026372.00	IK2/proX1 ID card, printable, with uncoded magnetic stripe	319,21p.
026373	LEGIC advant card	457,16p.
026373.02	LEGIC advant card, blank	498,72p.
026375	IK3/proX2 ID card, with imprint	644,23p.
026376	IK3/proX2 ID card, with inscription with magnetic stripe	706,57p.
026377	IK3/proX2 ID card, printable, with magnetic stripe	623,45p.
026378	IK3/proX2 ID card, printable	498,76p.
026379.10	Foil for contactless readers	623,45p.
026380.00	"Classic" proX1 proximity reader	10 374,18p.
026384.10	ACCK 50	15 129,01p.
026389.10	ACC 50	11 762,39p.
026420.10	"Accenttic" proX2 reader without keypad	13 175,54p.
026421.10	"Accenttic" proX2 reader with keypad	14 838,07p.
026422	"Accenttic" mifare reader without keypad	16 625,28p.
026423	"Accenttic" mifare reader with keypad	18 370,94p.
026424	"Accenttic" LEGIC advant reader without keypad	17 592,57p.
026425	"Accenttic" LEGIC advant reader with keypad	19 079,78p.
026435	mifare DESFire EV1 reader "Accenttic" without keypad	24 520,29p.
026436	mifare DESFire EV1 reader "Accenttic" with keypad	27 928,19p.
026445	proX1 reader with scramble keypad, plastic housing	73 598,62p.
026445.10	proX1 reader with scramble keypad, stainless steel housing	107 066,83p.
026480.10	"Classic" proX1 proximity reader	9 539,89p.
026481	"Classic" proX1 proximity reader with keypad	11 861,38p.
026487	Read-in station for non-read-protected mifare cards	34 910,24p.
026547	ACS-2 plus, 230V AC, without interface	39 360,36p.
026548	ACS-2 plus, 12V AC, without interface	38 030,34p.
026575	ACS-8 standard system, 12 V DC	51 316,21p.
026580	ACS-8 standard system with freely selectable power supply unit installation	48 300,98p.
026585	ACS-8 standard system, 230 V AC	54 331,43p.
026587	Communication module	14 559,21p.
026590	Input module, RS-485	12 462,92p.
026591	Output module, RS-485	12 462,92p.
026592	Input/output module, RS-485	13 898,74p.
026593.10	Door controller, 12 V DC, RS-485	19 498,44p.
026594.10	Door module, 230 V AC, RS-485	22 312,64p.
026595.10	Module potential separation, RS-485	5 628,41p.
026596	1 MB RAM memory card for ACS-8 / ACS-2 plus	12 060,89p.
026596	1 MB RAM memory card for ACS-8 / ACS-2 plus	12 060,89p.
026597	2 MB RAM memory card for ACS-8 / ACS-2 plus	15 076,11p.
026597	2 MB RAM memory card for ACS-8 / ACS-2 plus	15 076,11p.
026598	3 MB RAM memory card for ACS-8 / ACS-2 plus	21 106,55p.
026598	3 MB RAM memory card for ACS-8 / ACS-2 plus	21 106,55p.
026692	RS -485 interface (5-wire and 3-wire)	4 715,54p.
026693	RS -485 interface (5-wire and 3-wire)	5 803,74p.
026809	Serial connecting cable	2 539,13p.
026817.03	Interface converter	18 789,59p.
026840.03	Asynchronous RS-232 host interface	4 751,81p.
026840.16	Current loop current interface	5 295,91p.
026840.29	Ethernet interface 10/100 Mbits/s	10 058,30p.
027009	MultiAccess Lite Demo Version	1 185,50p.
027010	MultiAccess Lite	38 087,01p.
027011.99	Upgrade from EnterpriseAccess 2000 to MultiAccess Lite	17 413,56p.
027468	USB desktop reader LEGIC advant	38 027,23p.
027660	"Insertic-50" proX reader, clock/data interface	8 596,78p.
027661	"Insertic-50" proX reader, RS-485 interface	8 596,78p.
027662	"Insertic-50" mifare reader, clock/data interface	11 244,74p.
027663	"Insertic-50" mifare reader, RS-485 interface	11 244,74p.
027664	"Insertic-50" LEGIC reader, clock/data interface	15 234,81p.

027664.10	"Insertic-50" LEGIC advant reader, clock/data interface	21 527,98p.
027665	"Insertic-50" LEGIC reader, RS-485 interface	14 872,07p.
027665.10	"Insertic-50" LEGIC advant reader, RS-485 interface	21 527,98p.
027666	"Insertic" proX reader without keypad, clock/data interface	8 596,78p.
027667	"Insertic" proX reader with keypad, clock/data interface	9 938,90p.
027668	"Insertic" proX reader without keypad, RS-485 interface	8 596,78p.
027669	"Insertic" proX reader with keypad, RS-485 interface	9 938,90p.
027670	"Insertic" mifare reader without keypad, clock/data interface	11 244,74p.
027671	"Insertic" mifare reader with keypad, clock/data interface	12 586,85p.
027672	"Insertic" mifare reader without keypad, RS-485 interface	12 695,67p.
027673	"Insertic" mifare reader with keypad, RS-485 interface	14 146,61p.
027674	"Insertic" LEGIC reader without keypad, clock/data interface	13 965,24p.
027674.10	"Insertic" LEGIC reader without keypad, clock/data interface	21 527,98p.
027675	"Insertic" LEGIC reader with keypad, clock/data interface	15 488,72p.
027675.10	"Insertic" LEGIC advant reader with keypad, clock/data interface	25 642,40p.
027676	"Insertic" LEGIC reader without keypad, RS-485 interface	13 965,24p.
027676.10	"Insertic" LEGIC reader without keypad, RS-485 interface	21 527,98p.
027677	"Insertic" LEGIC reader with keypad, RS-485 interface	15 488,72p.
027677.10	"Insertic" LEGIC advant reader with keypad, RS-485 interface	23 938,45p.
027850	10 protective cover for EC, ID cards	297,44p.
027865	Printing continuous numbers 1 to 100 units	65,86p.
027865.01	Printing continuous numbers from 101 units	65,86p.
027870.99	Card print	10 537,77p.
027871	Card print	272,23p.
027872	Card print	228,32p.
027873	Card print	206,36p.
027874	Card print	316,13p.
027875	Card print	272,23p.
027876	Card print	236,89p.
027901	Reader converter board	3 772,43p.
028028	VdS half cylinder, Ikon 5532	2 722,39p.
028029	VdS half cylinder, Ikon 5532, including core drawback protection	3 345,84p.
028031	Half cylinder	1 205,33p.
028032	Half cylinder	602,67p.
028033	VdS half cylinder, Winkhaus TI602	4 093,98p.
028034	VdS half cylinder	2 909,42p.
028050	VdS lock insert	1 226,11p.
028050	VdS lock insert	1 226,11p.
029340	"Accentric" IK3 finger key reader	36 926,27p.
029341	"Accentric" mifare reader with keypad	47 663,18p.
029600	IQ MultiAccess Demo Version	4 405,70p.
029601	Basic Version - IQ MultiAccess for 300 ID-cards	65 545,18p.
029602	Basic Version - IQ MultiAccess for 500 ID-cards	83 001,73p.
029603	Basic Version - IQ MultiAccess for 800 ID-cards	109 186,55p.
029604	Basic Version - IQ MultiAccess for 1,000 ID-cards	139 777,08p.
029605	Basic Version - IQ MultiAccess for 1,500 ID-cards	174 690,17p.
029606	Basic Version - IQ MultiAccess for 2,000 ID-cards	214 050,53p.
029607	Basic Version - IQ MultiAccess for 3,000 ID-cards	257 733,47p.
029608	Basic Version - IQ MultiAccess for 5,000 ID-cards	305 738,98p.
029609	Basic Version - IQ MultiAccess for 7,500 ID-cards	380 012,43p.
029610	Basic Version - IQ MultiAccess for 10,000 ID-cards	458 608,46p.
029611	Database Expansion - IQ MultiAccess from 300 to 500 ID-cards	17 498,11p.
029612	Database Expansion - IQ MultiAccess from 500 to 800 ID-cards	26 226,39p.
029613	Database Expansion - IQ MultiAccess from 800 to 1,000 ID-cards	30 590,52p.
029614	Database Expansion - IQ MultiAccess from 1,000 to 1,500 ID-cards	34 996,22p.
029615	Database Expansion - IQ MultiAccess from 1,500 to 2,000 ID-cards	39 360,36p.
029616	Database Expansion - IQ MultiAccess from 2,000 to 3,000 ID-cards	43 724,50p.
029617	Database Expansion - IQ MultiAccess from 3,000 to 5,000 ID-cards	48 047,07p.
029618	Database Expansion - IQ MultiAccess 5,000 to 7,500 ID-cards	74 273,46p.
029619	Database Expansion - IQ MultiAccess 7,500 to 10,000 ID-cards	78 637,59p.
029620	Database Expansion - IQ MultiAccess > 10,000 ID-cards	148 077,60p.
029621	Client processing ability, multi-location ability	43 724,50p.
029622	Zone change control, balancing, blocking of repeated access options	52 411,21p.
029624	Gate keeper module with image comparison option	43 724,50p.

029625	ID card and form management option	43 724,50p.
029626	Connection to intrusion detection control panel option	43 724,50p.
029631	Professional Package - IQ MultiAccess, 300 cards, prep. f. SQL databases	87 365,87p.
029632	Professional Package - IQ MultiAccess, 500 cards, prep. f. SQL databases	104 863,98p.
029633	Professional Package - IQ MultiAccess, 800 cards, prep. f. SQL databases	126 684,67p.
029634	Professional Package - IQ MultiAccess, 1,000 cards, prep. f. SQL databases	157 275,19p.
029635	Professional Package - IQ MultiAccess, 1,500 cards, prep. f. SQL databases	192 188,29p.
029636	Professional Package - IQ MultiAccess, 2,000 cards, prep. f. SQL databases	235 871,22p.
029637	Professional Package - IQ MultiAccess, 3,000 cards, prep. f. SQL databases	275 190,02p.
029638	Professional Package - IQ MultiAccess, 5,000 cards, prep. f. SQL databases	323 195,53p.
029639	Professional Package - IQ MultiAccess, 7,500 cards, prep. f. SQL databases	397 468,98p.
029640	Professional Package - IQ MultiAccess, 10,000 cards, prep. f. SQL databases	476 065,01p.
029641	MultiAccess for Windows upgrade to IQ MultiAccess	34 996,22p.
029642	Upgrade MultiAccess Lite to IQ MultiAccess	78 637,59p.
029643	Upgrade IQ SystemControl to IQ MultiAccess	103 949,59p.
030000.16	Recessed reed contact "N"	561,10p.
030000.17	Recessed reed contact "N"	561,06p.
030001.16	Flat reed contact "N", white, 6 m	477,98p.
030001.17	Flat reed contact "N", white, 6 m	477,94p.
030002.16	Block type reed contact "N", white, 6 m	623,45p.
030002.17	Block type reed contact "N", white, 6 m	623,40p.
030010.16	Round reed contact "N", white, 6 m	436,41p.
030010.17	Round reed contact "N", white, 6 m	436,38p.
030100.16	Universal reed contact slimline "Z", white, 6 m	457,20p.
030100.17	Universal reed contact slimline "Z", white, 6 m	457,16p.
030110.16	Surface mounted base for slimline sensors	955,95p.
030110.17	Surface mounted base for slimline sensors	955,88p.
030200.16	Recessed reed contact "Z", white, 6 m	540,32p.
030200.17	Recessed reed contact "Z", white, 6 m	540,28p.
030201.16	Flat reed contact "Z", white, 6m	561,10p.
030201.17	Flat reed contact "Z", white, 6m	561,06p.
030202.16	Block type reed contact "Z", white, 6 m	706,57p.
030202.17	Block type reed contact "Z", white, 6 m	706,52p.
030210.16	Round reed contact "Z", white, 6 m	519,54p.
030210.17	Round reed contact "Z", white, 6 m	519,50p.
030211.16	Round reed contact "Z", white, 6 m	415,63p.
030211.17	Round reed contact "Z", white, 6 m	415,60p.
030241.16	Recessed reed contact "Z", brown, 6 m	540,32p.
030243.16	Flat reed contact "Z", brown, 6 m	561,10p.
030245.16	Block type reed contact "Z", brown, 6 m	706,57p.
030247.16	Round reed contact "Z", brown, 6 m	519,54p.
030249.16	Round reed contact "Z", brown, 6 m	415,63p.
030260.16	Flat reed contact "Z", white, 6 m	872,83p.
030260.17	Flat reed contact "Z", white, 6 m	872,76p.
030261.16	Flat reed contact "Z", brown, 6 m	872,83p.
030270.16	Recessed reed contact "Z", white, 6 m	872,83p.
030270.17	Recessed reed contact "Z", white, 6 m	872,76p.
030271.16	Recessed reed contact "Z", brown, 6 m	872,83p.
030295	Round reed contact with flange	623,45p.
030296	Steel mounting kit, white	274,32p.
030297	Steel mounting kit, brown	274,32p.
030800.16	Installation support for recessed reed contacts Class A/B	128,85p.
030800.17	Installation support for recessed reed contacts Class A/B	128,84p.
030801.16	Installation support for round reed contacts with flange	128,85p.
030801.17	Installation support for round reed contacts with flange	128,84p.
030802.16	Installation support for recessed reed contacts, Class C	128,85p.
030802.17	Installation support for recessed reed contacts, Class C	128,84p.
030803	Installation support for recessed reed contacts, Class C	128,85p.
030810.16	Surface-mounted base for flat reed contacts	170,41p.
030810.17	Surface-mounted base for flat reed contacts	170,40p.
030811.16	Surface-mounted base for block type reed contacts	232,75p.
030811.17	Surface-mounted base for block type reed contacts	232,73p.
030812	Installation support for recessed reed contacts Class A/B	128,85p.
030813	Surface-mounted base for flat reed contacts	178,72p.

030814	Surface-mounted base for block type reed contacts	253,54p.
030815	Installation support for round reed contacts with flange	191,19p.
031000	Cone contact	706,57p.
031000.17	Cone contact	706,52p.
031001	Pin contact	997,52p.
031030	Micro contact with spring lever	236,91p.
031065	Sliding door contact in plastic housing	1 184,55p.
031066	Sliding door contact in plastic housing	1 433,93p.
031067	Sliding door contact in aluminium housing	1 330,02p.
031068	Terminal box	623,45p.
031102	Trip wire switch with cover contact	2 971,77p.
031102.17	Trip wire switch with cover contact	2 971,53p.
031110	Rope 100 meters	2 195,29p.
031125	Mechanical kit including turnbuckle and suspension hook	1 039,08p.
031125.03	Guide roller for angled mounting	789,70p.
031125.04	Guide roller for linear mounting	789,70p.
031203	Recessed tappet contact, 4-pin, brown	1 995,03p.
031204	Recessed tappet contact, 4-pin, white	1 995,03p.
031204.17	Recessed tappet contact, 4-pin, white	1 994,87p.
031207	Screw-on tappet contact, 4-pin, white	1 995,03p.
031207.17	Screw-on tappet contact, 4-pin, white	1 994,87p.
031208	Surface mounted base for screw-on tappet contact, white	83,13p.
031208.17	Surface mounted base for screw-on tappet contact, white	83,12p.
031220	Spring contact	3 304,28p.
031230	Floor mat 720 x 390 mm	3 345,84p.
031300	Bolt switching contact in zinc die-cast housing	1 454,71p.
031308	Bolt switching contact	955,95p.
031309.06	Bolt switching contact	1 267,68p.
031311	Mounting plate	727,36p.
031521	Hold-up floor alarm bar, 30 cm long	4 613,52p.
031530	Paper money contact standard design	5 943,54p.
031540	Module for hold-up pushbutton BUS-1	5 278,53p.
031550	Hold-up detector, grey white, surface mounted	1 579,40p.
031551	Closing cover with cap, grey	340,82p.
031552	Paper seal	66,50p.
031561.16	Water detector for wall mounting, white	2 909,42p.
031561.17	Water detector for wall mounting, white	2 909,19p.
031580	Alarm wall paper	4 613,52p.
031581	Wall paper terminal strip	1 641,75p.
031590	Hold-up detector, white, surface mounted, without LED display	1 620,97p.
031591	Hold-up detector, white, surface mounted, without LED display	1 620,97p.
031592	Hold-up detector, white, surface mounted, with LED display	2 660,05p.
031593	Hold-up detector, white, flush mounted, with LED display	2 639,26p.
031594	Paper seal	170,41p.
032000	Foil connecting terminal	365,76p.
032025	Self-adhesive copper foil	5 194,98p.
032113	Electronic vibration detector	2 369,10p.
032113.17	Electronic vibration detector	2 368,91p.
032208	Tester DETEKT 1000	6 384,11p.
032209	Adapter for manual tester	2 811,39p.
032210	IDENTLOC evaluating unit, conventional	5 622,37p.
032210.17	IDENTLOC evaluating unit, conventional	5 622,78p.
032211.10	IDENTLOC evaluating unit, BUS-2 / BUS-1	4 243,98p.
032211.17	IDENTLOC evaluating unit, BUS-2 / BUS-1	4 244,29p.
032215	IDENTLOC flush mounting kit	743,60p.
032215.17	IDENTLOC flush mounting kit	743,66p.
032220	IDENTLOC transmission unit	544,10p.
032220.17	IDENTLOC transmission unit	544,14p.
032221.10	IDENTLOC opening sensor	598,51p.
032221.17	IDENTLOC opening sensor	598,55p.
032222.10	IDENTLOC opening sensor, including cable	689,19p.
032222.17	IDENTLOC opening sensor, including cable	689,24p.
032223	IDENTLOC Alarm glass sensor with socket	1 432,90p.
032223.17	IDENTLOC Alarm glass sensor with 4-pole socket	1 432,90p.

032230.10	IDENTLOC glass breakage sensor	870,56p.
032230.17	IDENTLOC glass breakage sensor	870,62p.
032232	IDENTLOC cable for window handle lock monitoring	206,76p.
032235	IDENTLOC slimline transmission unit	671,06p.
032235.17	IDENTLOC slimline transmission unit	671,11p.
032236	IDENTLOC slimline locking sensor	2 212,67p.
032236.17	IDENTLOC slimline locking sensor	2 212,84p.
032237	IDENTLOC Slimline opening sensor	743,60p.
032237.17	IDENTLOC Slimline opening sensor	743,66p.
032238	IDENTLOC Slimline glass breakage sensor	1 142,61p.
032238.17	IDENTLOC Slimline glass breakage sensor	1 142,69p.
032242	IDENTLOC alarm glass sensor, slimline with socket	1 777,52p.
032242.17	IDENTLOC alarm glass sensor, slimline with socket	1 777,52p.
032245	Locking sensor with magnetic contact	1 517,06p.
032245.17	Locking sensor with magnetic contact	1 516,93p.
032256.01	Sensor tester for passive glass breakage sensors	9 539,89p.
032265	Silicone glue RTV	831,26p.
032266	Contact spray	472,31p.
032267	Glass/metal gluing set	2 040,38p.
032268	Glue gauge for passive glass breakage sensor	1 051,93p.
032272.16	Mini glass breakage sensor "Z", white, 6 m	725,47p.
032272.17	Mini glass breakage sensor "Z", white, 6 m	725,52p.
032274.16	Mini glass breakage sensor "Z", brown, 6 m	743,60p.
032420	Acoustic glass breakage sensor DETEKT 1000 BUS-1	4 860,63p.
032420.17	Acoustic glass breakage sensor DETEKT 1000 BUS-1	4 860,98p.
032540.10	Remote test system GMYA7-AS for GM775	21 070,82p.
033080	IRS 509 light barrier inside, 22 cm high, 1 beam	20 864,73p.
033081	IRS 509 light barrier inside, 100 cm high, 3 beams	70 075,57p.
033082	IRS 509 light barrier inside, 150 cm high, 5 beams	113 509,13p.
033083	IRS 509 light barrier inside, 200 cm high, 8 beams	177 142,40p.
033084	IRS 509 O light barrier outside, 22 cm high, 1 beam	22 444,13p.
033085	IRS 509 O light barrier outside, 100 cm high, 3 beams	75 520,35p.
033086	IRS 509 O light barrier outside, 150 cm high, 4 beams	97 922,92p.
033087	IRS 509 O light barrier outside, 200 cm high, 6 beams	146 551,88p.
033090	Adjusting device including LED and adapter cable	9 808,92p.
033095	Square profiled mast, black, for setting in concrete	6 691,68p.
033096	Square profiled mast, black, including plate	6 691,68p.
033150	Dual/AM-ceiling detector DD666AM-D, 20 m	9 974,35p.
033151	Dual detector DD666-D, 20 m	8 104,16p.
033152	360FM Mounting kit for ceiling mounting	274,29p.
033330.01	Viewguard PIR FAI with area optics	2 306,57p.
033332.21	Viewguard PIR BUS-2/BUS-1 with area optics	3 385,51p.
033360	SCM 2000 first alarm indication with area optics	1 337,58p.
033361	SCM 2000 first alarm indication with long range optics	1 564,29p.
033362	SCM 2000 first alarm indication with curtain optics	1 586,96p.
033370	SCM 2000 BUS-1 with area optics	2 720,50p.
033371	SCM 2000 BUS-1 with long range optics	2 947,21p.
033372	SCM 2000 BUS-1 with curtain optics	3 060,56p.
033390	Adjustable hinge for motion detectors	519,54p.
033390.17	Adjustable hinge for motion detectors	519,50p.
033391	Lock seals for motion detectors	270,16p.
033391.17	Lock seals for motion detectors	270,14p.
033401	SCM 3000 BUS-1 with area optics	3 854,04p.
033404	SCM 3000 BUS-1 with long range optics	3 990,07p.
033407	SCM 3000 BUS-1 with curtain optics	4 080,75p.
033430.01	Viewguard PIR AM FAI with area optics	3 366,34p.
033432.21	Viewguard PIR AM BUS-2/BUS-1 with area optics	4 806,22p.
033434	Viewguard PIR set of mirrors Curtain optics	979,38p.
033435	Viewguard PIR set of mirrors Long range optics	979,38p.
033440.01	Viewguard DUAL AM FAI with area optics	6 420,85p.
033441.01	Viewguard DUAL FAI with area optics	4 389,40p.
033442.21	Viewguard AM BUS-2/BUS-1 with area optics	6 136,24p.
033443.21	Viewguard DUAL BUS-2/BUS-1 with area optics	3 748,25p.
033450	Viewguard DUAL AM FAI	7 001,27p.

033451	Viewguard DUAL FAI	4 752,15p.
033588	Ball joint set for wall and corner mounting	767,03p.
033588.17	Ball joint set for wall and corner mounting	766,99p.
041150.10	BUS-1 switching module, 24 V DC / 1 A	4 280,25p.
041150.17	BUS-1 switching module, 24 V DC / 1 A	4 280,57p.
041151.10	BUS-1 switching module, 250 V DC / 5 A	4 896,90p.
041151.17	BUS-1 switching module, 250 V DC / 5 A	4 897,26p.
041411	Day alarm BUS-1	13 466,48p.
041450	Doorguard-Plus BUS-2	15 418,69p.
041450.17	Doorguard-Plus BUS-2	15 418,69p.
041460	Doorguard-Plus conventional	10 265,27p.
041460.17	Doorguard-Plus conventional	10 265,27p.
042100	Optic alarm device, red	3 761,47p.
042100.17	Optic alarm device, red	3 761,16p.
042105	Optic alarm device, yellow	5 112,27p.
042105.17	Optic alarm device, yellow	5 111,86p.
042120	Supporting bracket for alarm devices 042100/.17 and 042105/.17	1 309,24p.
042230	Indoor blinking light, conventional connection	1 974,25p.
042230.17	Indoor blinking light, conventional connection	1 974,09p.
042235	Indoor blinking light, BUS-1 connection	2 680,83p.
042235.17	Indoor blinking light, BUS-1 connection	2 680,61p.
043050	Module for indoor siren, BUS-1	5 694,16p.
043060	Piezo indoor siren, BUS-1 connection	3 678,34p.
043060.17	Piezo indoor siren, BUS-1 connection	3 678,04p.
043065.10	Piezo indoor siren, conventional connection	2 777,18p.
043065.17	Piezo indoor siren, conventional connection	2 777,09p.
043066.10	Piezo indoor siren, conventional connection - red	2 777,18p.
043117	Replacement card for loudspeaker monitoring	491,20p.
043119.02	Connection module for pressure chamber loudspeaker	642,34p.
043130	Electronic buzzer	604,56p.
048700	Audible alarm device	5 112,27p.
048700.17	Audible alarm device	5 111,86p.
048720	Compact alarm in a plastic housing	7 726,22p.
048720.17	Compact alarm in a plastic housing	7 726,79p.
050000	8-pin surface-mounted distributor without cover contact	206,76p.
050000.17	8-pin surface-mounted distributor without cover contact	206,77p.
050002	6-pin surface-mounted distributor with cover contact	286,56p.
050002.17	6-pin surface-mounted distributor with cover contact	286,58p.
050019	Distributor block, 16-pin	297,44p.
050020	Distributor, 16-pin	2 682,72p.
050021	Distributor, 32-pin	3 173,92p.
050022	Metal distributor, 44-pin	3 054,90p.
050023	Metal distributor, 88-pin	4 322,57p.
050024	Metal distributor, 176-pin	6 941,06p.
050025	16-pin surface-mounted distributor with cover contact	623,45p.
050025.17	16-pin surface-mounted distributor with cover contact	623,40p.
050030	Solder distribution terminal, 16-pin	540,32p.
050034	Distributor, 64-pin	4 488,83p.
050035	Alarm glass terminal box	477,98p.
050035.17	Alarm glass terminal box	477,94p.
050040	Additional housing ZG1	5 361,65p.
050046	Additional housing ZG2	10 058,30p.
050049	Additional housing ZG3.1	13 341,79p.
050050	Additional housing ZG3.2	14 505,56p.
050055	19" additional housing ZG4	30 881,47p.
050057	19" additional housing ZG6	57 731,30p.
050060	Distributor, 48-pin	10 266,11p.
050061	Distributor, 96-pin	6 420,38p.
050062	Distributor, 160-pin	9 181,69p.
050065	Surface mounted plastic distributor box	477,98p.
050065.10	Distributor board containing 23 double soldering tabs and 1 cover contact	581,88p.
050065.17	Surface mounted plastic distributor box	581,84p.
050065.17	Surface mounted plastic distributor box	581,84p.
050066	Flush mounted plastic distributor box	435,28p.

050066.17	Flush mounted plastic distributor box	435,31p.
050067	Flush mounted housing for articles 050066	216,13p.
050067.17	Flush mounted housing for article 050066.17	216,11p.
050070	Standard block lock distributor	2 285,98p.
050070.17	Standard block lock distributor	2 285,79p.
050095	Plug-in labelling field for distributor block	206,76p.
050097	VdS adhesive seal Ø 12 mm	90,68p.
050162	Flush-mounted box distributor, soldering technology	598,51p.
050163	Flush-mounted box distributor, IDC method of termination	1 039,08p.
050164	Flush-mounted box distributor, spring terminal technology	1 641,75p.
050165	Cover for flush-mounted distributor	1 974,25p.
050189	19" additional housing ZG6.0.B	50 998,06p.
050205	Fixing caps for metal protective tube type II, white	54,41p.
050205.17	Fixing caps for metal protective tube type II, white	54,41p.
050206	Fixing caps for metal protective tube type II, brown	54,41p.
050213	Protective sleeve for metal protective tube type II, white	83,43p.
050223	Cable link type II, white	297,44p.
050223.17	Cable link type II, white	297,46p.
050226	Metal protective tube type II, white	2 539,13p.
050233	Cable link type II, brown	297,44p.
050236	Metal protective tube type II, brown	2 248,95p.
050250	Concealed cable link, long	1 686,71p.
050251	Concealed cable link, short	1 124,47p.
050252	Concealed cable link, narrow	1 414,66p.
050260	Concealed cable link, medium	816,15p.
050261	Concealed cable link, short	634,78p.
050262	Concealed cable link, long	906,83p.
050265	Miniature cable link	471,55p.
050302	Flush-mounted housing	170,48p.
050302.17	Flush-mounted housing	170,50p.
050304	Flush-mounted basic housing cover, without LED opening	275,68p.
050304.17	Flush-mounted basic housing cover, without LED opening	275,70p.
050305.17	Flush-mounted basic housing cover, 1 LED opening	362,76p.
050306	Flush-mounted basic housing cover, 2 LED openings	453,42p.
050306.17	Flush-mounted basic housing cover, 2 LED openings	453,45p.
050510	Mains interference suppression filter type 2KV3	1 541,62p.
055105	Sealing caps	72,55p.
055106	Press-in mandrel for sealing caps	924,97p.
055111	2-pin solder plug-in strip	108,06p.
055112	3-pin solder plug-in strip	133,00p.
055113	4-pin solder plug-in strip	133,00p.
055114	5-pin solder plug-in strip	133,00p.
055115	6-pin solder plug-in strip	133,00p.
055131	Sealing screws, M4x6	297,44p.
055260	Glass/metal gluing set	581,88p.
055280	Fixing band for accumulators, dual lock	1 246,79p.
055280	Fixing band for accumulators, dual lock	1 246,79p.
055300	Cable drum 4 x 0.14, white	1 813,67p.
055300.17	Cable drum 4 x 0.14, white	1 813,80p.
055301	Cable drum 4 x 0.14, brown	1 813,67p.
057350.99	Compact gas detector for methane	7 439,21p.
057351	Compact gas detector for propane	7 439,81p.
057355.10	Compact heat detector	5 444,78p.
057356	Compact cold detector	5 444,78p.
057530.10	Power supply/charger unit 230 V AC / 12 V DC / 7.2 Ah	5 150,82p.
057550	ADO-8 / TAE-6 / IAE covering case	3 532,58p.
057551	Covering case for NTBA and terminal box	3 782,25p.
057572	GSM adapter for ISDN reception module	13 133,97p.
057575	RFW-3000 GSM/GPRS transmission system	42 311,35p.
057580	RFW-2000 E	66 210,19p.
057590	RFW 4000 GSM/GPRS add-on module	25 393,04p.
057591	GSM exterior antenna with 5 m cable	5 943,05p.
057592	GSM cable, 5 m	2 119,55p.
057605	AWAG 4200 dialler with annunciator	21 238,80p.

057631	Additional housing ZG0 for ISDN transmission devices	4 488,83p.
057632	Additional housing ZG1 for ISDN transmission devices	5 531,69p.
057650.10	DS 7600 ISDN transmission device, incl. voice transmission	26 060,13p.
057651.10	DS 7700 ISDN/IP transmission device	32 502,43p.
057655	FDS connection board for transmission device	2 971,53p.
057846	ISDN connecting cable including two Western connectors, 1.5 m	382,38p.
057850	ISDN terminal box	706,57p.
057860	DS 6600 Analog transmission device with Contact ID and TELIM	17 872,18p.
057864	DS 6700 PSTN/IP auto dialler	27 928,19p.
057865	DS 6750 PSTN/IP-auto dialler	33 081,61p.
057871.10	DS 9500 ISDN transmission device with AWAG function	19 034,39p.
057872.10	DS 9600 ISDN transmission device with dialler function for MB24	16 831,72p.
057880	DEZ 9000 alarm receiver in housing	213 177,71p.
057881	DEZ 9000 19" front plate 6 HE, installation in 19" cabinet	198 963,09p.
057882	19" mounting plate	3 927,72p.
057883	TELIM receiver module for DEZ 9000	28 886,43p.
057884	2 MB RAM extension for DEZ 9000	33 666,20p.
057888	IP receiver module for DEZ 9000	49 834,29p.
058200	High-speed modem V.90 external	18 911,26p.
059000	EPROM update, German for IACP 561-MB8	2 306,57p.
059001	EPROM update, German for IACP 561-MB16	2 306,57p.
059002	EPROM update, German for IACP 561-MB100	5 776,81p.
059003	EPROM update, German for IACP 561-MB256	5 776,81p.
059004	EPROM update, German for IACP 561-HB48	2 306,57p.
059200	Software update, German for DEZ 9000	3 470,24p.
059200	Software update, German for DEZ 9000	3 470,24p.
059201	Software update, German for DEZ ISDN receiver module	2 701,39p.
059201	Software update, German for DEZ ISDN receiver module	2 701,39p.
059202	Software update, German for DEZ TELIM receiver module	2 784,51p.
059202	Software update, German for DEZ TELIM receiver module	2 784,51p.
059203	Software update, German for Datex-P receiver module	2 701,39p.
059203	Software update, German for Datex-P receiver module	2 701,39p.
059205	EPROM update, German for DS 7500	4 446,90p.
062090	Smoke Detector Base BUS-2/BUS-1	2 743,17p.
062092	Fixed temperature detector IQ8Quad	3 283,49p.
062093	Rate-of-rise detector IQ8Quad	3 283,49p.
062094	Optical smoke detector IQ8Quad	4 156,32p.
062095	O ² T intelligent detector IQ8Quad	5 735,72p.
062096	OTG intelligent detector (CO) IQ8Quad	6 151,36p.
070478	Group relay card	1 995,03p.
082001.16	Universal reed contact "N", white, 6 m	336,66p.
082001.17	Universal reed contact "N", white, 6 m	336,63p.
082003.16	Universal round reed contact "Z", white, 6 m	415,63p.
082003.17	Universal round reed contact "Z", white, 6 m	415,60p.
082004	Universal reed contact set "Z", white 4 m	457,20p.
082004.17	Universal reed contact set "Z", white 4 m	457,16p.
082013.16	Universal reed contact "Z", brown, 6 m	415,63p.
082402.16	Surface mounted housing for universal reed contacts	436,41p.
082402.17	Surface mounted housing for universal reed contacts	436,38p.
082403.16	Spacer plates for surface mounted housing	120,53p.
082403.17	Spacer plates for surface mounted housing	120,52p.
082412	Surface mounted housing for universal reed contacts	436,41p.
082413	Spacer plates for surface mounted housing	369,91p.
094051	Power supply unit 230 V AC / 12 V DC / 0.5 A	4 135,16p.
120015	Electronic indoor siren	1 496,28p.
120016	Electronic indoor siren with integrated flashing light	2 680,83p.
120211	Surface mounted plastic distributor VVD 215, 30-pin	974,85p.
120213	Plastic distributor VVD 215K, 30-pin	1 428,26p.
120215	Surface mounted plastic distributor VVD 320, 40-pin	1 178,88p.
120240	Plastic distributor box VVD 230 (surface mounted)	476,09p.
120242	Plastic distributor box VVD 230K	521,43p.
120244	Plastic distributor box VVD 230 (flush mounted)	476,09p.
120250	Distributor LSA 16 w	816,15p.
120252	Distributor LSA 32 w	1 269,57p.

120253	Distributor LSA 32 b	1 269,57p.
120254	Distributor LSA 64 w	2 335,10p.
154428	Key switch SS 90	3 886,16p.
154430	Key switch SS 90	4 405,70p.
154437	Protection against drilling	997,52p.
154438	Mounting kit for flush-mounting in wall	893,61p.
154439	Hollow-wall mounting kit	1 039,08p.
160204	Surface mounted distributor VVD 300, 48-pin	3 876,71p.
160206	Surface mounted distributor VVD 400, 84-pin	6 075,79p.
160209	Surface-mounted distributor VVD 600	10 111,20p.
160215	Paper money contact GSK 1 E	6 068,23p.
160435.10	Acoustic glass breakage detector AGB 600	5 444,78p.
160436	Tester for acoustic glass breakage detector AGB 600	8 187,95p.
160455.10	Optic/Acoustic compact alarm device P2500	8 936,09p.
160456.10	Acoustic compact alarm device P2500	5 943,54p.
160705	Surface mounted plastic distributor, 20-pin	725,47p.
170080	Active glass breakage sensor MAGS-E	11 803,95p.
170084	Sensor of active glass breakage sensor	1 142,99p.
170087	Gluing gauge for active glass breakage sensor MAGS-E	4 779,77p.
170088.10	Electronic test device for active glass breakage detector MAGS-E or MAGS-S	12 052,34p.
180012	Screw-on strip	1 133,54p.
180844	100-pin distributor terminal	1 904,35p.
381156	92-pin distributor with cover contact	2 199,07p.
382030	10-pin distributor without cover contact	326,46p.
382031	42-pin distributor with cover contact	770,81p.
784830	Entering a detection point	439,83p.
784832.10	Text page input	680,15p.
784833	Entering a graphics page	7 164,22p.
784839	Conversion of a graphics page	2 131,13p.
788600	Grey surface-mounted housing	706,52p.
788650.10	White surface-mounted housing	706,52p.
788651.10	Flush mounted housing, white	706,52p.
790725	Safety screws	286,76p.
797027	Special Allen key	133,00p.
IS310WH	"IS-310WH" access control motion detectors	2 597,49p.
IS320WH	"IS-320WH" access control motion detector plus	3 885,84p.
SC100	Universal Seismic Sensor	7 632,29p.
SC105	Universal Seismic Sensor	6 914,40p.
SC110	Mounting plate for SC100/SC105	1 303,53p.
SC111	Movable mounting kit for SC10x	4 080,63p.
SC112	Keyhole protect kit for SC10x	2 966,01p.
SC113	Internal seismic test transmitter for SC100/SC105	1 360,21p.
SC114	Armored cable kit for SC100/SC105, 1,8 m (8 wires)	1 246,86p.
SC115	External seismic test transmitter	14 735,61p.
SC116	Wall recess mounting box	4 307,33p.
SC117	Floor reces mounting box	7 292,24p.
SC118	Spacer for SC112	415,62p.