

ООО «ВАЙФАЙНДЕР»

Ваш проводник в мир высоких технологий

117335, г. Москва, ул. Гарибальди, д. $21\,$ ИНН $7728501020\,$ КПП $772801001\,$

www.wifinder.biz

Фактический адрес: 107113, г. Москва, ул. Сокольнический вал, дом 1А

тел.: (495) 509-30-07 факс: (499) 795-28-55

E-mail: info@wifinder.biz;



Автоматическая система пожарной сигнализации "Apollo"

Наименование товара	Артикул	Цена
Series 65 Devices	•	•
Duct Detection		
300 - 750mm Duct Sampling Tube	53541-170APO	839,76p.
750 - 1500mm Duct Sampling Tube	53541-171APO	1 676,33p.
1500 - 3000mm Duct Sampling Tube	53541-172APO	2 516,08p.
XP95 Devices		
XP95 Detectors		
XP95 Optical Smoke Detector	55000-600APO	1 925,38p.
XP95 Optical EMC	55000-620APO	1 925,38p.
XP95 Heat EMC	55000-420APO	1 845,55p.
XP95 Heat Detector High Temperature	55000-401APO	1 845,55p.
XP95 Multisensor Detector	55000-885APO	2 749,17p.
XP95 Optical Detector - Black	55000-660APO	3 624,06p.
Isolators for use with XP95 and	Discovery	
XP95 Isolator	55000-720APO	1 992,43p.
Duct Detection		
Duct Detector	53546-022APO	4 891,68p.
XP95 Bases		
Bases		
XP95 Mounting Base	45681-210APO	108,56p.
XP95 Base-Black	45681-361APO	411,90p.
XP95 Isolating Base	45681-284APO	1 245,27p.
XP95 Isolator Base	45681-211APO	226,70p.
XP95 Low Power Relay Base	45681-242APO	2 116,96p.
XP95 Deep Base	45681-209APO	239,48p.
XP95 Heater Base	45681-219APO	1 516,68p.
Waterproof Base Cover	45681-519APO	462,99p.
XP95 Base Cover	45681-380APO	213,93p.
Pre-Addressed XPERT Cards	45682-127APO	4 208,37p.
Blank XPERT Card	38531-771	41,51p.
XP95 Manual Call Point	ts	
Manual Call Points		
XP95 Manual Call Point with Isolator - Red (Surface)	55100-908APO	2 164,85p.
XP95 Manual Call Point - Red (Surface)	55100-905APO	2 164,85p.
Transparent Hinged Cover for Manual Call Point	26729-152	392,74p.
Audio Visual Equipmer	nt	
Loop Powered Sounders and		
Integrated Base Sounder with Isolator	45681-277APO	2 803,45p.
Integrated Base Sounder	45681-278APO	2 803,45p.
Sounder Beacon Base with Isolator	45681-330APO	4 201,99p.
Sounder Beacon Base	45681-331APO	4 201,99p.
Beacon Base with Isolator	45681-333APO	2 525,66p.

A 11 B 0 I	1	0.400.00
Ancillary Base Sounder	45681-276APO	2 132,92p.
Loop-Powered Beacon Red	55000-877APO	2 730,02p.
Loop-Powered Beacon Clear	55000-878APO	3 001,42p.
Loop-Powered Beacon Amber	55000-879APO	3 413,32p.
Red Cap	45681-293	153,26p.
White Cap	45681-292	153,26p.
Intelligent Open Area Sounders an		0.400.40
Intelligent Open-Area Sounder Red (Sonos)	55000-001APO	3 432,48p.
Intelligent Open-Area Sounder White (Sonos)	55000-002APO	3 432,48p.
Intelligent Open-Area Sounder Beacon Red (Sonos)	55000-005APO	5 188,63p.
Intelligent Open-Area Sounder Beacon Clear (Sonos)	55000-006APO	5 188,63p.
Intelligent Open-Area Beacon Red (Sonos)	55000-009APO	3 193,00p.
Intelligent Open-Area Beacon White (Sonos)	55000-010APO	3 193,00p.
Loop Powered Open Area Sounders		4.000.45
Multi-Tone Open-Area Sounder Red	55000-278APO	4 039,15p.
Multi-Tone Open-Area Sounder White	55000-279APO	4 039,15p.
Multi-Tone Weatherproof Open-Area Sounder Red	55000-274APO	10 536,90p.
Multi-Tone Weatherproof Open-Area Sounder White	55000-275APO	10 536,90p.
Multi-Tone Open-Area Sounder Beacon Red	55000-291APO	7 114,00p.
Multi-Tone Open-Area Sounder Beacon White	55000-292APO	7 114,00p.
Multi-Tone Open-Area Sounder Beacon Red with Isolator	55000-293APO	7 114,00p.
Multi-Tone Open-Area Sounder Beacon White with Isolator	55000-294APO	7 114,00p.
Weatherproof MultiTone Open-Area Sounder Beacon Red Isolated	55000-298APO	12 382,45p.
Weatherproof Multi-Tone Open-Area Sounder Beacon Red	55000-296APO	12 382,45p.
Weatherproof MultiTone Open-Area Sounder Beacon White Iso	55000-299APO	12 382,45p.
Weatherproof Multi-Tone Open-Area Sounder Beacon White	55000-297APO	12 382,45p.
Sounders and Beacons		Г
Beacon Enclosure	29600-318	2 883,28p.
Interfaces		
Interfaces with Isolator		ı
XP95 Input/Output Unit with Isolator	55000-847APO	3 911,43p.
XP95 Three Channel Input/Output Unit with Isolator	55000-588APO	6 427,51p.
XP95 Output Unit with Isolator	55000-849APO	3 352,65p.
XP95 Switch Monitor with Isolator	55000-843APO	3 215,35p.
XP95 Switch Monitor Plus with Isolator	55000-841APO	3 703,88p.
Mini Switch Monitor	55000-760APO	2 947,14p.
XP95 Zone Monitor Unit with Isolator	55000-845APO	3 493,14p.
XP95 Sounder Control Unit with Isolator	55000-852APO	4 470,20p.
Interfaces without Isolate		ı
XP95 Mains Switching Input/Output Unit	55000-875APO	6 287,02p.
DIN Rail Interfaces		
DIN Rail Mounting Interfac		
XP95 DIN Rail Input/Output Unit	55000-803APO	4 933,19p.
XP95 DIN Rail Output Unit	55000-804APO	4 530,87p.
XP95 DIN Rail Switch Monitor	55000-822APO	4 332,90p.
XP95 DIN Rail Switch Monitor Plus	55000-821APO	4 645,82p.
XP95 DIN Rail Mains Input/Output Unit	55000-797APO	6 845,79p.
XP95 DIN Rail Sounder Control Unit 5 Amperes	55000-182APO	6 322,14p.
XP95 DIN Rail Zone Monitor with Isolator	55000-812APO	4 671,36p.
XP95 DIN Rail Dual Isolator	55000-802APO	3 320,72p.
DIN Rail Interface Enclosure (4 units)	29600-239	5 309,96p.
DIN Rail Interface Enclosure (10 units)	29600-240	5 868,73p.
Discovery Devices		
Discovery Detectors	T	T
Discovery Optical Smoke Detector	58000-600APO	2 318,12p.
Discovery Multisensor Detector	58000-700APO	3 055,70p.
Discovery Heat Detector	58000-400APO	2 228,71p.
Discovery CO/Heat Multisensor	58000-305APO	4 403,15p.

Discovery CO Fire Detector	58000-300APO	3 962,51p.
Discovery Programmer	53832-030EUR	34 925,03p.
Discovery Manual Call Po	pints	
Discovery Manual Call Point with Isolator - Red (Surface)	58100-908APO	2 404,33p.
Discovery Manual Call Point - Red (Surface)	58100-910APO	2 404,33p.
Discovery Manual Call Point - White (Surface)	58100-926APO	2 736,40p.
Discovery Manual Call Point - Yellow (Surface)	58100-927APO	2 736,40p.
Discovery Manual Call Point - Blue (Surface)	58100-928APO	2 736,40p.
Discovery Manual Call Point - Green (Surface)	58100-929APO	2 736,40p.
Waterproof Manual Call Point with Isolator - Red	58100-951APO	7 992,08p.
Waterproof Manual Call Point with Isolator -Yellow	58100-953APO	7 992,08p.
Discovery Audio Visual Equ	ipment	
Discovery Sounder Beacon	Bases	
Discovery Sounder Beacon Base with Isolator	45681-393APO	3 831,60p.
Addressable Flame and Beam	Detectors	
Beam Detectors		
Intelligent Reflective Beam Detector (50m)	55000-268APO	37 916,88p.
Intelligent Reflective Beam Detector (100m)	55000-273APO	40 950,23p.
Reflective Beam Detector Backbox	29600-241	3 017,39p.
XP95 Beam Reflector	29600-201	1 931,77p.
Base Mounted Flame Dete	ctors	
Intelligent Base Mounted UV Flame Detector	55000-022APO	30 014,20p.
Intelligent Base Mounted UV/IR2 Flame Detector	55000-023APO	47 096,75p.
Intelligent Base Mounted IR3 Flame Detector	55000-024APO	47 096,75p.
Stainless Steel Adjustable Mounting Bracket	29600-458	8 621,10p.
Flame Detectors	-	
Flameproof Intelligent IR2 Flame Detector	55000-295APO	132 710,66p.
Intelligent IR2 Flame Detector	55000-280APO	103 133,90p.
Intelligent Flameproof IR3 Flame Detector	55000-021APO	146 360,73p.
Intelligent IR3 Flame Detector	55000-020APO	116 027,23p.
Flame Detector Bracket	29600-203	9 100,05p.
Stainless Steel Weathershield for Standard Flame Detector	29600-206	12 893,33p.
Test Equipment		
Flame Sensor Test Unit and Case	29600-226	115 746,25p.
XP95 Test Set	55000-870EUR	56 037,15p.
Conventional Test Set	53832-020EUR	23 420,66p.
General		
MiniDisc Remote Indicator	53832-070APO	316,11p.
Ceiling Tile Mounting Box (detector)	45681-309APO	491,72p.
Ceiling Tile Mounting Box (sounder)	45681-310APO	491,72p.
Sounder Ceiling Plate	45681-311APO	153,26p.
Conduit Box	45681-204APO	124,53p.
Backplate	45681-233APO	124,53p.
1.5mm Hexagonal Driver	29600-095	316,11p.
Deckhead Mounting Box	45681-217APO	1 005,80p.
Metal Deckhead Mounting Box (M20)	29600-139	2 793,88p.
Metal Deckhead Mounting Box (PG16)	29600-131	2 793,88p.
Module Base	38531-822	150,07p.
XP95/Discovery Loop Simulator	29600-164	134 106,00p.
Reset Key For EN54 MCP	26729-202	504,49p.