

```
--- ARCHIVO: C:\Users\Dell\dinco-web\.gitattributes ---
```

```
# Auto detect text files and perform LF normalization
* text=auto
```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\.gitignore ---
```

```
# See https://help.github.com/articles/ignoring-files/ for more about ignoring files.
```

```
# dependencies
/node_modules
/.pnp
.pnp.*
.yarn/*
!.yarn/patches
!.yarn/plugins
!.yarn/releases
!.yarn/versions
```

```
# testing
/coverage
```

```
# next.js
/.next/
/out/
```

```
# production
/build
```

```
# misc
.DS_Store
*.pem
```

```
# debug
npm-debug.log*
yarn-debug.log*
yarn-error.log*
.pnpm-debug.log*
```

```
# env files (can opt-in for committing if needed)
.env*
```

```
# vercel
.vercel
```

```
# typescript
*.tsbuildinfo
next-env.d.ts
```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\AGENTS.md ---
```

```
<!-- BEGIN:nextjs-agent-rules -->
# This is NOT the Next.js you know
```

This version has breaking changes – APIs, conventions, and file structure may all differ from your training data. Read the relevant guide in `node\_modules/next/dist/docs/` before writing any code. Heed deprecation notices.

```
<!-- END:nextjs-agent-rules -->
```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\CLAUDE.md ---
```

@AGENTS.md

--- ARCHIVO: C:\Users\Dell\dinco-web\CONTRIBUTING.md ---

# Contribuir al repositorio

Por favor sigue estas reglas al crear commits en este repositorio:

- Escribe los mensajes de commit en español.
- El título debe ser una línea breve en español.
- Añade una descripción que explique los cambios realizados y por qué se hicieron.

Ejemplo de mensaje de commit:

Resumen breve en español (una línea)

Descripción:

- Cambios: Se modificó `components/Hero.tsx` para corregir un error de hook.
- Por qué: Evitar warnings de ESLint y mejorar la estabilidad del carousel.

Hemos añadido hooks Git que insertan una plantilla en español automáticamente y validan que el mensaje contenga una explicación en español.

--- ARCHIVO: C:\Users\Dell\dinco-web\eslint.config.mjs ---

```
import { defineConfig, globalIgnores } from "eslint/config";
import nextVitals from "eslint-config-next/core-web-vitals";
import nextTs from "eslint-config-next/typescript";
```

```
const eslintConfig = defineConfig([
  ...nextVitals,
  ...nextTs,
  // Override default ignores of eslint-config-next.
  globalIgnores([
    // Default ignores of eslint-config-next:
    ".next/**",
    "out/**",
    "build/**",
    "next-env.d.ts",
  ]),
]);
```

```
export default eslintConfig;
```

--- ARCHIVO: C:\Users\Dell\dinco-web\next-env.d.ts ---

```
/// <reference types="next" />
/// <reference types="next/image-types/global" />
import "../.next/dev/types/routes.d.ts";

// NOTE: This file should not be edited
// see https://nextjs.org/docs/app/api-reference/config/typescript for more information.
```

--- ARCHIVO: C:\Users\Dell\dinco-web\next.config.ts ---

```
import type { NextConfig } from "next";
```

```
const nextConfig: NextConfig = {
  images: {
```

```

    remotePatterns: [
      {
        protocol: 'https',
        hostname: 'images.unsplash.com',
      },
    ],
  },
};

```

```
export default nextConfig;
```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\package-lock.json ---
```

```

{
  "name": "dinco-web",
  "version": "0.1.0",
  "lockfileVersion": 3,
  "requires": true,
  "packages": {
    "": {
      "name": "dinco-web",
      "version": "0.1.0",
      "dependencies": {
        "@fontsource/inter": "^5.2.8",
        "@fontsource/playfair-display": "^5.2.8",
        "framer-motion": "^12.40.0",
        "next": "16.2.6",
        "react": "19.2.4",
        "react-dom": "19.2.4",
        "swiper": "^12.1.4"
      },
      "devDependencies": {
        "@tailwindcss/postcss": "^4",
        "@types/node": "^20",
        "@types/react": "^19",
        "@types/react-dom": "^19",
        "eslint": "^9",
        "eslint-config-next": "16.2.6",
        "tailwindcss": "^4",
        "typescript": "^5"
      }
    },
    "node_modules/@alloc/quick-lru": {
      "version": "5.2.0",
      "resolved": "https://registry.npmjs.org/@alloc/quick-lru/-/quick-lru-5.2.0.tgz",
      "integrity": "sha512-UrcABB+4bUrFABwbluTIBErXwvbsU/V7TZWfmbgJfbkwiBuziS9gxdODUyuiecfddGQ85jglMW6juS3+z5TsKLw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=10"
      }
    },
    "node_modules/@babel/code-frame": {
      "version": "7.29.0",
      "resolved": "https://registry.npmjs.org/@babel/code-frame/-/code-frame-7.29.0.tgz",
      "integrity": "sha512-NyQpMnwtqbZkWQvh0Zy3U/0VhGKdLhWkUkhu3QA4H7UdTbaNrSmzY61JmdUwM/TsVt5NccQ1WUW8S0Bem4oA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@babel/helper-validator-identifier": "^7.28.5",

```

```

    "js-tokens": "^4.0.0",
    "picocolors": "^1.1.1"
  },
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/compat-data": {
  "version": "7.29.3",
  "resolved": "https://registry.npmjs.org/@babel/compat-data/-/compat-data-7.29.3.tgz",
  "integrity": "sha512-LIVqM46zQWzhj17qA8wb4nW/ixr2y1Nw+r1etiAWgRM6U1IqP+LNhL1yg440jYZR72jCwCwBLWzIosH+uP1fqg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6.9.0"
  }
},
"node_modules/@babel/core": {
  "version": "7.29.0",
  "resolved": "https://registry.npmjs.org/@babel/core/-/core-7.29.0.tgz",
  "integrity": "sha512-CPG0f0JqWjg2qW/Mb6zNsDm+u5vFQ8DxXfbM09z69p5Z6+mE1kP2jUXw+j42Pf1XTYED2Rni5f95npYeuwMDQA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/code-frame": "^7.29.0",
    "@babel/generator": "^7.29.0",
    "@babel/helper-compilation-targets": "^7.28.6",
    "@babel/helper-module-transforms": "^7.28.6",
    "@babel/helpers": "^7.28.6",
    "@babel/parser": "^7.29.0",
    "@babel/template": "^7.28.6",
    "@babel/traverse": "^7.29.0",
    "@babel/types": "^7.29.0",
    "@jridgewell/remapping": "^2.3.5",
    "convert-source-map": "^2.0.0",
    "debug": "^4.1.0",
    "gensync": "^1.0.0-beta.2",
    "json5": "^2.2.3",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">=6.9.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/babel"
  }
},
"node_modules/@babel/generator": {
  "version": "7.29.1",
  "resolved": "https://registry.npmjs.org/@babel/generator/-/generator-7.29.1.tgz",
  "integrity": "sha512-qsaF+9Qcm2Qv8SRIMMscAvG4031J0F1GuMo5HR/Bp02LopNgnZBC/EkbevHFeGs41s/oPz9v+Bsmzbkbe+0dUw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/parser": "^7.29.0",
    "@babel/types": "^7.29.0",
    "@jridgewell/gen-mapping": "^0.3.12",
    "@jridgewell/trace-mapping": "^0.3.28",
    "jsesc": "^3.0.2"
  },
  "engines": {

```

```

      "node": ">=6.9.0"
    },
  },
  "node_modules/@babel/helper-compilation-targets": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-compilation-targets/-/helper-compilation-targets-7.28.6.tgz",
    "integrity": "sha512-
JYtIs3hqi15fcx5GaSNL7SCTJ2MNMjrkHXg4FSp0A/grxK8KwyZ5bubHsCq8FXCKua6xhuuaaBit+3b7+VZRfcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/compat-data": "^7.28.6",
      "@babel/helper-validator-option": "^7.27.1",
      "browserslist": "^4.24.0",
      "lru-cache": "^5.1.1",
      "semver": "^6.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-globals": {
    "version": "7.28.0",
    "resolved": "https://registry.npmjs.org/@babel/helper-globals/-/helper-globals-7.28.0.tgz",
    "integrity": "sha512-
+W6cISkXFaj1XsDEdYA8HeevQT/FULhxrR99pxphltZcVaugps53THCeIWA8SguxxpSp3gKPiuYfSWopkLQ4hw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-module-imports": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-module-imports/-/helper-module-imports-7.28.6.tgz",
    "integrity": "sha512-
15XkZK7r7wa9LucGw9LwZyyCUsCb4x37JWTPz7swwFE/0FMQAGpiWUZn8u9DzkSBWEcK25jmvubfpw2dnAMdbw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/traverse": "^7.28.6",
      "@babel/types": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-module-transforms": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/helper-module-transforms/-/helper-module-transforms-7.28.6.tgz",
    "integrity": "sha512-
67oXFAYr2cDLDVGLXTEABjdBJZ6drElUSI7WKp70NrpyISso3plG9SAGEF6y7zbha/wOzUByWWTJvEDVNIUGcA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-module-imports": "^7.28.6",
      "@babel/helper-validator-identifier": "^7.28.5",
      "@babel/traverse": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },

```

```

    "peerDependencies": {
      "@babel/core": "^7.0.0"
    }
  },
  "node_modules/@babel/helper-string-parser": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/helper-string-parser/-/helper-string-parser-7.27.1.tgz",
    "integrity": "sha512-qMlSxKbpRIArIdDExk92nSobyDdpPijUq2DW6oDnUqd0iOGxmQjyqhMIihI9+zv4LPyZdRje2cavWPbCbWm3eA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-identifier": {
    "version": "7.28.5",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-identifier/-/helper-validator-identifier-7.28.5.tgz",
    "integrity": "sha512-qSs4ifwzKJSV39ucNjSvc6WVHs6b7S03s0h20cHF9UHFVPqWWALUsNUVzhSBiItjRZoLHx7nIarVjqKVusUZ1Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helper-validator-option": {
    "version": "7.27.1",
    "resolved": "https://registry.npmjs.org/@babel/helper-validator-option/-/helper-validator-option-7.27.1.tgz",
    "integrity": "sha512-YvjJow9FxbhFFKDSuFnVCe2WxXk1zWc22fFePVNEawJEU8IrZVlda6N0uHwzZrUM1i17NC9Mlp4MaJYbYd9JSg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/helpers": {
    "version": "7.29.2",
    "resolved": "https://registry.npmjs.org/@babel/helpers/-/helpers-7.29.2.tgz",
    "integrity": "sha512-HoGuUs4sCZNezVEKdVcwqmZN8GoHirLUcLaYVNBK2J0DadGtdcqgr3BCbvH8+XUo4NGjNl3V0tSjEKNzqfFgKw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/parser": {
    "version": "7.29.3",
    "resolved": "https://registry.npmjs.org/@babel/parser/-/parser-7.29.3.tgz",
    "integrity": "sha512-b3ctpQwp+PR0vU/cttc40Yl4MzfJUWy6FZg+PMXfzmt/+39iHVF0sDfqay8TQM3JA2EU0yKcFZt75jWriQijsA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/types": "^7.29.0"
    }
  },

```

```

    "bin": {
      "parser": "bin/babel-parser.js"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@babel/template": {
    "version": "7.28.6",
    "resolved": "https://registry.npmjs.org/@babel/template/-/template-7.28.6.tgz",
    "integrity": "sha512-7A6Ma2KsCdGb+WC6UpBVfJGXL58MDA6oyONbjyF/+5sBgxY/dwkhLogbMT2GXxyU84/IhRw/2D10s1B/giz+BQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.28.6",
      "@babel/parser": "^7.28.6",
      "@babel/types": "^7.28.6"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/traverse": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/traverse/-/traverse-7.29.0.tgz",
    "integrity": "sha512-4HPiQr0X7+waHfyXPZpWpFWL/J7dcN1mx9gL6WdQVMbPnF3+ZhSMs8tCxN7oHddJE9fhNE7+lxdnlyemKfJRuA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/code-frame": "^7.29.0",
      "@babel/generator": "^7.29.0",
      "@babel/helper-globals": "^7.28.0",
      "@babel/parser": "^7.29.0",
      "@babel/template": "^7.28.6",
      "@babel/types": "^7.29.0",
      "debug": "^4.3.1"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@babel/types": {
    "version": "7.29.0",
    "resolved": "https://registry.npmjs.org/@babel/types/-/types-7.29.0.tgz",
    "integrity": "sha512-LwdZHpScM4Qz8Xw2iKSzS+cfglZzJGvofQICy7W7v4caru4EaAmyUu06BGrbyQ2mYV11W0U8j5mBhd14dd3B0A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@babel/helper-string-parser": "^7.27.1",
      "@babel/helper-validator-identifier": "^7.28.5"
    },
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/@emnapi/core": {
    "version": "1.10.0",
    "resolved": "https://registry.npmjs.org/@emnapi/core/-/core-1.10.0.tgz",
    "integrity": "sha512-yq60kJ4p82CAfPl0u9mQebQHkPJkY7WrIuk205cTYnYe+k2Z8YBh11Frbrg/H6ihirqcacOgl2BI08oyMQLeXw==",
    "dev": true,
    "license": "MIT",

```

```

    "optional": true,
    "dependencies": {
      "@emnapi/wasi-threads": "1.2.1",
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@emnapi/runtime": {
    "version": "1.10.0",
    "resolved": "https://registry.npmjs.org/@emnapi/runtime/-/runtime-1.10.0.tgz",
    "integrity": "sha512-ewvYlk86xUoGI0zQRNq/mC+16R1QeDlKQy21Ki3oSYXNgLb45GV1P6A0M+/s6nyCuNDqe5VpaY84BzXGwVbwFA==",
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@emnapi/wasi-threads": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/@emnapi/wasi-threads/-/wasi-threads-1.2.1.tgz",
    "integrity": "sha512-uTII7OYF+/Mes/MrcIOYp5yOtSMLBWSIoLPpcgwipoiKbli6k322tcoFsxoIIxPDqW01SQGAgko4EzZi2BNv2w==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "tslib": "^2.4.0"
    }
  },
  "node_modules/@eslint-community/eslint-utils": {
    "version": "4.9.1",
    "resolved": "https://registry.npmjs.org/@eslint-community/eslint-utils/-/eslint-utils-4.9.1.tgz",
    "integrity": "sha512-phrYmNiYppR7znFEdqgFWXHR6NCKZEK7hwWDHZUjit/2/U0r6XvkDl0SYnoM51Hq7FhCGdLDT6zxCCOY1hexsQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "eslint-visitor-keys": "^3.4.3"
    },
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    },
    "peerDependencies": {
      "eslint": "^6.0.0 || ^7.0.0 || >=8.0.0"
    }
  },
  "node_modules/@eslint-community/eslint-utils/node_modules/eslint-visitor-keys": {
    "version": "3.4.3",
    "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-3.4.3.tgz",
    "integrity": "sha512-wpc+LXeiyiisxP1EkUzU6svyS1frIO3Mgxj1fdy7Pm8Ygzguax2N3Fa/D/ag1WqbOprdI+uY6wMUl8/a2G+iaag==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": "^12.22.0 || ^14.17.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint"
    }
  },
  "node_modules/@eslint-community/regexpp": {

```



```

    "version": "4.12.2",
    "resolved": "https://registry.npmjs.org/@eslint-community/regexpp/-/regexpp-4.12.2.tgz",
    "integrity": "sha512-EriStlt50C9/7SXkrSCAhfSxxoSUGBm330H+IkwbdpgoqsSsUg7y3uh+IICI/Qg4BBWr3U2i39RpmycbxMq4ew==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^12.0.0 || ^14.0.0 || >=16.0.0"
    }
  },
  "node_modules/@eslint/config-array": {
    "version": "0.21.2",
    "resolved": "https://registry.npmjs.org/@eslint/config-array/-/config-array-0.21.2.tgz",
    "integrity": "sha512-nJl2KGtLlr9GjLimgIru+V/mzgSK0ABCDQRvwx5BjURL7WfH5uoWmizbH7QB6MmnMBd8cIC9uceWnezL1VZWw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/object-schema": "^2.1.7",
      "debug": "^4.3.1",
      "minimatch": "^3.1.5"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/config-helpers": {
    "version": "0.4.2",
    "resolved": "https://registry.npmjs.org/@eslint/config-helpers/-/config-helpers-0.4.2.tgz",
    "integrity": "sha512-gBrxN88gOIf3R7ja5K9slwNayVcZgK6S0U0Rm2uBzTeIEfeVaIhOpCtTox3P6R7o2jLFwLFTLnC7kU/RGcYEgw==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@eslint/core": "^0.17.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/core": {
    "version": "0.17.0",
    "resolved": "https://registry.npmjs.org/@eslint/core/-/core-0.17.0.tgz",
    "integrity": "sha512-yL/sLrpmtDaFEiUj1osRP4TI2MDz1AddJL+jZ7KSqvBuliN4xqYY54IfdN8qD8Toa6g1iloph1fxQNkj0xrnpQ==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@types/json-schema": "^7.0.15"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    }
  },
  "node_modules/@eslint/eslintrc": {
    "version": "3.3.5",
    "resolved": "https://registry.npmjs.org/@eslint/eslintrc/-/eslintrc-3.3.5.tgz",
    "integrity": "sha512-4IlJx0X0qftVsN5E+/vGuJTRIFtwuLbNsVUe7T06zYPDR106nFwvwhIKEKSrl6dZchmYBITazxKoUY0jdtjlRg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ajv": "^6.14.0",
      "debug": "^4.3.2",
      "espre": "^10.0.1",

```

```

    "globals": "^14.0.0",
    "ignore": "^5.2.0",
    "import-fresh": "^3.2.1",
    "js-yaml": "^4.1.1",
    "minimatch": "^3.1.5",
    "strip-json-comments": "^3.1.1"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/@eslint/js": {
  "version": "9.39.4",
  "resolved": "https://registry.npmjs.org/@eslint/js/-/js-9.39.4.tgz",
  "integrity": "sha512-nE7DEIchvtiFTwBw4LfBu59PG+kCofhjsKaCWzxTpt4lfrjRMqG6uMBzKXuEcyXhOHoUp9riAm7/aWYGhXZ9cw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "url": "https://eslint.org/donate"
  }
},
"node_modules/@eslint/object-schema": {
  "version": "2.1.7",
  "resolved": "https://registry.npmjs.org/@eslint/object-schema/-/object-schema-2.1.7.tgz",
  "integrity": "sha512-VtAOaymWVfZcmZbp6E2mympDIHvyjXs/12LqWYjVw6qjrFf+VK+fyG33kChz3nnK+SU5/NeH0qrTEHS8sX03OA==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  }
},
"node_modules/@eslint/plugin-kit": {
  "version": "0.4.1",
  "resolved": "https://registry.npmjs.org/@eslint/plugin-kit/-/plugin-kit-0.4.1.tgz",
  "integrity": "sha512-43/qtrDUokr7LJqoF2c3+RInu/t4zfrpYdoSDfYyhg52rwLV6TnOvdG4fXm7IkSB3wErkcmJS9iEhjVt0SEjjA==",
  "dev": true,
  "license": "Apache-2.0",
  "dependencies": {
    "@eslint/core": "^0.17.0",
    "levn": "^0.4.1"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  }
},
"node_modules/@fontsource/inter": {
  "version": "5.2.8",
  "resolved": "https://registry.npmjs.org/@fontsource/inter/-/inter-5.2.8.tgz",
  "integrity": "sha512-P6r5WnJoKiNVV+zvW2xM13gNdFhAEpQ9dQJHt3naLvfg+LkF2ldgSLiF4T41lf1SQCM9QmkqPTn4TH568IRagg==",
  "license": "OFL-1.1",
  "funding": {
    "url": "https://github.com/sponsors/ayuhito"
  }
},
"node_modules/@fontsource/playfair-display": {

```

```

    "version": "5.2.8",
    "resolved": "https://registry.npmjs.org/@fontsource/playfair-display/-/playfair-display-
5.2.8.tgz",
    "integrity": "sha512-
fUEhib70SszNhQVsGbUMSsWJhr7Je0rdeuZdtGpDNu0GKF1xJM8QhpI/y0pckU25GcChXm9TL0meZupkvvZo2g==",
    "license": "OFL-1.1",
    "funding": {
      "url": "https://github.com/sponsors/ayuhito"
    }
  },
  "node_modules/@humanfs/core": {
    "version": "0.19.2",
    "resolved": "https://registry.npmjs.org/@humanfs/core/-/core-0.19.2.tgz",
    "integrity": "sha512-
UhXNm+CFMWcbChXywFwkmhqjs3PRCmcSa/hfBgLIb7oQ5HNb1wS0icWsGtSAUNgefHeI+eBrA8I1fxmbHsGdvA==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@humanfs/types": "^0.15.0"
    },
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanfs/node": {
    "version": "0.16.8",
    "resolved": "https://registry.npmjs.org/@humanfs/node/-/node-0.16.8.tgz",
    "integrity": "sha512-
gE1eQNZ3R++kTzFUpdGlpmy8kdZD/MLyHqDwqjkVQI0JMdI1D51sy1H958PNXYkM2rAac7e5/CnIKZrHtPh3BQ==",
    "dev": true,
    "license": "Apache-2.0",
    "dependencies": {
      "@humanfs/core": "^0.19.2",
      "@humanfs/types": "^0.15.0",
      "@humanwhocodes/retry": "^0.4.0"
    },
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanfs/types": {
    "version": "0.15.0",
    "resolved": "https://registry.npmjs.org/@humanfs/types/-/types-0.15.0.tgz",
    "integrity": "sha512-
ZZ1w0aoQkwUuUc7Yf+7sdeaNfqQiilcSRbfI08oAxqLtpXQr9AIVX7Ay7HLDuiLYAaFPu8oBYNq/QIi9URHJ3Q==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=18.18.0"
    }
  },
  "node_modules/@humanwhocodes/module-importer": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/@humanwhocodes/module-importer/-/module-importer-
1.0.1.tgz",
    "integrity": "sha512-
bxveV4V8v5Yb4ncFTT3rPSgZB0pCkjkfK0y4oVVVJwIuDVBMDXrPyXRL988i5ap9m9bnyEEjWfm5WkBmtffLfA==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">=12.22"
    },
    "funding": {
      "type": "github",
      "url": "https://github.com/sponsors/nzakas"
    }
  }

```

```

    },
    "node_modules/@humanwhocodes/retry": {
      "version": "0.4.3",
      "resolved": "https://registry.npmjs.org/@humanwhocodes/retry/-/retry-0.4.3.tgz",
      "integrity": "sha512-bV0Tgo9K4hfPCek+aMAn81RppFKv2ySDQeMoSZuvTASywnTnVJCArCZE2FWqpviatKu7VMRLW1R1EazvVhDyhQ==",
      "dev": true,
      "license": "Apache-2.0",
      "engines": {
        "node": ">=18.18"
      },
      "funding": {
        "type": "github",
        "url": "https://github.com/sponsors/nzakas"
      }
    },
    "node_modules/@img/colour": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/@img/colour/-/colour-1.1.0.tgz",
      "integrity": "sha512-Td76q7j57o/tLVdgS746cYARfSyxk8iEfRxewL9h40MzYhbw4TAcpp10mT4eyqXddh6L/jwoM75mo7ixa/pCeQ==",
      "license": "MIT",
      "optional": true,
      "engines": {
        "node": ">=18"
      }
    },
    "node_modules/@img/sharp-darwin-arm64": {
      "version": "0.34.5",
      "resolved": "https://registry.npmjs.org/@img/sharp-darwin-arm64/-/sharp-darwin-arm64-0.34.5.tgz",
      "integrity": "sha512-imtQ3WMJXBMY4fxb/Ndp6HBTNVtWCUI0WdobyheGf5+ad6xX8VID08u2xE4qc/fr08CKG/7dDseFtn6M6g/r3w==",
      "cpu": [
        "arm64"
      ],
      "license": "Apache-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
      "engines": {
        "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
      },
      "funding": {
        "url": "https://opencollective.com/libvips"
      },
      "optionalDependencies": {
        "@img/sharp-libvips-darwin-arm64": "1.2.4"
      }
    },
    "node_modules/@img/sharp-darwin-x64": {
      "version": "0.34.5",
      "resolved": "https://registry.npmjs.org/@img/sharp-darwin-x64/-/sharp-darwin-x64-0.34.5.tgz",
      "integrity": "sha512-YNEFAF/4KQ/Pew0N+r+aVVsoIY0/qxxikF2SWdp+NRkmMB7y9LBZAVqQ4yhGCm/H3H2700SykqmQMKLBhBJDEw==",
      "cpu": [
        "x64"
      ],
      "license": "Apache-2.0",
      "optional": true,
      "os": [
        "darwin"
      ],
    },
  },
}

```

```

    "engines": {
      "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    },
    "optionalDependencies": {
      "@img/sharp-libvips-darwin-x64": "1.2.4"
    }
  },
  "node_modules/@img/sharp-libvips-darwin-arm64": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/@img/sharp-libvips-darwin-arm64/-/sharp-libvips-darwin-arm64-1.2.4.tgz",
    "integrity": "sha512-zqjjo7RatFfFoP0MkQ51jfuFZBnVE2pRiaydKJ1G/rHZvnsrHA0cQALiI9sA5co5xenQdTugCvtb1cuf78Vf4g==",
    "cpu": [
      "arm64"
    ],
    "license": "LGPL-3.0-or-later",
    "optional": true,
    "os": [
      "darwin"
    ],
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  },
  "node_modules/@img/sharp-libvips-darwin-x64": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/@img/sharp-libvips-darwin-x64/-/sharp-libvips-darwin-x64-1.2.4.tgz",
    "integrity": "sha512-1I0d5xfVh1GwX+zXv2N93k0yMONvU1ANylbJw1eTah8K/Jtpi15KC+WSiaX/nBmbm2HxRM1gZ0nSdjSsrZbGKg==",
    "cpu": [
      "x64"
    ],
    "license": "LGPL-3.0-or-later",
    "optional": true,
    "os": [
      "darwin"
    ],
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  },
  "node_modules/@img/sharp-libvips-linux-arm": {
    "version": "1.2.4",
    "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-arm/-/sharp-libvips-linux-arm-1.2.4.tgz",
    "integrity": "sha512-bFI7xcKFELdINCvov8e44Ia4u2byA+l3XtsAj+Q8tfCwO6BQ8iDojYdvoPMqsKDkuoOo+X6HZA0s0q11ANMQ8A==",
    "cpu": [
      "arm"
    ],
    "libc": [
      "glibc"
    ],
    "license": "LGPL-3.0-or-later",
    "optional": true,
    "os": [
      "linux"
    ],
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  }

```

```

    },
    "node_modules/@img/sharp-libvips-linux-arm64": {
      "version": "1.2.4",
      "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-arm64/-/sharp-libvips-linux-arm64-1.2.4.tgz",
      "integrity": "sha512-excJX8DfsIcJ10x1Kzr4RcWe1edC9PquDRRPx3YVCvQv+U5p7Yin2s32ftzikXobj1PIFc/9Mt28/y+iRklkrw==",
      "cpu": [
        "arm64"
      ],
      "libc": [
        "glibc"
      ],
      "license": "LGPL-3.0-or-later",
      "optional": true,
      "os": [
        "linux"
      ],
      "funding": {
        "url": "https://opencollective.com/libvips"
      }
    },
    "node_modules/@img/sharp-libvips-linux-ppc64": {
      "version": "1.2.4",
      "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-ppc64/-/sharp-libvips-linux-ppc64-1.2.4.tgz",
      "integrity": "sha512-FMuvGijLDYG6lW+b/UvyilUWu5Ayu+3r2d1S8notiGCIyYU/76eig1UfMmkZ7vwgOrzKz1QbFSuQfgm7GYUPpA==",
      "cpu": [
        "ppc64"
      ],
      "libc": [
        "glibc"
      ],
      "license": "LGPL-3.0-or-later",
      "optional": true,
      "os": [
        "linux"
      ],
      "funding": {
        "url": "https://opencollective.com/libvips"
      }
    },
    "node_modules/@img/sharp-libvips-linux-riscv64": {
      "version": "1.2.4",
      "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-riscv64/-/sharp-libvips-linux-riscv64-1.2.4.tgz",
      "integrity": "sha512-oVDbcR4zUC0ce82teubSm+x6ETixtKZBh/qbREI0cI3cULzDyb18Sr/Wcyx7NRQeQz0iHTNbZFF1UwPS2scyGA==",
      "cpu": [
        "riscv64"
      ],
      "libc": [
        "glibc"
      ],
      "license": "LGPL-3.0-or-later",
      "optional": true,
      "os": [
        "linux"
      ],
      "funding": {
        "url": "https://opencollective.com/libvips"
      }
    },
  },

```

```

"node_modules/@img/sharp-libvips-linux-s390x": {
  "version": "1.2.4",
  "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-s390x/-/sharp-libvips-linux-s390x-1.2.4.tgz",
  "integrity": "sha512-qmp9VrzgPgMoGZyPvrQHqk02uyjA0/QrT026Tqk6l4ZV0MPWIW6LTkqOIov+J1yEu7MbFQaDpwdwJKhBJvuRxQ==",
  "cpu": [
    "s390x"
  ],
  "libc": [
    "glibc"
  ],
  "license": "LGPL-3.0-or-later",
  "optional": true,
  "os": [
    "linux"
  ],
  "funding": {
    "url": "https://opencollective.com/libvips"
  }
},
"node_modules/@img/sharp-libvips-linux-x64": {
  "version": "1.2.4",
  "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linux-x64/-/sharp-libvips-linux-x64-1.2.4.tgz",
  "integrity": "sha512-tJXiILsmHc9Ax1bz3oaOYBURTXGIRD0DBqhveVHonrHJ9/+k89qbLl0bcJns+e4t4rvaNBxaEZsFtSfAdquPrw==",
  "cpu": [
    "x64"
  ],
  "libc": [
    "glibc"
  ],
  "license": "LGPL-3.0-or-later",
  "optional": true,
  "os": [
    "linux"
  ],
  "funding": {
    "url": "https://opencollective.com/libvips"
  }
},
"node_modules/@img/sharp-libvips-linuxmusl-arm64": {
  "version": "1.2.4",
  "resolved": "https://registry.npmjs.org/@img/sharp-libvips-linuxmusl-arm64/-/sharp-libvips-linuxmusl-arm64-1.2.4.tgz",
  "integrity": "sha512-FVQHuwX1IIuNow9QAbYUzJ+En8KcVm9Lk5+uGUQJHaZmMECZm0lix9HnH7n1TRkXMS0pGxIJokIVB9SuqZGGXw==",
  "cpu": [
    "arm64"
  ],
  "libc": [
    "musl"
  ],
  "license": "LGPL-3.0-or-later",
  "optional": true,
  "os": [
    "linux"
  ],
  "funding": {
    "url": "https://opencollective.com/libvips"
  }
},
"node_modules/@img/sharp-libvips-linuxmusl-x64": {
  "version": "1.2.4",

```

```

"resolved": "https://registry.npmjs.org/@img/sharp-libvips-linuxmusl-x64/-/sharp-libvips-
linuxmusl-x64-1.2.4.tgz",
"integrity": "sha512-
+LpyBk7L44ZIXwz/VYfglaX/okxezESc6UxDSoyo2Ks6Jxc4Y7sGjpgU9s4PMgqgj1gZCylTieNamqA1MF7Dg==",
"cpu": [
  "x64"
],
"libc": [
  "musl"
],
"license": "LGPL-3.0-or-later",
"optional": true,
"os": [
  "linux"
],
"funding": {
  "url": "https://opencollective.com/libvips"
}
},
"node_modules/@img/sharp-linux-arm": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linux-arm/-/sharp-linux-arm-0.34.5.tgz",
  "integrity": "sha512-
9dLqsvwtgluuXBGZKsxem9595+ujv0sJ6Vi8wcTANSFpwV/GONat5eCkzQo/106zRIkh0m/8+5BjrRr7jDUSZw==",
  "cpu": [
    "arm"
  ],
  "libc": [
    "glibc"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  },
  "funding": {
    "url": "https://opencollective.com/libvips"
  },
  "optionalDependencies": {
    "@img/sharp-libvips-linux-arm": "1.2.4"
  }
},
"node_modules/@img/sharp-linux-arm64": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linux-arm64/-/sharp-linux-arm64-0.34.5.tgz",
  "integrity": "sha512-
bKQzaJRY/bkPOXyKx5EVup7qkaojECG6NLYswgkt0ZjaXecSAeCWiZwwiFf3/Y+01HrauiE3FVsGxFg8c24rZg==",
  "cpu": [
    "arm64"
  ],
  "libc": [
    "glibc"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  },
  "funding": {

```



```

    "url": "https://opencollective.com/libvips"
  },
  "optionalDependencies": {
    "@img/sharp-libvips-linux-arm64": "1.2.4"
  }
},
"node_modules/@img/sharp-linux-ppc64": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linux-ppc64/-/sharp-linux-ppc64-0.34.5.tgz",
  "integrity": "sha512-7zznwNaqW6YtsfrGGDA6BRkISKAAE1Jo0QdpNYXNMHu2+0dTrPf1TLNkpc8l7MUP5M16ZJcUvysVWwMefZquA==",
  "cpu": [
    "ppc64"
  ],
  "libc": [
    "glibc"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  },
  "funding": {
    "url": "https://opencollective.com/libvips"
  },
  "optionalDependencies": {
    "@img/sharp-libvips-linux-ppc64": "1.2.4"
  }
},
"node_modules/@img/sharp-linux-riscv64": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linux-riscv64/-/sharp-linux-riscv64-0.34.5.tgz",
  "integrity": "sha512-51gJuLPTKa7piYPaVs8GmByo7/U7/7TZ0q+cnXJIHZKavIRHAP77e3N2HEl3dgiqdD/w0yUfiJnII77PuDDFdw==",
  "cpu": [
    "riscv64"
  ],
  "libc": [
    "glibc"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  },
  "funding": {
    "url": "https://opencollective.com/libvips"
  },
  "optionalDependencies": {
    "@img/sharp-libvips-linux-riscv64": "1.2.4"
  }
},
"node_modules/@img/sharp-linux-s390x": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linux-s390x/-/sharp-linux-s390x-0.34.5.tgz",
  "integrity": "sha512-nQtCk0PdKfho3eC5MrBQoigJ2gd1CgddUMkabUj+rBevs8tZ2cUL0x46E7oyX+04WGfABgIwmMC0VqieTiR4jg==",
  "cpu": [

```

```

    "s390x"
  ],
  "libc": [
    "glibc"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  },
  "funding": {
    "url": "https://opencollective.com/libvips"
  },
  "optionalDependencies": {
    "@img/sharp-libvips-linux-s390x": "1.2.4"
  }
},
"node_modules/@img/sharp-linux-x64": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linux-x64/-/sharp-linux-x64-0.34.5.tgz",
  "integrity": "sha512-MEzd8HPKxVxVenWAa+JRPwEC7QFjoPWuS5NZnBt6B3pu7EG2Ge0id1oLHZpPJdn3OQK+BQDiw9zStiHBTJQQQ==",
  "cpu": [
    "x64"
  ],
  "libc": [
    "glibc"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  },
  "funding": {
    "url": "https://opencollective.com/libvips"
  },
  "optionalDependencies": {
    "@img/sharp-libvips-linux-x64": "1.2.4"
  }
},
"node_modules/@img/sharp-linuxmusl-arm64": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/@img/sharp-linuxmusl-arm64/-/sharp-linuxmusl-arm64-0.34.5.tgz",
  "integrity": "sha512-fprJR6GtRsMt6Kyfq44IsChVZeGN97gTD331weR1ex1c1rypDEABN6Tm2xa1wE61Yb5DdEnk03NZPqA7Id21yg==",
  "cpu": [
    "arm64"
  ],
  "libc": [
    "musl"
  ],
  "license": "Apache-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
  }
}

```

```

    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    },
    "optionalDependencies": {
      "@img/sharp-libvips-linuxmusl-arm64": "1.2.4"
    }
  },
  "node_modules/@img/sharp-linuxmusl-x64": {
    "version": "0.34.5",
    "resolved": "https://registry.npmjs.org/@img/sharp-linuxmusl-x64/-/sharp-linuxmusl-x64-0.34.5.tgz",
    "integrity": "sha512-Jg8wNT1MUzIvHBFxViqREhWDGzqymo3sV7z7ZsaWbZNDLXRJZoRGrjulp60YYtV4wfY8VIKcWidjojlLcWrd8Q==",
    "cpu": [
      "x64"
    ],
    "libc": [
      "musl"
    ],
    "license": "Apache-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    },
    "optionalDependencies": {
      "@img/sharp-libvips-linuxmusl-x64": "1.2.4"
    }
  },
  "node_modules/@img/sharp-wasm32": {
    "version": "0.34.5",
    "resolved": "https://registry.npmjs.org/@img/sharp-wasm32/-/sharp-wasm32-0.34.5.tgz",
    "integrity": "sha512-OdWTEiVky2PHwqkbBI8frFxQQFekHaSSkUIJkwzc1WZe6401X4U1UjqqqLaPbUpMOQk6FBu/Ht1GXNblIs0huw==",
    "cpu": [
      "wasm32"
    ],
    "license": "Apache-2.0 AND LGPL-3.0-or-later AND MIT",
    "optional": true,
    "dependencies": {
      "@emnapi/runtime": "^1.7.0"
    },
    "engines": {
      "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  },
  "node_modules/@img/sharp-win32-arm64": {
    "version": "0.34.5",
    "resolved": "https://registry.npmjs.org/@img/sharp-win32-arm64/-/sharp-win32-arm64-0.34.5.tgz",
    "integrity": "sha512-WQ3AgWCWYSb2yt+IG8mnC6Jdk9Whs700gxphblsLvDhSpSTtmu69ZG1Gkb6NuvxsNACwiPV6cNSZNzt0KPsw7g==",
    "cpu": [
      "arm64"
    ],
    "license": "Apache-2.0 AND LGPL-3.0-or-later",
    "optional": true,

```

```

    "os": [
      "win32"
    ],
    "engines": {
      "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  },
  "node_modules/@img/sharp-win32-ia32": {
    "version": "0.34.5",
    "resolved": "https://registry.npmjs.org/@img/sharp-win32-ia32/-/sharp-win32-ia32-0.34.5.tgz",
    "integrity": "sha512-FV9m/7NmCmSHDD5j4+4pNI8Cp3aW+JvLoXcTUo0IqyjSfAZJ8dIUmiJx1qaJsIiU+Hosw6xM5KijAWRJCSgNg==",
    "cpu": [
      "ia32"
    ],
    "license": "Apache-2.0 AND LGPL-3.0-or-later",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  },
  "node_modules/@img/sharp-win32-x64": {
    "version": "0.34.5",
    "resolved": "https://registry.npmjs.org/@img/sharp-win32-x64/-/sharp-win32-x64-0.34.5.tgz",
    "integrity": "sha512-+29YMsqY2/9eFEiW93eqWnuLcWcuFowXewWSNIT6UwZdUUCrM3oFjMWH/Z6/TMmb4h1FenmfAVbpWeup2jryCw==",
    "cpu": [
      "x64"
    ],
    "license": "Apache-2.0 AND LGPL-3.0-or-later",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/libvips"
    }
  },
  "node_modules/@jridgewell/gen-mapping": {
    "version": "0.3.13",
    "resolved": "https://registry.npmjs.org/@jridgewell/gen-mapping/-/gen-mapping-0.3.13.tgz",
    "integrity": "sha512-2kkt/7niJ6MgEPxF0bYdQ6etZaA+fQvDcLKckhy1yIQOzaoKjBBjSj63/aLVjYE3qhRt5dvM+uUyfCg6UKCBBa==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.0",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/remapping": {
    "version": "2.3.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/remapping/-/remapping-2.3.5.tgz",

```

```

    "integrity": "sha512-
LI9u/+laYG4Ds1TDKSJW2YPrIlcVYOWi2fUC6xB43lueCjgxV4lffOCZCtYFiH6TNOX+tQKXx97T4IKHbhyHEQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/gen-mapping": "^0.3.5",
      "@jridgewell/trace-mapping": "^0.3.24"
    }
  },
  "node_modules/@jridgewell/resolve-uri": {
    "version": "3.1.2",
    "resolved": "https://registry.npmjs.org/@jridgewell/resolve-uri/-/resolve-uri-3.1.2.tgz",
    "integrity": "sha512-
bRISgCIjP20/tbWSPWMEi54QVPRZExkuD9lJL+UIxUKtwVJA8wW1Trb1jMs1RFXo1CBTNZ/5hpC9QvmKWdopKw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/@jridgewell/sourcemap-codec": {
    "version": "1.5.5",
    "resolved": "https://registry.npmjs.org/@jridgewell/sourcemap-codec/-/sourcemap-codec-
1.5.5.tgz",
    "integrity": "sha512-
cYQ9310grqxueWbl+WuIUaiUaDcj7W0q5fVhEljNVgRfOUhY9fy2zTvfoqWsnebh8S170VScFbICvJnLKB00g==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/@jridgewell/trace-mapping": {
    "version": "0.3.31",
    "resolved": "https://registry.npmjs.org/@jridgewell/trace-mapping/-/trace-mapping-0.3.31.tgz",
    "integrity": "sha512-
zzNR+SdQSDJzc8joaeP8QoCQR8NuYx2dIIytl1QeBEZHJ9uW6hebsrYgbz8hJwUQao3TWCmtmfV8Nu1twOLA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@jridgewell/resolve-uri": "^3.1.0",
      "@jridgewell/sourcemap-codec": "^1.4.14"
    }
  },
  "node_modules/@napi-rs/wasm-runtime": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/@napi-rs/wasm-runtime/-/wasm-runtime-1.1.4.tgz",
    "integrity": "sha512-
3NQNNgA1YS1Jb/kMH1ildASP9HW7/7kYnRI2szWJaoFaS1hWmbGI4H+d3+22aGzXXN9IJ+n+GiFvcGipJP18ow==",
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@tybys/wasm-util": "^0.10.1"
    }
  },
  "funding": {
    "type": "github",
    "url": "https://github.com/sponsors/Broooooooklyn"
  },
  "peerDependencies": {
    "@emnapi/core": "^1.7.1",
    "@emnapi/runtime": "^1.7.1"
  }
},
"node_modules/@next/env": {
  "version": "16.2.6",
  "resolved": "https://registry.npmjs.org/@next/env/-/env-16.2.6.tgz",
  "integrity": "sha512-

```

```

gd8HoHN4ufj73WmR3JmVolrpJR47ILK6LouP5xEIPglaVxir6e1a7VzvTvDwkOoPXT9rkkTzyCxBu4yeZfZwcw==",
  "license": "MIT"
},
"node_modules/@next/eslint-plugin-next": {
  "version": "16.2.6",
  "resolved": "https://registry.npmjs.org/@next/eslint-plugin-next/-/eslint-plugin-next-16.2.6.tgz",
  "integrity": "sha512-Z8l6o4JWKU1755x4R+wogD86KPeU+Ckw4K+SYG4kHe0JtRenDeK+OSbGcqZpDtbwn9DsJVdir2UxmWxuinUbUw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fast-glob": "3.3.1"
  }
},
"node_modules/@next/swc-darwin-arm64": {
  "version": "16.2.6",
  "resolved": "https://registry.npmjs.org/@next/swc-darwin-arm64/-/swc-darwin-arm64-16.2.6.tgz",
  "integrity": "sha512-ZJGkkcNfYgrMkq0dZ7zoLa1TOy0qpcMfk/z4Mh/FKUz40gVO+HNQWqmLxf67Z5WB64DRp0dhEbyHfel+6sJUg==",
  "cpu": [
    "arm64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-darwin-x64": {
  "version": "16.2.6",
  "resolved": "https://registry.npmjs.org/@next/swc-darwin-x64/-/swc-darwin-x64-16.2.6.tgz",
  "integrity": "sha512-v/YLBHIY132Ced3puBJ7YJKw1lqsCrgcNo2aRJlCEyQrrCeRjlvGlnmxhPxNQI3KE3N1DN5r9TPNPvka3nq5RQ==",
  "cpu": [
    "x64"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": ">= 10"
  }
},
"node_modules/@next/swc-linux-arm64-gnu": {
  "version": "16.2.6",
  "resolved": "https://registry.npmjs.org/@next/swc-linux-arm64-gnu/-/swc-linux-arm64-gnu-16.2.6.tgz",
  "integrity": "sha512-RPOvqlYBbcQjkz9VQQDZ2T2bARIjXZV1KfLt+V2Mr6SW/e4I9fcKsaA0hdyf2FHoTlsV2xnBd5Y912rP/1Ce6w==",
  "cpu": [
    "arm64"
  ],
  "libc": [
    "glibc"
  ],
  "license": "MIT",
  "optional": true,
  "os": [
    "linux"
  ]
}

```

```

    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@next/swc-linux-arm64-musl": {
    "version": "16.2.6",
    "resolved": "https://registry.npmjs.org/@next/swc-linux-arm64-musl/-/swc-linux-arm64-musl-16.2.6.tgz",
    "integrity": "sha512-URUTu1+dMkxJsPFgm+OeEvq9wf5suju0EvgYy80TDGHTSLTnIHeqb0Eu8A3sC95IRgjejQL+kC4mw+4yPxiAXA==",
    "cpu": [
      "arm64"
    ],
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@next/swc-linux-x64-gnu": {
    "version": "16.2.6",
    "resolved": "https://registry.npmjs.org/@next/swc-linux-x64-gnu/-/swc-linux-x64-gnu-16.2.6.tgz",
    "integrity": "sha512-DOj182mPV8G3UkrayLoREM5YEYI+Dk5wv70x9x11fFibAELEsFD0lDPfHIeILlutMMfdyh1zYPELG3peuKaurw==",
    "cpu": [
      "x64"
    ],
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@next/swc-linux-x64-musl": {
    "version": "16.2.6",
    "resolved": "https://registry.npmjs.org/@next/swc-linux-x64-musl/-/swc-linux-x64-musl-16.2.6.tgz",
    "integrity": "sha512-HKQ5SP/V/ub73UvF7n/zeJlxk2kLmtL7Wzrg4WfmkjmNos5onJ2tKu7yZOPdL18A6Svfn3max29ym+ry7NkK4g==",
    "cpu": [
      "x64"
    ],
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {

```

```

    "node": ">= 10"
  },
  "node_modules/@next/swc-win32-arm64-msvc": {
    "version": "16.2.6",
    "resolved": "https://registry.npmjs.org/@next/swc-win32-arm64-msvc/-/swc-win32-arm64-msvc-16.2.6.tgz",
    "integrity": "sha512-LZXpTlPyS5v7HhSmnvsLGP3iIYgY0Bnc8r8Ar1T55sGHV89bR2H1DdBjWQ+PY6SJMMk8TuVGFuxalnP3k/0Dwg==",
    "cpu": [
      "arm64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@next/swc-win32-x64-msvc": {
    "version": "16.2.6",
    "resolved": "https://registry.npmjs.org/@next/swc-win32-x64-msvc/-/swc-win32-x64-msvc-16.2.6.tgz",
    "integrity": "sha512-F0+4i0h9J6C4eE3EAPWsoCk7UW/dbz0jyzxY0qnDUOYFu6FFmdZ6l97/XdV3/Nz3VYy07UWjyEJUXkGqcoXfMA==",
    "cpu": [
      "x64"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 10"
    }
  },
  "node_modules/@nodelib/fs.scandir": {
    "version": "2.1.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.scandir/-/fs.scandir-2.1.5.tgz",
    "integrity": "sha512-vq24Bq3ym5HEQm2NKCcr3yXDwjc7vTsETHRDnkp2DK9p1uqLR+DHurm/NOTo0KG7HYHU7eppKZj3MyqYuMBf62g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.stat": "2.0.5",
      "run-parallel": "^1.1.9"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/@nodelib/fs.stat": {
    "version": "2.0.5",
    "resolved": "https://registry.npmjs.org/@nodelib/fs.stat/-/fs.stat-2.0.5.tgz",
    "integrity": "sha512-RkhPPp2zrqDAQA/2jNhnztcPALv64XdhIp7a7454A5ovI7Bukxgt7MX7udwAu3zg1DcpPU0rz3VV1SeaqvY4+A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 8"
    }
  },
},

```



```

"node_modules/@nodelib/fs.walk": {
  "version": "1.2.8",
  "resolved": "https://registry.npmjs.org/@nodelib/fs.walk/-/fs.walk-1.2.8.tgz",
  "integrity": "sha512-ogBxUXlgWcgQkgwo8GcEGwemoTFT3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@nodelib/fs.scandir": "2.1.5",
    "fastq": "^1.6.0"
  },
  "engines": {
    "node": ">= 8"
  }
},
"node_modules/@nolyfill/is-core-module": {
  "version": "1.0.39",
  "resolved": "https://registry.npmjs.org/@nolyfill/is-core-module/-/is-core-module-1.0.39.tgz",
  "integrity": "sha512-0GzlgUQXWcgQkgwo8GcEGwemoTFT3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=12.4.0"
  }
},
"node_modules/@rtsao/scc": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/@rtsao/scc/-/scc-1.1.0.tgz",
  "integrity": "sha512-0GzlgUQXWcgQkgwo8GcEGwemoTFT3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@swc/helpers": {
  "version": "0.5.15",
  "resolved": "https://registry.npmjs.org/@swc/helpers/-/helpers-0.5.15.tgz",
  "integrity": "sha512-0GzlgUQXWcgQkgwo8GcEGwemoTFT3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "license": "Apache-2.0",
  "dependencies": {
    "tslib": "^2.8.0"
  }
},
"node_modules/@tailwindcss/node": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/@tailwindcss/node/-/node-4.3.0.tgz",
  "integrity": "sha512-0GzlgUQXWcgQkgwo8GcEGwemoTFT3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/remapping": "^2.3.5",
    "enhanced-resolve": "^5.21.0",
    "jiti": "^2.6.1",
    "lightningcss": "1.32.0",
    "magic-string": "^0.30.21",
    "source-map-js": "^1.2.1",
    "tailwindcss": "4.3.0"
  }
},
"node_modules/@tailwindcss/oxide": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide/-/oxide-4.3.0.tgz",
  "integrity": "sha512-0GzlgUQXWcgQkgwo8GcEGwemoTFT3FI09ababBmaGwXIoBKZ+GTy0pP185beGg7Llih/NSHSV2XAs1lnznocSg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@jridgewell/remapping": "^2.3.5",
    "enhanced-resolve": "^5.21.0",
    "jiti": "^2.6.1",
    "lightningcss": "1.32.0",
    "magic-string": "^0.30.21",
    "source-map-js": "^1.2.1",
    "tailwindcss": "4.3.0"
  }
}

```

```

F7HZGBeN9I0/AuuJS5PwcD8xayx5ri5GhjYUDBEVYUkexyA/giwbDNjRVrxSezE3T250U2K/wp/ltWx3U0efg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 20"
  },
  "optionalDependencies": {
    "@tailwindcss/oxide-android-arm64": "4.3.0",
    "@tailwindcss/oxide-darwin-arm64": "4.3.0",
    "@tailwindcss/oxide-darwin-x64": "4.3.0",
    "@tailwindcss/oxide-freebsd-x64": "4.3.0",
    "@tailwindcss/oxide-linux-arm-gnueabi": "4.3.0",
    "@tailwindcss/oxide-linux-arm64-gnu": "4.3.0",
    "@tailwindcss/oxide-linux-arm64-musl": "4.3.0",
    "@tailwindcss/oxide-linux-x64-gnu": "4.3.0",
    "@tailwindcss/oxide-linux-x64-musl": "4.3.0",
    "@tailwindcss/oxide-wasm32-wasi": "4.3.0",
    "@tailwindcss/oxide-win32-arm64-msvc": "4.3.0",
    "@tailwindcss/oxide-win32-x64-msvc": "4.3.0"
  }
},
"node_modules/@tailwindcss/oxide-android-arm64": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-android-arm64/-/oxide-android-arm64-4.3.0.tgz",
  "integrity": "sha512-TJPiq67tK1Lu0bP6RkwvVGDoXCMBVtDgKkLfa/uyj7/FyxvQwHS+U0nVrXXgbEsFuAMgiVvC4KbJnRr26ho4Ng==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-darwin-arm64": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-arm64/-/oxide-darwin-arm64-4.3.0.tgz",
  "integrity": "sha512-oMN/WZRB+S037BmUElEgeEWuU8E/HXRkiODxJxLe1UTHVXLrdVSgfaJV7pSlhRGMSOiXLuxTIjfsF3wYvz8cgQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "darwin"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/oxide-darwin-x64": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-darwin-x64/-/oxide-darwin-x64-4.3.0.tgz",
  "integrity": "sha512-N6CUmu4a6bKVADfw77p+iw6Yd9Q30Bhe0veaDX+QazfuVY1QsHfDgxBrSjQ/IW+zywL8mTrNd0SdJT/zgtvMdA==",

```

```

    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-freebsd-x64": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-freebsd-x64/-/oxide-freebsd-x64-4.3.0.tgz",
    "integrity": "sha512-zDL5hBkQdH5C6MpqbK3gQAgP80tsMwSI26vj0zjJtNCMUo0lFgOIitzHKBIup0ZNQxt3ouPH7RPhvNhiTfCe5CQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-arm-gnueabihf": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm-gnueabihf/-/oxide-linux-arm-gnueabihf-4.3.0.tgz",
    "integrity": "sha512-R06HdNi7A70EOmsf6d4tjZ71RCWnZQPHj2mnotSFURjNLdBC+cIgXQ7l81CqeoIQftjf600blxXMIInMgN2VzMA==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-arm64-gnu": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-gnu/-/oxide-linux-arm64-gnu-4.3.0.tgz",
    "integrity": "sha512-qTJHELX8jetjhrRQHCLilKVLmybpzNQAtaI/gaoVoidn/ufbNDbAo8KlK2J+yPoc8wQxvDxCmh/5lr8nC1+lTbg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",

```

```

    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-arm64-musl": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-arm64-musl/-/oxide-linux-arm64-musl-4.3.0.tgz",
    "integrity": "sha512-Z6sukiQsngnW0+l39X4pPbiWT81IC+PLKF+PHxIlyZbGNb9MODfYlXEVI1Fvej5BOZInWX01kVyzelVHsXhfczQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-x64-gnu": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-gnu/-/oxide-linux-x64-gnu-4.3.0.tgz",
    "integrity": "sha512-DRNdQRpSGzRGfARVUvkxvM8Q12nh19l4BF/G7zGA1oe+9wcC6saFBHTISrpIckZhiXtSrlSrLuCfvMuledoCTQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-linux-x64-musl": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-linux-x64-musl/-/oxide-linux-x64-musl-4.3.0.tgz",
    "integrity": "sha512-Z0IADbDo8bh6I7h2IQMx60lAdXBLfFpEdUotft86evd/8ZPf1Ze9COP08Q1vw+pfLWIUo9zN/JGZvwuAJqduqg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
  },

```

```

    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-wasm32-wasi": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-wasm32-wasi/-/oxide-wasm32-wasi-4.3.0.tgz",
    "integrity": "sha512-HNZGOUxEmlsYR7S6sC5jTeNGpobAsy9u7Gu0AskJ8/20FR9GqebUyB+HBcU/ax6BHuiJi+Oda4B+YX6H1yA==",
    "bundleDependencies": [
      "@napi-rs/wasm-runtime",
      "@emnapi/core",
      "@emnapi/runtime",
      "@tybys/wasm-util",
      "@emnapi/wasi-threads",
      "tslib"
    ],
    "cpu": [
      "wasm32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emnapi/core": "^1.10.0",
      "@emnapi/runtime": "^1.10.0",
      "@emnapi/wasi-threads": "^1.2.1",
      "@napi-rs/wasm-runtime": "^1.1.4",
      "@tybys/wasm-util": "^0.10.1",
      "tslib": "^2.8.1"
    },
    "engines": {
      "node": ">=14.0.0"
    }
  },
  "node_modules/@tailwindcss/oxide-win32-arm64-msvc": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-arm64-msvc/-/oxide-win32-arm64-msvc-4.3.0.tgz",
    "integrity": "sha512-Pe+RPVTi1T+qymuURpcdvwSVZjnl1/f7n8gBxMMh3xLTctMDKqpdfGimbMyioqtLhUYZxdJ9wGNhV7MKHvgZsQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ],
    "engines": {
      "node": ">= 20"
    }
  },
  "node_modules/@tailwindcss/oxide-win32-x64-msvc": {
    "version": "4.3.0",
    "resolved": "https://registry.npmjs.org/@tailwindcss/oxide-win32-x64-msvc/-/oxide-win32-x64-msvc-4.3.0.tgz",
    "integrity": "sha512-

```

```

Mvrf2kXW/yew/OTezZlCG0irXRcUuLIBx/5Y12BaPM7wJoryG6dfS/NJL8aBPqtTEx/Vm4T4vKzFUcKDT+TKUA=="
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "win32"
  ],
  "engines": {
    "node": ">= 20"
  }
},
"node_modules/@tailwindcss/postcss": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/@tailwindcss/postcss/-/postcss-4.3.0.tgz",
  "integrity": "sha512-Jm05Tjx+9yCLGv5qw1c+84Psds8MnyrEQYCB+FFk2lgGiUj1Rqdxke4mVTuYrj2xnVZqKim2Apr5ySuQRYAw/w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@alloc/quick-lru": "^5.2.0",
    "@tailwindcss/node": "4.3.0",
    "@tailwindcss/oxide": "4.3.0",
    "postcss": "^8.5.10",
    "tailwindcss": "4.3.0"
  }
},
"node_modules/@tybys/wasm-util": {
  "version": "0.10.2",
  "resolved": "https://registry.npmjs.org/@tybys/wasm-util/-/wasm-util-0.10.2.tgz",
  "integrity": "sha512-RoBvJ2X0wUkLWFIjrwffGw1IqZHKQqzIchKaadZZfnNpsAYp2mM0h36JtPCjNDAHGgYez/15uMBpfGwchhiMgg==",
  "dev": true,
  "license": "MIT",
  "optional": true,
  "dependencies": {
    "tslib": "^2.4.0"
  }
},
"node_modules/@types/estree": {
  "version": "1.0.9",
  "resolved": "https://registry.npmjs.org/@types/estree/-/estree-1.0.9.tgz",
  "integrity": "sha512-GhdPgy1el14/Imp05X05Uw4cw2/M93BCUmnEvWZNst1CzEKME4Fkk+YpoA50iHNQmoS7Cafb8Xa3Pya8m1Qrzeg==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@types/json-schema": {
  "version": "7.0.15",
  "resolved": "https://registry.npmjs.org/@types/json-schema/-/json-schema-7.0.15.tgz",
  "integrity": "sha512-5+fp8P8MFNC+AyZCDxrB2pkZFPgzqQWUzpSeuuVLvm8VMcorNYavBqoFcXK8bQz4Qsbn4oUEEm4wDLfcysGHA==",
  "dev": true,
  "license": "MIT"
},
"node_modules/@types/json5": {
  "version": "0.0.29",
  "resolved": "https://registry.npmjs.org/@types/json5/-/json5-0.0.29.tgz",
  "integrity": "sha512-dRLjCWHYg4oaA77cx064o0+7JwCwnIzkZPdrC71jQmQt1hM556pwKo5bUzqvZndkVbeFLIIi+9TC40JNF5hNQ==",
  "dev": true,
  "license": "MIT"
},

```

```

"node_modules/@types/node": {
  "version": "20.19.41",
  "resolved": "https://registry.npmjs.org/@types/node/-/node-20.19.41.tgz",
  "integrity": "sha512-ECymXOUkMnOoVkcC2bb1Vc/w/836DXncOg5m8Xj1RH7xSHZJWNYy6Zh7EH477vcnD5egKNNfy2RpN0muChhFPgQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "undici-types": "~6.21.0"
  }
},
"node_modules/@types/react": {
  "version": "19.2.15",
  "resolved": "https://registry.npmjs.org/@types/react/-/react-19.2.15.tgz",
  "integrity": "sha512-eRwcGNHve+E8qtEQSSRl6urh+rFop4v8gm608rGv25CodbvFdLjA1vVQ1KkiFE0w0UP0nb8tDiFKL5lp0rtY5Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "csstype": "^3.2.2"
  }
},
"node_modules/@types/react-dom": {
  "version": "19.2.3",
  "resolved": "https://registry.npmjs.org/@types/react-dom/-/react-dom-19.2.3.tgz",
  "integrity": "sha512-jp2L/eY6fn+KgVVQA0qYItbF0VY/YApe5Mz2F0aykS08gx31bYCZyvSeYxCHKvzHG5eZjc+zyaS5BrBWya2+kQ==",
  "dev": true,
  "license": "MIT",
  "peerDependencies": {
    "@types/react": "^19.2.0"
  }
},
"node_modules/@typescript-eslint/eslint-plugin": {
  "version": "8.59.4",
  "resolved": "https://registry.npmjs.org/@typescript-eslint/eslint-plugin/-/eslint-plugin-8.59.4.tgz",
  "integrity": "sha512-PegsU+XfyJJNd4+u/k6f9yTyp0lEXXiPopUNobZcIAUJFGICFLN+sP0Rb3JehVmii1jPh0dFGYq0DoRo/2+6A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@eslint-community/regexpp": "^4.12.2",
    "@typescript-eslint/scope-manager": "8.59.4",
    "@typescript-eslint/type-utils": "8.59.4",
    "@typescript-eslint/visitor-keys": "8.59.4",
    "ignore": "^7.0.5",
    "natural-compare": "^1.4.0",
    "ts-api-utils": "^2.5.0"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
  },
  "peerDependencies": {
    "@typescript-eslint/parser": "8.59.4",
    "eslint": "8.57.0 || 9.0.0 || ^10.0.0",
    "typescript": ">=4.8.4 <6.1.0"
  }
},
"node_modules/@typescript-eslint/eslint-plugin/node_modules/ignore": {

```

```

    "version": "7.0.5",
    "resolved": "https://registry.npmjs.org/ignore/-/ignore-7.0.5.tgz",
    "integrity": "sha512-Hs59xBNFUUnMFgWAbGX5cq6893IbWg4KnrjbYwX3tx0ztorVgTDA6B2sxf8ejHJ4wz8BqGUMYlnzNBer5NvGg==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 4"
    }
  },
  "node_modules/@typescript-eslint/parser": {
    "version": "8.59.4",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/parser/-/parser-8.59.4.tgz",
    "integrity": "sha512-zORHqO/tuhxY1zWuTvMUqddRxpiFJ72xVfcNoWpqdLjs6lFPbuQBjuW4pk+49/uBMy7Ssr4bzgjiKmmDB1UbZQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/scope-manager": "8.59.4",
      "@typescript-eslint/types": "8.59.4",
      "@typescript-eslint/typescript-estree": "8.59.4",
      "@typescript-eslint/visitor-keys": "8.59.4",
      "debug": "^4.4.3"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/project-service": {
    "version": "8.59.4",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/project-service/-/project-service-8.59.4.tgz",
    "integrity": "sha512-Ly00Vu4oAacfDeHp2Zg85ioNG6l8HG+tN1D7J+xTHSxu9y0awYKJ2zH1rFBn8ZSfuGK+7FxK3Cgl3uAz0aZZLg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/tsconfig-utils": "^8.59.4",
      "@typescript-eslint/types": "^8.59.4",
      "debug": "^4.4.3"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/scope-manager": {
    "version": "8.59.4",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/scope-manager/-/scope-manager-8.59.4.tgz",
    "integrity": "sha512-

```



```

mUeR/3H1WrTAddJrwut8OoPjfauaztMQmRwV5fQTUyNVJCLiUXXe4lGEyYIL2oFDpP7UtgbGJXCt72wT0z2S3Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@typescript-eslint/types": "8.59.4",
    "@typescript-eslint/visitor-keys": "8.59.4"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
  }
},
"node_modules/@typescript-eslint/tsconfig-utils": {
  "version": "8.59.4",
  "resolved": "https://registry.npmjs.org/@typescript-eslint/tsconfig-utils/-/tsconfig-utils-8.59.4.tgz",
  "integrity": "sha512-DLcPnKgD4a1VxTBSKulK+gU1KCqOgUXfDRDXh2mZgzokQKa/70ax93I2uV03m/LLvIATWZIFoiifudmIqAxpMA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
  },
  "peerDependencies": {
    "typescript": ">=4.8.4 <6.1.0"
  }
},
"node_modules/@typescript-eslint/type-utils": {
  "version": "8.59.4",
  "resolved": "https://registry.npmjs.org/@typescript-eslint/type-utils/-/type-utils-8.59.4.tgz",
  "integrity": "sha512-uonTuPAAKr9XaBGqJ3LjYTh72zy5DyGeslj09gtmk/eFW0W1fRHjnwVYKB35Lm8d5Q5CluEW3gPHjTvZTmgrfA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@typescript-eslint/types": "8.59.4",
    "@typescript-eslint/typescript-estree": "8.59.4",
    "@typescript-eslint/utils": "8.59.4",
    "debug": "^4.4.3",
    "ts-api-utils": "^2.5.0"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
  },
  "peerDependencies": {
    "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
    "typescript": ">=4.8.4 <6.1.0"
  }
},
"node_modules/@typescript-eslint/types": {
  "version": "8.59.4",
  "resolved": "https://registry.npmjs.org/@typescript-eslint/types/-/types-8.59.4.tgz",
  "integrity": "sha512-F1o7WJcCq+bc8dwc0/YsSE0udAH8RDta0hM6wcAQhcUsFhnWQl81JKy48q1hoxAU0qqrzM89+31GYh1515Zde3Q==",

```

```

    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree": {
    "version": "8.59.4",
    "resolved": "https://registry.npmjs.org/@typescript-eslint/typescript-estree/-/typescript-estree-8.59.4.tgz",
    "integrity": "sha512-F+RuOmcDXo4+TPdfd/TCLS3m2nw8gE9XXyZLrA3JBfaA5tz9TtdkyD3YJFmPxulyc2cKbEok/CvFE3MgSLWnag==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@typescript-eslint/project-service": "8.59.4",
      "@typescript-eslint/tsconfig-utils": "8.59.4",
      "@typescript-eslint/types": "8.59.4",
      "@typescript-eslint/visitor-keys": "8.59.4",
      "debug": "^4.4.3",
      "minimatch": "^10.2.2",
      "semver": "^7.7.3",
      "tinyglobby": "^0.2.15",
      "ts-api-utils": "^2.5.0"
    },
    "engines": {
      "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/typescript-eslint"
    },
    "peerDependencies": {
      "typescript": ">=4.8.4 <6.1.0"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree/node_modules/balanced-match": {
    "version": "4.0.4",
    "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-4.0.4.tgz",
    "integrity": "sha512-BLrgEcRTwX2o6GxGOCNyMvGSp35YofuYzw9h1IMTRmKqttAZZVU67bdb9Pr2vUHA8+j3i2tJfjO6C6+4myGTA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": "18 || 20 || >=22"
    }
  },
  "node_modules/@typescript-eslint/typescript-estree/node_modules/brace-expansion": {
    "version": "5.0.6",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-5.0.6.tgz",
    "integrity": "sha512-KlpxurY4Z4r9sgMsyG0Z9uzsBlgiU/EFKhj/h91/8yHu0edo7Xuix0IH3VcJ8kkxs6/jPzoI6U9Vj3WqbMQ94g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "balanced-match": "^4.0.2"
    },
    "engines": {
      "node": "18 || 20 || >=22"
    }
  },

```

```

"node_modules/@typescript-eslint/typescript-estree/node_modules/minimatch": {
  "version": "10.2.5",
  "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-10.2.5.tgz",
  "integrity": "sha512-  
MULkVLfKGyDFYejP07Q0urDLLQpcjk7Fw+7jXS2R2czRQzR56yHRveU5NDJEOviH+hETZKSkIk5c+T23GjFUMg==",
  "dev": true,
  "license": "BlueOak-1.0.0",
  "dependencies": {
    "brace-expansion": "^5.0.5"
  },
  "engines": {
    "node": "18 || 20 || >=22"
  },
  "funding": {
    "url": "https://github.com/sponsors/isaacs"
  }
},
"node_modules/@typescript-eslint/typescript-estree/node_modules/semver": {
  "version": "7.8.0",
  "resolved": "https://registry.npmjs.org/semver/-/semver-7.8.0.tgz",
  "integrity": "sha512-  
AcM7dV/5ul4EekoQ29Agm5vri8JNqRyj39o0qpX6vDF2GZrtutZl5RwgD1XnZjiTAfncsJhMI48QQH3sN87YNA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  },
  "engines": {
    "node": ">=10"
  }
},
"node_modules/@typescript-eslint/utils": {
  "version": "8.59.4",
  "resolved": "https://registry.npmjs.org/@typescript-eslint/utils/-/utils-8.59.4.tgz",
  "integrity": "sha512-  
cYXeNAUSG4lJo5dbc1FcKm+JwIWrj1/UpTORsC6tGMjEZ81DYcvIr9/ueikhMa/Y/gDQYGp+YX9/xQrXje5BJw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@eslint-community/eslint-utils": "^4.9.1",
    "@typescript-eslint/scope-manager": "8.59.4",
    "@typescript-eslint/types": "8.59.4",
    "@typescript-eslint/typescript-estree": "8.59.4"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
  },
  "peerDependencies": {
    "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
    "typescript": ">=4.8.4 <6.1.0"
  }
},
"node_modules/@typescript-eslint/visitor-keys": {
  "version": "8.59.4",
  "resolved": "https://registry.npmjs.org/@typescript-eslint/visitor-keys/-/visitor-keys-  
8.59.4.tgz",
  "integrity": "sha512-  
U3gxVaDVnuZKhSspW/MzMxE1kq7z0dc072FcSNoqA1I9p8HyKbBFfEHoWckBAMgNMph4MamwS5iTVzFmrnt8TQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {

```

```

    "@typescript-eslint/types": "8.59.4",
    "eslint-visitor-keys": "^5.0.0"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/typescript-eslint"
  }
},
"node_modules/@typescript-eslint/visitor-keys/node_modules/eslint-visitor-keys": {
  "version": "5.0.1",
  "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-5.0.1.tgz",
  "integrity": "sha512-tdD40eHxA35h0PEIZNeIjkHoDR4YjjJp34biM0mDvplBe//mB+IHCqHDGV7pxF+7MklTvighcCPPZC7ynWyjdTA==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": "^20.19.0 || ^22.13.0 || >=24"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/@unrs/resolver-binding-android-arm-eabi": {
  "version": "1.12.2",
  "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-android-arm-eabi/-/resolver-binding-android-arm-eabi-1.12.2.tgz",
  "integrity": "sha512-g5T90pgg1bo/7mytQx6F4iBNC0Wsh9cu+z9veDbFjc7HjpesJFWD7QMS0NGStXM075+7dJPPVvBbpZlnrdpi/w==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@unrs/resolver-binding-android-arm64": {
  "version": "1.12.2",
  "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-android-arm64/-/resolver-binding-android-arm64-1.12.2.tgz",
  "integrity": "sha512-YGCRZv/9GLhwmz6mYDeTsm/92BAyR2816c2ReweVW5pWgfsitWLY8upvfRlGdoyD8HjeTHSYJWyZGD4KJA/nFQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "license": "MIT",
  "optional": true,
  "os": [
    "android"
  ]
},
"node_modules/@unrs/resolver-binding-darwin-arm64": {
  "version": "1.12.2",
  "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-darwin-arm64/-/resolver-binding-darwin-arm64-1.12.2.tgz",
  "integrity": "sha512-u9DiNT1auQM020A9SyTuG3wUgQWB9Z7KjAg0uFuCDR1FsAY8A0CG2S6JpHS1xwm/wlG08bjXZDcyOCjv1WAm2w==",
  "cpu": [
    "arm64"
  ]
}

```

```

    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ]
  },
  "node_modules/@unrs/resolver-binding-darwin-x64": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-darwin-x64/-/resolver-binding-darwin-x64-1.12.2.tgz",
    "integrity": "sha512-f7rPLi/T1HVKZu/u6t87lroib16n8vrSzcyl7lg4BG09UF26KhQL44sd9e0UgrTYhvRXtW0IZT5PejdPyJfUA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "darwin"
    ]
  },
  "node_modules/@unrs/resolver-binding-freebsd-x64": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-freebsd-x64/-/resolver-binding-freebsd-x64-1.12.2.tgz",
    "integrity": "sha512-BpcOjWCJub6nRZUS2za20pmLvjtqAtGejETaIyRLiZiQf++cbrjltLA5NN/xAXfqeOBOSlMFbemIl5/S5t1jmg==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "freebsd"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-arm-gnueabihf": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm-gnueabihf/-/resolver-binding-linux-arm-gnueabihf-1.12.2.tgz",
    "integrity": "sha512-vZTDvdSISZjJx660zJqts0hzifbqRjbmI1Mnu49fQDwog5GtDI4QidRiEAYbZCRj9C8YZEW+3ZjqsyS9GR4k2A==",
    "cpu": [
      "arm"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-arm-musleabihf": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm-musleabihf/-/resolver-binding-linux-arm-musleabihf-1.12.2.tgz",
    "integrity": "sha512-BiPI+IrIlwcW4nLLMM21+B1dFPzd55yAVgVGrdgDjNef+ch03GdxrcyaIz8X9SsQirh/kCQ7mviyWlMxdh2D7g==",
    "cpu": [
      "arm"
    ],
  },

```

```

    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-arm64-gnu": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm64-gnu/-/resolver-binding-linux-arm64-gnu-1.12.2.tgz",
    "integrity": "sha512-zJc0H99FEPOfFSrNpa91HYfxzfAJCr502oxNK1cfdC9hlaFI43RT+JFCann9JUgZmLzzntChHyn13Sgn9ljHNg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-arm64-musl": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-arm64-musl/-/resolver-binding-linux-arm64-musl-1.12.2.tgz",
    "integrity": "sha512-KQ3Lki6l+Pz1k/eBipN41ES+YUK30beLGb9YqcB10542cyLCNE6GaxrfcY3T6EezmGGk84wb5Xy09loTM9tkcA==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-loong64-gnu": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-loong64-gnu/-/resolver-binding-linux-loong64-gnu-1.12.2.tgz",
    "integrity": "sha512-3SJGEh1DborhG6pyxvhPzCT4bbSIVihsvgJc13P1bHG7KLDNDaF9T3gsTwFc7Jw/5Y5/iW0jkEx7Zy0NvCGX3Q==",
    "cpu": [
      "loong64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-loong64-musl": {

```

```

"version": "1.12.2",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-loong64-musl/-/resolver-binding-linux-loong64-musl-1.12.2.tgz",
"integrity": "sha512-jiuG/Obbel7uw1PwHNFfrkiKhLAF6mnyZ6aWl0AVN9WqKm8v00FGnciJIHu8+CMvXLQ8AD51LPzAoUfT21D5Ew==",
"cpu": [
  "loong64"
],
"dev": true,
"libc": [
  "musl"
],
"license": "MIT",
"optional": true,
"os": [
  "linux"
]
},
"node_modules/@unrs/resolver-binding-linux-ppc64-gnu": {
"version": "1.12.2",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-ppc64-gnu/-/resolver-binding-linux-ppc64-gnu-1.12.2.tgz",
"integrity": "sha512-q7xRvVpmcfeL+LlZg8Pbbo6QaTZwDU5BaGZbwfhkEsXJn3Was8xYfE0RBH266xZt0rM6B7i8xAYIvjthUIWHg==",
"cpu": [
  "ppc64"
],
"dev": true,
"libc": [
  "glibc"
],
"license": "MIT",
"optional": true,
"os": [
  "linux"
]
},
"node_modules/@unrs/resolver-binding-linux-riscv64-gnu": {
"version": "1.12.2",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-riscv64-gnu/-/resolver-binding-linux-riscv64-gnu-1.12.2.tgz",
"integrity": "sha512-0CVdx6lcnT3Q9in0H8tsMIOJ6ImndllMjqJHg8RLVdB7Vq4SfkEXl9mCSsVNuNA4MCYycRicCUxPCabVHJRr6A==",
"cpu": [
  "riscv64"
],
"dev": true,
"libc": [
  "glibc"
],
"license": "MIT",
"optional": true,
"os": [
  "linux"
]
},
"node_modules/@unrs/resolver-binding-linux-riscv64-musl": {
"version": "1.12.2",
"resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-riscv64-musl/-/resolver-binding-linux-riscv64-musl-1.12.2.tgz",
"integrity": "sha512-i0w1Ro9vnp6R6ohHQS11n0NnfdXx/omhkocmIfaPRpQhKZ+3BDMkkdRVh53qjkFkpPddf+FETA28NwGN7l5l+w==",
"cpu": [
  "riscv64"
],

```

```

    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-s390x-gnu": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-s390x-gnu/-/resolver-binding-linux-s390x-gnu-1.12.2.tgz",
    "integrity": "sha512-HYJtLfXq94q8iZNFT11knx258wlkWhZeUXJRqzKBBUJ00CvZ+N33zgbCqimLjsyw5Va6uUxhVa12mI+kaveEw==",
    "cpu": [
      "s390x"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-x64-gnu": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-x64-gnu/-/resolver-binding-linux-x64-gnu-1.12.2.tgz",
    "integrity": "sha512-mPsUhunKKDih5096Y6enDQyHc1SqBP1Y1E/SfMWDm3EdJ95Z9CArPeCvWCCqbP45ljvivdEk8Fxn+SIb1rDAJQ==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  },
  "node_modules/@unrs/resolver-binding-linux-x64-musl": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-linux-x64-musl/-/resolver-binding-linux-x64-musl-1.12.2.tgz",
    "integrity": "sha512-azrt6+5ydLd8Vt210AAfis/1ZevSfPw93EJRIJG+XPu4WCJ8K0kppCTpMyLPcKT7H15M4Jnt2tMp5b0vCkRC6A==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MIT",
    "optional": true,
    "os": [
      "linux"
    ]
  }
}

```



```

    ],
  },
  "node_modules/@unrs/resolver-binding-openharmony-arm64": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-openharmony-arm64/-/resolver-binding-openharmony-arm64-1.12.2.tgz",
    "integrity": "sha512-YZ9hP400X9PQb8e0980qmLNGH4zT3I9+SZTdt0Pr0YyuGQhYKo0ZkV02Vzrzy0ZJ5xIJ3UFIenKkUkGg8GjgWQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "openharmony"
    ]
  },
  "node_modules/@unrs/resolver-binding-wasm32-wasi": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-wasm32-wasi/-/resolver-binding-wasm32-wasi-1.12.2.tgz",
    "integrity": "sha512-tYFDIkMxSf1fEc/h92ZWNsZlHSwgimbNHS03PL2JWQHfCuC2q316jMyYU9TIWZsFK2bQwyK5VAdYgn8ygPj69A==",
    "cpu": [
      "wasm32"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "dependencies": {
      "@emnapi/core": "1.10.0",
      "@emnapi/runtime": "1.10.0",
      "@napi-rs/wasm-runtime": "^1.1.4"
    },
    "engines": {
      "node": ">=14.0.0"
    }
  },
  "node_modules/@unrs/resolver-binding-win32-arm64-msvc": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-arm64-msvc/-/resolver-binding-win32-arm64-msvc-1.12.2.tgz",
    "integrity": "sha512-qzNyg3xL0VPQmCaUh+N5jSitce6k+uCBfMDesWRn1UL0ZaqUkaJ0ybdT+Uq1AWJoQjuqfIU/0Ptx9bteN4D82g==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MIT",
    "optional": true,
    "os": [
      "win32"
    ]
  },
  "node_modules/@unrs/resolver-binding-win32-ia32-msvc": {
    "version": "1.12.2",
    "resolved": "https://registry.npmjs.org/@unrs/resolver-binding-win32-ia32-msvc/-/resolver-binding-win32-ia32-msvc-1.12.2.tgz",
    "integrity": "sha512-WD9sY000fpHVGfsnHZoA8jVT+esS/Bg8z8jzxp5BnDCjjwsuKsPQrzswwpFy4J1AUJbXPRfkpcX0mXrzeXW79g==",
    "cpu": [
      "ia32"
    ],
    "dev": true,

```

42/819

```

"node_modules/ansi-styles": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/ansi-styles/-/ansi-styles-4.3.0.tgz",
  "integrity": "sha512-7BF30712p182g612eX/4ZxvYnLlQ8832vq7tU0nM35X4/6Z6BwWd3S2N1p544Tjz897L4jZbZUg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "color-convert": "^2.0.1"
  },
  "engines": {
    "node": ">=8"
  },
  "funding": {
    "url": "https://github.com/chalk/ansi-styles?sponsor=1"
  }
},
"node_modules/argparse": {
  "version": "2.0.1",
  "resolved": "https://registry.npmjs.org/argparse/-/argparse-2.0.1.tgz",
  "integrity": "sha512-8+9WqebbFzpx90R+wa6029asIogermzcGtAINDpMHhyAg10f05aSFVBbcEqGf/PXw1EjAZ+q2/bEBg3DvurK3Q==",
  "dev": true,
  "license": "Python-2.0"
},
"node_modules/aria-query": {
  "version": "5.3.2",
  "resolved": "https://registry.npmjs.org/aria-query/-/aria-query-5.3.2.tgz",
  "integrity": "sha512-AR1r1X3HAU0B3R4yO/ewX8B1RKl4rXAQ+Uk0vJh14KQAIo3Hq0eJz0Y1Q1i3z5q3w8H66K3Ue0lDQ==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/array-buffer-byte-length": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/array-buffer-byte-length/-/array-buffer-byte-length-1.0.2.tgz",
  "integrity": "sha512-8w/514984wX8BwDyG1w0/q5uAnjZW+JzLhaVXbfH1OXZb4A3n4cu3RD4H5Gz8Xaj9yvS3KwZ8zJx45pLQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.3",
    "is-array-buffer": "^3.0.5"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/array-includes": {
  "version": "3.1.9",
  "resolved": "https://registry.npmjs.org/array-includes/-/array-includes-3.1.9.tgz",
  "integrity": "sha512-5Z5Y9F0ZPAX3335rntkU+DEZBNx118LvFutCEwHQ1A5gAdCtWJG88C/9G3Zj48mLNUndNzUxpPeGaSgIw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4",

```

```

    "define-properties": "^1.2.1",
    "es-abstract": "^1.24.0",
    "es-object-atoms": "^1.1.1",
    "get-intrinsic": "^1.3.0",
    "is-string": "^1.1.1",
    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/array.prototype.findlast": {
  "version": "1.2.5",
  "resolved": "https://registry.npmjs.org/array.prototype.findlast/-/array.prototype.findlast-1.2.5.tgz",
  "integrity": "sha512-CVvd6FHg1Z3P0pBLx06E6zr+rSKEQ9L6rZHAaY71LfKsWYUBB0uMs0e9o24oopj6H+geRCX0YJ+TJLBK2eHyQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.2",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.0.0",
    "es-shim-unscopables": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/array.prototype.findlastindex": {
  "version": "1.2.6",
  "resolved": "https://registry.npmjs.org/array.prototype.findlastindex/-/array.prototype.findlastindex-1.2.6.tgz",
  "integrity": "sha512-F/TKATkzseUEXPlfvmwQKGITM3DGTK+vkAsCZoDc5daVygbJBnjEUCbgkAvVFsgfXfX4YIqZ/27G3k3tdXrTxQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.9",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "es-shim-unscopables": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/array.prototype.flat": {
  "version": "1.3.3",
  "resolved": "https://registry.npmjs.org/array.prototype.flat/-/array.prototype.flat-1.3.3.tgz",
  "integrity": "sha512-2W3p3tAaUuZqYAY270+k4C1Z9DM/8WUwH6iFV9E6H8WUyP3vD5+p5VdLQrTatH4V168qU8sO9O5OYnEQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.2",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.0.0",
    "es-shim-unscopables": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
}

```

```

rwG/ja1neyLqCuGZ5YYrznA62D4mZXg0i1cIskIUkSiqF3Cje9/wXAls9B9s1Wa2fomMsIv8czB8jZcPmxCXFg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.5",
    "es-shim-unscopables": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/array.prototype.flatmap": {
  "version": "1.3.3",
  "resolved": "https://registry.npmjs.org/array.prototype.flatmap/-/array.prototype.flatmap-1.3.3.tgz",
  "integrity": "sha512-Y7Wt51eKJYSyi80hFrJCePGGNo5ktJCslFuboqJsbF57CCPcm5zztluPlc4/aD8sWsKvlwatezpvV4U1efk8kpjg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.5",
    "es-shim-unscopables": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/array.prototype.tosorted": {
  "version": "1.1.4",
  "resolved": "https://registry.npmjs.org/array.prototype.tosorted/-/array.prototype.tosorted-1.1.4.tgz",
  "integrity": "sha512-p6Fx8B7b7Zhl/gmUsAy0D15WhvDccw3mnGNbZpi3pmeJdxtWsj2jEaI4Y6oo3XiHfzuSgPwKc04MYt6KgvC/wA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.3",
    "es-errors": "^1.3.0",
    "es-shim-unscopables": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/arraybuffer.prototype.slice": {
  "version": "1.0.4",
  "resolved": "https://registry.npmjs.org/arraybuffer.prototype.slice/-/arraybuffer.prototype.slice-1.0.4.tgz",
  "integrity": "sha512-p6Fx8B7b7Zhl/gmUsAy0D15WhvDccw3mnGNbZpi3pmeJdxtWsj2jEaI4Y6oo3XiHfzuSgPwKc04MYt6KgvC/wA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {

```



```

    "resolved": "https://registry.npmjs.org/axobject-query/-/axobject-query-4.1.0.tgz",
    "integrity": "sha512-
qIj0G9wZbMGNLjLmg1PT6v2mE9AH2zlnADJD/2tC6E0hgmhU0fEB6greHPAfLRsUfHqROIUTkw6E+M3lH0PTQ==",
    "dev": true,
    "license": "Apache-2.0",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/balanced-match": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/balanced-match/-/balanced-match-1.0.2.tgz",
    "integrity": "sha512-
3oSeU00TMV67hN1AmbXsK4yaqU7tjiHlxbxRDZOPH0KW9+CeX4bRAaX0Anxt0tx2MrpRpWwQaPwIlIIEJhYU5Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/baseline-browser-mapping": {
    "version": "2.10.31",
    "resolved": "https://registry.npmjs.org/baseline-browser-mapping/-/baseline-browser-mapping-
2.10.31.tgz",
    "integrity": "sha512-
MujY03eP72uvMSE0i4wltSodRfIpZATP3jvzRNRGGxgzId7aVocVJJV3nf01qnzzKFGxQVC9bpWx15cjxTr/7Q==",
    "license": "Apache-2.0",
    "bin": {
      "baseline-browser-mapping": "dist/cli.cjs"
    },
    "engines": {
      "node": ">=6.0.0"
    }
  },
  "node_modules/brace-expansion": {
    "version": "1.1.14",
    "resolved": "https://registry.npmjs.org/brace-expansion/-/brace-expansion-1.1.14.tgz",
    "integrity": "sha512-
MWPGfDxnyzKU7rNOW9SP/c50vi3xrmrua/+6hfPbCS2ABNWfx24vPidzvC7krjU/RT0235sV776ym1sMtGKj8g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "balanced-match": "^1.0.0",
      "concat-map": "0.0.1"
    }
  },
  "node_modules/braces": {
    "version": "3.0.3",
    "resolved": "https://registry.npmjs.org/braces/-/braces-3.0.3.tgz",
    "integrity": "sha512-
yQbXg0/OSZVD2IsiLlro+7Hf6Q18EJrKSEsdoMzKePKXct3gvD8oLcOQdIzGupr5Fj+EDe8g0/1xc1BzfMpxvA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "fill-range": "^7.1.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/browserslist": {
    "version": "4.28.2",
    "resolved": "https://registry.npmjs.org/browserslist/-/browserslist-4.28.2.tgz",
    "integrity": "sha512-
48xSriZYYg+8qXna9kwqjIVzuQxi+KYWp2+5nCYnYKPTTr0LvD89Jqk20r5ogxz0NUMfIjhh2lIUX/LyX9B4oIg==",
    "dev": true,
    "funding": [
      {

```

```

    "type": "opencollective",
    "url": "https://opencollective.com/browserslist"
  },
  {
    "type": "tidelift",
    "url": "https://tidelift.com/funding/github/npm/browserslist"
  },
  {
    "type": "github",
    "url": "https://github.com/sponsors/ai"
  }
],
"license": "MIT",
"dependencies": {
  "baseline-browser-mapping": "^2.10.12",
  "caniuse-lite": "^1.0.30001782",
  "electron-to-chromium": "^1.5.328",
  "node-releases": "^2.0.36",
  "update-browserslist-db": "^1.2.3"
},
"bin": {
  "browserslist": "cli.js"
},
"engines": {
  "node": "^6 || ^7 || ^8 || ^9 || ^10 || ^11 || ^12 || >=13.7"
}
},
"node_modules/call-bind": {
  "version": "1.0.9",
  "resolved": "https://registry.npmjs.org/call-bind/-/call-bind-1.0.9.tgz",
  "integrity": "sha512-  
a/hy+pNsFUTR+Iz8TCJvXudKVLAnz/DyeSUo10I5yvFDQJBFU2s9uqQpoSrJlroHUKoKqzg+epxyP9lqFdzfBQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind-apply-helpers": "^1.0.2",
    "es-define-property": "^1.0.1",
    "get-intrinsic": "^1.3.0",
    "set-function-length": "^1.2.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/call-bind-apply-helpers": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/call-bind-apply-helpers/-/call-bind-apply-helpers-  
1.0.2.tgz",
  "integrity": "sha512-  
Sp1ablJ0ivDkSzjcaJdxEunN5/XvksFJ2sMBFfq6x0ryhQV/2b/KwFe21cMpmHtPOSij8K99/wSfoEuT0bmuMQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "function-bind": "^1.1.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/call-bound": {
  "version": "1.0.4",

```



```

"resolved": "https://registry.npmjs.org/call-bound/-/call-bound-1.0.4.tgz",
"integrity": "sha512-
+ys997U96po4Kx/ABpBCqhA9EuxJaQWDQg7295H4hBphv3IZg0boBKuwYpt4YXp6MZ5AmZQnU/tyMTlRpaSejg==",
"dev": true,
"license": "MIT",
"dependencies": {
  "call-bind-apply-helpers": "^1.0.2",
  "get-intrinsic": "^1.3.0"
},
"engines": {
  "node": ">= 0.4"
},
"funding": {
  "url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/callsites": {
  "version": "3.1.0",
  "resolved": "https://registry.npmjs.org/callsites/-/callsites-3.1.0.tgz",
  "integrity": "sha512-
P8BjAsXvZS+VIDUI11hHCQEv74YT67YUi5JJFNWIqL235sBmjX4+qx9Muvls5ivyNENctx46xQLQ3aTuE7ssaQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/caniuse-lite": {
  "version": "1.0.30001793",
  "resolved": "https://registry.npmjs.org/caniuse-lite/-/caniuse-lite-1.0.30001793.tgz",
  "integrity": "sha512-
iwSsYWaCOoh26cV8NwNRViHlrfUvYsHDFRVcbtmw0Kg6PJIZZxwMkj1442FYLBGkeUf1juAsU3DTfxw579mrPA==",
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/caniuse-lite"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "CC-BY-4.0"
},
"node_modules/chalk": {
  "version": "4.1.2",
  "resolved": "https://registry.npmjs.org/chalk/-/chalk-4.1.2.tgz",
  "integrity": "sha512-
oKnbfyRiXpUuez8iBMmyEa4nbj4IOQyuhc/wy9kY7/WVPcwIO9VA668Pu8Rk07+0G76SLR0eyw9CpQ061i4mA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ansi-styles": "^4.1.0",
    "supports-color": "^7.1.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/chalk/chalk?sponsor=1"
  }
}

```

```

    },
    "node_modules/client-only": {
      "version": "0.0.1",
      "resolved": "https://registry.npmjs.org/client-only/-/client-only-0.0.1.tgz",
      "integrity": "sha512-IV30u0jSMzZrd3pZ48nLkT9DA7Ag1pnPzaiQhpW7c3RbcqqzvzzVu+L8gfgMp/8IM2MQtSiqaCxrrcfu8I8rMA==",
      "license": "MIT"
    },
    "node_modules/color-convert": {
      "version": "2.0.1",
      "resolved": "https://registry.npmjs.org/color-convert/-/color-convert-2.0.1.tgz",
      "integrity": "sha512-RKt23+uR57Utr98t7dwQ8oWpS8z3vJp+c4odi7I2I8z5w3mPXgSAx8vPk80AwkZ4AbR6SE8bPt3UfrwEzAA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "color-name": "~1.1.4"
      },
      "engines": {
        "node": ">=7.0.0"
      }
    },
    "node_modules/color-name": {
      "version": "1.1.4",
      "resolved": "https://registry.npmjs.org/color-name/-/color-name-1.1.4.tgz",
      "integrity": "sha512-dOy+3AuW3a2wNbZHIuMZpTcgjGuLU/uBL/ubcZF9OXbDo8ff408yVp5Bf0efS8uEoYo5q4Fx7dY90gQGxgAsQA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/concat-map": {
      "version": "0.0.1",
      "resolved": "https://registry.npmjs.org/concat-map/-/concat-map-0.0.1.tgz",
      "integrity": "sha512-/Srv4dswyQNBfohGpz9o6Yb3Gz3SrUDqBH5rTuhGR7ahtl1bYKnVxw2bCFMR1jaA7EXHaXZ8wsHdodFvbkhKmqg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/convert-source-map": {
      "version": "2.0.0",
      "resolved": "https://registry.npmjs.org/convert-source-map/-/convert-source-map-2.0.0.tgz",
      "integrity": "sha512-Kvp459HrV2FEJ1CAsi1Ku+MY3kasH19TFykTz2xWmMeq6bk2NU3XXvfJ+Q61m0xktWwt+1HSYf3JZsTms3aRJg==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/cross-spawn": {
      "version": "7.0.6",
      "resolved": "https://registry.npmjs.org/cross-spawn/-/cross-spawn-7.0.6.tgz",
      "integrity": "sha512-uV2Q0WP2nWzsy2aMp8aRibhi9dlzF5Hgh5SHaB90iTGeyDTiJJyx0uy51QXdyWbtAHNua4XJzUKca30zKUd3vA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "path-key": "^3.1.0",
        "shebang-command": "^2.0.0",
        "which": "^2.0.1"
      },
      "engines": {
        "node": ">= 8"
      }
    },
    "node_modules/csstype": {
      "version": "3.2.3",
      "resolved": "https://registry.npmjs.org/csstype/-/csstype-3.2.3.tgz",

```

```

    "integrity": "sha512-
z1HGKcYy2xA8AGQfwrn0PAy+PB7X/GSj3UVJW9qKyn43xWa+gl5nXmU4qqLMRzWVLC8KusUX8T/0kCi0YpAIQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/damerau-levenshtein": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/damerau-levenshtein/-/damerau-levenshtein-1.0.8.tgz",
    "integrity": "sha512-
sdQSFb7+1lfUcQUH0Q3+B8ERRj00a4w9POWMI/puGtuf7gFywGmkaLCElnudftiKZV+NvHqL0ifzdrI8Ro7ESA==",
    "dev": true,
    "license": "BSD-2-Clause"
  },
  "node_modules/data-view-buffer": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-buffer/-/data-view-buffer-1.0.2.tgz",
    "integrity": "sha512-
EmK05V30LXh1rtK2wgXRansaK1/mtVdTUEiEI0W8RkvgT05kfxaH29PliLnLP73yY06142Q72QNa8Wx/A5CqQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/data-view-byte-length": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/data-view-byte-length/-/data-view-byte-length-1.0.2.tgz",
    "integrity": "sha512-
tuhGbE6CfTM9+5ANGf+oQb72Ky/0+s3xKUphvShfiz2RxMFgFPjsXuRLBVMtvMs15awe45SRb83D6wH4ew6w1Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/inspect-js"
    }
  },
  "node_modules/data-view-byte-offset": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/data-view-byte-offset/-/data-view-byte-offset-1.0.1.tgz",
    "integrity": "sha512-
BS8PfmtDGnrgYd0onGZQdLZslWIeCGFP9tpan0hi1Co2Zr2NKADsvGYA8XxuG/4UWgJ6Cjtv+YJnB6MM69QG1Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "is-data-view": "^1.0.1"
    }
  },

```

```

    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/debug": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/debug/-/debug-4.4.3.tgz",
    "integrity": "sha512-RGwwWnwQvKvFavKvT22FGLw+xYSdzARwm0ru6DhTVA3umU5hZc28V3k04stgYryrTlLpuvgI9GiiJltAjNbcqA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.3"
    },
    "engines": {
      "node": ">=6.0"
    },
    "peerDependenciesMeta": {
      "supports-color": {
        "optional": true
      }
    }
  },
  "node_modules/deep-is": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/deep-is/-/deep-is-0.1.4.tgz",
    "integrity": "sha512-oIPzksmTg4/MriiaYGO+okXDT7ztn/w3Eptv/+gSIIdMdKsJo0u4CFYNFJPY+4SKMuCqGw2wxnA+URMg3t8a/bQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/define-data-property": {
    "version": "1.1.4",
    "resolved": "https://registry.npmjs.org/define-data-property/-/define-data-property-1.1.4.tgz",
    "integrity": "sha512-2u61i09j3UbdE+ebSfnW8XIGbd8Ckh7p07V76W1G0wZu1XDi8YbKxdT+kzt540F4RH8p0RMsbkHleT1UU==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-define-property": "^1.0.0",
      "es-errors": "^1.3.0",
      "gopd": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/define-properties": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/define-properties/-/define-properties-1.2.1.tgz",
    "integrity": "sha512-7Q9+bHEsYDI0TssJsYn2wK3NUNJt0wVq3AK8oPnzjJd0u1flSrvDyfrz7rY8r9nf7q2ZKBv0yD6Ss6ZWdA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "define-data-property": "^1.0.1",
      "has-property-descriptors": "^1.0.0",
      "object-keys": "^1.1.1"
    }
  },

```

53/819

```

"node_modules/enhanced-resolve": {
  "version": "5.21.6",
  "resolved": "https://registry.npmjs.org/enhanced-resolve/-/enhanced-resolve-5.21.6.tgz",
  "integrity": "sha512-aNnGCvbJ/RIyWo1IuhNdVjnNF+EjH9wpzpNHT+ci/m9He9LJvUN8wrCcXjp9cWsGNAuvSpVFTx/vraAFQ8qGjQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "graceful-fs": "^4.2.4",
    "tapable": "^2.3.3"
  },
  "engines": {
    "node": ">=10.13.0"
  }
},
"node_modules/es-abstract": {
  "version": "1.24.2",
  "resolved": "https://registry.npmjs.org/es-abstract/-/es-abstract-1.24.2.tgz",
  "integrity": "sha512-2FpH9Q5i2RRwyEP1AylXe6nYLR50haJ TZwmlcP0dL/+JCbgg7yyEo/sEK6HeGZRf3dFpWwThaRHVApXSkW3xeg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "array-buffer-byte-length": "^1.0.2",
    "arraybuffer.prototype.slice": "^1.0.4",
    "available-typed-arrays": "^1.0.7",
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4",
    "data-view-buffer": "^1.0.2",
    "data-view-byte-length": "^1.0.2",
    "data-view-byte-offset": "^1.0.1",
    "es-define-property": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.1.1",
    "es-set-tostringtag": "^2.1.0",
    "es-to-primitive": "^1.3.0",
    "function.prototype.name": "^1.1.8",
    "get-intrinsic": "^1.3.0",
    "get-proto": "^1.0.1",
    "get-symbol-description": "^1.1.0",
    "globalthis": "^1.0.4",
    "gopd": "^1.2.0",
    "has-property-descriptors": "^1.0.2",
    "has-proto": "^1.2.0",
    "has-symbols": "^1.1.0",
    "hasown": "^2.0.2",
    "internal-slot": "^1.1.0",
    "is-array-buffer": "^3.0.5",
    "is-callable": "^1.2.7",
    "is-data-view": "^1.0.2",
    "is-negative-zero": "^2.0.3",
    "is-regex": "^1.2.1",
    "is-set": "^2.0.3",
    "is-shared-array-buffer": "^1.0.4",
    "is-string": "^1.1.1",
    "is-typed-array": "^1.1.15",
    "is-weakref": "^1.1.1",
    "math-intrinsics": "^1.1.0",
    "object-inspect": "^1.13.4",
    "object-keys": "^1.1.1",
    "object.assign": "^4.1.7",
    "own-keys": "^1.0.1",
    "regexp.prototype.flags": "^1.5.4",
    "safe-array-concat": "^1.1.3",
    "safe-push-apply": "^1.0.0",

```

```

    "safe-regex-test": "^1.1.0",
    "set-proto": "^1.0.0",
    "stop-iteration-iterator": "^1.1.0",
    "string.prototype.trim": "^1.2.10",
    "string.prototype.trimend": "^1.0.9",
    "string.prototype.trimstart": "^1.0.8",
    "typed-array-buffer": "^1.0.3",
    "typed-array-byte-length": "^1.0.3",
    "typed-array-byte-offset": "^1.0.4",
    "typed-array-length": "^1.0.7",
    "unbox-primitive": "^1.1.0",
    "which-typed-array": "^1.1.19"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/es-define-property": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/es-define-property/-/es-define-property-1.0.1.tgz",
  "integrity": "sha512-0626508x04s1nW74808b/f6C0eFe7fe7WvXNpY68C0cTl0E840Df9e01e7d063f98",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-errors": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/es-errors/-/es-errors-1.3.0.tgz",
  "integrity": "sha512-UW9JtIPF7XVIB6T/lkFOvZtUjZO4xUkWQVlH/Xmhl7BOZAaL0Fdfz0A5odT43CKH4nVt0Y",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-iterator-helpers": {
  "version": "1.3.2",
  "resolved": "https://registry.npmjs.org/es-iterator-helpers/-/es-iterator-helpers-1.3.2.tgz",
  "integrity": "sha512-kvHwysnJr0D8vNFyQ9yNQ6sPqE02dVpLsq3ze0S0Kl+gO2Uu+IFh1piNyWz/H/XTWg",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.9",
    "call-bound": "^1.0.4",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.24.2",
    "es-errors": "^1.3.0",
    "es-set-tostringtag": "^2.1.0",
    "function-bind": "^1.1.2",
    "get-intrinsic": "^1.3.0",
    "globalthis": "^1.0.4",
    "gopd": "^1.2.0",
    "has-property-descriptors": "^1.0.2",
    "has-proto": "^1.2.0",
    "has-symbols": "^1.1.0",
    "internal-slot": "^1.1.0",
    "iterator.prototype": "^1.1.5",
  }
}

```

```

    "math-intrinsics": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-object-atoms": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/es-object-atoms/-/es-object-atoms-1.1.1.tgz",
  "integrity": "sha512-FGgH2h8zKNim9lj7dankFPcICIK9Cp5bm+c2gQSYePhpaG5+esrL0DihIorn+Pe6FGJzWhXQotPv73jTaldXA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-set-tostringtag": {
  "version": "2.1.0",
  "resolved": "https://registry.npmjs.org/es-set-tostringtag/-/es-set-tostringtag-2.1.0.tgz",
  "integrity": "sha512-j6vWzfrGVfyXxge+00x5sh6cvxAog0a/4Rdd2K36zCMV5eJ+/+t0AngR08cODMNwbVRdVlmgZQL2YS3yR8bIUA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "get-intrinsic": "^1.2.6",
    "has-tostringtag": "^1.0.2",
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-shim-unscopables": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/es-shim-unscopables/-/es-shim-unscopables-1.1.0.tgz",
  "integrity": "sha512-d9T8ucsEhh8Bi1woXCf+TIKDIR0LG5Wckxg8geBCbvk22kzwC5G20nXVM06FUsvQ1gUUXQ2itephWDLqDzbeCw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "hasown": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/es-to-primitive": {
  "version": "1.3.0",
  "resolved": "https://registry.npmjs.org/es-to-primitive/-/es-to-primitive-1.3.0.tgz",
  "integrity": "sha512-w+5mJ3GuFL+NjVtJlvydShqE1eN3h3PbI7/5LAsYJP/2qtuMXjfL2LpHSRqo4b4eSF5K/DH1JXKUAHSB2UW50g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-callable": "^1.2.7",
    "is-date-object": "^1.0.5",
    "is-symbol": "^1.0.4"
  },
  "engines": {
    "node": ">= 0.4"
  }
}

```



```

    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/escalade": {
    "version": "3.2.0",
    "resolved": "https://registry.npmjs.org/escalade/-/escalade-3.2.0.tgz",
    "integrity": "sha512-WUj2qlxatO4g6Pq5c29GTcWGDyd8itL8zTlipgECz3JesAii0Kotd8JU6otB3PACgG6xkJUyVhboMS+bje/jA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/escape-string-regexp": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/escape-string-regexp/-/escape-string-regexp-4.0.0.tgz",
    "integrity": "sha512-TtpcN3XAZx3Gq8sWRzJaVajRs0uVxA2YAkdb1jm2YkPz4G6egUFAYa3n5vtEIZefPk5Wa4UXbKuS5fKkJWdGA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    }
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/eslint": {
  "version": "9.39.4",
  "resolved": "https://registry.npmjs.org/eslint/-/eslint-9.39.4.tgz",
  "integrity": "sha512-XoMjdBOwe/esVgEvLmNsD3IRHkm7fbKIUGvrleloJXUZgDHig2IPWNniv+GwjyJXzuNqVjlr5+4yVUZjycJwfQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@eslint-community/eslint-utils": "^4.8.0",
    "@eslint-community/regexpp": "^4.12.1",
    "@eslint/config-array": "^0.21.2",
    "@eslint/config-helpers": "^0.4.2",
    "@eslint/core": "^0.17.0",
    "@eslint/eslintrc": "^3.3.5",
    "@eslint/js": "9.39.4",
    "@eslint/plugin-kit": "^0.4.1",
    "@humanfs/node": "^0.16.6",
    "@humanwhocodes/module-importer": "^1.0.1",
    "@humanwhocodes/retry": "^0.4.2",
    "@types/estree": "^1.0.6",
    "ajv": "^6.14.0",
    "chalk": "^4.0.0",
    "cross-spawn": "^7.0.6",
    "debug": "^4.3.2",
    "escape-string-regexp": "^4.0.0",
    "eslint-scope": "^8.4.0",
    "eslint-visitor-keys": "^4.2.1",
    "esprez": "^10.4.0",
    "esquery": "^1.5.0",
    "esutils": "^2.0.2",
    "fast-deep-equal": "^3.1.3",
    "file-entry-cache": "^8.0.0",
    "find-up": "^5.0.0",
    "glob-parent": "^6.0.2",
    "ignore": "^5.2.0",
  }
}

```

```

    "imurmurhash": "^0.1.4",
    "is-glob": "^4.0.0",
    "json-stable-stringify-without-jsonify": "^1.0.1",
    "lodash.merge": "^4.6.2",
    "minimatch": "^3.1.5",
    "natural-compare": "^1.4.0",
    "optionator": "^0.9.3"
  },
  "bin": {
    "eslint": "bin/eslint.js"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "url": "https://eslint.org/donate"
  },
  "peerDependencies": {
    "jiti": "*"
  },
  "peerDependenciesMeta": {
    "jiti": {
      "optional": true
    }
  }
},
"node_modules/eslint-config-next": {
  "version": "16.2.6",
  "resolved": "https://registry.npmjs.org/eslint-config-next/-/eslint-config-next-16.2.6.tgz",
  "integrity": "sha512-z2ELYSkyrrJ6cuunTU8vhsT/RpouPkjaSah06nVW6Rg2Hpg0Vs8s497/e5s8G8qtdp4ccsiovz5P1rv+5VSW2Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@next/eslint-plugin-next": "16.2.6",
    "eslint-import-resolver-node": "^0.3.6",
    "eslint-import-resolver-typescript": "^3.5.2",
    "eslint-plugin-import": "^2.32.0",
    "eslint-plugin-jsx-a11y": "^6.10.0",
    "eslint-plugin-react": "^7.37.0",
    "eslint-plugin-react-hooks": "^7.0.0",
    "globals": "16.4.0",
    "typescript-eslint": "^8.46.0"
  },
  "peerDependencies": {
    "eslint": ">=9.0.0",
    "typescript": ">=3.3.1"
  },
  "peerDependenciesMeta": {
    "typescript": {
      "optional": true
    }
  }
},
"node_modules/eslint-config-next/node_modules/globals": {
  "version": "16.4.0",
  "resolved": "https://registry.npmjs.org/globals/-/globals-16.4.0.tgz",
  "integrity": "sha512-ob/2LcVVaVGcYN+r14cnwnoDPuUfjiYgSqRhiFD0Q1iI40dora5RE8Iv1D24hAz5oMophRGkGz+yuvQmmUMnMw==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=18"
  },
  "funding": {

```

```

    "url": "https://github.com/sponsors/sindresorhus"
  },
  "node_modules/eslint-import-resolver-node": {
    "version": "0.3.10",
    "resolved": "https://registry.npmjs.org/eslint-import-resolver-node-0.3.10.tgz",
    "integrity": "sha512-tRrKqFyCaKict5h0d244sL6EQFNycnMQnBe+j8uqGNXYzsImGbGUU4ibtoaBmv5FLwJwcFJNeg1GeVjQfbMrDQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "debug": "^3.2.7",
      "is-core-module": "^2.16.1",
      "resolve": "^2.0.0-next.6"
    }
  },
  "node_modules/eslint-import-resolver-node/node_modules/debug": {
    "version": "3.2.7",
    "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
    "integrity": "sha512-CFjzYYAi4ThfiQvizrFQevTTXHTnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "ms": "^2.1.1"
    }
  },
  "node_modules/eslint-import-resolver-typescript": {
    "version": "3.10.1",
    "resolved": "https://registry.npmjs.org/eslint-import-resolver-typescript/-/eslint-import-resolver-typescript-3.10.1.tgz",
    "integrity": "sha512-A1rHYb06zjMGAXdLSkN2fXPBwuSaQ0i05M/hdyS0Ajj1VBaRp0sPD3dn1FhME3c/JluGFbwSxyCfqdSbtQLAHQ==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "@nolyfill/is-core-module": "1.0.39",
      "debug": "^4.4.0",
      "get-tsconfig": "^4.10.0",
      "is-bun-module": "^2.0.0",
      "stable-hash": "^0.0.5",
      "tinyglobby": "^0.2.13",
      "unrs-resolver": "^1.6.2"
    },
    "engines": {
      "node": "^14.18.0 || >=16.0.0"
    },
    "funding": {
      "url": "https://opencollective.com/eslint-import-resolver-typescript"
    },
    "peerDependencies": {
      "eslint": "*",
      "eslint-plugin-import": "*",
      "eslint-plugin-import-x": "*"
    },
    "peerDependenciesMeta": {
      "eslint-plugin-import": {
        "optional": true
      },
      "eslint-plugin-import-x": {
        "optional": true
      }
    }
  },

```

```

"node_modules/eslint-module-utils": {
  "version": "2.12.1",
  "resolved": "https://registry.npmjs.org/eslint-module-utils/-/eslint-module-utils-2.12.1.tgz",
  "integrity": "sha512-33eR/3HjL4zddbf5U58Ec96c5qS9672ZsPqAa0418ACdX0lUbp/5JdY0ZtL3D1o2ddzYflmkjH59Y8HhGg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "debug": "^3.2.7"
  },
  "engines": {
    "node": ">=4"
  },
  "peerDependenciesMeta": {
    "eslint": {
      "optional": true
    }
  }
},
"node_modules/eslint-module-utils/node_modules/debug": {
  "version": "3.2.7",
  "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
  "integrity": "sha512-CrjH9t9JTBKeX2I7I9Ae9iY5i0Ea9Jb5s3ImwV2O4OvXh17a+hxb5z83nHAz8YU/GPm+vdhQjVA4Vrk3wA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "ms": "^2.1.1"
  }
},
"node_modules/eslint-plugin-import": {
  "version": "2.32.0",
  "resolved": "https://registry.npmjs.org/eslint-plugin-import/-/eslint-plugin-import-2.32.0.tgz",
  "integrity": "sha512-ORW0Ww595/72Aa8Vl0sH7ME9j8d5BpJ1URjZjJf9Q8gxV9eJVNAB5BxFwQeQpB7W0DFb10JpQV6oHtHxVA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@rtsao/scc": "^1.1.0",
    "array-includes": "^3.1.9",
    "array.prototype.findlastindex": "^1.2.6",
    "array.prototype.flat": "^1.3.3",
    "array.prototype.flatmap": "^1.3.3",
    "debug": "^3.2.7",
    "doctrine": "^2.1.0",
    "eslint-import-resolver-node": "^0.3.9",
    "eslint-module-utils": "^2.12.1",
    "hasown": "^2.0.2",
    "is-core-module": "^2.16.1",
    "is-glob": "^4.0.3",
    "minimatch": "^3.1.2",
    "object.fromentries": "^2.0.8",
    "object.groupby": "^1.0.3",
    "object.values": "^1.2.1",
    "semver": "^6.3.1",
    "string.prototype.trimend": "^1.0.9",
    "tsconfig-paths": "^3.15.0"
  },
  "engines": {
    "node": ">=4"
  },
  "peerDependencies": {
    "eslint": "^2 || ^3 || ^4 || ^5 || ^6 || ^7.2.0 || ^8 || ^9"
  }
}

```

```

    },
    "node_modules/eslint-plugin-import/node_modules/debug": {
      "version": "3.2.7",
      "resolved": "https://registry.npmjs.org/debug/-/debug-3.2.7.tgz",
      "integrity": "sha512-CFjzYYAi4ThfiQvizrFQevTTXhtnCqWfe7x1AhgEscTz6ZbLbfoLRLPugTQyBth6f8ZERVUSyWHFD/7Wu4t1XQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "ms": "^2.1.1"
      }
    },
    "node_modules/eslint-plugin-jsx-a11y": {
      "version": "6.10.2",
      "resolved": "https://registry.npmjs.org/eslint-plugin-jsx-a11y/-/eslint-plugin-jsx-a11y-6.10.2.tgz",
      "integrity": "sha512-scB3nz4WmG75pV8+3eRUQOHZlNSUhfNq37xnpGRkCCELU3XMvXAxLk1eqWwYyE22Ki4Q01FnsW9BA3cJHDPgn2Q==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "aria-query": "^5.3.2",
        "array-includes": "^3.1.8",
        "array.prototype.flatmap": "^1.3.2",
        "ast-types-flow": "^0.0.8",
        "axe-core": "^4.10.0",
        "axobject-query": "^4.1.0",
        "damerau-levenshtein": "^1.0.8",
        "emoji-regex": "^9.2.2",
        "hasown": "^2.0.2",
        "jsx-ast-utils": "^3.3.5",
        "language-tags": "^1.0.9",
        "minimatch": "^3.1.2",
        "object.fromentries": "^2.0.8",
        "safe-regex-test": "^1.0.3",
        "string.prototype.includes": "^2.0.1"
      },
      "engines": {
        "node": ">=4.0"
      },
      "peerDependencies": {
        "eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9"
      }
    },
    "node_modules/eslint-plugin-react": {
      "version": "7.37.5",
      "resolved": "https://registry.npmjs.org/eslint-plugin-react/-/eslint-plugin-react-7.37.5.tgz",
      "integrity": "sha512-Qteup0SqU15KdocexFNAJMcJEfa2xUKNV4CC1xsVMrIIqEy3SQ/rqyxCWnzfrd3/ldy6HM1D2e0JDVpDg2qIA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "array-includes": "^3.1.8",
        "array.prototype.findlast": "^1.2.5",
        "array.prototype.flatmap": "^1.3.3",
        "array.prototype.tosorted": "^1.1.4",
        "doctrine": "^2.1.0",
        "es-iterator-helpers": "^1.2.1",
        "estraverse": "^5.3.0",
        "hasown": "^2.0.2",
        "jsx-ast-utils": "^2.4.1 || ^3.0.0",
        "minimatch": "^3.1.2",
        "object.entries": "^1.1.9",
        "object.fromentries": "^2.0.8",
        "object.values": "^1.2.1",

```

```

    "prop-types": "^15.8.1",
    "resolve": "^2.0.0-next.5",
    "semver": "^6.3.1",
    "string.prototype.matchall": "^4.0.12",
    "string.prototype.repeat": "^1.0.0"
  },
  "engines": {
    "node": ">=4"
  },
  "peerDependencies": {
    "eslint": "^3 || ^4 || ^5 || ^6 || ^7 || ^8 || ^9.7"
  }
},
"node_modules/eslint-plugin-react-hooks": {
  "version": "7.1.1",
  "resolved": "https://registry.npmjs.org/eslint-plugin-react-hooks/-/eslint-plugin-react-hooks-7.1.1.tgz",
  "integrity": "sha512-f2I7Gw6JbvCexzIIInuSbZpfdQ44D7iqdWX01FKLvrPgqxoE7oMj8cl0fto8U6vYiz4yd5oKu39rRSV0e1zRu0g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "@babel/core": "^7.24.4",
    "@babel/parser": "^7.24.4",
    "hermes-parser": "^0.25.1",
    "zod": "^3.25.0 || ^4.0.0",
    "zod-validation-error": "^3.5.0 || ^4.0.0"
  },
  "engines": {
    "node": ">=18"
  },
  "peerDependencies": {
    "eslint": "^3.0.0 || ^4.0.0 || ^5.0.0 || ^6.0.0 || ^7.0.0 || ^8.0.0-0 || ^9.0.0 || ^10.0.0"
  }
},
"node_modules/eslint-scope": {
  "version": "8.4.0",
  "resolved": "https://registry.npmjs.org/eslint-scope/-/eslint-scope-8.4.0.tgz",
  "integrity": "sha512-sX01t3RiS1h9pYU2u9u2v11RTl3w19fY1XaJ4wzWYU2XV03YUwq00Dz3Zp10H6Cv13xX0wzqQ1q1Tg==",
  "dev": true,
  "license": "BSD-2-Clause",
  "dependencies": {
    "esrecurse": "^4.3.0",
    "estraverse": "^5.2.0"
  },
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
},
"node_modules/eslint-visitor-keys": {
  "version": "4.2.1",
  "resolved": "https://registry.npmjs.org/eslint-visitor-keys/-/eslint-visitor-keys-4.2.1.tgz",
  "integrity": "sha512-0ZUwHd7F2w88LHqR88khhbZD8T9lJ0R8JYXa5V605W/X1azD8K4wVd0p8UgmmAB1jHv7A90HmK8WQ==",
  "dev": true,
  "license": "Apache-2.0",
  "engines": {
    "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
  },
  "funding": {
    "url": "https://opencollective.com/eslint"
  }
}

```

63/819

```

    "dev": true,
    "license": "BSD-2-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/fast-deep-equal": {
    "version": "3.1.3",
    "resolved": "https://registry.npmjs.org/fast-deep-equal/-/fast-deep-equal-3.1.3.tgz",
    "integrity": "sha512-f3qQ9oQy9j2AhBe/H9VC91wLmKBCCU/gDOnKNAyG5hswO7BLKj09Hc5HYNz9cGI++xlpDCIgDaitVs03ATR84Q==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fast-glob": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/fast-glob/-/fast-glob-3.3.1.tgz",
    "integrity": "sha512-kNFPyjh5cKjrUltxs+wFx+ZkbRaxxmZ+X0ZU31S0sxCETp9VPgtq2teZw1DebupL5GmDaNQ6yKMMVcM41iqDg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@nodelib/fs.stat": "^2.0.2",
      "@nodelib/fs.walk": "^1.2.3",
      "glob-parent": "^5.1.2",
      "merge2": "^1.3.0",
      "micromatch": "^4.0.4"
    },
    "engines": {
      "node": ">=8.6.0"
    }
  },
  "node_modules/fast-glob/node_modules/glob-parent": {
    "version": "5.1.2",
    "resolved": "https://registry.npmjs.org/glob-parent/-/glob-parent-5.1.2.tgz",
    "integrity": "sha512-AOIgSQCepijYwP3ARnGx+5VnTu2HBYdzbGP45eLw1vr3zB3vZLeyed1sC9hnbcOc9/SrMyM5RPQrkGz4aS9Zow==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "is-glob": "^4.0.1"
    },
    "engines": {
      "node": ">= 6"
    }
  },
  "node_modules/fast-json-stable-stringify": {
    "version": "2.1.0",
    "resolved": "https://registry.npmjs.org/fast-json-stable-stringify/-/fast-json-stable-stringify-2.1.0.tgz",
    "integrity": "sha512-lhd/wF+Lk98HZoTCtlVraHtfh5XYijIjalXck7saUtuanSDyLMxnHhSXEDJqHxD7msR8D0uCmqlkwjCV8xvwHw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fast-levenshtein": {
    "version": "2.0.6",
    "resolved": "https://registry.npmjs.org/fast-levenshtein/-/fast-levenshtein-2.0.6.tgz",
    "integrity": "sha512-jWqWtObwOM1ca6U5Dz9BVTzYCVVq5fL88cxoz6uHdpbGM47laxtySHBU7Xf9z9HkN2L82a+82aV41Y0R1TQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/fastq": {
    "version": "1.20.1",

```



```

    "resolved": "https://registry.npmjs.org/fastq/-/fastq-1.20.1.tgz",
    "integrity": "sha512-
GGToxJ/w1x32s/D2EKND7kTil4n8OVk/9mycTc4VDza13lOvpUZTGX3mFSCtV9ksdGBVzvsyAVLM6mHFTxXw==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "reusify": "^1.0.4"
    }
  },
  "node_modules/file-entry-cache": {
    "version": "8.0.0",
    "resolved": "https://registry.npmjs.org/file-entry-cache/-/file-entry-cache-8.0.0.tgz",
    "integrity": "sha512-
XXTUwCvisa5oacNGRP9SfNtYBNAMi+RPwBFmb1ZEF7N7swHYQS6/Zfk7SRwx4D5j3CH211YNRco1DEMNVfZCnQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "flat-cache": "^4.0.0"
    },
    "engines": {
      "node": ">=16.0.0"
    }
  },
  "node_modules/fill-range": {
    "version": "7.1.1",
    "resolved": "https://registry.npmjs.org/fill-range/-/fill-range-7.1.1.tgz",
    "integrity": "sha512-
YsGpe3WHLK8ZYi4tWDg2Jy3ebRz2rXowDxnld4bkQB00cc/1Zw9AWnC0i9ztDJitvtQvaI9KaLyKrc+hBW0yg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "to-regex-range": "^5.0.1"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/find-up": {
    "version": "5.0.0",
    "resolved": "https://registry.npmjs.org/find-up/-/find-up-5.0.0.tgz",
    "integrity": "sha512-
78/PXT1wlLLDgTzDs7sjq9hzz0vXD+zn+7wypEe4fXQxCmdmqfGsEPQxmiCSQI3ajFV91bVSsvNtrJRiW6nGng==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "locate-path": "^6.0.0",
      "path-exists": "^4.0.0"
    },
    "engines": {
      "node": ">=10"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/flat-cache": {
    "version": "4.0.1",
    "resolved": "https://registry.npmjs.org/flat-cache/-/flat-cache-4.0.1.tgz",
    "integrity": "sha512-
f7ccFPK3SXFHpx15UIGyRJ/FJQctuKZ0zVuN3frBo4HnK3cay9VEW0R6yPYFHC0AgqhukPzKjq22t5DmAyqGyw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "flatted": "^3.2.9",
      "keyv": "^4.5.4"
    }
  }
}

```

```

    },
    "engines": {
      "node": ">=16"
    }
  },
  "node_modules/flatted": {
    "version": "3.4.2",
    "resolved": "https://registry.npmjs.org/flatted/-/flatted-3.4.2.tgz",
    "integrity": "sha512-PjdDse7RzhcPkIJwy5t7KPWQSZ9cAbzQXcafsetQoD7s0JRQlGikNbx7yZp20otDnJyrDcbyRq3Ttb18iY0qkxA==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/for-each": {
    "version": "0.3.5",
    "resolved": "https://registry.npmjs.org/for-each/-/for-each-0.3.5.tgz",
    "integrity": "sha512-dKx12eRCVIZqCxFGplyFKJMPvLEWgmNtUrpTiJIR5u97zEhRG8ySrtboPHZxx7daLxQVr1643cTzbab2tkQjxg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-callable": "^1.2.7"
    }
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/framer-motion": {
  "version": "12.40.0",
  "resolved": "https://registry.npmjs.org/framer-motion/-/framer-motion-12.40.0.tgz",
  "integrity": "sha512-uaBd3qC1v3KQqBEjwTud183K6PbS+j0yR9w9VmEOLWA/tnUcSn8Xa3uck7t4dgpDoUss8xQTcj8W2L07lrnLFg==",
  "license": "MIT",
  "dependencies": {
    "motion-dom": "^12.40.0",
    "motion-utils": "^12.39.0",
    "tslib": "^2.4.0"
  },
  "peerDependencies": {
    "@emotion/is-prop-valid": "*",
    "react": "^18.0.0 || ^19.0.0",
    "react-dom": "^18.0.0 || ^19.0.0"
  },
  "peerDependenciesMeta": {
    "@emotion/is-prop-valid": {
      "optional": true
    },
    "react": {
      "optional": true
    },
    "react-dom": {
      "optional": true
    }
  }
},
"node_modules/function-bind": {
  "version": "1.1.2",
  "resolved": "https://registry.npmjs.org/function-bind/-/function-bind-1.1.2.tgz",
  "integrity": "sha512-7XHNxH7qX9xG5mIwxkhumTox/MIRNcOgDrxWsMt2pAr23WHP6MrR1N7FBSFpCpr+oV00F744iUgR82nJMFg2SA==",
  "dev": true,
  "license": "MIT",

```

```

    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/function.prototype.name": {
    "version": "1.1.8",
    "resolved": "https://registry.npmjs.org/function.prototype.name/-/function.prototype.name-1.1.8.tgz",
    "integrity": "sha512-e5iwyodOHhbMr/yNrc7fDYG4qlbIvI5gajyzPnb5TCwyhjApznQh1BMFou9b30SevY43gCJKXycoCBjMbsuW0Q==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "functions-have-names": "^1.2.3",
      "hasown": "^2.0.2",
      "is-callable": "^1.2.7"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/functions-have-names": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/functions-have-names/-/functions-have-names-1.2.3.tgz",
    "integrity": "sha512-xckBUxyTIqT97tq2x2AMb+g163b5JFysYk0x4qxNFwbFQkmNZoiRHb6sPzI9/QV33WeuvVYBUIiD4NzNIyqaRQ==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/generator-function": {
    "version": "2.0.1",
    "resolved": "https://registry.npmjs.org/generator-function/-/generator-function-2.0.1.tgz",
    "integrity": "sha512-SFdfFmIIj+ybC0vjlHN0ZGVGHc3lgE0DxPAT0djjVg+kjOnSqclqmj0KQ7ykTOLP6Yxoq0vuAODGdcHJn+43q3g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/gensync": {
    "version": "1.0.0-beta.2",
    "resolved": "https://registry.npmjs.org/gensync/-/gensync-1.0.0-beta.2.tgz",
    "integrity": "sha512-3hN7NaskYvMDLQY55gnW3NQ+mesEAepTqlg+VEbj7zzqEMBVNhzcGYyeqFo/TlYz6eQiFcp1HcsCZ0+nGgS8z==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6.9.0"
    }
  },
  "node_modules/get-intrinsic": {
    "version": "1.3.0",
    "resolved": "https://registry.npmjs.org/get-intrinsic/-/get-intrinsic-1.3.0.tgz",
    "integrity": "sha512-9fSjSaos/fRIVip+xSJlE6lfwHES7LntKaCBiamHsjr2na1BiABJPo0mOjjz8GJDURarmCPGqaiVg5mfjb98CQ==",

```

```

    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind-apply-helpers": "^1.0.2",
      "es-define-property": "^1.0.1",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.1.1",
      "function-bind": "^1.1.2",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "has-symbols": "^1.1.0",
      "hasown": "^2.0.2",
      "math-intrinsics": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/get-proto": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/get-proto/-/get-proto-1.0.1.tgz",
    "integrity": "sha512-sTSfBjoxBp89JvIKIefqw7U2CCebsc74kiY6awiGogKtoSGbgjYE/G/+19sF3MWFpNc9IcoOC40DfKHfxFmp0g==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "dunder-proto": "^1.0.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/get-symbol-description": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/get-symbol-description/-/get-symbol-description-1.1.0.tgz",
    "integrity": "sha512-w9UMQWwJxHNOvoNzSJ2oPF5swYcVp7jUvYzhp67yEhTi17ZDBBC1z9pTdGuzjD+EFiQLSYRweZjqfiPzQ06Ebg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.6"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/get-tsconfig": {
    "version": "4.14.0",
    "resolved": "https://registry.npmjs.org/get-tsconfig/-/get-tsconfig-4.14.0.tgz",
    "integrity": "sha512-yTb+8DXzDREzgvYmh6s9vHsSVChEC0G3PI5bEXNBHtmshPnO+S507qgLEOn0I5QvMy6kpZN8K1NKGyilLb93wA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "resolve-pkg-maps": "^1.0.0"
    }
  }
}

```

69/819

```

"node_modules/graceful-fs": {
  "version": "4.2.11",
  "resolved": "https://registry.npmjs.org/graceful-fs/-/graceful-fs-4.2.11.tgz",
  "integrity": "sha512-RbJ5/jmFcNNCcDV5o9eTnBLJ/HszWV0P73bc+FF4nS/rJj+YaS6IGyiOL0VoBYX+l1Wr13k63h/KrH+nhJ0XvQ==",
  "dev": true,
  "license": "ISC"
},
"node_modules/has-bigints": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/has-bigints/-/has-bigints-1.1.0.tgz",
  "integrity": "sha512-2L4SjKvUNxYHJdHsqTnB9Hk1/61zLwSZ8vXwJgA7/rfYDgP4vYOAgbKyWIej7Lkx3JVSxhJCjZLpX6p8A==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/has-flag": {
  "version": "4.0.0",
  "resolved": "https://registry.npmjs.org/has-flag/-/has-flag-4.0.0.tgz",
  "integrity": "sha512-EykJT/Q1KjTWctppgIAgfS00tKvUzUjhgMr17kqTumMl6Afv3EISleU7qZUzoXDFTAHTDC4N0oG/ZxU3Ev1MPQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=8"
  }
},
"node_modules/has-property-descriptors": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/has-property-descriptors/-/has-property-descriptors-1.0.2.tgz",
  "integrity": "sha512-3Zt63tF3G5A8Pb9HbvWqa24Q0yptS0itKwRnLTLBZK1pM2sREh36hwYsqr2o74Rcl/Zo7nrR1GGe8klvB0=",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-define-property": "^1.0.0"
  }
},
"node_modules/has-proto": {
  "version": "1.2.0",
  "resolved": "https://registry.npmjs.org/has-proto/-/has-proto-1.2.0.tgz",
  "integrity": "sha512-pI7Pa8e2jo7g5acWzpKn31OXaWNxWtbuLXJ3PsoLzwIBs8//DmYlreGwHu2qU4UeHUWdQDlJGKQF7LW1p3Y=",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "dunder-proto": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},

```

71/819

```

    "version": "5.3.2",
    "resolved": "https://registry.npmjs.org/ignore/-/ignore-5.3.2.tgz",
    "integrity": "sha512-
hsBTNUqQTDWkwtcdYI2i06Y/nUBESNEDJKjWdigLvegy8kDuJAS8uRlpkccQpyEXL0Z/pjDy5HBmMjRCJ2gq+g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 4"
    }
  },
  "node_modules/import-fresh": {
    "version": "3.3.1",
    "resolved": "https://registry.npmjs.org/import-fresh/-/import-fresh-3.3.1.tgz",
    "integrity": "sha512-
TR3KfrTZYLPB6jUjfx6MF9WcWrHL9su5TOBK4ZkYgBdWKP0FoSoQIdEuTuR82pmtxH2spWG9h6etwfr1pLBqQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "parent-module": "^1.0.0",
      "resolve-from": "^4.0.0"
    },
    "engines": {
      "node": ">=6"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/imurmurhash": {
    "version": "0.1.4",
    "resolved": "https://registry.npmjs.org/imurmurhash/-/imurmurhash-0.1.4.tgz",
    "integrity": "sha512-
JmXMZ6wuvDmLiHEml9ykzq06lwFbof0GG4IkGgaENdCRDDmMVnny7s5HSIgHCbaq0w2MyPhDqkhTUgS2LU2PHA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.8.19"
    }
  },
  "node_modules/internal-slot": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/internal-slot/-/internal-slot-1.1.0.tgz",
    "integrity": "sha512-
4gd7VpWNQNB4UKKCFVcP1AVv+FM0gs9NKzjHKusc8jTMhd5eL1NqQqOpE0KzMds804/yHlglp3uxglu0qAPLw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "hasown": "^2.0.2",
      "side-channel": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/is-array-buffer": {
    "version": "3.0.5",
    "resolved": "https://registry.npmjs.org/is-array-buffer/-/is-array-buffer-3.0.5.tgz",
    "integrity": "sha512-
DDfANUiiG2wC1qawP66qlTugJelSHyzMpfr8lLK+jMQirGzNod0B12cFB/9q838Ru27sBwfw78/rdoU7RERz6A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",

```



```

    "get-intrinsic": "^1.2.6"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-async-function": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/is-async-function/-/is-async-function-2.1.1.tgz",
  "integrity": "sha512-9dgM/cZBnNvjzaMYHVoxxfPj2QXt22Ev7SuuPrs+xav0ukGB0S6d4ydZdEiM48kLx5kDV+QBPrpVnFyefL8kkQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "async-function": "^1.0.0",
    "call-bound": "^1.0.3",
    "get-proto": "^1.0.1",
    "has-tostringtag": "^1.0.2",
    "safe-regex-test": "^1.1.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-bigint": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/is-bigint/-/is-bigint-1.1.0.tgz",
  "integrity": "sha512-n4ZT37wG78iz03xPRKJrHTdZbe3IicyucEtdRsV5yglwc3GyUfBAfpSeD0FJ41NbUNSt5wbhqfp1fS+BgnvDFQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "has-bigints": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-boolean-object": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/is-boolean-object/-/is-boolean-object-1.2.2.tgz",
  "integrity": "sha512-wa5602/E1JMYqjCjGkXri7it5FbebW5usLw/nPmCMs5DeZ7eziSYZhSmPRn0txqew4LnAmQQU7FgqLpsEFKM4A==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.3",
    "has-tostringtag": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},

```

```

"node_modules/is-bun-module": {
  "version": "2.0.0",
  "resolved": "https://registry.npmjs.org/is-bun-module/-/is-bun-module-2.0.0.tgz",
  "integrity": "sha512-gNcGBnnnnFAUGKeZ9PdbyeGYJqewpmc2aKHUEM05nQPWU9l0mv7jcmQIv+qHD8fXW6W7qfuCwX4rY9LNRjXrkQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "semver": "^7.7.1"
  }
},
"node_modules/is-bun-module/node_modules/semver": {
  "version": "7.8.0",
  "resolved": "https://registry.npmjs.org/semver/-/semver-7.8.0.tgz",
  "integrity": "sha512-10fE21039p/29V2p/4tW0p08bW6Q66F38v2DfM5+13363132IeZ38j1oY9qt68146394Cw8DkYU13BuA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  },
  "engines": {
    "node": ">=10"
  }
},
"node_modules/is-callable": {
  "version": "1.2.7",
  "resolved": "https://registry.npmjs.org/is-callable/-/is-callable-1.2.7.tgz",
  "integrity": "sha512-1BC0BVFhS/p0qtw6enp8e+80D0UrK0oFLztSjNzhcKA3WDuJxxAPXzPuPtKkjEY9UuoEWlX/8fgKeu2S8i9JTA==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-core-module": {
  "version": "2.16.2",
  "resolved": "https://registry.npmjs.org/is-core-module/-/is-core-module-2.16.2.tgz",
  "integrity": "sha512-icSvZDpA8yB56Mz1A/rnXj5G2sVl0a6u035624Gz3Vh4e35B7W4e8UJh1Xr2CBXm4/hSX1OQV7Q8aUg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "hasown": "^2.0.3"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-data-view": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/is-data-view/-/is-data-view-1.0.2.tgz",
  "integrity": "sha512-RKtWF8pGmS87i2D6gqQu/17EYRlVdfzemCJN/P3UOs//x1QE7mfhvzHIApBTRf7axvT6DMGwSwBXyCT0nfb9xw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.2",

```

```

    "get-intrinsic": "^1.2.6",
    "is-typed-array": "^1.1.13"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-date-object": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/is-date-object/-/is-date-object-1.1.0.tgz",
  "integrity": "sha512-PwwhEakHVKTdRNV0w+/Gyh0+Mz1C14R6qKvkhuvtPMggI1WAHt9s0wZxQLSGpUaDnrDyDsomoRgNnCfKNSXXg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.2",
    "has-tostringtag": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-extglob": {
  "version": "2.1.1",
  "resolved": "https://registry.npmjs.org/is-extglob/-/is-extglob-2.1.1.tgz",
  "integrity": "sha512-SbKbANKN603Vi4jEZv49LeVJMn4yGwsbzZworEoyEiutsN3nJYdbO36zfHGGJ6QEDpOZIFkDtnq5JRxmvl3jsoQ==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/is-finalizationregistry": {
  "version": "1.1.1",
  "resolved": "https://registry.npmjs.org/is-finalizationregistry/-/is-finalizationregistry-1.1.1.tgz",
  "integrity": "sha512-1pC6N8qWJbWoPtEjgcl2xyhQOP491EQjeUo3qTKcmV8YSDDJrOepfG8pcC7h/QgnQHYSv0mJ3Z/ZWxmatVrysg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.3"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/is-generator-function": {
  "version": "1.1.2",
  "resolved": "https://registry.npmjs.org/is-generator-function/-/is-generator-function-1.1.2.tgz",
  "integrity": "sha512-1pC6N8qWJbWoPtEjgcl2xyhQOP491EQjeUo3qTKcmV8YSDDJrOepfG8pcC7h/QgnQHYSv0mJ3Z/ZWxmatVrysg==",
  "dev": true,
  "license": "MIT",

```

```

    "dependencies": {
      "call-bound": "^1.0.4",
      "generator-function": "^2.0.0",
      "get-proto": "^1.0.1",
      "has-tostringtag": "^1.0.2",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-glob": {
    "version": "4.0.3",
    "resolved": "https://registry.npmjs.org/is-glob/-/is-glob-4.0.3.tgz",
    "integrity": "sha512-xelSayHH36ZgE7ZWlh7pw34hNbN180jv5KVmkJD4hBdD3th8Tfk9vYasLM+mXWOZhFkgZfxhLSnrwRr4elSSg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-extglob": "^2.1.1"
    },
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/is-map": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-map/-/is-map-2.0.3.tgz",
    "integrity": "sha512-1Qed0/Hr2m+YqxnM09CjA2d/i6YZNF6R2oRAOj36eUdS6qIV/huPJNSEpKbupewFs+ZsJlxsjjPbc0/afW6Lw==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-negative-zero": {
    "version": "2.0.3",
    "resolved": "https://registry.npmjs.org/is-negative-zero/-/is-negative-zero-2.0.3.tgz",
    "integrity": "sha512-1Ih0Hm4sBj0S4Qz4WbtBJ5RlAYgqS4aL9Tg8+R+07DlPbqK4qB04GEiMnVg8GNdIHtOqqmnd3BtUc5Or==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-number": {
    "version": "7.0.0",
    "resolved": "https://registry.npmjs.org/is-number/-/is-number-7.0.0.tgz",
    "integrity": "sha512-41Cifkg6e8TylSpdtTpeLVMqvSBEVzTttHvERD741+pnZ8ANv0004MRL43QKPD1K9cGvNp6NZWZUBlbGXYxxng==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.12.0"
    }
  }

```

```

    },
    "node_modules/is-number-object": {
      "version": "1.1.1",
      "resolved": "https://registry.npmjs.org/is-number-object/-/is-number-object-1.1.1.tgz",
      "integrity": "sha512-lZhclumE1G6VYD8VHe35wFaIif+CTy5SJII5+3y4psDgWu4wPD0BhF8NxU0inEc7pHgiTsT6MaBb92rKhhd+Xw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bound": "^1.0.3",
        "has-tostringtag": "^1.0.2"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/is-regex": {
      "version": "1.2.1",
      "resolved": "https://registry.npmjs.org/is-regex/-/is-regex-1.2.1.tgz",
      "integrity": "sha512-MjYsKH0507mCsmRGxWcLWheFqN9DJ/2TmngvjKXihe6efViPqc274+Fx/4fYj/r03+ESvBdTXK0V6tA3rgez1g==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bound": "^1.0.2",
        "gopd": "^1.2.0",
        "has-tostringtag": "^1.0.2",
        "hasown": "^2.0.2"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/is-set": {
      "version": "2.0.3",
      "resolved": "https://registry.npmjs.org/is-set/-/is-set-2.0.3.tgz",
      "integrity": "sha512-IUWUdSN+tE9FzDz7cl8dG/h6QdY1lIKwJep5dVzPULWwntDz1JmBguUtdIqf2EDvZgFqcYtK0UZjYKX/3A==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/is-shared-array-buffer": {
      "version": "1.0.4",
      "resolved": "https://registry.npmjs.org/is-shared-array-buffer/-/is-shared-array-buffer-1.0.4.tgz",
      "integrity": "sha512-1Ua8hStj335VpO7krbOMU5cijzsX9vH7aB7G+Xqk1t8dIUjXqPT9V7dvx5I9JKg49YqFIKtq3U9ftjeD9A==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bound": "^1.0.3"
      }
    },

```

```

    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-string": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-string/-/is-string-1.1.1.tgz",
    "integrity": "sha512-BtEeSsoaQjLSPBemMQIrY1MY0uM6vnS1g5fmufY0tnxLGUZM2178PKbbsk7Ffv58IX+ZtcvoGwccYsh0PglkAA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "has-tostringtag": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-symbol": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/is-symbol/-/is-symbol-1.1.1.tgz",
    "integrity": "sha512-9gGx6GTtCQM73BgmHGXfDmLtfjjTUDSyoxTCbp5WtoixAhfgsDirWIcVQ/IHpvI5Vgd5i/J5F7B9cN/WlVbC/w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "has-symbols": "^1.1.0",
      "safe-regex-test": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-typed-array": {
    "version": "1.1.15",
    "resolved": "https://registry.npmjs.org/is-typed-array/-/is-typed-array-1.1.15.tgz",
    "integrity": "sha512-p3EcsicXjit7SaskXHs1hA91QxgTw46Fv6EFKKG5DRFLD8yKnohjF3hxoju94b/OcMZoQukzpPpBE9uLVKzgQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "which-typed-array": "^1.1.16"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/is-weakmap": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/is-weakmap/-/is-weakmap-2.0.2.tgz",
    "integrity": "sha512-18y343y6uXkDyjVhnKz5kqbT5lU6pXtU3pzcQ3IwX8I0ZVpQu3M975NQG5+u3A4q3I532gHtQGIKl5wneA=="
  }
}

```



```

H0dkQoCa3b2VEeKQB0xFph+JABcrQdE7KC0UkqwpLmv2EC4P41QXP+rqo9wYodACiG5/WM5s9oDApTUutwj9g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "define-data-property": "^1.1.4",
    "es-object-atoms": "^1.0.0",
    "get-intrinsic": "^1.2.6",
    "get-proto": "^1.0.0",
    "has-symbols": "^1.1.0",
    "set-function-name": "^2.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/jiti": {
  "version": "2.7.0",
  "resolved": "https://registry.npmjs.org/jiti/-/jiti-2.7.0.tgz",
  "integrity": "sha512-AC/7JofJvZGrrneWNaEnJe0LUx+JlGt7tNa0wZiRPT4MY1wmfKjt2+602p2uz2+skl180ZZmJMNqeke7kKbNgQ==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "jiti": "lib/jiti-cli.mjs"
  }
},
"node_modules/js-tokens": {
  "version": "4.0.0",
  "resolved": "https://registry.npmjs.org/js-tokens/-/js-tokens-4.0.0.tgz",
  "integrity": "sha512-  
RdJUflcE3cUzKiMqQgsCu06FPu9UdIJ00beYbPhHN4k6apgJtifcoCtT9bcx0pYBtpD2kCM6Sbzig4CausW/PKQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/js-yaml": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/js-yaml/-/js-yaml-4.1.1.tgz",
  "integrity": "sha512-qQKT4zQxXl8lLwBtHMMwaTcGfF0Zvi0Jet30y/xmGk2gZH677CJM9EvtfdSkgWcATZhj/55JZ0rmy3myCT5lsA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "argparse": "^2.0.1"
  },
  "bin": {
    "js-yaml": "bin/js-yaml.js"
  }
},
"node_modules/jsesc": {
  "version": "3.1.0",
  "resolved": "https://registry.npmjs.org/jsesc/-/jsesc-3.1.0.tgz",
  "integrity": "sha512-/sM3d02F0zXjKQhJuo0Q173wf2K0o8t4I8vHy6lF9poUp7bKT0/NHE8fPX23PwfhnkfqnC2xRxOnVw5XuGIaA==",
  "dev": true,
  "license": "MIT",
  "bin": {
    "jsesc": "bin/jsesc"
  },
  "engines": {
    "node": ">=6"
  }
},
"node_modules/json-buffer": {
  "version": "3.0.1",
  "resolved": "https://registry.npmjs.org/json-buffer/-/json-buffer-3.0.1.tgz",

```



```

    "integrity": "sha512-
4bV5BfR2mqfQTJm+V5tPPdf+ZpuhiIvTuAB5g8kcrXOZpTT/QwwVRWBywX1ozr6lEuPdbHxwaJlm9G6mI2sfSQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-schema-traverse": {
    "version": "0.4.1",
    "resolved": "https://registry.npmjs.org/json-schema-traverse/-/json-schema-traverse-0.4.1.tgz",
    "integrity": "sha512-
xhbCH5dCYU5T8LcEhhuh7HJ88HXuW3qsI3Y0zOZFKfZEHcpWiHU/Jxzk629Brsab/mMiHQti9wMP+845RPe3Vg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json-stable-stringify-without-jsonify": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/json-stable-stringify-without-jsonify/-/json-stable-
stringify-without-jsonify-1.0.1.tgz",
    "integrity": "sha512-
Bdboy+l7tA30GW6FjyFHWKp5LuByj1Tk33Ljyq0axyzdk9//JSi2u3fP1Q5md1KNWq6V0KYGlAu87CisVir6Pw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/json5": {
    "version": "2.2.3",
    "resolved": "https://registry.npmjs.org/json5/-/json5-2.2.3.tgz",
    "integrity": "sha512-
XmOWe7eyHYH14cLdVPoyg+G0H3rYX++KpzrylJwSW98t3Nk+U8X0l8FWK0gwtzdb8lXGf6zYwDUzeHMMWfxasyg==",
    "dev": true,
    "license": "MIT",
    "bin": {
      "json5": "lib/cli.js"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/jsx-ast-utils": {
    "version": "3.3.5",
    "resolved": "https://registry.npmjs.org/jsx-ast-utils/-/jsx-ast-utils-3.3.5.tgz",
    "integrity": "sha512-
ZZow9HBI5O6EPgSJJLUB8n2NKgmVWTwCvHGwFuJlMjvLFqLGG6pjirPhdtsseaLZjSibD8eegzmYpUZwoIlj2cQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "array-includes": "^3.1.6",
      "array.prototype.flat": "^1.3.1",
      "object.assign": "^4.1.4",
      "object.values": "^1.1.6"
    },
    "engines": {
      "node": ">=4.0"
    }
  },
  "node_modules/keyv": {
    "version": "4.5.4",
    "resolved": "https://registry.npmjs.org/keyv/-/keyv-4.5.4.tgz",
    "integrity": "sha512-
oxVHkHR/EJf2CNXnWxRLW6mg7JyCCUCG0DtEGmL2ctUo1PNTin1PUil+r/+4r5MpVgC/fn1kjsx7mjSujKqIpw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "json-buffer": "3.0.1"
    }
  },
  "node_modules/language-subtag-registry": {

```

```

    "version": "0.3.23",
    "resolved": "https://registry.npmjs.org/language-subtag-registry/-/language-subtag-registry-0.3.23.tgz",
    "integrity": "sha512-0K65Lea881pHotoGEa5gDlMxt3pctLi2RplBb7Ezh4rRdLE0tgi7n4EwK9lamnUCkKBqaeKRvEbTq6BAxSxpXQ==",
    "dev": true,
    "license": "CC0-1.0"
  },
  "node_modules/language-tags": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/language-tags/-/language-tags-1.0.9.tgz",
    "integrity": "sha512-MbjN408fEndfiQXbFQ1vnd+1NoLDsnQW41410oQBxiyXDMYH5z505juWa4KUE1LqxRC7DgOgZDbKLxHIwm27hA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "language-subtag-registry": "^0.3.20"
    }
  },
  "engines": {
    "node": ">=0.10"
  }
},
"node_modules/levn": {
  "version": "0.4.1",
  "resolved": "https://registry.npmjs.org/levn/-/levn-0.4.1.tgz",
  "integrity": "sha512-+bT2uH4E5LGE7h/n3evcS/sQlJXCpIp6ym80WJ5eV6+67DsQl/LaaT7qJBAT2rzfoa/5QGBghxDix1dMt2kQKQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "prelude-ls": "^1.2.1",
    "type-check": "~0.4.0"
  },
  "engines": {
    "node": ">= 0.8.0"
  }
},
"node_modules/lightningcss": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss/-/lightningcss-1.32.0.tgz",
  "integrity": "sha512-NXYBzinNrb1fraPGyrbPoD19C1h9lFI/1mzgWYvXUTE414Gz/X1FD2XBZSZM7rRTrMA8JL30tAaGifrIKhQ5yQ==",
  "dev": true,
  "license": "MPL-2.0",
  "dependencies": {
    "detect-libc": "^2.0.3"
  },
  "engines": {
    "node": ">= 12.0.0"
  }
},
"funding": {
  "type": "opencollective",
  "url": "https://opencollective.com/parcel"
},
"optionalDependencies": {
  "lightningcss-android-arm64": "1.32.0",
  "lightningcss-darwin-arm64": "1.32.0",
  "lightningcss-darwin-x64": "1.32.0",
  "lightningcss-freebsd-x64": "1.32.0",
  "lightningcss-linux-arm-gnueabi": "1.32.0",
  "lightningcss-linux-arm64-gnu": "1.32.0",
  "lightningcss-linux-arm64-musl": "1.32.0",
  "lightningcss-linux-x64-gnu": "1.32.0",
  "lightningcss-linux-x64-musl": "1.32.0",
  "lightningcss-win32-arm64-msvc": "1.32.0",

```

```

    "lightningcss-win32-x64-msvc": "1.32.0"
  },
  "node_modules/lightningcss-android-arm64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-android-arm64/-/lightningcss-android-arm64-1.32.0.tgz",
    "integrity": "sha512-YK7/C1Tt4kAK0vo6w3X+Pnm0D2cf2vPHbhOXdoNti1Ga0a11P4TBZhWjATvjNwLEBCnKvjJc2jQgHXH0NEw1Ag==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "android"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-arm64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-arm64/-/lightningcss-darwin-arm64-1.32.0.tgz",
    "integrity": "sha512-RzeG9Ju5bag2Bv1/lw1VJvBE3q6TtXskdZLLCyfg5pt+HLz9Bq1IC07LZM7VHNTTn/5PRhHFBSjk51c4cmScPQ==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-darwin-x64": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-darwin-x64/-/lightningcss-darwin-x64-1.32.0.tgz",
    "integrity": "sha512-U+QsBp2m/s2wqpUYT/6wnlagdZbtZdndSmut/NJqlCcMLTWp5muCrID+K5UJ6jqD2BFshejCYXniPDbNh73V8w==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "darwin"
    ],
    "engines": {

```

```

    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-freebsd-x64": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-freebsd-x64/-/lightningcss-freebsd-x64-1.32.0.tgz",
  "integrity": "sha512-JCTigEdKsZk3tHTTthnMdVfGf61Fky8Ji2E4YjUTEQX14xiy/lTzXnu1vwiZe3bYe0q+SpsSH/CTeDXK6WHiq==",
  "cpu": [
    "x64"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "freebsd"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm-gnueabi-hf": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm-gnueabi-hf/-/lightningcss-linux-arm-gnueabi-hf-1.32.0.tgz",
  "integrity": "sha512-x6rnnpRa2GL0zQ0kt6rts3YDPzduLpWvwAF6EMhXFVZXD4tPrBkEFqzGowzCsIWsPjqSK+tyNEODUBXeeVHskw==",
  "cpu": [
    "arm"
  ],
  "dev": true,
  "license": "MPL-2.0",
  "optional": true,
  "os": [
    "linux"
  ],
  "engines": {
    "node": ">= 12.0.0"
  },
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/parcel"
  }
},
"node_modules/lightningcss-linux-arm64-gnu": {
  "version": "1.32.0",
  "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-gnu/-/lightningcss-linux-arm64-gnu-1.32.0.tgz",
  "integrity": "sha512-0nnMyoyOLRjXfbM0ilaSRcLH3Jw5z9HDNGfT/gwCPgaDjnx0i8w7vBzFLFR1f6CMLKF8gVbebmKUN3fa/kQJpQ==",
  "cpu": [
    "arm64"
  ],
  "dev": true,
  "libc": [
    "glibc"
  ]
}

```

```

    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-arm64-musl": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-arm64-musl/-/lightningcss-linux-arm64-musl-1.32.0.tgz",
    "integrity": "sha512-UpQkoenr4UJEzgVIYpI80lDFvRmPVg6oqboNHfoH4CQIfNA+H0rZ7Mo7KZP02dC6LjghPQJeBsvXhJod/wnIBg==",
    "cpu": [
      "arm64"
    ],
    "dev": true,
    "libc": [
      "musl"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/lightningcss-linux-x64-gnu": {
    "version": "1.32.0",
    "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-gnu/-/lightningcss-linux-x64-gnu-1.32.0.tgz",
    "integrity": "sha512-V7Qr52IhZmdKPVr+Vtw8o+WLSQJYCTd8loIfpDaMRWGUZfBOYEJeyJIkqGIDMZPwPx24pUMfwSxxI8phr/MbOA==",
    "cpu": [
      "x64"
    ],
    "dev": true,
    "libc": [
      "glibc"
    ],
    "license": "MPL-2.0",
    "optional": true,
    "os": [
      "linux"
    ],
    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  }
}

```

```

    },
    "node_modules/lightningcss-linux-x64-musl": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-linux-x64-musl/-/lightningcss-linux-x64-musl-1.32.0.tgz",
      "integrity": "sha512-bYcLp+Vb0awsIXg/80uCRezCYHNg1/l3mt0gzHnWV9XP1W5sKa5/TCdGwaR/zBM2PeF/HbsQv/j2URN0iVuxWg==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "libc": [
        "musl"
      ],
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "linux"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-win32-arm64-msvc": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-win32-arm64-msvc/-/lightningcss-win32-arm64-msvc-1.32.0.tgz",
      "integrity": "sha512-8SbC8BR40pS6baCM8sbtYDSwEVQd4JlFT0laD3gWGHfThTcABnNDBda6eTZeqbofaIjHfX0qKzGHJmCPTnGdw==",
      "cpu": [
        "arm64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "win32"
      ],
      "engines": {
        "node": ">= 12.0.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/parcel"
      }
    },
    "node_modules/lightningcss-win32-x64-msvc": {
      "version": "1.32.0",
      "resolved": "https://registry.npmjs.org/lightningcss-win32-x64-msvc/-/lightningcss-win32-x64-msvc-1.32.0.tgz",
      "integrity": "sha512-Amq9B/SoZYdDilKfFrojnoqPLxYhQ4Wo5XiL8EVJrVsB8ARoC1PWw6VGtT0WKCEmJy8aC+louJnjS7U18x3b06Q==",
      "cpu": [
        "x64"
      ],
      "dev": true,
      "license": "MPL-2.0",
      "optional": true,
      "os": [
        "win32"
      ],
    },
  },

```

```

    "engines": {
      "node": ">= 12.0.0"
    },
    "funding": {
      "type": "opencollective",
      "url": "https://opencollective.com/parcel"
    }
  },
  "node_modules/locate-path": {
    "version": "6.0.0",
    "resolved": "https://registry.npmjs.org/locate-path/-/locate-path-6.0.0.tgz",
    "integrity": "sha512-iPZK6eYjbxRu3uB4/WZ3EsEIMJFMqAoopl3R+zuq0UjcAm/MO6KCweDgPFP3e1TztoKP3KtnVHxTn2NHBSDVUw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "p-locate": "^5.0.0"
    }
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/lodash.merge": {
  "version": "4.6.2",
  "resolved": "https://registry.npmjs.org/lodash.merge/-/lodash.merge-4.6.2.tgz",
  "integrity": "sha512-0KpjqXRvYyCsX1swR/XTK0va6VQkQM6MNo7PqW77ByjAhoARA8EfrP1N4+K1Kj8YS0ZUCtRT/YUuhyYDujIQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/loose-envify": {
  "version": "1.4.0",
  "resolved": "https://registry.npmjs.org/loose-envify/-/loose-envify-1.4.0.tgz",
  "integrity": "sha512-lyuxPGr/Wfhr1em2CL/UcnUc1zcqKAImBDzukY7Y5F/yQiNdko6+frLevlw1HgMySw7f611UIY408EtxRSOK3Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "js-tokens": "^3.0.0 || ^4.0.0"
  },
  "bin": {
    "loose-envify": "cli.js"
  }
},
"node_modules/lru-cache": {
  "version": "5.1.1",
  "resolved": "https://registry.npmjs.org/lru-cache/-/lru-cache-5.1.1.tgz",
  "integrity": "sha512-KpNARQA3Iwv+jTA0utUVVbrh+Jlrr1Fv0e56GGzAFOXN7dk/FviaDW8LHmK52Dlch4WP2n6gI8vN1aesBFgo9w==",
  "dev": true,
  "license": "ISC",
  "dependencies": {
    "yallist": "^3.0.2"
  }
},
"node_modules/magic-string": {
  "version": "0.30.21",
  "resolved": "https://registry.npmjs.org/magic-string/-/magic-string-0.30.21.tgz",
  "integrity": "sha512-1k34Uu38v3Y8Ww1tYRq5xwzP4Sd1gE4vP1Tz13U3Wz1iI013035R1lWJlqUWzXg55v8ZDh12jIl3cQ==",
  "dev": true,
  "license": "MIT",

```

```

    "dependencies": {
      "@jridgewell/sourcemap-codec": "^1.5.5"
    },
    "node_modules/math-intrinsics": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/math-intrinsics/-/math-intrinsics-1.1.0.tgz",
      "integrity": "sha512-IXtbwEk5HTPyEwyKX6hGkYXxM9nbj64B+ilVJnC/R6B0pH5G4V3b0pVbL7DBj4tkhBAppbQUlf6F6X19LHu1g==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 0.4"
      }
    },
    "node_modules/merge2": {
      "version": "1.4.1",
      "resolved": "https://registry.npmjs.org/merge2/-/merge2-1.4.1.tgz",
      "integrity": "sha512-8q7VEgMJW4J8tcfVPy8g09NcQwZdbwFEqhe/WZkoIzjn/3TGDwtOCYtXGxA308tPzpczCCDgv+P2P5y00ZJ00g==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">= 8"
      }
    },
    "node_modules/micromatch": {
      "version": "4.0.8",
      "resolved": "https://registry.npmjs.org/micromatch/-/micromatch-4.0.8.tgz",
      "integrity": "sha512-PXwfBhYu0hBCPw8Dn0E+WdYb7af3dSLVWKi3HGV84IdF4TyFoC0ysxFd0Goxw7nSv4T/PzEJQxsYsEiFCKo2BA==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "braces": "^3.0.3",
        "picomatch": "^2.3.1"
      },
      "engines": {
        "node": ">=8.6"
      }
    },
    "node_modules/minimatch": {
      "version": "3.1.5",
      "resolved": "https://registry.npmjs.org/minimatch/-/minimatch-3.1.5.tgz",
      "integrity": "sha512-8ZpW808fz7PZfE09IF98v37l8PwvVbT3E7bVfVcVfPnS9eVub17HNSzWiK2Y9S9zf908XwvS4eMf1Zg==",
      "dev": true,
      "license": "ISC",
      "dependencies": {
        "brace-expansion": "^1.1.7"
      },
      "engines": {
        "node": "*"
      }
    },
    "node_modules/minimist": {
      "version": "1.2.8",
      "resolved": "https://registry.npmjs.org/minimist/-/minimist-1.2.8.tgz",
      "integrity": "sha512-2yyAR8qBkn3YuheJanUPwC5U3bb50sDywnB8RzDV1DwdHBocAJveqqj1u8+SVD7jkWT4yvsHCPwQqWqAxb0zCA==",
      "dev": true,
      "license": "MIT",
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    }
  }

```



```

    },
    "node_modules/motion-dom": {
      "version": "12.40.0",
      "resolved": "https://registry.npmjs.org/motion-dom/-/motion-dom-12.40.0.tgz",
      "integrity": "sha512-HxU3ZaBwNPVQUBQf1xxgq+7JrPNZvjLVxgbpEZL7RrWJnsx0f0/OM+yrHG9ogLQ31Do/r570z2gQWPK+6q62mg==",
      "license": "MIT",
      "dependencies": {
        "motion-utils": "^12.39.0"
      }
    },
    "node_modules/motion-utils": {
      "version": "12.39.0",
      "resolved": "https://registry.npmjs.org/motion-utils/-/motion-utils-12.39.0.tgz",
      "integrity": "sha512-8nadJAJjTtqRkmRF36FoJTrywK9nnFmnPwnSMYxa0CU7GDjN9RTMJIx9De8ErM+vpPhMccr/6fo5WciyQLnMQ==",
      "license": "MIT"
    },
    "node_modules/ms": {
      "version": "2.1.3",
      "resolved": "https://registry.npmjs.org/ms/-/ms-2.1.3.tgz",
      "integrity": "sha512-6FlzubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnSO/tXtF3WRTlA==",
      "dev": true,
      "license": "MIT"
    },
    "node_modules/nanoid": {
      "version": "3.3.12",
      "resolved": "https://registry.npmjs.org/nanoid/-/nanoid-3.3.12.tgz",
      "integrity": "sha512-6F1zubTLZG3J2a/NVCAleEhJzq5oxgHyaCU9yYXvcLsvoVaHJq/s5xXI6/XXP6tz7R9xA0tHnSO/tXtF3WRTlA==",
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/ai"
        }
      ],
      "license": "MIT",
      "bin": {
        "nanoid": "bin/nanoid.cjs"
      },
      "engines": {
        "node": "^10 || ^12 || ^13.7 || ^14 || >=15.0.1"
      }
    },
    "node_modules/napi-postinstall": {
      "version": "0.3.4",
      "resolved": "https://registry.npmjs.org/napi-postinstall/-/napi-postinstall-0.3.4.tgz",
      "integrity": "sha512-PHI5f100EP5xJ9gQmFGMS6IZcrVvTjPxjz7Na41gTE7eE2hK11lg04CECCYEEjdc17EV4D0+fkGEtt7TpTaTiQ==",
      "dev": true,
      "license": "MIT",
      "bin": {
        "napi-postinstall": "lib/cli.js"
      },
      "engines": {
        "node": "^12.20.0 || ^14.18.0 || >=16.0.0"
      },
      "funding": {
        "url": "https://opencollective.com/napi-postinstall"
      }
    },
    "node_modules/natural-compare": {
      "version": "1.4.0",
      "resolved": "https://registry.npmjs.org/natural-compare/-/natural-compare-1.4.0.tgz",

```

```

    "integrity": "sha512-
OWND8ei3VtNC9h7V60qff3SVobHr996CTwgxubgyQYEpg290h9J0buyECNNJexkFm5s0ajh5G116RYA1c8ZMSw==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/next": {
    "version": "16.2.6",
    "resolved": "https://registry.npmjs.org/next/-/next-16.2.6.tgz",
    "integrity": "sha512-
qOVgKJg1+At15NpeUP+eJgCHvTCgXsogweq87Ri/Ix7PkQqHg4sdaXmSFqKlgaIXE4kW0g25LE68W87UANlHtw==",
    "license": "MIT",
    "dependencies": {
      "@next/env": "16.2.6",
      "@swc/helpers": "0.5.15",
      "baseline-browser-mapping": "^2.9.19",
      "caniuse-lite": "^1.0.30001579",
      "postcss": "8.4.31",
      "styled-jsx": "5.1.6"
    },
    "bin": {
      "next": "dist/bin/next"
    },
    "engines": {
      "node": ">=20.9.0"
    },
    "optionalDependencies": {
      "@next/swc-darwin-arm64": "16.2.6",
      "@next/swc-darwin-x64": "16.2.6",
      "@next/swc-linux-arm64-gnu": "16.2.6",
      "@next/swc-linux-arm64-musl": "16.2.6",
      "@next/swc-linux-x64-gnu": "16.2.6",
      "@next/swc-linux-x64-musl": "16.2.6",
      "@next/swc-win32-arm64-msvc": "16.2.6",
      "@next/swc-win32-x64-msvc": "16.2.6",
      "sharp": "^0.34.5"
    },
    "peerDependencies": {
      "@opentelemetry/api": "^1.1.0",
      "@playwright/test": "^1.51.1",
      "babel-plugin-react-compiler": "*",
      "react": "^18.2.0 || 19.0.0-rc-de68d2f4-20241204 || ^19.0.0",
      "react-dom": "^18.2.0 || 19.0.0-rc-de68d2f4-20241204 || ^19.0.0",
      "sass": "^1.3.0"
    },
    "peerDependenciesMeta": {
      "@opentelemetry/api": {
        "optional": true
      },
      "@playwright/test": {
        "optional": true
      },
      "babel-plugin-react-compiler": {
        "optional": true
      },
      "sass": {
        "optional": true
      }
    }
  },
  "node_modules/next/node_modules/postcss": {
    "version": "8.4.31",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.4.31.tgz",
    "integrity": "sha512-
PS08Iboia9mts/2ygV3eLpY5ghnUcflV/EXTOW1E2qYxJKGGBUtNjN76FYHnMs36RmARn41bC0AZmn+rR0OVpQ==",
    "funding": [

```

```

    {
      "type": "opencollective",
      "url": "https://opencollective.com/postcss/"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/postcss"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",
  "dependencies": {
    "nanoid": "^3.3.6",
    "picocolors": "^1.0.0",
    "source-map-js": "^1.0.2"
  },
  "engines": {
    "node": "^10 || ^12 || >=14"
  }
},
"node_modules/node-exports-info": {
  "version": "1.6.0",
  "resolved": "https://registry.npmjs.org/node-exports-info/-/node-exports-info-1.6.0.tgz",
  "integrity": "sha512-pyFS63ptit/P5WqUkt+UUfe+4oevH+bFeIiPPdfb0pFeYEu/1ELnJu5l+5EcTKYL5M7zaAa7S8ddywgXypqKCw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "array.prototype.flatmap": "^1.3.3",
    "es-errors": "^1.3.0",
    "object.entries": "^1.1.9",
    "semver": "^6.3.1"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/node-releases": {
  "version": "2.0.44",
  "resolved": "https://registry.npmjs.org/node-releases/-/node-releases-2.0.44.tgz",
  "integrity": "sha512-5WUyunoPMsvvEhS8AxHtRzP+oA8UCKJ7YRxatWKjngndhDGLiQEVaQKWjFAiAiuL8zMRGzGSJxFnLetoa43qGQ==",
  "dev": true,
  "license": "MIT"
},
"node_modules/object-assign": {
  "version": "4.1.1",
  "resolved": "https://registry.npmjs.org/object-assign/-/object-assign-4.1.1.tgz",
  "integrity": "sha512-rJgTQnkUnH1sFw8yT6VSU3zD3sWmu6sZhIseY8VX+GRu3P6F7Fu+JNDoxFk1ElblJSnc3FUQHVe4cU5hj+BcUg==",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=0.10.0"
  }
},
"node_modules/object-inspect": {
  "version": "1.13.4",
  "resolved": "https://registry.npmjs.org/object-inspect/-/object-inspect-1.13.4.tgz",

```

```

    "integrity": "sha512-
W67iLl4J2EXEGTbfeHCffrjDfitvLANG0UlX3wFUUSTx92KXRFegMHUVgSqE+vvhAbi4WqjGg9czysTV2Epbew==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/object-keys": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/object-keys/-/object-keys-1.1.1.tgz",
    "integrity": "sha512-NuAESUOUMrlIXOfHKzD6bpPu3tYt3xvJNdRIQ+FeT01Nb4K8WR70CaDxhuNguS2XG+GjkyMwOzsN5ZktImfhLA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/object.assign": {
    "version": "4.1.7",
    "resolved": "https://registry.npmjs.org/object.assign/-/object.assign-4.1.7.tgz",
    "integrity": "sha512-nK28W0o+QIjBkDduTINE4JkF/UJJKyf2EJxvJKfb1Dpyg0Q+pkOHNTL0Qwy6NP6FhE/EnzV73BxxqcJaXY9anw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0",
      "has-symbols": "^1.1.0",
      "object-keys": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/object.entries": {
    "version": "1.1.9",
    "resolved": "https://registry.npmjs.org/object.entries/-/object.entries-1.1.9.tgz",
    "integrity": "sha512-8u/hfXFRBD100hPUjioLhowFHRmt6tKA4/vZPyckBr18l1KE9uHrFaFaUi8MDRTpi4uak2goyPTSNJLXX2k2Hw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.4",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/object.fromentries": {
    "version": "2.0.8",
    "resolved": "https://registry.npmjs.org/object.fromentries/-/object.fromentries-2.0.8.tgz",
    "integrity": "sha512-

```

```

k6E21FzySsSK5a21KRADBd/NGneRegF05pLHfdQLpRDETUNJueLXs3WCzyQ3tFRDYgbq3KHGXfTbi2bs8WQ6rQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.2",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/object.groupby": {
  "version": "1.0.3",
  "resolved": "https://registry.npmjs.org/object.groupby/-/object.groupby-1.0.3.tgz",
  "integrity": "sha512-Lhy3TQTuzXI5hev8sBGqbmurHbbIjAi0Z4S63nthVLmLxfbj4T54a4CfZrXIrt9iP4mVAPYMo/v99taj3wjQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.7",
    "define-properties": "^1.2.1",
    "es-abstract": "^1.23.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/object.values": {
  "version": "1.2.1",
  "resolved": "https://registry.npmjs.org/object.values/-/object.values-1.2.1.tgz",
  "integrity": "sha512-+Lhy3TQTuzXI5hev8sBGqbmurHbbIjAi0Z4S63nthVLmLxfbj4T54a4CfZrXIrt9iP4mVAPYMo/v99taj3wjQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.3",
    "define-properties": "^1.2.1",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/optionator": {
  "version": "0.9.4",
  "resolved": "https://registry.npmjs.org/optionator/-/optionator-0.9.4.tgz",
  "integrity": "sha512-6IpQ7mKUxRcZnLIOR0hz71xsapSSIYNZJwXPGef0mTVqGKfIXj1DQcMoT22S3R0cLyY/rz0PWaWZ9ayWmad9g==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "deep-is": "^0.1.3",
    "fast-levenshtein": "^2.0.6",
    "levn": "^0.4.1",
    "prelude-ls": "^1.2.1",
    "type-check": "^0.4.0",

```

```

    "word-wrap": "^1.2.5"
  },
  "engines": {
    "node": ">= 0.8.0"
  }
},
"node_modules/own-keys": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/own-keys/-/own-keys-1.0.1.tgz",
  "integrity": "sha512-qF0yK5PjiWZd+QQIh+1jhdb9LpxTF0qs7Pm8o5QHYZ0M3vKqSqzsZaEB6oWlxZ+q2sJBMI/Ktgd2N5ZwQoRHfg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "get-intrinsic": "^1.2.6",
    "object-keys": "^1.1.1",
    "safe-push-apply": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/p-limit": {
  "version": "3.1.0",
  "resolved": "https://registry.npmjs.org/p-limit/-/p-limit-3.1.0.tgz",
  "integrity": "sha512-TYOanM3wGwNGsZN2cVTYPArw454xnXj5qmWF1bEoAc4+cU/o17GVh7odevjp1FNHduHc3KZMcFduxU5Xc6uJRQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "yocto-queue": "^0.1.0"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/p-locate": {
  "version": "5.0.0",
  "resolved": "https://registry.npmjs.org/p-locate/-/p-locate-5.0.0.tgz",
  "integrity": "sha512-LnQtjRocJmcl23wcyNR1RoG8HJmclHl3xL0Fag8Vp16uEKejYUXd/QDZSt8HGqNp9vnn7uiYew3H/Nw5gg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "p-limit": "^3.0.2"
  },
  "engines": {
    "node": ">=10"
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  }
},
"node_modules/parent-module": {
  "version": "1.0.1",
  "resolved": "https://registry.npmjs.org/parent-module/-/parent-module-1.0.1.tgz",
  "integrity": "sha512-qF73qepOI9lu6vMSHlL+MTCZLshoRwdPldzXRYRthEtm+RU1fSvRq5jZK7jZjTgEg+H+adFsdW2U43+B7A==",
  "dev": true,

```

```

    "license": "MIT",
    "dependencies": {
      "callsites": "^3.0.0"
    },
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/path-exists": {
    "version": "4.0.0",
    "resolved": "https://registry.npmjs.org/path-exists/-/path-exists-4.0.0.tgz",
    "integrity": "sha512-ak9Qy5Q7jYb2Wwcey5Fpvg2KoAc/ZIhLSL0SBmRmygPsGwkVVt0fZa0qrtMz+m6tJTAHfZQ8FnmB4MG4LWy7/w==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/path-key": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/path-key/-/path-key-3.1.1.tgz",
    "integrity": "sha512-ojmeN0qd+y0jszEtoY48r0Peq5dwMEkIlCOu6Q5f411fkswXUkTYrhgoTpLnyIcHm24Uhqx+5Tqm2InSwLhE6Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/path-parse": {
    "version": "1.0.7",
    "resolved": "https://registry.npmjs.org/path-parse/-/path-parse-1.0.7.tgz",
    "integrity": "sha512-LpzSsj3Hz1u636KrygkjiZi5aYDl1n/ziw4Pw0SCLag0QyDTeIq4i5Bk7/JiZj1p5m0l6l4nqe7z314o==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/picocolors": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/picocolors/-/picocolors-1.1.1.tgz",
    "integrity": "sha512-pfT14X0luMc69MnXJxNoXj6I+qApz1/p11L8kiz18Vt8OojbHvJj7PZHfW86/4Jb1kDB0F678wF0ZwMq8w==",
    "license": "ISC"
  },
  "node_modules/picomatch": {
    "version": "2.3.2",
    "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-2.3.2.tgz",
    "integrity": "sha512-z/XH171P5h1X2CnIEkud89L4kxsuhZp61W136LgqyX0MYov3v6sUHsjCOytr6xAP9Zu7xZJh3n6LZHm2xQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8.6"
    }
  },
  "funding": {
    "url": "https://github.com/sponsors/jonschlinkert"
  }
},
"node_modules/possible-typed-array-names": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/possible-typed-array-names/-/possible-typed-array-names-1.1.0.tgz",
  "integrity": "sha512-+0W03i3G1gGjN1uM2CgtJ3BU8nVb1uP4B0o723zY3tWp769JpF05DYOgHFOYI4aYAgNW3zZZwpH61tXQ==",
  "sha512-/+5VFTchJDoVj3bhoqi6UeymcD00DAwb1nJwamzPvHESzJ4FpF6SNNbUbOS8yI56qHzdV8eK0qEfOSiodkTdxg==",

```

```

    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/postcss": {
    "version": "8.5.15",
    "resolved": "https://registry.npmjs.org/postcss/-/postcss-8.5.15.tgz",
    "integrity": "sha512-FfR8sjd4em2T6fb3I2MwAJU7HWVMr9zba+enmQeeWfCbM+UOC/0X4DS8XtpUTMwWMGbjKYP7xjfNekzyGmB3A==",
    "dev": true,
    "funding": [
      {
        "type": "opencollective",
        "url": "https://opencollective.com/postcss/"
      },
      {
        "type": "tidelift",
        "url": "https://tidelift.com/funding/github/npm/postcss"
      },
      {
        "type": "github",
        "url": "https://github.com/sponsors/ai"
      }
    ],
    "license": "MIT",
    "dependencies": {
      "nanoid": "^3.3.12",
      "picocolors": "^1.1.1",
      "source-map-js": "^1.2.1"
    },
    "engines": {
      "node": "^10 || ^12 || >=14"
    }
  },
  "node_modules/prelude-ls": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/prelude-ls/-/prelude-ls-1.2.1.tgz",
    "integrity": "sha512-vkcDPrRZo1QZLbn5RLGPpg/WmIQ65qowWhcGKf/b5ep1kkrX0m9z8ppCat4m10qUsWpyNuYgO3VRyrYHSzX5g==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/prop-types": {
    "version": "15.8.1",
    "resolved": "https://registry.npmjs.org/prop-types/-/prop-types-15.8.1.tgz",
    "integrity": "sha512-jckhn/oukjLcl/2auk6jL8VtrdhtndJi7J9p5ZbRmtjSfz9KGm8KZtt7CfTT94z19xtXFI5ta6t5141u6zB2AA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "loose-envify": "^1.4.0",
      "object-assign": "^4.1.1",
      "react-is": "^16.13.1"
    }
  },
  "node_modules/punycode": {
    "version": "2.3.1",
    "resolved": "https://registry.npmjs.org/punycode/-/punycode-2.3.1.tgz",
    "integrity": "sha512-WY20dfwNqKQD+lxrUWl69IL8cY5tdB1NqnUWnHtJzUj4xjIhU+Z21qjVlyLxiIVehpW9NcfU6OgkQ8174==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "punycode": "2.3.1"
    }
  }
}

```



```

    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=6"
    }
  },
  "node_modules/queue-microtask": {
    "version": "1.2.3",
    "resolved": "https://registry.npmjs.org/queue-microtask/-/queue-microtask-1.2.3.tgz",
    "integrity": "sha512-NuaNSa6f1kT5JaSYQzJok04JzTL1CA6aGhv5rfLW3PgqA+M2ChpZQnAC8h8i4ZFkBS8X5RqkDBHA7r4hej3K9A==",
    "dev": true,
    "funding": [
      {
        "type": "github",
        "url": "https://github.com/sponsors/feross"
      },
      {
        "type": "patreon",
        "url": "https://www.patreon.com/feross"
      },
      {
        "type": "consulting",
        "url": "https://feross.org/support"
      }
    ],
    "license": "MIT"
  },
  "node_modules/react": {
    "version": "19.2.4",
    "resolved": "https://registry.npmjs.org/react/-/react-19.2.4.tgz",
    "integrity": "sha512-9nfp2hYpCwOjAN+8TZFGhtWEgVvWHXqESH8qT89AT/1WklpLON22Lc8pEtnpsZz7VmawabSU0gCjnJ8aC0euHQ==",
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/react-dom": {
    "version": "19.2.4",
    "resolved": "https://registry.npmjs.org/react-dom/-/react-dom-19.2.4.tgz",
    "integrity": "sha512-AXJdLo8kgMbimY9502aKQqsZ2iWi9jMgKJhRBAXECE4IFxfcazB2LmzloIoibJI3C12I1Y20+KFaLv+71bUJeQ==",
    "license": "MIT",
    "dependencies": {
      "scheduler": "^0.27.0"
    },
    "peerDependencies": {
      "react": "^19.2.4"
    }
  },
  "node_modules/react-is": {
    "version": "16.13.1",
    "resolved": "https://registry.npmjs.org/react-is/-/react-is-16.13.1.tgz",
    "integrity": "sha512-24e6ynE2H+OKt4kqs0vNd8kBPv65zoxbA4BVsEOB3ARVWQki/DHzaUoC5KuON/BiccDaCCTZBuOcfZs70kR8bQ==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/reflect.getprototypeof": {
    "version": "1.0.10",
    "resolved": "https://registry.npmjs.org/reflect.getprototypeof/-/reflect.getprototypeof-1.0.10.tgz",
    "integrity": "sha512-00o4I+DVrefhv+nX0ulyi3biSHCPDe+Ylv5o/p6d/UVlirijB8E16FtfwSAi4g3tcqrQ4lRAqQSoFEZJehYEcw==",

```

```

    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.9",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.0.0",
      "get-intrinsic": "^1.2.7",
      "get-proto": "^1.0.1",
      "which-builtin-type": "^1.2.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/regexp.prototype.flags": {
    "version": "1.5.4",
    "resolved": "https://registry.npmjs.org/regexp.prototype.flags/-/regexp.prototype.flags-1.5.4.tgz",
    "integrity": "sha512-dYqgNSZbDwkaJ2ceRd9oJCGjBq+mOm9LmtXnAnEGyHhN/5R7iDW2TRw3h+o/jCFxus3P2LfwIIiwowAjANm7IA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "define-properties": "^1.2.1",
      "es-errors": "^1.3.0",
      "get-proto": "^1.0.1",
      "gopd": "^1.2.0",
      "set-function-name": "^2.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/resolve": {
    "version": "2.0.0-next.7",
    "resolved": "https://registry.npmjs.org/resolve/-/resolve-2.0.0-next.7.tgz",
    "integrity": "sha512-tqt+NBWwyaMgw3zDsnygx4CByWjQEJHOPMds1YhppaQSJUtL/D4JO9CCBB1hPoI8lz9oJIDXkwXfhF4aWqP8xQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "is-core-module": "^2.16.2",
      "node-exports-info": "^1.6.0",
      "object-keys": "^1.1.1",
      "path-parse": "^1.0.7",
      "supports-preserve-symlinks-flag": "^1.0.0"
    },
    "bin": {
      "resolve": "bin/resolve"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  }
}

```

```

    },
    "node_modules/resolve-from": {
      "version": "4.0.0",
      "resolved": "https://registry.npmjs.org/resolve-from/-/resolve-from-4.0.0.tgz",
      "integrity": "sha512-pb/MYmXstAkysRFx8piNI1tGFNQIFA3vkE3Gq4EuA1dF6GHP/+vgZqsCGJapvy8N3Q+4o7FwvquPJcnZ7RYy4g==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=4"
      }
    },
    "node_modules/resolve-pkg-maps": {
      "version": "1.0.0",
      "resolved": "https://registry.npmjs.org/resolve-pkg-maps/-/resolve-pkg-maps-1.0.0.tgz",
      "integrity": "sha512-seS2Tj26TBVOC2NIc2r0e2y2Z07efxITtLZcGSOnHHNOQ7CkiUBfw0Iw2ck6xkIhPwLhKNLS8B0+hEpngQlqzw==",
      "dev": true,
      "license": "MIT",
      "funding": {
        "url": "https://github.com/privatenumber/resolve-pkg-maps?sponsor=1"
      }
    },
    "node_modules/reusify": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/reusify/-/reusify-1.1.0.tgz",
      "integrity": "sha512-g6QUff04oZpHs0eG5p83rFLhHeV00ug/Yf9nZM6fLeUrPguBTkTQ0dpAWWspMh55TZfVQDPaN3NQJfbVRAXdIw==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "iojs": ">=1.0.0",
        "node": ">=0.10.0"
      }
    },
    "node_modules/run-parallel": {
      "version": "1.2.0",
      "resolved": "https://registry.npmjs.org/run-parallel/-/run-parallel-1.2.0.tgz",
      "integrity": "sha512-JF5v2W7Zv81F9Ph07NcQVnW3LzUjz0Dh43pW5kj6E9zSo6Q421Y/xW3UzSdo1ErFPU1/VY1ty8KKIlX8oQ==",
      "dev": true,
      "funding": [
        {
          "type": "github",
          "url": "https://github.com/sponsors/feross"
        },
        {
          "type": "patreon",
          "url": "https://www.patreon.com/feross"
        },
        {
          "type": "consulting",
          "url": "https://feross.org/support"
        }
      ],
      "license": "MIT",
      "dependencies": {
        "queue-microtask": "^1.2.2"
      }
    },
    "node_modules/safe-array-concat": {
      "version": "1.1.4",
      "resolved": "https://registry.npmjs.org/safe-array-concat/-/safe-array-concat-1.1.4.tgz",
      "integrity": "sha512-saK9202Y1W10LxVqujQ3+R0LWZn0jW1Ox6QDf1VJ8377n+QF3wRkCtFjv19/Wi8Cb+9KR2wKt73N8F73g==",

```

```

wtZlHyOje6OZTGqAoaDKxFkgRtkF9CnHAVnCHKfuj200wAgL+bSJhdsCD2l0Qx/2ekEXjPWcyKkfGb5CPboslg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.9",
    "call-bound": "^1.0.4",
    "get-intrinsic": "^1.3.0",
    "has-symbols": "^1.1.0",
    "isarray": "^2.0.5"
  },
  "engines": {
    "node": ">=0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/safe-push-apply": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/safe-push-apply/-/safe-push-apply-1.0.0.tgz",
  "integrity": "sha512-iKE9w/Z7xCzUMIZqdBsp6pEQvwuEebH4vdpjcdWnyzaI6yl609FHvVpmGelVehNsoY6wGblkxR6Zty/h00WiSA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "es-errors": "^1.3.0",
    "isarray": "^2.0.5"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/safe-regex-test": {
  "version": "1.1.0",
  "resolved": "https://registry.npmjs.org/safe-regex-test/-/safe-regex-test-1.1.0.tgz",
  "integrity": "sha512-x/+Cz4YrimQxQccJf5mKEbIa1NzeCRNI5Ec1/ekmlYaampdNLPaIVyIcCZNNH3MvmqBugV5TMYZXv0ljslUlaw==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.2",
    "es-errors": "^1.3.0",
    "is-regex": "^1.2.1"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/scheduler": {
  "version": "0.27.0",
  "resolved": "https://registry.npmjs.org/scheduler/-/scheduler-0.27.0.tgz",
  "integrity": "sha512-ebN79Y0T1101E5aDQ4WVlB84ezP71J614146F8K0B3X0Jf1Lp8Kb1WZ4Q76wVvF0tW1X9zOHkGh0qA==",
  "license": "MIT"
},
"node_modules/semver": {
  "version": "6.3.1",
  "resolved": "https://registry.npmjs.org/semver/-/semver-6.3.1.tgz",
  "integrity": "sha512-SWdJwWwBZwW2Rn71oGBI06yydYUjvTRKqULV95KkZF0x4i31Rnfk4BBFQYd510nN8GpbJdLY0giUp5VMg=="
}

```

```

BR7VvDCVHO+q2xBEWskxS6DJE1qRnb7DxzUrogb71CWoSficBxYsiAGd+Kl0mmq/MprG9yArRkyrQxTO6XjMzA==",
  "dev": true,
  "license": "ISC",
  "bin": {
    "semver": "bin/semver.js"
  }
},
"node_modules/set-function-length": {
  "version": "1.2.2",
  "resolved": "https://registry.npmjs.org/set-function-length/-/set-function-length-1.2.2.tgz",
  "integrity": "sha512-pgRc4hJ4/sNjWCSS9AmmS40x3bNMDTknHgLSUaMBTMyJnU90EgWh1Rz+MC9eFu4BuN/UwZjKQuY/1v3rM7HMfg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "define-data-property": "^1.1.4",
    "es-errors": "^1.3.0",
    "function-bind": "^1.1.2",
    "get-intrinsic": "^1.2.4",
    "gopd": "^1.0.1",
    "has-property-descriptors": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/set-function-name": {
  "version": "2.0.2",
  "resolved": "https://registry.npmjs.org/set-function-name/-/set-function-name-2.0.2.tgz",
  "integrity": "sha512-7PflmtwsEADb0WYyvCMa1t+yke6daIG4Wirafor5kcf+MhUnPms1UeR0CKQdTZD81yESwMHbtn+TR+dMviakQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "define-data-property": "^1.1.4",
    "es-errors": "^1.3.0",
    "functions-have-names": "^1.2.3",
    "has-property-descriptors": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/set-proto": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/set-proto/-/set-proto-1.0.0.tgz",
  "integrity": "sha512-RWjtWsf8TtYGwYx1XEXlqL3wGK+gYEc2W6+vqHCzKwvhpZFEDSK0O8+i2M9xXJ40xgtdyV3mIUtycSiKNQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "dunder-proto": "^1.0.1",
    "es-errors": "^1.3.0",
    "es-object-atoms": "^1.0.0"
  },
  "engines": {
    "node": ">= 0.4"
  }
},
"node_modules/sharp": {
  "version": "0.34.5",
  "resolved": "https://registry.npmjs.org/sharp/-/sharp-0.34.5.tgz",
  "integrity": "sha512-Ou9I5Ft9WNCbXrU9cMgPBcCK8LiwLqcbywW3t4oDV37n1pzpuNLsYiAV8e0DnjbtQ1SDwZ2cUEeQz4E54H1tg==",
  "hasInstallScript": true,

```

```

"license": "Apache-2.0",
"optional": true,
"dependencies": {
  "@img/colour": "^1.0.0",
  "detect-libc": "^2.1.2",
  "semver": "^7.7.3"
},
"engines": {
  "node": "^18.17.0 || ^20.3.0 || >=21.0.0"
},
"funding": {
  "url": "https://opencollective.com/libvips"
},
"optionalDependencies": {
  "@img/sharp-darwin-arm64": "0.34.5",
  "@img/sharp-darwin-x64": "0.34.5",
  "@img/sharp-libvips-darwin-arm64": "1.2.4",
  "@img/sharp-libvips-darwin-x64": "1.2.4",
  "@img/sharp-libvips-linux-arm": "1.2.4",
  "@img/sharp-libvips-linux-arm64": "1.2.4",
  "@img/sharp-libvips-linux-ppc64": "1.2.4",
  "@img/sharp-libvips-linux-riscv64": "1.2.4",
  "@img/sharp-libvips-linux-s390x": "1.2.4",
  "@img/sharp-libvips-linux-x64": "1.2.4",
  "@img/sharp-libvips-linuxmusl-arm64": "1.2.4",
  "@img/sharp-libvips-linuxmusl-x64": "1.2.4",
  "@img/sharp-linux-arm": "0.34.5",
  "@img/sharp-linux-arm64": "0.34.5",
  "@img/sharp-linux-ppc64": "0.34.5",
  "@img/sharp-linux-riscv64": "0.34.5",
  "@img/sharp-linux-s390x": "0.34.5",
  "@img/sharp-linux-x64": "0.34.5",
  "@img/sharp-linuxmusl-arm64": "0.34.5",
  "@img/sharp-linuxmusl-x64": "0.34.5",
  "@img/sharp-wasm32": "0.34.5",
  "@img/sharp-win32-arm64": "0.34.5",
  "@img/sharp-win32-ia32": "0.34.5",
  "@img/sharp-win32-x64": "0.34.5"
}
},
"node_modules/sharp/node_modules/semver": {
  "version": "7.8.0",
  "resolved": "https://registry.npmjs.org/semver/-/semver-7.8.0.tgz",
  "integrity": "sha512-89dSGW6Eh0h9mg414454D73K7FiR03cLW/q+9i4u68MwkDjWq+L6c1WN10FSh+wD/1gnGjP9U4lGKIHsZUA==",
  "license": "ISC",
  "optional": true,
  "bin": {
    "semver": "bin/semver.js"
  },
  "engines": {
    "node": ">=10"
  }
},
"node_modules/shebang-command": {
  "version": "2.0.0",
  "resolved": "https://registry.npmjs.org/shebang-command/-/shebang-command-2.0.0.tgz",
  "integrity": "sha512-kHxr22ZpYtdmrN1qDjrrX/Z1rR1kG8Dx+gkpK1G4eXmvXswmcE1hTWBWWYUzlraYw1/yZp6YuDY77YtvbN0dmDA==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "shebang-regex": "^3.0.0"
  },
  "engines": {

```

```

    "node": ">=8"
  },
  "node_modules/shebang-regex": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/shebang-regex/-/shebang-regex-3.0.0.tgz",
    "integrity": "sha512-7++dFhtcx3353uBaq8DDR4NuxBetBzC7ZQ0hmTQInHEd6bSrXdiEyzCvG07Z44UYdLShWUyXt5M/yhz8ekcb1A==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/side-channel": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/side-channel/-/side-channel-1.1.0.tgz",
    "integrity": "sha512-ZX99e6tRweoUXqR+VBrs1hda51Nh5MTQwou5tnUDgbtyM0dBgmhEDtWGP/xbKn6hqfPRHujUNwz5fy/wbbhnpw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "object-inspect": "^1.13.3",
      "side-channel-list": "^1.0.0",
      "side-channel-map": "^1.0.1",
      "side-channel-weakmap": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/side-channel-list": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/side-channel-list/-/side-channel-list-1.0.1.tgz",
    "integrity": "sha512-mjn/0bi/oUURjc5Xl7IaWi/OJJJumuoJFQJfDDyO46+hBWsfaVM65TBHq2eoZBhzl9EchxOijpkbRC8SVBQU0w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "object-inspect": "^1.13.4"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/side-channel-map": {
    "version": "1.0.1",
    "resolved": "https://registry.npmjs.org/side-channel-map/-/side-channel-map-1.0.1.tgz",
    "integrity": "sha512-VCjCNfgMsby3tTdo02nbjtm/ewra6jPHmpThenkTYh8pG9ucZ/1P8So4u4FGBek/Bjp0VsDCMoLA/iuBKIFXRA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.5",
      "object-inspect": "^1.13.3"
    }
  }

```

```

    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/side-channel-weakmap": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/side-channel-weakmap/-/side-channel-weakmap-1.0.2.tgz",
    "integrity": "sha512-WPS/HvHQTYnHisLo9McQBH0Jk2FkH0/tlpvldyrnem4aeQp4hai3gythswg6p01oSoTl58rcpiFAjF2br2Ak2A==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.2",
      "es-errors": "^1.3.0",
      "get-intrinsic": "^1.2.5",
      "object-inspect": "^1.13.3",
      "side-channel-map": "^1.0.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/source-map-js": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/source-map-js/-/source-map-js-1.2.1.tgz",
    "integrity": "sha512-UUXKIL+wDhD9+qdRKgCPuZcn41pU8T6Qp1mV5ub6UzdWqS7IDnWp0IS1EGN0gLCU4l4YGph4J6x7wXn0w==",
    "license": "BSD-3-Clause",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/stable-hash": {
    "version": "0.0.5",
    "resolved": "https://registry.npmjs.org/stable-hash/-/stable-hash-0.0.5.tgz",
    "integrity": "sha512-UU0w78vZLWGCk9V1J4wJMD2BKZsvP6U/2D6Eh9Hwz60Y9ZVIHz4Q69o448VZK1n9Ma7abD8I9f4p7Wg==",
    "dev": true,
    "license": "MIT"
  },
  "node_modules/stop-iteration-iterator": {
    "version": "1.1.0",
    "resolved": "https://registry.npmjs.org/stop-iteration-iterator/-/stop-iteration-iterator-1.1.0.tgz",
    "integrity": "sha512-eLoXW/DHyl62zxY4SCaIgnRhuMr6ri4juEYARS8E6sCEqzKp0iE521Ucofdx+KnDZ15xmvGYaaKCK5FE0xJCoQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "es-errors": "^1.3.0",
      "internal-slot": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/string.prototype.includes": {
    "version": "2.0.1",

```



```

    "resolved": "https://registry.npmjs.org/string.prototype.includes/-/string.prototype.includes-
2.0.1.tgz",
    "integrity": "sha512-
o7+c9bW6zpAdJHTtjeePODAhkuicdAryFsFVKwA+wGw89wJ4GTy484WTucM9hLtDEOp0vI+aHnzqnC5lHp4Rg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.3"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/string.prototype.matchall": {
    "version": "4.0.12",
    "resolved": "https://registry.npmjs.org/string.prototype.matchall/-/string.prototype.matchall-
4.0.12.tgz",
    "integrity": "sha512-
6CC9uyBL+/48dYizRf7H7VAYCMCnTBem78x/VTUe9bFEaxBepPJDa10w99LqI/1yF7kuy7Q3cQsYMrCjGUcskA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.3",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.6",
      "es-errors": "^1.3.0",
      "es-object-atoms": "^1.0.0",
      "get-intrinsic": "^1.2.6",
      "gopd": "^1.2.0",
      "has-symbols": "^1.1.0",
      "internal-slot": "^1.1.0",
      "regexp.prototype.flags": "^1.5.3",
      "set-function-name": "^2.0.2",
      "side-channel": "^1.1.0"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/string.prototype.repeat": {
  "version": "1.0.0",
  "resolved": "https://registry.npmjs.org/string.prototype.repeat/-/string.prototype.repeat-
1.0.0.tgz",
  "integrity": "sha512-
0u/TldDbKD8bFCQ/4f5+mNRrXwZ8hg2w7ZR8wa16e8z9XpePwL3eGEcUD00XpEH/VJH/2G3gjUtR3Z0iBe2S/w==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "define-properties": "^1.1.3",
    "es-abstract": "^1.17.5"
  }
},
"node_modules/string.prototype.trim": {
  "version": "1.2.10",
  "resolved": "https://registry.npmjs.org/string.prototype.trim/-/string.prototype.trim-
1.2.10.tgz",
  "integrity": "sha512-
Rs66F0P/1kedk5lyYyH9uBzuiI/kNRmwJAR9quK6V0tIpZ2G+hMZd+HQbbv25MgCA6gEffoMZYx1Tod4WcdrKA==",
  "dev": true,

```

```

    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.2",
      "define-data-property": "^1.1.4",
      "define-properties": "^1.2.1",
      "es-abstract": "^1.23.5",
      "es-object-atoms": "^1.0.0",
      "has-property-descriptors": "^1.0.2"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/string.prototype.trimend": {
    "version": "1.0.9",
    "resolved": "https://registry.npmjs.org/string.prototype.trimend/-/string.prototype.trimend-1.0.9.tgz",
    "integrity": "sha512-G70k5C6E/j4SGfyLCloXTrngQIQU3PWtXGst3yM7Bea9FRURf1S42ZH1ZZtsNque2FN2PoUhfZXYLNWwEr4dLQ==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.8",
      "call-bound": "^1.0.2",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/string.prototype.trimstart": {
    "version": "1.0.8",
    "resolved": "https://registry.npmjs.org/string.prototype.trimstart/-/string.prototype.trimstart-1.0.8.tgz",
    "integrity": "sha512-UXSH262CSZY1tfu3G3Secr6uGLCFVPMhIqHjlgCUTCCcghYc/xKs9djMTMUOb2j1mVSeU8EU6NwC/iQKU6Gfg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bind": "^1.0.7",
      "define-properties": "^1.2.1",
      "es-object-atoms": "^1.0.0"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/strip-bom": {
    "version": "3.0.0",
    "resolved": "https://registry.npmjs.org/strip-bom/-/strip-bom-3.0.0.tgz",
    "integrity": "sha512-ovupHOFyDhFH5yQA06D04NpST80wFQe/05B1bTuXKnB1ppDjAI03gqgzU7XU9YVFvB1ZtQcZS1XlF5zX3A==",
    "dev": true,
    "license": "MIT",

```

```

    "engines": {
      "node": ">=4"
    }
  },
  "node_modules/strip-json-comments": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/strip-json-comments/-/strip-json-comments-3.1.1.tgz",
    "integrity": "sha512-6fPc+R4ihwqP6N/aIv2f1gMH8l0VtWQHqC4yK6oSDVVocumAsfCqjkXnqiYMhmMwS/mEHLp7Vehlt3ql6lEig==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=8"
    },
    "funding": {
      "url": "https://github.com/sponsors/sindresorhus"
    }
  },
  "node_modules/styled-jsx": {
    "version": "5.1.6",
    "resolved": "https://registry.npmjs.org/styled-jsx/-/styled-jsx-5.1.6.tgz",
    "integrity": "sha512-qSVyDTeMotdvQYoHwLNGwRFJHC+i+ZvdBRYosOFgC+Wg1vx4frN2/RG/NA7SYqqvKNLf39P2LSRA2pu6n0XYZA==",
    "license": "MIT",
    "dependencies": {
      "client-only": "0.0.1"
    },
    "engines": {
      "node": ">= 12.0.0"
    },
    "peerDependencies": {
      "react": ">= 16.8.0 || 17.x.x || ^18.0.0-0 || ^19.0.0-0"
    },
    "peerDependenciesMeta": {
      "@babel/core": {
        "optional": true
      },
      "babel-plugin-macros": {
        "optional": true
      }
    }
  },
  "node_modules/supports-color": {
    "version": "7.2.0",
    "resolved": "https://registry.npmjs.org/supports-color/-/supports-color-7.2.0.tgz",
    "integrity": "sha512-9oqehySmi3nQj+2w7v7g8s213HLqH0t6KtB5nq45Iv19H03ph1+fLk74Fu0ddIAWQ+rszZ4UCrYK/w==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "has-flag": "^4.0.0"
    },
    "engines": {
      "node": ">=8"
    }
  },
  "node_modules/supports-preserve-symlinks-flag": {
    "version": "1.0.0",
    "resolved": "https://registry.npmjs.org/supports-preserve-symlinks-flag/-/supports-preserve-symlinks-flag-1.0.0.tgz",
    "integrity": "sha512-ot0WnXS9fgdkgIcePe6RHnk1WA8+muPa6cSjeR3V8K27q9BB1rTE3R1p7Hv0z1ZyAc8s6Vvv8DIyWf681MA0w==",
    "dev": true,
    "license": "MIT",
    "engines": {

```

```

    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/swiper": {
  "version": "12.1.4",
  "resolved": "https://registry.npmjs.org/swiper/-/swiper-12.1.4.tgz",
  "integrity": "sha512-bihiwoKMOQwW8FfdUbo1DgkVH25E+4ZELIq0oopL1KTKBteLuaTMi/wwFjMxtlhTkk45k3XQ89D1Fvv0spSqBA==",
  "funding": [
    {
      "type": "custom",
      "url": "https://sponsors.nolimits4web.com"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/nolimits4web"
    }
  ],
  "license": "MIT",
  "engines": {
    "node": ">= 4.7.0"
  }
},
"node_modules/tailwindcss": {
  "version": "4.3.0",
  "resolved": "https://registry.npmjs.org/tailwindcss/-/tailwindcss-4.3.0.tgz",
  "integrity": "sha512-y6nxMGB1nMW9R6k96e5gdIFzcfl/gTJRNaqGes1YvkLnPVXzWgbqFF2yLC0T8G774n24cx3Pe8XrKoniCOAH+Q==",
  "dev": true,
  "license": "MIT"
},
"node_modules/tapable": {
  "version": "2.3.3",
  "resolved": "https://registry.npmjs.org/tapable/-/tapable-2.3.3.tgz",
  "integrity": "sha512-tapable",
  "dev": true,
  "license": "MIT",
  "engines": {
    "node": ">=6"
  }
},
"node_modules/webpack": {
  "funding": {
    "type": "opencollective",
    "url": "https://opencollective.com/webpack"
  }
},
"node_modules/tinyglobby": {
  "version": "0.2.16",
  "resolved": "https://registry.npmjs.org/tinyglobby/-/tinyglobby-0.2.16.tgz",
  "integrity": "sha512-pn99VhoACYR8nFHxqix+uvsbXineAasWm5ojXoN8xEwK5Kd3/TrhNn1wByuD52UxWRLy8pu+kRMniEi6Eq9Zg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "fdir": "^6.5.0",
    "picomatch": "^4.0.4"
  },
  "engines": {
    "node": ">=12.0.0"
  }
},
"node_modules/superchupu-dev": {
  "funding": {
    "url": "https://github.com/sponsors/SuperchupuDev"
  }
}

```

```

    },
    "node_modules/tinyglobby/node_modules/fdir": {
      "version": "6.5.0",
      "resolved": "https://registry.npmjs.org/fdir/-/fdir-6.5.0.tgz",
      "integrity": "sha512-1T73FqYUd1qZ0KbN3pX3YF33D8XV8P6bYkGU32Ft5AILUjGq3U7U1wHl7QVp0U8uF0Uk03F1H24xWYQ==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=12.0.0"
      },
      "peerDependencies": {
        "picomatch": "^3 || ^4"
      },
      "peerDependenciesMeta": {
        "picomatch": {
          "optional": true
        }
      }
    },
    "node_modules/tinyglobby/node_modules/picomatch": {
      "version": "4.0.4",
      "resolved": "https://registry.npmjs.org/picomatch/-/picomatch-4.0.4.tgz",
      "integrity": "sha512-16a2081952O1bavcdl3872Ef3Y4nuY1i2+V0Egk4T5VVQb0p6YndGHgkA5Og4eFS90Fd1wAUFdJ0Y5LUrA==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=12"
      },
      "funding": {
        "url": "https://github.com/sponsors/jonschlinkert"
      }
    },
    "node_modules/to-regex-range": {
      "version": "5.0.1",
      "resolved": "https://registry.npmjs.org/to-regex-range/-/to-regex-range-5.0.1.tgz",
      "integrity": "sha512-65P7iz6X5yEr1cwcvqXbbIw7Uk3gOy5dIdtZ4rDveLqhrdJP+Li/Hx6tyK0NEb+2GCyneCMJiGqrADCSNk8sQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "is-number": "^7.0.0"
      },
      "engines": {
        "node": ">=8.0"
      }
    },
    "node_modules/ts-api-utils": {
      "version": "2.5.0",
      "resolved": "https://registry.npmjs.org/ts-api-utils/-/ts-api-utils-2.5.0.tgz",
      "integrity": "sha512-0v4q5w0K1c3P19jW8P9F71a3GxeHhIwZuiCtqdC9G7U2q9F0u4EbnVW4nBRvzVezO91JhtQAxwG9L1Y==",
      "dev": true,
      "license": "MIT",
      "engines": {
        "node": ">=18.12"
      },
      "peerDependencies": {
        "typescript": ">=4.8.4"
      }
    },
    "node_modules/tsconfig-paths": {
      "version": "3.15.0",

```

```

    "resolved": "https://registry.npmjs.org/tsconfig-paths/-/tsconfig-paths-3.15.0.tgz",
    "integrity": "sha512-
2Ac2RgzDe/cn48Gv0e3M+o82pEFewD3UPbyoUHHdKasHwJKjds4fLXwf/Ux5kATBKN20oaFGu+jbElp1pos0mg==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "@types/json5": "^0.0.29",
      "json5": "^1.0.2",
      "minimist": "^1.2.6",
      "strip-bom": "^3.0.0"
    }
  },
  "node_modules/tsconfig-paths/node_modules/json5": {
    "version": "1.0.2",
    "resolved": "https://registry.npmjs.org/json5/-/json5-1.0.2.tgz",
    "integrity": "sha512-
g1MWMLBiz8FKi1e4w0UyVL3w+iJceWAFBAaBnnGK0pNa5f8TLtkbre1+s6oICydWAm+HRUGTmI+//xv2hvXYA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "minimist": "^1.2.0"
    },
    "bin": {
      "json5": "lib/cli.js"
    }
  },
  "node_modules/tslib": {
    "version": "2.8.1",
    "resolved": "https://registry.npmjs.org/tslib/-/tslib-2.8.1.tgz",
    "integrity": "sha512-
oJFu94HQb+KVduSUQL7wnpmqnfmLs0A/nAh6b6EH0wCEoK0/mPeXU6c3wKDV83MkOuHPRHtSXKKU99IBazS/2w==",
    "license": "0BSD"
  },
  "node_modules/type-check": {
    "version": "0.4.0",
    "resolved": "https://registry.npmjs.org/type-check/-/type-check-0.4.0.tgz",
    "integrity": "sha512-
XleUoc9uwGXqjWwXaUTZAmZMcFZ5858QA2vvx1Ur5xIcixXIP+8LnFDgRp1U30us6teqdlSkFfu+ae4K790oew==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "prelude-ls": "^1.2.1"
    },
    "engines": {
      "node": ">= 0.8.0"
    }
  },
  "node_modules/typed-array-buffer": {
    "version": "1.0.3",
    "resolved": "https://registry.npmjs.org/typed-array-buffer/-/typed-array-buffer-1.0.3.tgz",
    "integrity": "sha512-
nAAYwfY3qnzX30IkA6AQZjVbtK6duGontcQm1WSG1MD94YLqK0515GNAPXkoxKOWMusVssAHLh9SeaoefYFGw==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "call-bound": "^1.0.3",
      "es-errors": "^1.3.0",
      "is-typed-array": "^1.1.14"
    },
    "engines": {
      "node": ">= 0.4"
    }
  },
  "node_modules/typed-array-byte-length": {
    "version": "1.0.3",

```

```

"resolved": "https://registry.npmjs.org/typed-array-byte-length/-/typed-array-byte-length-
1.0.3.tgz",
"integrity": "sha512-
BaXgOuIxz8n8pIq3e7Atg/7s+DpiYrxn4vdot3w9KbnBhcRQq6o3xemQdIfynqSeXeDrF32x+Wvfzm0jPiY9lg==",
"dev": true,
"license": "MIT",
"dependencies": {
  "call-bind": "^1.0.8",
  "for-each": "^0.3.3",
  "gopd": "^1.2.0",
  "has-proto": "^1.2.0",
  "is-typed-array": "^1.1.14"
},
"engines": {
  "node": ">= 0.4"
},
"funding": {
  "url": "https://github.com/sponsors/ljharb"
}
},
"node_modules/typed-array-byte-offset": {
  "version": "1.0.4",
  "resolved": "https://registry.npmjs.org/typed-array-byte-offset/-/typed-array-byte-offset-
1.0.4.tgz",
  "integrity": "sha512-
bTlAFB/FBMYCuX81gbL40cpH5PmlFHq1CCpAl8A1EzMz5k53oNDvN8p1PNOWLEmI2x4orp3ra0FB51tv9X+MFQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "available-typed-arrays": "^1.0.7",
    "call-bind": "^1.0.8",
    "for-each": "^0.3.3",
    "gopd": "^1.2.0",
    "has-proto": "^1.2.0",
    "is-typed-array": "^1.1.15",
    "reflect.getprototypeof": "^1.0.9"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/typed-array-length": {
  "version": "1.0.7",
  "resolved": "https://registry.npmjs.org/typed-array-length/-/typed-array-length-1.0.7.tgz",
  "integrity": "sha512-
3KS2b+kL7fsuk/eJZ7EQdnEmQoaho/r6KUef7hxxvltNA5DR8NAUM+8wJMbJyZ4G9/7i3v5zPBIMN5aybAh2/Jg==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bind": "^1.0.7",
    "for-each": "^0.3.3",
    "gopd": "^1.0.1",
    "is-typed-array": "^1.1.13",
    "possible-typed-array-names": "^1.0.0",
    "reflect.getprototypeof": "^1.0.6"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
}

```

```

    },
    "node_modules/typescript": {
      "version": "5.9.3",
      "resolved": "https://registry.npmjs.org/typescript/-/typescript-5.9.3.tgz",
      "integrity": "sha512-jl1vZzPDinLr9eUt3J/t7V6FgNEw9QjvBPdysz9KfQDD41fQrC2Y4vKQdiaUpFT4bX1b1RHHLpp8wtm6M5TgSw==",
      "dev": true,
      "license": "Apache-2.0",
      "bin": {
        "tsc": "bin/tsc",
        "tsserver": "bin/tsserver"
      },
      "engines": {
        "node": ">=14.17"
      }
    },
    "node_modules/typescript-eslint": {
      "version": "8.59.4",
      "resolved": "https://registry.npmjs.org/typescript-eslint/-/typescript-eslint-8.59.4.tgz",
      "integrity": "sha512-Rw6+44QNfAXtgHSjPy+Kw8hrJniMYzR85E9yLmOLcfZ91/rz+JXQbDTCmc6ccxMPY6K6PgAq26f0JCBfR7LIPQ==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "@typescript-eslint/eslint-plugin": "8.59.4",
        "@typescript-eslint/parser": "8.59.4",
        "@typescript-eslint/typescript-estree": "8.59.4",
        "@typescript-eslint/utils": "8.59.4"
      },
      "engines": {
        "node": "^18.18.0 || ^20.9.0 || >=21.1.0"
      },
      "funding": {
        "type": "opencollective",
        "url": "https://opencollective.com/typescript-eslint"
      },
      "peerDependencies": {
        "eslint": "^8.57.0 || ^9.0.0 || ^10.0.0",
        "typescript": ">=4.8.4 <6.1.0"
      }
    },
    "node_modules/unbox-primitive": {
      "version": "1.1.0",
      "resolved": "https://registry.npmjs.org/unbox-primitive/-/unbox-primitive-1.1.0.tgz",
      "integrity": "sha512-nWJ91DjeOkej/TA8pXQ3myruKpKEYgqvpw9lZ40PHj/NWFNluYrjbz9j01CJ8yKQd2g4jFoOkINCTW2I5LEEyw==",
      "dev": true,
      "license": "MIT",
      "dependencies": {
        "call-bound": "^1.0.3",
        "has-bigints": "^1.0.2",
        "has-symbols": "^1.1.0",
        "which-boxed-primitive": "^1.1.1"
      },
      "engines": {
        "node": ">= 0.4"
      },
      "funding": {
        "url": "https://github.com/sponsors/ljharb"
      }
    },
    "node_modules/undici-types": {
      "version": "6.21.0",
      "resolved": "https://registry.npmjs.org/undici-types/-/undici-types-6.21.0.tgz",
      "integrity": "sha512-

```



```

iwDZqg0QAGrg9Rav5H4n0M64c3mkR59cJ6wQp+7C4nI0gsmExaedaYLN044eT4AtBBwjbTiGPMlt2Md0T9H9JQ=="
  "dev": true,
  "license": "MIT"
},
"node_modules/unrs-resolver": {
  "version": "1.12.2",
  "resolved": "https://registry.npmjs.org/unrs-resolver/-/unrs-resolver-1.12.2.tgz",
  "integrity": "sha512-
dmlRxBJJayXjqTwC+JtF1HhJmgf3ftQ3YejFcZrf4+KKtJv0qDsK1pjqaavJg7wJ5NJ6UVP10qRMQ71Z4C3rxQ=="
  "dev": true,
  "hasInstallScript": true,
  "license": "MIT",
  "dependencies": {
    "napi-postinstall": "^0.3.4"
  },
  "funding": {
    "url": "https://opencollective.com/unrs-resolver"
  },
  "optionalDependencies": {
    "@unrs/resolver-binding-android-arm-eabi": "1.12.2",
    "@unrs/resolver-binding-android-arm64": "1.12.2",
    "@unrs/resolver-binding-darwin-arm64": "1.12.2",
    "@unrs/resolver-binding-darwin-x64": "1.12.2",
    "@unrs/resolver-binding-freebsd-x64": "1.12.2",
    "@unrs/resolver-binding-linux-arm-gnueabi": "1.12.2",
    "@unrs/resolver-binding-linux-arm-musleabi": "1.12.2",
    "@unrs/resolver-binding-linux-arm64-gnu": "1.12.2",
    "@unrs/resolver-binding-linux-arm64-musl": "1.12.2",
    "@unrs/resolver-binding-linux-loong64-gnu": "1.12.2",
    "@unrs/resolver-binding-linux-loong64-musl": "1.12.2",
    "@unrs/resolver-binding-linux-ppc64-gnu": "1.12.2",
    "@unrs/resolver-binding-linux-riscv64-gnu": "1.12.2",
    "@unrs/resolver-binding-linux-riscv64-musl": "1.12.2",
    "@unrs/resolver-binding-linux-s390x-gnu": "1.12.2",
    "@unrs/resolver-binding-linux-x64-gnu": "1.12.2",
    "@unrs/resolver-binding-linux-x64-musl": "1.12.2",
    "@unrs/resolver-binding-openharmony-arm64": "1.12.2",
    "@unrs/resolver-binding-wasm32-wasi": "1.12.2",
    "@unrs/resolver-binding-win32-arm64-msvc": "1.12.2",
    "@unrs/resolver-binding-win32-ia32-msvc": "1.12.2",
    "@unrs/resolver-binding-win32-x64-msvc": "1.12.2"
  }
},
"node_modules/update-browserslist-db": {
  "version": "1.2.3",
  "resolved": "https://registry.npmjs.org/update-browserslist-db/-/update-browserslist-db-
1.2.3.tgz",
  "integrity": "sha512-
Js0m9cx+qOgDxo0eMiFGueWztz+d4+M3rGlmKPT+T4IS/jP4ylw3Nwpu6cpTTP8R1MAC1kF4VbdLt3ARf209w=="
  "dev": true,
  "funding": [
    {
      "type": "opencollective",
      "url": "https://opencollective.com/browserslist"
    },
    {
      "type": "tidelift",
      "url": "https://tidelift.com/funding/github/npm/browserslist"
    },
    {
      "type": "github",
      "url": "https://github.com/sponsors/ai"
    }
  ],
  "license": "MIT",

```

```

    "dependencies": {
      "escalade": "^3.2.0",
      "picocolors": "^1.1.1"
    },
    "bin": {
      "update-browserslist-db": "cli.js"
    },
    "peerDependencies": {
      "browserslist": ">= 4.21.0"
    }
  },
  "node_modules/uri-js": {
    "version": "4.4.1",
    "resolved": "https://registry.npmjs.org/uri-js/-/uri-js-4.4.1.tgz",
    "integrity": "sha512-7rKUuy33Q1yc98pQ1DAmLtwX109F77TIfWlW1Ydo8Wl1ii1SeHieeh0HHfPeL2fMXK6z0s8ecKs9frCuLJvndBg==",
    "dev": true,
    "license": "BSD-2-Clause",
    "dependencies": {
      "punycode": "^2.1.0"
    }
  },
  "node_modules/which": {
    "version": "2.0.2",
    "resolved": "https://registry.npmjs.org/which/-/which-2.0.2.tgz",
    "integrity": "sha512-BLI3Tl1TW3PvL70l3yq3Y64i+awpWXqsGBYWkkqMtnbXgrMD+yj7rhW0kuEDxzJaYXGjEW5ogapKNMEKNMjibA==",
    "dev": true,
    "license": "ISC",
    "dependencies": {
      "isexe": "^2.0.0"
    },
    "bin": {
      "node-which": "bin/node-which"
    },
    "engines": {
      "node": ">= 8"
    }
  },
  "node_modules/which-boxed-primitive": {
    "version": "1.1.1",
    "resolved": "https://registry.npmjs.org/which-boxed-primitive/-/which-boxed-primitive-1.1.1.tgz",
    "integrity": "sha512-TXkcF9oRtU3u8G8389sDkzY67X66qZvVW8lNtD/cUO4IxZy8j08x0UkpygK8U29Q2y2WXV4/1N3F05GZMA==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "is-bigint": "^1.1.0",
      "is-boolean-object": "^1.2.1",
      "is-number-object": "^1.1.1",
      "is-string": "^1.1.1",
      "is-symbol": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  },
  "node_modules/which-builtin-type": {
    "version": "1.2.1",
    "resolved": "https://registry.npmjs.org/which-builtin-type/-/which-builtin-type-1.2.1.tgz",
    "integrity": "sha512-UjwuyDlwQ1v8tQYbXxU7J1RaVhoKZUGOjwR9W5bsF4v81WbL1xJ5uBCD8Byg4Cs+j1j7hbkI1M1uqALfQWYD==",
    "dev": true,
    "license": "MIT",
    "dependencies": {
      "which-boxed-primitive": "^1.1.1",
      "which-collection": "^1.0.2",
      "which-typed-array": "^1.1.1"
    },
    "engines": {
      "node": ">= 0.4"
    },
    "funding": {
      "url": "https://github.com/sponsors/ljharb"
    }
  }
}

```

```

6iBczoX+kDQ7a3+YJBnh3T+KZRxM/iYNPXicqk66/Qfm1b93iu+yOImkg0zHbj5LNOcNv1TEADiZ0xa34B4q6Q==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "call-bound": "^1.0.2",
    "function.prototype.name": "^1.1.6",
    "has-tostringtag": "^1.0.2",
    "is-async-function": "^2.0.0",
    "is-date-object": "^1.1.0",
    "is-finalizationregistry": "^1.1.0",
    "is-generator-function": "^1.0.10",
    "is-regex": "^1.2.1",
    "is-weakref": "^1.0.2",
    "isarray": "^2.0.5",
    "which-boxed-primitive": "^1.1.0",
    "which-collection": "^1.0.2",
    "which-typed-array": "^1.1.16"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/which-collection": {
  "version": "1.0.2",
  "resolved": "https://registry.npmjs.org/which-collection/-/which-collection-1.0.2.tgz",
  "integrity": "sha512-1w1Uj3eH/C1tUj31ijq7HAA5c+iI8u9pjZrNlV1UyFqfjv3362Uq4uVW1t/+ZfO17DyYhMxU1gJ1MjzKQ==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "is-map": "^2.0.3",
    "is-set": "^2.0.3",
    "is-weakmap": "^2.0.2",
    "is-weakset": "^2.0.3"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {
    "url": "https://github.com/sponsors/ljharb"
  }
},
"node_modules/which-typed-array": {
  "version": "1.1.20",
  "resolved": "https://registry.npmjs.org/which-typed-array/-/which-typed-array-1.1.20.tgz",
  "integrity": "sha512-3xJWJb54GJ6SdVZZOjYQTfoGo8W7jKixL1dV0+vBomXXPoEi0DJjWw1PxAgjp3X7V+i4rS3uEOj8p4acgJ0c==",
  "dev": true,
  "license": "MIT",
  "dependencies": {
    "available-typed-arrays": "^1.0.7",
    "call-bind": "^1.0.8",
    "call-bound": "^1.0.4",
    "for-each": "^0.3.5",
    "get-proto": "^1.0.1",
    "gopd": "^1.2.0",
    "has-tostringtag": "^1.0.2"
  },
  "engines": {
    "node": ">= 0.4"
  },
  "funding": {

```

```

    "url": "https://github.com/sponsors/ljharb"
  },
  "node_modules/word-wrap": {
    "version": "1.2.5",
    "resolved": "https://registry.npmjs.org/word-wrap/-/word-wrap-1.2.5.tgz",
    "integrity": "sha512-BN22B5eaMMI9UMtjrGd5g5eCYPpCPDUy0FJXbYsaT5zYxjF0ckS53SQDE3pWkVowpHXVb3BrYcEN4Twa55B5cA==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=0.10.0"
    }
  },
  "node_modules/yallist": {
    "version": "3.1.1",
    "resolved": "https://registry.npmjs.org/yallist/-/yallist-3.1.1.tgz",
    "integrity": "sha512-a4UGQaWPH59mOXUYnAG2ewncQS4i4F43Tv3JoAM+s2VDAmS9NsK8GpDMLrCHPksFT7h3K6TOoUNn2pb7RoXx4g==",
    "dev": true,
    "license": "ISC"
  },
  "node_modules/yocto-queue": {
    "version": "0.1.0",
    "resolved": "https://registry.npmjs.org/yocto-queue/-/yocto-queue-0.1.0.tgz",
    "integrity": "sha512-rVksvsnnNCdJ/ohGc6xgPwyN8ehecXsiLM8mxuE/t/mOVqJewPu01miLpTHQiRgTKCLexL4MeAFVagts7HmNZ2Q==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=10"
    }
  },
  "funding": {
    "url": "https://github.com/sponsors/sindresorhus"
  },
  "node_modules/zod": {
    "version": "4.4.3",
    "resolved": "https://registry.npmjs.org/zod/-/zod-4.4.3.tgz",
    "integrity": "sha512-yTEnFjIJfL2UwYglde2jchw2Hwm4GJFLDiSXWdTrJQBIN9Fcyp7n4DhxJEiWNAJMV1/BqWfW/kkg71UDchJyTQ==",
    "dev": true,
    "license": "MIT",
    "funding": {
      "url": "https://github.com/sponsors/colinhacks"
    }
  },
  "node_modules/zod-validation-error": {
    "version": "4.0.2",
    "resolved": "https://registry.npmjs.org/zod-validation-error/-/zod-validation-error-4.0.2.tgz",
    "integrity": "sha512-Q6/nZLe6jxuU80qb/4uJ4t5v2VEZ44lzQjPDhYJNztRQ4wyWc6VF3D3Kb/fAuPetZQnhS3hnaJcF9CsWesghLQ==",
    "dev": true,
    "license": "MIT",
    "engines": {
      "node": ">=18.0.0"
    },
    "peerDependencies": {
      "zod": "^3.25.0 || ^4.0.0"
    }
  }
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\package.json ---

```
{
  "name": "dinco-web",
  "version": "0.1.0",
  "private": true,
  "scripts": {
    "dev": "next dev",
    "build": "next build --webpack",
    "start": "next start",
    "lint": "eslint"
  },
  "dependencies": {
    "@fontsource/inter": "^5.2.8",
    "@fontsource/playfair-display": "^5.2.8",
    "framer-motion": "^12.40.0",
    "next": "16.2.6",
    "react": "19.2.4",
    "react-dom": "19.2.4",
    "swiper": "^12.1.4"
  },
  "devDependencies": {
    "@tailwindcss/postcss": "^4",
    "@types/node": "^20",
    "@types/react": "^19",
    "@types/react-dom": "^19",
    "eslint": "^9",
    "eslint-config-next": "16.2.6",
    "tailwindcss": "^4",
    "typescript": "^5"
  }
}
```

--- ARCHIVO: C:\Users\Dell\dinco-web\postcss.config.mjs ---

```
const config = {
  plugins: {
    "@tailwindcss/postcss": {},
  },
};

export default config;
```

--- ARCHIVO: C:\Users\Dell\dinco-web\proyecto\_completo\_ia.txt ---

```
=====
ESTRUCTURA DE CARPETAS
=====
Listado de rutas de carpetas
El n.º de serie del volumen es 5412-5C15
C:.\
| AGENTS.md
| CLAUDE.md
| CONTRIBUTING.md
| dinco_catalogo_estructura.svg
| dinco_estructura_proyecto.svg
| dinco_fases_lanzamiento.svg
| dinco_real_estate_architecture.svg
| eslint.config.mjs
| next-env.d.ts
| next.config.ts
| package-lock.json
| package.json
```

```

postcss.config.mjs
proyecto_completo_ia.txt
README.md
tsconfig.json
tsconfig.tsbuildinfo

    commit-msg
    prepare-commit-msg

\---workflows
    ci.yml

|
| app-path-routes-manifest.json
| build-manifest.json
| BUILD_ID
| export-marker.json
| images-manifest.json
| next-minimal-server.js.nft.json
| next-server.js.nft.json
| package.json
| prerender-manifest.json
| react-loadable-manifest.json
| required-server-files.js
| required-server-files.json
| routes-manifest.json
| trace
| trace-build
| _events_14320.json
| _events_3504.json
|
+---cache
|   | .previewinfo
|   | .rscinfo
|   | .tsbuildinfo
|   |
|   +---swc
|   |   \---plugins
|   |       \---windows_x86_64_24.0.0
|   \---webpack
|       +---client-production
|       |   | 0.pack
|       |   index.pack
|       |
|       +---edge-server-production
|       |   | 0.pack
|       |   index.pack
|       |
|       \---server-production
|       |   | 0.pack
|       |   index.pack
|       |
+---dev
|   | build-manifest.json
|   | fallback-build-manifest.json
|   | package.json
|   | prerender-manifest.json
|   | routes-manifest.json
|   | trace
|   | _events_9324.json
|   |
|   +---build
|   |   | package.json
|   |   | postcss.js
|   |   | postcss.js.map

```

```
\---chunks
```

```
[root-of-the-server]__0d-m0h0._.js
[root-of-the-server]__0d-m0h0._.js.map
[root-of-the-server]__0ubbtyl._.js
[root-of-the-server]__0ubbtyl._.js.map
[turbopack-node]_transforms_postcss_ts_06e.r3r._.js
[turbopack-node]_transforms_postcss_ts_06e.r3r._.js.map
[turbopack]_runtime.js
[turbopack]_runtime.js.map
```

```
+---cache
```

```
| .rscinfo
| next-devtools-config.json
```

```
\---turbopack
```

```
\---ee6e79b1
```

```
00000001.sst
00000003.sst
00000004.sst
00000005.meta
00000007.meta
00000008.meta
00000012.sst
00000014.sst
00000015.sst
00000016.meta
00000017.meta
00000018.meta
00000021.sst
00000022.sst
00000023.sst
00000024.meta
00000025.meta
00000027.meta
00000028.sst
00000030.sst
00000031.meta
00000033.meta
00000035.sst
00000036.sst
00000037.meta
00000039.meta
00000040.sst
00000042.sst
00000043.meta
00000045.meta
00000046.sst
00000048.sst
00000049.meta
00000050.meta
00000052.sst
00000054.sst
00000055.meta
00000057.meta
00000058.sst
00000060.sst
00000061.sst
00000062.meta
00000063.meta
00000065.meta
00000067.sst
00000068.sst
00000069.meta
00000070.meta
00000072.sst
```

00000074.sst  
00000075.meta  
00000076.meta  
00000079.sst  
00000080.sst  
00000081.sst  
00000082.meta  
00000083.meta  
00000084.meta  
00000087.sst  
00000088.sst  
00000089.sst  
00000090.meta  
00000091.meta  
00000093.meta  
00000096.sst  
00000099.sst  
00000100.sst  
00000101.meta  
00000103.meta  
00000104.meta  
00000109.sst  
00000111.sst  
00000112.meta  
00000113.meta  
00000115.sst  
00000117.sst  
00000118.meta  
00000119.meta  
00000122.sst  
00000123.sst  
00000124.sst  
00000125.meta  
00000126.meta  
00000128.meta  
00000129.sst  
00000131.sst  
00000132.meta  
00000133.meta  
00000136.sst  
00000137.sst  
00000138.meta  
00000139.meta  
00000142.sst  
00000143.sst  
00000144.meta  
00000146.meta  
00000148.sst  
00000149.sst  
00000150.meta  
00000151.meta  
00000154.sst  
00000155.sst  
00000156.meta  
00000157.meta  
00000160.sst  
00000161.sst  
00000162.meta  
00000163.meta  
00000166.sst  
00000167.sst  
00000168.sst  
00000169.meta  
00000170.meta  
00000172.meta



00000173.sst  
00000175.sst  
00000176.meta  
00000178.meta  
00000180.sst  
00000181.sst  
00000182.meta  
00000183.meta  
00000185.sst  
00000187.sst  
00000188.meta  
00000189.meta  
00000192.sst  
00000193.sst  
00000194.meta  
00000195.meta  
00000198.sst  
00000199.sst  
00000200.sst  
00000201.meta  
00000203.meta  
00000204.meta  
00000205.sst  
00000207.sst  
00000208.meta  
00000209.meta  
00000211.sst  
00000213.sst  
00000214.meta  
00000215.meta  
00000218.sst  
00000219.sst  
00000220.meta  
00000222.meta  
00000224.sst  
00000225.sst  
00000226.meta  
00000228.meta  
00000229.sst  
00000231.sst  
00000232.meta  
00000233.meta  
00000235.sst  
00000237.sst  
00000238.meta  
00000239.meta  
00000241.sst  
00000243.sst  
00000244.sst  
00000245.meta  
00000246.meta  
00000248.meta  
00000250.sst  
00000251.sst  
00000252.meta  
00000253.meta  
00000255.sst  
00000257.sst  
00000258.meta  
00000259.meta  
00000261.sst  
00000263.sst  
00000264.meta  
00000265.meta  
00000268.sst

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00000269.sst  |
|  |  |  | 00000270.meta |
|  |  |  | 00000271.meta |
|  |  |  | 00000273.sst  |
|  |  |  | 00000275.sst  |
|  |  |  | 00000276.meta |
|  |  |  | 00000277.meta |
|  |  |  | 00000279.sst  |
|  |  |  | 00000281.sst  |
|  |  |  | 00000282.meta |
|  |  |  | 00000283.meta |
|  |  |  | 00000285.sst  |
|  |  |  | 00000287.sst  |
|  |  |  | 00000288.meta |
|  |  |  | 00000289.meta |
|  |  |  | 00000292.sst  |
|  |  |  | 00000293.sst  |
|  |  |  | 00000294.meta |
|  |  |  | 00000296.meta |
|  |  |  | 00000297.sst  |
|  |  |  | 00000299.sst  |
|  |  |  | 00000300.meta |
|  |  |  | 00000301.meta |
|  |  |  | 00000304.sst  |
|  |  |  | 00000305.sst  |
|  |  |  | 00000306.meta |
|  |  |  | 00000308.meta |
|  |  |  | 00000309.sst  |
|  |  |  | 00000311.sst  |
|  |  |  | 00000312.meta |
|  |  |  | 00000313.meta |
|  |  |  | 00000316.sst  |
|  |  |  | 00000317.sst  |
|  |  |  | 00000318.meta |
|  |  |  | 00000319.meta |
|  |  |  | 00000321.sst  |
|  |  |  | 00000323.sst  |
|  |  |  | 00000324.meta |
|  |  |  | 00000325.meta |
|  |  |  | 00000328.sst  |
|  |  |  | 00000329.sst  |
|  |  |  | 00000330.sst  |
|  |  |  | 00000331.meta |
|  |  |  | 00000332.meta |
|  |  |  | 00000334.meta |
|  |  |  | 00000335.sst  |
|  |  |  | 00000337.sst  |
|  |  |  | 00000338.meta |
|  |  |  | 00000339.meta |
|  |  |  | 00000342.sst  |
|  |  |  | 00000346.sst  |
|  |  |  | 00000347.sst  |
|  |  |  | 00000348.meta |
|  |  |  | 00000350.meta |
|  |  |  | 00000351.meta |
|  |  |  | 00000353.sst  |
|  |  |  | 00000354.sst  |
|  |  |  | 00000355.sst  |
|  |  |  | 00000356.meta |
|  |  |  | 00000358.meta |
|  |  |  | 00000359.meta |
|  |  |  | 00000360.sst  |
|  |  |  | 00000362.sst  |
|  |  |  | 00000363.sst  |
|  |  |  | 00000364.meta |

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00000365.meta |
|  |  |  | 00000367.meta |
|  |  |  | 00000373.sst  |
|  |  |  | 00000374.sst  |
|  |  |  | 00000375.meta |
|  |  |  | 00000376.meta |
|  |  |  | 00000379.sst  |
|  |  |  | 00000380.sst  |
|  |  |  | 00000381.meta |
|  |  |  | 00000382.meta |
|  |  |  | 00000385.sst  |
|  |  |  | 00000386.sst  |
|  |  |  | 00000387.meta |
|  |  |  | 00000388.meta |
|  |  |  | 00000390.sst  |
|  |  |  | 00000392.sst  |
|  |  |  | 00000393.meta |
|  |  |  | 00000395.meta |
|  |  |  | 00000397.sst  |
|  |  |  | 00000398.sst  |
|  |  |  | 00000399.meta |
|  |  |  | 00000400.meta |
|  |  |  | 00000402.sst  |
|  |  |  | 00000404.sst  |
|  |  |  | 00000405.meta |
|  |  |  | 00000406.meta |
|  |  |  | 00000409.sst  |
|  |  |  | 00000410.sst  |
|  |  |  | 00000411.meta |
|  |  |  | 00000412.meta |
|  |  |  | 00000414.sst  |
|  |  |  | 00000416.sst  |
|  |  |  | 00000417.meta |
|  |  |  | 00000419.meta |
|  |  |  | 00000420.sst  |
|  |  |  | 00000422.sst  |
|  |  |  | 00000423.meta |
|  |  |  | 00000424.meta |
|  |  |  | 00000426.sst  |
|  |  |  | 00000428.sst  |
|  |  |  | 00000429.meta |
|  |  |  | 00000430.meta |
|  |  |  | 00000432.sst  |
|  |  |  | 00000434.sst  |
|  |  |  | 00000435.meta |
|  |  |  | 00000437.meta |
|  |  |  | 00000438.sst  |
|  |  |  | 00000440.sst  |
|  |  |  | 00000441.meta |
|  |  |  | 00000442.meta |
|  |  |  | 00000444.sst  |
|  |  |  | 00000446.sst  |
|  |  |  | 00000447.meta |
|  |  |  | 00000448.meta |
|  |  |  | 00000451.sst  |
|  |  |  | 00000452.sst  |
|  |  |  | 00000453.meta |
|  |  |  | 00000454.meta |
|  |  |  | 00000456.sst  |
|  |  |  | 00000458.sst  |
|  |  |  | 00000459.meta |
|  |  |  | 00000460.meta |
|  |  |  | 00000463.sst  |
|  |  |  | 00000464.sst  |
|  |  |  | 00000465.meta |

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00000466.meta |
|  |  |  | 00000468.sst  |
|  |  |  | 00000470.sst  |
|  |  |  | 00000471.meta |
|  |  |  | 00000472.meta |
|  |  |  | 00000474.sst  |
|  |  |  | 00000476.sst  |
|  |  |  | 00000477.meta |
|  |  |  | 00000478.meta |
|  |  |  | 00000480.sst  |
|  |  |  | 00000482.sst  |
|  |  |  | 00000483.meta |
|  |  |  | 00000484.meta |
|  |  |  | 00000486.sst  |
|  |  |  | 00000488.sst  |
|  |  |  | 00000489.meta |
|  |  |  | 00000490.meta |
|  |  |  | 00000493.sst  |
|  |  |  | 00000494.sst  |
|  |  |  | 00000495.meta |
|  |  |  | 00000496.meta |
|  |  |  | 00000498.sst  |
|  |  |  | 00000500.sst  |
|  |  |  | 00000501.meta |
|  |  |  | 00000502.meta |
|  |  |  | 00000505.sst  |
|  |  |  | 00000506.sst  |
|  |  |  | 00000507.meta |
|  |  |  | 00000508.meta |
|  |  |  | 00000510.sst  |
|  |  |  | 00000512.sst  |
|  |  |  | 00000513.meta |
|  |  |  | 00000514.meta |
|  |  |  | 00000517.sst  |
|  |  |  | 00000518.sst  |
|  |  |  | 00000519.meta |
|  |  |  | 00000520.meta |
|  |  |  | 00000522.sst  |
|  |  |  | 00000524.sst  |
|  |  |  | 00000525.meta |
|  |  |  | 00000526.meta |
|  |  |  | 00000528.sst  |
|  |  |  | 00000530.sst  |
|  |  |  | 00000531.meta |
|  |  |  | 00000532.meta |
|  |  |  | 00000535.sst  |
|  |  |  | 00000536.sst  |
|  |  |  | 00000537.meta |
|  |  |  | 00000538.meta |
|  |  |  | 00000541.sst  |
|  |  |  | 00000542.sst  |
|  |  |  | 00000543.meta |
|  |  |  | 00000544.meta |
|  |  |  | 00000547.sst  |
|  |  |  | 00000548.sst  |
|  |  |  | 00000549.meta |
|  |  |  | 00000551.meta |
|  |  |  | 00000552.sst  |
|  |  |  | 00000554.sst  |
|  |  |  | 00000555.meta |
|  |  |  | 00000556.meta |
|  |  |  | 00000558.sst  |
|  |  |  | 00000560.sst  |
|  |  |  | 00000561.meta |
|  |  |  | 00000562.meta |

00000564.sst  
00000566.sst  
00000567.meta  
00000568.meta  
00000570.sst  
00000572.sst  
00000573.meta  
00000574.meta  
00000576.sst  
00000578.sst  
00000579.meta  
00000580.meta  
00000583.sst  
00000584.sst  
00000585.meta  
00000586.meta  
00000588.sst  
00000590.sst  
00000591.meta  
00000592.meta  
00000595.sst  
00000596.sst  
00000597.meta  
00000598.meta  
00000600.sst  
00000602.sst  
00000603.meta  
00000604.meta  
00000607.sst  
00000608.sst  
00000609.meta  
00000610.meta  
00000612.sst  
00000614.sst  
00000615.meta  
00000616.meta  
00000619.sst  
00000620.sst  
00000621.meta  
00000622.meta  
00000624.sst  
00000626.sst  
00000627.meta  
00000629.meta  
00000631.sst  
00000632.sst  
00000633.meta  
00000634.meta  
00000636.sst  
00000638.sst  
00000639.meta  
00000640.meta  
00000642.sst  
00000644.sst  
00000645.meta  
00000646.meta  
00000649.sst  
00000650.sst  
00000651.meta  
00000652.meta  
00000654.sst  
00000656.sst  
00000657.meta  
00000658.meta  
00000660.sst

00000662.sst  
00000663.meta  
00000664.meta  
00000666.sst  
00000668.sst  
00000669.meta  
00000670.meta  
00000673.sst  
00000674.sst  
00000675.meta  
00000676.meta  
00000678.sst  
00000680.sst  
00000681.meta  
00000682.meta  
00000685.sst  
00000686.sst  
00000687.meta  
00000689.meta  
00000691.sst  
00000692.sst  
00000693.meta  
00000694.meta  
00000697.sst  
00000698.sst  
00000699.meta  
00000700.meta  
00000703.sst  
00000704.sst  
00000705.meta  
00000707.meta  
00000708.sst  
00000710.sst  
00000711.meta  
00000712.meta  
00000715.sst  
00000716.sst  
00000717.meta  
00000718.meta  
00000720.sst  
00000722.sst  
00000723.meta  
00000724.meta  
00000726.sst  
00000728.sst  
00000729.meta  
00000730.meta  
00000732.sst  
00000734.sst  
00000735.meta  
00000736.meta  
00000738.sst  
00000740.sst  
00000741.meta  
00000742.meta  
00000745.sst  
00000746.sst  
00000747.meta  
00000748.meta  
00000751.sst  
00000752.sst  
00000753.meta  
00000754.meta  
00000756.sst  
00000758.sst

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00000759.meta |
|  |  |  | 00000760.meta |
|  |  |  | 00000763.sst  |
|  |  |  | 00000764.sst  |
|  |  |  | 00000765.meta |
|  |  |  | 00000766.meta |
|  |  |  | 00000769.sst  |
|  |  |  | 00000770.sst  |
|  |  |  | 00000771.meta |
|  |  |  | 00000772.meta |
|  |  |  | 00000774.sst  |
|  |  |  | 00000776.sst  |
|  |  |  | 00000777.meta |
|  |  |  | 00000778.meta |
|  |  |  | 00000780.sst  |
|  |  |  | 00000782.sst  |
|  |  |  | 00000783.meta |
|  |  |  | 00000784.meta |
|  |  |  | 00000786.sst  |
|  |  |  | 00000788.sst  |
|  |  |  | 00000789.meta |
|  |  |  | 00000790.meta |
|  |  |  | 00000792.sst  |
|  |  |  | 00000794.sst  |
|  |  |  | 00000795.meta |
|  |  |  | 00000796.meta |
|  |  |  | 00000799.sst  |
|  |  |  | 00000800.sst  |
|  |  |  | 00000801.meta |
|  |  |  | 00000802.meta |
|  |  |  | 00000805.sst  |
|  |  |  | 00000806.sst  |
|  |  |  | 00000807.meta |
|  |  |  | 00000808.meta |
|  |  |  | 00000810.sst  |
|  |  |  | 00000812.sst  |
|  |  |  | 00000813.meta |
|  |  |  | 00000814.meta |
|  |  |  | 00000816.sst  |
|  |  |  | 00000818.sst  |
|  |  |  | 00000819.meta |
|  |  |  | 00000820.meta |
|  |  |  | 00000822.sst  |
|  |  |  | 00000824.sst  |
|  |  |  | 00000825.meta |
|  |  |  | 00000826.meta |
|  |  |  | 00000828.sst  |
|  |  |  | 00000830.sst  |
|  |  |  | 00000831.meta |
|  |  |  | 00000832.meta |
|  |  |  | 00000835.sst  |
|  |  |  | 00000836.sst  |
|  |  |  | 00000837.meta |
|  |  |  | 00000838.meta |
|  |  |  | 00000840.sst  |
|  |  |  | 00000842.sst  |
|  |  |  | 00000843.meta |
|  |  |  | 00000844.meta |
|  |  |  | 00000847.sst  |
|  |  |  | 00000848.sst  |
|  |  |  | 00000849.meta |
|  |  |  | 00000850.meta |
|  |  |  | 00000852.sst  |
|  |  |  | 00000854.sst  |
|  |  |  | 00000855.meta |

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00000856.meta |
|  |  |  | 00000858.sst  |
|  |  |  | 00000860.sst  |
|  |  |  | 00000861.meta |
|  |  |  | 00000862.meta |
|  |  |  | 00000865.sst  |
|  |  |  | 00000866.sst  |
|  |  |  | 00000867.sst  |
|  |  |  | 00000868.meta |
|  |  |  | 00000869.meta |
|  |  |  | 00000871.meta |
|  |  |  | 00000873.sst  |
|  |  |  | 00000874.sst  |
|  |  |  | 00000875.meta |
|  |  |  | 00000876.meta |
|  |  |  | 00000878.sst  |
|  |  |  | 00000880.sst  |
|  |  |  | 00000881.meta |
|  |  |  | 00000883.meta |
|  |  |  | 00000884.sst  |
|  |  |  | 00000886.sst  |
|  |  |  | 00000887.meta |
|  |  |  | 00000888.meta |
|  |  |  | 00000891.sst  |
|  |  |  | 00000892.sst  |
|  |  |  | 00000893.meta |
|  |  |  | 00000894.meta |
|  |  |  | 00000897.sst  |
|  |  |  | 00000898.sst  |
|  |  |  | 00000899.meta |
|  |  |  | 00000900.meta |
|  |  |  | 00000902.sst  |
|  |  |  | 00000904.sst  |
|  |  |  | 00000905.meta |
|  |  |  | 00000906.meta |
|  |  |  | 00000909.sst  |
|  |  |  | 00000910.sst  |
|  |  |  | 00000911.meta |
|  |  |  | 00000913.meta |
|  |  |  | 00000914.sst  |
|  |  |  | 00000916.sst  |
|  |  |  | 00000917.meta |
|  |  |  | 00000918.meta |
|  |  |  | 00000920.sst  |
|  |  |  | 00000922.sst  |
|  |  |  | 00000923.meta |
|  |  |  | 00000924.meta |
|  |  |  | 00000926.sst  |
|  |  |  | 00000928.sst  |
|  |  |  | 00000929.meta |
|  |  |  | 00000930.meta |
|  |  |  | 00000933.sst  |
|  |  |  | 00000934.sst  |
|  |  |  | 00000935.meta |
|  |  |  | 00000936.meta |
|  |  |  | 00000939.sst  |
|  |  |  | 00000940.sst  |
|  |  |  | 00000941.meta |
|  |  |  | 00000942.meta |
|  |  |  | 00000944.sst  |
|  |  |  | 00000946.sst  |
|  |  |  | 00000947.meta |
|  |  |  | 00000948.meta |
|  |  |  | 00000951.sst  |
|  |  |  | 00000952.sst  |



00000953.meta  
00000954.meta  
00000956.sst  
00000958.sst  
00000959.meta  
00000960.meta  
00000963.sst  
00000964.sst  
00000965.meta  
00000966.meta  
00000969.sst  
00000970.sst  
00000971.meta  
00000972.meta  
00000974.sst  
00000976.sst  
00000977.meta  
00000978.meta  
00000980.sst  
00000982.sst  
00000983.meta  
00000984.meta  
00000986.sst  
00000988.sst  
00000989.meta  
00000991.meta  
00000993.sst  
00000994.sst  
00000995.meta  
00000996.meta  
00000998.sst  
00001000.sst  
00001001.meta  
00001002.meta  
00001004.sst  
00001006.sst  
00001007.meta  
00001008.meta  
00001010.sst  
00001012.sst  
00001013.meta  
00001014.meta  
00001017.sst  
00001018.sst  
00001019.meta  
00001020.meta  
00001023.sst  
00001024.sst  
00001025.sst  
00001026.meta  
00001027.meta  
00001028.meta  
00001031.sst  
00001032.sst  
00001033.meta  
00001034.meta  
00001036.sst  
00001038.sst  
00001039.meta  
00001040.meta  
00001042.sst  
00001044.sst  
00001045.meta  
00001046.meta  
00001049.sst

00001050.sst  
00001051.meta  
00001052.meta  
00001054.sst  
00001056.sst  
00001057.meta  
00001058.meta  
00001061.sst  
00001062.sst  
00001063.meta  
00001064.meta  
00001066.sst  
00001068.sst  
00001069.meta  
00001071.meta  
00001073.sst  
00001074.sst  
00001075.meta  
00001076.meta  
00001079.sst  
00001080.sst  
00001081.meta  
00001082.meta  
00001085.sst  
00001086.sst  
00001087.meta  
00001088.meta  
00001091.sst  
00001092.sst  
00001093.sst  
00001094.meta  
00001096.meta  
00001097.meta  
00001098.sst  
00001100.sst  
00001101.meta  
00001102.meta  
00001105.sst  
00001106.sst  
00001107.sst  
00001108.meta  
00001109.meta  
00001110.meta  
00001113.sst  
00001114.sst  
00001115.sst  
00001116.meta  
00001117.meta  
00001119.meta  
00001121.sst  
00001122.sst  
00001123.sst  
00001124.meta  
00001125.meta  
00001127.meta  
00001128.sst  
00001130.sst  
00001131.sst  
00001132.meta  
00001133.meta  
00001135.meta  
00001137.sst  
00001138.sst  
00001139.sst  
00001140.meta

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00001141.meta |
|  |  |  | 00001142.meta |
|  |  |  | 00001145.sst  |
|  |  |  | 00001146.sst  |
|  |  |  | 00001147.meta |
|  |  |  | 00001148.meta |
|  |  |  | 00001150.sst  |
|  |  |  | 00001152.sst  |
|  |  |  | 00001153.meta |
|  |  |  | 00001154.meta |
|  |  |  | 00001156.sst  |
|  |  |  | 00001158.sst  |
|  |  |  | 00001159.meta |
|  |  |  | 00001160.meta |
|  |  |  | 00001163.sst  |
|  |  |  | 00001164.sst  |
|  |  |  | 00001165.meta |
|  |  |  | 00001166.meta |
|  |  |  | 00001168.sst  |
|  |  |  | 00001170.sst  |
|  |  |  | 00001171.meta |
|  |  |  | 00001172.meta |
|  |  |  | 00001175.sst  |
|  |  |  | 00001176.sst  |
|  |  |  | 00001177.meta |
|  |  |  | 00001178.meta |
|  |  |  | 00001180.sst  |
|  |  |  | 00001182.sst  |
|  |  |  | 00001183.meta |
|  |  |  | 00001184.meta |
|  |  |  | 00001186.sst  |
|  |  |  | 00001188.sst  |
|  |  |  | 00001189.meta |
|  |  |  | 00001190.meta |
|  |  |  | 00001193.sst  |
|  |  |  | 00001194.sst  |
|  |  |  | 00001195.meta |
|  |  |  | 00001196.meta |
|  |  |  | 00001198.sst  |
|  |  |  | 00001200.sst  |
|  |  |  | 00001201.meta |
|  |  |  | 00001203.meta |
|  |  |  | 00001204.sst  |
|  |  |  | 00001206.sst  |
|  |  |  | 00001207.meta |
|  |  |  | 00001208.meta |
|  |  |  | 00001211.sst  |
|  |  |  | 00001212.sst  |
|  |  |  | 00001213.meta |
|  |  |  | 00001214.meta |
|  |  |  | 00001216.sst  |
|  |  |  | 00001218.sst  |
|  |  |  | 00001219.meta |
|  |  |  | 00001220.meta |
|  |  |  | 00001223.sst  |
|  |  |  | 00001224.sst  |
|  |  |  | 00001225.meta |
|  |  |  | 00001226.meta |
|  |  |  | 00001228.sst  |
|  |  |  | 00001230.sst  |
|  |  |  | 00001231.meta |
|  |  |  | 00001232.meta |
|  |  |  | 00001234.sst  |
|  |  |  | 00001236.sst  |
|  |  |  | 00001237.meta |

|               |
|---------------|
| 00001238.meta |
| 00001240.sst  |
| 00001242.sst  |
| 00001243.meta |
| 00001244.meta |
| 00001247.sst  |
| 00001248.sst  |
| 00001249.meta |
| 00001250.meta |
| 00001252.sst  |
| 00001254.sst  |
| 00001255.meta |
| 00001256.meta |
| 00001258.sst  |
| 00001260.sst  |
| 00001261.meta |
| 00001262.meta |
| 00001264.sst  |
| 00001266.sst  |
| 00001267.meta |
| 00001268.meta |
| 00001270.sst  |
| 00001272.sst  |
| 00001273.meta |
| 00001274.meta |
| 00001276.sst  |
| 00001278.sst  |
| 00001279.meta |
| 00001280.meta |
| 00001283.sst  |
| 00001284.sst  |
| 00001285.meta |
| 00001286.meta |
| 00001288.sst  |
| 00001290.sst  |
| 00001291.meta |
| 00001292.meta |
| 00001295.sst  |
| 00001296.sst  |
| 00001297.meta |
| 00001298.meta |
| 00001301.sst  |
| 00001302.sst  |
| 00001303.meta |
| 00001304.meta |
| 00001306.sst  |
| 00001308.sst  |
| 00001309.meta |
| 00001310.meta |
| 00001313.sst  |
| 00001314.sst  |
| 00001315.meta |
| 00001316.meta |
| 00001318.sst  |
| 00001320.sst  |
| 00001321.meta |
| 00001323.meta |
| 00001325.sst  |
| 00001326.sst  |
| 00001327.meta |
| 00001328.meta |
| 00001331.sst  |
| 00001332.sst  |
| 00001333.meta |
| 00001334.meta |

00001336.sst  
00001338.sst  
00001339.meta  
00001340.meta  
00001342.sst  
00001344.sst  
00001345.meta  
00001346.meta  
00001349.sst  
00001350.sst  
00001351.meta  
00001352.meta  
00001355.sst  
00001356.sst  
00001357.meta  
00001358.meta  
00001360.sst  
00001362.sst  
00001363.meta  
00001364.meta  
00001366.sst  
00001368.sst  
00001369.meta  
00001370.meta  
00001373.sst  
00001374.sst  
00001375.meta  
00001376.meta  
00001379.sst  
00001380.sst  
00001381.meta  
00001382.meta  
00001385.sst  
00001386.sst  
00001387.meta  
00001388.meta  
00001391.sst  
00001392.sst  
00001393.sst  
00001394.meta  
00001395.meta  
00001396.meta  
00001398.sst  
00001400.sst  
00001401.meta  
00001402.meta  
00001405.sst  
00001406.sst  
00001407.meta  
00001409.meta  
00001411.sst  
00001412.sst  
00001413.meta  
00001414.meta  
00001416.sst  
00001418.sst  
00001419.meta  
00001420.meta  
00001422.sst  
00001424.sst  
00001425.meta  
00001426.meta  
00001428.sst  
00001430.sst  
00001431.meta

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00001432.meta |
|  |  |  | 00001435.sst  |
|  |  |  | 00001436.sst  |
|  |  |  | 00001437.meta |
|  |  |  | 00001439.meta |
|  |  |  | 00001441.sst  |
|  |  |  | 00001442.sst  |
|  |  |  | 00001443.meta |
|  |  |  | 00001444.meta |
|  |  |  | 00001447.sst  |
|  |  |  | 00001448.sst  |
|  |  |  | 00001449.meta |
|  |  |  | 00001451.meta |
|  |  |  | 00001453.sst  |
|  |  |  | 00001454.sst  |
|  |  |  | 00001455.meta |
|  |  |  | 00001456.meta |
|  |  |  | 00001458.sst  |
|  |  |  | 00001460.sst  |
|  |  |  | 00001461.meta |
|  |  |  | 00001462.meta |
|  |  |  | 00001465.sst  |
|  |  |  | 00001466.sst  |
|  |  |  | 00001467.meta |
|  |  |  | 00001468.meta |
|  |  |  | 00001471.sst  |
|  |  |  | 00001472.sst  |
|  |  |  | 00001473.meta |
|  |  |  | 00001474.meta |
|  |  |  | 00001476.sst  |
|  |  |  | 00001478.sst  |
|  |  |  | 00001479.meta |
|  |  |  | 00001480.meta |
|  |  |  | 00001483.sst  |
|  |  |  | 00001484.sst  |
|  |  |  | 00001485.meta |
|  |  |  | 00001486.meta |
|  |  |  | 00001488.sst  |
|  |  |  | 00001490.sst  |
|  |  |  | 00001491.meta |
|  |  |  | 00001492.meta |
|  |  |  | 00001495.sst  |
|  |  |  | 00001496.sst  |
|  |  |  | 00001497.meta |
|  |  |  | 00001499.meta |
|  |  |  | 00001501.sst  |
|  |  |  | 00001502.sst  |
|  |  |  | 00001503.sst  |
|  |  |  | 00001504.meta |
|  |  |  | 00001505.meta |
|  |  |  | 00001506.meta |
|  |  |  | 00001508.sst  |
|  |  |  | 00001510.sst  |
|  |  |  | 00001511.meta |
|  |  |  | 00001512.meta |
|  |  |  | 00001515.sst  |
|  |  |  | 00001516.sst  |
|  |  |  | 00001517.meta |
|  |  |  | 00001518.meta |
|  |  |  | 00001520.sst  |
|  |  |  | 00001522.sst  |
|  |  |  | 00001523.meta |
|  |  |  | 00001524.meta |
|  |  |  | 00001527.sst  |
|  |  |  | 00001528.sst  |

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00001529.meta |
|  |  |  | 00001530.meta |
|  |  |  | 00001533.sst  |
|  |  |  | 00001534.sst  |
|  |  |  | 00001535.sst  |
|  |  |  | 00001536.meta |
|  |  |  | 00001537.meta |
|  |  |  | 00001539.meta |
|  |  |  | 00001541.sst  |
|  |  |  | 00001542.sst  |
|  |  |  | 00001543.sst  |
|  |  |  | 00001544.meta |
|  |  |  | 00001545.meta |
|  |  |  | 00001547.meta |
|  |  |  | 00001549.sst  |
|  |  |  | 00001550.sst  |
|  |  |  | 00001551.sst  |
|  |  |  | 00001552.meta |
|  |  |  | 00001553.meta |
|  |  |  | 00001555.meta |
|  |  |  | 00001557.sst  |
|  |  |  | 00001558.sst  |
|  |  |  | 00001559.meta |
|  |  |  | 00001561.meta |
|  |  |  | 00001563.sst  |
|  |  |  | 00001564.sst  |
|  |  |  | 00001565.meta |
|  |  |  | 00001566.meta |
|  |  |  | 00001569.sst  |
|  |  |  | 00001570.sst  |
|  |  |  | 00001571.meta |
|  |  |  | 00001572.meta |
|  |  |  | 00001575.sst  |
|  |  |  | 00001576.sst  |
|  |  |  | 00001577.meta |
|  |  |  | 00001578.meta |
|  |  |  | 00001580.sst  |
|  |  |  | 00001582.sst  |
|  |  |  | 00001583.meta |
|  |  |  | 00001584.meta |
|  |  |  | 00001587.sst  |
|  |  |  | 00001588.sst  |
|  |  |  | 00001589.sst  |
|  |  |  | 00001590.meta |
|  |  |  | 00001591.meta |
|  |  |  | 00001592.meta |
|  |  |  | 00001595.sst  |
|  |  |  | 00001596.sst  |
|  |  |  | 00001597.meta |
|  |  |  | 00001598.meta |
|  |  |  | 00001601.sst  |
|  |  |  | 00001602.sst  |
|  |  |  | 00001603.sst  |
|  |  |  | 00001604.meta |
|  |  |  | 00001605.meta |
|  |  |  | 00001607.meta |
|  |  |  | 00001608.sst  |
|  |  |  | 00001610.sst  |
|  |  |  | 00001611.meta |
|  |  |  | 00001612.meta |
|  |  |  | 00001614.sst  |
|  |  |  | 00001616.sst  |
|  |  |  | 00001617.meta |
|  |  |  | 00001618.meta |
|  |  |  | 00001620.sst  |

00001622.sst  
00001623.meta  
00001625.meta  
00001626.sst  
00001628.sst  
00001629.meta  
00001630.meta  
00001632.sst  
00001634.sst  
00001635.meta  
00001636.meta  
00001639.sst  
00001640.sst  
00001641.meta  
00001642.meta  
00001645.sst  
00001646.sst  
00001647.sst  
00001648.meta  
00001649.meta  
00001650.meta  
00001653.sst  
00001654.sst  
00001655.meta  
00001657.meta  
00001659.sst  
00001660.sst  
00001661.sst  
00001662.meta  
00001663.meta  
00001664.meta  
00001667.sst  
00001668.sst  
00001669.sst  
00001670.meta  
00001671.meta  
00001672.meta  
00001674.sst  
00001676.sst  
00001677.meta  
00001678.meta  
00001680.sst  
00001682.sst  
00001683.meta  
00001684.meta  
00001687.sst  
00001688.sst  
00001689.meta  
00001691.meta  
00001692.sst  
00001694.sst  
00001695.sst  
00001696.meta  
00001697.meta  
00001699.meta  
00001701.sst  
00001702.sst  
00001703.meta  
00001704.meta  
00001706.sst  
00001708.sst  
00001709.meta  
00001710.meta  
00001712.sst  
00001714.sst



|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00001715.meta |
|  |  |  | 00001716.meta |
|  |  |  | 00001718.sst  |
|  |  |  | 00001720.sst  |
|  |  |  | 00001721.meta |
|  |  |  | 00001722.meta |
|  |  |  | 00001724.sst  |
|  |  |  | 00001726.sst  |
|  |  |  | 00001727.meta |
|  |  |  | 00001728.meta |
|  |  |  | 00001731.sst  |
|  |  |  | 00001732.sst  |
|  |  |  | 00001733.sst  |
|  |  |  | 00001734.meta |
|  |  |  | 00001735.meta |
|  |  |  | 00001737.meta |
|  |  |  | 00001738.sst  |
|  |  |  | 00001740.sst  |
|  |  |  | 00001741.meta |
|  |  |  | 00001742.meta |
|  |  |  | 00001745.sst  |
|  |  |  | 00001746.sst  |
|  |  |  | 00001747.meta |
|  |  |  | 00001749.meta |
|  |  |  | 00001750.sst  |
|  |  |  | 00001752.sst  |
|  |  |  | 00001753.meta |
|  |  |  | 00001754.meta |
|  |  |  | 00001757.sst  |
|  |  |  | 00001758.sst  |
|  |  |  | 00001759.meta |
|  |  |  | 00001760.meta |
|  |  |  | 00001763.sst  |
|  |  |  | 00001764.sst  |
|  |  |  | 00001765.meta |
|  |  |  | 00001767.meta |
|  |  |  | 00001769.sst  |
|  |  |  | 00001770.sst  |
|  |  |  | 00001771.sst  |
|  |  |  | 00001772.meta |
|  |  |  | 00001773.meta |
|  |  |  | 00001775.meta |
|  |  |  | 00001777.sst  |
|  |  |  | 00001778.sst  |
|  |  |  | 00001779.meta |
|  |  |  | 00001780.meta |
|  |  |  | 00001782.sst  |
|  |  |  | 00001784.sst  |
|  |  |  | 00001785.meta |
|  |  |  | 00001786.meta |
|  |  |  | 00001788.sst  |
|  |  |  | 00001790.sst  |
|  |  |  | 00001791.meta |
|  |  |  | 00001793.meta |
|  |  |  | 00001794.sst  |
|  |  |  | 00001796.sst  |
|  |  |  | 00001797.meta |
|  |  |  | 00001798.meta |
|  |  |  | 00001801.sst  |
|  |  |  | 00001802.sst  |
|  |  |  | 00001803.meta |
|  |  |  | 00001804.meta |
|  |  |  | 00001806.sst  |
|  |  |  | 00001808.sst  |
|  |  |  | 00001809.meta |

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00001810.meta |
|  |  |  | 00001813.sst  |
|  |  |  | 00001814.sst  |
|  |  |  | 00001815.meta |
|  |  |  | 00001816.meta |
|  |  |  | 00001819.sst  |
|  |  |  | 00001820.sst  |
|  |  |  | 00001821.sst  |
|  |  |  | 00001822.meta |
|  |  |  | 00001823.meta |
|  |  |  | 00001825.meta |
|  |  |  | 00001826.sst  |
|  |  |  | 00001828.sst  |
|  |  |  | 00001829.meta |
|  |  |  | 00001830.meta |
|  |  |  | 00001832.sst  |
|  |  |  | 00001834.sst  |
|  |  |  | 00001835.meta |
|  |  |  | 00001836.meta |
|  |  |  | 00001839.sst  |
|  |  |  | 00001840.sst  |
|  |  |  | 00001841.meta |
|  |  |  | 00001843.meta |
|  |  |  | 00001845.sst  |
|  |  |  | 00001846.sst  |
|  |  |  | 00001847.meta |
|  |  |  | 00001848.meta |
|  |  |  | 00001850.sst  |
|  |  |  | 00001852.sst  |
|  |  |  | 00001853.meta |
|  |  |  | 00001854.meta |
|  |  |  | 00001857.sst  |
|  |  |  | 00001858.sst  |
|  |  |  | 00001859.sst  |
|  |  |  | 00001860.meta |
|  |  |  | 00001861.meta |
|  |  |  | 00001863.meta |
|  |  |  | 00001865.sst  |
|  |  |  | 00001866.sst  |
|  |  |  | 00001867.sst  |
|  |  |  | 00001868.meta |
|  |  |  | 00001870.meta |
|  |  |  | 00001871.meta |
|  |  |  | 00001873.sst  |
|  |  |  | 00001874.sst  |
|  |  |  | 00001875.meta |
|  |  |  | 00001877.meta |
|  |  |  | 00001878.sst  |
|  |  |  | 00001880.sst  |
|  |  |  | 00001881.meta |
|  |  |  | 00001882.meta |
|  |  |  | 00001887.sst  |
|  |  |  | 00001889.sst  |
|  |  |  | 00001890.sst  |
|  |  |  | 00001891.meta |
|  |  |  | 00001893.meta |
|  |  |  | 00001894.meta |
|  |  |  | 00001902.sst  |
|  |  |  | 00001904.sst  |
|  |  |  | 00001905.sst  |
|  |  |  | 00001906.meta |
|  |  |  | 00001908.meta |
|  |  |  | 00001909.meta |
|  |  |  | 00001913.sst  |
|  |  |  | 00001915.sst  |

00001916.sst  
00001917.meta  
00001918.meta  
00001920.meta  
00001926.sst  
00001927.sst  
00001928.meta  
00001929.meta  
00001932.sst  
00001933.sst  
00001934.meta  
00001935.meta  
00001938.sst  
00001939.sst  
00001940.meta  
00001941.meta  
00001944.sst  
00001945.sst  
00001946.meta  
00001948.meta  
00001949.sst  
00001951.sst  
00001952.meta  
00001953.meta  
00001956.sst  
00001957.sst  
00001958.meta  
00001959.meta  
00001961.sst  
00001963.sst  
00001964.sst  
00001965.meta  
00001967.meta  
00001968.meta  
00001970.sst  
00001971.sst  
00001972.sst  
00001973.meta  
00001974.meta  
00001976.meta  
00001978.sst  
00001979.sst  
00001980.sst  
00001981.meta  
00001982.meta  
00001983.meta  
00001986.sst  
00001987.sst  
00001988.meta  
00001989.meta  
00001991.sst  
00001993.sst  
00001994.meta  
00001995.meta  
00001997.sst  
00001999.sst  
00002000.sst  
00002001.meta  
00002002.meta  
00002004.meta  
00002006.sst  
00002007.sst  
00002008.meta  
00002009.meta  
00002012.sst

00002013.sst  
00002014.meta  
00002015.meta  
00002018.sst  
00002019.sst  
00002020.meta  
00002022.meta  
00002024.sst  
00002025.sst  
00002026.meta  
00002027.meta  
00002029.sst  
00002031.sst  
00002032.meta  
00002033.meta  
00002036.sst  
00002037.sst  
00002038.meta  
00002039.meta  
00002042.sst  
00002043.sst  
00002044.meta  
00002045.meta  
00002047.sst  
00002049.sst  
00002050.meta  
00002051.meta  
00002054.sst  
00002055.sst  
00002056.meta  
00002058.meta  
00002060.sst  
00002061.sst  
00002062.meta  
00002063.meta  
00002066.sst  
00002067.sst  
00002068.meta  
00002070.meta  
00002072.sst  
00002073.sst  
00002074.meta  
00002075.meta  
00002078.sst  
00002079.sst  
00002080.meta  
00002081.meta  
00002084.sst  
00002085.sst  
00002086.meta  
00002087.meta  
00002090.sst  
00002091.sst  
00002092.meta  
00002093.meta  
00002096.sst  
00002097.sst  
00002098.meta  
00002099.meta  
00002102.sst  
00002103.sst  
00002104.meta  
00002105.meta  
00002107.sst  
00002109.sst

00002110.meta  
00002111.meta  
00002113.sst  
00002115.sst  
00002116.meta  
00002117.meta  
00002120.sst  
00002121.sst  
00002122.meta  
00002123.meta  
00002126.sst  
00002127.sst  
00002128.meta  
00002129.meta  
00002131.sst  
00002133.sst  
00002134.sst  
00002135.meta  
00002137.meta  
00002138.meta  
00002140.sst  
00002141.sst  
00002142.meta  
00002143.meta  
00002146.sst  
00002147.sst  
00002148.meta  
00002149.meta  
00002152.sst  
00002153.sst  
00002154.meta  
00002155.meta  
00002157.sst  
00002159.sst  
00002160.meta  
00002161.meta  
00002163.sst  
00002165.sst  
00002166.meta  
00002167.meta  
00002170.sst  
00002171.sst  
00002172.meta  
00002173.meta  
00002175.sst  
00002177.sst  
00002178.meta  
00002179.meta  
00002182.sst  
00002183.sst  
00002184.meta  
00002186.meta  
00002188.sst  
00002189.sst  
00002190.meta  
00002191.meta  
00002196.sst  
00002198.sst  
00002199.sst  
00002200.meta  
00002202.meta  
00002203.meta  
00002205.sst  
00002206.sst  
00002207.meta

|               |
|---------------|
| 00002208.meta |
| 00002211.sst  |
| 00002215.sst  |
| 00002216.sst  |
| 00002217.meta |
| 00002219.meta |
| 00002220.meta |
| 00002226.sst  |
| 00002227.sst  |
| 00002228.meta |
| 00002229.meta |
| 00002232.sst  |
| 00002233.sst  |
| 00002234.sst  |
| 00002235.meta |
| 00002236.meta |
| 00002238.meta |
| 00002240.sst  |
| 00002241.sst  |
| 00002242.meta |
| 00002243.meta |
| 00002246.sst  |
| 00002247.sst  |
| 00002248.meta |
| 00002249.meta |
| 00002252.sst  |
| 00002253.sst  |
| 00002254.meta |
| 00002255.meta |
| 00002257.sst  |
| 00002259.sst  |
| 00002260.meta |
| 00002262.meta |
| 00002263.sst  |
| 00002265.sst  |
| 00002266.meta |
| 00002267.meta |
| 00002270.sst  |
| 00002271.sst  |
| 00002272.meta |
| 00002273.meta |
| 00002275.sst  |
| 00002277.sst  |
| 00002278.meta |
| 00002279.meta |
| 00002281.sst  |
| 00002283.sst  |
| 00002284.meta |
| 00002285.meta |
| 00002288.sst  |
| 00002289.sst  |
| 00002290.meta |
| 00002291.meta |
| 00002293.sst  |
| 00002295.sst  |
| 00002296.meta |
| 00002298.meta |
| 00002299.sst  |
| 00002301.sst  |
| 00002302.meta |
| 00002303.meta |
| 00002306.sst  |
| 00002307.sst  |
| 00002308.meta |
| 00002309.meta |

00002312.sst  
00002313.sst  
00002314.sst  
00002315.meta  
00002316.meta  
00002317.meta  
00002320.sst  
00002321.sst  
00002322.meta  
00002323.meta  
00002326.sst  
00002327.sst  
00002328.meta  
00002329.meta  
00002333.sst  
00002336.sst  
00002337.sst  
00002338.meta  
00002339.meta  
00002340.meta  
00002347.sst  
00002348.sst  
00002349.meta  
00002350.meta  
00002353.sst  
00002354.sst  
00002355.meta  
00002356.meta  
00002358.sst  
00002360.sst  
00002361.meta  
00002362.meta  
00002365.sst  
00002366.sst  
00002367.meta  
00002368.meta  
00002371.sst  
00002372.sst  
00002373.meta  
00002374.meta  
00002376.sst  
00002378.sst  
00002379.sst  
00002380.meta  
00002381.meta  
00002383.meta  
00002388.sst  
00002389.sst  
00002390.sst  
00002391.meta  
00002393.meta  
00002394.meta  
00002399.sst  
00002400.sst  
00002401.sst  
00002402.meta  
00002404.meta  
00002405.meta  
00002413.sst  
00002415.sst  
00002416.sst  
00002417.meta  
00002419.meta  
00002420.meta  
00002427.sst

00002428.sst  
00002429.meta  
00002431.meta  
00002432.sst  
00002434.sst  
00002435.meta  
00002436.meta  
00002439.sst  
00002440.sst  
00002441.meta  
00002442.meta  
00002445.sst  
00002446.sst  
00002447.meta  
00002448.meta  
00002451.sst  
00002452.sst  
00002453.sst  
00002454.meta  
00002455.meta  
00002456.meta  
00002459.sst  
00002460.sst  
00002461.sst  
00002462.meta  
00002463.meta  
00002465.meta  
00002467.sst  
00002468.sst  
00002469.sst  
00002470.meta  
00002471.meta  
00002473.meta  
00002475.sst  
00002476.sst  
00002477.sst  
00002478.meta  
00002479.meta  
00002480.meta  
00002483.sst  
00002484.sst  
00002485.sst  
00002486.meta  
00002487.meta  
00002489.meta  
00002490.sst  
00002492.sst  
00002493.meta  
00002494.meta  
00002496.sst  
00002498.sst  
00002499.meta  
00002500.meta  
00002503.sst  
00002504.sst  
00002505.meta  
00002506.meta  
00002512.sst  
00002513.sst  
00002514.sst  
00002515.meta  
00002516.meta  
00002517.meta  
00002519.sst  
00002521.sst



00002522.meta  
00002523.meta  
00002531.sst  
00002532.sst  
00002533.sst  
00002534.meta  
00002536.meta  
00002537.meta  
00002539.sst  
00002540.sst  
00002541.meta  
00002542.meta  
00002545.sst  
00002546.sst  
00002547.meta  
00002549.meta  
00002552.sst  
00002555.sst  
00002556.sst  
00002557.meta  
00002559.meta  
00002560.meta  
00002561.sst  
00002563.sst  
00002564.meta  
00002565.meta  
00002568.sst  
00002569.sst  
00002570.sst  
00002571.meta  
00002572.meta  
00002574.meta  
00002579.sst  
00002580.sst  
00002581.sst  
00002582.meta  
00002584.meta  
00002585.meta  
00002586.sst  
00002588.sst  
00002589.meta  
00002590.meta  
00002592.sst  
00002594.sst  
00002595.meta  
00002596.meta  
00002599.sst  
00002600.sst  
00002601.sst  
00002602.meta  
00002603.meta  
00002605.meta  
00002612.sst  
00002613.sst  
00002614.sst  
00002615.meta  
00002616.meta  
00002618.meta  
00002620.sst  
00002621.sst  
00002622.meta  
00002623.meta  
00002625.sst  
00002627.sst  
00002628.sst

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00002629.meta |
|  |  |  | 00002630.meta |
|  |  |  | 00002631.meta |
|  |  |  | 00002634.sst  |
|  |  |  | 00002635.sst  |
|  |  |  | 00002636.meta |
|  |  |  | 00002637.meta |
|  |  |  | 00002640.sst  |
|  |  |  | 00002641.sst  |
|  |  |  | 00002642.meta |
|  |  |  | 00002643.meta |
|  |  |  | 00002646.sst  |
|  |  |  | 00002647.sst  |
|  |  |  | 00002648.meta |
|  |  |  | 00002649.meta |
|  |  |  | 00002651.sst  |
|  |  |  | 00002653.sst  |
|  |  |  | 00002654.meta |
|  |  |  | 00002655.meta |
|  |  |  | 00002658.sst  |
|  |  |  | 00002659.sst  |
|  |  |  | 00002660.meta |
|  |  |  | 00002661.meta |
|  |  |  | 00002664.sst  |
|  |  |  | 00002665.sst  |
|  |  |  | 00002666.meta |
|  |  |  | 00002667.meta |
|  |  |  | 00002670.sst  |
|  |  |  | 00002671.sst  |
|  |  |  | 00002672.meta |
|  |  |  | 00002673.meta |
|  |  |  | 00002676.sst  |
|  |  |  | 00002677.sst  |
|  |  |  | 00002678.meta |
|  |  |  | 00002679.meta |
|  |  |  | 00002681.sst  |
|  |  |  | 00002683.sst  |
|  |  |  | 00002684.meta |
|  |  |  | 00002685.meta |
|  |  |  | 00002688.sst  |
|  |  |  | 00002689.sst  |
|  |  |  | 00002690.meta |
|  |  |  | 00002691.meta |
|  |  |  | 00002693.sst  |
|  |  |  | 00002695.sst  |
|  |  |  | 00002696.meta |
|  |  |  | 00002697.meta |
|  |  |  | 00002699.sst  |
|  |  |  | 00002701.sst  |
|  |  |  | 00002702.meta |
|  |  |  | 00002704.meta |
|  |  |  | 00002706.sst  |
|  |  |  | 00002707.sst  |
|  |  |  | 00002708.meta |
|  |  |  | 00002709.meta |
|  |  |  | 00002712.sst  |
|  |  |  | 00002713.sst  |
|  |  |  | 00002714.meta |
|  |  |  | 00002715.meta |
|  |  |  | 00002717.sst  |
|  |  |  | 00002719.sst  |
|  |  |  | 00002720.meta |
|  |  |  | 00002721.meta |
|  |  |  | 00002723.sst  |
|  |  |  | 00002725.sst  |

00002726.meta  
00002727.meta  
00002730.sst  
00002731.sst  
00002732.meta  
00002733.meta  
00002735.sst  
00002737.sst  
00002738.meta  
00002739.meta  
00002741.sst  
00002743.sst  
00002744.meta  
00002745.meta  
00002748.sst  
00002749.sst  
00002750.meta  
00002751.meta  
00002753.sst  
00002755.sst  
00002756.meta  
00002757.meta  
00002760.sst  
00002761.sst  
00002762.meta  
00002763.meta  
00002765.sst  
00002767.sst  
00002768.meta  
00002769.meta  
00002771.sst  
00002773.sst  
00002774.meta  
00002775.meta  
00002778.sst  
00002779.sst  
00002780.meta  
00002781.meta  
00002784.sst  
00002785.sst  
00002786.meta  
00002787.meta  
00002789.sst  
00002791.sst  
00002792.meta  
00002793.meta  
00002795.sst  
00002797.sst  
00002798.meta  
00002799.meta  
00002802.sst  
00002803.sst  
00002804.meta  
00002805.meta  
00002807.sst  
00002809.sst  
00002810.meta  
00002811.meta  
00002813.sst  
00002815.sst  
00002816.meta  
00002817.meta  
00002820.sst  
00002821.sst  
00002822.meta

|  |  |  |               |
|--|--|--|---------------|
|  |  |  | 00002823.meta |
|  |  |  | 00002825.sst  |
|  |  |  | 00002827.sst  |
|  |  |  | 00002828.meta |
|  |  |  | 00002829.meta |
|  |  |  | 00002832.sst  |
|  |  |  | 00002833.sst  |
|  |  |  | 00002834.meta |
|  |  |  | 00002835.meta |
|  |  |  | 00002837.sst  |
|  |  |  | 00002839.sst  |
|  |  |  | 00002840.meta |
|  |  |  | 00002841.meta |
|  |  |  | 00002844.sst  |
|  |  |  | 00002845.sst  |
|  |  |  | 00002846.meta |
|  |  |  | 00002847.meta |
|  |  |  | 00002849.sst  |
|  |  |  | 00002851.sst  |
|  |  |  | 00002852.meta |
|  |  |  | 00002853.meta |
|  |  |  | 00002855.sst  |
|  |  |  | 00002857.sst  |
|  |  |  | 00002858.meta |
|  |  |  | 00002859.meta |
|  |  |  | 00002862.sst  |
|  |  |  | 00002863.sst  |
|  |  |  | 00002864.meta |
|  |  |  | 00002865.meta |
|  |  |  | 00002871.sst  |
|  |  |  | 00002872.sst  |
|  |  |  | 00002873.sst  |
|  |  |  | 00002874.meta |
|  |  |  | 00002875.meta |
|  |  |  | 00002877.meta |
|  |  |  | 00002878.sst  |
|  |  |  | 00002880.sst  |
|  |  |  | 00002881.sst  |
|  |  |  | 00002882.meta |
|  |  |  | 00002883.meta |
|  |  |  | 00002885.meta |
|  |  |  | 00002892.sst  |
|  |  |  | 00002893.sst  |
|  |  |  | 00002894.sst  |
|  |  |  | 00002895.meta |
|  |  |  | 00002896.meta |
|  |  |  | 00002897.meta |
|  |  |  | 00002900.sst  |
|  |  |  | 00002901.sst  |
|  |  |  | 00002902.meta |
|  |  |  | 00002903.meta |
|  |  |  | 00002906.sst  |
|  |  |  | 00002907.sst  |
|  |  |  | 00002908.meta |
|  |  |  | 00002910.meta |
|  |  |  | 00002912.sst  |
|  |  |  | 00002913.sst  |
|  |  |  | 00002914.meta |
|  |  |  | 00002915.meta |
|  |  |  | 00002921.sst  |
|  |  |  | 00002922.sst  |
|  |  |  | 00002923.sst  |
|  |  |  | 00002924.meta |
|  |  |  | 00002926.meta |
|  |  |  | 00002927.meta |

00002928.sst  
00002930.sst  
00002931.meta  
00002932.meta  
00002935.sst  
00002936.sst  
00002937.meta  
00002938.meta  
00002940.sst  
00002942.sst  
00002943.meta  
00002944.meta  
00002946.sst  
00002948.sst  
00002949.meta  
00002950.meta  
00002953.sst  
00002954.sst  
00002955.meta  
00002956.meta  
00002958.sst  
00002960.sst  
00002961.meta  
00002962.meta  
00002964.sst  
00002966.sst  
00002967.meta  
00002968.meta  
00002970.sst  
00002972.sst  
00002973.meta  
00002974.meta  
00002976.sst  
00002978.sst  
00002979.meta  
00002980.meta  
00002982.sst  
00002984.sst  
00002985.meta  
00002986.meta  
00002988.sst  
00002990.sst  
00002991.meta  
00002992.meta  
00002994.sst  
00002996.sst  
00002997.meta  
00002998.meta  
00003001.sst  
00003002.sst  
00003003.meta  
00003005.meta  
00003006.sst  
00003008.sst  
00003009.meta  
00003010.meta  
00003012.sst  
00003014.sst  
00003015.meta  
00003016.meta  
00003019.sst  
00003020.sst  
00003021.meta  
00003023.meta  
00003025.sst

00003026.sst  
00003027.meta  
00003028.meta  
00003031.sst  
00003032.sst  
00003033.meta  
00003034.meta  
00003037.sst  
00003038.sst  
00003039.meta  
00003040.meta  
00003043.sst  
00003044.sst  
00003045.meta  
00003046.meta  
00003049.sst  
00003050.sst  
00003051.meta  
00003052.meta  
00003054.sst  
00003056.sst  
00003057.meta  
00003058.meta  
00003060.sst  
00003062.sst  
00003063.meta  
00003064.meta  
00003070.sst  
00003071.sst  
00003072.sst  
00003073.meta  
00003074.meta  
00003076.meta  
00003081.sst  
00003083.sst  
00003084.sst  
00003085.meta  
00003086.meta  
00003087.meta  
00003098.sst  
00003099.sst  
00003100.sst  
00003101.meta  
00003102.meta  
00003103.meta  
00003107.sst  
00003108.sst  
00003109.meta  
00003111.meta  
00003113.sst  
00003114.sst  
00003115.meta  
00003117.meta  
00003119.sst  
00003120.sst  
00003121.sst  
00003122.meta  
00003123.meta  
00003125.meta  
00003127.sst  
00003128.sst  
00003129.sst  
00003130.meta  
00003131.meta  
00003133.meta

00003134.sst  
00003136.sst  
00003137.sst  
00003138.meta  
00003139.meta  
00003141.meta  
00003143.sst  
00003144.sst  
00003145.meta  
00003146.meta  
00003149.sst  
00003150.sst  
00003151.sst  
00003152.meta  
00003153.meta  
00003155.meta  
00003156.sst  
00003158.sst  
00003159.sst  
00003160.meta  
00003161.meta  
00003163.meta  
00003165.sst  
00003166.sst  
00003167.sst  
00003168.meta  
00003169.meta  
00003171.meta  
00003172.sst  
00003174.sst  
00003175.sst  
00003176.meta  
00003177.meta  
00003179.meta  
00003181.sst  
00003182.sst  
00003183.sst  
00003184.meta  
00003185.meta  
00003187.meta  
00003189.sst  
00003190.sst  
00003191.meta  
00003192.meta  
00003194.sst  
00003196.sst  
00003197.sst  
00003198.meta  
00003199.meta  
00003201.meta  
00003202.sst  
00003204.sst  
00003205.meta  
00003206.meta  
00003208.sst  
00003210.sst  
00003211.meta  
00003212.meta  
00003215.sst  
00003216.sst  
00003217.sst  
00003218.meta  
00003220.meta  
00003221.meta  
00003222.sst

00003224.sst  
00003225.sst  
00003226.meta  
00003227.meta  
00003229.meta  
00003230.sst  
00003232.sst  
00003233.sst  
00003234.meta  
00003235.meta  
00003237.meta  
00003238.sst  
00003240.sst  
00003241.sst  
00003242.meta  
00003243.meta  
00003245.meta  
00003247.sst  
00003248.sst  
00003249.sst  
00003250.meta  
00003251.meta  
00003253.meta  
00003255.sst  
00003256.sst  
00003257.sst  
00003258.meta  
00003259.meta  
00003261.meta  
00003263.sst  
00003264.sst  
00003265.sst  
00003266.meta  
00003267.meta  
00003269.meta  
00003270.sst  
00003272.sst  
00003273.meta  
00003274.meta  
00003277.sst  
00003278.sst  
00003279.sst  
00003280.meta  
00003281.meta  
00003283.meta  
00003284.sst  
00003286.sst  
00003287.sst  
00003288.meta  
00003289.meta  
00003290.meta  
00003292.sst  
00003294.sst  
00003295.meta  
00003296.meta  
00003299.sst  
00003300.sst  
00003301.sst  
00003302.meta  
00003303.meta  
00003305.meta  
00003307.sst  
00003308.sst  
00003309.sst  
00003310.meta



00003311.meta  
00003313.meta  
00003315.sst  
00003316.sst  
00003317.sst  
00003318.meta  
00003319.meta  
00003321.meta  
00003328.sst  
00003329.sst  
00003330.sst  
00003331.meta  
00003332.meta  
00003334.meta  
00003335.sst  
00003337.sst  
00003338.meta  
00003339.meta  
00003342.sst  
00003343.sst  
00003344.meta  
00003345.meta  
00003347.sst  
00003349.sst  
00003350.meta  
00003351.meta  
00003353.sst  
00003355.sst  
00003356.meta  
00003357.meta  
00003360.sst  
00003361.sst  
00003362.meta  
00003363.meta  
00003365.sst  
00003367.sst  
00003368.meta  
00003369.meta  
00003371.sst  
00003373.sst  
00003374.meta  
00003375.meta  
00003377.sst  
00003379.sst  
00003380.meta  
00003381.meta  
00003383.sst  
00003385.sst  
00003386.meta  
00003387.meta  
00003390.sst  
00003391.sst  
00003392.meta  
00003393.meta  
00003396.sst  
00003397.sst  
00003398.meta  
00003399.meta  
00003402.sst  
00003403.sst  
00003404.meta  
00003405.meta  
00003407.sst  
00003409.sst  
00003410.meta

00003411.meta  
00003414.sst  
00003415.sst  
00003416.meta  
00003418.meta  
00003420.sst  
00003421.sst  
00003422.meta  
00003423.meta  
00003425.sst  
00003427.sst  
00003428.meta  
00003430.meta  
00003432.sst  
00003433.sst  
00003434.meta  
00003436.meta  
00003437.sst  
00003439.sst  
00003440.meta  
00003441.meta  
00003444.sst  
00003445.sst  
00003446.sst  
00003447.meta  
00003449.meta  
00003450.meta  
00003451.sst  
00003453.sst  
00003454.meta  
00003455.meta  
00003457.sst  
00003459.sst  
00003460.meta  
00003461.meta  
00003463.sst  
00003465.sst  
00003466.meta  
00003467.meta  
00003470.sst  
00003471.sst  
00003472.sst  
00003473.meta  
00003474.meta  
00003476.meta  
00003477.sst  
00003479.sst  
00003480.meta  
00003481.meta  
00003484.sst  
00003485.sst  
00003486.meta  
00003488.meta  
00003489.sst  
00003491.sst  
00003492.meta  
00003493.meta  
00003496.sst  
00003497.sst  
00003498.meta  
00003499.meta  
00003502.sst  
00003503.sst  
00003504.sst  
00003505.meta

00003506.meta  
00003508.meta  
00003510.sst  
00003511.sst  
00003512.meta  
00003513.meta  
00003516.sst  
00003517.sst  
00003518.meta  
00003519.meta  
00003522.sst  
00003523.sst  
00003524.meta  
00003526.meta  
00003528.sst  
00003529.sst  
00003530.meta  
00003531.meta  
00003534.sst  
00003535.sst  
00003536.meta  
00003538.meta  
00003540.sst  
00003541.sst  
00003542.sst  
00003543.meta  
00003545.meta  
00003546.meta  
00003548.sst  
00003549.sst  
00003550.sst  
00003551.meta  
00003552.meta  
00003554.meta  
00003555.sst  
00003557.sst  
00003558.meta  
00003559.meta  
00003561.sst  
00003563.sst  
00003564.meta  
00003565.meta  
00003567.sst  
00003569.sst  
00003570.meta  
00003571.meta  
00003574.sst  
00003575.sst  
00003576.sst  
00003577.meta  
00003579.meta  
00003580.meta  
00003581.sst  
00003583.sst  
00003584.meta  
00003585.meta  
00003588.sst  
00003589.sst  
00003590.meta  
00003591.meta  
00003593.sst  
00003595.sst  
00003596.meta  
00003597.meta  
00003599.sst

00003601.sst  
00003602.meta  
00003603.meta  
00003605.sst  
00003607.sst  
00003608.meta  
00003609.meta  
00003612.sst  
00003613.sst  
00003614.meta  
00003615.meta  
00003617.sst  
00003619.sst  
00003620.meta  
00003621.meta  
00003624.sst  
00003625.sst  
00003626.meta  
00003628.meta  
00003629.sst  
00003631.sst  
00003632.meta  
00003633.meta  
00003635.sst  
00003637.sst  
00003638.meta  
00003639.meta  
00003642.sst  
00003643.sst  
00003644.meta  
00003645.meta  
00003647.sst  
00003649.sst  
00003650.meta  
00003651.meta  
00003653.sst  
00003655.sst  
00003656.meta  
00003657.meta  
00003659.sst  
00003661.sst  
00003662.meta  
00003663.meta  
00003665.sst  
00003667.sst  
00003668.meta  
00003669.meta  
00003671.sst  
00003673.sst  
00003674.meta  
00003675.meta  
00003678.sst  
00003679.sst  
00003680.sst  
00003681.meta  
00003682.meta  
00003684.meta  
00003685.sst  
00003687.sst  
00003688.meta  
00003689.meta  
00003691.sst  
00003693.sst  
00003694.meta  
00003695.meta

00003697.sst  
00003699.sst  
00003700.meta  
00003701.meta  
00003704.sst  
00003705.sst  
00003706.meta  
00003707.meta  
00003710.sst  
00003711.sst  
00003712.sst  
00003713.meta  
00003714.meta  
00003716.meta  
00003720.sst  
00003722.sst  
00003723.sst  
00003724.meta  
00003725.meta  
00003727.meta  
00003729.sst  
00003730.sst  
00003731.meta  
00003732.meta  
00003734.sst  
00003736.sst  
00003737.meta  
00003738.meta  
00003740.sst  
00003742.sst  
00003743.meta  
00003744.meta  
00003746.sst  
00003748.sst  
00003749.sst  
00003750.meta  
00003751.meta  
00003753.meta  
00003755.sst  
00003756.sst  
00003757.meta  
00003759.meta  
00003761.sst  
00003762.sst  
00003763.meta  
00003764.meta  
00003766.sst  
00003768.sst  
00003769.meta  
00003770.meta  
00003772.sst  
00003774.sst  
00003775.meta  
00003776.meta  
00003779.sst  
00003780.sst  
00003781.meta  
00003782.meta  
00003784.sst  
00003786.sst  
00003787.meta  
00003788.meta  
00003791.sst  
00003792.sst  
00003793.meta

00003794.meta  
00003796.sst  
00003798.sst  
00003799.meta  
00003800.meta  
00003802.sst  
00003804.sst  
00003805.meta  
00003806.meta  
00003808.sst  
00003810.sst  
00003811.meta  
00003812.meta  
00003814.sst  
00003816.sst  
00003817.meta  
00003818.meta  
00003820.sst  
00003822.sst  
00003823.meta  
00003824.meta  
00003827.sst  
00003828.sst  
00003829.sst  
00003830.meta  
00003831.meta  
00003833.meta  
00003834.sst  
00003836.sst  
00003837.meta  
00003839.meta  
00003840.sst  
00003842.sst  
00003843.sst  
00003844.meta  
00003845.meta  
00003847.meta  
00003849.sst  
00003850.sst  
00003851.meta  
00003852.meta  
00003855.sst  
00003856.sst  
00003857.sst  
00003858.meta  
00003860.meta  
00003861.meta  
00003863.sst  
00003864.sst  
00003865.meta  
00003866.meta  
00003869.sst  
00003870.sst  
00003871.meta  
00003872.meta  
00003875.sst  
00003876.sst  
00003877.meta  
00003878.meta  
00003880.sst  
00003882.sst  
00003883.meta  
00003884.meta  
00003888.sst  
00003889.meta

00003894.sst  
00003895.meta  
00003900.sst  
00003901.meta  
00003906.sst  
00003907.meta  
00003912.sst  
00003913.sst  
00003914.meta  
00003915.meta  
00003920.sst  
00003921.meta  
00003926.sst  
00003927.meta  
00003932.sst  
00003933.meta  
00003938.sst  
00003939.meta  
00003947.sst  
00003948.sst  
00003949.meta  
00003952.meta  
00003959.sst  
00003960.meta  
00003969.sst  
00003970.meta  
00003979.sst  
00003980.sst  
00003981.meta  
00003984.meta  
00003988.sst  
00003989.sst  
00003990.meta  
00003993.meta  
00003996.sst  
00003997.sst  
00003998.meta  
00004000.meta  
00004004.sst  
00004005.sst  
00004006.meta  
00004009.meta  
00004012.sst  
00004013.sst  
00004014.meta  
00004015.meta  
00004020.sst  
00004021.meta  
00004026.sst  
00004027.meta  
00004032.sst  
00004033.meta  
00004038.sst  
00004039.meta  
00004044.sst  
00004045.sst  
00004046.meta  
00004049.meta  
00004052.sst  
00004053.sst  
00004054.meta  
00004057.meta  
00004060.sst  
00004061.sst  
00004062.meta

00004063.meta  
00004068.sst  
00004069.meta  
00004074.sst  
00004075.meta  
00004080.sst  
00004081.meta  
00004086.sst  
00004087.sst  
00004088.meta  
00004091.meta  
00004094.sst  
00004095.sst  
00004096.meta  
00004097.meta  
00004102.sst  
00004103.sst  
00004104.meta  
00004105.meta  
00004119.sst  
00004120.meta  
00004126.sst  
00004127.sst  
00004128.meta  
00004131.meta  
00004134.sst  
00004135.meta  
00004140.sst  
00004141.sst  
00004142.meta  
00004145.meta  
00004148.sst  
00004149.meta  
00004154.sst  
00004155.meta  
00004160.sst  
00004161.meta  
00004166.sst  
00004167.meta  
00004172.sst  
00004173.sst  
00004174.meta  
00004177.meta  
00004180.sst  
00004181.meta  
00004186.sst  
00004187.meta  
00004192.sst  
00004193.meta  
00004198.sst  
00004199.meta  
00004204.sst  
00004205.meta  
00004210.sst  
00004211.meta  
00004216.sst  
00004217.meta  
00004222.sst  
00004223.meta  
00004228.sst  
00004229.meta  
00004234.sst  
00004235.meta  
00004240.sst  
00004241.meta



00004246.sst  
00004247.meta  
00004252.sst  
00004253.meta  
00004258.sst  
00004259.meta  
00004264.sst  
00004265.meta  
00004270.sst  
00004271.meta  
00004276.sst  
00004277.meta  
00004282.sst  
00004283.meta  
00004288.sst  
00004290.meta  
00004294.sst  
00004295.meta  
00004300.sst  
00004301.meta  
00004306.sst  
00004307.meta  
00004312.sst  
00004313.meta  
00004318.sst  
00004319.meta  
00004324.sst  
00004325.meta  
00004328.sst  
00004329.sst  
00004330.meta  
00004333.sst  
00004334.sst  
00004335.meta  
00004336.meta  
00004339.sst  
00004340.sst  
00004341.meta  
00004342.meta  
00004345.sst  
00004346.sst  
00004347.meta  
00004348.meta  
00004355.sst  
00004356.sst  
00004357.meta  
00004358.meta  
00004360.sst  
00004361.sst  
00004362.meta  
00004364.sst  
00004365.sst  
00004366.sst  
00004367.meta  
00004368.meta  
00004369.meta  
00004371.sst  
00004372.sst  
00004373.sst  
00004374.meta  
00004375.meta  
00004376.meta  
00004377.sst  
00004378.sst  
00004379.sst

```

00004380.meta
00004381.meta
00004382.meta
00004383.sst
00004384.sst
00004385.sst
00004386.meta
00004387.meta
00004388.meta
00004389.sst
00004390.sst
00004391.sst
00004392.meta
00004393.meta
00004394.meta
00004395.sst
00004396.sst
00004397.sst
00004398.meta
00004399.meta
00004400.meta
CURRENT
LOG

+---logs
|   next-development.log

+---server
|   app-paths-manifest.json
|   interception-route-rewrite-manifest.js
|   middleware-build-manifest.js
|   middleware-manifest.json
|   next-font-manifest.js
|   next-font-manifest.json
|   pages-manifest.json
|   server-reference-manifest.js
|   server-reference-manifest.json

+---app
|   page.js
|   page.js.map
|   page_client-reference-manifest.js

+---agentes
|   page.js
|   page.js.map
|   page_client-reference-manifest.js

\---page
    app-paths-manifest.json
    build-manifest.json
    next-font-manifest.json
    react-loadable-manifest.json
    server-reference-manifest.json

+---blog
|   page.js
|   page.js.map
|   page_client-reference-manifest.js

+---page
    app-paths-manifest.json
    build-manifest.json
    next-font-manifest.json
    react-loadable-manifest.json

```

```

server-reference-manifest.json
\---[id]
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
\---page
|   app-paths-manifest.json
|   build-manifest.json
|   next-font-manifest.json
|   react-loadable-manifest.json
|   server-reference-manifest.json
+---cabarete
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
\---page
|   app-paths-manifest.json
|   build-manifest.json
|   next-font-manifest.json
|   react-loadable-manifest.json
|   server-reference-manifest.json
+---contacto
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
\---page
|   app-paths-manifest.json
|   build-manifest.json
|   next-font-manifest.json
|   react-loadable-manifest.json
|   server-reference-manifest.json
+---dashboard
+---agente
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
\---page
|   app-paths-manifest.json
|   build-manifest.json
|   next-font-manifest.json
|   react-loadable-manifest.json
|   server-reference-manifest.json
\---propietario
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
\---page
|   app-paths-manifest.json
|   build-manifest.json
|   next-font-manifest.json
|   react-loadable-manifest.json
|   server-reference-manifest.json
+---monte-cristi
|   page.js

```

```

    page.js.map
    page_client-reference-manifest.js
  \---page
    app-paths-manifest.json
    build-manifest.json
    next-font-manifest.json
    react-loadable-manifest.json
    server-reference-manifest.json

+---nosotros
  |
  | page.js
  | page.js.map
  | page_client-reference-manifest.js
  |
  \---page
    app-paths-manifest.json
    build-manifest.json
    next-font-manifest.json
    react-loadable-manifest.json
    server-reference-manifest.json

+---page
  |
  | app-paths-manifest.json
  | build-manifest.json
  | next-font-manifest.json
  | react-loadable-manifest.json
  | server-reference-manifest.json
  |

+---propiedades
  |
  | page.js
  | page.js.map
  | page_client-reference-manifest.js
  |
  +---page
    |
    | app-paths-manifest.json
    | build-manifest.json
    | next-font-manifest.json
    | react-loadable-manifest.json
    | server-reference-manifest.json
    |
    \---[id]
      |
      | page.js
      | page.js.map
      | page_client-reference-manifest.js
      |
      \---page
        app-paths-manifest.json
        build-manifest.json
        next-font-manifest.json
        react-loadable-manifest.json
        server-reference-manifest.json

+---puerto-plata
  |
  | page.js
  | page.js.map
  | page_client-reference-manifest.js
  |
  \---page
    app-paths-manifest.json
    build-manifest.json
    next-font-manifest.json
    react-loadable-manifest.json
    server-reference-manifest.json

```

```

+---samana
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
|
|   \---page
|       app-paths-manifest.json
|       build-manifest.json
|       next-font-manifest.json
|       react-loadable-manifest.json
|       server-reference-manifest.json
|
+---sosua
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
|
|   \---page
|       app-paths-manifest.json
|       build-manifest.json
|       next-font-manifest.json
|       react-loadable-manifest.json
|       server-reference-manifest.json
|
\---_not-found
|   page.js
|   page.js.map
|   page_client-reference-manifest.js
|
|   \---page
|       app-paths-manifest.json
|       build-manifest.json
|       next-font-manifest.json
|       react-loadable-manifest.json
|       server-reference-manifest.json
|
+---chunks
|   \---ssr
|       app_dashboard_propietario_page_tsx_0q~~af3._.js
|       app_dashboard_propietario_page_tsx_0q~~af3._.js.map
|       components_0.f~xfo._.js
|       components_0.f~xfo._.js.map
|       components_0exfw-d._.js
|       components_0exfw-d._.js.map
|       components_0gzsnjn._.js
|       components_0gzsnjn._.js.map
|       components_0kxsh1z._.js
|       components_0kxsh1z._.js.map
|       components_0n442yt._.js
|       components_0n442yt._.js.map
|       components_0wtu64g._.js
|       components_0wtu64g._.js.map
|       components_0~u501-._.js
|       components_0~u501-._.js.map
|       components_130s1zc._.js
|       components_130s1zc._.js.map
|       components_layout_Navbar_tsx_0oc12ts._.js
|       components_layout_Navbar_tsx_0oc12ts._.js.map
|       components_Navbar_tsx_0hq6fnt._.js
|       components_Navbar_tsx_0hq6fnt._.js.map
|       [externals]_next_dist_0yew8f-._.js
|       [externals]_next_dist_0yew8f-._.js.map
|       [externals]_next_dist_shared_lib_no-fallback-error_external_0fgm~bn.js
|       [externals]_next_dist_shared_lib_no-fallback-error_external_0fgm~bn.js.map
|       [externals]__0.o~_1._.js

```

[externals]\_\_0.o~\_l\_.js.map  
[externals]\_\_0n13xf4\_.js  
[externals]\_\_0n13xf4\_.js.map  
[root-of-the-server]\_\_0-6b.6g\_.js  
[root-of-the-server]\_\_0-6b.6g\_.js.map  
[root-of-the-server]\_\_0-lv74j\_.js  
[root-of-the-server]\_\_0-lv74j\_.js.map  
[root-of-the-server]\_\_0.a9c0x\_.js  
[root-of-the-server]\_\_0.a9c0x\_.js.map  
[root-of-the-server]\_\_0.~58bq\_.js  
[root-of-the-server]\_\_0.~58bq\_.js.map  
[root-of-the-server]\_\_00xvsg4\_.js  
[root-of-the-server]\_\_00xvsg4\_.js.map  
[root-of-the-server]\_\_016ew9a\_.js  
[root-of-the-server]\_\_016ew9a\_.js.map  
[root-of-the-server]\_\_01dc73y\_.js  
[root-of-the-server]\_\_01dc73y\_.js.map  
[root-of-the-server]\_\_01eqota\_.js  
[root-of-the-server]\_\_01eqota\_.js.map  
[root-of-the-server]\_\_02f9~3k\_.js  
[root-of-the-server]\_\_02f9~3k\_.js.map  
[root-of-the-server]\_\_02p1zq1\_.js  
[root-of-the-server]\_\_02p1zq1\_.js.map  
[root-of-the-server]\_\_02sxsjt\_.js  
[root-of-the-server]\_\_02sxsjt\_.js.map  
[root-of-the-server]\_\_03\_4.0o\_.js  
[root-of-the-server]\_\_03\_4.0o\_.js.map  
[root-of-the-server]\_\_04ampgz\_.js  
[root-of-the-server]\_\_04ampgz\_.js.map  
[root-of-the-server]\_\_05-b7.k\_.js  
[root-of-the-server]\_\_05-b7.k\_.js.map  
[root-of-the-server]\_\_06gnfz1\_.js  
[root-of-the-server]\_\_06gnfz1\_.js.map  
[root-of-the-server]\_\_06jeyt4\_.js  
[root-of-the-server]\_\_06jeyt4\_.js.map  
[root-of-the-server]\_\_070ko4u\_.js  
[root-of-the-server]\_\_070ko4u\_.js.map  
[root-of-the-server]\_\_07eylv\_.js  
[root-of-the-server]\_\_07eylv\_.js.map  
[root-of-the-server]\_\_07rulvr\_.js  
[root-of-the-server]\_\_07rulvr\_.js.map  
[root-of-the-server]\_\_0954f-e\_.js  
[root-of-the-server]\_\_0954f-e\_.js.map  
[root-of-the-server]\_\_09f2pe7\_.js  
[root-of-the-server]\_\_09f2pe7\_.js.map  
[root-of-the-server]\_\_09jrfkk\_.js  
[root-of-the-server]\_\_09jrfkk\_.js.map  
[root-of-the-server]\_\_09tyzrg\_.js  
[root-of-the-server]\_\_09tyzrg\_.js.map  
[root-of-the-server]\_\_09wom82\_.js  
[root-of-the-server]\_\_09wom82\_.js.map  
[root-of-the-server]\_\_0aqj7hd\_.js  
[root-of-the-server]\_\_0aqj7hd\_.js.map  
[root-of-the-server]\_\_0b48lod\_.js  
[root-of-the-server]\_\_0b48lod\_.js.map  
[root-of-the-server]\_\_0b15z9j\_.js  
[root-of-the-server]\_\_0b15z9j\_.js.map  
[root-of-the-server]\_\_0blv6.g\_.js  
[root-of-the-server]\_\_0blv6.g\_.js.map  
[root-of-the-server]\_\_0bv6dpp\_.js  
[root-of-the-server]\_\_0bv6dpp\_.js.map  
[root-of-the-server]\_\_0c2ju8u\_.js  
[root-of-the-server]\_\_0c2ju8u\_.js.map  
[root-of-the-server]\_\_0czz4ny\_.js  
[root-of-the-server]\_\_0czz4ny\_.js.map

[root-of-the-server]\_\_0drw81z.\_\_.js  
[root-of-the-server]\_\_0drw81z.\_\_.js.map  
[root-of-the-server]\_\_0e2o5v6.\_\_.js  
[root-of-the-server]\_\_0e2o5v6.\_\_.js.map  
[root-of-the-server]\_\_0e5sgjz.\_\_.js  
[root-of-the-server]\_\_0e5sgjz.\_\_.js.map  
[root-of-the-server]\_\_0fy.94o.\_\_.js  
[root-of-the-server]\_\_0fy.94o.\_\_.js.map  
[root-of-the-server]\_\_0g8xqe6.\_\_.js  
[root-of-the-server]\_\_0g8xqe6.\_\_.js.map  
[root-of-the-server]\_\_0i0b-8z.\_\_.js  
[root-of-the-server]\_\_0i0b-8z.\_\_.js.map  
[root-of-the-server]\_\_0je5zm2.\_\_.js  
[root-of-the-server]\_\_0je5zm2.\_\_.js.map  
[root-of-the-server]\_\_0ksdekv.\_\_.js  
[root-of-the-server]\_\_0ksdekv.\_\_.js.map  
[root-of-the-server]\_\_0lgqxwz.\_\_.js  
[root-of-the-server]\_\_0lgqxwz.\_\_.js.map  
[root-of-the-server]\_\_0lqs-r8.\_\_.js  
[root-of-the-server]\_\_0lqs-r8.\_\_.js.map  
[root-of-the-server]\_\_0mmd-f1.\_\_.js  
[root-of-the-server]\_\_0mmd-f1.\_\_.js.map  
[root-of-the-server]\_\_0qap-ph.\_\_.js  
[root-of-the-server]\_\_0qap-ph.\_\_.js.map  
[root-of-the-server]\_\_0qjpk12.\_\_.js  
[root-of-the-server]\_\_0qjpk12.\_\_.js.map  
[root-of-the-server]\_\_0rrywep.\_\_.js  
[root-of-the-server]\_\_0rrywep.\_\_.js.map  
[root-of-the-server]\_\_0sby4je.\_\_.js  
[root-of-the-server]\_\_0sby4je.\_\_.js.map  
[root-of-the-server]\_\_0sl7l0.\_\_.js  
[root-of-the-server]\_\_0sl7l0.\_\_.js.map  
[root-of-the-server]\_\_0tvn5js.\_\_.js  
[root-of-the-server]\_\_0tvn5js.\_\_.js.map  
[root-of-the-server]\_\_0txxrs1.\_\_.js  
[root-of-the-server]\_\_0txxrs1.\_\_.js.map  
[root-of-the-server]\_\_0u2jrqe.\_\_.js  
[root-of-the-server]\_\_0u2jrqe.\_\_.js.map  
[root-of-the-server]\_\_0v6k5sw.\_\_.js  
[root-of-the-server]\_\_0v6k5sw.\_\_.js.map  
[root-of-the-server]\_\_0wg4jah.\_\_.js  
[root-of-the-server]\_\_0wg4jah.\_\_.js.map  
[root-of-the-server]\_\_0wjt9n2.\_\_.js  
[root-of-the-server]\_\_0wjt9n2.\_\_.js.map  
[root-of-the-server]\_\_0y5n3yw.\_\_.js  
[root-of-the-server]\_\_0y5n3yw.\_\_.js.map  
[root-of-the-server]\_\_0ym8~rm.\_\_.js  
[root-of-the-server]\_\_0ym8~rm.\_\_.js.map  
[root-of-the-server]\_\_0ymvzb9.\_\_.js  
[root-of-the-server]\_\_0ymvzb9.\_\_.js.map  
[root-of-the-server]\_\_0ypu5...\_\_\_.js  
[root-of-the-server]\_\_0ypu5...\_\_\_.js.map  
[root-of-the-server]\_\_0yw07\_5.\_\_.js  
[root-of-the-server]\_\_0yw07\_5.\_\_.js.map  
[root-of-the-server]\_\_0zm8w5y.\_\_.js  
[root-of-the-server]\_\_0zm8w5y.\_\_.js.map  
[root-of-the-server]\_\_0zuy1i3.\_\_.js  
[root-of-the-server]\_\_0zuy1i3.\_\_.js.map  
[root-of-the-server]\_\_0zyo-48.\_\_.js  
[root-of-the-server]\_\_0zyo-48.\_\_.js.map  
[root-of-the-server]\_\_0\_.j9\_z.\_\_.js  
[root-of-the-server]\_\_0\_.j9\_z.\_\_.js.map  
[root-of-the-server]\_\_0\_b006z.\_\_.js  
[root-of-the-server]\_\_0\_b006z.\_\_.js.map  
[root-of-the-server]\_\_10faecu.\_\_.js

```

[root-of-the-server]__10faecu.__.js.map
[root-of-the-server]__11-1yv8.__.js
[root-of-the-server]__11-1yv8.__.js.map
[root-of-the-server]__11ev6j3.__.js
[root-of-the-server]__11ev6j3.__.js.map
[root-of-the-server]__11j-__e.__.js
[root-of-the-server]__11j-__e.__.js.map
[root-of-the-server]__12_rfa~.__.js
[root-of-the-server]__12_rfa~.__.js.map
[root-of-the-server]__13a53.2.__.js
[root-of-the-server]__13a53.2.__.js.map
[root-of-the-server]__13fc15r.__.js
[root-of-the-server]__13fc15r.__.js.map
[turbopack]_runtime.js
[turbopack]_runtime.js.map
__0-94-f2.__.js
__0-94-f2.__.js.map
__0.osgza.__.js
__0.osgza.__.js.map
__03f.qtm.__.js
__03f.qtm.__.js.map
__04-87~~.__.js
__04-87~~.__.js.map
__06ux1r2.__.js
__06ux1r2.__.js.map
__0e_kot5.__.js
__0e_kot5.__.js.map
__0gpwgew.__.js
__0gpwgew.__.js.map
__0lu3ben.__.js
__0lu3ben.__.js.map
__130n2zr.__.js
__130n2zr.__.js.map
__next-internal_server_app_agentes_page_actions_12hy.m3.js
__next-internal_server_app_agentes_page_actions_12hy.m3.js.map
__next-internal_server_app_blog_page_actions_0y-0flx.js
__next-internal_server_app_blog_page_actions_0y-0flx.js.map
__next-internal_server_app_blog_[id]_page_actions_0~27ax2.js
__next-internal_server_app_blog_[id]_page_actions_0~27ax2.js.map
__next-internal_server_app_cabarete_page_actions_13jw_yw.js
__next-internal_server_app_cabarete_page_actions_13jw_yw.js.map
__next-internal_server_app_contacto_page_actions_0br8u2t.js
__next-internal_server_app_contacto_page_actions_0br8u2t.js.map
__next-internal_server_app_dashboard_agente_page_actions_0o8a-3m.js
__next-internal_server_app_dashboard_agente_page_actions_0o8a-3m.js.map
__next-internal_server_app_dashboard_propietario_page_actions_0s3jb-_.js
__next-internal_server_app_dashboard_propietario_page_actions_0s3jb-_.js.map
__next-internal_server_app_monte-cristi_page_actions_0v9ohmm.js
__next-internal_server_app_monte-cristi_page_actions_0v9ohmm.js.map
__next-internal_server_app_nosotros_page_actions_0oq2h4q.js
__next-internal_server_app_nosotros_page_actions_0oq2h4q.js.map
__next-internal_server_app_page_actions_09-gtaw.js
__next-internal_server_app_page_actions_09-gtaw.js.map
__next-internal_server_app_propiedades_page_actions_047_-fd.js
__next-internal_server_app_propiedades_page_actions_047_-fd.js.map
__next-internal_server_app_propiedades_[id]_page_actions_0a-trfy.js
__next-internal_server_app_propiedades_[id]_page_actions_0a-trfy.js.map
__next-internal_server_app_puerto-plata_page_actions_08qn1m7.js
__next-internal_server_app_puerto-plata_page_actions_08qn1m7.js.map
__next-internal_server_app_samana_page_actions_0_70f17.js
__next-internal_server_app_samana_page_actions_0_70f17.js.map
__next-internal_server_app_sosua_page_actions_0jm12-n.js
__next-internal_server_app_sosua_page_actions_0jm12-n.js.map
__next-internal_server_app__not-found_page_actions_0eq97pa.js
__next-internal_server_app__not-found_page_actions_0eq97pa.js.map

```



```

|
| \---pages
|   _app.js
|   _app.js.map
|   _document.js
|   _document.js.map
|   _error.js
|   _error.js.map
|
| +---_app
|   build-manifest.json
|   client-build-manifest.json
|   next-font-manifest.json
|   pages-manifest.json
|   react-loadable-manifest.json
|
| +---_document
|   next-font-manifest.json
|   pages-manifest.json
|   react-loadable-manifest.json
|
| \---_error
|   build-manifest.json
|   client-build-manifest.json
|   next-font-manifest.json
|   pages-manifest.json
|   react-loadable-manifest.json
|
+---static
+---chunks
  app_agentes_page_tsx_068z81x._.js
  app_agentes_page_tsx_0ot4xtf._.js
  app_agentes_page_tsx_0un_f3h._.js
  app_blog_page_tsx_068z81x._.js
  app_blog_page_tsx_0ot4xtf._.js
  app_blog_page_tsx_0un_f3h._.js
  app_blog_page_tsx_12uwdpq._.js
  app_blog_[id]_page_tsx_068z81x._.js
  app_blog_[id]_page_tsx_0ot4xtf._.js
  app_blog_[id]_page_tsx_0un_f3h._.js
  app_blog_[id]_page_tsx_12uwdpq._.js
  app_cabarete_page_tsx_068z81x._.js
  app_cabarete_page_tsx_0un_f3h._.js
  app_contacto_page_tsx_068z81x._.js
  app_contacto_page_tsx_0ot4xtf._.js
  app_contacto_page_tsx_0un_f3h._.js
  app_contacto_page_tsx_12uwdpq._.js
  app_dashboard_agente_page_tsx_068z81x._.js
  app_dashboard_agente_page_tsx_0ot4xtf._.js
  app_dashboard_agente_page_tsx_0un_f3h._.js
  app_dashboard_agente_page_tsx_12uwdpq._.js
  app_dashboard_propietario_page_tsx_068z81x._.js
  app_dashboard_propietario_page_tsx_0ot4xtf._.js
  app_dashboard_propietario_page_tsx_0un_f3h._.js
  app_dashboard_propietario_page_tsx_12uwdpq._.js
  app_globals_0jn8.0u.css
  app_globals_0jn8.0u.css.map
  app_globals_css_0w3-wzy._.single.css
  app_globals_css_0w3-wzy._.single.css.map
  app_layout_tsx_004glpo._.js
  app_monte-cristi_page_tsx_068z81x._.js
  app_monte-cristi_page_tsx_0ot4xtf._.js
  app_monte-cristi_page_tsx_0un_f3h._.js
  app_nosotros_page_tsx_068z81x._.js
  app_nosotros_page_tsx_0ot4xtf._.js

```

```

app_nosotros_page_tsx_0un_f3h._.js
app_nosotros_page_tsx_12uwdpq._.js
app_page_tsx_068z81x._.js
app_page_tsx_0ot4xtf._.js
app_page_tsx_0un_f3h._.js
app_page_tsx_12uwdpq._.js
app_propiedades_page_tsx_068z81x._.js
app_propiedades_page_tsx_0ot4xtf._.js
app_propiedades_page_tsx_0un_f3h._.js
app_propiedades_page_tsx_12uwdpq._.js
app_propiedades_[id]_page_tsx_068z81x._.js
app_propiedades_[id]_page_tsx_0ot4xtf._.js
app_propiedades_[id]_page_tsx_0un_f3h._.js
app_propiedades_[id]_page_tsx_12uwdpq._.js
app_puerto-plata_page_tsx_068z81x._.js
app_puerto-plata_page_tsx_0ot4xtf._.js
app_puerto-plata_page_tsx_0un_f3h._.js
app_samana_page_tsx_068z81x._.js
app_samana_page_tsx_0ot4xtf._.js
app_samana_page_tsx_0un_f3h._.js
app_sosua_page_tsx_068z81x._.js
app_sosua_page_tsx_0ot4xtf._.js
app_sosua_page_tsx_0un_f3h._.js
components_06s~fty._.js
components_06s~fty._.js.map
components_0a7r0tr._.js
components_0a7r0tr._.js.map
components_0fequkp._.js
components_0fequkp._.js.map
components_0ittbmr._.js
components_0ittbmr._.js.map
components_0jymf~f._.js
components_0jymf~f._.js.map
components_0matnjb._.js
components_0matnjb._.js.map
components_layout_Navbar_tsx_0s_5lk4._.js
components_layout_Navbar_tsx_0s_5lk4._.js.map
components_layout_PresenciaSocial_tsx_0x6wudf._.js
components_layout_PresenciaSocial_tsx_0x6wudf._.js.map
components_Navbar_tsx_01s~gfx._.js
components_Navbar_tsx_01s~gfx._.js.map
components_PresenciaSocial_tsx_0uz9gli._.js
components_PresenciaSocial_tsx_0uz9gli._.js.map
pages__app_0-bg2z-._.js.map
pages__app_07xvfw~._.js
pages__error_0.i_zsq._.js.map
pages__error_07xvfw~._.js
turbopack-pages__app_0-bg2z-._.js
turbopack-pages__error_0.i_zsq._.js
turbopack-0p44nws._.js
[next]_entry_page-loader_ts_0j~flwh._.js
[next]_entry_page-loader_ts_0j~flwh._.js.map
[next]_entry_page-loader_ts_0rqw6yo._.js
[next]_entry_page-loader_ts_0rqw6yo._.js.map
[next]_internal_font_google_geist_a71539c9_module_css_0w3-wzy._.single.css
[next]_internal_font_google_geist_a71539c9_module_css_0w3-wzy._.single.css.map
[next]_internal_font_google_geist_mono_8d43a2aa_module_css_0w3-wzy._.single.css
[next]_internal_font_google_geist_mono_8d43a2aa_module_css_0w3-
wzy._.single.css.map
[root-of-the-server]__01mw43t._.js
[root-of-the-server]__01mw43t._.js.map
[root-of-the-server]__06.-pfn._.css
[root-of-the-server]__06.-pfn._.css.map
[root-of-the-server]__0c0okpg._.js
[root-of-the-server]__0c0okpg._.js.map

```

```

[turbopack]_browser_dev_hmr-client_hmr-client_ts_0yjlw1oe._.js
[turbopack]_browser_dev_hmr-client_hmr-client_ts_0yjlw1oe._.js.map
[turbopack]_browser_dev_hmr-client_hmr-client_ts_10mygs7._.js
[turbopack]_browser_dev_hmr-client_hmr-client_ts_10z625~._.js
[turbopack]_browser_dev_hmr-client_hmr-client_ts_10z625~._.js.map
_0-9aq3s._.js
_0-9aq3s._.js.map
_0.ho_x1._.js
_0.ho_x1._.js.map
_02k0lw4._.js
_02k0lw4._.js.map
_09p0zvd._.js
_09p0zvd._.js.map
_0cv~gw5._.js
_0cv~gw5._.js.map
_0dmr1c5._.js
_0dmr1c5._.js.map
_0m1p~95._.js
_0m1p~95._.js.map
_0p44nws._.js.map
_0qlkeja._.js
_0qlkeja._.js.map
_0r.6d6._.js
_0r.6d6._.js.map
_0rqeker._.js
_0s4bz1f._.js
_0s4bz1f._.js.map
_0tr3cp5._.js
_0tr3cp5._.js.map
_0ugecgs._.js
_0ugecgs._.js.map
_0w6qe_._.js
_0w6qe_._.js.map
_0xn2gjq._.js
_0xn2gjq._.js.map
_0_wpxt._.js
_0_wpxt._.js.map
_10ftuha._.js
_10ftuha._.js.map

\---pages
  _app.js
  _error.js

+---development
  _buildManifest.js
  _clientMiddlewareManifest.js
  _ssgManifest.js

\---media
4fa387ec64143e14-s.0.qu-9752pffj.woff2
53b9e256198e5412-s.0-wfv7uh4i7h9.woff2
5ce348bf30bf5439-s.0ee55_hj9qcer.woff2
6306c77e7c8268e4-s.0mao5jbfbdzup.woff2
7178b3e590c64307-s.0nx0ww8fni_q3.woff2
797e433ab948586e-s.p.09zddjkbdep5a.woff2
7d817b4c03b0c5f1-s.0uzt.a6d44yda.woff2
8a480f0b521d4e75-s.0jzbimsg8vl84.woff2
bbc41e54d2fcbd21-s.0mvwgmnhv29no.woff2
caa3a2e1cccd8315-s.p.09~u27dqhyhd6.woff2
favicon.0x3dzn~oxb6tn.ico
fef07dbb0973bf53-s.12tyk43_3sh9u.woff2
inter-cyrillic-400-normal.0j0nt6xj209ja.woff2
inter-cyrillic-400-normal.0tfclly~dae28g.woff
inter-cyrillic-500-normal.01w2czofewpso.woff

```

inter-cyrillic-500-normal.15z7kt55vzj85.woff2  
 inter-cyrillic-600-normal.094xsiulqcmrl.woff2  
 inter-cyrillic-600-normal.10~mc7cizcdk~.woff  
 inter-cyrillic-700-normal.051zy7d9em9n7.woff2  
 inter-cyrillic-700-normal.0qs5m73fobq4n.woff  
 inter-cyrillic-900-normal.0m5re-33qa~-4.woff  
 inter-cyrillic-900-normal.0z2n.uo7\_ipq5.woff2  
 inter-cyrillic-ext-400-normal.0rs1xbf~i0gne.woff  
 inter-cyrillic-ext-400-normal.14tx4pkryervk.woff2  
 inter-cyrillic-ext-500-normal.0b6k1s8sd~.jo.woff  
 inter-cyrillic-ext-500-normal.18aqaar8gdpfb3.woff2  
 inter-cyrillic-ext-600-normal.0j75vko.6hoc-.woff  
 inter-cyrillic-ext-600-normal.0\_ber5txd3bqi.woff2  
 inter-cyrillic-ext-700-normal.0.c9t1hqygse9.woff  
 inter-cyrillic-ext-700-normal.0~zt0hwtubila.woff2  
 inter-cyrillic-ext-900-normal.0pye.9bqmxp~l.woff2  
 inter-cyrillic-ext-900-normal.0rze191jremqm.woff  
 inter-greek-400-normal.0xmwnv-gh.rhf.woff  
 inter-greek-400-normal.16tk2qho83alr.woff2  
 inter-greek-500-normal.0t4lph5.f\_m8~.woff  
 inter-greek-500-normal.0uymz0-h\_z\_7l.woff2  
 inter-greek-600-normal.0u.n5f3\_8u-b0.woff2  
 inter-greek-600-normal.0~7\_25pf1n8ik.woff  
 inter-greek-700-normal.133diu88dtv~a.woff  
 inter-greek-700-normal.14rpzjcnzq9ul.woff2  
 inter-greek-900-normal.0kpgasqwcftzx.woff2  
 inter-greek-900-normal.0szve3txdi3jg.woff  
 inter-greek-ext-400-normal.0-p59y6vp.j7a.woff  
 inter-greek-ext-400-normal.0sjxwfwy1.7-1.woff2  
 inter-greek-ext-500-normal.119li9m07s-bi.woff2  
 inter-greek-ext-500-normal.13bpn5itdsi7i.woff  
 inter-greek-ext-600-normal.0nlmm4r71lqf~.woff2  
 inter-greek-ext-600-normal.14y94o9jt0miw.woff  
 inter-greek-ext-700-normal.09b65f6yfp90..woff  
 inter-greek-ext-700-normal.0ovkxyaf\_urn.woff2  
 inter-greek-ext-900-normal.01rpu2.7cz.yk.woff2  
 inter-greek-ext-900-normal.0vatqnf7l4k7h.woff  
 inter-latin-400-normal.0br~z6nf9coz0.woff  
 inter-latin-400-normal.0vig85~\_2mxl3.woff2  
 inter-latin-500-normal.0frew35n-hgkk.woff2  
 inter-latin-500-normal.1230h4u3v4whv.woff  
 inter-latin-600-normal.0rm8x4lrq0d8z.woff2  
 inter-latin-600-normal.0uetcz5d-i\_71.woff  
 inter-latin-700-normal.0wo4xus9c6mqx.woff  
 inter-latin-700-normal.17~mssnzv.d-8.woff2  
 inter-latin-900-normal.0gfdlvp19c\_al.woff2  
 inter-latin-900-normal.14xw-2yc876jm.woff  
 inter-latin-ext-400-normal.0a.r\_3c33o5qt.woff  
 inter-latin-ext-400-normal.0e~6uobz6nk3d.woff2  
 inter-latin-ext-500-normal.0876mliq8ouqp.woff2  
 inter-latin-ext-500-normal.0~3-c8.xj40g-.woff  
 inter-latin-ext-600-normal.0jjnjripmqy49.woff  
 inter-latin-ext-600-normal.0mo.\_bh5xz7ol.woff2  
 inter-latin-ext-700-normal.04~cm5c24-.k..woff  
 inter-latin-ext-700-normal.0y38bjpa.~h~y.woff2  
 inter-latin-ext-900-normal.05xremu3k--nd.woff  
 inter-latin-ext-900-normal.0n5gcse9z1ue4.woff2  
 inter-vietnamese-400-normal.0kilhpqoeqy~3.woff2  
 inter-vietnamese-400-normal.0zq7snwe4.thc.woff  
 inter-vietnamese-500-normal.0fn~r.ogm5\_nw.woff2  
 inter-vietnamese-500-normal.0zfob\_1.u8~co.woff  
 inter-vietnamese-600-normal.04aaopgj782ex.woff  
 inter-vietnamese-600-normal.072fyohqu9xp-.woff2  
 inter-vietnamese-700-normal.03reem5x7sox\_.woff2  
 inter-vietnamese-700-normal.0r4b-sn6pknwd.woff

```

inter-vietnamese-900-normal.01b0m0jn7vwvs.woff
inter-vietnamese-900-normal.0we8nnd73zlk..woff2
playfair-display-cyrillic-400-normal.0c4w92l31xz4s.woff
playfair-display-cyrillic-400-normal.0r~0ug0igpqsp.woff2
playfair-display-cyrillic-700-normal.0kpfw17.q7i9c.woff
playfair-display-cyrillic-700-normal.0_bg0ltj596~q.woff2
playfair-display-cyrillic-900-normal.04fr6ei32ebxu.woff
playfair-display-cyrillic-900-normal.0pm~rtf7fvs05.woff2
playfair-display-latin-400-normal.0y9v136s_65bw.woff2
playfair-display-latin-400-normal.11evmxy71_ao2.woff
playfair-display-latin-700-normal.078skhoudwee9.woff2
playfair-display-latin-700-normal.0yb-4j.gp4kbz.woff
playfair-display-latin-900-normal.03vhs3oxp7ur_.woff2
playfair-display-latin-900-normal.15z~_hiqk2h-.woff
playfair-display-latin-ext-400-normal.0xfj.lilbxze-.woff
playfair-display-latin-ext-400-normal.14un9~bbuyo5x.woff2
playfair-display-latin-ext-700-normal.0s0wt.z3_92pv.woff2
playfair-display-latin-ext-700-normal.1427w2z6-ys04.woff
playfair-display-latin-ext-900-normal.0gy65buzzhpfpx.woff
playfair-display-latin-ext-900-normal.14szrqnlppizv.woff2
playfair-display-vietnamese-400-normal.080_lq7jj1nch.woff2
playfair-display-vietnamese-400-normal.0t3.3gda_gh6k.woff
playfair-display-vietnamese-700-normal.06-ovdkv671af.woff
playfair-display-vietnamese-700-normal.10tgkff0o99e~.woff2
playfair-display-vietnamese-900-normal.0-q2fzj4y.9rv.woff
playfair-display-vietnamese-900-normal.0md-sezx5a0y1.woff2

```

## \---types

```

cache-life.d.ts
routes.d.ts
validator.ts

```

## +---diagnostics

```

build-diagnostics.json
framework.json

```

## +---server

```

app-paths-manifest.json
functions-config-manifest.json
interception-route-rewrite-manifest.js
middleware-build-manifest.js
middleware-manifest.json
middleware-react-loadable-manifest.js
next-font-manifest.js
next-font-manifest.json
pages-manifest.json
prefetch-hints.json
server-reference-manifest.js
server-reference-manifest.json
webpack-runtime.js

```

## +---app

```

agentes.html
agentes.meta
agentes.rsc
blog.html
blog.meta
blog.rsc
cabarete.html
cabarete.meta
cabarete.rsc
contacto.html
contacto.meta
contacto.rsc
favicon.ico.body

```

```

favicon.ico.meta
index.html
index.meta
index.rsc
monte-cristi.html
monte-cristi.meta
monte-cristi.rsc
nosotros.html
nosotros.meta
nosotros.rsc
page.js
page.js.nft.json
page_client-reference-manifest.js
propiedades.html
propiedades.meta
propiedades.rsc
puerto-plata.html
puerto-plata.meta
puerto-plata.rsc
samana.html
samana.meta
samana.rsc
santo-domingo.html
santo-domingo.meta
santo-domingo.rsc
sosua.html
sosua.meta
sosua.rsc
_global-error.html
_global-error.meta
_global-error.rsc
_not-found.html
_not-found.meta
_not-found.rsc

+---agentes
|   page.js
|   page.js.nft.json
|   page_client-reference-manifest.js

+---agentes.segments
|   |   agentes.segment.rsc
|   |   _full.segment.rsc
|   |   _head.segment.rsc
|   |   _index.segment.rsc
|   |   _tree.segment.rsc
|   |
|   \---agentes
|         __PAGE__.segment.rsc

+---blog
|   |   page.js
|   |   page.js.nft.json
|   |   page_client-reference-manifest.js
|   |
|   \---[id]
|         page.js
|         page.js.nft.json
|         page_client-reference-manifest.js

+---blog.segments
|   |   blog.segment.rsc
|   |   _full.segment.rsc
|   |   _head.segment.rsc
|   |   _index.segment.rsc

```

```

|       _tree.segment.rsc
|
| \---blog
|       __PAGE__.segment.rsc
|
+---cabarete
|       page.js
|       page.js.nft.json
|       page_client-reference-manifest.js
|
+---cabarete.segments
|       cabarete.segment.rsc
|       _full.segment.rsc
|       _head.segment.rsc
|       _index.segment.rsc
|       _tree.segment.rsc
|
| \---cabarete
|       __PAGE__.segment.rsc
|
+---contacto
|       page.js
|       page.js.nft.json
|       page_client-reference-manifest.js
|
+---contacto.segments
|       contacto.segment.rsc
|       _full.segment.rsc
|       _head.segment.rsc
|       _index.segment.rsc
|       _tree.segment.rsc
|
| \---contacto
|       __PAGE__.segment.rsc
|
+---dashboard
|       agente.html
|       agente.meta
|       agente.rsc
|       propietario.html
|       propietario.meta
|       propietario.rsc
|
+---agente
|       page.js
|       page.js.nft.json
|       page_client-reference-manifest.js
|
+---agente.segments
|       dashboard.segment.rsc
|       _full.segment.rsc
|       _head.segment.rsc
|       _index.segment.rsc
|       _tree.segment.rsc
|
| \---dashboard
|       | agente.segment.rsc
|       |
|       | \---agente
|       |       __PAGE__.segment.rsc
|       |
+---propietario
|       page.js
|       page.js.nft.json
|       page_client-reference-manifest.js

```

```

|
| \---propietario.segments
|     dashboard.segment.rsc
|     _full.segment.rsc
|     _head.segment.rsc
|     _index.segment.rsc
|     _tree.segment.rsc
|
| \---dashboard
|     |   propietario.segment.rsc
|     |
|     \---propietario
|           __PAGE__.segment.rsc
|
+---favicon.ico
|     route.js
|     route.js.nft.json
|
+---index.segments
|     _full.segment.rsc
|     _head.segment.rsc
|     _index.segment.rsc
|     _tree.segment.rsc
|     __PAGE__.segment.rsc
|
+---monte-cristi
|     page.js
|     page.js.nft.json
|     page_client-reference-manifest.js
|
+---monte-cristi.segments
|     |   monte-cristi.segment.rsc
|     |   _full.segment.rsc
|     |   _head.segment.rsc
|     |   _index.segment.rsc
|     |   _tree.segment.rsc
|     |
|     \---monte-cristi
|           __PAGE__.segment.rsc
|
+---nosotros
|     page.js
|     page.js.nft.json
|     page_client-reference-manifest.js
|
+---nosotros.segments
|     |   nosotros.segment.rsc
|     |   _full.segment.rsc
|     |   _head.segment.rsc
|     |   _index.segment.rsc
|     |   _tree.segment.rsc
|     |
|     \---nosotros
|           __PAGE__.segment.rsc
|
+---propiedades
|     |   page.js
|     |   page.js.nft.json
|     |   page_client-reference-manifest.js
|     |
|     \---[id]
|           |   page.js
|           |   page.js.nft.json
|           |   page_client-reference-manifest.js

```



```

+---propiedades.segments
|   propiedades.segment.rsc
|   _full.segment.rsc
|   _head.segment.rsc
|   _index.segment.rsc
|   _tree.segment.rsc
|   \---propiedades
|       __PAGE__.segment.rsc
+---puerto-plata
|   page.js
|   page.js.nft.json
|   page_client-reference-manifest.js
+---puerto-plata.segments
|   puerto-plata.segment.rsc
|   _full.segment.rsc
|   _head.segment.rsc
|   _index.segment.rsc
|   _tree.segment.rsc
|   \---puerto-plata
|       __PAGE__.segment.rsc
+---samana
|   page.js
|   page.js.nft.json
|   page_client-reference-manifest.js
+---samana.segments
|   samana.segment.rsc
|   _full.segment.rsc
|   _head.segment.rsc
|   _index.segment.rsc
|   _tree.segment.rsc
|   \---samana
|       __PAGE__.segment.rsc
+---santo-domingo
|   page.js
|   page.js.nft.json
|   page_client-reference-manifest.js
+---santo-domingo.segments
|   santo-domingo.segment.rsc
|   _full.segment.rsc
|   _head.segment.rsc
|   _index.segment.rsc
|   _tree.segment.rsc
|   \---santo-domingo
|       __PAGE__.segment.rsc
+---sosua
|   page.js
|   page.js.nft.json
|   page_client-reference-manifest.js
+---sosua.segments
|   sosua.segment.rsc
|   _full.segment.rsc
|   _head.segment.rsc
|   _index.segment.rsc

```

```

| | | | _tree.segment.rsc
| | | | \---sosua
| | | | |   __PAGE__.segment.rsc
| | | | +---_global-error
| | | | |   page.js
| | | | |   page.js.nft.json
| | | | |   page_client-reference-manifest.js
| | | | +---_global-error.segments
| | | | |   _full.segment.rsc
| | | | |   _global-error.segment.rsc
| | | | |   _head.segment.rsc
| | | | |   _index.segment.rsc
| | | | |   _tree.segment.rsc
| | | | |   \---_global-error
| | | | |     __PAGE__.segment.rsc
| | | | +---_not-found
| | | | |   page.js
| | | | |   page.js.nft.json
| | | | |   page_client-reference-manifest.js
| | | | \---_not-found.segments
| | | | |   _full.segment.rsc
| | | | |   _head.segment.rsc
| | | | |   _index.segment.rsc
| | | | |   _not-found.segment.rsc
| | | | |   _tree.segment.rsc
| | | | |   \---_not-found
| | | | |     __PAGE__.segment.rsc
| | | | +---chunks
| | | | |   232.js
| | | | |   319.js
| | | | |   336.js
| | | | |   408.js
| | | | |   445.js
| | | | |   9.js
| | | | |   963.js
| | | | \---pages
| | | | |   404.html
| | | | |   500.html
| | | | +---static
| | | | |   +---6Y2VNML6xxZjqJYT93DHW
| | | | | |   _buildManifest.js
| | | | | |   _ssgManifest.js
| | | | |   +---chunks
| | | | | |   286-14a042178398a0e4.js
| | | | | |   4bd1b696-215e5051988c3dde.js
| | | | | |   591-6c414e7d98dd2e61.js
| | | | | |   794-5fb6eff04a716ab6.js
| | | | | |   899.1813981119fa1f8a.js
| | | | | |   966.1775eb621d8d3e09.js
| | | | | |   framework-93cda6578f6c76ec.js
| | | | | |   main-7e121ea918616da9.js
| | | | | |   main-app-706775c05e4ee32d.js
| | | | | |   polyfills-42372ed130431b0a.js
| | | | | |   webpack-6bbc21fc53639a8a.js

```

```

+---app
|   layout-3733bc2271ca4ee3.js
|   page-adbce6ecef6c1236.js
|
+---agentes
|   page-0f9638abd76142e9.js
|
+---blog
|   |   page-0f9638abd76142e9.js
|   |
|   \---[id]
|         page-0f9638abd76142e9.js
|
+---cabarete
|   page-0f9638abd76142e9.js
|
+---contacto
|   page-ca4ad560f2b451b0.js
|
+---dashboard
|   +---agente
|   |   page-1e8cbced6b927b4b.js
|   |
|   \---propietario
|         page-20123838c2386c1d.js
|
+---monte-cristi
|   page-0f9638abd76142e9.js
|
+---nosotros
|   page-0f9638abd76142e9.js
|
+---propiedades
|   |   page-0f9638abd76142e9.js
|   |
|   \---[id]
|         page-0f9638abd76142e9.js
|
+---puerto-plata
|   page-0f9638abd76142e9.js
|
+---samana
|   page-0f9638abd76142e9.js
|
+---santo-domingo
|   page-0f9638abd76142e9.js
|
+---sosua
|   page-0f9638abd76142e9.js
|
+---_global-error
|   page-aba28f88d5781771.js
|
\---_not-found
      page-a52cd807e415313c.js
\---next
    \---dist
        \---client
            \---components
                \---builtin
                    app-error-aba28f88d5781771.js
                    forbidden-aba28f88d5781771.js
                    global-error-8cf63bebf0dcf264.js

```

not-found-aba28f88d5781771.js  
 unauthorized-aba28f88d5781771.js

+---css

1fc153e8e8b859bc.css

\---media

0f1bdadaf30e2d5f-s.woff2  
 22a5144ee8d83bca-s.p.woff2  
 2c34d62a75506231-s.woff2  
 601f5c280d60caca-s.woff2  
 9766a7e9e2e0ad5a-s.woff2  
 a115172161b307bb-s.woff2  
 aa016aab0e6d1295-s.woff2  
 b66cf8e69499582a-s.woff2  
 d100b2a099e34044-s.woff2  
 f5271587012faf78-s.p.woff2  
 f639721981034f88-s.woff2

\---types

cache-life.d.ts  
 package.json  
 routes.d.ts  
 validator.ts

\---app

layout.ts  
 page.ts

+---agentes

page.ts

+---blog

| page.ts

\---[id]

page.ts

+---cabarete

page.ts

+---contacto

page.ts

+---dashboard

+---agente

page.ts

\---propietario

page.ts

+---monte-cristi

page.ts

+---nosotros

page.ts

+---propiedades

| page.ts

\---[id]

page.ts

+---puerto-plata

page.ts

```

|
|   +---samana
|   |       page.ts
|   +---santo-domingo
|   |       page.ts
|   \---sosua
|       page.ts
+---app
|   favicon.ico
|   globals.css
|   layout.tsx
|   page.tsx
|   +---agentes
|   |       page.tsx
|   +---blog
|   |   |   page.tsx
|   |   \---[id]
|   |       page.tsx
|   +---cabarete
|   |       page.tsx
|   +---contacto
|   |       page.tsx
|   +---dashboard
|   |   +---agente
|   |   |       page.tsx
|   |   \---propietario
|   |       page.tsx
|   +---monte-cristi
|   |       page.tsx
|   +---nosotros
|   |       page.tsx
|   +---propiedades
|   |   |   page.tsx
|   |   \---[id]
|   |       page.tsx
|   +---puerto-plata
|   |       page.tsx
|   +---samana
|   |       page.tsx
|   +---santo-domingo
|   |       page.tsx
|   \---sosua
|       page.tsx
+---components
|   +---branding
|   +---dashboard

```

```

+---forms
+---layout
|   Footer.tsx
|   Navbar.tsx
|   PresenciaSocial.tsx
|
+---property
|   CatalogoRegion.tsx
|   PropiedadesDestacadas.tsx
|
\---ui
    Hero.tsx
    SeccionAgentes.tsx
    SeccionPostulacion.tsx
    SeccionRegiones.tsx
    Testimonios.tsx

+---arquitectura
|   backend-servicios.md
|   estructura-backend.md
|   estructura-frontend.md
|   flujo-de-datos.md
|   frontend-modulos.md
|   vision-general.md
|
+---assets
|   README.md
|
+---ia
|   flujo-de-trabajo-ia.md
|   instrucciones-claude.md
|   instrucciones-copilot.md
|   rol-chatgpt.md
|
+---marca
|   colores.md
|   guia-de-marca.md
|   sistema-visual.md
|   tipografia.md
|
+---recursos
|   analisis-de-competencia.md
|
+---reglas
|   escalabilidad.md
|   estandares-de-codigo.md
|   estructura-de-carpetas.md
|   reglas-del-proyecto.md
|
\---ux-ui
    experiencia-usuario.md

+---hooks
+---lib
|   .package-lock.json
|
+---.bin
|   acorn
|   acorn.cmd
|   acorn.ps1
|   baseline-browser-mapping
|   baseline-browser-mapping.cmd
|   baseline-browser-mapping.ps1
|   browserslist
|   browserslist.cmd

```

```

browserslist.ps1
eslint
eslint.cmd
eslint.ps1
jiti
jiti.cmd
jiti.ps1
js-yaml
js-yaml.cmd
js-yaml.ps1
jsesc
jsesc.cmd
jsesc.ps1
json5
json5.cmd
json5.ps1
loose-envify
loose-envify.cmd
loose-envify.ps1
nanoid
nanoid.cmd
nanoid.ps1
napi-postinstall
napi-postinstall.cmd
napi-postinstall.ps1
next
next.cmd
next.ps1
node-which
node-which.cmd
node-which.ps1
parser
parser.cmd
parser.ps1
resolve
resolve.cmd
resolve.ps1
semver
semver.cmd
semver.ps1
tsc
tsc.cmd
tsc.ps1
tsserver
tsserver.cmd
tsserver.ps1
update-browserslist-db
update-browserslist-db.cmd
update-browserslist-db.ps1

```

```

+---@alloc

```

```

  \---quick-lru
    index.d.ts
    index.js
    license
    package.json
    readme.md

```

```

+---@babel

```

```

  +---code-frame
    |   |   LICENSE
    |   |   package.json
    |   |   README.md
    |   |

```

```

  \---lib

```

```

      index.js
      index.js.map

+---compat-data
|   corejs2-built-ins.js
|   corejs3-shipped-proposals.js
|   LICENSE
|   native-modules.js
|   overlapping-plugins.js
|   package.json
|   plugin-bugfixes.js
|   plugins.js
|   README.md
|
| \---data
|   corejs2-built-ins.json
|   corejs3-shipped-proposals.json
|   native-modules.json
|   overlapping-plugins.json
|   plugin-bugfixes.json
|   plugins.json
|
+---core
|   LICENSE
|   package.json
|   README.md
|
+---lib
|   index.js
|   index.js.map
|   parse.js
|   parse.js.map
|   transform-ast.js
|   transform-ast.js.map
|   transform-file-browser.js
|   transform-file-browser.js.map
|   transform-file.js
|   transform-file.js.map
|   transform.js
|   transform.js.map
|
+---config
|   cache-contexts.js
|   cache-contexts.js.map
|   caching.js
|   caching.js.map
|   config-chain.js
|   config-chain.js.map
|   config-descriptors.js
|   config-descriptors.js.map
|   full.js
|   full.js.map
|   index.js
|   index.js.map
|   item.js
|   item.js.map
|   partial.js
|   partial.js.map
|   pattern-to-regex.js
|   pattern-to-regex.js.map
|   plugin.js
|   plugin.js.map
|   printer.js
|   printer.js.map
|   resolve-targets-browser.js

```



```

resolve-targets-browser.js.map
resolve-targets.js
resolve-targets.js.map
util.js
util.js.map

+---files
    configuration.js
    configuration.js.map
    import.cjs
    import.cjs.map
    index-browser.js
    index-browser.js.map
    index.js
    index.js.map
    module-types.js
    module-types.js.map
    package.js
    package.js.map
    plugins.js
    plugins.js.map
    types.js
    types.js.map
    utils.js
    utils.js.map

+---helpers
    config-api.js
    config-api.js.map
    deep-array.js
    deep-array.js.map
    environment.js
    environment.js.map

\---validation
    option-assertions.js
    option-assertions.js.map
    options.js
    options.js.map
    plugins.js
    plugins.js.map
    removed.js
    removed.js.map

+---errors
    config-error.js
    config-error.js.map
    rewrite-stack-trace.js
    rewrite-stack-trace.js.map

+---gensync-utils
    async.js
    async.js.map
    fs.js
    fs.js.map
    functional.js
    functional.js.map

+---parser
    index.js
    index.js.map

\---util
    missing-plugin-helper.js
    missing-plugin-helper.js.map

```

```

+---tools
|   build-external-helpers.js
|   build-external-helpers.js.map
+---transformation
|   |   block-hoist-plugin.js
|   |   block-hoist-plugin.js.map
|   |   index.js
|   |   index.js.map
|   |   normalize-file.js
|   |   normalize-file.js.map
|   |   normalize-opts.js
|   |   normalize-opts.js.map
|   |   plugin-pass.js
|   |   plugin-pass.js.map
|   +---file
|   |   |   babel-7-helpers.cjs
|   |   |   babel-7-helpers.cjs.map
|   |   |   file.js
|   |   |   file.js.map
|   |   |   generate.js
|   |   |   generate.js.map
|   |   |   merge-map.js
|   |   |   merge-map.js.map
|   \---util
|   |   |   clone-deep.js
|   |   |   clone-deep.js.map
|   \---vendor
|   |   |   import-meta-resolve.js
|   |   |   import-meta-resolve.js.map
|   \---src
|   |   |   transform-file-browser.ts
|   |   |   transform-file.ts
|   |   \---config
|   |   |   |   resolve-targets-browser.ts
|   |   |   |   resolve-targets.ts
|   |   \---files
|   |   |   |   index-browser.ts
|   |   |   |   index.ts
+---generator
|   |   LICENSE
|   |   package.json
|   |   README.md
|   \---lib
|   |   |   buffer.js
|   |   |   buffer.js.map
|   |   |   index.js
|   |   |   index.js.map
|   |   |   nodes.js
|   |   |   nodes.js.map
|   |   |   printer.js
|   |   |   printer.js.map
|   |   |   source-map.js
|   |   |   source-map.js.map
|   |   |   token-map.js
|   |   |   token-map.js.map

```

187/819

```

+---helper-module-imports
|   LICENSE
|   package.json
|   README.md
|
|   \---lib
|       import-builder.js
|       import-builder.js.map
|       import-injector.js
|       import-injector.js.map
|       index.js
|       index.js.map
|       is-module.js
|       is-module.js.map
|
+---helper-module-transforms
|   LICENSE
|   package.json
|   README.md
|
|   \---lib
|       dynamic-import.js
|       dynamic-import.js.map
|       get-module-name.js
|       get-module-name.js.map
|       index.js
|       index.js.map
|       lazy-modules.js
|       lazy-modules.js.map
|       normalize-and-load-metadata.js
|       normalize-and-load-metadata.js.map
|       rewrite-live-references.js
|       rewrite-live-references.js.map
|       rewrite-this.js
|       rewrite-this.js.map
|
+---helper-string-parser
|   LICENSE
|   package.json
|   README.md
|
|   \---lib
|       index.js
|       index.js.map
|
+---helper-validator-identifier
|   LICENSE
|   package.json
|   README.md
|
|   \---lib
|       identifier.js
|       identifier.js.map
|       index.js
|       index.js.map
|       keyword.js
|       keyword.js.map
|
+---helper-validator-option
|   LICENSE
|   package.json
|   README.md
|
|   \---lib

```

```

    find-suggestion.js
    find-suggestion.js.map
    index.js
    index.js.map
    validator.js
    validator.js.map
+---helpers
|   LICENSE
|   package.json
|   README.md
|
|   \---lib
|       helpers-generated.js
|       helpers-generated.js.map
|       index.js
|       index.js.map
|
|   \---helpers
|       applyDecoratedDescriptor.js
|       applyDecoratedDescriptor.js.map
|       applyDecs.js
|       applyDecs.js.map
|       applyDecs2203.js
|       applyDecs2203.js.map
|       applyDecs2203R.js
|       applyDecs2203R.js.map
|       applyDecs2301.js
|       applyDecs2301.js.map
|       applyDecs2305.js
|       applyDecs2305.js.map
|       applyDecs2311.js
|       applyDecs2311.js.map
|       arrayLikeToArray.js
|       arrayLikeToArray.js.map
|       arrayWithHoles.js
|       arrayWithHoles.js.map
|       arrayWithoutHoles.js
|       arrayWithoutHoles.js.map
|       assertClassBrand.js
|       assertClassBrand.js.map
|       assertThisInitialized.js
|       assertThisInitialized.js.map
|       asyncGeneratorDelegate.js
|       asyncGeneratorDelegate.js.map
|       asyncIterator.js
|       asyncIterator.js.map
|       asyncToGenerator.js
|       asyncToGenerator.js.map
|       awaitAsyncGenerator.js
|       awaitAsyncGenerator.js.map
|       AwaitValue.js
|       AwaitValue.js.map
|       callSuper.js
|       callSuper.js.map
|       checkInRHS.js
|       checkInRHS.js.map
|       checkPrivateRedeclaration.js
|       checkPrivateRedeclaration.js.map
|       classApplyDescriptorDestructureSet.js
|       classApplyDescriptorDestructureSet.js.map
|       classApplyDescriptorGet.js
|       classApplyDescriptorGet.js.map
|       classApplyDescriptorSet.js
|       classApplyDescriptorSet.js.map

```

```
classCallCheck.js
classCallCheck.js.map
classCheckPrivateStaticAccess.js
classCheckPrivateStaticAccess.js.map
classCheckPrivateStaticFieldDescriptor.js
classCheckPrivateStaticFieldDescriptor.js.map
classExtractFieldDescriptor.js
classExtractFieldDescriptor.js.map
classNameTDZError.js
classNameTDZError.js.map
classPrivateFieldDestructureSet.js
classPrivateFieldDestructureSet.js.map
classPrivateFieldGet.js
classPrivateFieldGet.js.map
classPrivateFieldGet2.js
classPrivateFieldGet2.js.map
classPrivateFieldInitSpec.js
classPrivateFieldInitSpec.js.map
classPrivateFieldLooseBase.js
classPrivateFieldLooseBase.js.map
classPrivateFieldLooseKey.js
classPrivateFieldLooseKey.js.map
classPrivateFieldSet.js
classPrivateFieldSet.js.map
classPrivateFieldSet2.js
classPrivateFieldSet2.js.map
classPrivateGetter.js
classPrivateGetter.js.map
classPrivateMethodGet.js
classPrivateMethodGet.js.map
classPrivateMethodInitSpec.js
classPrivateMethodInitSpec.js.map
classPrivateMethodSet.js
classPrivateMethodSet.js.map
classPrivateSetter.js
classPrivateSetter.js.map
classStaticPrivateFieldDestructureSet.js
classStaticPrivateFieldDestructureSet.js.map
classStaticPrivateFieldSpecGet.js
classStaticPrivateFieldSpecGet.js.map
classStaticPrivateFieldSpecSet.js
classStaticPrivateFieldSpecSet.js.map
classStaticPrivateMethodGet.js
classStaticPrivateMethodGet.js.map
classStaticPrivateMethodSet.js
classStaticPrivateMethodSet.js.map
construct.js
construct.js.map
createClass.js
createClass.js.map
createForOfIteratorHelper.js
createForOfIteratorHelper.js.map
createForOfIteratorHelperLoose.js
createForOfIteratorHelperLoose.js.map
createSuper.js
createSuper.js.map
decorate.js
decorate.js.map
defaults.js
defaults.js.map
defineAccessor.js
defineAccessor.js.map
defineEnumerableProperties.js
defineEnumerableProperties.js.map
defineProperty.js
```

defineProperty.js.map  
dispose.js  
dispose.js.map  
extends.js  
extends.js.map  
get.js  
get.js.map  
getPrototypeOf.js  
getPrototypeOf.js.map  
identity.js  
identity.js.map  
importDeferProxy.js  
importDeferProxy.js.map  
inherits.js  
inherits.js.map  
inheritsLoose.js  
inheritsLoose.js.map  
initializerDefineProperty.js  
initializerDefineProperty.js.map  
initializerWarningHelper.js  
initializerWarningHelper.js.map  
instanceof.js  
instanceof.js.map  
interopRequireDefault.js  
interopRequireDefault.js.map  
interopRequireWildcard.js  
interopRequireWildcard.js.map  
isNativeFunction.js  
isNativeFunction.js.map  
isNativeReflectConstruct.js  
isNativeReflectConstruct.js.map  
iterableToArray.js  
iterableToArray.js.map  
iterableToArrayLimit.js  
iterableToArrayLimit.js.map  
jsx.js  
jsx.js.map  
maybeArrayLike.js  
maybeArrayLike.js.map  
newArrowCheck.js  
newArrowCheck.js.map  
nonIterableRest.js  
nonIterableRest.js.map  
nonIterableSpread.js  
nonIterableSpread.js.map  
nullishReceiverError.js  
nullishReceiverError.js.map  
objectDestructuringEmpty.js  
objectDestructuringEmpty.js.map  
objectSpread.js  
objectSpread.js.map  
objectSpread2.js  
objectSpread2.js.map  
objectWithoutProperties.js  
objectWithoutProperties.js.map  
objectWithoutPropertiesLoose.js  
objectWithoutPropertiesLoose.js.map  
OverloadYield.js  
OverloadYield.js.map  
possibleConstructorReturn.js  
possibleConstructorReturn.js.map  
readOnlyError.js  
readOnlyError.js.map  
regenerator.js  
regenerator.js.map

regeneratorAsync.js  
regeneratorAsync.js.map  
regeneratorAsyncGen.js  
regeneratorAsyncGen.js.map  
regeneratorAsyncIterator.js  
regeneratorAsyncIterator.js.map  
regeneratorDefine.js  
regeneratorDefine.js.map  
regeneratorKeys.js  
regeneratorKeys.js.map  
regeneratorRuntime.js  
regeneratorRuntime.js.map  
regeneratorValues.js  
regeneratorValues.js.map  
set.js  
set.js.map  
setFunctionName.js  
setFunctionName.js.map  
setPrototypeOf.js  
setPrototypeOf.js.map  
skipFirstGeneratorNext.js  
skipFirstGeneratorNext.js.map  
slicedToArray.js  
slicedToArray.js.map  
superPropBase.js  
superPropBase.js.map  
superPropGet.js  
superPropGet.js.map  
superPropSet.js  
superPropSet.js.map  
taggedTemplateLiteral.js  
taggedTemplateLiteral.js.map  
taggedTemplateLiteralLoose.js  
taggedTemplateLiteralLoose.js.map  
tdz.js  
tdz.js.map  
temporalRef.js  
temporalRef.js.map  
temporalUndefined.js  
temporalUndefined.js.map  
toArray.js  
toArray.js.map  
toConsumableArray.js  
toConsumableArray.js.map  
toPrimitive.js  
toPrimitive.js.map  
toPropertyKey.js  
toPropertyKey.js.map  
toSetter.js  
toSetter.js.map  
tsRewriteRelativeImportExtensions.js  
tsRewriteRelativeImportExtensions.js.map  
typeof.js  
typeof.js.map  
unsupportedIterableToArray.js  
unsupportedIterableToArray.js.map  
using.js  
using.js.map  
usingCtx.js  
usingCtx.js.map  
wrapAsyncGenerator.js  
wrapAsyncGenerator.js.map  
wrapNativeSuper.js  
wrapNativeSuper.js.map  
wrapRegExp.js



```

wrapRegExp.js.map
writeOnlyError.js
writeOnlyError.js.map

+---parser
|   CHANGELOG.md
|   LICENSE
|   package.json
|   README.md
|
+---bin
|   babel-parser.js
|
+---lib
|   index.js
|   index.js.map
|
\---typings
|   babel-parser.d.ts
|
+---template
|   LICENSE
|   package.json
|   README.md
|
\---lib
|   builder.js
|   builder.js.map
|   formatters.js
|   formatters.js.map
|   index.js
|   index.js.map
|   literal.js
|   literal.js.map
|   options.js
|   options.js.map
|   parse.js
|   parse.js.map
|   populate.js
|   populate.js.map
|   string.js
|   string.js.map
|
+---traverse
|   LICENSE
|   package.json
|   README.md
|   tsconfig.overrides.json
|
\---lib
|   cache.js
|   cache.js.map
|   context.js
|   context.js.map
|   hub.js
|   hub.js.map
|   index.js
|   index.js.map
|   traverse-node.js
|   traverse-node.js.map
|   types.js
|   types.js.map
|   visitors.js
|   visitors.js.map

```

```

+---path
|   ancestry.js
|   ancestry.js.map
|   comments.js
|   comments.js.map
|   context.js
|   context.js.map
|   conversion.js
|   conversion.js.map
|   evaluation.js
|   evaluation.js.map
|   family.js
|   family.js.map
|   index.js
|   index.js.map
|   introspection.js
|   introspection.js.map
|   modification.js
|   modification.js.map
|   removal.js
|   removal.js.map
|   replacement.js
|   replacement.js.map
|
|   +---inference
|   |   index.js
|   |   index.js.map
|   |   inferer-reference.js
|   |   inferer-reference.js.map
|   |   inferers.js
|   |   inferers.js.map
|   |   util.js
|   |   util.js.map
|   |
|   |   \---lib
|   |   |   hoister.js
|   |   |   hoister.js.map
|   |   |   removal-hooks.js
|   |   |   removal-hooks.js.map
|   |   |   virtual-types-validator.js
|   |   |   virtual-types-validator.js.map
|   |   |   virtual-types.js
|   |   |   virtual-types.js.map
|   |
|   |   \---scope
|   |   |   binding.js
|   |   |   binding.js.map
|   |   |   index.js
|   |   |   index.js.map
|   |   |   traverseForScope.js
|   |   |   traverseForScope.js.map
|   |   |
|   |   |   \---lib
|   |   |   |   renamer.js
|   |   |   |   renamer.js.map
|   |
|   \---types
|   |   LICENSE
|   |   package.json
|   |   README.md
|   |
|   |   \---lib
|   |   |   index-legacy.d.ts
|   |   |   index.d.ts
|   |   |   index.js

```

```

    index.js.flow
    index.js.map
+---asserts
|   assertNode.js
|   assertNode.js.map
|   \---generated
|       index.js
|       index.js.map
+---ast-types
|   \---generated
|       index.js
|       index.js.map
+---builders
|   productions.js
|   productions.js.map
|   validateNode.js
|   validateNode.js.map
|   +---flow
|       createFlowUnionType.js
|       createFlowUnionType.js.map
|       createTypeAnnotationBasedOnTypeof.js
|       createTypeAnnotationBasedOnTypeof.js.map
|   +---generated
|       index.js
|       index.js.map
|       lowercase.js
|       lowercase.js.map
|       uppercase.js
|       uppercase.js.map
|   +---react
|       buildChildren.js
|       buildChildren.js.map
|   \---typescript
|       createTSUnionType.js
|       createTSUnionType.js.map
+---clone
|   clone.js
|   clone.js.map
|   cloneDeep.js
|   cloneDeep.js.map
|   cloneDeepWithoutLoc.js
|   cloneDeepWithoutLoc.js.map
|   cloneNode.js
|   cloneNode.js.map
|   cloneWithoutLoc.js
|   cloneWithoutLoc.js.map
+---comments
|   addComment.js
|   addComment.js.map
|   addComments.js
|   addComments.js.map
|   inheritInnerComments.js
|   inheritInnerComments.js.map
|   inheritLeadingComments.js
|   inheritLeadingComments.js.map

```

```

    inheritsComments.js
    inheritsComments.js.map
    inheritTrailingComments.js
    inheritTrailingComments.js.map
    removeComments.js
    removeComments.js.map
+---constants
|   index.js
|   index.js.map
|
|   \---generated
|       index.js
|       index.js.map
+---converters
|   ensureBlock.js
|   ensureBlock.js.map
|   gatherSequenceExpressions.js
|   gatherSequenceExpressions.js.map
|   toBindingIdentifierName.js
|   toBindingIdentifierName.js.map
|   toBlock.js
|   toBlock.js.map
|   toComputedKey.js
|   toComputedKey.js.map
|   toExpression.js
|   toExpression.js.map
|   toIdentifier.js
|   toIdentifier.js.map
|   toKeyAlias.js
|   toKeyAlias.js.map
|   toSequenceExpression.js
|   toSequenceExpression.js.map
|   toStatement.js
|   toStatement.js.map
|   valueToNode.js
|   valueToNode.js.map
+---definitions
|   core.js
|   core.js.map
|   deprecated-aliases.js
|   deprecated-aliases.js.map
|   experimental.js
|   experimental.js.map
|   flow.js
|   flow.js.map
|   index.js
|   index.js.map
|   jsx.js
|   jsx.js.map
|   misc.js
|   misc.js.map
|   placeholders.js
|   placeholders.js.map
|   typescript.js
|   typescript.js.map
|   utils.js
|   utils.js.map
+---modifications
|   appendToMemberExpression.js
|   appendToMemberExpression.js.map
|   inherits.js

```

```

    inherits.js.map
    prependToMemberExpression.js
    prependToMemberExpression.js.map
    removeProperties.js
    removeProperties.js.map
    removePropertiesDeep.js
    removePropertiesDeep.js.map

+---flow
    removeTypeDuplicates.js
    removeTypeDuplicates.js.map

\---typescript
    removeTypeDuplicates.js
    removeTypeDuplicates.js.map

+---retrievers
    getAssignmentIdentifiers.js
    getAssignmentIdentifiers.js.map
    getBindingIdentifiers.js
    getBindingIdentifiers.js.map
    getFunctionName.js
    getFunctionName.js.map
    getOuterBindingIdentifiers.js
    getOuterBindingIdentifiers.js.map

+---traverse
    traverse.js
    traverse.js.map
    traverseFast.js
    traverseFast.js.map

+---utils
    deprecationWarning.js
    deprecationWarning.js.map
    inherit.js
    inherit.js.map
    shallowEqual.js
    shallowEqual.js.map

\---react
    cleanJSXElementLiteralChild.js
    cleanJSXElementLiteralChild.js.map

\---validators
    buildMatchMemberExpression.js
    buildMatchMemberExpression.js.map
    is.js
    is.js.map
    isBinding.js
    isBinding.js.map
    isBlockScoped.js
    isBlockScoped.js.map
    isImmutable.js
    isImmutable.js.map
    isLet.js
    isLet.js.map
    isNode.js
    isNode.js.map
    isNodesEquivalent.js
    isNodesEquivalent.js.map
    isPlaceholderType.js
    isPlaceholderType.js.map
    isReferenced.js
    isReferenced.js.map

```

198/819

```

    |
    | emnapi.min.mjs
    | emnapi.mjs
    |
    | \---wasi-threads
    | |   index.js
    | |   LICENSE
    | |   package.json
    | |   README.md
    | |
    | | \---dist
    | |   wasi-threads.cjs.js
    | |   wasi-threads.cjs.min.d.ts
    | |   wasi-threads.cjs.min.js
    | |   wasi-threads.d.mts
    | |   wasi-threads.d.ts
    | |   wasi-threads.esm-bundler.js
    | |   wasi-threads.js
    | |   wasi-threads.min.d.mts
    | |   wasi-threads.min.js
    | |   wasi-threads.min.mjs
    | |   wasi-threads.mjs
    |
    | +---@eslint
    | |
    | | +---config-array
    | | |   LICENSE
    | | |   package.json
    | | |   README.md
    | | |
    | | | \---dist
    | | |   +---cjs
    | | |   |   index.cjs
    | | |   |   index.d.cts
    | | |   |   types.cts
    | | |   |
    | | |   | \---std__path
    | | |   |   posix.cjs
    | | |   |   windows.cjs
    | | |   |
    | | |   | \---esm
    | | |   |   index.d.ts
    | | |   |   index.js
    | | |   |   types.d.ts
    | | |   |   types.ts
    | | |   |
    | | |   | \---std__path
    | | |   |   posix.js
    | | |   |   windows.js
    | | |
    | | | +---config-helpers
    | | | |   LICENSE
    | | | |   package.json
    | | | |   README.md
    | | | |
    | | | | \---dist
    | | | |   +---cjs
    | | | |   |   index.cjs
    | | | |   |   index.d.cts
    | | | |   |   types.cts
    | | | |   |
    | | | |   | \---esm
    | | | |   |   index.d.ts
    | | | |   |   index.js
    | | | |   |   types.d.ts
    | | | |   |   types.ts

```

```

+---core
|   LICENSE
|   package.json
|   README.md
|
|   \---dist
|       +---cjs
|           |   types.d.cts
|           |
|           \---esm
|               types.d.ts
|
+---eslintrc
|   LICENSE
|   package.json
|   README.md
|   universal.js
|
|   +---conf
|       |   config-schema.js
|       |   environments.js
|
|   +---dist
|       |   eslintrc-universal.cjs
|       |   eslintrc-universal.cjs.map
|       |   eslintrc.cjs
|       |   eslintrc.cjs.map
|       |   eslintrc.d.cts
|
|   \---lib
|       |   cascading-config-array-factory.js
|       |   config-array-factory.js
|       |   flat-compat.js
|       |   index-universal.js
|       |   index.js
|
|       +---config-array
|           |   config-array.js
|           |   config-dependency.js
|           |   extracted-config.js
|           |   ignore-pattern.js
|           |   index.js
|           |   override-tester.js
|
|       +---shared
|           |   ajv.js
|           |   config-ops.js
|           |   config-validator.js
|           |   deep-merge-arrays.js
|           |   deprecation-warnings.js
|           |   naming.js
|           |   relative-module-resolver.js
|           |   types.js
|
|       \---types
|           index.d.ts
|
+---js
|   LICENSE
|   package.json
|   README.md
|
|   +---src
|       |   index.js

```



```

| | | | \---configs
| | | | |   eslint-all.js
| | | | |   eslint-recommended.js
| | | | \---types
| | | | |   index.d.ts
| | | +---object-schema
| | | |   LICENSE
| | | |   package.json
| | | |   README.md
| | | | \---dist
| | | | |   +---cjs
| | | | |   |   index.cjs
| | | | |   |   index.d.cts
| | | | |   |   types.cts
| | | | |   | \---esm
| | | | |   |   index.d.ts
| | | | |   |   index.js
| | | | |   |   types.d.ts
| | | | |   |   types.ts
| | | | \---plugin-kit
| | | | |   LICENSE
| | | | |   package.json
| | | | |   README.md
| | | | | \---dist
| | | | | |   +---cjs
| | | | | |   |   index.cjs
| | | | | |   |   index.d.cts
| | | | | |   |   types.cts
| | | | | |   | \---esm
| | | | | |   |   index.d.ts
| | | | | |   |   index.js
| | | | | |   |   types.d.ts
| | | | | |   |   types.ts
| | | +---@eslint-community
| | | | +---eslint-utils
| | | | |   index.d.mts
| | | | |   index.d.ts
| | | | |   index.js
| | | | |   index.js.map
| | | | |   index.mjs
| | | | |   index.mjs.map
| | | | |   LICENSE
| | | | |   package.json
| | | | |   README.md
| | | | | \---eslint-visitor-keys
| | | | | |   LICENSE
| | | | | |   package.json
| | | | | |   README.md
| | | | | | +---dist
| | | | | | |   eslint-visitor-keys.cjs
| | | | | | |   eslint-visitor-keys.d.cts
| | | | | | |   index.d.ts
| | | | | | |   visitor-keys.d.ts
| | | | | \---lib

```

index.js  
visitor-keys.js

\---regexpp

index.d.ts  
index.js  
index.js.map  
index.mjs  
index.mjs.map  
LICENSE  
package.json  
README.md

+---@fontsource

+---inter

100-italic.css  
100.css  
200-italic.css  
200.css  
300-italic.css  
300.css  
400-italic.css  
400.css  
500-italic.css  
500.css  
600-italic.css  
600.css  
700-italic.css  
700.css  
800-italic.css  
800.css  
900-italic.css  
900.css  
CHANGELOG.md  
cyrillic-100-italic.css  
cyrillic-100.css  
cyrillic-200-italic.css  
cyrillic-200.css  
cyrillic-300-italic.css  
cyrillic-300.css  
cyrillic-400-italic.css  
cyrillic-400.css  
cyrillic-500-italic.css  
cyrillic-500.css  
cyrillic-600-italic.css  
cyrillic-600.css  
cyrillic-700-italic.css  
cyrillic-700.css  
cyrillic-800-italic.css  
cyrillic-800.css  
cyrillic-900-italic.css  
cyrillic-900.css  
cyrillic-ext-100-italic.css  
cyrillic-ext-100.css  
cyrillic-ext-200-italic.css  
cyrillic-ext-200.css  
cyrillic-ext-300-italic.css  
cyrillic-ext-300.css  
cyrillic-ext-400-italic.css  
cyrillic-ext-400.css  
cyrillic-ext-500-italic.css  
cyrillic-ext-500.css  
cyrillic-ext-600-italic.css  
cyrillic-ext-600.css  
cyrillic-ext-700-italic.css

|  |  |  |  |                             |
|--|--|--|--|-----------------------------|
|  |  |  |  | cyrillic-ext-700.css        |
|  |  |  |  | cyrillic-ext-800-italic.css |
|  |  |  |  | cyrillic-ext-800.css        |
|  |  |  |  | cyrillic-ext-900-italic.css |
|  |  |  |  | cyrillic-ext-900.css        |
|  |  |  |  | cyrillic-ext-italic.css     |
|  |  |  |  | cyrillic-ext.css            |
|  |  |  |  | cyrillic-italic.css         |
|  |  |  |  | cyrillic.css                |
|  |  |  |  | greek-100-italic.css        |
|  |  |  |  | greek-100.css               |
|  |  |  |  | greek-200-italic.css        |
|  |  |  |  | greek-200.css               |
|  |  |  |  | greek-300-italic.css        |
|  |  |  |  | greek-300.css               |
|  |  |  |  | greek-400-italic.css        |
|  |  |  |  | greek-400.css               |
|  |  |  |  | greek-500-italic.css        |
|  |  |  |  | greek-500.css               |
|  |  |  |  | greek-600-italic.css        |
|  |  |  |  | greek-600.css               |
|  |  |  |  | greek-700-italic.css        |
|  |  |  |  | greek-700.css               |
|  |  |  |  | greek-800-italic.css        |
|  |  |  |  | greek-800.css               |
|  |  |  |  | greek-900-italic.css        |
|  |  |  |  | greek-900.css               |
|  |  |  |  | greek-ext-100-italic.css    |
|  |  |  |  | greek-ext-100.css           |
|  |  |  |  | greek-ext-200-italic.css    |
|  |  |  |  | greek-ext-200.css           |
|  |  |  |  | greek-ext-300-italic.css    |
|  |  |  |  | greek-ext-300.css           |
|  |  |  |  | greek-ext-400-italic.css    |
|  |  |  |  | greek-ext-400.css           |
|  |  |  |  | greek-ext-500-italic.css    |
|  |  |  |  | greek-ext-500.css           |
|  |  |  |  | greek-ext-600-italic.css    |
|  |  |  |  | greek-ext-600.css           |
|  |  |  |  | greek-ext-700-italic.css    |
|  |  |  |  | greek-ext-700.css           |
|  |  |  |  | greek-ext-800-italic.css    |
|  |  |  |  | greek-ext-800.css           |
|  |  |  |  | greek-ext-900-italic.css    |
|  |  |  |  | greek-ext-900.css           |
|  |  |  |  | greek-ext-italic.css        |
|  |  |  |  | greek-ext.css               |
|  |  |  |  | greek-italic.css            |
|  |  |  |  | greek.css                   |
|  |  |  |  | index.css                   |
|  |  |  |  | latin-100-italic.css        |
|  |  |  |  | latin-100.css               |
|  |  |  |  | latin-200-italic.css        |
|  |  |  |  | latin-200.css               |
|  |  |  |  | latin-300-italic.css        |
|  |  |  |  | latin-300.css               |
|  |  |  |  | latin-400-italic.css        |
|  |  |  |  | latin-400.css               |
|  |  |  |  | latin-500-italic.css        |
|  |  |  |  | latin-500.css               |
|  |  |  |  | latin-600-italic.css        |
|  |  |  |  | latin-600.css               |
|  |  |  |  | latin-700-italic.css        |
|  |  |  |  | latin-700.css               |
|  |  |  |  | latin-800-italic.css        |

```

latin-800.css
latin-900-italic.css
latin-900.css
latin-ext-100-italic.css
latin-ext-100.css
latin-ext-200-italic.css
latin-ext-200.css
latin-ext-300-italic.css
latin-ext-300.css
latin-ext-400-italic.css
latin-ext-400.css
latin-ext-500-italic.css
latin-ext-500.css
latin-ext-600-italic.css
latin-ext-600.css
latin-ext-700-italic.css
latin-ext-700.css
latin-ext-800-italic.css
latin-ext-800.css
latin-ext-900-italic.css
latin-ext-900.css
latin-ext-italic.css
latin-ext.css
latin-italic.css
latin.css
LICENSE
metadata.json
package.json
README.md
unicode.json
vietnamese-100-italic.css
vietnamese-100.css
vietnamese-200-italic.css
vietnamese-200.css
vietnamese-300-italic.css
vietnamese-300.css
vietnamese-400-italic.css
vietnamese-400.css
vietnamese-500-italic.css
vietnamese-500.css
vietnamese-600-italic.css
vietnamese-600.css
vietnamese-700-italic.css
vietnamese-700.css
vietnamese-800-italic.css
vietnamese-800.css
vietnamese-900-italic.css
vietnamese-900.css
vietnamese-italic.css
vietnamese.css

```

+---files

```

inter-cyrillic-100-italic.woff
inter-cyrillic-100-italic.woff2
inter-cyrillic-100-normal.woff
inter-cyrillic-100-normal.woff2
inter-cyrillic-200-italic.woff
inter-cyrillic-200-italic.woff2
inter-cyrillic-200-normal.woff
inter-cyrillic-200-normal.woff2
inter-cyrillic-300-italic.woff
inter-cyrillic-300-italic.woff2
inter-cyrillic-300-normal.woff
inter-cyrillic-300-normal.woff2
inter-cyrillic-400-italic.woff

```

inter-cyrillic-400-italic.woff2  
inter-cyrillic-400-normal.woff  
inter-cyrillic-400-normal.woff2  
inter-cyrillic-500-italic.woff  
inter-cyrillic-500-italic.woff2  
inter-cyrillic-500-normal.woff  
inter-cyrillic-500-normal.woff2  
inter-cyrillic-600-italic.woff  
inter-cyrillic-600-italic.woff2  
inter-cyrillic-600-normal.woff  
inter-cyrillic-600-normal.woff2  
inter-cyrillic-700-italic.woff  
inter-cyrillic-700-italic.woff2  
inter-cyrillic-700-normal.woff  
inter-cyrillic-700-normal.woff2  
inter-cyrillic-800-italic.woff  
inter-cyrillic-800-italic.woff2  
inter-cyrillic-800-normal.woff  
inter-cyrillic-800-normal.woff2  
inter-cyrillic-900-italic.woff  
inter-cyrillic-900-italic.woff2  
inter-cyrillic-900-normal.woff  
inter-cyrillic-900-normal.woff2  
inter-cyrillic-ext-100-italic.woff  
inter-cyrillic-ext-100-italic.woff2  
inter-cyrillic-ext-100-normal.woff  
inter-cyrillic-ext-100-normal.woff2  
inter-cyrillic-ext-200-italic.woff  
inter-cyrillic-ext-200-italic.woff2  
inter-cyrillic-ext-200-normal.woff  
inter-cyrillic-ext-200-normal.woff2  
inter-cyrillic-ext-300-italic.woff  
inter-cyrillic-ext-300-italic.woff2  
inter-cyrillic-ext-300-normal.woff  
inter-cyrillic-ext-300-normal.woff2  
inter-cyrillic-ext-400-italic.woff  
inter-cyrillic-ext-400-italic.woff2  
inter-cyrillic-ext-400-normal.woff  
inter-cyrillic-ext-400-normal.woff2  
inter-cyrillic-ext-500-italic.woff  
inter-cyrillic-ext-500-italic.woff2  
inter-cyrillic-ext-500-normal.woff  
inter-cyrillic-ext-500-normal.woff2  
inter-cyrillic-ext-600-italic.woff  
inter-cyrillic-ext-600-italic.woff2  
inter-cyrillic-ext-600-normal.woff  
inter-cyrillic-ext-600-normal.woff2  
inter-cyrillic-ext-700-italic.woff  
inter-cyrillic-ext-700-italic.woff2  
inter-cyrillic-ext-700-normal.woff  
inter-cyrillic-ext-700-normal.woff2  
inter-cyrillic-ext-800-italic.woff  
inter-cyrillic-ext-800-italic.woff2  
inter-cyrillic-ext-800-normal.woff  
inter-cyrillic-ext-800-normal.woff2  
inter-cyrillic-ext-900-italic.woff  
inter-cyrillic-ext-900-italic.woff2  
inter-cyrillic-ext-900-normal.woff  
inter-cyrillic-ext-900-normal.woff2  
inter-greek-100-italic.woff  
inter-greek-100-italic.woff2  
inter-greek-100-normal.woff  
inter-greek-100-normal.woff2  
inter-greek-200-italic.woff  
inter-greek-200-italic.woff2

|  |  |  |  |                                  |
|--|--|--|--|----------------------------------|
|  |  |  |  | inter-greek-200-normal.woff      |
|  |  |  |  | inter-greek-200-normal.woff2     |
|  |  |  |  | inter-greek-300-italic.woff      |
|  |  |  |  | inter-greek-300-italic.woff2     |
|  |  |  |  | inter-greek-300-normal.woff      |
|  |  |  |  | inter-greek-300-normal.woff2     |
|  |  |  |  | inter-greek-400-italic.woff      |
|  |  |  |  | inter-greek-400-italic.woff2     |
|  |  |  |  | inter-greek-400-normal.woff      |
|  |  |  |  | inter-greek-400-normal.woff2     |
|  |  |  |  | inter-greek-500-italic.woff      |
|  |  |  |  | inter-greek-500-italic.woff2     |
|  |  |  |  | inter-greek-500-normal.woff      |
|  |  |  |  | inter-greek-500-normal.woff2     |
|  |  |  |  | inter-greek-600-italic.woff      |
|  |  |  |  | inter-greek-600-italic.woff2     |
|  |  |  |  | inter-greek-600-normal.woff      |
|  |  |  |  | inter-greek-600-normal.woff2     |
|  |  |  |  | inter-greek-700-italic.woff      |
|  |  |  |  | inter-greek-700-italic.woff2     |
|  |  |  |  | inter-greek-700-normal.woff      |
|  |  |  |  | inter-greek-700-normal.woff2     |
|  |  |  |  | inter-greek-800-italic.woff      |
|  |  |  |  | inter-greek-800-italic.woff2     |
|  |  |  |  | inter-greek-800-normal.woff      |
|  |  |  |  | inter-greek-800-normal.woff2     |
|  |  |  |  | inter-greek-900-italic.woff      |
|  |  |  |  | inter-greek-900-italic.woff2     |
|  |  |  |  | inter-greek-900-normal.woff      |
|  |  |  |  | inter-greek-900-normal.woff2     |
|  |  |  |  | inter-greek-ext-100-italic.woff  |
|  |  |  |  | inter-greek-ext-100-italic.woff2 |
|  |  |  |  | inter-greek-ext-100-normal.woff  |
|  |  |  |  | inter-greek-ext-100-normal.woff2 |
|  |  |  |  | inter-greek-ext-200-italic.woff  |
|  |  |  |  | inter-greek-ext-200-italic.woff2 |
|  |  |  |  | inter-greek-ext-200-normal.woff  |
|  |  |  |  | inter-greek-ext-200-normal.woff2 |
|  |  |  |  | inter-greek-ext-300-italic.woff  |
|  |  |  |  | inter-greek-ext-300-italic.woff2 |
|  |  |  |  | inter-greek-ext-300-normal.woff  |
|  |  |  |  | inter-greek-ext-300-normal.woff2 |
|  |  |  |  | inter-greek-ext-400-italic.woff  |
|  |  |  |  | inter-greek-ext-400-italic.woff2 |
|  |  |  |  | inter-greek-ext-400-normal.woff  |
|  |  |  |  | inter-greek-ext-400-normal.woff2 |
|  |  |  |  | inter-greek-ext-500-italic.woff  |
|  |  |  |  | inter-greek-ext-500-italic.woff2 |
|  |  |  |  | inter-greek-ext-500-normal.woff  |
|  |  |  |  | inter-greek-ext-500-normal.woff2 |
|  |  |  |  | inter-greek-ext-600-italic.woff  |
|  |  |  |  | inter-greek-ext-600-italic.woff2 |
|  |  |  |  | inter-greek-ext-600-normal.woff  |
|  |  |  |  | inter-greek-ext-600-normal.woff2 |
|  |  |  |  | inter-greek-ext-700-italic.woff  |
|  |  |  |  | inter-greek-ext-700-italic.woff2 |
|  |  |  |  | inter-greek-ext-700-normal.woff  |
|  |  |  |  | inter-greek-ext-700-normal.woff2 |
|  |  |  |  | inter-greek-ext-800-italic.woff  |
|  |  |  |  | inter-greek-ext-800-italic.woff2 |
|  |  |  |  | inter-greek-ext-800-normal.woff  |
|  |  |  |  | inter-greek-ext-800-normal.woff2 |
|  |  |  |  | inter-greek-ext-900-italic.woff  |
|  |  |  |  | inter-greek-ext-900-italic.woff2 |
|  |  |  |  | inter-greek-ext-900-normal.woff  |

inter-greek-ext-900-normal.woff2  
inter-latin-100-italic.woff  
inter-latin-100-italic.woff2  
inter-latin-100-normal.woff  
inter-latin-100-normal.woff2  
inter-latin-200-italic.woff  
inter-latin-200-italic.woff2  
inter-latin-200-normal.woff  
inter-latin-200-normal.woff2  
inter-latin-300-italic.woff  
inter-latin-300-italic.woff2  
inter-latin-300-normal.woff  
inter-latin-300-normal.woff2  
inter-latin-400-italic.woff  
inter-latin-400-italic.woff2  
inter-latin-400-normal.woff  
inter-latin-400-normal.woff2  
inter-latin-500-italic.woff  
inter-latin-500-italic.woff2  
inter-latin-500-normal.woff  
inter-latin-500-normal.woff2  
inter-latin-600-italic.woff  
inter-latin-600-italic.woff2  
inter-latin-600-normal.woff  
inter-latin-600-normal.woff2  
inter-latin-700-italic.woff  
inter-latin-700-italic.woff2  
inter-latin-700-normal.woff  
inter-latin-700-normal.woff2  
inter-latin-800-italic.woff  
inter-latin-800-italic.woff2  
inter-latin-800-normal.woff  
inter-latin-800-normal.woff2  
inter-latin-900-italic.woff  
inter-latin-900-italic.woff2  
inter-latin-900-normal.woff  
inter-latin-900-normal.woff2  
inter-latin-ext-100-italic.woff  
inter-latin-ext-100-italic.woff2  
inter-latin-ext-100-normal.woff  
inter-latin-ext-100-normal.woff2  
inter-latin-ext-200-italic.woff  
inter-latin-ext-200-italic.woff2  
inter-latin-ext-200-normal.woff  
inter-latin-ext-200-normal.woff2  
inter-latin-ext-300-italic.woff  
inter-latin-ext-300-italic.woff2  
inter-latin-ext-300-normal.woff  
inter-latin-ext-300-normal.woff2  
inter-latin-ext-400-italic.woff  
inter-latin-ext-400-italic.woff2  
inter-latin-ext-400-normal.woff  
inter-latin-ext-400-normal.woff2  
inter-latin-ext-500-italic.woff  
inter-latin-ext-500-italic.woff2  
inter-latin-ext-500-normal.woff  
inter-latin-ext-500-normal.woff2  
inter-latin-ext-600-italic.woff  
inter-latin-ext-600-italic.woff2  
inter-latin-ext-600-normal.woff  
inter-latin-ext-600-normal.woff2  
inter-latin-ext-700-italic.woff  
inter-latin-ext-700-italic.woff2  
inter-latin-ext-700-normal.woff  
inter-latin-ext-700-normal.woff2

```

inter-latin-ext-800-italic.woff
inter-latin-ext-800-italic.woff2
inter-latin-ext-800-normal.woff
inter-latin-ext-800-normal.woff2
inter-latin-ext-900-italic.woff
inter-latin-ext-900-italic.woff2
inter-latin-ext-900-normal.woff
inter-latin-ext-900-normal.woff2
inter-vietnamese-100-italic.woff
inter-vietnamese-100-italic.woff2
inter-vietnamese-100-normal.woff
inter-vietnamese-100-normal.woff2
inter-vietnamese-200-italic.woff
inter-vietnamese-200-italic.woff2
inter-vietnamese-200-normal.woff
inter-vietnamese-200-normal.woff2
inter-vietnamese-300-italic.woff
inter-vietnamese-300-italic.woff2
inter-vietnamese-300-normal.woff
inter-vietnamese-300-normal.woff2
inter-vietnamese-400-italic.woff
inter-vietnamese-400-italic.woff2
inter-vietnamese-400-normal.woff
inter-vietnamese-400-normal.woff2
inter-vietnamese-500-italic.woff
inter-vietnamese-500-italic.woff2
inter-vietnamese-500-normal.woff
inter-vietnamese-500-normal.woff2
inter-vietnamese-600-italic.woff
inter-vietnamese-600-italic.woff2
inter-vietnamese-600-normal.woff
inter-vietnamese-600-normal.woff2
inter-vietnamese-700-italic.woff
inter-vietnamese-700-italic.woff2
inter-vietnamese-700-normal.woff
inter-vietnamese-700-normal.woff2
inter-vietnamese-800-italic.woff
inter-vietnamese-800-italic.woff2
inter-vietnamese-800-normal.woff
inter-vietnamese-800-normal.woff2
inter-vietnamese-900-italic.woff
inter-vietnamese-900-italic.woff2
inter-vietnamese-900-normal.woff
inter-vietnamese-900-normal.woff2

\---scss
    metadata.scss
    mixins.scss

\---playfair-display
    400-italic.css
    400.css
    500-italic.css
    500.css
    600-italic.css
    600.css
    700-italic.css
    700.css
    800-italic.css
    800.css
    900-italic.css
    900.css
    CHANGELOG.md
    cyrillic-400-italic.css
    cyrillic-400.css

```



```

cyrillic-500-italic.css
cyrillic-500.css
cyrillic-600-italic.css
cyrillic-600.css
cyrillic-700-italic.css
cyrillic-700.css
cyrillic-800-italic.css
cyrillic-800.css
cyrillic-900-italic.css
cyrillic-900.css
cyrillic-italic.css
cyrillic.css
index.css
latin-400-italic.css
latin-400.css
latin-500-italic.css
latin-500.css
latin-600-italic.css
latin-600.css
latin-700-italic.css
latin-700.css
latin-800-italic.css
latin-800.css
latin-900-italic.css
latin-900.css
latin-ext-400-italic.css
latin-ext-400.css
latin-ext-500-italic.css
latin-ext-500.css
latin-ext-600-italic.css
latin-ext-600.css
latin-ext-700-italic.css
latin-ext-700.css
latin-ext-800-italic.css
latin-ext-800.css
latin-ext-900-italic.css
latin-ext-900.css
latin-ext-italic.css
latin-ext.css
latin-italic.css
latin.css
LICENSE
metadata.json
package.json
README.md
unicode.json
vietnamese-400-italic.css
vietnamese-400.css
vietnamese-500-italic.css
vietnamese-500.css
vietnamese-600-italic.css
vietnamese-600.css
vietnamese-700-italic.css
vietnamese-700.css
vietnamese-800-italic.css
vietnamese-800.css
vietnamese-900-italic.css
vietnamese-900.css
vietnamese-italic.css
vietnamese.css
+---files
  playfair-display-cyrillic-400-italic.woff
  playfair-display-cyrillic-400-italic.woff2
  playfair-display-cyrillic-400-normal.woff

```

playfair-display-cyrillic-400-normal.woff2  
playfair-display-cyrillic-500-italic.woff  
playfair-display-cyrillic-500-italic.woff2  
playfair-display-cyrillic-500-normal.woff  
playfair-display-cyrillic-500-normal.woff2  
playfair-display-cyrillic-600-italic.woff  
playfair-display-cyrillic-600-italic.woff2  
playfair-display-cyrillic-600-normal.woff  
playfair-display-cyrillic-600-normal.woff2  
playfair-display-cyrillic-700-italic.woff  
playfair-display-cyrillic-700-italic.woff2  
playfair-display-cyrillic-700-normal.woff  
playfair-display-cyrillic-700-normal.woff2  
playfair-display-cyrillic-800-italic.woff  
playfair-display-cyrillic-800-italic.woff2  
playfair-display-cyrillic-800-normal.woff  
playfair-display-cyrillic-800-normal.woff2  
playfair-display-cyrillic-900-italic.woff  
playfair-display-cyrillic-900-italic.woff2  
playfair-display-cyrillic-900-normal.woff  
playfair-display-cyrillic-900-normal.woff2  
playfair-display-latin-400-italic.woff  
playfair-display-latin-400-italic.woff2  
playfair-display-latin-400-normal.woff  
playfair-display-latin-400-normal.woff2  
playfair-display-latin-500-italic.woff  
playfair-display-latin-500-italic.woff2  
playfair-display-latin-500-normal.woff  
playfair-display-latin-500-normal.woff2  
playfair-display-latin-600-italic.woff  
playfair-display-latin-600-italic.woff2  
playfair-display-latin-600-normal.woff  
playfair-display-latin-600-normal.woff2  
playfair-display-latin-700-italic.woff  
playfair-display-latin-700-italic.woff2  
playfair-display-latin-700-normal.woff  
playfair-display-latin-700-normal.woff2  
playfair-display-latin-800-italic.woff  
playfair-display-latin-800-italic.woff2  
playfair-display-latin-800-normal.woff  
playfair-display-latin-800-normal.woff2  
playfair-display-latin-900-italic.woff  
playfair-display-latin-900-italic.woff2  
playfair-display-latin-900-normal.woff  
playfair-display-latin-900-normal.woff2  
playfair-display-latin-ext-400-italic.woff  
playfair-display-latin-ext-400-italic.woff2  
playfair-display-latin-ext-400-normal.woff  
playfair-display-latin-ext-400-normal.woff2  
playfair-display-latin-ext-500-italic.woff  
playfair-display-latin-ext-500-italic.woff2  
playfair-display-latin-ext-500-normal.woff  
playfair-display-latin-ext-500-normal.woff2  
playfair-display-latin-ext-600-italic.woff  
playfair-display-latin-ext-600-italic.woff2  
playfair-display-latin-ext-600-normal.woff  
playfair-display-latin-ext-600-normal.woff2  
playfair-display-latin-ext-700-italic.woff  
playfair-display-latin-ext-700-italic.woff2  
playfair-display-latin-ext-700-normal.woff  
playfair-display-latin-ext-700-normal.woff2  
playfair-display-latin-ext-800-italic.woff  
playfair-display-latin-ext-800-italic.woff2  
playfair-display-latin-ext-800-normal.woff  
playfair-display-latin-ext-800-normal.woff2

```

playfair-display-latin-ext-900-italic.woff
playfair-display-latin-ext-900-italic.woff2
playfair-display-latin-ext-900-normal.woff
playfair-display-latin-ext-900-normal.woff2
playfair-display-vietnamese-400-italic.woff
playfair-display-vietnamese-400-italic.woff2
playfair-display-vietnamese-400-normal.woff
playfair-display-vietnamese-400-normal.woff2
playfair-display-vietnamese-500-italic.woff
playfair-display-vietnamese-500-italic.woff2
playfair-display-vietnamese-500-normal.woff
playfair-display-vietnamese-500-normal.woff2
playfair-display-vietnamese-600-italic.woff
playfair-display-vietnamese-600-italic.woff2
playfair-display-vietnamese-600-normal.woff
playfair-display-vietnamese-600-normal.woff2
playfair-display-vietnamese-700-italic.woff
playfair-display-vietnamese-700-italic.woff2
playfair-display-vietnamese-700-normal.woff
playfair-display-vietnamese-700-normal.woff2
playfair-display-vietnamese-800-italic.woff
playfair-display-vietnamese-800-italic.woff2
playfair-display-vietnamese-800-normal.woff
playfair-display-vietnamese-800-normal.woff2
playfair-display-vietnamese-900-italic.woff
playfair-display-vietnamese-900-italic.woff2
playfair-display-vietnamese-900-normal.woff
playfair-display-vietnamese-900-normal.woff2

```

```

\---scss

```

```

  metadata.scss
  mixins.scss

```

```

+---@humanfs

```

```

  +---core

```

```

    LICENSE
    package.json
    README.md

```

```

    +---dist

```

```

      errors.d.ts
      fsx.d.ts
      hfs.d.ts
      index.d.ts
      path.d.ts

```

```

    \---src

```

```

      errors.js
      hfs.js
      index.js
      path.js

```

```

  +---node

```

```

    LICENSE
    package.json
    README.md

```

```

    +---dist

```

```

      index.d.ts
      node-fsx.d.ts
      node-hfs.d.ts

```

```

    \---src

```

```

      index.js
      node-hfs.js

```

```

|
| \---types
|     CHANGELOG.md
|     package.json
|     README.md
|     tsconfig.json
| \---src
|     hfs-types.ts
|
+---@humanwhocodes
|   +---module-importer
|   |   CHANGELOG.md
|   |   LICENSE
|   |   package.json
|   |   README.md
|   |
|   |   +---dist
|   |   |   module-importer.cjs
|   |   |   module-importer.d.cts
|   |   |   module-importer.d.ts
|   |   |   module-importer.js
|   |   |
|   |   | \---src
|   |   |     module-importer.cjs
|   |   |     module-importer.js
|   |   |
|   |   \---retry
|   |   |   LICENSE
|   |   |   package.json
|   |   |   README.md
|   |   |
|   |   | \---dist
|   |   |   retrier.cjs
|   |   |   retrier.d.cts
|   |   |   retrier.d.ts
|   |   |   retrier.js
|   |   |   retrier.min.js
|   |   |   retrier.mjs
|   |
|   \---@img
|   |   +---colour
|   |   |   color.cjs
|   |   |   index.cjs
|   |   |   index.d.ts
|   |   |   LICENSE.md
|   |   |   package.json
|   |   |   README.md
|   |   |
|   |   | \---sharp-win32-x64
|   |   |   |   LICENSE
|   |   |   |   package.json
|   |   |   |   README.md
|   |   |   |   versions.json
|   |   |   |
|   |   |   | \---lib
|   |   |   |     libvips-42.dll
|   |   |   |     libvips-cpp-8.17.3.dll
|   |   |   |     sharp-win32-x64.node
|   |
|   +---@jridgewell
|   |   +---gen-mapping
|   |   |   LICENSE
|   |   |   package.json
|   |   |   README.md

```

```

+---dist
|
|   gen-mapping.mjs
|   gen-mapping.mjs.map
|   gen-mapping.umd.js
|   gen-mapping.umd.js.map
|
|   \---types
|       gen-mapping.d.ts
|       set-array.d.ts
|       sourcemap-segment.d.ts
|       types.d.ts
|
+---src
|
|   gen-mapping.ts
|   set-array.ts
|   sourcemap-segment.ts
|   types.ts
|
\---types
    gen-mapping.d.cts
    gen-mapping.d.cts.map
    gen-mapping.d.mts
    gen-mapping.d.mts.map
    set-array.d.cts
    set-array.d.cts.map
    set-array.d.mts
    set-array.d.mts.map
    sourcemap-segment.d.cts
    sourcemap-segment.d.cts.map
    sourcemap-segment.d.mts
    sourcemap-segment.d.mts.map
    types.d.cts
    types.d.cts.map
    types.d.mts
    types.d.mts.map

+---remapping
|
|   LICENSE
|   package.json
|   README.md
|
+---dist
|
|   remapping.mjs
|   remapping.mjs.map
|   remapping.umd.js
|   remapping.umd.js.map
|
+---src
|
|   build-source-map-tree.ts
|   remapping.ts
|   source-map-tree.ts
|   source-map.ts
|   types.ts
|
\---types
    build-source-map-tree.d.cts
    build-source-map-tree.d.cts.map
    build-source-map-tree.d.mts
    build-source-map-tree.d.mts.map
    remapping.d.cts
    remapping.d.cts.map
    remapping.d.mts
    remapping.d.mts.map
    source-map-tree.d.cts

```

```

source-map-tree.d.cts.map
source-map-tree.d.mts
source-map-tree.d.mts.map
source-map.d.cts
source-map.d.cts.map
source-map.d.mts
source-map.d.mts.map
types.d.cts
types.d.cts.map
types.d.mts
types.d.mts.map

+---resolve-uri
|   LICENSE
|   package.json
|   README.md
|
|   \---dist
|       |   resolve-uri.mjs
|       |   resolve-uri.mjs.map
|       |   resolve-uri.umd.js
|       |   resolve-uri.umd.js.map
|       |
|       \---types
|           resolve-uri.d.ts
|
+---sourcemap-codec
|   LICENSE
|   package.json
|   README.md
|
|   +---dist
|       |   sourcemap-codec.mjs
|       |   sourcemap-codec.mjs.map
|       |   sourcemap-codec.umd.js
|       |   sourcemap-codec.umd.js.map
|       |
|       +---src
|           |   scopes.ts
|           |   sourcemap-codec.ts
|           |   strings.ts
|           |   vlq.ts
|           |
|           \---types
|               |   scopes.d.cts
|               |   scopes.d.cts.map
|               |   scopes.d.mts
|               |   scopes.d.mts.map
|               |   sourcemap-codec.d.cts
|               |   sourcemap-codec.d.cts.map
|               |   sourcemap-codec.d.mts
|               |   sourcemap-codec.d.mts.map
|               |   strings.d.cts
|               |   strings.d.cts.map
|               |   strings.d.mts
|               |   strings.d.mts.map
|               |   vlq.d.cts
|               |   vlq.d.cts.map
|               |   vlq.d.mts
|               |   vlq.d.mts.map
|               |
|               \---trace-mapping
|                   |   LICENSE
|                   |   package.json
|                   |   README.md

```

215/819

fs.js

+---@next

+---env

package.json  
README.md

\---dist

index.d.ts  
index.js

+---eslint-plugin-next

package.json  
README.md

\---dist

index.d.ts  
index.js

+---rules

google-font-display.d.ts  
 google-font-display.js  
 google-font-preconnect.d.ts  
 google-font-preconnect.js  
 inline-script-id.d.ts  
 inline-script-id.js  
 next-script-for-ga.d.ts  
 next-script-for-ga.js  
 no-assign-module-variable.d.ts  
 no-assign-module-variable.js  
 no-async-client-component.d.ts  
 no-async-client-component.js  
 no-before-interactive-script-outside-document.d.ts  
 no-before-interactive-script-outside-document.js  
 no-css-tags.d.ts  
 no-css-tags.js  
 no-document-import-in-page.d.ts  
 no-document-import-in-page.js  
 no-duplicate-head.d.ts  
 no-duplicate-head.js  
 no-head-element.d.ts  
 no-head-element.js  
 no-head-import-in-document.d.ts  
 no-head-import-in-document.js  
 no-html-link-for-pages.d.ts  
 no-html-link-for-pages.js  
 no-img-element.d.ts  
 no-img-element.js  
 no-page-custom-font.d.ts  
 no-page-custom-font.js  
 no-script-component-in-head.d.ts  
 no-script-component-in-head.js  
 no-styled-jsx-in-document.d.ts  
 no-styled-jsx-in-document.js  
 no-sync-scripts.d.ts  
 no-sync-scripts.js  
 no-title-in-document-head.d.ts  
 no-title-in-document-head.js  
 no-typos.d.ts  
 no-typos.js  
 no-unwanted-polyfillio.d.ts  
 no-unwanted-polyfillio.js

\---utils

define-rule.d.ts



```

define-rule.js
get-root-dirs.d.ts
get-root-dirs.js
node-attributes.d.ts
node-attributes.js
url.d.ts
url.js

\---swc-win32-x64-msvc
  next-swc.win32-x64-msvc.node
  package.json
  README.md

+---@nodelib
+---fs.scandir
  | LICENSE
  | package.json
  | README.md
  |
  \---out
    | constants.d.ts
    | constants.js
    | index.d.ts
    | index.js
    | settings.d.ts
    | settings.js
    |
    +---adapters
    |   fs.d.ts
    |   fs.js
    |
    +---providers
    |   async.d.ts
    |   async.js
    |   common.d.ts
    |   common.js
    |   sync.d.ts
    |   sync.js
    |
    +---types
    |   index.d.ts
    |   index.js
    |
    \---utils
        fs.d.ts
        fs.js
        index.d.ts
        index.js

+---fs.stat
  | LICENSE
  | package.json
  | README.md
  |
  \---out
    | index.d.ts
    | index.js
    | settings.d.ts
    | settings.js
    |
    +---adapters
    |   fs.d.ts
    |   fs.js
    |
    +---providers

```

```

      |
      |      async.d.ts
      |      async.js
      |      sync.d.ts
      |      sync.js
      |
      |      \---types
      |              index.d.ts
      |              index.js
      |
      |      \---fs.walk
      |              LICENSE
      |              package.json
      |              README.md
      |
      |              \---out
      |                      index.d.ts
      |                      index.js
      |                      settings.d.ts
      |                      settings.js
      |
      |              +---providers
      |                      async.d.ts
      |                      async.js
      |                      index.d.ts
      |                      index.js
      |                      stream.d.ts
      |                      stream.js
      |                      sync.d.ts
      |                      sync.js
      |
      |              +---readers
      |                      async.d.ts
      |                      async.js
      |                      common.d.ts
      |                      common.js
      |                      reader.d.ts
      |                      reader.js
      |                      sync.d.ts
      |                      sync.js
      |
      |              \---types
      |                      index.d.ts
      |                      index.js
      |
      |      +---@nolyfill
      |              \---is-core-module
      |                      index.d.ts
      |                      index.js
      |                      LICENSE
      |                      package.json
      |
      |      +---@rtsao
      |              \---scc
      |                      index.d.ts
      |                      index.js
      |                      index.js.flow
      |                      LICENSE
      |                      package.json
      |                      README.md
      |
      |      +---@swc
      |              \---helpers
      |                      LICENSE
      |                      package.json

```

```

+---cjs
  index.cjs
  _apply_decorated_descriptor.cjs
  _apply_decs_2203_r.cjs
  _array_like_to_array.cjs
  _array_without_holes.cjs
  _array_with_holes.cjs
  _assert_this_initialized.cjs
  _async_generator.cjs
  _async_generator_delegate.cjs
  _async_iterator.cjs
  _async_to_generator.cjs
  _await_async_generator.cjs
  _await_value.cjs
  _call_super.cjs
  _check_private_redeclaration.cjs
  _class_apply_descriptor_destructure.cjs
  _class_apply_descriptor_get.cjs
  _class_apply_descriptor_set.cjs
  _class_apply_descriptor_update.cjs
  _class_call_check.cjs
  _class_check_private_static_access.cjs
  _class_check_private_static_field_descriptor.cjs
  _class_extract_field_descriptor.cjs
  _class_name_tdz_error.cjs
  _class_private_field_destructure.cjs
  _class_private_field_get.cjs
  _class_private_field_init.cjs
  _class_private_field_loose_base.cjs
  _class_private_field_loose_key.cjs
  _class_private_field_set.cjs
  _class_private_field_update.cjs
  _class_private_method_get.cjs
  _class_private_method_init.cjs
  _class_private_method_set.cjs
  _class_static_private_field_destructure.cjs
  _class_static_private_field_spec_get.cjs
  _class_static_private_field_spec_set.cjs
  _class_static_private_field_update.cjs
  _class_static_private_method_get.cjs
  _construct.cjs
  _create_class.cjs
  _create_for_of_iterator_helper_loose.cjs
  _create_super.cjs
  _decorate.cjs
  _defaults.cjs
  _define_enumerable_properties.cjs
  _define_property.cjs
  _dispose.cjs
  _export_star.cjs
  _extends.cjs
  _get.cjs
  _get_prototype_of.cjs
  _identity.cjs
  _inherits.cjs
  _inherits_loose.cjs
  _initializer_define_property.cjs
  _initializer_warning_helper.cjs
  _instanceof.cjs
  _interop_require_default.cjs
  _interop_require_wildcard.cjs
  _is_native_function.cjs
  _is_native_reflect_construct.cjs
  _iterable_to_array.cjs
  _iterable_to_array_limit.cjs

```

```

_iterable_to_array_limit_loose.cjs
_jsx.cjs
_new_arrow_check.cjs
_non_iterable_rest.cjs
_non_iterable_spread.cjs
_object_destructuring_empty.cjs
_object_spread.cjs
_object_spread_props.cjs
_object_without_properties.cjs
_object_without_properties_loose.cjs
_possible_constructor_return.cjs
_read_only_error.cjs
_set.cjs
_set_prototype_of.cjs
_skip_first_generator_next.cjs
_sliced_to_array.cjs
_sliced_to_array_loose.cjs
_super_prop_base.cjs
_tagged_template_literal.cjs
_tagged_template_literal_loose.cjs
_throw.cjs
_to_array.cjs
_to_consumable_array.cjs
_to_primitive.cjs
_to_property_key.cjs
_ts_add_disposable_resource.cjs
_ts_decorate.cjs
_ts_dispose_resources.cjs
_ts_generator.cjs
_ts_metadata.cjs
_ts_param.cjs
_ts_values.cjs
_type_of.cjs
_unsupported_iterable_to_array.cjs
_update.cjs
_using.cjs
_using_ctx.cjs
_wrap_async_generator.cjs
_wrap_native_super.cjs
_write_only_error.cjs

```

```
+---esm
```

```

index.js
_apply_decorated_descriptor.js
_apply_decs_2203_r.js
_array_like_to_array.js
_array_without_holes.js
_array_with_holes.js
_assert_this_initialized.js
_async_generator.js
_async_generator_delegate.js
_async_iterator.js
_async_to_generator.js
_await_async_generator.js
_await_value.js
_call_super.js
_check_private_redeclaration.js
_class_apply_descriptor_destructure.js
_class_apply_descriptor_get.js
_class_apply_descriptor_set.js
_class_apply_descriptor_update.js
_class_call_check.js
_class_check_private_static_access.js
_class_check_private_static_field_descriptor.js
_class_extract_field_descriptor.js

```

\_class\_name\_tdz\_error.js  
\_class\_private\_field\_destructure.js  
\_class\_private\_field\_get.js  
\_class\_private\_field\_init.js  
\_class\_private\_field\_loose\_base.js  
\_class\_private\_field\_loose\_key.js  
\_class\_private\_field\_set.js  
\_class\_private\_field\_update.js  
\_class\_private\_method\_get.js  
\_class\_private\_method\_init.js  
\_class\_private\_method\_set.js  
\_class\_static\_private\_field\_destructure.js  
\_class\_static\_private\_field\_spec\_get.js  
\_class\_static\_private\_field\_spec\_set.js  
\_class\_static\_private\_field\_update.js  
\_class\_static\_private\_method\_get.js  
\_construct.js  
\_create\_class.js  
\_create\_for\_of\_iterator\_helper\_loose.js  
\_create\_super.js  
\_decorate.js  
\_defaults.js  
\_define\_enumerable\_properties.js  
\_define\_property.js  
\_dispose.js  
\_export\_star.js  
\_extends.js  
\_get.js  
\_get\_prototype\_of.js  
\_identity.js  
\_inherits.js  
\_inherits\_loose.js  
\_initializer\_define\_property.js  
\_initializer\_warning\_helper.js  
\_instanceof.js  
\_interop\_require\_default.js  
\_interop\_require\_wildcard.js  
\_is\_native\_function.js  
\_is\_native\_reflect\_construct.js  
\_iterable\_to\_array.js  
\_iterable\_to\_array\_limit.js  
\_iterable\_to\_array\_limit\_loose.js  
\_jsx.js  
\_new\_arrow\_check.js  
\_non\_iterable\_rest.js  
\_non\_iterable\_spread.js  
\_object\_destructuring\_empty.js  
\_object\_spread.js  
\_object\_spread\_props.js  
\_object\_without\_properties.js  
\_object\_without\_properties\_loose.js  
\_possible\_constructor\_return.js  
\_read\_only\_error.js  
\_set.js  
\_set\_prototype\_of.js  
\_skip\_first\_generator\_next.js  
\_sliced\_to\_array.js  
\_sliced\_to\_array\_loose.js  
\_super\_prop\_base.js  
\_tagged\_template\_literal.js  
\_tagged\_template\_literal\_loose.js  
\_throw.js  
\_to\_array.js  
\_to\_consumable\_array.js  
\_to\_primitive.js

```

_to_property_key.js
_ts_add_disposable_resource.js
_ts_decorate.js
_ts_dispose_resources.js
_ts_generator.js
_ts_metadata.js
_ts_param.js
_ts_values.js
_type_of.js
_unsupported_iterable_to_array.js
_update.js
_using.js
_using_ctx.js
_wrap_async_generator.js
_wrap_native_super.js
_write_only_error.js

+---scripts
  ast_grep.js
  build.js
  errors.js
  utils.js

+---src
  index.mjs
  _apply_decorated_descriptor.mjs
  _apply_decs_2203_r.mjs
  _array_like_to_array.mjs
  _array_without_holes.mjs
  _array_with_holes.mjs
  _assert_this_initialized.mjs
  _async_generator.mjs
  _async_generator_delegate.mjs
  _async_iterator.mjs
  _async_to_generator.mjs
  _await_async_generator.mjs
  _await_value.mjs
  _call_super.mjs
  _check_private_redeclaration.mjs
  _class_apply_descriptor_destructure.mjs
  _class_apply_descriptor_get.mjs
  _class_apply_descriptor_set.mjs
  _class_apply_descriptor_update.mjs
  _class_call_check.mjs
  _class_check_private_static_access.mjs
  _class_check_private_static_field_descriptor.mjs
  _class_extract_field_descriptor.mjs
  _class_name_tdz_error.mjs
  _class_private_field_destructure.mjs
  _class_private_field_get.mjs
  _class_private_field_init.mjs
  _class_private_field_loose_base.mjs
  _class_private_field_loose_key.mjs
  _class_private_field_set.mjs
  _class_private_field_update.mjs
  _class_private_method_get.mjs
  _class_private_method_init.mjs
  _class_private_method_set.mjs
  _class_static_private_field_destructure.mjs
  _class_static_private_field_spec_get.mjs
  _class_static_private_field_spec_set.mjs
  _class_static_private_field_update.mjs
  _class_static_private_method_get.mjs
  _construct.mjs
  _create_class.mjs

```

\_create\_for\_of\_iterator\_helper\_loose.mjs  
\_create\_super.mjs  
\_decorate.mjs  
\_defaults.mjs  
\_define\_enumerable\_properties.mjs  
\_define\_property.mjs  
\_dispose.mjs  
\_export\_star.mjs  
\_extends.mjs  
\_get.mjs  
\_get\_prototype\_of.mjs  
\_identity.mjs  
\_inherits.mjs  
\_inherits\_loose.mjs  
\_initializer\_define\_property.mjs  
\_initializer\_warning\_helper.mjs  
\_instanceof.mjs  
\_interop\_require\_default.mjs  
\_interop\_require\_wildcard.mjs  
\_is\_native\_function.mjs  
\_is\_native\_reflect\_construct.mjs  
\_iterable\_to\_array.mjs  
\_iterable\_to\_array\_limit.mjs  
\_iterable\_to\_array\_limit\_loose.mjs  
\_jsx.mjs  
\_new\_arrow\_check.mjs  
\_non\_iterable\_rest.mjs  
\_non\_iterable\_spread.mjs  
\_object\_destructuring\_empty.mjs  
\_object\_spread.mjs  
\_object\_spread\_props.mjs  
\_object\_without\_properties.mjs  
\_object\_without\_properties\_loose.mjs  
\_possible\_constructor\_return.mjs  
\_read\_only\_error.mjs  
\_set.mjs  
\_set\_prototype\_of.mjs  
\_skip\_first\_generator\_next.mjs  
\_sliced\_to\_array.mjs  
\_sliced\_to\_array\_loose.mjs  
\_super\_prop\_base.mjs  
\_tagged\_template\_literal.mjs  
\_tagged\_template\_literal\_loose.mjs  
\_throw.mjs  
\_to\_array.mjs  
\_to\_consumable\_array.mjs  
\_to\_primitive.mjs  
\_to\_property\_key.mjs  
\_ts\_add\_disposable\_resource.mjs  
\_ts\_decorate.mjs  
\_ts\_dispose\_resources.mjs  
\_ts\_generator.mjs  
\_ts\_metadata.mjs  
\_ts\_param.mjs  
\_ts\_values.mjs  
\_type\_of.mjs  
\_unsupported\_iterable\_to\_array.mjs  
\_update.mjs  
\_using.mjs  
\_using\_ctx.mjs  
\_wrap\_async\_generator.mjs  
\_wrap\_native\_super.mjs  
\_write\_only\_error.mjs

\---\_

```
+---index
|   package.json
+---_apply_decorated_descriptor
|   package.json
+---_apply_decs_2203_r
|   package.json
+---_array_like_to_array
|   package.json
+---_array_without_holes
|   package.json
+---_array_with_holes
|   package.json
+---_assert_this_initialized
|   package.json
+---_async_generator
|   package.json
+---_async_generator_delegate
|   package.json
+---_async_iterator
|   package.json
+---_async_to_generator
|   package.json
+---_await_async_generator
|   package.json
+---_await_value
|   package.json
+---_call_super
|   package.json
+---_check_private_redeclaration
|   package.json
+---_class_apply_descriptor_destructure
|   package.json
+---_class_apply_descriptor_get
|   package.json
+---_class_apply_descriptor_set
|   package.json
+---_class_apply_descriptor_update
|   package.json
+---_class_call_check
|   package.json
+---_class_check_private_static_access
|   package.json
+---_class_check_private_static_field_descriptor
|   package.json
```



```
|
|+---_class_extract_field_descriptor
|    package.json
|
|+---_class_name_tdz_error
|    package.json
|
|+---_class_private_field_destructure
|    package.json
|
|+---_class_private_field_get
|    package.json
|
|+---_class_private_field_init
|    package.json
|
|+---_class_private_field_loose_base
|    package.json
|
|+---_class_private_field_loose_key
|    package.json
|
|+---_class_private_field_set
|    package.json
|
|+---_class_private_field_update
|    package.json
|
|+---_class_private_method_get
|    package.json
|
|+---_class_private_method_init
|    package.json
|
|+---_class_private_method_set
|    package.json
|
|+---_class_static_private_field_destructure
|    package.json
|
|+---_class_static_private_field_spec_get
|    package.json
|
|+---_class_static_private_field_spec_set
|    package.json
|
|+---_class_static_private_field_update
|    package.json
|
|+---_class_static_private_method_get
|    package.json
|
|+---_construct
|    package.json
|
|+---_create_class
|    package.json
|
|+---_create_for_of_iterator_helper_loose
|    package.json
|
|+---_create_super
|    package.json
|
|+---_decorate
```

```
|      package.json
|
+--- _defaults
|      package.json
|
+--- _define_enumerable_properties
|      package.json
|
+--- _define_property
|      package.json
|
+--- _dispose
|      package.json
|
+--- _export_star
|      package.json
|
+--- _extends
|      package.json
|
+--- _get
|      package.json
|
+--- _get_prototype_of
|      package.json
|
+--- _identity
|      package.json
|
+--- _inherits
|      package.json
|
+--- _inherits_loose
|      package.json
|
+--- _initializer_define_property
|      package.json
|
+--- _initializer_warning_helper
|      package.json
|
+--- _instanceof
|      package.json
|
+--- _interop_require_default
|      package.json
|
+--- _interop_require_wildcard
|      package.json
|
+--- _is_native_function
|      package.json
|
+--- _is_native_reflect_construct
|      package.json
|
+--- _iterable_to_array
|      package.json
|
+--- _iterable_to_array_limit
|      package.json
|
+--- _iterable_to_array_limit_loose
|      package.json
```

```
+---_jsx
|   package.json
+---_new_arrow_check
|   package.json
+---_non_iterable_rest
|   package.json
+---_non_iterable_spread
|   package.json
+---_object_destructuring_empty
|   package.json
+---_object_spread
|   package.json
+---_object_spread_props
|   package.json
+---_object_without_properties
|   package.json
+---_object_without_properties_loose
|   package.json
+---_possible_constructor_return
|   package.json
+---_read_only_error
|   package.json
+---_set
|   package.json
+---_set_prototype_of
|   package.json
+---_skip_first_generator_next
|   package.json
+---_sliced_to_array
|   package.json
+---_sliced_to_array_loose
|   package.json
+---_super_prop_base
|   package.json
+---_tagged_template_literal
|   package.json
+---_tagged_template_literal_loose
|   package.json
+---_throw
|   package.json
+---_to_array
|   package.json
+---_to_consumable_array
|   package.json
```

```

|
| +---_to_primitive
| | package.json
|
| +---_to_property_key
| | package.json
|
| +---_ts_add_disposable_resource
| | package.json
|
| +---_ts_decorate
| | package.json
|
| +---_ts_dispose_resources
| | package.json
|
| +---_ts_generator
| | package.json
|
| +---_ts_metadata
| | package.json
|
| +---_ts_param
| | package.json
|
| +---_ts_values
| | package.json
|
| +---_type_of
| | package.json
|
| +---_unsupported_iterable_to_array
| | package.json
|
| +---_update
| | package.json
|
| +---_using
| | package.json
|
| +---_using_ctx
| | package.json
|
| +---_wrap_async_generator
| | package.json
|
| +---_wrap_native_super
| | package.json
|
| \---_write_only_error
| | package.json
|
+---@tailwindcss
| +---node
| | LICENSE
| | package.json
| | README.md
|
| \---dist
| | esm-cache.loader.d.mts
| | esm-cache.loader.mjs
| | index.d.mts
| | index.d.ts
| | index.js
| | index.mjs

```

```

    require-cache.d.ts
    require-cache.js
+---oxide
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
+---oxide-win32-x64-msvc
|   LICENSE
|   package.json
|   README.md
|   tailwindcss-oxide.win32-x64-msvc.node
\---postcss
|   LICENSE
|   package.json
|   README.md
|   \---dist
|       index.d.mts
|       index.d.ts
|       index.js
|       index.mjs
+---@tybys
|   \---wasm-util
|       package.json
|       README.md
|       +---dist
|           tsdoc-metadata.json
|           wasm-util.d.ts
|           wasm-util.esm-bundler.js
|           wasm-util.esm.js
|           wasm-util.esm.min.js
|           wasm-util.js
|           wasm-util.min.js
|       \---lib
|           +---cjs
|               asyncify.js
|               index.js
|               jsapi.js
|               load.js
|               memory.js
|               webassembly.js
|               \---wasi
|                   error.js
|                   fd.js
|                   fs.js
|                   index.js
|                   path.js
|                   preview1.js
|                   rights.js
|                   types.js
|                   util.js
|           \---mjs
|               asyncify.mjs
|               index.mjs
|               jsapi.mjs
|               load.mjs

```

```

|   memory.mjs
|   webassembly.mjs
|
|   \---wasi
|       error.mjs
|       fd.mjs
|       fs.mjs
|       index.mjs
|       path.mjs
|       preview1.mjs
|       rights.mjs
|       types.mjs
|       util.mjs

```

```

+---@types

```

```

+---estree

```

```

|   flow.d.ts
|   index.d.ts
|   LICENSE
|   package.json
|   README.md

```

```

+---json-schema

```

```

|   index.d.ts
|   LICENSE
|   package.json
|   README.md

```

```

+---json5

```

```

|   index.d.ts
|   package.json
|   README.md
|   types-metadata.json

```

```

+---node

```

```

|   assert.d.ts
|   async_hooks.d.ts
|   buffer.buffer.d.ts
|   buffer.d.ts
|   child_process.d.ts
|   cluster.d.ts
|   console.d.ts
|   constants.d.ts
|   crypto.d.ts
|   dgram.d.ts
|   diagnostics_channel.d.ts
|   dns.d.ts
|   domain.d.ts
|   events.d.ts
|   fs.d.ts
|   globals.d.ts
|   globals.typedarray.d.ts
|   http.d.ts
|   http2.d.ts
|   https.d.ts
|   index.d.ts
|   inspector.generated.d.ts
|   LICENSE
|   module.d.ts
|   net.d.ts
|   os.d.ts
|   package.json
|   path.d.ts
|   perf_hooks.d.ts
|   process.d.ts

```

231/819

```

|
|
|
|   jsx-runtime.d.ts
|   LICENSE
|   package.json
|   README.md
|
|   \---ts5.0
|       canary.d.ts
|       experimental.d.ts
|       global.d.ts
|       index.d.ts
|       jsx-dev-runtime.d.ts
|       jsx-runtime.d.ts
|
|   \---react-dom
|       canary.d.ts
|       client.d.ts
|       experimental.d.ts
|       index.d.ts
|       LICENSE
|       package.json
|       README.md
|       server.browser.d.ts
|       server.bun.d.ts
|       server.d.ts
|       server.edge.d.ts
|       server.node.d.ts
|       static.browser.d.ts
|       static.d.ts
|       static.edge.d.ts
|       static.node.d.ts
|
|   \---test-utils
|       index.d.ts
|
+---@typescript-eslint
+---eslint-plugin
|   index.d.ts
|   LICENSE
|   package.json
|   raw-plugin.d.ts
|   README.md
|   rules.d.ts
|
+---dist
|   index.d.ts
|   index.js
|   raw-plugin.d.ts
|   raw-plugin.js
|
+---configs
|   eslint-recommended-raw.d.ts
|   eslint-recommended-raw.js
|
+---eslintrc
|   all.d.ts
|   all.js
|   base.d.ts
|   base.js
|   disable-type-checked.d.ts
|   disable-type-checked.js
|   eslint-recommended.d.ts
|   eslint-recommended.js
|   recommended-type-checked-only.d.ts
|   recommended-type-checked-only.js
|   recommended-type-checked.d.ts

```



```

recommended-type-checked.js
recommended.d.ts
recommended.js
strict-type-checked-only.d.ts
strict-type-checked-only.js
strict-type-checked.d.ts
strict-type-checked.js
strict.d.ts
strict.js
stylistic-type-checked-only.d.ts
stylistic-type-checked-only.js
stylistic-type-checked.d.ts
stylistic-type-checked.js
stylistic.d.ts
stylistic.js
\---flat
  all.d.ts
  all.js
  base.d.ts
  base.js
  disable-type-checked.d.ts
  disable-type-checked.js
  eslint-recommended.d.ts
  eslint-recommended.js
  recommended-type-checked-only.d.ts
  recommended-type-checked-only.js
  recommended-type-checked.d.ts
  recommended-type-checked.js
  recommended.d.ts
  recommended.js
  strict-type-checked-only.d.ts
  strict-type-checked-only.js
  strict-type-checked.d.ts
  strict-type-checked.js
  strict.d.ts
  strict.js
  stylistic-type-checked-only.d.ts
  stylistic-type-checked-only.js
  stylistic-type-checked.d.ts
  stylistic-type-checked.js
  stylistic.d.ts
  stylistic.js
+---rules
  adjacent-overload-signatures.d.ts
  adjacent-overload-signatures.js
  array-type.d.ts
  array-type.js
  await-thenable.d.ts
  await-thenable.js
  ban-ts-comment.d.ts
  ban-ts-comment.js
  ban-eslint-comment.d.ts
  ban-eslint-comment.js
  class-literal-property-style.d.ts
  class-literal-property-style.js
  class-methods-use-this.d.ts
  class-methods-use-this.js
  consistent-generic-constructors.d.ts
  consistent-generic-constructors.js
  consistent-indexed-object-style.d.ts
  consistent-indexed-object-style.js
  consistent-return.d.ts
  consistent-return.js

```

consistent-type-assertions.d.ts  
consistent-type-assertions.js  
consistent-type-definitions.d.ts  
consistent-type-definitions.js  
consistent-type-exports.d.ts  
consistent-type-exports.js  
consistent-type-imports.d.ts  
consistent-type-imports.js  
default-param-last.d.ts  
default-param-last.js  
dot-notation.d.ts  
dot-notation.js  
explicit-function-return-type.d.ts  
explicit-function-return-type.js  
explicit-member-accessibility.d.ts  
explicit-member-accessibility.js  
explicit-module-boundary-types.d.ts  
explicit-module-boundary-types.js  
index.d.ts  
index.js  
init-declarations.d.ts  
init-declarations.js  
max-params.d.ts  
max-params.js  
member-ordering.d.ts  
member-ordering.js  
method-signature-style.d.ts  
method-signature-style.js  
naming-convention.d.ts  
naming-convention.js  
no-array-constructor.d.ts  
no-array-constructor.js  
no-array-delete.d.ts  
no-array-delete.js  
no-base-to-string.d.ts  
no-base-to-string.js  
no-confusing-non-null-assertion.d.ts  
no-confusing-non-null-assertion.js  
no-confusing-void-expression.d.ts  
no-confusing-void-expression.js  
no-deprecated.d.ts  
no-deprecated.js  
no-dupe-class-members.d.ts  
no-dupe-class-members.js  
no-duplicate-enum-values.d.ts  
no-duplicate-enum-values.js  
no-duplicate-type-constituents.d.ts  
no-duplicate-type-constituents.js  
no-dynamic-delete.d.ts  
no-dynamic-delete.js  
no-empty-function.d.ts  
no-empty-function.js  
no-empty-interface.d.ts  
no-empty-interface.js  
no-empty-object-type.d.ts  
no-empty-object-type.js  
no-explicit-any.d.ts  
no-explicit-any.js  
no-extra-non-null-assertion.d.ts  
no-extra-non-null-assertion.js  
no-extraneous-class.d.ts  
no-extraneous-class.js  
no-floating-promises.d.ts  
no-floating-promises.js  
no-for-in-array.d.ts

|  |  |  |  |  |  |                                                   |
|--|--|--|--|--|--|---------------------------------------------------|
|  |  |  |  |  |  | no-for-in-array.js                                |
|  |  |  |  |  |  | no-implied-eval.d.ts                              |
|  |  |  |  |  |  | no-implied-eval.js                                |
|  |  |  |  |  |  | no-import-type-side-effects.d.ts                  |
|  |  |  |  |  |  | no-import-type-side-effects.js                    |
|  |  |  |  |  |  | no-inferable-types.d.ts                           |
|  |  |  |  |  |  | no-inferable-types.js                             |
|  |  |  |  |  |  | no-invalid-this.d.ts                              |
|  |  |  |  |  |  | no-invalid-this.js                                |
|  |  |  |  |  |  | no-invalid-void-type.d.ts                         |
|  |  |  |  |  |  | no-invalid-void-type.js                           |
|  |  |  |  |  |  | no-loop-func.d.ts                                 |
|  |  |  |  |  |  | no-loop-func.js                                   |
|  |  |  |  |  |  | no-loss-of-precision.d.ts                         |
|  |  |  |  |  |  | no-loss-of-precision.js                           |
|  |  |  |  |  |  | no-magic-numbers.d.ts                             |
|  |  |  |  |  |  | no-magic-numbers.js                               |
|  |  |  |  |  |  | no-meaningless-void-operator.d.ts                 |
|  |  |  |  |  |  | no-meaningless-void-operator.js                   |
|  |  |  |  |  |  | no-misused-new.d.ts                               |
|  |  |  |  |  |  | no-misused-new.js                                 |
|  |  |  |  |  |  | no-misused-promises.d.ts                          |
|  |  |  |  |  |  | no-misused-promises.js                            |
|  |  |  |  |  |  | no-misused-spread.d.ts                            |
|  |  |  |  |  |  | no-misused-spread.js                              |
|  |  |  |  |  |  | no-mixed-enums.d.ts                               |
|  |  |  |  |  |  | no-mixed-enums.js                                 |
|  |  |  |  |  |  | no-namespace.d.ts                                 |
|  |  |  |  |  |  | no-namespace.js                                   |
|  |  |  |  |  |  | no-non-null-asserted-nullish-coalescing.d.ts      |
|  |  |  |  |  |  | no-non-null-asserted-nullish-coalescing.js        |
|  |  |  |  |  |  | no-non-null-asserted-optional-chain.d.ts          |
|  |  |  |  |  |  | no-non-null-asserted-optional-chain.js            |
|  |  |  |  |  |  | no-non-null-assertion.d.ts                        |
|  |  |  |  |  |  | no-non-null-assertion.js                          |
|  |  |  |  |  |  | no-redeclare.d.ts                                 |
|  |  |  |  |  |  | no-redeclare.js                                   |
|  |  |  |  |  |  | no-redundant-type-constituents.d.ts               |
|  |  |  |  |  |  | no-redundant-type-constituents.js                 |
|  |  |  |  |  |  | no-require-imports.d.ts                           |
|  |  |  |  |  |  | no-require-imports.js                             |
|  |  |  |  |  |  | no-restricted-imports.d.ts                        |
|  |  |  |  |  |  | no-restricted-imports.js                          |
|  |  |  |  |  |  | no-restricted-types.d.ts                          |
|  |  |  |  |  |  | no-restricted-types.js                            |
|  |  |  |  |  |  | no-shadow.d.ts                                    |
|  |  |  |  |  |  | no-shadow.js                                      |
|  |  |  |  |  |  | no-this-alias.d.ts                                |
|  |  |  |  |  |  | no-this-alias.js                                  |
|  |  |  |  |  |  | no-type-alias.d.ts                                |
|  |  |  |  |  |  | no-type-alias.js                                  |
|  |  |  |  |  |  | no-unnecessary-boolean-literal-compare.d.ts       |
|  |  |  |  |  |  | no-unnecessary-boolean-literal-compare.js         |
|  |  |  |  |  |  | no-unnecessary-condition.d.ts                     |
|  |  |  |  |  |  | no-unnecessary-condition.js                       |
|  |  |  |  |  |  | no-unnecessary-parameter-property-assignment.d.ts |
|  |  |  |  |  |  | no-unnecessary-parameter-property-assignment.js   |
|  |  |  |  |  |  | no-unnecessary-qualifier.d.ts                     |
|  |  |  |  |  |  | no-unnecessary-qualifier.js                       |
|  |  |  |  |  |  | no-unnecessary-template-expression.d.ts           |
|  |  |  |  |  |  | no-unnecessary-template-expression.js             |
|  |  |  |  |  |  | no-unnecessary-type-arguments.d.ts                |
|  |  |  |  |  |  | no-unnecessary-type-arguments.js                  |
|  |  |  |  |  |  | no-unnecessary-type-assertion.d.ts                |
|  |  |  |  |  |  | no-unnecessary-type-assertion.js                  |

no-unnecessary-type-constraint.d.ts  
no-unnecessary-type-constraint.js  
no-unnecessary-type-conversion.d.ts  
no-unnecessary-type-conversion.js  
no-unnecessary-type-parameters.d.ts  
no-unnecessary-type-parameters.js  
no-unsafe-argument.d.ts  
no-unsafe-argument.js  
no-unsafe-assignment.d.ts  
no-unsafe-assignment.js  
no-unsafe-call.d.ts  
no-unsafe-call.js  
no-unsafe-declaration-merging.d.ts  
no-unsafe-declaration-merging.js  
no-unsafe-enum-comparison.d.ts  
no-unsafe-enum-comparison.js  
no-unsafe-function-type.d.ts  
no-unsafe-function-type.js  
no-unsafe-member-access.d.ts  
no-unsafe-member-access.js  
no-unsafe-return.d.ts  
no-unsafe-return.js  
no-unsafe-type-assertion.d.ts  
no-unsafe-type-assertion.js  
no-unsafe-unary-minus.d.ts  
no-unsafe-unary-minus.js  
no-unused-expressions.d.ts  
no-unused-expressions.js  
no-unused-private-class-members.d.ts  
no-unused-private-class-members.js  
no-unused-vars.d.ts  
no-unused-vars.js  
no-use-before-define.d.ts  
no-use-before-define.js  
no-useless-constructor.d.ts  
no-useless-constructor.js  
no-useless-default-assignment.d.ts  
no-useless-default-assignment.js  
no-useless-empty-export.d.ts  
no-useless-empty-export.js  
no-var-requires.d.ts  
no-var-requires.js  
no-wrapper-object-types.d.ts  
no-wrapper-object-types.js  
non-nullable-type-assertion-style.d.ts  
non-nullable-type-assertion-style.js  
only-throw-error.d.ts  
only-throw-error.js  
parameter-properties.d.ts  
parameter-properties.js  
prefer-as-const.d.ts  
prefer-as-const.js  
prefer-destructuring.d.ts  
prefer-destructuring.js  
prefer-enum-initializers.d.ts  
prefer-enum-initializers.js  
prefer-find.d.ts  
prefer-find.js  
prefer-for-of.d.ts  
prefer-for-of.js  
prefer-function-type.d.ts  
prefer-function-type.js  
prefer-includes.d.ts  
prefer-includes.js  
prefer-literal-enum-member.d.ts

```

prefer-literal-enum-member.js
prefer-namespace-keyword.d.ts
prefer-namespace-keyword.js
prefer-nullish-coalescing.d.ts
prefer-nullish-coalescing.js
prefer-optional-chain.d.ts
prefer-optional-chain.js
prefer-promise-reject-errors.d.ts
prefer-promise-reject-errors.js
prefer-readonly-parameter-types.d.ts
prefer-readonly-parameter-types.js
prefer-readonly.d.ts
prefer-readonly.js
prefer-reduce-type-parameter.d.ts
prefer-reduce-type-parameter.js
prefer-regexp-exec.d.ts
prefer-regexp-exec.js
prefer-return-this-type.d.ts
prefer-return-this-type.js
prefer-string-starts-ends-with.d.ts
prefer-string-starts-ends-with.js
prefer-ts-expect-error.d.ts
prefer-ts-expect-error.js
promise-function-async.d.ts
promise-function-async.js
related-getter-setter-pairs.d.ts
related-getter-setter-pairs.js
require-array-sort-compare.d.ts
require-array-sort-compare.js
require-await.d.ts
require-await.js
restrict-plus-operands.d.ts
restrict-plus-operands.js
restrict-template-expressions.d.ts
restrict-template-expressions.js
return-await.d.ts
return-await.js
sort-type-constituents.d.ts
sort-type-constituents.js
strict-boolean-expressions.d.ts
strict-boolean-expressions.js
strict-void-return.d.ts
strict-void-return.js
switch-exhaustiveness-check.d.ts
switch-exhaustiveness-check.js
triple-slash-reference.d.ts
triple-slash-reference.js
typedef.d.ts
typedef.js
unbound-method.d.ts
unbound-method.js
unified-signatures.d.ts
unified-signatures.js
use-unknown-in-catch-callback-variable.d.ts
use-unknown-in-catch-callback-variable.js
+---enum-utils
    shared.d.ts
    shared.js
+---naming-convention-utils
    enums.d.ts
    enums.js
    format.d.ts
    format.js

```

```

index.d.ts
index.js
parse-options.d.ts
parse-options.js
schema.d.ts
schema.js
shared.d.ts
shared.js
types.d.ts
types.js
validator.d.ts
validator.js

\---prefer-optional-chain-utils
analyzeChain.d.ts
analyzeChain.js
checkNullishAndReport.d.ts
checkNullishAndReport.js
compareNodes.d.ts
compareNodes.js
gatherLogicalOperands.d.ts
gatherLogicalOperands.js
PreferOptionalChainOptions.d.ts
PreferOptionalChainOptions.js

\---util
assertionFunctionUtils.d.ts
assertionFunctionUtils.js
astUtils.d.ts
astUtils.js
baseTypeUtils.d.ts
baseTypeUtils.js
collectUnusedVariables.d.ts
collectUnusedVariables.js
createRule.d.ts
createRule.js
escapeRegExp.d.ts
escapeRegExp.js
explicitReturnTypeUtils.d.ts
explicitReturnTypeUtils.js
getBaseTypesOfClassMember.d.ts
getBaseTypesOfClassMember.js
getConstraintInfo.d.ts
getConstraintInfo.js
getESLintCoreRule.d.ts
getESLintCoreRule.js
getFixOrSuggest.d.ts
getFixOrSuggest.js
getForStatementHeadLoc.d.ts
getForStatementHeadLoc.js
getFunctionHeadLoc.d.ts
getFunctionHeadLoc.js
getMemberHeadLoc.d.ts
getMemberHeadLoc.js
getOperatorPrecedence.d.ts
getOperatorPrecedence.js
getParentFunctionNode.d.ts
getParentFunctionNode.js
getStaticStringValue.d.ts
getStaticStringValue.js
getStringLength.d.ts
getStringLength.js
getTextWithParentheses.d.ts
getTextWithParentheses.js
getThisExpression.d.ts

```

```

getThisExpression.js
getValueOfLiteralType.d.ts
getValueOfLiteralType.js
getWrappedCode.d.ts
getWrappedCode.js
getWrappingFixer.d.ts
getWrappingFixer.js
hasOverloadSignatures.d.ts
hasOverloadSignatures.js
index.d.ts
index.js
isArrayMethodCallWithPredicate.d.ts
isArrayMethodCallWithPredicate.js
isAssignee.d.ts
isAssignee.js
isHigherPrecedenceThanAwait.d.ts
isHigherPrecedenceThanAwait.js
isNodeEqual.d.ts
isNodeEqual.js
isNullLiteral.d.ts
isNullLiteral.js
isPromiseAggregatorMethod.d.ts
isPromiseAggregatorMethod.js
isStartOfExpressionStatement.d.ts
isStartOfExpressionStatement.js
isTypeImport.d.ts
isTypeImport.js
isUndefinedIdentifier.d.ts
isUndefinedIdentifier.js
misc.d.ts
misc.js
needsPrecedingSemiColon.d.ts
needsPrecedingSemiColon.js
needsToBeAwaited.d.ts
needsToBeAwaited.js
objectIterators.d.ts
objectIterators.js
promiseUtils.d.ts
promiseUtils.js
rangeToLoc.d.ts
rangeToLoc.js
referenceContainsTypePredicate.d.ts
referenceContainsTypePredicate.js
referenceContainsTypeQuery.d.ts
referenceContainsTypeQuery.js
scopeUtils.d.ts
scopeUtils.js
skipChainExpression.d.ts
skipChainExpression.js
truthinessUtils.d.ts
truthinessUtils.js
types.d.ts
types.js
walkStatements.d.ts
walkStatements.js

```

```

\---class-scope-analyzer
    classScopeAnalyzer.d.ts
    classScopeAnalyzer.js
    extractComputedName.d.ts
    extractComputedName.js
    types.d.ts
    types.js

```

```
\---ignore
```

```

index.d.ts
index.js
legacy.js
LICENSE-MIT
package.json
README.md

+---parser
|   LICENSE
|   package.json
|   README.md
|
|   \---dist
|       index.d.ts
|       index.js
|       parser.d.ts
|       parser.js
|
+---project-service
|   LICENSE
|   package.json
|   README.md
|
|   \---dist
|       createProjectService.d.ts
|       createProjectService.js
|       getParsedConfigFileFromTSServer.d.ts
|       getParsedConfigFileFromTSServer.js
|       index.d.ts
|       index.js
|
+---scope-manager
|   LICENSE
|   package.json
|   README.md
|
|   \---dist
|       analyze.d.ts
|       analyze.js
|       assert.d.ts
|       assert.js
|       ID.d.ts
|       ID.js
|       index.d.ts
|       index.js
|       ScopeManager.d.ts
|       ScopeManager.js
|
+---definition
|   CatchClauseDefinition.d.ts
|   CatchClauseDefinition.js
|   ClassNameDefinition.d.ts
|   ClassNameDefinition.js
|   Definition.d.ts
|   Definition.js
|   DefinitionBase.d.ts
|   DefinitionBase.js
|   DefinitionType.d.ts
|   DefinitionType.js
|   FunctionNameDefinition.d.ts
|   FunctionNameDefinition.js
|   ImplicitGlobalVariableDefinition.d.ts
|   ImplicitGlobalVariableDefinition.js
|   ImportBindingDefinition.d.ts
|   ImportBindingDefinition.js

```



```

index.d.ts
index.js
ParameterDefinition.d.ts
ParameterDefinition.js
TSEnumMemberDefinition.d.ts
TSEnumMemberDefinition.js
TSEnumNameDefinition.d.ts
TSEnumNameDefinition.js
TSMODULENAMEDefinition.d.ts
TSMODULENAMEDefinition.js
TypeDefinition.d.ts
TypeDefinition.js
VariableDefinition.d.ts
VariableDefinition.js
+---lib
base-config.d.ts
base-config.js
decorators.d.ts
decorators.js
decorators.legacy.d.ts
decorators.legacy.js
dom.asynciterable.d.ts
dom.asynciterable.js
dom.d.ts
dom.iterable.d.ts
dom.iterable.js
dom.js
es2015.collection.d.ts
es2015.collection.js
es2015.core.d.ts
es2015.core.js
es2015.d.ts
es2015.generator.d.ts
es2015.generator.js
es2015.iterable.d.ts
es2015.iterable.js
es2015.js
es2015.promise.d.ts
es2015.promise.js
es2015.proxy.d.ts
es2015.proxy.js
es2015.reflect.d.ts
es2015.reflect.js
es2015.symbol.d.ts
es2015.symbol.js
es2015.symbol.wellknown.d.ts
es2015.symbol.wellknown.js
es2016.array.include.d.ts
es2016.array.include.js
es2016.d.ts
es2016.full.d.ts
es2016.full.js
es2016.intl.d.ts
es2016.intl.js
es2016.js
es2017.arraybuffer.d.ts
es2017.arraybuffer.js
es2017.d.ts
es2017.date.d.ts
es2017.date.js
es2017.full.d.ts
es2017.full.js
es2017.intl.d.ts
es2017.intl.js

```

es2017.js  
es2017.object.d.ts  
es2017.object.js  
es2017.sharedmemory.d.ts  
es2017.sharedmemory.js  
es2017.string.d.ts  
es2017.string.js  
es2017.typedarrays.d.ts  
es2017.typedarrays.js  
es2018.asyncgenerator.d.ts  
es2018.asyncgenerator.js  
es2018.asynciterable.d.ts  
es2018.asynciterable.js  
es2018.d.ts  
es2018.full.d.ts  
es2018.full.js  
es2018.intl.d.ts  
es2018.intl.js  
es2018.js  
es2018.promise.d.ts  
es2018.promise.js  
es2018.regexp.d.ts  
es2018.regexp.js  
es2019.array.d.ts  
es2019.array.js  
es2019.d.ts  
es2019.full.d.ts  
es2019.full.js  
es2019.intl.d.ts  
es2019.intl.js  
es2019.js  
es2019.object.d.ts  
es2019.object.js  
es2019.string.d.ts  
es2019.string.js  
es2019.symbol.d.ts  
es2019.symbol.js  
es2020.bigint.d.ts  
es2020.bigint.js  
es2020.d.ts  
es2020.date.d.ts  
es2020.date.js  
es2020.full.d.ts  
es2020.full.js  
es2020.intl.d.ts  
es2020.intl.js  
es2020.js  
es2020.number.d.ts  
es2020.number.js  
es2020.promise.d.ts  
es2020.promise.js  
es2020.sharedmemory.d.ts  
es2020.sharedmemory.js  
es2020.string.d.ts  
es2020.string.js  
es2020.symbol.wellknown.d.ts  
es2020.symbol.wellknown.js  
es2021.d.ts  
es2021.full.d.ts  
es2021.full.js  
es2021.intl.d.ts  
es2021.intl.js  
es2021.js  
es2021.promise.d.ts  
es2021.promise.js

es2021.string.d.ts  
es2021.string.js  
es2021.weakref.d.ts  
es2021.weakref.js  
es2022.array.d.ts  
es2022.array.js  
es2022.d.ts  
es2022.error.d.ts  
es2022.error.js  
es2022.full.d.ts  
es2022.full.js  
es2022.intl.d.ts  
es2022.intl.js  
es2022.js  
es2022.object.d.ts  
es2022.object.js  
es2022.regexp.d.ts  
es2022.regexp.js  
es2022.string.d.ts  
es2022.string.js  
es2023.array.d.ts  
es2023.array.js  
es2023.collection.d.ts  
es2023.collection.js  
es2023.d.ts  
es2023.full.d.ts  
es2023.full.js  
es2023.intl.d.ts  
es2023.intl.js  
es2023.js  
es2024.arraybuffer.d.ts  
es2024.arraybuffer.js  
es2024.collection.d.ts  
es2024.collection.js  
es2024.d.ts  
es2024.full.d.ts  
es2024.full.js  
es2024.js  
es2024.object.d.ts  
es2024.object.js  
es2024.promise.d.ts  
es2024.promise.js  
es2024.regexp.d.ts  
es2024.regexp.js  
es2024.sharedmemory.d.ts  
es2024.sharedmemory.js  
es2024.string.d.ts  
es2024.string.js  
es2025.collection.d.ts  
es2025.collection.js  
es2025.d.ts  
es2025.float16.d.ts  
es2025.float16.js  
es2025.full.d.ts  
es2025.full.js  
es2025.intl.d.ts  
es2025.intl.js  
es2025.iterator.d.ts  
es2025.iterator.js  
es2025.js  
es2025.promise.d.ts  
es2025.promise.js  
es2025.regexp.d.ts  
es2025.regexp.js  
es5.d.ts

es5.js  
es6.d.ts  
es6.js  
es7.d.ts  
es7.js  
esnext.array.d.ts  
esnext.array.js  
esnext.asynciterable.d.ts  
esnext.asynciterable.js  
esnext.bigint.d.ts  
esnext.bigint.js  
esnext.collection.d.ts  
esnext.collection.js  
esnext.d.ts  
esnext.date.d.ts  
esnext.date.js  
esnext.decorators.d.ts  
esnext.decorators.js  
esnext.disposable.d.ts  
esnext.disposable.js  
esnext.error.d.ts  
esnext.error.js  
esnext.float16.d.ts  
esnext.float16.js  
esnext.full.d.ts  
esnext.full.js  
esnext.intl.d.ts  
esnext.intl.js  
esnext.iterator.d.ts  
esnext.iterator.js  
esnext.js  
esnext.object.d.ts  
esnext.object.js  
esnext.promise.d.ts  
esnext.promise.js  
esnext.regexp.d.ts  
esnext.regexp.js  
esnext.sharedmemory.d.ts  
esnext.sharedmemory.js  
esnext.string.d.ts  
esnext.string.js  
esnext.symbol.d.ts  
esnext.symbol.js  
esnext.temporal.d.ts  
esnext.temporal.js  
esnext.typedarrays.d.ts  
esnext.typedarrays.js  
esnext.weakref.d.ts  
esnext.weakref.js  
index.d.ts  
index.js  
lib.d.ts  
lib.js  
scripthost.d.ts  
scripthost.js  
webworker.asynciterable.d.ts  
webworker.asynciterable.js  
webworker.d.ts  
webworker.importscripts.d.ts  
webworker.importscripts.js  
webworker.iterable.d.ts  
webworker.iterable.js  
webworker.js

+---referencer

```
ClassVisitor.d.ts
ClassVisitor.js
ExportVisitor.d.ts
ExportVisitor.js
ImportVisitor.d.ts
ImportVisitor.js
index.d.ts
index.js
PatternVisitor.d.ts
PatternVisitor.js
Reference.d.ts
Reference.js
Referencer.d.ts
Referencer.js
TypeVisitor.d.ts
TypeVisitor.js
Visitor.d.ts
Visitor.js
VisitorBase.d.ts
VisitorBase.js
+---scope
BlockScope.d.ts
BlockScope.js
CatchScope.d.ts
CatchScope.js
ClassFieldInitializerScope.d.ts
ClassFieldInitializerScope.js
ClassScope.d.ts
ClassScope.js
ClassStaticBlockScope.d.ts
ClassStaticBlockScope.js
ConditionalTypeScope.d.ts
ConditionalTypeScope.js
ForScope.d.ts
ForScope.js
FunctionExpressionNameScope.d.ts
FunctionExpressionNameScope.js
FunctionScope.d.ts
FunctionScope.js
FunctionTypeScope.d.ts
FunctionTypeScope.js
GlobalScope.d.ts
GlobalScope.js
index.d.ts
index.js
MappedTypeScope.d.ts
MappedTypeScope.js
ModuleScope.d.ts
ModuleScope.js
Scope.d.ts
Scope.js
ScopeBase.d.ts
ScopeBase.js
ScopeType.d.ts
ScopeType.js
SwitchScope.d.ts
SwitchScope.js
TSEnumScope.d.ts
TSEnumScope.js
TSModuleScope.d.ts
TSModuleScope.js
TypeScope.d.ts
TypeScope.js
WithScope.d.ts
```

```

|         WithScope.js
|
| \---variable
|     ESLintScopeVariable.d.ts
|     ESLintScopeVariable.js
|     ImplicitLibVariable.d.ts
|     ImplicitLibVariable.js
|     index.d.ts
|     index.js
|     Variable.d.ts
|     Variable.js
|     VariableBase.d.ts
|     VariableBase.js
|
+---tsconfig-utils
|   LICENSE
|   package.json
|   README.md
|
| \---dist
|     compilerOptions.d.ts
|     compilerOptions.js
|     getParsedConfigFile.d.ts
|     getParsedConfigFile.js
|     index.d.ts
|     index.js
|
+---type-utils
|   LICENSE
|   package.json
|   README.md
|
| \---dist
|     builtinSymbolLikes.d.ts
|     builtinSymbolLikes.js
|     containsAllTypesByName.d.ts
|     containsAllTypesByName.js
|     discriminateAnyType.d.ts
|     discriminateAnyType.js
|     getConstrainedTypeAtLocation.d.ts
|     getConstrainedTypeAtLocation.js
|     getContextualType.d.ts
|     getContextualType.js
|     getDeclaration.d.ts
|     getDeclaration.js
|     getSourceFileOfNode.d.ts
|     getSourceFileOfNode.js
|     getTypeName.d.ts
|     getTypeName.js
|     index.d.ts
|     index.js
|     isSymbolFromDefaultLibrary.d.ts
|     isSymbolFromDefaultLibrary.js
|     isTypeBrandedLiteralLike.d.ts
|     isTypeBrandedLiteralLike.js
|     isTypeReadonly.d.ts
|     isTypeReadonly.js
|     isUnsafeAssignment.d.ts
|     isUnsafeAssignment.js
|     predicates.d.ts
|     predicates.js
|     propertyTypes.d.ts
|     propertyTypes.js
|     requiresQuoting.d.ts
|     requiresQuoting.js

```

```

| typeFlagUtils.d.ts
| typeFlagUtils.js
| TypeOrValueSpecifier.d.ts
| TypeOrValueSpecifier.js
|
| \---typeOrValueSpecifiers
|     specifierNameMatches.d.ts
|     specifierNameMatches.js
|     typeDeclaredInFile.d.ts
|     typeDeclaredInFile.js
|     typeDeclaredInLib.d.ts
|     typeDeclaredInLib.js
|     typeDeclaredInPackageDeclarationFile.d.ts
|     typeDeclaredInPackageDeclarationFile.js
|
+---types
|     LICENSE
|     package.json
|     README.md
|
| \---dist
|     index.d.ts
|     index.js
|     lib.d.ts
|     lib.js
|     parser-options.d.ts
|     parser-options.js
|     ts-estree.d.ts
|     ts-estree.js
|
| \---generated
|     ast-spec.d.ts
|     ast-spec.js
|
+---typescript-estree
|     LICENSE
|     package.json
|     README.md
|
+---dist
|     ast-converter.d.ts
|     ast-converter.js
|     check-modifiers.d.ts
|     check-modifiers.js
|     check-syntax-errors.d.ts
|     check-syntax-errors.js
|     clear-caches.d.ts
|     clear-caches.js
|     convert-comments.d.ts
|     convert-comments.js
|     convert.d.ts
|     convert.js
|     createParserServices.d.ts
|     createParserServices.js
|     getModifiers.d.ts
|     getModifiers.js
|     index.d.ts
|     index.js
|     node-utils.d.ts
|     node-utils.js
|     parser-options.d.ts
|     parser-options.js
|     parser.d.ts
|     parser.js
|     semantic-or-syntactic-errors.d.ts

```

```

semantic-or-syntactic-errors.js
simple-traverse.d.ts
simple-traverse.js
source-files.d.ts
source-files.js
use-at-your-own-risk.d.ts
use-at-your-own-risk.js
useProgramFromProjectService.d.ts
useProgramFromProjectService.js
version-check.d.ts
version-check.js
version.d.ts
version.js
withoutProjectParserOptions.d.ts
withoutProjectParserOptions.js

+---create-program
    createIsolatedProgram.d.ts
    createIsolatedProgram.js
    createProjectProgram.d.ts
    createProjectProgram.js
    createProjectProgramError.d.ts
    createProjectProgramError.js
    createSourceFile.d.ts
    createSourceFile.js
    describeFilePath.d.ts
    describeFilePath.js
    getScriptKind.d.ts
    getScriptKind.js
    getWatchProgramsForProjects.d.ts
    getWatchProgramsForProjects.js
    shared.d.ts
    shared.js
    useProvidedPrograms.d.ts
    useProvidedPrograms.js
    validateDefaultProjectForFilesGlob.d.ts
    validateDefaultProjectForFilesGlob.js
    WatchCompilerHostOfConfigFile.d.ts
    WatchCompilerHostOfConfigFile.js

+---jsx
    xhtml-entities.d.ts
    xhtml-entities.js

+---parseSettings
    candidateTSConfigRootDirs.d.ts
    candidateTSConfigRootDirs.js
    createParseSettings.d.ts
    createParseSettings.js
    ExpiringCache.d.ts
    ExpiringCache.js
    getProjectConfigFiles.d.ts
    getProjectConfigFiles.js
    index.d.ts
    index.js
    inferSingleRun.d.ts
    inferSingleRun.js
    resolveProjectList.d.ts
    resolveProjectList.js
    warnAboutTSVersion.d.ts
    warnAboutTSVersion.js

\---ts-estree
    estree-to-ts-node-types.d.ts
    estree-to-ts-node-types.js

```



```

index.d.ts
index.js
ts-nodes.d.ts
ts-nodes.js

+---.bin
|   semver
|   semver.cmd
|   semver.ps1
+---balanced-match
|   LICENSE.md
|   package.json
|   README.md
|   \---dist
|       +---commonjs
|       |   index.d.ts
|       |   index.d.ts.map
|       |   index.js
|       |   index.js.map
|       |   package.json
|       \---esm
|           index.d.ts
|           index.d.ts.map
|           index.js
|           index.js.map
|           package.json
+---brace-expansion
|   LICENSE
|   package.json
|   README.md
|   \---dist
|       +---commonjs
|       |   index.d.ts
|       |   index.d.ts.map
|       |   index.js
|       |   index.js.map
|       |   package.json
|       \---esm
|           index.d.ts
|           index.d.ts.map
|           index.js
|           index.js.map
|           package.json
+---minimatch
|   LICENSE.md
|   package.json
|   README.md
|   \---dist
|       +---commonjs
|       |   assert-valid-pattern.d.ts
|       |   assert-valid-pattern.d.ts.map
|       |   assert-valid-pattern.js
|       |   assert-valid-pattern.js.map
|       |   ast.d.ts
|       |   ast.d.ts.map
|       |   ast.js
|       |   ast.js.map

```

```

brace-expressions.d.ts
brace-expressions.d.ts.map
brace-expressions.js
brace-expressions.js.map
escape.d.ts
escape.d.ts.map
escape.js
escape.js.map
index.d.ts
index.d.ts.map
index.js
index.js.map
package.json
unescape.d.ts
unescape.d.ts.map
unescape.js
unescape.js.map
\---esm
assert-valid-pattern.d.ts
assert-valid-pattern.d.ts.map
assert-valid-pattern.js
assert-valid-pattern.js.map
ast.d.ts
ast.d.ts.map
ast.js
ast.js.map
brace-expressions.d.ts
brace-expressions.d.ts.map
brace-expressions.js
brace-expressions.js.map
escape.d.ts
escape.d.ts.map
escape.js
escape.js.map
index.d.ts
index.d.ts.map
index.js
index.js.map
package.json
unescape.d.ts
unescape.d.ts.map
unescape.js
unescape.js.map
\---semver
  index.js
  LICENSE
  package.json
  preload.js
  range.bnf
  README.md
+---bin
  semver.js
+---classes
  comparator.js
  index.js
  range.js
  semver.js
+---functions
  clean.js
  cmp.js

```

251/819

```

    predicates.d.ts
    predicates.js
  \---eslint-utils
    astUtilities.d.ts
    astUtilities.js
    index.d.ts
    index.js
    PatternMatcher.d.ts
    PatternMatcher.js
    predicates.d.ts
    predicates.js
    ReferenceTracker.d.ts
    ReferenceTracker.js
    scopeAnalysis.d.ts
    scopeAnalysis.js
+---eslint-utils
    applyDefault.d.ts
    applyDefault.js
    deepMerge.d.ts
    deepMerge.js
    getParserServices.d.ts
    getParserServices.js
    index.d.ts
    index.js
    InferTypesFromRule.d.ts
    InferTypesFromRule.js
    nullThrows.d.ts
    nullThrows.js
    parserSeemsToBeTSESLint.d.ts
    parserSeemsToBeTSESLint.js
    RuleCreator.d.ts
    RuleCreator.js
+---ts-eslint
    AST.d.ts
    AST.js
    Config.d.ts
    Config.js
    ESLint.d.ts
    ESLint.js
    index.d.ts
    index.js
    Linter.d.ts
    Linter.js
    Parser.d.ts
    Parser.js
    ParserOptions.d.ts
    ParserOptions.js
    Processor.d.ts
    Processor.js
    Rule.d.ts
    Rule.js
    RuleTester.d.ts
    RuleTester.js
    Scope.d.ts
    Scope.js
    SourceCode.d.ts
    SourceCode.js
  \---eslint
    ESLintShared.d.ts
    ESLintShared.js
    FlatESLint.d.ts

```

```

      FlatESLint.js
      LegacyESLint.d.ts
      LegacyESLint.js
    \---ts-utils
      index.d.ts
      index.js
      isArray.d.ts
      isArray.js
      NoInfer.d.ts
      NoInfer.js
  \---visitor-keys
    LICENSE
    package.json
    README.md
  +---dist
    get-keys.d.ts
    get-keys.js
    index.d.ts
    index.js
    visitor-keys.d.ts
    visitor-keys.js
  \---eslint-visitor-keys
    LICENSE
    package.json
    README.md
  +---dist
    eslint-visitor-keys.cjs
    eslint-visitor-keys.d.cts
    index.d.ts
    visitor-keys.d.ts
  \---lib
    index.js
    visitor-keys.js
+---@unrs
  \---resolver-binding-win32-x64-msvc
    package.json
    README.md
    resolver.win32-x64-msvc.node
+---acorn
  CHANGELOG.md
  LICENSE
  package.json
  README.md
  +---bin
    acorn
  \---dist
    acorn.d.mts
    acorn.d.ts
    acorn.js
    acorn.mjs
    bin.js
+---acorn-jsx
  index.d.ts
  index.js

```

```

LICENSE
package.json
README.md
xhtml.js

```

```

+---ajv

```

```

.tonic_example.js
LICENSE
package.json
README.md

```

```

+---dist

```

```

ajv.bundle.js
ajv.min.js
ajv.min.js.map

```

```

+---lib

```

```

ajv.d.ts
ajv.js
cache.js
data.js
definition_schema.js
keyword.js

```

```

+---compile

```

```

async.js
equal.js
error_classes.js
formats.js
index.js
resolve.js
rules.js
schema_obj.js
ucs2length.js
util.js

```

```

+---dot

```

```

allOf.jst
anyOf.jst
coerce.def
comment.jst
const.jst
contains.jst
custom.jst
defaults.def
definitions.def
dependencies.jst
enum.jst
errors.def
format.jst
if.jst
items.jst
missing.def
multipleOf.jst
not.jst
oneOf.jst
pattern.jst
properties.jst
propertyName.jst
ref.jst
required.jst
uniqueItems.jst
validate.jst
_limit.jst
_limitItems.jst

```

```

    _limitLength.jst
    _limitProperties.jst

+---dotjs
    allOf.js
    anyOf.js
    comment.js
    const.js
    contains.js
    custom.js
    dependencies.js
    enum.js
    format.js
    if.js
    index.js
    items.js
    multipleOf.js
    not.js
    oneOf.js
    pattern.js
    properties.js
    propertyName.js
    README.md
    ref.js
    required.js
    uniqueItems.js
    validate.js
    _limit.js
    _limitItems.js
    _limitLength.js
    _limitProperties.js

\---refs
    data.json
    json-schema-draft-04.json
    json-schema-draft-06.json
    json-schema-draft-07.json
    json-schema-secure.json

\---scripts
    .eslintrc.yml
    bundle.js
    compile-dots.js
    info
    prepare-tests
    publish-built-version
    travis-gh-pages

+---ansi-styles
    index.d.ts
    index.js
    license
    package.json
    readme.md

+---argparse
    argparse.js
    CHANGELOG.md
    LICENSE
    package.json
    README.md

\---lib
    sub.js
    textwrap.js

```

```

+---aria-query
|   LICENSE
|   package.json
|   README.md
|
|   \---lib
|       ariaPropsMap.js
|       domMap.js
|       elementRoleMap.js
|       index.js
|       roleElementMap.js
|       rolesMap.js
|
|   +---etc
|       \---roles
|           ariaAbstractRoles.js
|           ariaDpubRoles.js
|           ariaGraphicsRoles.js
|           ariaLiteralRoles.js
|
|           +---abstract
|               commandRole.js
|               compositeRole.js
|               inputRole.js
|               landmarkRole.js
|               rangeRole.js
|               roletypeRole.js
|               sectionheadRole.js
|               sectionRole.js
|               selectRole.js
|               structureRole.js
|               widgetRole.js
|               windowRole.js
|
|           +---dpub
|               docAbstractRole.js
|               docAcknowledgmentsRole.js
|               docAfterwordRole.js
|               docAppendixRole.js
|               docBacklinkRole.js
|               docBiblioentryRole.js
|               docBibliographyRole.js
|               docBibliorefRole.js
|               docChapterRole.js
|               docColophonRole.js
|               docConclusionRole.js
|               docCoverRole.js
|               docCreditRole.js
|               docCreditsRole.js
|               docDedicationRole.js
|               docEndnoteRole.js
|               docEndnotesRole.js
|               docEpigraphRole.js
|               docEpilogueRole.js
|               docErrataRole.js
|               docExampleRole.js
|               docFootnoteRole.js
|               docForewordRole.js
|               docGlossaryRole.js
|               docGlossrefRole.js
|               docIndexRole.js
|               docIntroductionRole.js
|               docNoterefRole.js
|               docNoticeRole.js

```



```

docPagebreakRole.js
docPagefooterRole.js
docPageheaderRole.js
docPagelistRole.js
docPartRole.js
docPrefaceRole.js
docPrologueRole.js
docPullquoteRole.js
docQnaRole.js
docTipRole.js
docTocRole.js
+---graphics
|   graphicsDocumentRole.js
|   graphicsObjectRole.js
|   graphicsSymbolRole.js
\---literal
    alertdialogRole.js
    alertRole.js
    applicationRole.js
    articleRole.js
    bannerRole.js
    blockquoteRole.js
    buttonRole.js
    captionRole.js
    cellRole.js
    checkboxRole.js
    codeRole.js
    columnHeaderRole.js
    comboboxRole.js
    complementaryRole.js
    contentinfoRole.js
    definitionRole.js
    deletionRole.js
    dialogRole.js
    directoryRole.js
    documentRole.js
    emphasisRole.js
    feedRole.js
    figureRole.js
    formRole.js
    genericRole.js
    graphicsDocumentRole.js
    graphicsObjectRole.js
    graphicsSymbolRole.js
    gridcellRole.js
    gridRole.js
    groupRole.js
    headingRole.js
    imgRole.js
    insertionRole.js
    linkRole.js
    listboxRole.js
    listitemRole.js
    listRole.js
    logRole.js
    mainRole.js
    markRole.js
    marqueeRole.js
    mathRole.js
    menubarRole.js
    menuitemcheckboxRole.js
    menuitemradioRole.js
    menuitemRole.js

```

```

menuRole.js
meterRole.js
navigationRole.js
noneRole.js
noteRole.js
optionRole.js
paragraphRole.js
presentationRole.js
progressbarRole.js
radiogroupRole.js
radioRole.js
regionRole.js
rowgroupRole.js
rowheaderRole.js
rowRole.js
scrollbarRole.js
searchboxRole.js
searchRole.js
separatorRole.js
sliderRole.js
spinbuttonRole.js
statusRole.js
strongRole.js
subscriptRole.js
superscriptRole.js
switchRole.js
tableRole.js
tablistRole.js
tabpanelRole.js
tabRole.js
termRole.js
textboxRole.js
timeRole.js
timerRole.js
toolbarRole.js
tooltipRole.js
treegridRole.js
treeitemRole.js
treeRole.js

```

```

\---util

```

```

    iterationDecorator.js
    iteratorProxy.js

```

```

+---array-buffer-byte-length

```

```

    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json

```

```

        FUNDING.yml

```

```

\---test

```

```

    index.js

```

```

+---array-includes

```

```

    .editorconfig
    .eslintrc
    .nycrc
    auto.js

```

```

CHANGELOG.md
implementation.js
index.js
LICENSE
package.json
polyfill.js
README.md
shim.js

```

```

    FUNDING.yml

```

```

\---test

```

```

    implementation.js
    index.js
    shimmed.js
    tests.js

```

```

+---array.prototype.findlast

```

```

    .editorconfig
    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md
    implementation.js
    index.js
    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js

```

```

    FUNDING.yml

```

```

\---test

```

```

    implementation.js
    index.js
    shimmed.js
    tests.js

```

```

+---array.prototype.findlastindex

```

```

    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md
    implementation.js
    index.js
    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js

```

```

    FUNDING.yml

```

```

\---test

```

```

    implementation.js
    index.js
    shimmed.js
    tests.js

```

```

+---array.prototype.flat

```

```

    .editorconfig
    .eslintrc
    .nycrc
    auto.js

```

```

CHANGELOG.md
implementation.js
index.js
LICENSE
package.json
polyfill.js
README.md
shim.js

```

```

    FUNDING.yml

```

```

\---test

```

```

    implementation.js
    index.js
    shimmed.js
    tests.js

```

```

+---array.prototype.flatmap

```

```

    .editorconfig
    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md
    implementation.js
    index.js
    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js

```

```

    FUNDING.yml

```

```

\---test

```

```

    implementation.js
    index.js
    shimmed.js
    tests.js

```

```

+---array.prototype.tosorted

```

```

    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md
    implementation.js
    index.js
    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js

```

```

    FUNDING.yml

```

```

\---test

```

```

    implementation.js
    index.js
    shimmed.js
    tests.js

```

```

+---arraybuffer.prototype.slice

```

```

    .editorconfig
    .eslintrc
    .nycrc
    auto.js

```

```

CHANGELOG.md
implementation.js
index.js
LICENSE
package.json
polyfill.js
README.md
shim.js

\---test
    implementation.js
    index.js
    shimmed.js
    tests.js

+---ast-types-flow
    LICENSE
    package.json
    README.md

\---lib
    types.js

+---async-function
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.mts
    index.d.ts
    index.js
    index.mjs
    legacy.js
    LICENSE
    package.json
    README.md
    require.mjs
    tsconfig.json

    FUNDING.yml

\---test
    index.js

+---available-typed-arrays
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json

    FUNDING.yml

\---test
    index.js

+---axe-core
    axe.d.ts
    axe.js
    axe.min.js
    LICENSE
    LICENSE-3RD-PARTY.txt

```

```

package.json
README.md
sri-history.json

```

```

\---locales

```

```

da.json
de.json
el.json
es.json
eu.json
fr.json
he.json
it.json
ja.json
ko.json
nl.json
no_NB.json
pl.json
pt_BR.json
pt_PT.json
README.md
ru.json
zh_CN.json
zh_TW.json
_template.json

```

```

+---axobject-query

```

```

LICENSE
package.json
README.md

```

```

\---lib

```

```

AXObjectElementMap.js
AXObjectRoleMap.js
AXObjectsMap.js
elementAXObjectMap.js
index.js

```

```

+---etc

```

```

\---objects
AbbrRole.js
AlertDialogRole.js
AlertRole.js
AnnotationRole.js
ApplicationRole.js
ArticleRole.js
AudioRole.js
BannerRole.js
BlockquoteRole.js
BusyIndicatorRole.js
ButtonRole.js
CanvasRole.js
CaptionRole.js
CellRole.js
CheckBoxRole.js
ColorWellRole.js
ColumnHeaderRole.js
ColumnRole.js
ComboBoxRole.js
ComplementaryRole.js
ContentInfoRole.js
DateRole.js
DateTimeRole.js
DefinitionRole.js
DescriptionListDetailRole.js

```

DescriptionListRole.js  
DescriptionListTermRole.js  
DetailsRole.js  
DialogRole.js  
DirectoryRole.js  
DisclosureTriangleRole.js  
DivRole.js  
DocumentRole.js  
EmbeddedObjectRole.js  
FeedRole.js  
FigcaptionRole.js  
FigureRole.js  
FooterRole.js  
FormRole.js  
GridRole.js  
GroupRole.js  
HeadingRole.js  
IframePresentationalRole.js  
IframeRole.js  
IgnoredRole.js  
ImageMapLinkRole.js  
ImageMapRole.js  
ImageRole.js  
InlineTextBoxRole.js  
InputTimeRole.js  
LabelRole.js  
LegendRole.js  
LineBreakRole.js  
LinkRole.js  
ListBoxOptionRole.js  
ListBoxRole.js  
ListItemRole.js  
ListMarkerRole.js  
ListRole.js  
LogRole.js  
MainRole.js  
MarkRole.js  
MarqueeRole.js  
MathRole.js  
MenuBarRole.js  
MenuItemCheckBoxRole.js  
MenuItemRadioRole.js  
MenuItemRole.js  
MenuListOptionRole.js  
MenuListPopupRole.js  
MenuRole.js  
MeterRole.js  
NavigationRole.js  
NoneRole.js  
NoteRole.js  
OutlineRole.js  
ParagraphRole.js  
PopUpButtonRole.js  
PreRole.js  
PresentationalRole.js  
ProgressIndicatorRole.js  
RadioButtonRole.js  
RadioGroupRole.js  
RegionRole.js  
RootWebAreaRole.js  
RowHeaderRole.js  
RowRole.js  
RubyRole.js  
RulerRole.js

```

    ScrollAreaRole.js
    ScrollBarRole.js
    SeamlessWebAreaRole.js
    SearchBoxRole.js
    SearchRole.js
    SliderRole.js
    SliderThumbRole.js
    SpinButtonPartRole.js
    SpinButtonRole.js
    SplitterRole.js
    StaticTextRole.js
    StatusRole.js
    SVGRootRole.js
    SwitchRole.js
    TabGroupRole.js
    TableHeaderContainerRole.js
    TableRole.js
    TabListRole.js
    TabPanelRole.js
    TabRole.js
    TermRole.js
    TextAreaRole.js
    TextFieldRole.js
    TimeRole.js
    TimerRole.js
    ToggleButtonRole.js
    ToolbarRole.js
    TreeGridRole.js
    TreeItemRole.js
    TreeRole.js
    UserInterfaceTooltipRole.js
    VideoRole.js
    WebAreaRole.js
    WindowRole.js

    \---util
        iterationDecorator.js
        iteratorProxy.js

+---balanced-match
    |
    |   index.js
    |   LICENSE.md
    |   package.json
    |   README.md
    |
    |       FUNDING.yml

+---baseline-browser-mapping
    |
    |   LICENSE.txt
    |   package.json
    |   README.md
    |
    |   \---dist
    |       cli.cjs
    |       index.cjs
    |       index.d.ts
    |       index.js

+---brace-expansion
    |
    |   index.js
    |   LICENSE
    |   package.json
    |   README.md

+---braces

```



```

index.js
LICENSE
package.json
README.md

```

```

\---lib

```

```

compile.js
constants.js
expand.js
parse.js
stringify.js
utils.js

```

```

+---browserslist

```

```

browser.js
cli.js
error.d.ts
error.js
index.d.ts
index.js
LICENSE
node.js
package.json
parse.js
README.md

```

```

+---call-bind

```

```

.eslintignore
.eslintrc
.nycrc
callBound.js
CHANGELOG.md
index.js
LICENSE
package.json
README.md

```

```

FUNDING.yml

```

```

\---test

```

```

callBound.js
index.js

```

```

+---call-bind-apply-helpers

```

```

.eslintrc
.nycrc
actualApply.d.ts
actualApply.js
applyBind.d.ts
applyBind.js
CHANGELOG.md
functionApply.d.ts
functionApply.js
functionCall.d.ts
functionCall.js
index.d.ts
index.js
LICENSE
package.json
README.md
reflectApply.d.ts
reflectApply.js
tsconfig.json

```

```

FUNDING.yml

```

```

|
| \---test
|      index.js
|
+---call-bound
|      .eslintrc
|      .nycrc
|      CHANGELOG.md
|      index.d.ts
|      index.js
|      LICENSE
|      package.json
|      README.md
|      tsconfig.json
|
|      FUNDING.yml
|
| \---test
|      index.js
|
+---callsites
|      index.d.ts
|      index.js
|      license
|      package.json
|      readme.md
|
+---caniuse-lite
|      LICENSE
|      package.json
|      README.md
|
+---data
|      agents.js
|      browsers.js
|      browserVersions.js
|      features.js
|
+---features
|      aac.js
|      abortcontroller.js
|      ac3-ec3.js
|      accelerometer.js
|      addeventlistener.js
|      alternate-stylesheet.js
|      ambient-light.js
|      apng.js
|      array-find-index.js
|      array-find.js
|      array-flat.js
|      array-includes.js
|      arrow-functions.js
|      asmjs.js
|      async-clipboard.js
|      async-functions.js
|      atob-btoa.js
|      audio-api.js
|      audio.js
|      audiotracks.js
|      autofocus.js
|      auxclick.js
|      av1.js
|      avif.js
|      background-attachment.js
|      background-clip-text.js

```

background-img-opts.js  
background-position-x-y.js  
background-repeat-round-space.js  
background-sync.js  
battery-status.js  
beacon.js  
beforeafterprint.js  
bigint.js  
blobbuilder.js  
bloburls.js  
border-image.js  
border-radius.js  
broadcastchannel.js  
brotli.js  
calc.js  
canvas-blending.js  
canvas-text.js  
canvas.js  
ch-unit.js  
chacha20-poly1305.js  
channel-messaging.js  
childnode-remove.js  
classlist.js  
client-hints-dpr-width-viewport.js  
clipboard.js  
colr-v1.js  
colr.js  
comparedocumentposition.js  
console-basic.js  
console-time.js  
const.js  
constraint-validation.js  
contenteditable.js  
contentsecuritypolicy.js  
contentsecuritypolicy2.js  
cookie-store-api.js  
cors.js  
createimagebitmap.js  
credential-management.js  
cross-document-view-transitions.js  
cryptography.js  
css-all.js  
css-anchor-positioning.js  
css-animation.js  
css-any-link.js  
css-appearance.js  
css-at-counter-style.js  
css-autofill.js  
css-backdrop-filter.js  
css-background-offsets.js  
css-backgroundblendmode.js  
css-boxdecorationbreak.js  
css-boxshadow.js  
css-canvas.js  
css-caret-color.js  
css-cascade-layers.js  
css-cascade-scope.js  
css-case-insensitive.js  
css-clip-path.js  
css-color-adjust.js  
css-color-function.js  
css-conic-gradients.js  
css-container-queries-style.js  
css-container-queries.js  
css-container-query-units.js

css-containment.js  
css-content-visibility.js  
css-counters.js  
css-crisp-edges.js  
css-cross-fade.js  
css-default-pseudo.js  
css-descendant-gtgt.js  
css-deviceadaptation.js  
css-dir-pseudo.js  
css-display-contents.js  
css-element-function.js  
css-env-function.js  
css-exclusions.js  
css-featurequeries.js  
css-file-selector-button.js  
css-filter-function.js  
css-filters.js  
css-first-letter.js  
css-first-line.js  
css-fixed.js  
css-focus-visible.js  
css-focus-within.js  
css-font-palette.js  
css-font-rendering-controls.js  
css-font-stretch.js  
css-gencontent.js  
css-gradients.js  
css-grid-animation.js  
css-grid-lanes.js  
css-grid.js  
css-hanging-punctuation.js  
css-has.js  
css-hyphens.js  
css-if.js  
css-image-orientation.js  
css-image-set.js  
css-in-out-of-range.js  
css-indeterminate-pseudo.js  
css-initial-letter.js  
css-initial-value.js  
css-lch-lab.js  
css-letter-spacing.js  
css-line-clamp.js  
css-logical-props.js  
css-marker-pseudo.js  
css-masks.js  
css-matches-pseudo.js  
css-math-functions.js  
css-media-interaction.js  
css-media-range-syntax.js  
css-media-resolution.js  
css-media-scripting.js  
css-mediaqueries.js  
css-mixblendmode.js  
css-module-scripts.js  
css-motion-paths.js  
css-namespaces.js  
css-nesting.js  
css-not-sel-list.js  
css-nth-child-of.js  
css-opacity.js  
css-optional-pseudo.js  
css-overflow-anchor.js  
css-overflow-overlay.js  
css-overflow.js

css-overscroll-behavior.js  
css-page-break.js  
css-paged-media.js  
css-paint-api.js  
css-placeholder-shown.js  
css-placeholder.js  
css-print-color-adjust.js  
css-read-only-write.js  
css-rebeccapurple.js  
css-reflections.js  
css-regions.js  
css-relative-colors.js  
css-repeating-gradients.js  
css-resize.js  
css-revert-value.js  
css-rrggbbaa.js  
css-scroll-behavior.js  
css-scrollbar.js  
css-sel2.js  
css-sel3.js  
css-selection.js  
css-shapes.js  
css-snappoints.js  
css-sticky.js  
css-subgrid.js  
css-supports-api.js  
css-table.js  
css-text-align-last.js  
css-text-box-trim.js  
css-text-indent.js  
css-text-justify.js  
css-text-orientation.js  
css-text-spacing.js  
css-text-wrap-balance.js  
css-textshadow.js  
css-touch-action.js  
css-transitions.js  
css-unicode-bidi.js  
css-unset-value.js  
css-variables.js  
css-when-else.js  
css-widows-orphans.js  
css-width-stretch.js  
css-writing-mode.js  
css-zoom.js  
css3-attr.js  
css3-boxsizing.js  
css3-colors.js  
css3-cursors-grab.js  
css3-cursors-newer.js  
css3-cursors.js  
css3-tabsize.js  
currentcolor.js  
custom-elements.js  
custom-elementsv1.js  
customevent.js  
customizable-select.js  
datalist.js  
dataset.js  
datauri.js  
date-to-local-date-string.js  
declarative-shadow-dom.js  
decorators.js  
details.js  
deviceorientation.js

devicepixelratio.js  
dialog.js  
dispatchevent.js  
dnssec.js  
do-not-track.js  
document-currentscript.js  
document-evaluate-xpath.js  
document-execcommand.js  
document-policy.js  
document-scrollingelement.js  
documentthead.js  
dom-manip-convenience.js  
dom-range.js  
domcontentloaded.js  
dommatrix.js  
download.js  
dragndrop.js  
element-closest.js  
element-from-point.js  
element-scroll-methods.js  
eme.js  
eot.js  
es5.js  
es6-class.js  
es6-generators.js  
es6-module-dynamic-import.js  
es6-module.js  
es6-number.js  
es6-string-includes.js  
es6.js  
eventsource.js  
extended-system-fonts.js  
feature-policy.js  
fetch.js  
fieldset-disabled.js  
fileapi.js  
filereader.js  
filereadersync.js  
filesystem.js  
flac.js  
flexbox-gap.js  
flexbox.js  
flow-root.js  
focusin-focusout-events.js  
font-family-system-ui.js  
font-feature.js  
font-kerning.js  
font-loading.js  
font-size-adjust.js  
font-smooth.js  
font-unicode-range.js  
font-variant-alternates.js  
font-variant-numeric.js  
fontface.js  
form-attribute.js  
form-submit-attributes.js  
form-validation.js  
forms.js  
fullscreen.js  
gamepad.js  
geolocation.js  
getboundingclientrect.js  
getcomputedstyle.js  
getelementsbyclassname.js  
getrandomvalues.js

gyroscope.js  
hardwareconcurrency.js  
hashchange.js  
heif.js  
hevc.js  
hidden.js  
high-resolution-time.js  
history.js  
html-media-capture.js  
html5semantic.js  
http-live-streaming.js  
http2.js  
http3.js  
iframe-sandbox.js  
iframe-seamless.js  
iframe-srcdoc.js  
imagecapture.js  
ime.js  
img-naturalwidth-naturalheight.js  
import-maps.js  
imports.js  
indeterminate-checkbox.js  
indexeddb.js  
indexeddb2.js  
inline-block.js  
innertext.js  
input-autocomplete-onoff.js  
input-color.js  
input-datetime.js  
input-email-tel-url.js  
input-event.js  
input-file-accept.js  
input-file-directory.js  
input-file-multiple.js  
input-inputmode.js  
input-minlength.js  
input-number.js  
input-pattern.js  
input-placeholder.js  
input-range.js  
input-search.js  
input-selection.js  
insert-adjacent.js  
insertadjacenthtml.js  
internationalization.js  
intersectionobserver-v2.js  
intersectionobserver.js  
intl-pluralrules.js  
intrinsic-width.js  
jpeg2000.js  
jpegxl.js  
jpegxr.js  
js-regexp-lookbehind.js  
json.js  
justify-content-space-evenly.js  
kerning-pairs-ligatures.js  
keyboardevent-charset.js  
keyboardevent-code.js  
keyboardevent-getmodifierstate.js  
keyboardevent-key.js  
keyboardevent-location.js  
keyboardevent-which.js  
lazyload.js  
let.js  
link-icon-png.js

link-icon-svg.js  
link-rel-dns-prefetch.js  
link-rel-modulepreload.js  
link-rel-preconnect.js  
link-rel-prefetch.js  
link-rel-preload.js  
link-rel-prerender.js  
loading-lazy-attr.js  
loading-lazy-media.js  
localecompare.js  
magnetometer.js  
matchselector.js  
matchmedia.js  
mathml.js  
maxlength.js  
mdn-css-backdrop-pseudo-element.js  
mdn-css-unicode-bidi-isolate-override.js  
mdn-css-unicode-bidi-isolate.js  
mdn-css-unicode-bidi-plaintext.js  
mdn-text-decoration-color.js  
mdn-text-decoration-line.js  
mdn-text-decoration-shorthand.js  
mdn-text-decoration-style.js  
media-fragments.js  
mediacapture-fromelement.js  
mediarecorder.js  
mediasource.js  
menu.js  
meta-theme-color.js  
meter.js  
midi.js  
minmaxwh.js  
mp3.js  
mpeg-dash.js  
mpeg4.js  
multibackgrounds.js  
multicolumn.js  
mutation-events.js  
mutationobserver.js  
namevalue-storage.js  
native-filessystem-api.js  
nav-timing.js  
netinfo.js  
notifications.js  
object-entries.js  
object-fit.js  
object-observe.js  
object-values.js  
objectrtc.js  
offline-apps.js  
offscreencanvas.js  
ogg-vorbis.js  
ogv.js  
ol-reversed.js  
once-event-listener.js  
online-status.js  
opus.js  
orientation-sensor.js  
outline.js  
pad-start-end.js  
page-transition-events.js  
pagevisibility.js  
passive-event-listener.js  
passkeys.js  
passwordrules.js



path2d.js  
payment-request.js  
pdf-viewer.js  
permissions-api.js  
permissions-policy.js  
picture-in-picture.js  
picture.js  
ping.js  
png-alpha.js  
pointer-events.js  
pointer.js  
pointerlock.js  
portals.js  
prefers-color-scheme.js  
prefers-reduced-motion.js  
progress.js  
promise-finally.js  
promises.js  
proximity.js  
proxy.js  
push-api.js  
querySelector.js  
readonly-attr.js  
referrer-policy.js  
registerprotocolhandler.js  
rel-noopener.js  
rel-noreferrer.js  
rellist.js  
rem.js  
requestanimationframe.js  
requestidlecallback.js  
resizeobserver.js  
resource-timing.js  
rest-parameters.js  
rtcpeerconnection.js  
ruby.js  
run-in.js  
same-site-cookie-attribute.js  
screen-orientation.js  
script-async.js  
script-defer.js  
scrollintoview.js  
scrollintoviewifneeded.js  
sdch.js  
selection-api.js  
server-timing.js  
serviceworkers.js  
setimmediate.js  
shadowdom.js  
shadowdomv1.js  
sharedarraybuffer.js  
sharedworkers.js  
sni.js  
spdy.js  
speech-recognition.js  
speech-synthesis.js  
spellcheck-attribute.js  
sql-storage.js  
srcset.js  
stream.js  
streams.js  
stricttransportsecurity.js  
style-scoped.js  
subresource-bundling.js  
subresource-integrity.js

svg-css.js  
svg-filters.js  
svg-fonts.js  
svg-fragment.js  
svg-html.js  
svg-html5.js  
svg-img.js  
svg-smil.js  
svg.js  
sxc.js  
tabindex-attr.js  
template-literals.js  
template.js  
temporal.js  
testfeat.js  
text-decoration.js  
text-emphasis.js  
text-overflow.js  
text-size-adjust.js  
text-stroke.js  
textcontent.js  
textencoder.js  
tls1-1.js  
tls1-2.js  
tls1-3.js  
touch.js  
transforms2d.js  
transforms3d.js  
trusted-types.js  
ttf.js  
typedarrays.js  
u2f.js  
unhandledrejection.js  
upgradeinsecurerequests.js  
url-scroll-to-text-fragment.js  
url.js  
urlsearchparams.js  
use-strict.js  
user-select-none.js  
user-timing.js  
variable-fonts.js  
vector-effect.js  
vibration.js  
video.js  
videotracks.js  
view-transitions.js  
viewport-unit-variants.js  
viewport-units.js  
wai-aria.js  
wake-lock.js  
wasm-bigint.js  
wasm-bulk-memory.js  
wasm-extended-const.js  
wasm-gc.js  
wasm-multi-memory.js  
wasm-multi-value.js  
wasm-mutable-globals.js  
wasm-nontrapping-fptoint.js  
wasm-reference-types.js  
wasm-relaxed-simd.js  
wasm-signext.js  
wasm-simd.js  
wasm-tail-calls.js  
wasm-threads.js  
wasm.js

```
wav.js
wbr-element.js
web-animation.js
web-app-manifest.js
web-bluetooth.js
web-serial.js
web-share.js
webauthn.js
webcodecs.js
webgl.js
webgl2.js
webgpu.js
webhid.js
webkit-user-drag.js
webm.js
webnfc.js
webp.js
websockets.js
webtransport.js
webusb.js
webvr.js
webvtt.js
webworkers.js
webxr.js
will-change.js
woff.js
woff2.js
word-break.js
wordwrap.js
x-doc-messaging.js
x-frame-options.js
xhr2.js
xhtml.js
xhtmlsmil.js
xml-serializer.js
zstd.js
```

```
\---regions
```

```
AD.js
AE.js
AF.js
AG.js
AI.js
AL.js
alt-af.js
alt-an.js
alt-as.js
alt-eu.js
alt-na.js
alt-oc.js
alt-sa.js
alt-ww.js
AM.js
AO.js
AR.js
AS.js
AT.js
AU.js
AW.js
AX.js
AZ.js
BA.js
BB.js
BD.js
BE.js
```

|  |  |  |       |
|--|--|--|-------|
|  |  |  | BF.js |
|  |  |  | BG.js |
|  |  |  | BH.js |
|  |  |  | BI.js |
|  |  |  | BJ.js |
|  |  |  | BM.js |
|  |  |  | BN.js |
|  |  |  | BO.js |
|  |  |  | BR.js |
|  |  |  | BS.js |
|  |  |  | BT.js |
|  |  |  | BW.js |
|  |  |  | BY.js |
|  |  |  | BZ.js |
|  |  |  | CA.js |
|  |  |  | CD.js |
|  |  |  | CF.js |
|  |  |  | CG.js |
|  |  |  | CH.js |
|  |  |  | CI.js |
|  |  |  | CK.js |
|  |  |  | CL.js |
|  |  |  | CM.js |
|  |  |  | CN.js |
|  |  |  | CO.js |
|  |  |  | CR.js |
|  |  |  | CU.js |
|  |  |  | CV.js |
|  |  |  | CX.js |
|  |  |  | CY.js |
|  |  |  | CZ.js |
|  |  |  | DE.js |
|  |  |  | DJ.js |
|  |  |  | DK.js |
|  |  |  | DM.js |
|  |  |  | DO.js |
|  |  |  | DZ.js |
|  |  |  | EC.js |
|  |  |  | EE.js |
|  |  |  | EG.js |
|  |  |  | ER.js |
|  |  |  | ES.js |
|  |  |  | ET.js |
|  |  |  | FI.js |
|  |  |  | FJ.js |
|  |  |  | FK.js |
|  |  |  | FM.js |
|  |  |  | FO.js |
|  |  |  | FR.js |
|  |  |  | GA.js |
|  |  |  | GB.js |
|  |  |  | GD.js |
|  |  |  | GE.js |
|  |  |  | GF.js |
|  |  |  | GG.js |
|  |  |  | GH.js |
|  |  |  | GI.js |
|  |  |  | GL.js |
|  |  |  | GM.js |
|  |  |  | GN.js |
|  |  |  | GP.js |
|  |  |  | GQ.js |
|  |  |  | GR.js |
|  |  |  | GT.js |
|  |  |  | GU.js |

|  |  |  |       |
|--|--|--|-------|
|  |  |  | GW.js |
|  |  |  | GY.js |
|  |  |  | HK.js |
|  |  |  | HN.js |
|  |  |  | HR.js |
|  |  |  | HT.js |
|  |  |  | HU.js |
|  |  |  | ID.js |
|  |  |  | IE.js |
|  |  |  | IL.js |
|  |  |  | IM.js |
|  |  |  | IN.js |
|  |  |  | IQ.js |
|  |  |  | IR.js |
|  |  |  | IS.js |
|  |  |  | IT.js |
|  |  |  | JE.js |
|  |  |  | JM.js |
|  |  |  | JO.js |
|  |  |  | JP.js |
|  |  |  | KE.js |
|  |  |  | KG.js |
|  |  |  | KH.js |
|  |  |  | KI.js |
|  |  |  | KM.js |
|  |  |  | KN.js |
|  |  |  | KP.js |
|  |  |  | KR.js |
|  |  |  | KW.js |
|  |  |  | KY.js |
|  |  |  | KZ.js |
|  |  |  | LA.js |
|  |  |  | LB.js |
|  |  |  | LC.js |
|  |  |  | LI.js |
|  |  |  | LK.js |
|  |  |  | LR.js |
|  |  |  | LS.js |
|  |  |  | LT.js |
|  |  |  | LU.js |
|  |  |  | LV.js |
|  |  |  | LY.js |
|  |  |  | MA.js |
|  |  |  | MC.js |
|  |  |  | MD.js |
|  |  |  | ME.js |
|  |  |  | MG.js |
|  |  |  | MH.js |
|  |  |  | MK.js |
|  |  |  | ML.js |
|  |  |  | MM.js |
|  |  |  | MN.js |
|  |  |  | MO.js |
|  |  |  | MP.js |
|  |  |  | MQ.js |
|  |  |  | MR.js |
|  |  |  | MS.js |
|  |  |  | MT.js |
|  |  |  | MU.js |
|  |  |  | MV.js |
|  |  |  | MW.js |
|  |  |  | MX.js |
|  |  |  | MY.js |
|  |  |  | MZ.js |
|  |  |  | NA.js |

|  |  |  |       |
|--|--|--|-------|
|  |  |  | NC.js |
|  |  |  | NE.js |
|  |  |  | NF.js |
|  |  |  | NG.js |
|  |  |  | NI.js |
|  |  |  | NL.js |
|  |  |  | NO.js |
|  |  |  | NP.js |
|  |  |  | NR.js |
|  |  |  | NU.js |
|  |  |  | NZ.js |
|  |  |  | OM.js |
|  |  |  | PA.js |
|  |  |  | PE.js |
|  |  |  | PF.js |
|  |  |  | PG.js |
|  |  |  | PH.js |
|  |  |  | PK.js |
|  |  |  | PL.js |
|  |  |  | PM.js |
|  |  |  | PN.js |
|  |  |  | PR.js |
|  |  |  | PS.js |
|  |  |  | PT.js |
|  |  |  | PW.js |
|  |  |  | PY.js |
|  |  |  | QA.js |
|  |  |  | RE.js |
|  |  |  | RO.js |
|  |  |  | RS.js |
|  |  |  | RU.js |
|  |  |  | RW.js |
|  |  |  | SA.js |
|  |  |  | SB.js |
|  |  |  | SC.js |
|  |  |  | SD.js |
|  |  |  | SE.js |
|  |  |  | SG.js |
|  |  |  | SH.js |
|  |  |  | SI.js |
|  |  |  | SK.js |
|  |  |  | SL.js |
|  |  |  | SM.js |
|  |  |  | SN.js |
|  |  |  | SO.js |
|  |  |  | SR.js |
|  |  |  | ST.js |
|  |  |  | SV.js |
|  |  |  | SY.js |
|  |  |  | SZ.js |
|  |  |  | TC.js |
|  |  |  | TD.js |
|  |  |  | TG.js |
|  |  |  | TH.js |
|  |  |  | TJ.js |
|  |  |  | TL.js |
|  |  |  | TM.js |
|  |  |  | TN.js |
|  |  |  | TO.js |
|  |  |  | TR.js |
|  |  |  | TT.js |
|  |  |  | TV.js |
|  |  |  | TW.js |
|  |  |  | TZ.js |
|  |  |  | UA.js |

```

      UG.js
      US.js
      UY.js
      UZ.js
      VA.js
      VC.js
      VE.js
      VG.js
      VI.js
      VN.js
      VU.js
      WF.js
      WS.js
      YE.js
      YT.js
      ZA.js
      ZM.js
      ZW.js

    \---dist
      +---lib
        | statuses.js
        | supported.js
        |
        \---unpacker
          agents.js
          browsers.js
          browserVersions.js
          feature.js
          features.js
          index.js
          region.js

    +---chalk
      | index.d.ts
      | license
      | package.json
      | readme.md
      |
      \---source
        index.js
        templates.js
        util.js

    +---client-only
      error.js
      index.js
      package.json

    +---color-convert
      CHANGELOG.md
      conversions.js
      index.js
      LICENSE
      package.json
      README.md
      route.js

    +---color-name
      index.js
      LICENSE
      package.json
      README.md

    +---concat-map

```

280/819



```

|
| \---test
|     index.js
|
| +---data-view-byte-length
|     |
|     | .eslintrc
|     | .nycrc
|     | CHANGELOG.md
|     | index.d.ts
|     | index.js
|     | LICENSE
|     | package.json
|     | README.md
|     | tsconfig.json
|     |
|     | FUNDING.yml
|     |
|     | \---test
|     |     index.js
|     |
|     | +---data-view-byte-offset
|     |     |
|     |     | .eslintrc
|     |     | .nycrc
|     |     | CHANGELOG.md
|     |     | index.d.ts
|     |     | index.js
|     |     | LICENSE
|     |     | package.json
|     |     | README.md
|     |     | tsconfig.json
|     |     |
|     |     | FUNDING.yml
|     |     |
|     |     | \---test
|     |     |     index.js
|     |
|     | +---debug
|     |     |
|     |     | LICENSE
|     |     | package.json
|     |     | README.md
|     |     |
|     |     | \---src
|     |     |     browser.js
|     |     |     common.js
|     |     |     index.js
|     |     |     node.js
|     |
|     | +---deep-is
|     |     |
|     |     | .travis.yml
|     |     | index.js
|     |     | LICENSE
|     |     | package.json
|     |     | README.markdown
|     |     |
|     |     | +---example
|     |     |     |
|     |     |     | cmp.js
|     |     |     |
|     |     |     | \---test
|     |     |     |     |
|     |     |     |     | cmp.js
|     |     |     |     | NaN.js
|     |     |     |     | neg-vs-pos-0.js
|     |
|     | +---define-data-property
|     |     |
|     |     | .eslintrc
|     |     | .nycrc

```

```

CHANGELOG.md
index.d.ts
index.js
LICENSE
package.json
README.md
tsconfig.json

    FUNDING.yml

\---test
    index.js

+---define-properties
    .editorconfig
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.js
    LICENSE
    package.json
    README.md

    FUNDING.yml

+---detect-libc
    index.d.ts
    LICENSE
    package.json
    README.md

\---lib
    detect-libc.js
    elf.js
    filesystem.js
    process.js

+---doctrine
    CHANGELOG.md
    LICENSE
    LICENSE.closure-compiler
    LICENSE.esprima
    package.json
    README.md

\---lib
    doctrine.js
    typed.js
    utility.js

+---dunder-proto
    .eslintrc
    .nycrc
    CHANGELOG.md
    get.d.ts
    get.js
    LICENSE
    package.json
    README.md
    set.d.ts
    set.js
    tsconfig.json

    FUNDING.yml

```

```

\---test
    get.js
    index.js
    set.js

+---electron-to-chromium
    chromium-versions.js
    chromium-versions.json
    full-chromium-versions.js
    full-chromium-versions.json
    full-versions.js
    full-versions.json
    index.js
    LICENSE
    package.json
    README.md
    versions.js
    versions.json

+---emoji-regex
    |
    | index.d.ts
    | index.js
    | LICENSE-MIT.txt
    | package.json
    | README.md
    | RGI_Emoji.d.ts
    | RGI_Emoji.js
    | text.d.ts
    | text.js
    |
\---es2015
    |
    | index.d.ts
    | index.js
    | RGI_Emoji.d.ts
    | RGI_Emoji.js
    | text.d.ts
    | text.js
    |
+---enhanced-resolve
    |
    | LICENSE
    | package.json
    | README.md
    | types.d.ts
    |
\---lib
    |
    | AliasFieldPlugin.js
    | AliasPlugin.js
    | AliasUtils.js
    | AppendPlugin.js
    | CachedInputFileSystem.js
    | CloneBasenamePlugin.js
    | ConditionalPlugin.js
    | createInnerContext.js
    | DescriptionFilePlugin.js
    | DescriptionFileUtils.js
    | DirectoryExistsPlugin.js
    | ExportsFieldPlugin.js
    | ExtensionAliasPlugin.js
    | FileExistsPlugin.js
    | forEachBail.js
    | getInnerRequest.js
    | getPaths.js
    | ImportsFieldPlugin.js
    | index.js
    | JoinRequestPartPlugin.js

```

```

JoinRequestPlugin.js
LogInfoPlugin.js
MainFieldPlugin.js
ModulesInHierachicDirectoriesPlugin.js
ModulesInHierarchicalDirectoriesPlugin.js
ModulesInRootPlugin.js
ModulesUtils.js
NextPlugin.js
ParsePlugin.js
PnpPlugin.js
Resolver.js
ResolverFactory.js
RestrictionsPlugin.js
ResultPlugin.js
RootsPlugin.js
SelfReferencePlugin.js
SymlinkPlugin.js
SyncAsyncFileSystemDecorator.js
TryNextPlugin.js
TsconfigPathsPlugin.js
UnsafeCachePlugin.js
UseFilePlugin.js

```

```
\---util
```

```

entrypoints.js
fs.js
identifier.js
memoize.js
module-browser.js
path.js
process-browser.js
strip-json-comments.js

```

```
+---es-abstract
```

```

.editorconfig
.nycrc
CHANGELOG.md
es2015.js
es2016.js
es2017.js
es2018.js
es2019.js
es2020.js
es2021.js
es2022.js
es2023.js
es2024.js
es2025.js
es5.js
es6.js
es7.js
eslint.config.mjs
GetIntrinsic.js
index.js
LICENSE
package.json
README.md

```

```
+---2015
```

```

abs.js
AbstractEqualityComparison.js
AbstractRelationalComparison.js
AdvanceStringIndex.js
ArrayCreate.js
ArraySetLength.js

```

ArraySpeciesCreate.js  
Call.js  
Canonicalize.js  
CanonicalNumericIndexString.js  
CharacterRange.js  
CompletePropertyDescriptor.js  
CompletionRecord.js  
CreateDataProperty.js  
CreateDataPropertyOrThrow.js  
CreateHTML.js  
CreateIterResultObject.js  
CreateListFromArrayLike.js  
CreateMethodProperty.js  
DateFromTime.js  
Day.js  
DayFromYear.js  
DaysInYear.js  
DayWithinYear.js  
DefinePropertyOrThrow.js  
DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnNames.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetGlobalObject.js  
GetIterator.js  
GetMethod.js  
GetOwnPropertyKeys.js  
GetPrototypeFromConstructor.js  
GetSubstitution.js  
GetV.js  
GetValueFromBuffer.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstanceofOperator.js  
IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsInteger.js  
IsPromise.js  
IsPropertyDescriptor.js  
IsPropertyKey.js  
IsRegExp.js  
IsWordChar.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
MakeDate.js  
MakeDay.js

MakeTime.js  
 max.js  
 min.js  
 MinFromTime.js  
 modulo.js  
 MonthFromTime.js  
 msFromTime.js  
 NewPromiseCapability.js  
 NormalCompletion.js  
 ObjectCreate.js  
 ObjectDefineProperties.js  
 OrdinaryCreateFromConstructor.js  
 OrdinaryDefineOwnProperty.js  
 OrdinaryGetOwnProperty.js  
 OrdinaryHasInstance.js  
 OrdinaryHasProperty.js  
 QuoteJSONString.js  
 RegExpCreate.js  
 RegExpExec.js  
 RequireObjectCoercible.js  
 SameValue.js  
 SameValueZero.js  
 SecFromTime.js  
 Set.js  
 SetFunctionName.js  
 SetIntegrityLevel.js  
 SetValueInBuffer.js  
 SpeciesConstructor.js  
 SplitMatch.js  
 StrictEqualityComparison.js  
 StringCreate.js  
 StringGetIndexProperty.js  
 SymbolDescriptiveString.js  
 TestIntegrityLevel.js  
 thisBooleanValue.js  
 thisNumberValue.js  
 thisStringValue.js  
 thisTimeValue.js  
 TimeClip.js  
 TimeFromYear.js  
 TimeWithinDay.js  
 ToBoolean.js  
 ToDateString.js  
 ToInt16.js  
 ToInt32.js  
 ToInt8.js  
 ToInteger.js  
 ToLength.js  
 ToNumber.js  
 ToObject.js  
 ToPrimitive.js  
 ToPropertyDescriptor.js  
 ToPropertyKey.js  
 ToString.js  
 ToUint16.js  
 ToUint32.js  
 ToUint8.js  
 ToUint8Clamp.js  
 Type.js  
 ValidateAndApplyPropertyDescriptor.js  
 ValidateTypedArray.js  
 WeekDay.js  
 YearFromTime.js

\---tables

typed-array-objects.js

+---2016

abs.js  
 AbstractEqualityComparison.js  
 AbstractRelationalComparison.js  
 AdvanceStringIndex.js  
 ArrayCreate.js  
 ArraySetLength.js  
 ArraySpeciesCreate.js  
 Call.js  
 Canonicalize.js  
 CanonicalNumericIndexString.js  
 CharacterRange.js  
 CompletePropertyDescriptor.js  
 CompletionRecord.js  
 CreateDataProperty.js  
 CreateDataPropertyOrThrow.js  
 CreateHTML.js  
 CreateIterResultObject.js  
 CreateListFromArrayLike.js  
 CreateMethodProperty.js  
 DateFromTime.js  
 Day.js  
 DayFromYear.js  
 DaysInYear.js  
 DayWithinYear.js  
 DefinePropertyOrThrow.js  
 DeletePropertyOrThrow.js  
 DetachArrayBuffer.js  
 EnumerableOwnNames.js  
 floor.js  
 FromPropertyDescriptor.js  
 Get.js  
 GetGlobalObject.js  
 GetIterator.js  
 GetMethod.js  
 GetOwnPropertyKeys.js  
 GetPrototypeFromConstructor.js  
 GetSubstitution.js  
 GetV.js  
 GetValueFromBuffer.js  
 HasOwnProperty.js  
 HasProperty.js  
 HourFromTime.js  
 InLeapYear.js  
 InstanceofOperator.js  
 IntegerIndexedElementGet.js  
 IntegerIndexedElementSet.js  
 InternalizeJSONProperty.js  
 Invoke.js  
 IsAccessorDescriptor.js  
 IsArray.js  
 IsCallable.js  
 IsCompatiblePropertyDescriptor.js  
 IsConcatSpreadable.js  
 IsConstructor.js  
 IsDataDescriptor.js  
 IsDetachedBuffer.js  
 IsExtensible.js  
 IsGenericDescriptor.js  
 IsInteger.js  
 IsPromise.js  
 IsPropertyDescriptor.js  
 IsPropertyKey.js

|  |  |  |  |                                  |
|--|--|--|--|----------------------------------|
|  |  |  |  | IsRegExp.js                      |
|  |  |  |  | IsWordChar.js                    |
|  |  |  |  | IterableToArrayLike.js           |
|  |  |  |  | IteratorClose.js                 |
|  |  |  |  | IteratorComplete.js              |
|  |  |  |  | IteratorNext.js                  |
|  |  |  |  | IteratorStep.js                  |
|  |  |  |  | IteratorValue.js                 |
|  |  |  |  | MakeDate.js                      |
|  |  |  |  | MakeDay.js                       |
|  |  |  |  | MakeTime.js                      |
|  |  |  |  | max.js                           |
|  |  |  |  | min.js                           |
|  |  |  |  | MinFromTime.js                   |
|  |  |  |  | modulo.js                        |
|  |  |  |  | MonthFromTime.js                 |
|  |  |  |  | msFromTime.js                    |
|  |  |  |  | NewPromiseCapability.js          |
|  |  |  |  | NormalCompletion.js              |
|  |  |  |  | ObjectCreate.js                  |
|  |  |  |  | ObjectDefineProperties.js        |
|  |  |  |  | OrdinaryCreateFromConstructor.js |
|  |  |  |  | OrdinaryDefineOwnProperty.js     |
|  |  |  |  | OrdinaryGetOwnProperty.js        |
|  |  |  |  | OrdinaryGetPrototypeOf.js        |
|  |  |  |  | OrdinaryHasInstance.js           |
|  |  |  |  | OrdinaryHasProperty.js           |
|  |  |  |  | OrdinarySetPrototypeOf.js        |
|  |  |  |  | QuoteJSONString.js               |
|  |  |  |  | RegExpCreate.js                  |
|  |  |  |  | RegExpExec.js                    |
|  |  |  |  | RequireObjectCoercible.js        |
|  |  |  |  | SameValue.js                     |
|  |  |  |  | SameValueNonNumber.js            |
|  |  |  |  | SameValueZero.js                 |
|  |  |  |  | SecFromTime.js                   |
|  |  |  |  | Set.js                           |
|  |  |  |  | SetFunctionName.js               |
|  |  |  |  | SetIntegrityLevel.js             |
|  |  |  |  | SetValueInBuffer.js              |
|  |  |  |  | SpeciesConstructor.js            |
|  |  |  |  | SplitMatch.js                    |
|  |  |  |  | StrictEqualityComparison.js      |
|  |  |  |  | StringCreate.js                  |
|  |  |  |  | SymbolDescriptiveString.js       |
|  |  |  |  | TestIntegrityLevel.js            |
|  |  |  |  | thisBooleanValue.js              |
|  |  |  |  | thisNumberValue.js               |
|  |  |  |  | thisStringValue.js               |
|  |  |  |  | thisTimeValue.js                 |
|  |  |  |  | TimeClip.js                      |
|  |  |  |  | TimeFromYear.js                  |
|  |  |  |  | TimeWithinDay.js                 |
|  |  |  |  | ToBoolean.js                     |
|  |  |  |  | ToDateString.js                  |
|  |  |  |  | ToInt16.js                       |
|  |  |  |  | ToInt32.js                       |
|  |  |  |  | ToInt8.js                        |
|  |  |  |  | ToInteger.js                     |
|  |  |  |  | ToLength.js                      |
|  |  |  |  | ToNumber.js                      |
|  |  |  |  | ToObject.js                      |
|  |  |  |  | ToPrimitive.js                   |
|  |  |  |  | ToPropertyDescriptor.js          |
|  |  |  |  | ToPropertyKey.js                 |



- ToString.js
- ToUint16.js
- ToUint32.js
- ToUint8.js
- ToUint8Clamp.js
- Type.js
- TypedArrayCreate.js
- TypedArraySpeciesCreate.js
- UTF16Decode.js
- UTF16Encoding.js
- ValidateAndApplyPropertyDescriptor.js
- ValidateTypedArray.js
- WeekDay.js
- YearFromTime.js

\---tables

typed-array-objects.js

+---2017

- abs.js
- AbstractEqualityComparison.js
- AbstractRelationalComparison.js
- AdvanceStringIndex.js
- ArrayCreate.js
- ArraySetLength.js
- ArraySpeciesCreate.js
- Call.js
- Canonicalize.js
- CanonicalNumericIndexString.js
- CharacterRange.js
- CompletePropertyDescriptor.js
- CompletionRecord.js
- CreateDataProperty.js
- CreateDataPropertyOrThrow.js
- CreateHTML.js
- CreateIterResultObject.js
- CreateListFromArrayLike.js
- CreateMethodProperty.js
- DateFromTime.js
- Day.js
- DayFromYear.js
- DaysInYear.js
- DayWithinYear.js
- DefinePropertyOrThrow.js
- DeletePropertyOrThrow.js
- DetachArrayBuffer.js
- EnumerableOwnProperties.js
- floor.js
- FromPropertyDescriptor.js
- Get.js
- GetGlobalObject.js
- GetIterator.js
- GetMethod.js
- GetOwnPropertyKeys.js
- GetPrototypeFromConstructor.js
- GetSubstitution.js
- GetV.js
- GetValueFromBuffer.js
- HasOwnProperty.js
- HasProperty.js
- HourFromTime.js
- InLeapYear.js
- InstanceofOperator.js
- IntegerIndexedElementGet.js
- IntegerIndexedElementSet.js

InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsInteger.js  
IsPromise.js  
IsPropertyDescriptor.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsWordChar.js  
IterableToList.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
MakeDate.js  
MakeDay.js  
MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberToRawBytes.js  
ObjectCreate.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
QuoteJSONString.js  
RawBytesToNumber.js  
RegExpCreate.js  
RegExpExec.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumber.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetValueInBuffer.js  
SpeciesConstructor.js  
SplitMatch.js  
StrictEqualityComparison.js  
StringCreate.js  
StringGetOwnProperty.js

```

SymbolDescriptiveString.js
TestIntegrityLevel.js
thisBooleanValue.js
thisNumberValue.js
thisStringValue.js
thisTimeValue.js
TimeClip.js
TimeFromYear.js
TimeWithinDay.js
ToBoolean.js
ToDateString.js
ToIndex.js
ToInt16.js
ToInt32.js
ToInt8.js
ToInteger.js
ToLength.js
ToNumber.js
ToObject.js
ToPrimitive.js
ToPropertyDescriptor.js
ToPropertyKey.js
ToString.js
ToUint16.js
ToUint32.js
ToUint8.js
ToUint8Clamp.js
Type.js
TypedArrayCreate.js
TypedArraySpeciesCreate.js
UTF16Decode.js
UTF16Encoding.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateTypedArray.js
WeekDay.js
WordCharacters.js
YearFromTime.js

```

```

\---tables
    typed-array-objects.js

```

```
+---2018
```

```

abs.js
AbstractEqualityComparison.js
AbstractRelationalComparison.js
AdvanceStringIndex.js
ArrayCreate.js
ArraySetLength.js
ArraySpeciesCreate.js
AsyncIteratorClose.js
Call.js
Canonicalize.js
CanonicalNumericIndexString.js
CharacterRange.js
CompletePropertyDescriptor.js
CompletionRecord.js
CopyDataProperties.js
CreateAsyncFromSyncIterator.js
CreateDataProperty.js
CreateDataPropertyOrThrow.js
CreateHTML.js
CreateIterResultObject.js
CreateListFromArrayLike.js
CreateMethodProperty.js

```

DateFromTime.js  
DateString.js  
Day.js  
DayFromYear.js  
DaysInYear.js  
DayWithinYear.js  
DefinePropertyOrThrow.js  
DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnPropertyNames.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetGlobalObject.js  
GetIterator.js  
GetMethod.js  
GetOwnPropertyKeys.js  
GetPrototypeFromConstructor.js  
GetSubstitution.js  
GetV.js  
GetValueFromBuffer.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstanceofOperator.js  
IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsInteger.js  
IsPromise.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStringPrefix.js  
IsWordChar.js  
IterableToList.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
MakeDate.js  
MakeDay.js  
MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberToRawBytes.js

NumberToString.js  
ObjectCreate.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumber.js  
RegExpCreate.js  
RegExpExec.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumber.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetValueInBuffer.js  
SpeciesConstructor.js  
SplitMatch.js  
StrictEqualityComparison.js  
StringCreate.js  
StringGetOwnProperty.js  
SymbolDescriptiveString.js  
TestIntegrityLevel.js  
thisBooleanValue.js  
thisNumberValue.js  
thisStringValue.js  
thisSymbolValue.js  
thisTimeValue.js  
ThrowCompletion.js  
TimeClip.js  
TimeFromYear.js  
TimeString.js  
TimeWithinDay.js  
TimeZoneString.js  
ToBoolean.js  
ToDateString.js  
ToIndex.js  
ToInt16.js  
ToInt32.js  
ToInt8.js  
ToInteger.js  
ToLength.js  
ToNumber.js  
ToObject.js  
ToPrimitive.js  
ToPropertyDescriptor.js  
ToPropertyKey.js  
ToString.js  
ToUint16.js  
ToUint32.js  
ToUint8.js  
ToUint8Clamp.js  
Type.js  
TypedArrayCreate.js  
TypedArraySpeciesCreate.js

```

UnicodeEscape.js
UTF16Decode.js
UTF16Encoding.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateTypedArray.js
WeekDay.js
WordCharacters.js
YearFromTime.js

\---tables
    typed-array-objects.js

+---2019
    abs.js
    AbstractEqualityComparison.js
    AbstractRelationalComparison.js
    AddEntriesFromIterable.js
    AdvanceStringIndex.js
    ArrayCreate.js
    ArraySetLength.js
    ArraySpeciesCreate.js
    AsyncFromSyncIteratorContinuation.js
    AsyncIteratorClose.js
    Call.js
    Canonicalize.js
    CanonicalNumericIndexString.js
    CharacterRange.js
    CompletePropertyDescriptor.js
    CompletionRecord.js
    CopyDataProperties.js
    CreateAsyncFromSyncIterator.js
    CreateDataProperty.js
    CreateDataPropertyOrThrow.js
    CreateHTML.js
    CreateIterResultObject.js
    CreateListFromArrayLike.js
    CreateMethodProperty.js
    DateFromTime.js
    DateString.js
    Day.js
    DayFromYear.js
    DaysInYear.js
    DayWithinYear.js
    DefinePropertyOrThrow.js
    DeletePropertyOrThrow.js
    DetachArrayBuffer.js
    EnumerableOwnPropertyNames.js
    FlattenIntoArray.js
    floor.js
    FromPropertyDescriptor.js
    Get.js
    GetGlobalObject.js
    GetIterator.js
    GetMethod.js
    GetOwnPropertyKeys.js
    GetPrototypeFromConstructor.js
    GetSubstitution.js
    GetV.js
    GetValueFromBuffer.js
    HasOwnProperty.js
    HasProperty.js
    HourFromTime.js
    InLeapYear.js
    InstanceofOperator.js

```

IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsInteger.js  
IsPromise.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStringPrefix.js  
IsWordChar.js  
IterableToList.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
MakeDate.js  
MakeDay.js  
MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberToRawBytes.js  
NumberToString.js  
ObjectCreate.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumber.js  
RegExpCreate.js  
RegExpExec.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumber.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetValueInBuffer.js

SpeciesConstructor.js  
 SplitMatch.js  
 StrictEqualityComparison.js  
 StringCreate.js  
 StringGetOwnProperty.js  
 SymbolDescriptiveString.js  
 TestIntegrityLevel.js  
 thisBooleanValue.js  
 thisNumberValue.js  
 thisStringValue.js  
 thisSymbolValue.js  
 thisTimeValue.js  
 ThrowCompletion.js  
 TimeClip.js  
 TimeFromYear.js  
 TimeString.js  
 TimeWithinDay.js  
 TimeZoneString.js  
 ToBoolean.js  
 ToDateString.js  
 ToIndex.js  
 ToInt16.js  
 ToInt32.js  
 ToInt8.js  
 ToInteger.js  
 ToLength.js  
 ToNumber.js  
 ToObject.js  
 ToPrimitive.js  
 ToPropertyDescriptor.js  
 ToPropertyKey.js  
 ToString.js  
 ToUint16.js  
 ToUint32.js  
 ToUint8.js  
 ToUint8Clamp.js  
 TrimString.js  
 Type.js  
 TypedArrayCreate.js  
 TypedArraySpeciesCreate.js  
 UnicodeEscape.js  
 UTF16Decode.js  
 UTF16Encoding.js  
 ValidateAndApplyPropertyDescriptor.js  
 ValidateAtomicAccess.js  
 ValidateTypedArray.js  
 WeekDay.js  
 WordCharacters.js  
 YearFromTime.js

\---tables

typed-array-objects.js

+---2020

abs.js  
 AbstractEqualityComparison.js  
 AbstractRelationalComparison.js  
 AddEntriesFromIterable.js  
 AdvanceStringIndex.js  
 ArrayCreate.js  
 ArraySetLength.js  
 ArraySpeciesCreate.js  
 AsyncFromSyncIteratorContinuation.js  
 AsyncIteratorClose.js  
 BigIntBitwiseOp.js



BinaryAnd.js  
BinaryOr.js  
BinaryXor.js  
Call.js  
Canonicalize.js  
CanonicalNumericIndexString.js  
CharacterRange.js  
CodePointAt.js  
CompletePropertyDescriptor.js  
CompletionRecord.js  
CopyDataProperties.js  
CreateAsyncFromSyncIterator.js  
CreateDataProperty.js  
CreateDataPropertyOrThrow.js  
CreateHTML.js  
CreateIterResultObject.js  
CreateListFromArrayLike.js  
CreateMethodProperty.js  
CreateRegExpStringIterator.js  
DateFromTime.js  
DateString.js  
Day.js  
DayFromYear.js  
DaysInYear.js  
DayWithinYear.js  
DefinePropertyOrThrow.js  
DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnPropertyNames.js  
FlattenIntoArray.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetGlobalObject.js  
GetIterator.js  
GetMethod.js  
GetOwnPropertyKeys.js  
GetPrototypeFromConstructor.js  
GetSubstitution.js  
GetV.js  
GetValueFromBuffer.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstanceofOperator.js  
IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsBigIntElementType.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsInteger.js  
IsNonNegativeInteger.js  
IsNoTearConfiguration.js  
IsPromise.js

IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStringPrefix.js  
IsUnclampedIntegerElementType.js  
IsUnsignedElementType.js  
IsValidIntegerIndex.js  
IsWordChar.js  
IterableToList.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
LengthOfArrayLike.js  
MakeDate.js  
MakeDay.js  
MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberBitwiseOp.js  
NumberToBigInt.js  
NumericToRawBytes.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinaryObjectCreate.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumeric.js  
RegExpCreate.js  
RegExpExec.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumeric.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetValueInBuffer.js  
SpeciesConstructor.js  
SplitMatch.js  
StrictEqualityComparison.js  
StringCreate.js  
StringGetOwnProperty.js  
StringPad.js  
StringToBigInt.js  
SymbolDescriptiveString.js  
TestIntegrityLevel.js  
thisBigIntValue.js  
thisBooleanValue.js

```

thisNumberValue.js
thisStringValue.js
thisSymbolValue.js
thisTimeValue.js
ThrowCompletion.js
TimeClip.js
TimeFromYear.js
TimeString.js
TimeWithinDay.js
TimeZoneString.js
ToBigInt.js
ToBigInt64.js
ToBigUint64.js
ToBoolean.js
ToDateString.js
ToIndex.js
ToInt16.js
ToInt32.js
ToInt8.js
ToInteger.js
ToLength.js
ToNumber.js
ToNumeric.js
ToObject.js
ToPrimitive.js
ToPropertyDescriptor.js
ToPropertyKey.js
ToString.js
ToUint16.js
ToUint32.js
ToUint8.js
ToUint8Clamp.js
TrimString.js
Type.js
TypedArrayCreate.js
TypedArraySpeciesCreate.js
UnicodeEscape.js
UTF16DecodeString.js
UTF16DecodeSurrogatePair.js
UTF16Encoding.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateTypedArray.js
WeekDay.js
WordCharacters.js
YearFromTime.js

```

#### +---BigInt

```

add.js
bitwiseAND.js
bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js
divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
sameValue.js
sameValueZero.js
signedRightShift.js
subtract.js

```

```

    toString.js
    unaryMinus.js
    unsignedRightShift.js

+---Number
    add.js
    bitwiseAND.js
    bitwiseNOT.js
    bitwiseOR.js
    bitwiseXOR.js
    divide.js
    equal.js
    exponentiate.js
    index.js
    leftShift.js
    lessThan.js
    multiply.js
    remainder.js
    sameValue.js
    sameValueZero.js
    signedRightShift.js
    subtract.js
    toString.js
    unaryMinus.js
    unsignedRightShift.js

\---tables
    typed-array-objects.js

+---2021
    abs.js
    AbstractEqualityComparison.js
    AbstractRelationalComparison.js
    AddEntriesFromIterable.js
    AddToKeptObjects.js
    AdvanceStringIndex.js
    ApplyStringOrNumericBinaryOperator.js
    ArrayCreate.js
    ArraySetLength.js
    ArraySpeciesCreate.js
    AsyncFromSyncIteratorContinuation.js
    AsyncIteratorClose.js
    BigIntBitwiseOp.js
    BinaryAnd.js
    BinaryOr.js
    BinaryXor.js
    ByteListBitwiseOp.js
    ByteListEqual.js
    Call.js
    Canonicalize.js
    CanonicalNumericIndexString.js
    CharacterRange.js
    clamp.js
    ClearKeptObjects.js
    CloneArrayBuffer.js
    CodePointAt.js
    CodePointsToString.js
    CompletePropertyDescriptor.js
    CompletionRecord.js
    CopyDataProperties.js
    CreateAsyncFromSyncIterator.js
    CreateDataProperty.js
    CreateDataPropertyOrThrow.js
    CreateHTML.js
    CreateIterResultObject.js

```

CreateListFromArrayLike.js  
CreateMethodProperty.js  
CreateRegExpStringIterator.js  
DateFromTime.js  
DateString.js  
Day.js  
DayFromYear.js  
DaysInYear.js  
DayWithinYear.js  
DefinePropertyOrThrow.js  
DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnPropertyNames.js  
FlattenIntoArray.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetGlobalObject.js  
GetIterator.js  
GetMethod.js  
GetOwnPropertyKeys.js  
GetPromiseResolve.js  
GetPrototypeFromConstructor.js  
GetSubstitution.js  
GetV.js  
GetValueFromBuffer.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstanceofOperator.js  
IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsBigIntElementType.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsIntegralNumber.js  
IsNoTearConfiguration.js  
IsPromise.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStringPrefix.js  
IsUnclampedIntegerElementType.js  
IsUnsignedElementType.js  
IsValidIntegerIndex.js  
IsWordChar.js  
IterableToList.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
LengthOfArrayLike.js  
MakeDate.js

MakeDay.js  
MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberBitwiseOp.js  
NumberToBigInt.js  
NumericToRawBytes.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinaryObjectCreate.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumeric.js  
RegExpCreate.js  
RegExpExec.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumeric.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetTypedArrayFromArrayLike.js  
SetTypedArrayFromTypedArray.js  
SetValueInBuffer.js  
SpeciesConstructor.js  
SplitMatch.js  
StrictEqualityComparison.js  
StringCreate.js  
StringGetOwnProperty.js  
StringIndexOf.js  
StringPad.js  
StringToBigInt.js  
StringToCodePoints.js  
substring.js  
SymbolDescriptiveString.js  
TestIntegrityLevel.js  
thisBigIntValue.js  
thisBooleanValue.js  
thisNumberValue.js  
thisStringValue.js  
thisSymbolValue.js  
thisTimeValue.js  
ThrowCompletion.js  
TimeClip.js  
TimeFromYear.js  
TimeString.js  
TimeWithinDay.js  
TimeZoneString.js  
ToBigInt.js

```

ToBigInt64.js
ToBigUint64.js
ToBoolean.js
ToDateString.js
ToIndex.js
ToInt16.js
ToInt32.js
ToInt8.js
ToIntegerOrInfinity.js
ToLength.js
ToNumber.js
ToNumeric.js
ToObject.js
ToPrimitive.js
ToPropertyDescriptor.js
ToPropertyKey.js
ToString.js
ToUint16.js
ToUint32.js
ToUint8.js
ToUint8Clamp.js
TrimString.js
Type.js
TypedArrayCreate.js
TypedArraySpeciesCreate.js
UnicodeEscape.js
UTF16EncodeCodePoint.js
UTF16SurrogatePairToCodePoint.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateIntegerTypedArray.js
ValidateTypedArray.js
WeakRefDeref.js
WeekDay.js
WordCharacters.js
YearFromTime.js

```

#### +---BigInt

```

add.js
bitwiseAND.js
bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js
divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
sameValue.js
sameValueZero.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

```

#### +---Number

```

add.js
bitwiseAND.js
bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js

```

```

divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
sameValue.js
sameValueZero.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

```

```
\---tables
```

```
typed-array-objects.js
```

```
+---2022
```

```

abs.js
AddEntriesFromIterable.js
AddToKeptObjects.js
AdvanceStringIndex.js
ApplyStringOrNumericBinaryOperator.js
ArrayCreate.js
ArraySetLength.js
ArraySpeciesCreate.js
AsyncFromSyncIteratorContinuation.js
AsyncIteratorClose.js
BigIntBitwiseOp.js
BinaryAnd.js
BinaryOr.js
BinaryXor.js
ByteListBitwiseOp.js
ByteListEqual.js
Call.js
Canonicalize.js
CanonicalNumericIndexString.js
CharacterRange.js
clamp.js
ClearKeptObjects.js
CloneArrayBuffer.js
CodePointAt.js
CodePointsToString.js
CompletePropertyDescriptor.js
CompletionRecord.js
CopyDataProperties.js
CreateAsyncFromSyncIterator.js
CreateDataProperty.js
CreateDataPropertyOrThrow.js
CreateHTML.js
CreateIterResultObject.js
CreateListFromArrayLike.js
CreateMethodProperty.js
CreateNonEnumerableDataPropertyOrThrow.js
CreateRegExpStringIterator.js
DateFromTime.js
DateString.js
Day.js
DayFromYear.js
DaysInYear.js
DayWithinYear.js
DefineMethodProperty.js
DefinePropertyOrThrow.js

```



DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnPropertyNames.js  
FlattenIntoArray.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetGlobalObject.js  
GetIterator.js  
GetMatchIndexPair.js  
GetMatchString.js  
GetMethod.js  
GetOwnPropertyKeys.js  
GetPromiseResolve.js  
GetPrototypeFromConstructor.js  
GetStringIndex.js  
GetSubstitution.js  
GetV.js  
GetValueFromBuffer.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstallErrorCause.js  
InstanceofOperator.js  
IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsBigIntElementType.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsIntegralNumber.js  
IsLessThan.js  
IsLooselyEqual.js  
IsNoTearConfiguration.js  
IsPromise.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStrictlyEqual.js  
IsStringPrefix.js  
IsStringWellFormedUnicode.js  
IsUnclampedIntegerElementType.js  
IsUnsignedElementType.js  
IsValidIntegerIndex.js  
IsWordChar.js  
IterableToList.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorValue.js  
LengthOfArrayLike.js  
MakeDate.js  
MakeDay.js  
MakeMatchIndicesIndexPairArray.js

MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberBitwiseOp.js  
NumberToBigInt.js  
NumericToRawBytes.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinaryObjectCreate.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumeric.js  
RegExpCreate.js  
RegExpExec.js  
RegExpHasFlag.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumeric.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetTypedArrayFromArrayLike.js  
SetTypedArrayFromTypedArray.js  
SetValueInBuffer.js  
SortIndexedProperties.js  
SpeciesConstructor.js  
StringCreate.js  
StringGetOwnProperty.js  
StringIndexOf.js  
StringPad.js  
StringToBigInt.js  
StringToCodePoints.js  
StringToNumber.js  
substring.js  
SymbolDescriptiveString.js  
TestIntegrityLevel.js  
thisBigIntValue.js  
thisBooleanValue.js  
thisNumberValue.js  
thisStringValue.js  
thisSymbolValue.js  
thisTimeValue.js  
ThrowCompletion.js  
TimeClip.js  
TimeFromYear.js  
TimeString.js  
TimeWithinDay.js  
TimeZoneString.js  
ToBigInt.js

```

ToBigInt64.js
ToBigUint64.js
ToBoolean.js
ToDateString.js
ToIndex.js
ToInt16.js
ToInt32.js
ToInt8.js
ToIntegerOrInfinity.js
ToLength.js
ToNumber.js
ToNumeric.js
ToObject.js
ToPrimitive.js
ToPropertyDescriptor.js
ToPropertyKey.js
ToString.js
ToUint16.js
ToUint32.js
ToUint8.js
ToUint8Clamp.js
ToZeroPaddedDecimalString.js
TrimString.js
Type.js
TypedArrayCreate.js
TypedArrayElementSize.js
TypedArrayElementType.js
TypedArraySpeciesCreate.js
UnicodeEscape.js
UTF16EncodeCodePoint.js
UTF16SurrogatePairToCodePoint.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateIntegerTypedArray.js
ValidateTypedArray.js
WeakRefDeref.js
WeekDay.js
WordCharacters.js
YearFromTime.js

```

#### +---BigInt

```

    add.js
    bitwiseAND.js
    bitwiseNOT.js
    bitwiseOR.js
    bitwiseXOR.js
    divide.js
    equal.js
    exponentiate.js
    index.js
    leftShift.js
    lessThan.js
    multiply.js
    remainder.js
    sameValue.js
    sameValueZero.js
    signedRightShift.js
    subtract.js
    toString.js
    unaryMinus.js
    unsignedRightShift.js

```

#### +---Number

```

    add.js
    bitwiseAND.js

```

```

bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js
divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
sameValue.js
sameValueZero.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

```

```

\---tables

```

```

typed-array-objects.js

```

```

+---2023

```

```

abs.js
AddEntriesFromIterable.js
AddToKeptObjects.js
AdvanceStringIndex.js
ApplyStringOrNumericBinaryOperator.js
ArrayCreate.js
ArraySetLength.js
ArraySpeciesCreate.js
AsyncFromSyncIteratorContinuation.js
AsyncIteratorClose.js
BigIntBitwiseOp.js
BinaryAnd.js
BinaryOr.js
BinaryXor.js
ByteListBitwiseOp.js
ByteListEqual.js
Call.js
CanBeHeldWeakly.js
Canonicalize.js
CanonicalNumericIndexString.js
CharacterRange.js
clamp.js
ClearKeptObjects.js
CloneArrayBuffer.js
CodePointAt.js
CodePointsToString.js
CompareArrayElements.js
CompareTypedArrayElements.js
CompletePropertyDescriptor.js
CompletionRecord.js
CopyDataProperties.js
CreateAsyncFromSyncIterator.js
CreateDataProperty.js
CreateDataPropertyOrThrow.js
CreateHTML.js
CreateIterResultObject.js
CreateListFromArrayLike.js
CreateMethodProperty.js
CreateNonEnumerableDataPropertyOrThrow.js
CreateRegExpStringIterator.js
DateFromTime.js
DateString.js

```

Day.js  
DayFromYear.js  
DaysInYear.js  
DayWithinYear.js  
DefaultTimeZone.js  
DefineMethodProperty.js  
DefinePropertyOrThrow.js  
DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnProperties.js  
FindViaPredicate.js  
FlattenIntoArray.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetGlobalObject.js  
GetIterator.js  
GetIteratorFromMethod.js  
GetMatchIndexPair.js  
GetMatchString.js  
GetMethod.js  
GetNamedTimeZoneEpochNanoseconds.js  
GetOwnPropertyKeys.js  
GetPromiseResolve.js  
GetPrototypeFromConstructor.js  
GetStringIndex.js  
GetSubstitution.js  
GetUTCEpochNanoseconds.js  
GetV.js  
GetValueFromBuffer.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstallErrorCause.js  
InstanceOfOperator.js  
IntegerIndexedElementGet.js  
IntegerIndexedElementSet.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsBigIntElementType.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsGenericDescriptor.js  
IsIntegralNumber.js  
IsLessThan.js  
IsLooselyEqual.js  
IsNoTearConfiguration.js  
IsPromise.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStrictlyEqual.js  
IsStringWellFormedUnicode.js  
IsTimeZoneOffsetString.js  
IsUnclampedIntegerElementType.js  
IsUnsignedElementType.js  
IsValidIntegerIndex.js

IsWordChar.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorToList.js  
IteratorValue.js  
KeyForSymbol.js  
LengthOfArrayLike.js  
MakeDate.js  
MakeDay.js  
MakeMatchIndicesIndexPairArray.js  
MakeTime.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberBitwiseOp.js  
NumberToBigInt.js  
NumericToRawBytes.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinaryObjectCreate.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
ParseHexOctet.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumeric.js  
RegExpCreate.js  
RegExpExec.js  
RegExpHasFlag.js  
RequireObjectCoercible.js  
SameValue.js  
SameValueNonNumber.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetTypedArrayFromArrayLike.js  
SetTypedArrayFromTypedArray.js  
SetValueInBuffer.js  
SortIndexedProperties.js  
SpeciesConstructor.js  
StringCreate.js  
StringGetOwnProperty.js  
StringIndexOf.js  
StringPad.js  
StringToBigInt.js  
StringToCodePoints.js  
StringToNumber.js  
substring.js  
SymbolDescriptiveString.js  
TestIntegrityLevel.js

```

thisBigIntValue.js
thisBooleanValue.js
thisNumberValue.js
thisStringValue.js
thisSymbolValue.js
thisTimeValue.js
ThrowCompletion.js
TimeClip.js
TimeFromYear.js
TimeString.js
TimeWithinDay.js
TimeZoneString.js
ToBigInt.js
ToBigInt64.js
ToBigUint64.js
ToBoolean.js
ToDateString.js
ToIndex.js
ToInt16.js
ToInt32.js
ToInt8.js
ToIntegerOrInfinity.js
ToLength.js
ToNumber.js
ToNumeric.js
ToObject.js
ToPrimitive.js
ToPropertyDescriptor.js
ToPropertyKey.js
ToString.js
ToUint16.js
ToUint32.js
ToUint8.js
ToUint8Clamp.js
ToZeroPaddedDecimalString.js
TrimString.js
truncate.js
Type.js
TypedArrayCreate.js
TypedArrayCreateSameType.js
TypedArrayElementSize.js
TypedArrayElementType.js
TypedArraySpeciesCreate.js
UnicodeEscape.js
UTF16EncodeCodePoint.js
UTF16SurrogatePairToCodePoint.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateIntegerTypedArray.js
ValidateTypedArray.js
WeakRefDeref.js
WeekDay.js
WordCharacters.js
YearFromTime.js

```

```
+---BigInt
```

```

    add.js
    bitwiseAND.js
    bitwiseNOT.js
    bitwiseOR.js
    bitwiseXOR.js
    divide.js
    equal.js
    exponentiate.js
    index.js

```

```

leftShift.js
lessThan.js
multiply.js
remainder.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

+---Number
add.js
bitwiseAND.js
bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js
divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
sameValue.js
sameValueZero.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

\---tables
typed-array-objects.js

+---2024
abs.js
AddEntriesFromIterable.js
AddToKeptObjects.js
AddValueToKeyedGroup.js
AdvanceStringIndex.js
AllCharacters.js
ApplyStringOrNumericBinaryOperator.js
ArrayBufferByteLength.js
ArrayBufferCopyAndDetach.js
ArrayCreate.js
ArraySetLength.js
ArraySpeciesCreate.js
AsyncFromSyncIteratorContinuation.js
AsyncIteratorClose.js
BigIntBitwiseOp.js
BinaryAnd.js
BinaryOr.js
BinaryXor.js
ByteListBitwiseOp.js
ByteListEqual.js
Call.js
CanBeHeldWeakly.js
Canonicalize.js
CanonicalNumericIndexString.js
CharacterComplement.js
CharacterRange.js
clamp.js
ClearKeptObjects.js
CloneArrayBuffer.js

```



CodePointAt.js  
CodePointsToString.js  
CompareArrayElements.js  
CompareTypedArrayElements.js  
CompletePropertyDescriptor.js  
CompletionRecord.js  
CopyDataProperties.js  
CreateAsyncFromSyncIterator.js  
CreateDataProperty.js  
CreateDataPropertyOrThrow.js  
CreateHTML.js  
CreateIterResultObject.js  
CreateListFromArrayLike.js  
CreateNonEnumerableDataPropertyOrThrow.js  
CreateRegExpStringIterator.js  
DateFromTime.js  
DateString.js  
Day.js  
DayFromYear.js  
DaysInYear.js  
DayWithinYear.js  
DefineMethodProperty.js  
DefinePropertyOrThrow.js  
DeletePropertyOrThrow.js  
DetachArrayBuffer.js  
EnumerableOwnProperties.js  
FindViaPredicate.js  
FlattenIntoArray.js  
floor.js  
FromPropertyDescriptor.js  
Get.js  
GetArrayBufferMaxByteLengthOption.js  
GetGlobalObject.js  
GetIterator.js  
GetIteratorFromMethod.js  
GetMatchIndexPair.js  
GetMatchString.js  
GetMethod.js  
GetNamedTimeZoneEpochNanoseconds.js  
GetOwnPropertyKeys.js  
GetPromiseResolve.js  
GetPrototypeFromConstructor.js  
GetStringIndex.js  
GetSubstitution.js  
GetUTCEpochNanoseconds.js  
GetV.js  
GetValueFromBuffer.js  
GetViewByteLength.js  
GroupBy.js  
HasEitherUnicodeFlag.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
InLeapYear.js  
InstallErrorCause.js  
InstanceofOperator.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsArrayBufferViewOutOfBounds.js  
IsBigIntElementType.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js

IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsFixedLengthArrayBuffer.js  
IsGenericDescriptor.js  
IsIntegralNumber.js  
IsLessThan.js  
IsLooselyEqual.js  
IsNoTearConfiguration.js  
IsPromise.js  
IsPropertyKey.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStrictlyEqual.js  
IsStringWellFormedUnicode.js  
IsTimeZoneOffsetString.js  
IsTypedArrayOutOfBounds.js  
IsUnclampedIntegerElementType.js  
IsUnsignedElementType.js  
IsValidIntegerIndex.js  
IsViewOutOfBounds.js  
IsWordChar.js  
IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorStepValue.js  
IteratorToList.js  
IteratorValue.js  
KeyForSymbol.js  
LengthOfArrayLike.js  
MakeDataViewWithBufferWitnessRecord.js  
MakeDate.js  
MakeDay.js  
MakeFullYear.js  
MakeMatchIndicesIndexPairArray.js  
MakeTime.js  
MakeTypedArrayWithBufferWitnessRecord.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberBitwiseOp.js  
NumberToBigInt.js  
NumericToRawBytes.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinaryObjectCreate.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
ParseHexOctet.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumeric.js  
RegExpCreate.js

|  |  |  |  |                                |
|--|--|--|--|--------------------------------|
|  |  |  |  | RegExpExec.js                  |
|  |  |  |  | RegExpHasFlag.js               |
|  |  |  |  | RequireObjectCoercible.js      |
|  |  |  |  | SameValue.js                   |
|  |  |  |  | SameValueNonNumber.js          |
|  |  |  |  | SameValueZero.js               |
|  |  |  |  | SecFromTime.js                 |
|  |  |  |  | Set.js                         |
|  |  |  |  | SetFunctionLength.js           |
|  |  |  |  | SetFunctionName.js             |
|  |  |  |  | SetIntegrityLevel.js           |
|  |  |  |  | SetTypedArrayFromArrayLike.js  |
|  |  |  |  | SetTypedArrayFromTypedArray.js |
|  |  |  |  | SetValueInBuffer.js            |
|  |  |  |  | SortIndexedProperties.js       |
|  |  |  |  | SpeciesConstructor.js          |
|  |  |  |  | StringCreate.js                |
|  |  |  |  | StringGetOwnProperty.js        |
|  |  |  |  | StringIndexOf.js               |
|  |  |  |  | StringPad.js                   |
|  |  |  |  | StringPaddingBuiltinsImpl.js   |
|  |  |  |  | StringToBigInt.js              |
|  |  |  |  | StringToCodePoints.js          |
|  |  |  |  | StringToNumber.js              |
|  |  |  |  | substring.js                   |
|  |  |  |  | SymbolDescriptiveString.js     |
|  |  |  |  | SystemTimeZoneIdentifier.js    |
|  |  |  |  | TestIntegrityLevel.js          |
|  |  |  |  | ThisBigIntValue.js             |
|  |  |  |  | ThisBooleanValue.js            |
|  |  |  |  | ThisNumberValue.js             |
|  |  |  |  | ThisStringValue.js             |
|  |  |  |  | ThisSymbolValue.js             |
|  |  |  |  | ThrowCompletion.js             |
|  |  |  |  | TimeClip.js                    |
|  |  |  |  | TimeFromYear.js                |
|  |  |  |  | TimeString.js                  |
|  |  |  |  | TimeWithinDay.js               |
|  |  |  |  | TimeZoneString.js              |
|  |  |  |  | ToBigInt.js                    |
|  |  |  |  | ToBigInt64.js                  |
|  |  |  |  | ToBigUint64.js                 |
|  |  |  |  | ToBoolean.js                   |
|  |  |  |  | ToDateString.js                |
|  |  |  |  | ToIndex.js                     |
|  |  |  |  | ToInt16.js                     |
|  |  |  |  | ToInt32.js                     |
|  |  |  |  | ToInt8.js                      |
|  |  |  |  | ToIntegerOrInfinity.js         |
|  |  |  |  | ToLength.js                    |
|  |  |  |  | ToNumber.js                    |
|  |  |  |  | ToNumeric.js                   |
|  |  |  |  | ToObject.js                    |
|  |  |  |  | ToPrimitive.js                 |
|  |  |  |  | ToPropertyDescriptor.js        |
|  |  |  |  | ToPropertyKey.js               |
|  |  |  |  | ToString.js                    |
|  |  |  |  | ToUint16.js                    |
|  |  |  |  | ToUint32.js                    |
|  |  |  |  | ToUint8.js                     |
|  |  |  |  | ToUint8Clamp.js                |
|  |  |  |  | ToZeroPaddedDecimalString.js   |
|  |  |  |  | TrimString.js                  |
|  |  |  |  | truncate.js                    |
|  |  |  |  | Type.js                        |

```

TypedArrayByteLength.js
TypedArrayCreateFromConstructor.js
TypedArrayCreateSameType.js
TypedArrayElementSize.js
TypedArrayElementType.js
TypedArrayGetElement.js
TypedArrayLength.js
TypedArraySetElement.js
TypedArraySpeciesCreate.js
UnicodeEscape.js
UTF16EncodeCodePoint.js
UTF16SurrogatePairToCodePoint.js
ValidateAndApplyPropertyDescriptor.js
ValidateAtomicAccess.js
ValidateAtomicAccessOnIntegerTypedArray.js
ValidateIntegerTypedArray.js
ValidateTypedArray.js
WeakRefDeref.js
WeekDay.js
WordCharacters.js
YearFromTime.js

```

#### +---BigInt

```

add.js
bitwiseAND.js
bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js
divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

```

#### +---Number

```

add.js
bitwiseAND.js
bitwiseNOT.js
bitwiseOR.js
bitwiseXOR.js
divide.js
equal.js
exponentiate.js
index.js
leftShift.js
lessThan.js
multiply.js
remainder.js
sameValue.js
sameValueZero.js
signedRightShift.js
subtract.js
toString.js
unaryMinus.js
unsignedRightShift.js

```

#### \---tables

## typed-array-objects.js

+---2025

abs.js  
 AddEntriesFromIterable.js  
 AddToKeptObjects.js  
 AddValueToKeyedGroup.js  
 AdvanceStringIndex.js  
 AllCharacters.js  
 ApplyStringOrNumericBinaryOperator.js  
 ArrayBufferByteLength.js  
 ArrayBufferCopyAndDetach.js  
 ArrayCreate.js  
 ArraySetLength.js  
 ArraySpeciesCreate.js  
 AsyncFromSyncIteratorContinuation.js  
 AsyncIteratorClose.js  
 BigIntBitwiseOp.js  
 BinaryAnd.js  
 BinaryOr.js  
 BinaryXor.js  
 ByteListBitwiseOp.js  
 ByteListEqual.js  
 Call.js  
 CanBeHeldWeakly.js  
 Canonicalize.js  
 CanonicalizeKeyedCollectionKey.js  
 CanonicalNumericIndexString.js  
 CharacterComplement.js  
 CharacterRange.js  
 clamp.js  
 ClearKeptObjects.js  
 CloneArrayBuffer.js  
 CodePointAt.js  
 CodePointsToString.js  
 CompareArrayElements.js  
 CompareTypedArrayElements.js  
 CompletePropertyDescriptor.js  
 CompletionRecord.js  
 CopyDataProperties.js  
 CreateAsyncFromSyncIterator.js  
 CreateDataProperty.js  
 CreateDataPropertyOrThrow.js  
 CreateHTML.js  
 CreateIteratorFromClosure.js  
 CreateIteratorResultObject.js  
 CreateListFromArrayLike.js  
 CreateNonEnumerableDataPropertyOrThrow.js  
 CreateRegExpStringIterator.js  
 DateFromTime.js  
 DateString.js  
 Day.js  
 DayFromYear.js  
 DaysInYear.js  
 DayWithinYear.js  
 DefineMethodProperty.js  
 DefinePropertyOrThrow.js  
 DeletePropertyOrThrow.js  
 DetachArrayBuffer.js  
 EncodeForRegExpEscape.js  
 EnumerableOwnProperties.js  
 FindViaPredicate.js  
 FlattenIntoArray.js  
 floor.js  
 FromPropertyDescriptor.js

GeneratorResume.js  
GeneratorResumeAbrupt.js  
GeneratorStart.js  
GeneratorValidate.js  
Get.js  
GetArrayBufferMaxByteLengthOption.js  
GetGlobalObject.js  
GetIterator.js  
GetIteratorDirect.js  
GetIteratorFlattenable.js  
GetIteratorFromMethod.js  
GetMatchIndexPair.js  
GetMatchString.js  
GetMethod.js  
GetNamedTimeZoneEpochNanoseconds.js  
GetOwnPropertyKeys.js  
GetPromiseResolve.js  
GetPrototypeFromConstructor.js  
GetSetRecord.js  
GetStringIndex.js  
GetSubstitution.js  
GetUTCEpochNanoseconds.js  
GetV.js  
GetValueFromBuffer.js  
GetViewByteLength.js  
GroupBy.js  
HasEitherUnicodeFlag.js  
HasOwnProperty.js  
HasProperty.js  
HourFromTime.js  
IfAbruptCloseIterator.js  
InLeapYear.js  
InstallErrorCause.js  
InstanceofOperator.js  
InternalizeJSONProperty.js  
Invoke.js  
IsAccessorDescriptor.js  
IsArray.js  
IsArrayBufferViewOutOfBounds.js  
IsBigIntElementType.js  
IsCallable.js  
IsCompatiblePropertyDescriptor.js  
IsConcatSpreadable.js  
IsConstructor.js  
IsDataDescriptor.js  
IsDetachedBuffer.js  
IsExtensible.js  
IsFixedLengthArrayBuffer.js  
IsGenericDescriptor.js  
IsLessThan.js  
IsLooselyEqual.js  
IsNoTearConfiguration.js  
IsPromise.js  
IsRegExp.js  
IsSharedArrayBuffer.js  
IsStrictlyEqual.js  
IsStringWellFormedUnicode.js  
IsTimeZoneOffsetString.js  
IsTypedArrayFixedLength.js  
IsTypedArrayOutOfBounds.js  
IsUnclampedIntegerElementType.js  
IsUnsignedElementType.js  
IsValidIntegerIndex.js  
IsViewOutOfBounds.js  
IsWordChar.js

IteratorClose.js  
IteratorComplete.js  
IteratorNext.js  
IteratorStep.js  
IteratorStepValue.js  
IteratorToList.js  
IteratorValue.js  
KeyForSymbol.js  
LengthOfArrayLike.js  
MakeDataViewWithBufferWitnessRecord.js  
MakeDate.js  
MakeDay.js  
MakeFullYear.js  
MakeMatchIndicesIndexPairArray.js  
MakeTime.js  
MakeTypedArrayWithBufferWitnessRecord.js  
max.js  
min.js  
MinFromTime.js  
modulo.js  
MonthFromTime.js  
msFromTime.js  
NewPromiseCapability.js  
NormalCompletion.js  
NumberBitwiseOp.js  
NumberToBigInt.js  
NumericToRawBytes.js  
ObjectDefineProperties.js  
OrdinaryCreateFromConstructor.js  
OrdinaryDefineOwnProperty.js  
OrdinaryGetOwnProperty.js  
OrdinaryGetPrototypeOf.js  
OrdinaryHasInstance.js  
OrdinaryHasProperty.js  
OrdinaryObjectCreate.js  
OrdinarySetPrototypeOf.js  
OrdinaryToPrimitive.js  
ParseHexOctet.js  
PromiseResolve.js  
QuoteJSONString.js  
RawBytesToNumeric.js  
RegExpCreate.js  
RegExpExec.js  
RegExpHasFlag.js  
RequireObjectCoercible.js  
ReturnCompletion.js  
SameType.js  
SameValue.js  
SameValueNonNumber.js  
SameValueZero.js  
SecFromTime.js  
Set.js  
SetDataHas.js  
SetDataIndex.js  
SetDataSize.js  
SetFunctionLength.js  
SetFunctionName.js  
SetIntegrityLevel.js  
SetterThatIgnoresPrototypeProperties.js  
SetTypedArrayFromArrayLike.js  
SetTypedArrayFromTypedArray.js  
SetValueInBuffer.js  
SortIndexedProperties.js  
SpeciesConstructor.js  
StringCreate.js

|  |  |  |  |                                            |
|--|--|--|--|--------------------------------------------|
|  |  |  |  | StringGetOwnProperty.js                    |
|  |  |  |  | StringIndexOf.js                           |
|  |  |  |  | StringLastIndexOf.js                       |
|  |  |  |  | StringPad.js                               |
|  |  |  |  | StringPaddingBuiltinsImpl.js               |
|  |  |  |  | StringToBigInt.js                          |
|  |  |  |  | StringToCodePoints.js                      |
|  |  |  |  | StringToNumber.js                          |
|  |  |  |  | substring.js                               |
|  |  |  |  | SymbolDescriptiveString.js                 |
|  |  |  |  | SystemTimeZoneIdentifier.js                |
|  |  |  |  | TestIntegrityLevel.js                      |
|  |  |  |  | ThisBigIntValue.js                         |
|  |  |  |  | ThisBooleanValue.js                        |
|  |  |  |  | ThisNumberValue.js                         |
|  |  |  |  | ThisStringValue.js                         |
|  |  |  |  | ThisSymbolValue.js                         |
|  |  |  |  | ThrowCompletion.js                         |
|  |  |  |  | TimeClip.js                                |
|  |  |  |  | TimeFromYear.js                            |
|  |  |  |  | TimeString.js                              |
|  |  |  |  | TimeWithinDay.js                           |
|  |  |  |  | TimeZoneString.js                          |
|  |  |  |  | ToBigInt.js                                |
|  |  |  |  | ToBigInt64.js                              |
|  |  |  |  | ToBigUint64.js                             |
|  |  |  |  | ToBoolean.js                               |
|  |  |  |  | ToDateString.js                            |
|  |  |  |  | ToIndex.js                                 |
|  |  |  |  | ToInt16.js                                 |
|  |  |  |  | ToInt32.js                                 |
|  |  |  |  | ToInt8.js                                  |
|  |  |  |  | ToIntegerOrInfinity.js                     |
|  |  |  |  | ToLength.js                                |
|  |  |  |  | ToNumber.js                                |
|  |  |  |  | ToNumeric.js                               |
|  |  |  |  | ToObject.js                                |
|  |  |  |  | ToPrimitive.js                             |
|  |  |  |  | ToPropertyDescriptor.js                    |
|  |  |  |  | ToPropertyKey.js                           |
|  |  |  |  | ToString.js                                |
|  |  |  |  | ToUint16.js                                |
|  |  |  |  | ToUint32.js                                |
|  |  |  |  | ToUint8.js                                 |
|  |  |  |  | ToUint8Clamp.js                            |
|  |  |  |  | ToZeroPaddedDecimalString.js               |
|  |  |  |  | TrimString.js                              |
|  |  |  |  | truncate.js                                |
|  |  |  |  | TypedArrayByteLength.js                    |
|  |  |  |  | TypedArrayCreateFromConstructor.js         |
|  |  |  |  | TypedArrayCreateSameType.js                |
|  |  |  |  | TypedArrayElementSize.js                   |
|  |  |  |  | TypedArrayElementType.js                   |
|  |  |  |  | TypedArrayGetElement.js                    |
|  |  |  |  | TypedArrayLength.js                        |
|  |  |  |  | TypedArraySetElement.js                    |
|  |  |  |  | TypedArraySpeciesCreate.js                 |
|  |  |  |  | UnicodeEscape.js                           |
|  |  |  |  | UpdateModifiers.js                         |
|  |  |  |  | UTF16EncodeCodePoint.js                    |
|  |  |  |  | UTF16SurrogatePairToCodePoint.js           |
|  |  |  |  | ValidateAndApplyPropertyDescriptor.js      |
|  |  |  |  | ValidateAtomicAccess.js                    |
|  |  |  |  | ValidateAtomicAccessOnIntegerTypedArray.js |
|  |  |  |  | ValidateIntegerTypedArray.js               |



```

ValidateTypedArray.js
WeakRefDeref.js
WeekDay.js
WordCharacters.js
YearFromTime.js

+---BigInt
    add.js
    bitwiseAND.js
    bitwiseNOT.js
    bitwiseOR.js
    bitwiseXOR.js
    divide.js
    equal.js
    exponentiate.js
    index.js
    leftShift.js
    lessThan.js
    multiply.js
    remainder.js
    signedRightShift.js
    subtract.js
    toString.js
    unaryMinus.js
    unsignedRightShift.js

+---Number
    add.js
    bitwiseAND.js
    bitwiseNOT.js
    bitwiseOR.js
    bitwiseXOR.js
    divide.js
    equal.js
    exponentiate.js
    index.js
    leftShift.js
    lessThan.js
    multiply.js
    remainder.js
    sameValue.js
    sameValueZero.js
    signedRightShift.js
    subtract.js
    toString.js
    unaryMinus.js
    unsignedRightShift.js

\---tables
    typed-array-objects.js

+---5
    abs.js
    AbstractEqualityComparison.js
    AbstractRelationalComparison.js
    Canonicalize.js
    CheckObjectCoercible.js
    DateFromTime.js
    Day.js
    DayFromYear.js
    DaysInYear.js
    DayWithinYear.js
    floor.js
    FromPropertyDescriptor.js
    HourFromTime.js

```

```

InLeapYear.js
IsAccessorDescriptor.js
IsCallable.js
IsDataDescriptor.js
IsGenericDescriptor.js
IsPropertyDescriptor.js
MakeDate.js
MakeDay.js
MakeTime.js
MinFromTime.js
modulo.js
MonthFromTime.js
msFromTime.js
SameValue.js
SecFromTime.js
StrictEqualityComparison.js
TimeClip.js
TimeFromYear.js
TimeWithinDay.js
ToBoolean.js
ToInt32.js
ToInteger.js
ToNumber.js
ToObject.js
ToPrimitive.js
ToPropertyDescriptor.js
ToString.js
ToUint16.js
ToUint32.js
Type.js
WeekDay.js
YearFromTime.js

```

#### +---helpers

```

assertRecord.js
assign.js
bytesAsFloat16.js
bytesAsFloat32.js
bytesAsFloat64.js
bytesAsInteger.js
callBind.js
callBound.js
caseFolding.json
CharSet.js
defaultEndianness.js
DefineOwnProperty.js
every.js
forEach.js
fractionToBinaryString.js
fromPropertyDescriptor.js
getInferredName.js
getIteratorMethod.js
getOwnPropertyDescriptor.js
getProto.js
getSymbolDescription.js
integerToBytes.js
intToBinaryString.js
isAbstractClosure.js
IsArray.js
isByteValue.js
isCodePoint.js
isFinite.js
isFullyPopulatedPropertyDescriptor.js
isInteger.js
isLeadingSurrogate.js

```

- isLineTerminator.js
- isNaN.js
- isNegativeZero.js
- isObject.js
- isPrefixOf.js
- isPrimitive.js
- isPropertyKey.js
- isSamePropertyDescriptor.js
- isSameType.js
- isStringOrHole.js
- isStringOrUndefined.js
- isTrailingSurrogate.js
- maxSafeInteger.js
- maxValue.js
- mod.js
- modBigInt.js
- OwnPropertyKeys.js
- padTimeComponent.js
- reduce.js
- regexTester.js
- setProto.js
- sign.js
- some.js
- timeConstants.js
- timeValue.js
- typedArrayConstructors.js
- valueToFloat16Bytes.js
- valueToFloat32Bytes.js
- valueToFloat64Bytes.js

## \---records

- async-generator-request-record.js
- data-view-with-buffer-witness-record.js
- iterator-record-2023.js
- iterator-record.js
- match-record.js
- promise-capability-record.js
- property-descriptor.js
- regexp-record.js
- set-record.js
- typed-array-with-buffer-witness-record.js

## \---operations

- 2015.js
- 2016.js
- 2017.js
- 2018.js
- 2019.js
- 2020.js
- 2021.js
- 2022.js
- 2023.js
- 2024.js
- 2025.js
- es5.js

## +---es-define-property

- .eslintrc
- .nycrc
- CHANGELOG.md
- index.d.ts
- index.js
- LICENSE
- package.json
- README.md

```

    tsconfig.json
      FUNDING.yml
    \---test
      index.js
+---es-errors
  .eslintrc
  CHANGELOG.md
  eval.d.ts
  eval.js
  index.d.ts
  index.js
  LICENSE
  package.json
  range.d.ts
  range.js
  README.md
  ref.d.ts
  ref.js
  syntax.d.ts
  syntax.js
  tsconfig.json
  type.d.ts
  type.js
  uri.d.ts
  uri.js
      FUNDING.yml
    \---test
      index.js
+---es-iterator-helpers
  .nycrc
  auto.js
  CHANGELOG.md
  eslint.config.mjs
  index.json
  LICENSE
  package.json
  README.md
  shim.js
      FUNDING.yml
+---aos
  GeneratorResumeAbrupt.js
  GetOptionsObject.js
  IfAbruptCloseIterators.js
  IteratorCloseAll.js
  IteratorZip.js
+---Iterator
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js
+---Iterator.concat
  auto.js
  implementation.js
  index.js

```

```
polyfill.js
shim.js

+---Iterator.from
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.constructor
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.drop
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.every
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.filter
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.find
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.flatMap
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js

+---Iterator.prototype.forEach
  auto.js
  implementation.js
  index.js
  polyfill.js
  shim.js
```

```
|
|
| +---Iterator.prototype.includes
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.prototype.map
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.prototype.reduce
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.prototype.some
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.prototype.take
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.prototype.toArray
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.zip
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---Iterator.zipKeyed
| |   auto.js
| |   implementation.js
| |   index.js
| |   polyfill.js
| |   shim.js
|
| +---IteratorHelperPrototype
| |   index.js
|
| +---test
| |   implementation.js
| |   index.js
| |   Iterator.concat.js
| |   Iterator.from.js
```

```

Iterator.js
Iterator.prototype.constructor.js
Iterator.prototype.drop.js
Iterator.prototype.every.js
Iterator.prototype.filter.js
Iterator.prototype.find.js
Iterator.prototype.flatMap.js
Iterator.prototype.forEach.js
Iterator.prototype.includes.js
Iterator.prototype.js
Iterator.prototype.map.js
Iterator.prototype.reduce.js
Iterator.prototype.some.js
Iterator.prototype.take.js
Iterator.prototype.toArray.js
Iterator.zip.js
Iterator.zipKeyed.js
shimmed.js
tests.js

```

```

\---helpers
    testIterator.js

```

```

\---WrapForValidIteratorPrototype
    index.js

```

#### +---es-object-atoms

```

.eslintrc
CHANGELOG.md
index.d.ts
index.js
isObject.d.ts
isObject.js
LICENSE
package.json
README.md
RequireObjectCoercible.d.ts
RequireObjectCoercible.js
ToObject.d.ts
ToObject.js
tsconfig.json

```

```

    FUNDING.yml

```

```

\---test
    index.js

```

#### +---es-set-tostringtag

```

.eslintrc
.nycrc
CHANGELOG.md
index.d.ts
index.js
LICENSE
package.json
README.md
tsconfig.json

```

```

\---test
    index.js

```

#### +---es-shim-unscopables

```

.eslintrc
.nycrc
CHANGELOG.md

```

```

|
|
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|       FUNDING.yml
|
| \---test
|       index.js
|       with.js
|
+---es-to-primitive
|   .editorconfig
|   .eslintignore
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   es2015.d.ts
|   es2015.js
|   es5.d.ts
|   es5.js
|   es6.d.ts
|   es6.js
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|       FUNDING.yml
|
+---helpers
|   isPrimitive.js
|
| \---test
|       es2015.js
|       es5.js
|       es6.js
|       index.js
|
+---escalade
|   index.d.mts
|   index.d.ts
|   license
|   package.json
|   readme.md
|
+---dist
|   index.js
|   index.mjs
|
| \---sync
|       index.d.mts
|       index.d.ts
|       index.js
|       index.mjs
|
+---escape-string-regexp
|   index.d.ts
|   index.js
|   license
|   package.json

```



readme.md

## +---eslint

LICENSE  
package.json  
README.md

## +---bin

eslint.js

## +---conf

default-cli-options.js  
ecma-version.js  
globals.js  
replacements.json  
rule-type-list.json

## +---lib

api.js  
cli.js  
config-api.js  
options.js  
universal.js  
unsupported-api.js

## +---cli-engine

cli-engine.js  
file-enumerator.js  
hash.js  
index.js  
lint-result-cache.js  
load-rules.js

## \---formatters

formatters-meta.json  
html.js  
json-with-metadata.js  
json.js  
stylish.js

## +---config

config-loader.js  
config.js  
default-config.js  
flat-config-array.js  
flat-config-schema.js

## +---eslint

eslint-helpers.js  
eslint.js  
index.js  
legacy-eslint.js  
worker.js

## +---languages

## \---js

index.js  
validate-language-options.js

## \---source-code

index.js  
source-code.js

## \---token-store

backward-token-comment-cursor.js

```

backward-token-cursor.js
cursor.js
cursors.js
decorative-cursor.js
filter-cursor.js
forward-token-comment-cursor.js
forward-token-cursor.js
index.js
limit-cursor.js
padded-token-cursor.js
skip-cursor.js
utils.js

+---linter
|   apply-disable-directives.js
|   esquery.js
|   file-context.js
|   file-report.js
|   index.js
|   interpolate.js
|   linter.js
|   rule-fixer.js
|   rules.js
|   source-code-fixer.js
|   source-code-traverser.js
|   source-code-visitor.js
|   timing.js
|   vfile.js
|
|   \---code-path-analysis
|       code-path-analyzer.js
|       code-path-segment.js
|       code-path-state.js
|       code-path.js
|       debug-helpers.js
|       fork-context.js
|       id-generator.js
|
+---rule-tester
|   index.js
|   rule-tester.js
|
+---rules
|   accessor-pairs.js
|   array-bracket-newline.js
|   array-bracket-spacing.js
|   array-callback-return.js
|   array-element-newline.js
|   arrow-body-style.js
|   arrow-parens.js
|   arrow-spacing.js
|   block-scoped-var.js
|   block-spacing.js
|   brace-style.js
|   callback-return.js
|   camelcase.js
|   capitalized-comments.js
|   class-methods-use-this.js
|   comma-dangle.js
|   comma-spacing.js
|   comma-style.js
|   complexity.js
|   computed-property-spacing.js
|   consistent-return.js
|   consistent-this.js

```

constructor-super.js  
curly.js  
default-case-last.js  
default-case.js  
default-param-last.js  
dot-location.js  
dot-notation.js  
eol-last.js  
eqeqeq.js  
for-direction.js  
func-call-spacing.js  
func-name-matching.js  
func-names.js  
func-style.js  
function-call-argument-newline.js  
function-paren-newline.js  
generator-star-spacing.js  
getter-return.js  
global-require.js  
grouped-accessor-pairs.js  
guard-for-in.js  
handle-callback-err.js  
id-blacklist.js  
id-denylist.js  
id-length.js  
id-match.js  
implicit-arrow-linebreak.js  
indent-legacy.js  
indent.js  
index.js  
init-declarations.js  
jsx-quotes.js  
key-spacing.js  
keyword-spacing.js  
line-comment-position.js  
linebreak-style.js  
lines-around-comment.js  
lines-around-directive.js  
lines-between-class-members.js  
logical-assignment-operators.js  
max-classes-per-file.js  
max-depth.js  
max-len.js  
max-lines-per-function.js  
max-lines.js  
max-nested-callbacks.js  
max-params.js  
max-statements-per-line.js  
max-statements.js  
multiline-comment-style.js  
multiline-ternary.js  
new-cap.js  
new-parens.js  
newline-after-var.js  
newline-before-return.js  
newline-per-chained-call.js  
no-alert.js  
no-array-constructor.js  
no-async-promise-executor.js  
no-await-in-loop.js  
no-bitwise.js  
no-buffer-constructor.js  
no-caller.js  
no-case-declarations.js  
no-catch-shadow.js

no-class-assign.js  
no-compare-neg-zero.js  
no-cond-assign.js  
no-confusing-arrow.js  
no-console.js  
no-const-assign.js  
no-constant-binary-expression.js  
no-constant-condition.js  
no-constructor-return.js  
no-continue.js  
no-control-regex.js  
no-debugger.js  
no-delete-var.js  
no-div-regex.js  
no-dupe-args.js  
no-dupe-class-members.js  
no-dupe-else-if.js  
no-dupe-keys.js  
no-duplicate-case.js  
no-duplicate-imports.js  
no-else-return.js  
no-empty-character-class.js  
no-empty-function.js  
no-empty-pattern.js  
no-empty-static-block.js  
no-empty.js  
no-eq-null.js  
no-eval.js  
no-ex-assign.js  
no-extend-native.js  
no-extra-bind.js  
no-extra-boolean-cast.js  
no-extra-label.js  
no-extra-parens.js  
no-extra-semi.js  
no-fallthrough.js  
no-floating-decimal.js  
no-func-assign.js  
no-global-assign.js  
no-implicit-coercion.js  
no-implicit-globals.js  
no-implied-eval.js  
no-import-assign.js  
no-inline-comments.js  
no-inner-declarations.js  
no-invalid-regexp.js  
no-invalid-this.js  
no-irregular-whitespace.js  
no-iterator.js  
no-label-var.js  
no-labels.js  
no-lone-blocks.js  
no-lonely-if.js  
no-loop-func.js  
no-loss-of-precision.js  
no-magic-numbers.js  
no-misleading-character-class.js  
no-mixed-operators.js  
no-mixed-requires.js  
no-mixed-spaces-and-tabs.js  
no-multi-assign.js  
no-multi-spaces.js  
no-multi-str.js  
no-multiple-empty-lines.js  
no-native-reassign.js

no-negated-condition.js  
no-negated-in-lhs.js  
no-nested-ternary.js  
no-new-func.js  
no-new-native-nonconstructor.js  
no-new-object.js  
no-new-require.js  
no-new-symbol.js  
no-new-wrappers.js  
no-new.js  
no-noctal-decimal-escape.js  
no-obj-calls.js  
no-object-constructor.js  
no-octal-escape.js  
no-octal.js  
no-param-reassign.js  
no-path-concat.js  
no-plusplus.js  
no-process-env.js  
no-process-exit.js  
no-promise-executor-return.js  
no-proto.js  
no-prototype-builtins.js  
no-redeclare.js  
no-regex-spaces.js  
no-restricted-exports.js  
no-restricted-globals.js  
no-restricted-imports.js  
no-restricted-modules.js  
no-restricted-properties.js  
no-restricted-syntax.js  
no-return-assign.js  
no-return-await.js  
no-script-url.js  
no-self-assign.js  
no-self-compare.js  
no-sequences.js  
no-setter-return.js  
no-shadow-restricted-names.js  
no-shadow.js  
no-spaced-func.js  
no-sparse-arrays.js  
no-sync.js  
no-tabs.js  
no-template-curly-in-string.js  
no-ternary.js  
no-this-before-super.js  
no-throw-literal.js  
no-trailing-spaces.js  
no-unassigned-vars.js  
no-undef-init.js  
no-undef.js  
no-undefined.js  
no-underscore-dangle.js  
no-unexpected-multiline.js  
no-unmodified-loop-condition.js  
no-unneeded-ternary.js  
no-unreachable-loop.js  
no-unreachable.js  
no-unsafe-finally.js  
no-unsafe-negation.js  
no-unsafe-optional-chaining.js  
no-unused-expressions.js  
no-unused-labels.js  
no-unused-private-class-members.js

no-unused-vars.js  
no-use-before-define.js  
no-useless-assignment.js  
no-useless-backreference.js  
no-useless-call.js  
no-useless-catch.js  
no-useless-computed-key.js  
no-useless-concat.js  
no-useless-constructor.js  
no-useless-escape.js  
no-useless-rename.js  
no-useless-return.js  
no-var.js  
no-void.js  
no-warning-comments.js  
no- whitespace-before-property.js  
no-with.js  
nonblock-statement-body-position.js  
object-curly-newline.js  
object-curly-spacing.js  
object-property-newline.js  
object-shorthand.js  
one-var-declaration-per-line.js  
one-var.js  
operator-assignment.js  
operator-linebreak.js  
padded-blocks.js  
padding-line-between-statements.js  
prefer-arrow-callback.js  
prefer-const.js  
prefer-destructuring.js  
prefer-exponentiation-operator.js  
prefer-named-capture-group.js  
prefer-numeric-literals.js  
prefer-object-has-own.js  
prefer-object-spread.js  
prefer-promise-reject-errors.js  
prefer-reflect.js  
prefer-regex-literals.js  
prefer-rest-params.js  
prefer-spread.js  
prefer-template.js  
preserve-caught-error.js  
quote-props.js  
quotes.js  
radix.js  
require-atomic-updates.js  
require-await.js  
require-unicode-regexp.js  
require-yield.js  
rest-spread-spacing.js  
semi-spacing.js  
semi-style.js  
semi.js  
sort-imports.js  
sort-keys.js  
sort-vars.js  
space-before-blocks.js  
space-before-function-paren.js  
space-in-parens.js  
space-infix-ops.js  
space-unary-ops.js  
spaced-comment.js  
strict.js  
switch-colon-spacing.js

```

symbol-description.js
template-curly-spacing.js
template-tag-spacing.js
unicode-bom.js
use-isnan.js
valid-typeof.js
vars-on-top.js
wrap-iife.js
wrap-regex.js
yield-star-spacing.js
yoda.js

\---utils
  ast-utils.js
  char-source.js
  fix-tracker.js
  keywords.js
  lazy-loading-rule-map.js
  regular-expressions.js

\---unicode
  index.js
  is-combining-character.js
  is-emoji-modifier.js
  is-regional-indicator-symbol.js
  is-surrogate-pair.js

+---services
  parser-service.js
  processor-service.js
  suppressions-service.js
  warning-service.js

+---shared
  ajv.js
  assert.js
  ast-utils.js
  deep-merge-arrays.js
  directives.js
  flags.js
  logging.js
  naming.js
  option-utils.js
  relative-module-resolver.js
  runtime-info.js
  serialization.js
  severity.js
  stats.js
  string-utils.js
  text-table.js
  translate-cli-options.js
  traverser.js

\---types
  config-api.d.ts
  index.d.ts
  rules.d.ts
  universal.d.ts
  use-at-your-own-risk.d.ts

\---messages
  all-files-ignored.js
  all-matched-files-ignored.js
  config-file-missing.js
  config-plugin-missing.js

```

```

config-serialize-function.js
eslinttrc-incompat.js
eslinttrc-plugins.js
extend-config-missing.js
failed-to-read-json.js
file-not-found.js
invalid-rule-options.js
invalid-rule-severity.js
no-config-found.js
plugin-conflict.js
plugin-invalid.js
plugin-missing.js
print-config-with-directory-path.js
shared.js
whitespace-found.js

```

#### +++eslint-config-next

```
package.json
```

#### ++++dist

```

core-web-vitals.d.ts
core-web-vitals.js
index.d.ts
index.js
parser.d.ts
parser.js
typescript.d.ts
typescript.js

```

#### \---globals

```

globals.json
index.d.ts
index.js
license
package.json
readme.md

```

#### +++eslint-import-resolver-node

```

index.js
LICENSE
package.json
README.md

```

#### \---debug

```

CHANGELOG.md
LICENSE
node.js
package.json
README.md

```

#### \---src

```

browser.js
common.js
index.js
node.js

```

#### +++eslint-import-resolver-typescript

```

LICENSE
package.json
README.md

```

#### \---lib

```

index.cjs
index.d.ts
index.es2020.mjs

```



```

    index.js
    index.js.map

```

```

+---eslint-module-utils

```

```

    .nycrc
    CHANGELOG.md
    contextCompat.d.ts
    contextCompat.js
    declaredScope.d.ts
    declaredScope.js
    hash.d.ts
    hash.js
    ignore.d.ts
    ignore.js
    LICENSE
    module-require.d.ts
    module-require.js
    ModuleCache.d.ts
    ModuleCache.js
    moduleVisitor.d.ts
    moduleVisitor.js
    package.json
    parse.d.ts
    parse.js
    pkgDir.d.ts
    pkgDir.js
    pkgUp.d.ts
    pkgUp.js
    readPkgUp.d.ts
    readPkgUp.js
    resolve.d.ts
    resolve.js
    tsconfig.json
    types.d.ts
    unambiguous.d.ts
    unambiguous.js
    visit.d.ts
    visit.js

```

```

\---debug

```

```

    CHANGELOG.md
    LICENSE
    node.js
    package.json
    README.md

```

```

\---src

```

```

    browser.js
    common.js
    index.js
    node.js

```

```

+---eslint-plugin-import

```

```

    CHANGELOG.md
    index.d.ts
    LICENSE
    package.json
    README.md
    SECURITY.md

```

```

+---config

```

```

    electron.js
    errors.js
    react-native.js
    react.js

```

```

| recommended.js
| stage-0.js
| typescript.js
| warnings.js
|
| \---flat
|     errors.js
|     react.js
|     recommended.js
|     warnings.js
|
| \---rules
|     consistent-type-specifier-style.md
|     default.md
|     dynamic-import-chunkname.md
|     enforce-node-protocol-usage.md
|     export.md
|     exports-last.md
|     extensions.md
|     first.md
|     group-exports.md
|     imports-first.md
|     max-dependencies.md
|     named.md
|     namespace.md
|     newline-after-import.md
|     no-absolute-path.md
|     no-amd.md
|     no-anonymous-default-export.md
|     no-commonjs.md
|     no-cycle.md
|     no-default-export.md
|     no-deprecated.md
|     no-duplicates.md
|     no-dynamic-require.md
|     no-empty-named-blocks.md
|     no-extraneous-dependencies.md
|     no-import-module-exports.md
|     no-internal-modules.md
|     no-mutable-exports.md
|     no-named-as-default-member.md
|     no-named-as-default.md
|     no-named-default.md
|     no-named-export.md
|     no-namespace.md
|     no-nodejs-modules.md
|     no-relative-packages.md
|     no-relative-parent-imports.md
|     no-restricted-paths.md
|     no-self-import.md
|     no-unassigned-import.md
|     no-unresolved.md
|     no-unused-modules.md
|     no-useless-path-segments.md
|     no-webpack-loader-syntax.md
|     order.md
|     prefer-default-export.md
|     unambiguous.md
|
| +---lib
|     importDeclaration.js
|     index.js
|     scc.js
|
| +---core

```

```
importType.js
packagePath.js
sourceType.js
staticRequire.js

+---exportMap
  builder.js
  captureDependency.js
  childContext.js
  doc.js
  index.js
  namespace.js
  patternCapture.js
  remotePath.js
  specifier.js
  typescript.js
  visitor.js

\---rules
  consistent-type-specifier-style.js
  default.js
  dynamic-import-chunkname.js
  enforce-node-protocol-usage.js
  export.js
  exports-last.js
  extensions.js
  first.js
  group-exports.js
  imports-first.js
  max-dependencies.js
  named.js
  namespace.js
  newline-after-import.js
  no-absolute-path.js
  no-amd.js
  no-anonymous-default-export.js
  no-commonjs.js
  no-cycle.js
  no-default-export.js
  no-deprecated.js
  no-duplicates.js
  no-dynamic-require.js
  no-empty-named-blocks.js
  no-extraneous-dependencies.js
  no-import-module-exports.js
  no-internal-modules.js
  no-mutable-exports.js
  no-named-as-default-member.js
  no-named-as-default.js
  no-named-default.js
  no-named-export.js
  no-namespace.js
  no-nodejs-modules.js
  no-relative-packages.js
  no-relative-parent-imports.js
  no-restricted-paths.js
  no-self-import.js
  no-unassigned-import.js
  no-unresolved.js
  no-unused-modules.js
  no-useless-path-segments.js
  no-webpack-loader-syntax.js
  order.js
  prefer-default-export.js
  unambiguous.js
```

```

+---memo-parser
|   index.js
|   LICENSE
|   README.md

```

```

\---debug
|   CHANGELOG.md
|   LICENSE
|   node.js
|   package.json
|   README.md

```

```

\---src
|   browser.js
|   common.js
|   index.js
|   node.js

```

```

+---eslint-plugin-jsx-a11y

```

```

|   .babelrc
|   .eslintrc
|   CHANGELOG.md
|   LICENSE.md
|   package.json
|   README.md

```

```

\---rules
|   accessible-emoji.md
|   alt-text.md
|   anchor-ambiguous-text.md
|   anchor-has-content.md
|   anchor-is-valid.md
|   aria-activedescendant-has-tabindex.md
|   aria-props.md
|   aria-proptypes.md
|   aria-role.md
|   aria-unsupported-elements.md
|   autocomplete-valid.md
|   click-events-have-key-events.md
|   control-has-associated-label.md
|   heading-has-content.md
|   html-has-lang.md
|   iframe-has-title.md
|   img-redundant-alt.md
|   interactive-supports-focus.md
|   label-has-associated-control.md
|   label-has-for.md
|   lang.md
|   media-has-caption.md
|   mouse-events-have-key-events.md
|   no-access-key.md
|   no-aria-hidden-on-focusable.md
|   no-autofocus.md
|   no-distracting-elements.md
|   no-interactive-element-to-noninteractive-role.md
|   no-noninteractive-element-interactions.md
|   no-noninteractive-element-to-interactive-role.md
|   no-noninteractive-tabindex.md
|   no-onchange.md
|   no-redundant-roles.md
|   no-static-element-interactions.md
|   prefer-tag-over-role.md
|   role-has-required-aria-props.md
|   role-supports-aria-props.md

```

```

scope.md
tabindex-no-positive.md

+---lib
|   index.js
+---configs
|   flat-config-base.js
|   legacy-config-base.js
+---rules
|   accessible-emoji.js
|   alt-text.js
|   anchor-ambiguous-text.js
|   anchor-has-content.js
|   anchor-is-valid.js
|   aria-activedescendant-has-tabindex.js
|   aria-props.js
|   aria-proptypes.js
|   aria-role.js
|   aria-unsupported-elements.js
|   autocomplete-valid.js
|   click-events-have-key-events.js
|   control-has-associated-label.js
|   heading-has-content.js
|   html-has-lang.js
|   iframe-has-title.js
|   img-redundant-alt.js
|   interactive-supports-focus.js
|   label-has-associated-control.js
|   label-has-for.js
|   lang.js
|   media-has-caption.js
|   mouse-events-have-key-events.js
|   no-access-key.js
|   no-aria-hidden-on-focusable.js
|   no-autofocus.js
|   no-distracting-elements.js
|   no-interactive-element-to-noninteractive-role.js
|   no-noninteractive-element-interactions.js
|   no-noninteractive-element-to-interactive-role.js
|   no-noninteractive-tabindex.js
|   no-onchange.js
|   no-redundant-roles.js
|   no-static-element-interactions.js
|   prefer-tag-over-role.js
|   role-has-required-aria-props.js
|   role-supports-aria-props.js
|   scope.js
|   tabindex-no-positive.js
+---util
|   attributesComparator.js
|   getAccessibleChildText.js
|   getComputedRole.js
|   getElementType.js
|   getExplicitRole.js
|   getImplicitRole.js
|   getSuggestion.js
|   getTabIndex.js
|   hasAccessibleChild.js
|   isAbstractRole.js
|   isContentEditable.js
|   isDisabledElement.js
|   isDOMElement.js

```

```
|
|   isFocusable.js
|   isHiddenFromScreenReader.js
|   isInteractiveElement.js
|   isInteractiveRole.js
|   isNonInteractiveElement.js
|   isNonInteractiveRole.js
|   isNonLiteralProperty.js
|   isPresentationRole.js
|   isSemanticRoleElement.js
|   mayContainChildComponent.js
|   mayHaveAccessibleLabel.js
|   schemas.js
|
| \---implicitRoles
|     a.js
|     area.js
|     article.js
|     aside.js
|     body.js
|     button.js
|     datalist.js
|     details.js
|     dialog.js
|     form.js
|     h1.js
|     h2.js
|     h3.js
|     h4.js
|     h5.js
|     h6.js
|     hr.js
|     img.js
|     index.js
|     input.js
|     li.js
|     link.js
|     menu.js
|     menuItem.js
|     meter.js
|     nav.js
|     ol.js
|     option.js
|     output.js
|     progress.js
|     section.js
|     select.js
|     tbody.js
|     textarea.js
|     tfoot.js
|     thead.js
|     ul.js
|
+---__mocks__
|   genInteractives.js
|   IdentifierMock.js
|   JSXAttributeMock.js
|   JSXElementMock.js
|   JSXExpressionContainerMock.js
|   JSXSpreadAttributeMock.js
|   JSXTextMock.js
|   LiteralMock.js
|
| \---__tests__
|   |
|   | index-test.js
```

```

+---src
+---rules
    accessible-emoji-test.js
    alt-text-test.js
    anchor-ambiguous-text-test.js
    anchor-has-content-test.js
    anchor-is-valid-test.js
    aria-activedescendant-has-tabindex-test.js
    aria-props-test.js
    aria-proptypes-test.js
    aria-role-test.js
    aria-unsupported-elements-test.js
    autocomplete-valid-test.js
    click-events-have-key-events-test.js
    control-has-associated-label-test.js
    heading-has-content-test.js
    html-has-lang-test.js
    iframe-has-title-test.js
    img-redundant-alt-test.js
    interactive-supports-focus-test.js
    label-has-associated-control-test.js
    label-has-for-test.js
    lang-test.js
    media-has-caption-test.js
    mouse-events-have-key-events-test.js
    no-access-key-test.js
    no-aria-hidden-on-focusable-test.js
    no-autofocus-test.js
    no-distracting-elements-test.js
    no-interactive-element-to-noninteractive-role-test.js
    no-noninteractive-element-interactions-test.js
    no-noninteractive-element-to-interactive-role-test.js
    no-noninteractive-tabindex-test.js
    no-onchange-test.js
    no-redundant-roles-test.js
    no-static-element-interactions-test.js
    prefer-tag-over-role-test.js
    role-has-required-aria-props-test.js
    role-supports-aria-props-test.js
    scope-test.js
    tabindex-no-positive-test.js
+---util
    attributesComparator-test.js
    getAccessibleChildText-test.js
    getComputedRole-test.js
    getElementType-test.js
    getExplicitRole-test.js
    getImplicitRole-test.js
    getSuggestion-test.js
    getTabIndex-test.js
    hasAccessibleChild-test.js
    isAbstractRole-test.js
    isContentEditable-test.js
    isDisabledElement-test.js
    isHTMLElement-test.js
    isFocusable-test.js
    isInteractiveElement-test.js
    isInteractiveRole-test.js
    isNonInteractiveElement-test.js
    isNonInteractiveRole-test.js
    isNonLiteralProperty-test.js
    isSemanticRoleElement-test.js
    mayContainChildComponent-test.js
    mayHaveAccessibleLabel-test.js

```

```

    |
    | parserOptionsMapper-test.js
    | schemas-test.js
    |
    | \---implicitRoles
    |     input-test.js
    |     menu-test.js
    |     menuitem-test.js
    |
    | \---__util__
    |     axeMapping.js
    |     parserOptionsMapper.js
    |     ruleOptionsMapperFactory.js
    |
    | \---helpers
    |     getESLintCoreRule.js
    |     parsers.js
    |
+---eslint-plugin-react
    | index.d.ts
    | index.d.ts.map
    | index.js
    | LICENSE
    | package.json
    | README.md
    |
+---configs
    | all.js
    | jsx-runtime.js
    | recommended.js
    |
+---lib
    | types.d.ts
    |
+---rules
    | boolean-prop-naming.d.ts
    | boolean-prop-naming.d.ts.map
    | boolean-prop-naming.js
    | button-has-type.d.ts
    | button-has-type.d.ts.map
    | button-has-type.js
    | checked-requires-onchange-or-readonly.d.ts
    | checked-requires-onchange-or-readonly.d.ts.map
    | checked-requires-onchange-or-readonly.js
    | default-props-match-prop-types.d.ts
    | default-props-match-prop-types.d.ts.map
    | default-props-match-prop-types.js
    | destructuring-assignment.d.ts
    | destructuring-assignment.d.ts.map
    | destructuring-assignment.js
    | display-name.d.ts
    | display-name.d.ts.map
    | display-name.js
    | forbid-component-props.d.ts
    | forbid-component-props.d.ts.map
    | forbid-component-props.js
    | forbid-dom-props.d.ts
    | forbid-dom-props.d.ts.map
    | forbid-dom-props.js
    | forbid-elements.d.ts
    | forbid-elements.d.ts.map
    | forbid-elements.js
    | forbid-foreign-prop-types.d.ts
    | forbid-foreign-prop-types.d.ts.map
    | forbid-foreign-prop-types.js
    | forbid-prop-types.d.ts

```



forbid-prop-types.d.ts.map  
forbid-prop-types.js  
forward-ref-uses-ref.d.ts  
forward-ref-uses-ref.d.ts.map  
forward-ref-uses-ref.js  
function-component-definition.d.ts  
function-component-definition.d.ts.map  
function-component-definition.js  
hook-use-state.d.ts  
hook-use-state.d.ts.map  
hook-use-state.js  
iframe-missing-sandbox.d.ts  
iframe-missing-sandbox.d.ts.map  
iframe-missing-sandbox.js  
index.d.ts  
index.d.ts.map  
index.js  
jsx-boolean-value.d.ts  
jsx-boolean-value.d.ts.map  
jsx-boolean-value.js  
jsx-child-element-spacing.d.ts  
jsx-child-element-spacing.d.ts.map  
jsx-child-element-spacing.js  
jsx-closing-bracket-location.d.ts  
jsx-closing-bracket-location.d.ts.map  
jsx-closing-bracket-location.js  
jsx-closing-tag-location.d.ts  
jsx-closing-tag-location.d.ts.map  
jsx-closing-tag-location.js  
jsx-curly-brace-presence.d.ts  
jsx-curly-brace-presence.d.ts.map  
jsx-curly-brace-presence.js  
jsx-curly-newline.d.ts  
jsx-curly-newline.d.ts.map  
jsx-curly-newline.js  
jsx-curly-spacing.d.ts  
jsx-curly-spacing.d.ts.map  
jsx-curly-spacing.js  
jsx-equals-spacing.d.ts  
jsx-equals-spacing.d.ts.map  
jsx-equals-spacing.js  
jsx-filename-extension.d.ts  
jsx-filename-extension.d.ts.map  
jsx-filename-extension.js  
jsx-first-prop-new-line.d.ts  
jsx-first-prop-new-line.d.ts.map  
jsx-first-prop-new-line.js  
jsx-fragments.d.ts  
jsx-fragments.d.ts.map  
jsx-fragments.js  
jsx-handler-names.d.ts  
jsx-handler-names.d.ts.map  
jsx-handler-names.js  
jsx-indent-props.d.ts  
jsx-indent-props.d.ts.map  
jsx-indent-props.js  
jsx-indent.d.ts  
jsx-indent.d.ts.map  
jsx-indent.js  
jsx-key.d.ts  
jsx-key.d.ts.map  
jsx-key.js  
jsx-max-depth.d.ts  
jsx-max-depth.d.ts.map  
jsx-max-depth.js

jsx-max-props-per-line.d.ts  
jsx-max-props-per-line.d.ts.map  
jsx-max-props-per-line.js  
jsx-newline.d.ts  
jsx-newline.d.ts.map  
jsx-newline.js  
jsx-no-bind.d.ts  
jsx-no-bind.d.ts.map  
jsx-no-bind.js  
jsx-no-comment-textnodes.d.ts  
jsx-no-comment-textnodes.d.ts.map  
jsx-no-comment-textnodes.js  
jsx-no-constructed-context-values.d.ts  
jsx-no-constructed-context-values.d.ts.map  
jsx-no-constructed-context-values.js  
jsx-no-duplicate-props.d.ts  
jsx-no-duplicate-props.d.ts.map  
jsx-no-duplicate-props.js  
jsx-no-leaked-render.d.ts  
jsx-no-leaked-render.d.ts.map  
jsx-no-leaked-render.js  
jsx-no-literals.d.ts  
jsx-no-literals.d.ts.map  
jsx-no-literals.js  
jsx-no-script-url.d.ts  
jsx-no-script-url.d.ts.map  
jsx-no-script-url.js  
jsx-no-target-blank.d.ts  
jsx-no-target-blank.d.ts.map  
jsx-no-target-blank.js  
jsx-no-undef.d.ts  
jsx-no-undef.d.ts.map  
jsx-no-undef.js  
jsx-no-useless-fragment.d.ts  
jsx-no-useless-fragment.d.ts.map  
jsx-no-useless-fragment.js  
jsx-one-expression-per-line.d.ts  
jsx-one-expression-per-line.d.ts.map  
jsx-one-expression-per-line.js  
jsx-pascal-case.d.ts  
jsx-pascal-case.d.ts.map  
jsx-pascal-case.js  
jsx-props-no-multi-spaces.d.ts  
jsx-props-no-multi-spaces.d.ts.map  
jsx-props-no-multi-spaces.js  
jsx-props-no-spread-multi.d.ts  
jsx-props-no-spread-multi.d.ts.map  
jsx-props-no-spread-multi.js  
jsx-props-no-spreading.d.ts  
jsx-props-no-spreading.d.ts.map  
jsx-props-no-spreading.js  
jsx-sort-default-props.d.ts  
jsx-sort-default-props.d.ts.map  
jsx-sort-default-props.js  
jsx-sort-props.d.ts  
jsx-sort-props.d.ts.map  
jsx-sort-props.js  
jsx-space-before-closing.d.ts  
jsx-space-before-closing.d.ts.map  
jsx-space-before-closing.js  
jsx-tag-spacing.d.ts  
jsx-tag-spacing.d.ts.map  
jsx-tag-spacing.js  
jsx-uses-react.d.ts  
jsx-uses-react.d.ts.map

jsx-uses-react.js  
jsx-uses-vars.d.ts  
jsx-uses-vars.d.ts.map  
jsx-uses-vars.js  
jsx-wrap-multilines.d.ts  
jsx-wrap-multilines.d.ts.map  
jsx-wrap-multilines.js  
no-access-state-in-setstate.d.ts  
no-access-state-in-setstate.d.ts.map  
no-access-state-in-setstate.js  
no-adjacent-inline-elements.d.ts  
no-adjacent-inline-elements.d.ts.map  
no-adjacent-inline-elements.js  
no-array-index-key.d.ts  
no-array-index-key.d.ts.map  
no-array-index-key.js  
no-arrow-function-lifecycle.d.ts  
no-arrow-function-lifecycle.d.ts.map  
no-arrow-function-lifecycle.js  
no-children-prop.d.ts  
no-children-prop.d.ts.map  
no-children-prop.js  
no-danger-with-children.d.ts  
no-danger-with-children.d.ts.map  
no-danger-with-children.js  
no-danger.d.ts  
no-danger.d.ts.map  
no-danger.js  
no-deprecated.d.ts  
no-deprecated.d.ts.map  
no-deprecated.js  
no-did-mount-set-state.d.ts  
no-did-mount-set-state.d.ts.map  
no-did-mount-set-state.js  
no-did-update-set-state.d.ts  
no-did-update-set-state.d.ts.map  
no-did-update-set-state.js  
no-direct-mutation-state.d.ts  
no-direct-mutation-state.d.ts.map  
no-direct-mutation-state.js  
no-find-dom-node.d.ts  
no-find-dom-node.d.ts.map  
no-find-dom-node.js  
no-invalid-html-attribute.d.ts  
no-invalid-html-attribute.d.ts.map  
no-invalid-html-attribute.js  
no-is-mounted.d.ts  
no-is-mounted.d.ts.map  
no-is-mounted.js  
no-multi-comp.d.ts  
no-multi-comp.d.ts.map  
no-multi-comp.js  
no-namespace.d.ts  
no-namespace.d.ts.map  
no-namespace.js  
no-object-type-as-default-prop.d.ts  
no-object-type-as-default-prop.d.ts.map  
no-object-type-as-default-prop.js  
no-redundant-should-component-update.d.ts  
no-redundant-should-component-update.d.ts.map  
no-redundant-should-component-update.js  
no-render-return-value.d.ts  
no-render-return-value.d.ts.map  
no-render-return-value.js  
no-set-state.d.ts

no-set-state.d.ts.map  
no-set-state.js  
no-string-refs.d.ts  
no-string-refs.d.ts.map  
no-string-refs.js  
no-this-in-sfc.d.ts  
no-this-in-sfc.d.ts.map  
no-this-in-sfc.js  
no-typos.d.ts  
no-typos.d.ts.map  
no-typos.js  
no-unesaped-entities.d.ts  
no-unesaped-entities.d.ts.map  
no-unesaped-entities.js  
no-unknown-property.d.ts  
no-unknown-property.d.ts.map  
no-unknown-property.js  
no-unsafe.d.ts  
no-unsafe.d.ts.map  
no-unsafe.js  
no-unstable-nested-components.d.ts  
no-unstable-nested-components.d.ts.map  
no-unstable-nested-components.js  
no-unused-class-component-methods.d.ts  
no-unused-class-component-methods.d.ts.map  
no-unused-class-component-methods.js  
no-unused-prop-types.d.ts  
no-unused-prop-types.d.ts.map  
no-unused-prop-types.js  
no-unused-state.d.ts  
no-unused-state.d.ts.map  
no-unused-state.js  
no-will-update-set-state.d.ts  
no-will-update-set-state.d.ts.map  
no-will-update-set-state.js  
prefer-es6-class.d.ts  
prefer-es6-class.d.ts.map  
prefer-es6-class.js  
prefer-exact-props.d.ts  
prefer-exact-props.d.ts.map  
prefer-exact-props.js  
prefer-read-only-props.d.ts  
prefer-read-only-props.d.ts.map  
prefer-read-only-props.js  
prefer-stateless-function.d.ts  
prefer-stateless-function.d.ts.map  
prefer-stateless-function.js  
prop-types.d.ts  
prop-types.d.ts.map  
prop-types.js  
react-in-jsx-scope.d.ts  
react-in-jsx-scope.d.ts.map  
react-in-jsx-scope.js  
require-default-props.d.ts  
require-default-props.d.ts.map  
require-default-props.js  
require-optimization.d.ts  
require-optimization.d.ts.map  
require-optimization.js  
require-render-return.d.ts  
require-render-return.d.ts.map  
require-render-return.js  
self-closing-comp.d.ts  
self-closing-comp.d.ts.map  
self-closing-comp.js

```
sort-comp.d.ts
sort-comp.d.ts.map
sort-comp.js
sort-default-props.d.ts
sort-default-props.d.ts.map
sort-default-props.js
sort-prop-types.d.ts
sort-prop-types.d.ts.map
sort-prop-types.js
state-in-constructor.d.ts
state-in-constructor.d.ts.map
state-in-constructor.js
static-property-placement.d.ts
static-property-placement.d.ts.map
static-property-placement.js
style-prop-object.d.ts
style-prop-object.d.ts.map
style-prop-object.js
void-dom-elements-no-children.d.ts
void-dom-elements-no-children.d.ts.map
void-dom-elements-no-children.js
```

```
\---util
```

```
annotations.d.ts
annotations.d.ts.map
annotations.js
ast.d.ts
ast.d.ts.map
ast.js
Components.d.ts
Components.d.ts.map
Components.js
componentUtil.d.ts
componentUtil.d.ts.map
componentUtil.js
defaultProps.d.ts
defaultProps.d.ts.map
defaultProps.js
error.d.ts
error.d.ts.map
error.js
eslint.d.ts
eslint.d.ts.map
eslint.js
getTokenBeforeClosingBracket.d.ts
getTokenBeforeClosingBracket.d.ts.map
getTokenBeforeClosingBracket.js
isCreateContext.d.ts
isCreateContext.d.ts.map
isCreateContext.js
isCreateElement.d.ts
isCreateElement.d.ts.map
isCreateElement.js
isDestructuredFromPragmaImport.d.ts
isDestructuredFromPragmaImport.d.ts.map
isDestructuredFromPragmaImport.js
isFirstLetterCapitalized.d.ts
isFirstLetterCapitalized.d.ts.map
isFirstLetterCapitalized.js
jsx.d.ts
jsx.d.ts.map
jsx.js
lifecycleMethods.d.ts
lifecycleMethods.d.ts.map
lifecycleMethods.js
```

```

linkComponents.d.ts
linkComponents.d.ts.map
linkComponents.js
log.d.ts
log.d.ts.map
log.js
makeNoMethodSetStateRule.d.ts
makeNoMethodSetStateRule.d.ts.map
makeNoMethodSetStateRule.js
message.d.ts
message.d.ts.map
message.js
pragma.d.ts
pragma.d.ts.map
pragma.js
props.d.ts
props.d.ts.map
props.js
propTypes.d.ts
propTypes.d.ts.map
propTypes.js
propTypesSort.d.ts
propTypesSort.d.ts.map
propTypesSort.js
propWrapper.d.ts
propWrapper.d.ts.map
propWrapper.js
report.d.ts
report.d.ts.map
report.js
usedPropTypes.d.ts
usedPropTypes.d.ts.map
usedPropTypes.js
variable.d.ts
variable.d.ts.map
variable.js
version.d.ts
version.d.ts.map
version.js

```

#### +++eslint-plugin-react-hooks

```

| index.d.ts
| index.js
| LICENSE
| package.json
| README.md

```

#### \---cjs

```

| eslint-plugin-react-hooks.d.ts
| eslint-plugin-react-hooks.development.js
| eslint-plugin-react-hooks.production.js

```

#### +++eslint-scope

```

| LICENSE
| package.json
| README.md

```

#### ++++dist

```

| eslint-scope.cjs

```

#### \---lib

```

| assert.js
| definition.js
| index.js
| pattern-visitor.js

```

```

reference.js
referencer.js
scope-manager.js
scope.js
variable.js
version.js

+---eslint-visitor-keys
|   LICENSE
|   package.json
|   README.md
|
|   +---dist
|   |   eslint-visitor-keys.cjs
|   |   eslint-visitor-keys.d.cts
|   |   index.d.ts
|   |   visitor-keys.d.ts
|   |
|   \---lib
|   |   index.js
|   |   visitor-keys.js
|
+---espre
|   espre.js
|   LICENSE
|   package.json
|   README.md
|
|   +---dist
|   |   espre.cjs
|   |
|   \---lib
|   |   espre.js
|   |   features.js
|   |   options.js
|   |   token-translator.js
|   |   version.js
|
+---esquery
|   license.txt
|   package.json
|   parser.js
|   README.md
|
|   \---dist
|   |   esquery.esm.js
|   |   esquery.esm.min.js
|   |   esquery.esm.min.js.map
|   |   esquery.js
|   |   esquery.lite.js
|   |   esquery.lite.min.js
|   |   esquery.lite.min.js.map
|   |   esquery.min.js
|   |   esquery.min.js.map
|
+---esrecurse
|   .babelrc
|   esrecurse.js
|   gulpfile.babel.js
|   package.json
|   README.md
|
+---estrap
|   .jshintrc
|   estraverse.js

```

```

    gulpfile.js
    LICENSE.BSD
    package.json
    README.md

+---esutils
|   LICENSE.BSD
|   package.json
|   README.md
|
|   \---lib
|       ast.js
|       code.js
|       keyword.js
|       utils.js
|
+---fast-deep-equal
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   react.d.ts
|   react.js
|   README.md
|
|   \---es6
|       index.d.ts
|       index.js
|       react.d.ts
|       react.js
|
+---fast-glob
|   LICENSE
|   package.json
|   README.md
|
|   \---glob-parent
|       CHANGELOG.md
|       index.js
|       LICENSE
|       package.json
|       README.md
|
|   \---out
|       index.d.ts
|       index.js
|       settings.d.ts
|       settings.js
|
|   +---managers
|       tasks.d.ts
|       tasks.js
|
|   +---providers
|       async.d.ts
|       async.js
|       provider.d.ts
|       provider.js
|       stream.d.ts
|       stream.js
|       sync.d.ts
|       sync.js
|
|   +---filters
|       deep.d.ts

```



```

    deep.js
    entry.d.ts
    entry.js
    error.d.ts
    error.js
+---matchers
|   matcher.d.ts
|   matcher.js
|   partial.d.ts
|   partial.js
\---transformers
    entry.d.ts
    entry.js
+---readers
|   async.d.ts
|   async.js
|   reader.d.ts
|   reader.js
|   stream.d.ts
|   stream.js
|   sync.d.ts
|   sync.js
+---types
|   index.d.ts
|   index.js
\---utils
    array.d.ts
    array.js
    errno.d.ts
    errno.js
    fs.d.ts
    fs.js
    index.d.ts
    index.js
    path.d.ts
    path.js
    pattern.d.ts
    pattern.js
    stream.d.ts
    stream.js
    string.d.ts
    string.js
+---fast-json-stable-stringify
|   .eslintrc.yml
|   .travis.yml
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|   FUNDING.yml
+---benchmark
|   index.js
|   test.json
+---example
|   key_cmp.js

```

```

    nested.js
    str.js
    value_cmp.js
  \---test
    cmp.js
    nested.js
    str.js
    to-json.js
+---fast-levenshtein
  levenshtein.js
  LICENSE.md
  package.json
  README.md
+---fastq
  bench.js
  eslint.config.js
  example.js
  example.mjs
  index.d.ts
  LICENSE
  package.json
  queue.js
  README.md
  SECURITY.md
  \---test
    example.ts
    promise.js
    test.js
    tsconfig.json
+---file-entry-cache
  cache.js
  LICENSE
  package.json
  README.md
+---fill-range
  index.js
  LICENSE
  package.json
  README.md
+---find-up
  index.d.ts
  index.js
  license
  package.json
  readme.md
+---flat-cache
  changelog.md
  LICENSE
  package.json
  README.md
  \---src
    cache.js
    del.js
    utils.js
+---flatted

```

```

|   es.js
|   esm.js
|   index.js
|   LICENSE
|   min.js
|   package.json
|   README.md
|
|   +---cjs
|       |   index.js
|       |   package.json
|
|   +---esm
|       |   index.js
|
|   +---golang
|       |   README.md
|       |
|       |   \---pkg
|       |       |   \---flatted
|       |           |   flatted.go
|
|   +---php
|       |   flatted.php
|
|   +---python
|       |   flatted.py
|
|   \---types
|       |   index.d.ts
|
|   +---for-each
|       |   .editorconfig
|       |   .eslintrc
|       |   .nycrc
|       |   CHANGELOG.md
|       |   index.d.ts
|       |   index.js
|       |   LICENSE
|       |   package.json
|       |   README.md
|       |   tsconfig.json
|
|       |   FUNDING.yml
|       |   SECURITY.md
|
|   \---test
|       |   test.js
|
|   +---framer-motion
|       |   LICENSE.md
|       |   package.json
|       |   README.md
|
|   +---client
|       |   package.json
|       |   README.md
|
|   +---dist
|       |   client.d.ts
|       |   debug.d.ts
|       |   dom-mini.d.ts
|       |   dom-mini.js
|       |   dom.d.ts
|       |   dom.js

```

```

framer-motion.dev.js
framer-motion.js
index.d.ts
m.d.ts
mini.d.ts
mini.js
projection.d.ts
size-rollup-animate.js
size-rollup-animate.js.map
size-rollup-dom-animation-assets.js
size-rollup-dom-animation-m.js
size-rollup-dom-animation.js
size-rollup-dom-max-assets.js
size-rollup-dom-max.js
size-rollup-m.js
size-rollup-m.js.map
size-rollup-motion.js
size-rollup-motion.js.map
size-rollup-scroll.js
size-rollup-scroll.js.map
size-rollup-waapi-animate.js
size-rollup-waapi-animate.js.map

+---cjs
|   client.js
|   client.js.map
|   debug.js
|   debug.js.map
|   dom-mini.js
|   dom-mini.js.map
|   dom.js
|   dom.js.map
|   feature-bundle-frRcWALD.js
|   feature-bundle-frRcWALD.js.map
|   index-6W16WH1G.js
|   index-6W16WH1G.js.map
|   index.js
|   index.js.map
|   m.js
|   m.js.map
|   mini.js
|   mini.js.map
|
\---es
|   client.mjs
|   client.mjs.map
|   debug.mjs
|   debug.mjs.map
|   dom-mini.mjs
|   dom-mini.mjs.map
|   dom.mjs
|   dom.mjs.map
|   index.mjs
|   index.mjs.map
|   m.mjs
|   m.mjs.map
|   mini.mjs
|   mini.mjs.map
|   projection.mjs
|   projection.mjs.map
|
+---animation
|   +---animate
|       |   index.mjs
|       |   index.mjs.map

```

```

        resolve-subjects.mjs
        resolve-subjects.mjs.map
        sequence.mjs
        sequence.mjs.map
        subject.mjs
        subject.mjs.map

+---animators
  \---waapi
    animate-elements.mjs
    animate-elements.mjs.map
    animate-sequence.mjs
    animate-sequence.mjs.map
    animate-style.mjs
    animate-style.mjs.map

+---hooks
  animation-controls.mjs
  animation-controls.mjs.map
  use-animate-style.mjs
  use-animate-style.mjs.map
  use-animate.mjs
  use-animate.mjs.map
  use-animated-state.mjs
  use-animated-state.mjs.map
  use-animation.mjs
  use-animation.mjs.map

+---optimized-appear
  handoff.mjs
  handoff.mjs.map
  start.mjs
  start.mjs.map
  store-id.mjs
  store-id.mjs.map
  store.mjs
  store.mjs.map

+---sequence
  | create.mjs
  | create.mjs.map
  |
  \---utils
    calc-repeat-duration.mjs
    calc-repeat-duration.mjs.map
    calc-time.mjs
    calc-time.mjs.map
    edit.mjs
    edit.mjs.map
    normalize-times.mjs
    normalize-times.mjs.map
    sort.mjs
    sort.mjs.map

  \---utils
    create-visual-element.mjs
    create-visual-element.mjs.map
    is-dom-keyframes.mjs
    is-dom-keyframes.mjs.map

+---components
  AnimateSharedLayout.mjs
  AnimateSharedLayout.mjs.map

+---AnimatePresence

```

```

index.mjs
index.mjs.map
PopChild.mjs
PopChild.mjs.map
PresenceChild.mjs
PresenceChild.mjs.map
use-presence-data.mjs
use-presence-data.mjs.map
use-presence.mjs
use-presence.mjs.map
utils.mjs
utils.mjs.map

+---LayoutGroup
|   index.mjs
|   index.mjs.map
+---LazyMotion
|   index.mjs
|   index.mjs.map
+---MotionConfig
|   index.mjs
|   index.mjs.map
\---Reorder
|   Group.mjs
|   Group.mjs.map
|   Item.mjs
|   Item.mjs.map
|   namespace.mjs
|   namespace.mjs.map
\---utils
|   auto-scroll.mjs
|   auto-scroll.mjs.map
|   check-reorder.mjs
|   check-reorder.mjs.map
+---context
|   DeprecatedLayoutGroupContext.mjs
|   DeprecatedLayoutGroupContext.mjs.map
|   LayoutGroupContext.mjs
|   LayoutGroupContext.mjs.map
|   LazyContext.mjs
|   LazyContext.mjs.map
|   MotionConfigContext.mjs
|   MotionConfigContext.mjs.map
|   PresenceContext.mjs
|   PresenceContext.mjs.map
|   ReorderContext.mjs
|   ReorderContext.mjs.map
|   SwitchLayoutGroupContext.mjs
|   SwitchLayoutGroupContext.mjs.map
\---MotionContext
|   create.mjs
|   create.mjs.map
|   index.mjs
|   index.mjs.map
|   utils.mjs
|   utils.mjs.map
+---events
|   add-pointer-event.mjs

```

```

add-pointer-event.mjs.map
event-info.mjs
event-info.mjs.map
use-dom-event.mjs
use-dom-event.mjs.map
+---gestures
|   focus.mjs
|   focus.mjs.map
|   hover.mjs
|   hover.mjs.map
|   press.mjs
|   press.mjs.map
+---drag
|   index.mjs
|   index.mjs.map
|   use-drag-controls.mjs
|   use-drag-controls.mjs.map
|   VisualElementDragControls.mjs
|   VisualElementDragControls.mjs.map
|   \---utils
|       constraints.mjs
|       constraints.mjs.map
|   \---pan
|       index.mjs
|       index.mjs.map
|       PanSession.mjs
|       PanSession.mjs.map
+---motion
|   index.mjs
|   index.mjs.map
+---features
|   animations.mjs
|   animations.mjs.map
|   definitions.mjs
|   definitions.mjs.map
|   drag.mjs
|   drag.mjs.map
|   gestures.mjs
|   gestures.mjs.map
|   layout.mjs
|   layout.mjs.map
|   load-features.mjs
|   load-features.mjs.map
+---animation
|   exit.mjs
|   exit.mjs.map
|   index.mjs
|   index.mjs.map
+---layout
|   MeasureLayout.mjs
|   MeasureLayout.mjs.map
|   \---viewport
|       index.mjs
|       index.mjs.map
|       observers.mjs
|       observers.mjs.map

```

```

|
| \---utils
|   is-motion-component.mjs
|   is-motion-component.mjs.map
|   symbol.mjs
|   symbol.mjs.map
|   unwrap-motion-component.mjs
|   unwrap-motion-component.mjs.map
|   use-motion-ref.mjs
|   use-motion-ref.mjs.map
|   use-visual-element.mjs
|   use-visual-element.mjs.map
|   use-visual-state.mjs
|   use-visual-state.mjs.map
|   valid-prop.mjs
|   valid-prop.mjs.map
|
+---projection
|   use-instant-layout-transition.mjs
|   use-instant-layout-transition.mjs.map
|   use-reset-projection.mjs
|   use-reset-projection.mjs.map
|
+---render
|   +---components
|   |   create-proxy.mjs
|   |   create-proxy.mjs.map
|   |
|   |   +---m
|   |   |   create.mjs
|   |   |   create.mjs.map
|   |   |   elements.mjs
|   |   |   elements.mjs.map
|   |   |   proxy.mjs
|   |   |   proxy.mjs.map
|   |   |
|   |   \---motion
|   |       create.mjs
|   |       create.mjs.map
|   |       elements.mjs
|   |       elements.mjs.map
|   |       feature-bundle.mjs
|   |       feature-bundle.mjs.map
|   |       proxy.mjs
|   |       proxy.mjs.map
|   |
|   +---dom
|   |   create-visual-element.mjs
|   |   create-visual-element.mjs.map
|   |   features-animation.mjs
|   |   features-animation.mjs.map
|   |   features-max.mjs
|   |   features-max.mjs.map
|   |   features-min.mjs
|   |   features-min.mjs.map
|   |   use-render.mjs
|   |   use-render.mjs.map
|   |
|   +---scroll
|   |   attach-animation.mjs
|   |   attach-animation.mjs.map
|   |   attach-function.mjs
|   |   attach-function.mjs.map
|   |   index.mjs
|   |   index.mjs.map

```



```

info.mjs
info.mjs.map
on-scroll-handler.mjs
on-scroll-handler.mjs.map
track.mjs
track.mjs.map

+---offsets
    edge.mjs
    edge.mjs.map
    index.mjs
    index.mjs.map
    inset.mjs
    inset.mjs.map
    offset.mjs
    offset.mjs.map
    presets.mjs
    presets.mjs.map

\---utils
    can-use-native-timeline.mjs
    can-use-native-timeline.mjs.map
    get-timeline.mjs
    get-timeline.mjs.map
    is-element-tracking.mjs
    is-element-tracking.mjs.map
    offset-to-range.mjs
    offset-to-range.mjs.map

+---utils
    filter-props.mjs
    filter-props.mjs.map
    is-svg-component.mjs
    is-svg-component.mjs.map

\---viewport
    index.mjs
    index.mjs.map

+---html
    use-html-visual-state.mjs
    use-html-visual-state.mjs.map
    use-props.mjs
    use-props.mjs.map

\---utils
    create-render-state.mjs
    create-render-state.mjs.map

\---svg
    lowercase-elements.mjs
    lowercase-elements.mjs.map
    use-props.mjs
    use-props.mjs.map
    use-svg-visual-state.mjs
    use-svg-visual-state.mjs.map

\---utils
    create-render-state.mjs
    create-render-state.mjs.map

+---utils
    distance.mjs
    distance.mjs.map
    get-context-window.mjs

```

```

get-context-window.mjs.map
is-browser.mjs
is-browser.mjs.map
is-ref-object.mjs
is-ref-object.mjs.map
transform-rotated-parent.mjs
transform-rotated-parent.mjs.map
transform-viewbox-point.mjs
transform-viewbox-point.mjs.map
use-animation-frame.mjs
use-animation-frame.mjs.map
use-composed-ref.mjs
use-composed-ref.mjs.map
use-constant.mjs
use-constant.mjs.map
use-cycle.mjs
use-cycle.mjs.map
use-force-update.mjs
use-force-update.mjs.map
use-in-view.mjs
use-in-view.mjs.map
use-instant-transition.mjs
use-instant-transition.mjs.map
use-is-mounted.mjs
use-is-mounted.mjs.map
use-isomorphic-effect.mjs
use-isomorphic-effect.mjs.map
use-motion-value-event.mjs
use-motion-value-event.mjs.map
use-page-in-view.mjs
use-page-in-view.mjs.map
use-unmount-effect.mjs
use-unmount-effect.mjs.map
\---reduced-motion
    use-reduced-motion-config.mjs
    use-reduced-motion-config.mjs.map
    use-reduced-motion.mjs
    use-reduced-motion.mjs.map
\---value
    use-combine-values.mjs
    use-combine-values.mjs.map
    use-computed.mjs
    use-computed.mjs.map
    use-follow-value.mjs
    use-follow-value.mjs.map
    use-inverted-scale.mjs
    use-inverted-scale.mjs.map
    use-motion-template.mjs
    use-motion-template.mjs.map
    use-motion-value.mjs
    use-motion-value.mjs.map
    use-scroll.mjs
    use-scroll.mjs.map
    use-spring.mjs
    use-spring.mjs.map
    use-time.mjs
    use-time.mjs.map
    use-transform.mjs
    use-transform.mjs.map
    use-velocity.mjs
    use-velocity.mjs.map
+---scroll

```

```

    use-element-scroll.mjs
    use-element-scroll.mjs.map
    use-viewport-scroll.mjs
    use-viewport-scroll.mjs.map
  \---use-will-change
    index.mjs
    index.mjs.map
    WillChangeMotionValue.mjs
    WillChangeMotionValue.mjs.map

+---dom
  | package.json
  | README.md
  |
  \---mini
    package.json

+---m
  | package.json
  |
  \---mini
    package.json

+---function-bind
  | .eslintrc
  | .nycrc
  | CHANGELOG.md
  | implementation.js
  | index.js
  | LICENSE
  | package.json
  | README.md
  |
  | FUNDING.yml
  | SECURITY.md
  |
  \---test
    .eslintrc
    index.js

+---function.prototype.name
  | .editorconfig
  | .eslintrc
  | .nycrc
  | auto.js
  | CHANGELOG.md
  | implementation.js
  | index.js
  | LICENSE
  | package.json
  | polyfill.js
  | README.md
  | shim.js
  |
  | FUNDING.yml
  |
  +---helpers
    | functionsHaveNames.js
    |
    \---test
      implementation.js
      index.js
      shimmed.js
      tests.js

```

```

      uglified.js
+---functions-have-names
|   .editorconfig
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|       FUNDING.yml
|
\---test
    index.js
+---generator-function
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.mts
|   index.d.ts
|   index.js
|   index.mjs
|   legacy.js
|   LICENSE.md
|   package.json
|   README.md
|   require.mjs
|   tsconfig.json
|
|       FUNDING.yml
|
\---test
    index.js
+---gensync
|   index.js
|   index.js.flow
|   LICENSE
|   package.json
|   README.md
|
\---test
    .babelrc
    index.test.js
+---get-intrinsic
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|       FUNDING.yml
|
\---test
    GetIntrinsic.js
+---get-proto
|   .eslintrc
|   .nycrc

```

```

CHANGELOG.md
index.d.ts
index.js
LICENSE
Object.getPrototypeOf.d.ts
Object.getPrototypeOf.js
package.json
README.md
Reflect.getPrototypeOf.d.ts
Reflect.getPrototypeOf.js
tsconfig.json

    FUNDING.yml

\---test
    index.js

+---get-symbol-description
    .eslintrc
    .nycrc
    CHANGELOG.md
    getInferredName.d.ts
    getInferredName.js
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json

    FUNDING.yml

\---test
    index.js

+---get-tsconfig
    LICENSE
    package.json
    README.md

\---dist
    index.cjs
    index.d.cts
    index.d.mts
    index.mjs

+---glob-parent
    index.js
    LICENSE
    package.json
    README.md

+---globals
    globals.json
    index.d.ts
    index.js
    license
    package.json
    readme.md

+---globalthis
    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md

```

```

|
| implementation.browser.js
| implementation.js
| index.js
| LICENSE
| package.json
| polyfill.js
| README.md
| shim.js
|
| \---test
|         implementation.js
|         index.js
|         native.js
|         shimmed.js
|         tests.js
|
+---gopd
|
| .eslintrc
| CHANGELOG.md
| gOPD.d.ts
| gOPD.js
| index.d.ts
| index.js
| LICENSE
| package.json
| README.md
| tsconfig.json
|
|         FUNDING.yml
|
| \---test
|         index.js
|
+---graceful-fs
|
| clone.js
| graceful-fs.js
| legacy-streams.js
| LICENSE
| package.json
| polyfills.js
| README.md
|
+---has-bigints
|
| .eslintrc
| .nycrc
| CHANGELOG.md
| index.d.ts
| index.js
| LICENSE
| package.json
| README.md
| tsconfig.json
|
|         FUNDING.yml
|
| \---test
|         index.js
|
+---has-flag
|
| index.d.ts
| index.js
| license
| package.json
| readme.md

```

```

+---has-property-descriptors
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|       FUNDING.yml
|
|   \---test
|       index.js
|
+---has-props
|   .eslintrc
|   accessor.d.ts
|   accessor.js
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   mutator.d.ts
|   mutator.js
|   package.json
|   README.md
|   tsconfig.json
|
|       FUNDING.yml
|
|   \---test
|       accessor.js
|       index.js
|       mutator.js
|
+---has-symbols
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   shams.d.ts
|   shams.js
|   tsconfig.json
|
|       FUNDING.yml
|
|   \---test
|       |   index.js
|       |   tests.js
|       |
|       \---shams
|           core-js.js
|           get-own-property-symbols.js
|
+---has-tostringtag
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE

```

```

package.json
README.md
shams.d.ts
shams.js
tsconfig.json

    FUNDING.yml

\---test
|   index.js
|   tests.js
|
\---shams
    core-js.js
    get-own-property-symbols.js

+---hasown
|   .nycrc
|   CHANGELOG.md
|   eslint.config.mjs
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|   FUNDING.yml

+---hermes-estree
|   LICENSE
|   package.json
|   README.md
|
\---dist
|   index.js
|   index.js.flow
|   predicates.js
|   predicates.js.flow
|   selectors.js
|   selectors.js.flow
|   types.js
|   types.js.flow
|
\---generated
    HermesESTreeSelectorTypes.js.flow
    predicates.js
    predicates.js.flow

+---hermes-parser
|   LICENSE
|   package.json
|   README.md
|
\---dist
|   getModuleDocblock.js
|   getModuleDocblock.js.flow
|   HermesAST.js.flow
|   HermesASTAdapter.js
|   HermesASTAdapter.js.flow
|   HermesParser.js
|   HermesParser.js.flow
|   HermesParserDecodeUTF8String.js
|   HermesParserDecodeUTF8String.js.flow
|   HermesParserDeserializer.js

```



```

HermesParserDeserializer.js.flow
HermesParserNodeDeserializers.js
HermesParserNodeDeserializers.js.flow
HermesParserWASM.js
HermesParserWASM.js.flow
HermesToESTreeAdapter.js
HermesToESTreeAdapter.js.flow
index.js
index.js.flow
ParserOptions.js
ParserOptions.js.flow

+---babel
|   TransformESTreeToBabel.js
|   TransformESTreeToBabel.js.flow
+---estree
|   StripComponentSyntax.js
|   StripComponentSyntax.js.flow
|   StripFlowTypes.js
|   StripFlowTypes.js.flow
|   StripFlowTypesForBabel.js
|   StripFlowTypesForBabel.js.flow
+---generated
|   ESTreeVisitorKeys.js
|   ESTreeVisitorKeys.js.flow
|   ParserVisitorKeys.js
|   ParserVisitorKeys.js.flow
+---transform
|   astArrayMutationHelpers.js
|   astArrayMutationHelpers.js.flow
|   astNodeMutationHelpers.js
|   astNodeMutationHelpers.js.flow
|   SimpleTransform.js
|   SimpleTransform.js.flow
+---traverse
|   getVisitorKeys.js
|   getVisitorKeys.js.flow
|   SimpleTraverser.js
|   SimpleTraverser.js.flow
\---utils
|   createSyntaxError.js
|   createSyntaxError.js.flow
|   mutateESTreeASTForPrettier.js
|   mutateESTreeASTForPrettier.js.flow

+---ignore
|   index.d.ts
|   index.js
|   legacy.js
|   LICENSE-MIT
|   package.json
|   README.md

+---import-fresh
|   index.d.ts
|   index.js
|   license
|   package.json
|   readme.md

```

```
+---imurmurhash
|   imurmurhash.js
|   imurmurhash.min.js
|   package.json
|   README.md
|
+---internal-slot
|   .attw.json
|   .editorconfig
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|       FUNDING.yml
|
\---test
|   index.js
|
+---is-array-buffer
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|       FUNDING.yml
|
\---test
|   index.js
|
+---is-async-function
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
\---test
|   index.js
|   uglified.js
|
+---is-bigint
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
```

```

      FUNDING.yml
    \---test
      index.js
+---is-boolean-object
  .editorconfig
  .eslintrc
  .nycrc
  CHANGELOG.md
  index.d.ts
  index.js
  LICENSE
  package.json
  README.md
  tsconfig.json
      FUNDING.yml
    \---test
      index.js
+---is-bun-module
  LICENSE
  package.json
  README.md
+---dist
  bun.mjs
  generic.d.ts
  generic.js
  shared.d.ts
  shared.js
+---.bin
  |   semver
  |   semver.cmd
  |   semver.ps1
  \---semver
    |   index.js
    |   LICENSE
    |   package.json
    |   preload.js
    |   range.bnf
    |   README.md
    +---bin
    |       semver.js
    +---classes
    |       comparator.js
    |       index.js
    |       range.js
    |       semver.js
    +---functions
    |       clean.js
    |       cmp.js
    |       coerce.js
    |       compare-build.js
    |       compare-loose.js
    |       compare.js
    |       diff.js

```

```

eq.js
gt.js
gte.js
inc.js
lt.js
lte.js
major.js
minor.js
neq.js
parse.js
patch.js
prerelease.js
rcompare.js
rsort.js
satisfies.js
sort.js
truncate.js
valid.js

+---internal
|   constants.js
|   debug.js
|   identifiers.js
|   lrucache.js
|   parse-options.js
|   re.js
\---ranges
    gtr.js
    intersects.js
    ltr.js
    max-satisfying.js
    min-satisfying.js
    min-version.js
    outside.js
    simplify.js
    subset.js
    to-comparators.js
    valid.js

+---is-callable
|   .editorconfig
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|   FUNDING.yml
\---test
    index.js

+---is-core-module
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   core.json
|   index.js
|   LICENSE
|   package.json
|   README.md

```

```

| | | \---test
| | |     index.js
|
| | | +---is-data-view
| | | | .editorconfig
| | | | .eslintrc
| | | | .nycrc
| | | | CHANGELOG.md
| | | | index.d.ts
| | | | index.js
| | | | LICENSE
| | | | package.json
| | | | README.md
| | | | tsconfig.json
| | |
| | |     FUNDING.yml
| | |
| | | \---test
| | |     index.js
|
| | | +---is-date-object
| | | | .editorconfig
| | | | .eslintrc
| | | | .nycrc
| | | | CHANGELOG.md
| | | | index.d.ts
| | | | index.js
| | | | LICENSE
| | | | package.json
| | | | README.md
| | | | tsconfig.json
| | |
| | |     FUNDING.yml
| | |
| | | \---test
| | |     index.js
|
| | | +---is-extglob
| | | | index.js
| | | | LICENSE
| | | | package.json
| | | | README.md
| | |
| | | +---is-finalizationregistry
| | | | .eslintrc
| | | | .nycrc
| | | | CHANGELOG.md
| | | | index.d.ts
| | | | index.js
| | | | LICENSE
| | | | package.json
| | | | README.md
| | | | tsconfig.json
| | |
| | |     FUNDING.yml
| | |
| | | \---test
| | |     index.js
|
| | | +---is-generator-function
| | | | .eslintrc
| | | | .nvmrc
| | | | .nycrc
| | | | CHANGELOG.md
| | | | index.d.ts

```

374/819

```
package.json
README.md
tsconfig.json

    FUNDING.yml
\---test
    index.js

+---is-regex
    .editorconfig
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json
\---test
    index.js

+---is-set
    .editorconfig
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json

    FUNDING.yml
\---test
    index.js

+---is-shared-array-buffer
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json

    FUNDING.yml
\---test
    index.js

+---is-string
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
```

```
README.md
tsconfig.json

FUNDING.yml
```

```
\---test
  index.js
```

```
+---is-symbol
|
| .editorconfig
| .eslintrc
| .nycrc
| CHANGELOG.md
| index.d.ts
| index.js
| LICENSE
| package.json
| README.md
| tsconfig.json
|
| FUNDING.yml
```

```
\---test
  index.js
```

```
+---is-typed-array
|
| .editorconfig
| .eslintrc
| .nycrc
| CHANGELOG.md
| index.d.ts
| index.js
| LICENSE
| package.json
| README.md
| tsconfig.json
|
| FUNDING.yml
```

```
\---test
  index.js
```

```
+---is-weakmap
|
| .editorconfig
| .eslintrc
| .nycrc
| CHANGELOG.md
| index.d.ts
| index.js
| LICENSE
| package.json
| README.md
| tsconfig.json
|
| FUNDING.yml
```

```
\---test
  index.js
```

```
+---is-weakref
|
| .eslintrc
| .nycrc
| CHANGELOG.md
| index.d.ts
| index.js
```



```

    LICENSE
    package.json
    README.md
    tsconfig.json
        FUNDING.yml
    \---test
        index.js
+---is-weakset
    .editorconfig
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json
        FUNDING.yml
    \---test
        index.js
+---isarray
    index.js
    LICENSE
    package.json
    README.md
+---isexe
    .npmignore
    index.js
    LICENSE
    mode.js
    package.json
    README.md
    windows.js
    \---test
        basic.js
+---iterator.prototype
    .eslintrc
    CHANGELOG.md
    index.js
    LICENSE
    package.json
    README.md
        FUNDING.yml
    \---test
        index.js
+---jiti
    LICENSE
    package.json
    README.md
+---dist
    babel.cjs

```

```

|      jiti.cjs
|
|      \---lib
|          jiti-cli.mjs
|          jiti-hooks.mjs
|          jiti-native.mjs
|          jiti-register.d.mts
|          jiti-register.mjs
|          jiti-static.mjs
|          jiti.cjs
|          jiti.d.cts
|          jiti.d.mts
|          jiti.mjs
|          types.d.ts
|
+---js-tokens
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package.json
|   README.md
|
+---js-yaml
|   index.js
|   LICENSE
|   package.json
|   README.md
|
+---bin
|   js-yaml.js
|
+---dist
|   js-yaml.js
|   js-yaml.min.js
|   js-yaml.mjs
|
|   \---lib
|       common.js
|       dumper.js
|       exception.js
|       loader.js
|       schema.js
|       snippet.js
|       type.js
|
+---schema
|   core.js
|   default.js
|   failsafe.js
|   json.js
|
|   \---type
|       binary.js
|       bool.js
|       float.js
|       int.js
|       map.js
|       merge.js
|       null.js
|       omap.js
|       pairs.js
|       seq.js
|       set.js
|       str.js
|       timestamp.js

```

```
+---jsesc
|   jsesc.js
|   LICENSE-MIT.txt
|   package.json
|   README.md
|
+---bin
|   jsesc
|
\---man
|   jsesc.1
|
+---json-buffer
|   .travis.yml
|   index.js
|   LICENSE
|   package.json
|   README.md
|
\---test
|   index.js
|
+---json-schema-traverse
|   .eslintrc.yml
|   .travis.yml
|   index.js
|   LICENSE
|   package.json
|   README.md
|
\---spec
|   .eslintrc.yml
|   index.spec.js
|
\---fixtures
|   schema.js
|
+---json-stable-stringify-without-jsonify
|   .npmignore
|   .travis.yml
|   index.js
|   LICENSE
|   package.json
|   readme.markdown
|
+---example
|   key_cmp.js
|   nested.js
|   str.js
|   value_cmp.js
|
\---test
|   cmp.js
|   nested.js
|   replacer.js
|   space.js
|   str.js
|   to-json.js
|
+---json5
|   LICENSE.md
|   package.json
|   README.md
```

```

+---dist
|   index.js
|   index.min.js
|   index.min.mjs
|   index.mjs
|
+---lib
|   cli.js
|   index.d.ts
|   index.js
|   parse.d.ts
|   parse.js
|   register.js
|   require.js
|   stringify.d.ts
|   stringify.js
|   unicode.d.ts
|   unicode.js
|   util.d.ts
|   util.js
|
+---jsx-ast-utils
|   .babelrc
|   .eslintignore
|   .eslintrc
|   CHANGELOG.md
|   elementType.js
|   eventHandlers.js
|   eventHandlersByType.js
|   getLiteralPropValue.js
|   getProp.js
|   getPropValue.js
|   hasAnyProp.js
|   hasEveryProp.js
|   hasProp.js
|   LICENSE.md
|   package.json
|   propName.js
|   README.md
|
|   FUNDING.yml
|
+---lib
|   elementType.js
|   eventHandlers.js
|   getProp.js
|   getPropValue.js
|   hasProp.js
|   index.js
|   propName.js
|
+---values
|   index.js
|   JSXElement.js
|   JSXFragment.js
|   JSXText.js
|   Literal.js
|
+---expressions
|   ArrayExpression.js
|   AssignmentExpression.js
|   BinaryExpression.js
|   BindExpression.js
|   CallExpression.js
|   ChainExpression.js

```

```

ConditionalExpression.js
FunctionExpression.js
Identifier.js
index.js
LogicalExpression.js
MemberExpression.js
NewExpression.js
ObjectExpression.js
OptionalCallExpression.js
OptionalMemberExpression.js
SequenceExpression.js
SpreadElement.js
TaggedTemplateExpression.js
TemplateLiteral.js
ThisExpression.js
TSNonNullExpression.js
TypeCastExpression.js
UnaryExpression.js
UpdateExpression.js

+---src
|
|   elementType.js
|   eventHandlers.js
|   getProp.js
|   getPropValue.js
|   hasProp.js
|   index.js
|   propName.js
|
\---values
|
|   index.js
|   JSXElement.js
|   JSXFragment.js
|   JSXText.js
|   Literal.js
|
\---expressions
|
|   ArrayExpression.js
|   AssignmentExpression.js
|   BinaryExpression.js
|   BindExpression.js
|   CallExpression.js
|   ChainExpression.js
|   ConditionalExpression.js
|   FunctionExpression.js
|   Identifier.js
|   index.js
|   LogicalExpression.js
|   MemberExpression.js
|   NewExpression.js
|   ObjectExpression.js
|   OptionalCallExpression.js
|   OptionalMemberExpression.js
|   SequenceExpression.js
|   SpreadElement.js
|   TaggedTemplateExpression.js
|   TemplateLiteral.js
|   ThisExpression.js
|   TSNonNullExpression.js
|   TypeCastExpression.js
|   UnaryExpression.js
|   UpdateExpression.js
|
\---_tests_
|
|   helper.js

```

```

|
| \---src
|     elementType-test.js
|     eventHandlers-test.js
|     getProp-parser-test.js
|     getProp-test.js
|     getPropLiteralValue-babelparser-test.js
|     getPropLiteralValue-flowparser-test.js
|     getPropValue-babelparser-test.js
|     getPropValue-flowparser-test.js
|     hasProp-test.js
|     index-test.js
|     propName-test.js
+---keyv
|     package.json
|     README.md
|     \---src
|         index.d.ts
|         index.js
+---language-subtag-registry
|     package.json
|     README.md
|     \---data
|         \---json
|             collection.json
|             extlang.json
|             grandfathered.json
|             index.json
|             language.json
|             macrolanguage.json
|             meta.json
|             private-use.json
|             redundant.json
|             region.json
|             registry.json
|             script.json
|             special.json
|             variant.json
+---language-tags
|     package.json
|     README.md
|     \---lib
|         index.js
|         Subtag.js
|         Tag.js
+---levn
|     LICENSE
|     package.json
|     README.md
|     \---lib
|         cast.js
|         index.js
|         parse-string.js
+---lightningcss
|     LICENSE
|     package.json

```

```

|   README.md
|
| \---node
|     ast.d.ts
|     ast.js.flow
|     browserslistToTargets.js
|     composeVisitors.js
|     flags.js
|     index.d.ts
|     index.js
|     index.js.flow
|     index.mjs
|     targets.d.ts
|     targets.js.flow
|
+---lightningcss-win32-x64-msvc
|   LICENSE
|   lightningcss.win32-x64-msvc.node
|   package.json
|   README.md
|
+---locate-path
|   index.d.ts
|   index.js
|   license
|   package.json
|   readme.md
|
+---lodash.merge
|   index.js
|   LICENSE
|   package.json
|   README.md
|
+---loose-envify
|   cli.js
|   custom.js
|   index.js
|   LICENSE
|   loose-envify.js
|   package.json
|   README.md
|   replace.js
|
+---lru-cache
|   index.js
|   LICENSE
|   package.json
|   README.md
|
+---magic-string
|   LICENSE
|   package.json
|   README.md
|
| \---dist
|     magic-string.cjs.d.ts
|     magic-string.cjs.js
|     magic-string.cjs.js.map
|     magic-string.es.d.mts
|     magic-string.es.mjs
|     magic-string.es.mjs.map
|     magic-string.umd.js
|     magic-string.umd.js.map

```

```

+---math-intrinsics
|   .eslintrc
|   abs.d.ts
|   abs.js
|   CHANGELOG.md
|   floor.d.ts
|   floor.js
|   isFinite.d.ts
|   isFinite.js
|   isInteger.d.ts
|   isInteger.js
|   isNaN.d.ts
|   isNaN.js
|   isNegativeZero.d.ts
|   isNegativeZero.js
|   LICENSE
|   max.d.ts
|   max.js
|   min.d.ts
|   min.js
|   mod.d.ts
|   mod.js
|   package.json
|   pow.d.ts
|   pow.js
|   README.md
|   round.d.ts
|   round.js
|   sign.d.ts
|   sign.js
|   tsconfig.json
|
|       FUNDING.yml
|
+---constants
|   maxArrayLength.d.ts
|   maxArrayLength.js
|   maxSafeInteger.d.ts
|   maxSafeInteger.js
|   maxValue.d.ts
|   maxValue.js
|
\---test
|   index.js
|
+---merge2
|   index.js
|   LICENSE
|   package.json
|   README.md
|
+---micromatch
|   index.js
|   LICENSE
|   package.json
|   README.md
|
+---minimatch
|   LICENSE
|   minimatch.js
|   package.json
|   README.md
|
+---minimist
|   .eslintrc

```



```

.nycrc
CHANGELOG.md
index.js
LICENSE
package.json
README.md

```

```

    FUNDING.yml

```

```

+---example

```

```

    parse.js

```

```

\---test

```

```

    all_bool.js
    bool.js
    dash.js
    default_bool.js
    dotted.js
    kv_short.js
    long.js
    num.js
    parse.js
    parse_modified.js
    proto.js
    short.js
    stop_early.js
    unknown.js
    whitespace.js

```

```

+---motion-dom

```

```

    LICENSE.md
    package.json

```

```

\---dist

```

```

    index.d.ts
    motion-dom.dev.js
    motion-dom.js
    size-rollup-motion-value.js
    size-rollup-motion-value.js.map
    size-rollup-style-effect.js
    size-rollup-style-effect.js.map

```

```

+---cjs

```

```

    index.js
    index.js.map

```

```

\---es

```

```

    index.mjs
    index.mjs.map

```

```

+---animation

```

```

    AsyncMotionValueAnimation.mjs
    AsyncMotionValueAnimation.mjs.map
    GroupAnimation.mjs
    GroupAnimation.mjs.map
    GroupAnimationWithThen.mjs
    GroupAnimationWithThen.mjs.map
    JSAnimation.mjs
    JSAnimation.mjs.map
    NativeAnimation.mjs
    NativeAnimation.mjs.map
    NativeAnimationExtended.mjs
    NativeAnimationExtended.mjs.map
    NativeAnimationWrapper.mjs
    NativeAnimationWrapper.mjs.map

```

```

+---animate
    single-value.mjs
    single-value.mjs.map

+---drivers
    frame.mjs
    frame.mjs.map

+---generators
    inertia.mjs
    inertia.mjs.map
    keyframes.mjs
    keyframes.mjs.map
    spring.mjs
    spring.mjs.map

    \---utils
        calc-duration.mjs
        calc-duration.mjs.map
        create-generator-easing.mjs
        create-generator-easing.mjs.map
        is-generator.mjs
        is-generator.mjs.map
        velocity.mjs
        velocity.mjs.map

+---interfaces
    motion-value.mjs
    motion-value.mjs.map
    visual-element-target.mjs
    visual-element-target.mjs.map
    visual-element-variant.mjs
    visual-element-variant.mjs.map
    visual-element.mjs
    visual-element.mjs.map

+---keyframes
    DOMKeyframesResolver.mjs
    DOMKeyframesResolver.mjs.map
    get-final.mjs
    get-final.mjs.map
    KeyframesResolver.mjs
    KeyframesResolver.mjs.map

+---offsets
    default.mjs
    default.mjs.map
    fill.mjs
    fill.mjs.map
    time.mjs
    time.mjs.map

    \---utils
        apply-px-defaults.mjs
        apply-px-defaults.mjs.map
        fill-wildcards.mjs
        fill-wildcards.mjs.map
        is-none.mjs
        is-none.mjs.map
        make-none-animatable.mjs
        make-none-animatable.mjs.map
        unit-conversion.mjs
        unit-conversion.mjs.map

```

```

+---optimized-appear
  data-id.mjs
  data-id.mjs.map
  get-appear-id.mjs
  get-appear-id.mjs.map

+---utils
  active-animations.mjs
  active-animations.mjs.map
  arc.mjs
  arc.mjs.map
  calc-child-stagger.mjs
  calc-child-stagger.mjs.map
  can-animate.mjs
  can-animate.mjs.map
  css-variables-conversion.mjs
  css-variables-conversion.mjs.map
  default-transitions.mjs
  default-transitions.mjs.map
  get-value-transition.mjs
  get-value-transition.mjs.map
  is-animatable.mjs
  is-animatable.mjs.map
  is-css-variable.mjs
  is-css-variable.mjs.map
  is-transition-defined.mjs
  is-transition-defined.mjs.map
  make-animation-instant.mjs
  make-animation-instant.mjs.map
  replace-transition-type.mjs
  replace-transition-type.mjs.map
  resolve-transition.mjs
  resolve-transition.mjs.map
  WithPromise.mjs
  WithPromise.mjs.map

\---waapi
  start-waapi-animation.mjs
  start-waapi-animation.mjs.map

+---easing
  cubic-bezier.mjs
  cubic-bezier.mjs.map
  is-supported.mjs
  is-supported.mjs.map
  map-easing.mjs
  map-easing.mjs.map
  supported.mjs
  supported.mjs.map

+---supports
  partial-keyframes.mjs
  partial-keyframes.mjs.map
  waapi.mjs
  waapi.mjs.map

\---utils
  accelerated-values.mjs
  accelerated-values.mjs.map
  apply-generator.mjs
  apply-generator.mjs.map
  is-browser-color.mjs
  is-browser-color.mjs.map
  linear.mjs
  linear.mjs.map

```

```

px-values.mjs
px-values.mjs.map
unsupported-easing.mjs
unsupported-easing.mjs.map
+---effects
|   MotionValueState.mjs
|   MotionValueState.mjs.map
|
|   +---attr
|   |   index.mjs
|   |   index.mjs.map
|   |
|   +---prop
|   |   index.mjs
|   |   index.mjs.map
|   |
|   +---style
|   |   index.mjs
|   |   index.mjs.map
|   |   transform.mjs
|   |   transform.mjs.map
|   |
|   +---svg
|   |   index.mjs
|   |   index.mjs.map
|   |
|   \---utils
|       create-dom-effect.mjs
|       create-dom-effect.mjs.map
|       create-effect.mjs
|       create-effect.mjs.map
|
+---events
|   add-dom-event.mjs
|   add-dom-event.mjs.map
|
+---frameloop
|   batcher.mjs
|   batcher.mjs.map
|   frame.mjs
|   frame.mjs.map
|   index-legacy.mjs
|   index-legacy.mjs.map
|   microtask.mjs
|   microtask.mjs.map
|   order.mjs
|   order.mjs.map
|   render-step.mjs
|   render-step.mjs.map
|   sync-time.mjs
|   sync-time.mjs.map
|
+---gestures
|   hover.mjs
|   hover.mjs.map
|
|   +---drag
|   |   \---state
|   |       is-active.mjs
|   |       is-active.mjs.map
|   |       set-active.mjs
|   |       set-active.mjs.map
|   |
|   +---press

```

```

|
|
|   index.mjs
|   index.mjs.map
|
|   \---utils
|       is-keyboard-accessible.mjs
|       is-keyboard-accessible.mjs.map
|       keyboard.mjs
|       keyboard.mjs.map
|       state.mjs
|       state.mjs.map
|
|   \---utils
|       is-node-or-child.mjs
|       is-node-or-child.mjs.map
|       is-primary-pointer.mjs
|       is-primary-pointer.mjs.map
|       setup.mjs
|       setup.mjs.map
|
+---layout
|   LayoutAnimationBuilder.mjs
|   LayoutAnimationBuilder.mjs.map
|
+---projection
|   +---animation
|       mix-values.mjs
|       mix-values.mjs.map
|
|   +---geometry
|       conversion.mjs
|       conversion.mjs.map
|       copy.mjs
|       copy.mjs.map
|       delta-apply.mjs
|       delta-apply.mjs.map
|       delta-calc.mjs
|       delta-calc.mjs.map
|       delta-remove.mjs
|       delta-remove.mjs.map
|       models.mjs
|       models.mjs.map
|       utils.mjs
|       utils.mjs.map
|
|   +---node
|       create-projection-node.mjs
|       create-projection-node.mjs.map
|       DocumentProjectionNode.mjs
|       DocumentProjectionNode.mjs.map
|       group.mjs
|       group.mjs.map
|       HTMLProjectionNode.mjs
|       HTMLProjectionNode.mjs.map
|       state.mjs
|       state.mjs.map
|
|   +---shared
|       stack.mjs
|       stack.mjs.map
|
|   +---styles
|       scale-border-radius.mjs
|       scale-border-radius.mjs.map
|       scale-box-shadow.mjs
|       scale-box-shadow.mjs.map

```

```

scale-correction.mjs
scale-correction.mjs.map
transform.mjs
transform.mjs.map

\---utils
  compare-by-depth.mjs
  compare-by-depth.mjs.map
  each-axis.mjs
  each-axis.mjs.map
  flat-tree.mjs
  flat-tree.mjs.map
  has-transform.mjs
  has-transform.mjs.map
  measure.mjs
  measure.mjs.map

+---render
  Feature.mjs
  Feature.mjs.map
  store.mjs
  store.mjs.map
  VisualElement.mjs
  VisualElement.mjs.map

+---dom
  DOMVisualElement.mjs
  DOMVisualElement.mjs.map
  is-css-var.mjs
  is-css-var.mjs.map
  parse-transform.mjs
  parse-transform.mjs.map
  style-computed.mjs
  style-computed.mjs.map
  style-set.mjs
  style-set.mjs.map

  \---utils
    camel-to-dash.mjs
    camel-to-dash.mjs.map

+---html
  HTMLVisualElement.mjs
  HTMLVisualElement.mjs.map

  \---utils
    build-styles.mjs
    build-styles.mjs.map
    build-transform.mjs
    build-transform.mjs.map
    render.mjs
    render.mjs.map
    scrape-motion-values.mjs
    scrape-motion-values.mjs.map

+---object
  ObjectVisualElement.mjs
  ObjectVisualElement.mjs.map

+---svg
  SVGVisualElement.mjs
  SVGVisualElement.mjs.map

  \---utils
    build-attrs.mjs

```

```

        build-attrs.mjs.map
        camel-case-attrs.mjs
        camel-case-attrs.mjs.map
        is-svg-tag.mjs
        is-svg-tag.mjs.map
        path.mjs
        path.mjs.map
        render.mjs
        render.mjs.map
        scrape-motion-values.mjs
        scrape-motion-values.mjs.map
    \---utils
        animation-state.mjs
        animation-state.mjs.map
        get-variant-context.mjs
        get-variant-context.mjs.map
        is-animation-controls.mjs
        is-animation-controls.mjs.map
        is-controlling-variants.mjs
        is-controlling-variants.mjs.map
        is-forced-motion-value.mjs
        is-forced-motion-value.mjs.map
        is-keyframes-target.mjs
        is-keyframes-target.mjs.map
        is-variant-label.mjs
        is-variant-label.mjs.map
        keys-position.mjs
        keys-position.mjs.map
        keys-transform.mjs
        keys-transform.mjs.map
        motion-values.mjs
        motion-values.mjs.map
        resolve-dynamic-variants.mjs
        resolve-dynamic-variants.mjs.map
        resolve-variants.mjs
        resolve-variants.mjs.map
        setters.mjs
        setters.mjs.map
        shallow-compare.mjs
        shallow-compare.mjs.map
        variant-props.mjs
        variant-props.mjs.map
    \---reduced-motion
        index.mjs
        index.mjs.map
        state.mjs
        state.mjs.map
+---resize
    handle-element.mjs
    handle-element.mjs.map
    handle-window.mjs
    handle-window.mjs.map
    index.mjs
    index.mjs.map
+---scroll
    observe.mjs
    observe.mjs.map
+---stats
    animation-count.mjs
    animation-count.mjs.map

```

```

    buffer.mjs
    buffer.mjs.map
    index.mjs
    index.mjs.map
+---utils
    delay.mjs
    delay.mjs.map
    interpolate.mjs
    interpolate.mjs.map
    is-html-element.mjs
    is-html-element.mjs.map
    is-svg-element.mjs
    is-svg-element.mjs.map
    is-svg-svg-element.mjs
    is-svg-svg-element.mjs.map
    resolve-elements.mjs
    resolve-elements.mjs.map
    stagger.mjs
    stagger.mjs.map
    transform.mjs
    transform.mjs.map
+---mix
    color.mjs
    color.mjs.map
    complex.mjs
    complex.mjs.map
    immediate.mjs
    immediate.mjs.map
    index.mjs
    index.mjs.map
    number.mjs
    number.mjs.map
    visibility.mjs
    visibility.mjs.map
\---supports
    flags.mjs
    flags.mjs.map
    linear-easing.mjs
    linear-easing.mjs.map
    memo.mjs
    memo.mjs.map
    scroll-timeline.mjs
    scroll-timeline.mjs.map
+---value
    follow-value.mjs
    follow-value.mjs.map
    index.mjs
    index.mjs.map
    map-value.mjs
    map-value.mjs.map
    spring-value.mjs
    spring-value.mjs.map
    subscribe-value.mjs
    subscribe-value.mjs.map
    transform-value.mjs
    transform-value.mjs.map
+---types
    auto.mjs
    auto.mjs.map
    dimensions.mjs

```



```

dimensions.mjs.map
int.mjs
int.mjs.map
test.mjs
test.mjs.map

+---color
    hex.mjs
    hex.mjs.map
    hsla-to-rgba.mjs
    hsla-to-rgba.mjs.map
    hsla.mjs
    hsla.mjs.map
    index.mjs
    index.mjs.map
    rgba.mjs
    rgba.mjs.map
    utils.mjs
    utils.mjs.map

+---complex
    filter.mjs
    filter.mjs.map
    index.mjs
    index.mjs.map
    mask.mjs
    mask.mjs.map

+---maps
    defaults.mjs
    defaults.mjs.map
    number.mjs
    number.mjs.map
    transform.mjs
    transform.mjs.map

+---numbers
    index.mjs
    index.mjs.map
    units.mjs
    units.mjs.map

\---utils
    animatable-none.mjs
    animatable-none.mjs.map
    color-regex.mjs
    color-regex.mjs.map
    find.mjs
    find.mjs.map
    float-regex.mjs
    float-regex.mjs.map
    get-as-type.mjs
    get-as-type.mjs.map
    is-nullish.mjs
    is-nullish.mjs.map
    sanitize.mjs
    sanitize.mjs.map
    single-color-regex.mjs
    single-color-regex.mjs.map

+---utils
    is-motion-value.mjs
    is-motion-value.mjs.map
    resolve-motion-value.mjs
    resolve-motion-value.mjs.map

```

```

|
|
| \---will-change
|   add-will-change.mjs
|   add-will-change.mjs.map
|   is.mjs
|   is.mjs.map
|
| \---view
|   index.mjs
|   index.mjs.map
|   queue.mjs
|   queue.mjs.map
|   start.mjs
|   start.mjs.map
|
| \---utils
|   choose-layer-type.mjs
|   choose-layer-type.mjs.map
|   css.mjs
|   css.mjs.map
|   get-layer-info.mjs
|   get-layer-info.mjs.map
|   get-view-animations.mjs
|   get-view-animations.mjs.map
|   has-target.mjs
|   has-target.mjs.map
|
+---motion-utils
|   LICENSE.md
|   package.json
|
| \---dist
|   index.d.ts
|   motion-utils.dev.js
|   motion-utils.js
|
| +---cjs
|   index.js
|   index.js.map
|
| \---es
|   array.mjs
|   array.mjs.map
|   clamp.mjs
|   clamp.mjs.map
|   errors.mjs
|   errors.mjs.map
|   format-error-message.mjs
|   format-error-message.mjs.map
|   global-config.mjs
|   global-config.mjs.map
|   index.mjs
|   index.mjs.map
|   is-numerical-string.mjs
|   is-numerical-string.mjs.map
|   is-object.mjs
|   is-object.mjs.map
|   is-zero-value-string.mjs
|   is-zero-value-string.mjs.map
|   memo.mjs
|   memo.mjs.map
|   noop.mjs
|   noop.mjs.map
|   pipe.mjs
|   pipe.mjs.map

```

395/819

```

    index.browser.cjs
    index.browser.js
    index.cjs
    index.d.ts
    index.js
    index.native.js
    package.json
+---bin
|   nanoid.cjs
+---non-secure
|   index.cjs
|   index.d.ts
|   index.js
|   package.json
\---url-alphabet
    index.cjs
    index.js
    package.json
+---napi-postinstall
|   LICENSE
|   package.json
|   README.md
\---lib
    cli.d.ts
    cli.js
    cli.js.map
    constants.d.ts
    constants.js
    constants.js.map
    fallback.d.ts
    fallback.js
    fallback.js.map
    helpers.d.ts
    helpers.js
    helpers.js.map
    index.d.ts
    index.js
    index.js.map
    target.d.ts
    target.js
    target.js.map
    types.d.ts
    types.js
    types.js.map
+---natural-compare
|   index.js
|   package.json
|   README.md
+---next
|   app.d.ts
|   app.js
|   babel.d.ts
|   babel.js
|   cache.d.ts
|   cache.js
|   client.d.ts
|   client.js
|   constants.d.ts

```

```

constants.js
document.d.ts
document.js
dynamic.d.ts
dynamic.js
error.d.ts
error.js
form.d.ts
form.js
head.d.ts
head.js
headers.d.ts
headers.js
image.d.ts
image.js
index.d.ts
jest.d.ts
jest.js
license.md
link.d.ts
link.js
navigation.d.ts
navigation.js
og.d.ts
og.js
package.json
README.md
root-params.d.ts
root-params.js
router.d.ts
router.js
script.d.ts
script.js
server.d.ts
server.js
types.d.ts
types.js
web-vitals.d.ts
web-vitals.js

```

## +---compat

```

    router.d.ts
    router.js

```

## +---dist

```

    .build-commit
    types.d.ts

```

## +---api

```

    app-dynamic.d.ts
    app-dynamic.js
    app-dynamic.js.map
    app.d.ts
    app.js
    app.js.map
    constants.d.ts
    constants.js
    constants.js.map
    document.d.ts
    document.js
    document.js.map
    dynamic.d.ts
    dynamic.js
    dynamic.js.map
    error.d.ts

```

```
error.js
error.js.map
error.react-server.d.ts
error.react-server.js
error.react-server.js.map
form.d.ts
form.js
form.js.map
head.d.ts
head.js
head.js.map
headers.d.ts
headers.js
headers.js.map
image.d.ts
image.js
image.js.map
link.d.ts
link.js
link.js.map
navigation.d.ts
navigation.js
navigation.js.map
navigation.react-server.d.ts
navigation.react-server.js
navigation.react-server.js.map
og.d.ts
og.js
og.js.map
router.d.ts
router.js
router.js.map
script.d.ts
script.js
script.js.map
server.d.ts
server.js
server.js.map
```

+---bin

```
next
next.d.ts
next.map
```

+---build

```
after-production-compile.d.ts
after-production-compile.js
after-production-compile.js.map
build-context.d.ts
build-context.js
build-context.js.map
collect-build-traces.d.ts
collect-build-traces.js
collect-build-traces.js.map
compiler.d.ts
compiler.js
compiler.js.map
create-compiler-aliases.d.ts
create-compiler-aliases.js
create-compiler-aliases.js.map
define-env.d.ts
define-env.js
define-env.js.map
duration-to-string.d.ts
duration-to-string.js
```

duration-to-string.js.map  
entries.d.ts  
entries.js  
entries.js.map  
file-classifier.d.ts  
file-classifier.js  
file-classifier.js.map  
generate-build-id.d.ts  
generate-build-id.js  
generate-build-id.js.map  
generate-routes-manifest.d.ts  
generate-routes-manifest.js  
generate-routes-manifest.js.map  
get-babel-config-file.d.ts  
get-babel-config-file.js  
get-babel-config-file.js.map  
get-babel-loader-config.d.ts  
get-babel-loader-config.js  
get-babel-loader-config.js.map  
get-static-info-including-layouts.d.ts  
get-static-info-including-layouts.js  
get-static-info-including-layouts.js.map  
get-supported-browsers.d.ts  
get-supported-browsers.js  
get-supported-browsers.js.map  
handle-entrypoints.d.ts  
handle-entrypoints.js  
handle-entrypoints.js.map  
handle-externals.d.ts  
handle-externals.js  
handle-externals.js.map  
index.d.ts  
index.js  
index.js.map  
is-writeable.d.ts  
is-writeable.js  
is-writeable.js.map  
load-entrypoint.d.ts  
load-entrypoint.js  
load-entrypoint.js.map  
load-jsconfig.d.ts  
load-jsconfig.js  
load-jsconfig.js.map  
lockfile.d.ts  
lockfile.js  
lockfile.js.map  
next-dir-paths.d.ts  
next-dir-paths.js  
next-dir-paths.js.map  
normalize-catchall-routes.d.ts  
normalize-catchall-routes.js  
normalize-catchall-routes.js.map  
page-extensions-type.d.ts  
page-extensions-type.js  
page-extensions-type.js.map  
preview-key-utils.d.ts  
preview-key-utils.js  
preview-key-utils.js.map  
print-build-errors.d.ts  
print-build-errors.js  
print-build-errors.js.map  
progress.d.ts  
progress.js  
progress.js.map  
rendering-mode.d.ts

```

rendering-mode.js
rendering-mode.js.map
route-bundle-stats.d.ts
route-bundle-stats.js
route-bundle-stats.js.map
route-discovery.d.ts
route-discovery.js
route-discovery.js.map
sort-by-page-exts.d.ts
sort-by-page-exts.js
sort-by-page-exts.js.map
spinner.d.ts
spinner.js
spinner.js.map
type-check.d.ts
type-check.js
type-check.js.map
utils.d.ts
utils.js
utils.js.map
validate-app-paths.d.ts
validate-app-paths.js
validate-app-paths.js.map
webpack-config.d.ts
webpack-config.js
webpack-config.js.map
worker.d.ts
worker.js
worker.js.map
write-build-id.d.ts
write-build-id.js
write-build-id.js.map

+---adapter
|   build-complete.d.ts
|   build-complete.js
|   build-complete.js.map
|   setup-node-env.external.d.ts
|   setup-node-env.external.js
|   setup-node-env.external.js.map
+---analysis
|   extract-const-value.d.ts
|   extract-const-value.js
|   extract-const-value.js.map
|   get-page-static-info.d.ts
|   get-page-static-info.js
|   get-page-static-info.js.map
|   parse-module.d.ts
|   parse-module.js
|   parse-module.js.map
+---analyze
|   index.d.ts
|   index.js
|   index.js.map
+---babel
|   preset.d.ts
|   preset.js
|   preset.js.map
+---loader
|   get-config.d.ts
|   get-config.js

```



```

get-config.js.map
index.d.ts
index.js
index.js.map
transform.d.ts
transform.js
transform.js.map
types.d.ts
util.d.ts
util.js
util.js.map

\---plugins
  commonjs.d.ts
  commonjs.js
  commonjs.js.map
  jsx-pragma.d.ts
  jsx-pragma.js
  jsx-pragma.js.map
  next-font-unsupported.d.ts
  next-font-unsupported.js
  next-font-unsupported.js.map
  next-page-config.d.ts
  next-page-config.js
  next-page-config.js.map
  next-page-disallow-re-export-all-exports.d.ts
  next-page-disallow-re-export-all-exports.js
  next-page-disallow-re-export-all-exports.js.map
  next-ssg-transform.d.ts
  next-ssg-transform.js
  next-ssg-transform.js.map
  optimize-hook-destructuring.d.ts
  optimize-hook-destructuring.js
  optimize-hook-destructuring.js.map
  react-loadable-plugin.d.ts
  react-loadable-plugin.js
  react-loadable-plugin.js.map

+---jest
  jest.d.ts
  jest.js
  jest.js.map
  object-proxy.d.ts
  object-proxy.js
  object-proxy.js.map

\---__mocks__
  empty.d.ts
  empty.js
  empty.js.map
  fileMock.d.ts
  fileMock.js
  fileMock.js.map
  nextFontMock.d.ts
  nextFontMock.js
  nextFontMock.js.map
  styleMock.d.ts
  styleMock.js
  styleMock.js.map

+---manifests
  \---formatter
    format-manifest.d.ts
    format-manifest.js
    format-manifest.js.map

```

```

+---next-config-ts
    require-hook.d.ts
    require-hook.js
    require-hook.js.map
    transpile-config.d.ts
    transpile-config.js
    transpile-config.js.map

+---output
    format.d.ts
    format.js
    format.js.map
    index.d.ts
    index.js
    index.js.map
    log.d.ts
    log.js
    log.js.map
    store.d.ts
    store.js
    store.js.map

+---polyfills
    object-assign.d.ts
    object-assign.js
    object-assign.js.map
    polyfill-module.js
    polyfill-nomodule.js
    process.d.ts
    process.js
    process.js.map

+---fetch
    index.d.ts
    index.js
    index.js.map
    whatwg-fetch.d.ts
    whatwg-fetch.js
    whatwg-fetch.js.map

\---object.assign
    auto.d.ts
    auto.js
    auto.js.map
    implementation.d.ts
    implementation.js
    implementation.js.map
    index.d.ts
    index.js
    index.js.map
    polyfill.d.ts
    polyfill.js
    polyfill.js.map
    shim.d.ts
    shim.js
    shim.js.map

+---segment-config
+---app
    app-segment-config.d.ts
    app-segment-config.js
    app-segment-config.js.map
    app-segments.d.ts
    app-segments.js

```

```

    app-segments.js.map
    collect-root-param-keys.d.ts
    collect-root-param-keys.js
    collect-root-param-keys.js.map
+---middleware
    middleware-config.d.ts
    middleware-config.js
    middleware-config.js.map
\---pages
    pages-segment-config.d.ts
    pages-segment-config.js
    pages-segment-config.js.map
+---static-paths
    app.d.ts
    app.js
    app.js.map
    pages.d.ts
    pages.js
    pages.js.map
    types.d.ts
    types.js
    types.js.map
    utils.d.ts
    utils.js
    utils.js.map
\---app
    extract-pathname-route-param-segments-from-loader-tree.d.ts
    extract-pathname-route-param-segments-from-loader-tree.js
    extract-pathname-route-param-segments-from-loader-tree.js.map
+---SWC
    generated-native.d.ts
    generated-wasm.d.ts
    helpers.d.ts
    helpers.js
    helpers.js.map
    index.d.ts
    index.js
    index.js.map
    install-bindings.d.ts
    install-bindings.js
    install-bindings.js.map
    jest-transformer.d.ts
    jest-transformer.js
    jest-transformer.js.map
    loaderWorkerPool.d.ts
    loaderWorkerPool.js
    loaderWorkerPool.js.map
    options.d.ts
    options.js
    options.js.map
    types.d.ts
    types.js
    types.js.map
+---templates
    app-page.d.ts
    app-page.js
    app-page.js.map
    app-route.d.ts
    app-route.js

```

```
app-route.js.map
edge-app-route.d.ts
edge-app-route.js
edge-app-route.js.map
edge-ssr-app.d.ts
edge-ssr-app.js
edge-ssr-app.js.map
edge-ssr.d.ts
edge-ssr.js
edge-ssr.js.map
edge-wrapper.js
edge-wrapper.js.map
helpers.d.ts
helpers.js
helpers.js.map
middleware.d.ts
middleware.js
middleware.js.map
pages-api.d.ts
pages-api.js
pages-api.js.map
pages-edge-api.d.ts
pages-edge-api.js
pages-edge-api.js.map
pages.d.ts
pages.js
pages.js.map

+---turbo-pack-analyze
|   index.d.ts
|   index.js
|   index.js.map
|
+---turbo-pack-build
|   impl.d.ts
|   impl.js
|   impl.js.map
|   index.d.ts
|   index.js
|   index.js.map
|
+---turbo-repo-access-trace
|   env.d.ts
|   env.js
|   env.js.map
|   helpers.d.ts
|   helpers.js
|   helpers.js.map
|   index.d.ts
|   index.js
|   index.js.map
|   result.d.ts
|   result.js
|   result.js.map
|   tcp.d.ts
|   tcp.js
|   tcp.js.map
|   types.d.ts
|   types.js
|   types.js.map
|
+---webpack
|   cache-invalidation.d.ts
|   cache-invalidation.js
|   cache-invalidation.js.map
```

```

stringify-request.d.ts
stringify-request.js
stringify-request.js.map
utils.d.ts
utils.js
utils.js.map

+---alias
|   react-dom-server-experimental.js
|   react-dom-server-experimental.js.map
|   react-dom-server.js
|   react-dom-server.js.map
+---config
|   helpers.d.ts
|   helpers.js
|   helpers.js.map
|   index.d.ts
|   index.js
|   index.js.map
|   utils.d.ts
|   utils.js
|   utils.js.map
+---blocks
|   base.d.ts
|   base.js
|   base.js.map
+---css
|   index.d.ts
|   index.js
|   index.js.map
|   messages.d.ts
|   messages.js
|   messages.js.map
|   plugins.d.ts
|   plugins.js
|   plugins.js.map
+---loaders
|   client.d.ts
|   client.js
|   client.js.map
|   file-resolve.d.ts
|   file-resolve.js
|   file-resolve.js.map
|   getCssModuleLocalIdent.d.ts
|   getCssModuleLocalIdent.js
|   getCssModuleLocalIdent.js.map
|   global.d.ts
|   global.js
|   global.js.map
|   index.d.ts
|   index.js
|   index.js.map
|   modules.d.ts
|   modules.js
|   modules.js.map
|   next-font.d.ts
|   next-font.js
|   next-font.js.map
+---images
|   index.d.ts

```

```

index.js
index.js.map
messages.d.ts
messages.js
messages.js.map

```

#### +---loaders

```

empty-loader.d.ts
empty-loader.js
empty-loader.js.map
error-loader.d.ts
error-loader.js
error-loader.js.map
get-module-build-info.d.ts
get-module-build-info.js
get-module-build-info.js.map
modularize-import-loader.d.ts
modularize-import-loader.js
modularize-import-loader.js.map
next-barrel-loader.d.ts
next-barrel-loader.js
next-barrel-loader.js.map
next-client-pages-loader.d.ts
next-client-pages-loader.js
next-client-pages-loader.js.map
next-edge-function-loader.d.ts
next-edge-function-loader.js
next-edge-function-loader.js.map
next-error-browser-binary-loader.d.ts
next-error-browser-binary-loader.js
next-error-browser-binary-loader.js.map
next-flight-action-entry-loader.d.ts
next-flight-action-entry-loader.js
next-flight-action-entry-loader.js.map
next-flight-client-entry-loader.d.ts
next-flight-client-entry-loader.js
next-flight-client-entry-loader.js.map
next-flight-client-module-loader.d.ts
next-flight-client-module-loader.js
next-flight-client-module-loader.js.map
next-flight-css-loader.d.ts
next-flight-css-loader.js
next-flight-css-loader.js.map
next-flight-server-reference-proxy-loader.d.ts
next-flight-server-reference-proxy-loader.js
next-flight-server-reference-proxy-loader.js.map
next-invalid-import-error-loader.d.ts
next-invalid-import-error-loader.js
next-invalid-import-error-loader.js.map
next-metadata-image-loader.d.ts
next-metadata-image-loader.js
next-metadata-image-loader.js.map
next-metadata-route-loader.d.ts
next-metadata-route-loader.js
next-metadata-route-loader.js.map
next-middleware-asset-loader.d.ts
next-middleware-asset-loader.js
next-middleware-asset-loader.js.map
next-middleware-loader.d.ts
next-middleware-loader.js
next-middleware-loader.js.map
next-middleware-wasm-loader.d.ts
next-middleware-wasm-loader.js
next-middleware-wasm-loader.js.map
next-root-params-loader.d.ts

```

```

next-root-params-loader.js
next-root-params-loader.js.map
next-swc-loader.d.ts
next-swc-loader.js
next-swc-loader.js.map
utils.d.ts
utils.js
utils.js.map

+---css-loader
  \---src
    camelcase.d.ts
    camelcase.js
    camelcase.js.map
    CssSyntaxError.d.ts
    CssSyntaxError.js
    CssSyntaxError.js.map
    index.d.ts
    index.js
    index.js.map
    utils.d.ts
    utils.js
    utils.js.map

    +---plugins
      index.d.ts
      index.js
      index.js.map
      postcss-icss-parser.d.ts
      postcss-icss-parser.js
      postcss-icss-parser.js.map
      postcss-import-parser.d.ts
      postcss-import-parser.js
      postcss-import-parser.js.map
      postcss-url-parser.d.ts
      postcss-url-parser.js
      postcss-url-parser.js.map

    \---runtime
      api.d.ts
      api.js
      api.js.map
      getUrl.d.ts
      getUrl.js
      getUrl.js.map

+---devtool
  devtool-style-inject.js
  devtool-style-inject.js.map

+---lightningcss-loader
  \---src
    codegen.d.ts
    codegen.js
    codegen.js.map
    index.d.ts
    index.js
    index.js.map
    interface.d.ts
    interface.js
    interface.js.map
    loader.d.ts
    loader.js
    loader.js.map
    minify.d.ts

```

```
minify.js
minify.js.map
utils.d.ts
utils.js
utils.js.map

+---metadata
discover.d.ts
discover.js
discover.js.map
resolve-route-data.d.ts
resolve-route-data.js
resolve-route-data.js.map
types.d.ts
types.js
types.js.map

+---next-app-loader
create-app-route-code.d.ts
create-app-route-code.js
create-app-route-code.js.map
index.d.ts
index.js
index.js.map

+---next-edge-app-route-loader
index.d.ts
index.js
index.js.map

+---next-edge-ssr-loader
index.d.ts
index.js
index.js.map

+---next-flight-loader
action-client-wrapper.d.ts
action-client-wrapper.js
action-client-wrapper.js.map
action-validate.d.ts
action-validate.js
action-validate.js.map
cache-wrapper.d.ts
cache-wrapper.js
cache-wrapper.js.map
index.d.ts
index.js
index.js.map
module-proxy.d.ts
module-proxy.js
module-proxy.js.map
server-reference.d.ts
server-reference.js
server-reference.js.map
track-dynamic-import.d.ts
track-dynamic-import.js
track-dynamic-import.js.map

+---next-font-loader
index.d.ts
index.js
index.js.map
postcss-next-font.d.ts
postcss-next-font.js
postcss-next-font.js.map
```



```
+---next-image-loader
|   blur.d.ts
|   blur.js
|   blur.js.map
|   index.d.ts
|   index.js
|   index.js.map
+---next-route-loader
|   index.d.ts
|   index.js
|   index.js.map
+---next-style-loader
|   |   index.d.ts
|   |   index.js
|   |   index.js.map
|   \---runtime
|           injectStylesIntoLinkTag.d.ts
|           injectStylesIntoLinkTag.js
|           injectStylesIntoLinkTag.js.map
|           injectStylesIntoStyleTag.d.ts
|           injectStylesIntoStyleTag.js
|           injectStylesIntoStyleTag.js.map
|           isEqualLocals.d.ts
|           isEqualLocals.js
|           isEqualLocals.js.map
+---postcss-loader
|   \---src
|           Error.d.ts
|           Error.js
|           Error.js.map
|           index.d.ts
|           index.js
|           index.js.map
|           utils.d.ts
|           utils.js
|           utils.js.map
|           Warning.d.ts
|           Warning.js
|           Warning.js.map
\---resolve-url-loader
|   |   index.d.ts
|   |   index.js
|   |   index.js.map
|   \---lib
|           file-protocol.d.ts
|           file-protocol.js
|           file-protocol.js.map
|           join-function.d.ts
|           join-function.js
|           join-function.js.map
|           postcss.d.ts
|           postcss.js
|           postcss.js.map
|           value-processor.d.ts
|           value-processor.js
|           value-processor.js.map
-plugins
```

```
build-manifest-plugin-utils.d.ts
build-manifest-plugin-utils.js
build-manifest-plugin-utils.js.map
build-manifest-plugin.d.ts
build-manifest-plugin.js
build-manifest-plugin.js.map
copy-file-plugin.d.ts
copy-file-plugin.js
copy-file-plugin.js.map
css-chunking-plugin.d.ts
css-chunking-plugin.js
css-chunking-plugin.js.map
css-minimizer-plugin.d.ts
css-minimizer-plugin.js
css-minimizer-plugin.js.map
deferred-entries-plugin.d.ts
deferred-entries-plugin.js
deferred-entries-plugin.js.map
devtools-ignore-list-plugin.d.ts
devtools-ignore-list-plugin.js
devtools-ignore-list-plugin.js.map
eval-source-map-dev-tool-plugin.d.ts
eval-source-map-dev-tool-plugin.js
eval-source-map-dev-tool-plugin.js.map
flight-client-entry-plugin.d.ts
flight-client-entry-plugin.js
flight-client-entry-plugin.js.map
flight-manifest-plugin.d.ts
flight-manifest-plugin.js
flight-manifest-plugin.js.map
force-complete-runtime.d.ts
force-complete-runtime.js
force-complete-runtime.js.map
jsconfig-paths-plugin.d.ts
jsconfig-paths-plugin.js
jsconfig-paths-plugin.js.map
memory-with-gc-cache-plugin.d.ts
memory-with-gc-cache-plugin.js
memory-with-gc-cache-plugin.js.map
middleware-plugin.d.ts
middleware-plugin.js
middleware-plugin.js.map
mini-css-extract-plugin.d.ts
mini-css-extract-plugin.js
mini-css-extract-plugin.js.map
next-font-manifest-plugin.d.ts
next-font-manifest-plugin.js
next-font-manifest-plugin.js.map
next-trace-entypoints-plugin.d.ts
next-trace-entypoints-plugin.js
next-trace-entypoints-plugin.js.map
nextjs-require-cache-hot-reloader.d.ts
nextjs-require-cache-hot-reloader.js
nextjs-require-cache-hot-reloader.js.map
optional-peer-dependency-resolve-plugin.d.ts
optional-peer-dependency-resolve-plugin.js
optional-peer-dependency-resolve-plugin.js.map
pages-manifest-plugin.d.ts
pages-manifest-plugin.js
pages-manifest-plugin.js.map
profiling-plugin.d.ts
profiling-plugin.js
profiling-plugin.js.map
react-loadable-plugin.d.ts
react-loadable-plugin.js
```

```

| react-loadable-plugin.js.map
| rspack-flight-client-entry-plugin.d.ts
| rspack-flight-client-entry-plugin.js
| rspack-flight-client-entry-plugin.js.map
| rspack-profilng-plugin.d.ts
| rspack-profilng-plugin.js
| rspack-profilng-plugin.js.map
| slow-module-detection-plugin.d.ts
| slow-module-detection-plugin.js
| slow-module-detection-plugin.js.map
| subresource-integrity-plugin.d.ts
| subresource-integrity-plugin.js
| subresource-integrity-plugin.js.map
|
| +---minify-webpack-plugin
| | \---src
| |     index.d.ts
| |     index.js
| |     index.js.map
| |
| | +---next-types-plugin
| | | index.d.ts
| | | index.js
| | | index.js.map
| | | shared.d.ts
| | | shared.js
| | | shared.js.map
| |
| | +---telemetry-plugin
| | | telemetry-plugin.d.ts
| | | telemetry-plugin.js
| | | telemetry-plugin.js.map
| | | update-telemetry-loader-context-from-swc.d.ts
| | | update-telemetry-loader-context-from-swc.js
| | | update-telemetry-loader-context-from-swc.js.map
| | | use-cache-tracker-utils.d.ts
| | | use-cache-tracker-utils.js
| | | use-cache-tracker-utils.js.map
| |
| | \---wellknown-errors-plugin
| | | getModuleTrace.d.ts
| | | getModuleTrace.js
| | | getModuleTrace.js.map
| | | index.d.ts
| | | index.js
| | | index.js.map
| | | parse-dynamic-code-evaluation-error.d.ts
| | | parse-dynamic-code-evaluation-error.js
| | | parse-dynamic-code-evaluation-error.js.map
| | | parseBabel.d.ts
| | | parseBabel.js
| | | parseBabel.js.map
| | | parseCss.d.ts
| | | parseCss.js
| | | parseCss.js.map
| | | parseNextAppLoaderError.d.ts
| | | parseNextAppLoaderError.js
| | | parseNextAppLoaderError.js.map
| | | parseNextFontError.d.ts
| | | parseNextFontError.js
| | | parseNextFontError.js.map
| | | parseNextInvalidImportError.d.ts
| | | parseNextInvalidImportError.js
| | | parseNextInvalidImportError.js.map
| | | parseNotFoundError.d.ts

```

```

        parseNotFoundError.js
        parseNotFoundError.js.map
        parseScss.d.ts
        parseScss.js
        parseScss.js.map
        simpleWebpackError.d.ts
        simpleWebpackError.js
        simpleWebpackError.js.map
        webpackModuleError.d.ts
        webpackModuleError.js
        webpackModuleError.js.map

+---webpack-build
|   impl.d.ts
|   impl.js
|   impl.js.map
|   index.d.ts
|   index.js
|   index.js.map
|
\---webpack-config-rules
    resolve.d.ts
    resolve.js
    resolve.js.map

+---bundle-analyzer
|   404.html
|   index.html
|   index.txt
|   _not-found.html
|   _not-found.txt
|   __next._full.txt
|   __next._head.txt
|   __next._index.txt
|   __next._tree.txt
|   __next._PAGE_.txt
|
+---_next
|   \---static
|       +---chunks
|           0dcb8fbb7c502475.js
|           14ceeeaa07f3cde1.js
|           29df097d1082f81a.js
|           64e504f815854219.js
|           a6dad97d9634a72d.js
|           adecd0ef71a11c8f.css
|           b607dc4daafe934d.js
|           turbopack-03041747c8de0c84.js
|
|       \---0Hi0HkkfZ0778YgHLCilu
|           _buildManifest.js
|           _clientMiddlewareManifest.json
|           _ssgManifest.js
|
\---_not-found
    __next._full.txt
    __next._head.txt
    __next._index.txt
    __next._not-found.txt
    __next._not-found._PAGE_.txt
    __next._tree.txt

+---cli
|   next-analyze.d.ts
|   next-analyze.js

```

```

next-analyze.js.map
next-build.d.ts
next-build.js
next-build.js.map
next-dev.d.ts
next-dev.js
next-dev.js.map
next-export.d.ts
next-export.js
next-export.js.map
next-info.d.ts
next-info.js
next-info.js.map
next-start.d.ts
next-start.js
next-start.js.map
next-telemetry.d.ts
next-telemetry.js
next-telemetry.js.map
next-test.d.ts
next-test.js
next-test.js.map
next-typegen.d.ts
next-typegen.js
next-typegen.js.map
next-upgrade.d.ts
next-upgrade.js
next-upgrade.js.map

\---internal
    turbo-trace-server.d.ts
    turbo-trace-server.js
    turbo-trace-server.js.map

+---client
    add-base-path.d.ts
    add-base-path.js
    add-base-path.js.map
    add-locale.d.ts
    add-locale.js
    add-locale.js.map
    app-bootstrap.d.ts
    app-bootstrap.js
    app-bootstrap.js.map
    app-call-server.d.ts
    app-call-server.js
    app-call-server.js.map
    app-find-source-map-url.d.ts
    app-find-source-map-url.js
    app-find-source-map-url.js.map
    app-globals.d.ts
    app-globals.js
    app-globals.js.map
    app-index.d.ts
    app-index.js
    app-index.js.map
    app-link-gc.d.ts
    app-link-gc.js
    app-link-gc.js.map
    app-next-dev.d.ts
    app-next-dev.js
    app-next-dev.js.map
    app-next-turbopack.d.ts
    app-next-turbopack.js
    app-next-turbopack.js.map

```

|  |  |  |  |  |                                 |
|--|--|--|--|--|---------------------------------|
|  |  |  |  |  | app-next.d.ts                   |
|  |  |  |  |  | app-next.js                     |
|  |  |  |  |  | app-next.js.map                 |
|  |  |  |  |  | app-webpack.d.ts                |
|  |  |  |  |  | app-webpack.js                  |
|  |  |  |  |  | app-webpack.js.map              |
|  |  |  |  |  | asset-prefix.d.ts               |
|  |  |  |  |  | asset-prefix.js                 |
|  |  |  |  |  | asset-prefix.js.map             |
|  |  |  |  |  | assign-location.d.ts            |
|  |  |  |  |  | assign-location.js              |
|  |  |  |  |  | assign-location.js.map          |
|  |  |  |  |  | detect-domain-locale.d.ts       |
|  |  |  |  |  | detect-domain-locale.js         |
|  |  |  |  |  | detect-domain-locale.js.map     |
|  |  |  |  |  | flight-data-helpers.d.ts        |
|  |  |  |  |  | flight-data-helpers.js          |
|  |  |  |  |  | flight-data-helpers.js.map      |
|  |  |  |  |  | form-shared.d.ts                |
|  |  |  |  |  | form-shared.js                  |
|  |  |  |  |  | form-shared.js.map              |
|  |  |  |  |  | form.d.ts                       |
|  |  |  |  |  | form.js                         |
|  |  |  |  |  | form.js.map                     |
|  |  |  |  |  | get-domain-locale.d.ts          |
|  |  |  |  |  | get-domain-locale.js            |
|  |  |  |  |  | get-domain-locale.js.map        |
|  |  |  |  |  | has-base-path.d.ts              |
|  |  |  |  |  | has-base-path.js                |
|  |  |  |  |  | has-base-path.js.map            |
|  |  |  |  |  | head-manager.d.ts               |
|  |  |  |  |  | head-manager.js                 |
|  |  |  |  |  | head-manager.js.map             |
|  |  |  |  |  | image-component.d.ts            |
|  |  |  |  |  | image-component.js              |
|  |  |  |  |  | image-component.js.map          |
|  |  |  |  |  | index.d.ts                      |
|  |  |  |  |  | index.js                        |
|  |  |  |  |  | index.js.map                    |
|  |  |  |  |  | link.d.ts                       |
|  |  |  |  |  | link.js                         |
|  |  |  |  |  | link.js.map                     |
|  |  |  |  |  | navigation-build-id.d.ts        |
|  |  |  |  |  | navigation-build-id.js          |
|  |  |  |  |  | navigation-build-id.js.map      |
|  |  |  |  |  | next-dev-turbopack.d.ts         |
|  |  |  |  |  | next-dev-turbopack.js           |
|  |  |  |  |  | next-dev-turbopack.js.map       |
|  |  |  |  |  | next-dev.d.ts                   |
|  |  |  |  |  | next-dev.js                     |
|  |  |  |  |  | next-dev.js.map                 |
|  |  |  |  |  | next-turbopack.d.ts             |
|  |  |  |  |  | next-turbopack.js               |
|  |  |  |  |  | next-turbopack.js.map           |
|  |  |  |  |  | next.d.ts                       |
|  |  |  |  |  | next.js                         |
|  |  |  |  |  | next.js.map                     |
|  |  |  |  |  | normalize-locale-path.d.ts      |
|  |  |  |  |  | normalize-locale-path.js        |
|  |  |  |  |  | normalize-locale-path.js.map    |
|  |  |  |  |  | normalize-trailing-slash.d.ts   |
|  |  |  |  |  | normalize-trailing-slash.js     |
|  |  |  |  |  | normalize-trailing-slash.js.map |
|  |  |  |  |  | page-bootstrap.d.ts             |
|  |  |  |  |  | page-bootstrap.js               |

```

page-bootstrap.js.map
page-loader.d.ts
page-loader.js
page-loader.js.map
register-deployment-id-global.d.ts
register-deployment-id-global.js
register-deployment-id-global.js.map
remove-base-path.d.ts
remove-base-path.js
remove-base-path.js.map
remove-locale.d.ts
remove-locale.js
remove-locale.js.map
request-idle-callback.d.ts
request-idle-callback.js
request-idle-callback.js.map
resolve-href.d.ts
resolve-href.js
resolve-href.js.map
route-announcer.d.ts
route-announcer.js
route-announcer.js.map
route-loader.d.ts
route-loader.js
route-loader.js.map
route-params.d.ts
route-params.js
route-params.js.map
router.d.ts
router.js
router.js.map
script.d.ts
script.js
script.js.map
set-attributes-from-props.d.ts
set-attributes-from-props.js
set-attributes-from-props.js.map
trusted-types.d.ts
trusted-types.js
trusted-types.js.map
use-client-disallowed.d.ts
use-client-disallowed.js
use-client-disallowed.js.map
use-intersection.d.ts
use-intersection.js
use-intersection.js.map
use-merged-ref.d.ts
use-merged-ref.js
use-merged-ref.js.map
web-vitals.d.ts
web-vitals.js
web-vitals.js.map
webpack.d.ts
webpack.js
webpack.js.map
with-router.d.ts
with-router.js
with-router.js.map

```

```
+---app-dir
```

```

    form.d.ts
    form.js
    form.js.map
    link.d.ts
    link.js

```

```
link.js.map
link.react-server.d.ts
link.react-server.js
link.react-server.js.map
+---compat
  router.d.ts
  router.js
  router.js.map
+---components
  app-router-announcer.d.ts
  app-router-announcer.js
  app-router-announcer.js.map
  app-router-headers.d.ts
  app-router-headers.js
  app-router-headers.js.map
  app-router-instance.d.ts
  app-router-instance.js
  app-router-instance.js.map
  app-router-utils.d.ts
  app-router-utils.js
  app-router-utils.js.map
  app-router.d.ts
  app-router.js
  app-router.js.map
  bfcache-state-manager.d.ts
  bfcache-state-manager.js
  bfcache-state-manager.js.map
  catch-error.d.ts
  catch-error.js
  catch-error.js.map
  client-page.d.ts
  client-page.js
  client-page.js.map
  client-segment.d.ts
  client-segment.js
  client-segment.js.map
  dev-root-http-access-fallback-boundary.d.ts
  dev-root-http-access-fallback-boundary.js
  dev-root-http-access-fallback-boundary.js.map
  error-boundary.d.ts
  error-boundary.js
  error-boundary.js.map
  forbidden.d.ts
  forbidden.js
  forbidden.js.map
  handle-isr-error.d.ts
  handle-isr-error.js
  handle-isr-error.js.map
  hooks-server-context.d.ts
  hooks-server-context.js
  hooks-server-context.js.map
  is-next-router-error.d.ts
  is-next-router-error.js
  is-next-router-error.js.map
  layout-router.d.ts
  layout-router.js
  layout-router.js.map
  links.d.ts
  links.js
  links.js.map
  match-segments.d.ts
  match-segments.js
  match-segments.js.map
```



nav-failure-handler.d.ts  
nav-failure-handler.js  
nav-failure-handler.js.map  
navigation-devtools.d.ts  
navigation-devtools.js  
navigation-devtools.js.map  
navigation-untracked.d.ts  
navigation-untracked.js  
navigation-untracked.js.map  
navigation.d.ts  
navigation.js  
navigation.js.map  
navigation.react-server.d.ts  
navigation.react-server.js  
navigation.react-server.js.map  
noop-head.d.ts  
noop-head.js  
noop-head.js.map  
not-found.d.ts  
not-found.js  
not-found.js.map  
promise-queue.d.ts  
promise-queue.js  
promise-queue.js.map  
readonly-url-search-params.d.ts  
readonly-url-search-params.js  
readonly-url-search-params.js.map  
redirect-boundary.d.ts  
redirect-boundary.js  
redirect-boundary.js.map  
redirect-error.d.ts  
redirect-error.js  
redirect-error.js.map  
redirect-status-code.d.ts  
redirect-status-code.js  
redirect-status-code.js.map  
redirect.d.ts  
redirect.js  
redirect.js.map  
render-from-template-context.d.ts  
render-from-template-context.js  
render-from-template-context.js.map  
static-generation-bailout.d.ts  
static-generation-bailout.js  
static-generation-bailout.js.map  
unauthorized.d.ts  
unauthorized.js  
unauthorized.js.map  
unrecognized-action-error.d.ts  
unrecognized-action-error.js  
unrecognized-action-error.js.map  
unresolved-thenable.d.ts  
unresolved-thenable.js  
unresolved-thenable.js.map  
unstable-rethrow.browser.d.ts  
unstable-rethrow.browser.js  
unstable-rethrow.browser.js.map  
unstable-rethrow.d.ts  
unstable-rethrow.js  
unstable-rethrow.js.map  
unstable-rethrow.server.d.ts  
unstable-rethrow.server.js  
unstable-rethrow.server.js.map  
use-action-queue.d.ts  
use-action-queue.js

```

use-action-queue.js.map

+---builtin
  app-error.d.ts
  app-error.js
  app-error.js.map
  default-null.d.ts
  default-null.js
  default-null.js.map
  default.d.ts
  default.js
  default.js.map
  empty-stub.d.ts
  empty-stub.js
  empty-stub.js.map
  error-styles.d.ts
  error-styles.js
  error-styles.js.map
  forbidden.d.ts
  forbidden.js
  forbidden.js.map
  global-error.d.ts
  global-error.js
  global-error.js.map
  global-not-found.d.ts
  global-not-found.js
  global-not-found.js.map
  layout.d.ts
  layout.js
  layout.js.map
  not-found.d.ts
  not-found.js
  not-found.js.map
  unauthorized.d.ts
  unauthorized.js
  unauthorized.js.map

+---errors
  graceful-degrade-boundary.d.ts
  graceful-degrade-boundary.js
  graceful-degrade-boundary.js.map
  root-error-boundary.d.ts
  root-error-boundary.js
  root-error-boundary.js.map

+---http-access-fallback
  error-boundary.d.ts
  error-boundary.js
  error-boundary.js.map
  error-fallback.d.ts
  error-fallback.js
  error-fallback.js.map
  http-access-fallback.d.ts
  http-access-fallback.js
  http-access-fallback.js.map

+---instant-validation
  boundary.d.ts
  boundary.js
  boundary.js.map

+---router-reducer
  compute-changed-path.d.ts
  compute-changed-path.js
  compute-changed-path.js.map

```

```

create-href-from-url.d.ts
create-href-from-url.js
create-href-from-url.js.map
create-initial-router-state.d.ts
create-initial-router-state.js
create-initial-router-state.js.map
create-router-cache-key.d.ts
create-router-cache-key.js
create-router-cache-key.js.map
fetch-server-response.d.ts
fetch-server-response.js
fetch-server-response.js.map
is-navigating-to-new-root-layout.d.ts
is-navigating-to-new-root-layout.js
is-navigating-to-new-root-layout.js.map
ppr-navigations.d.ts
ppr-navigations.js
ppr-navigations.js.map
router-reducer-types.d.ts
router-reducer-types.js
router-reducer-types.js.map
router-reducer.d.ts
router-reducer.js
router-reducer.js.map
set-cache-busting-search-param.d.ts
set-cache-busting-search-param.js
set-cache-busting-search-param.js.map
should-hard-navigate.d.ts
should-hard-navigate.js
should-hard-navigate.js.map

\---reducers
    committed-state.d.ts
    committed-state.js
    committed-state.js.map
    find-head-in-cache.d.ts
    find-head-in-cache.js
    find-head-in-cache.js.map
    has-interception-route-in-current-tree.d.ts
    has-interception-route-in-current-tree.js
    has-interception-route-in-current-tree.js.map
    hmr-refresh-reducer.d.ts
    hmr-refresh-reducer.js
    hmr-refresh-reducer.js.map
    navigate-reducer.d.ts
    navigate-reducer.js
    navigate-reducer.js.map
    refresh-reducer.d.ts
    refresh-reducer.js
    refresh-reducer.js.map
    restore-reducer.d.ts
    restore-reducer.js
    restore-reducer.js.map
    server-action-reducer.d.ts
    server-action-reducer.js
    server-action-reducer.js.map
    server-patch-reducer.d.ts
    server-patch-reducer.js
    server-patch-reducer.js.map

+---segment-cache
    bfcache.d.ts
    bfcache.js
    bfcache.js.map
    cache-key.d.ts

```

```

cache-key.js
cache-key.js.map
cache-map.d.ts
cache-map.js
cache-map.js.map
cache.d.ts
cache.js
cache.js.map
lru.d.ts
lru.js
lru.js.map
navigation-testing-lock.d.ts
navigation-testing-lock.js
navigation-testing-lock.js.map
navigation.d.ts
navigation.js
navigation.js.map
optimistic-routes.d.ts
optimistic-routes.js
optimistic-routes.js.map
prefetch.d.ts
prefetch.js
prefetch.js.map
scheduler.d.ts
scheduler.js
scheduler.js.map
types.d.ts
types.js
types.js.map
vary-path.d.ts
vary-path.js
vary-path.js.map

\---styles
access-error-styles.d.ts
access-error-styles.js
access-error-styles.js.map

+---dev
debug-channel.d.ts
debug-channel.js
debug-channel.js.map
fouc.d.ts
fouc.js
fouc.js.map
hot-middleware-client.d.ts
hot-middleware-client.js
hot-middleware-client.js.map
noop-turbopack-hmr.d.ts
noop-turbopack-hmr.js
noop-turbopack-hmr.js.map
on-demand-entries-client.d.ts
on-demand-entries-client.js
on-demand-entries-client.js.map
report-hmr-latency.d.ts
report-hmr-latency.js
report-hmr-latency.js.map
runtime-error-handler.d.ts
runtime-error-handler.js
runtime-error-handler.js.map

+---error-overlay
websocket.d.ts
websocket.js
websocket.js.map

```

```

|
| \---hot-reloader
|   | get-socket-url.d.ts
|   | get-socket-url.js
|   | get-socket-url.js.map
|   | shared.d.ts
|   | shared.js
|   | shared.js.map
|   | turbopack-hot-reloader-common.d.ts
|   | turbopack-hot-reloader-common.js
|   | turbopack-hot-reloader-common.js.map
|
| +---app
|   | hot-reloader-app.d.ts
|   | hot-reloader-app.js
|   | hot-reloader-app.js.map
|   | web-socket.d.ts
|   | web-socket.js
|   | web-socket.js.map
|
| \---pages
|   | hot-reloader-pages.d.ts
|   | hot-reloader-pages.js
|   | hot-reloader-pages.js.map
|   | websocket.d.ts
|   | websocket.js
|   | websocket.js.map
|
+---legacy
|   | image.d.ts
|   | image.js
|   | image.js.map
|
+---lib
|   | console.d.ts
|   | console.js
|   | console.js.map
|   | javascript-url.d.ts
|   | javascript-url.js
|   | javascript-url.js.map
|   | promise.d.ts
|   | promise.js
|   | promise.js.map
|
+---portal
|   | index.d.ts
|   | index.js
|   | index.js.map
|
+---react-client-callbacks
|   | error-boundary-callbacks.d.ts
|   | error-boundary-callbacks.js
|   | error-boundary-callbacks.js.map
|   | on-recoverable-error.d.ts
|   | on-recoverable-error.js
|   | on-recoverable-error.js.map
|   | report-global-error.d.ts
|   | report-global-error.js
|   | report-global-error.js.map
|
+---request
|   | params.browser.d.ts
|   | params.browser.dev.d.ts
|   | params.browser.dev.js
|   | params.browser.dev.js.map

```

```

params.browser.js
params.browser.js.map
params.browser.prod.d.ts
params.browser.prod.js
params.browser.prod.js.map
search-params.browser.d.ts
search-params.browser.dev.d.ts
search-params.browser.dev.js
search-params.browser.dev.js.map
search-params.browser.js
search-params.browser.js.map
search-params.browser.prod.d.ts
search-params.browser.prod.js
search-params.browser.prod.js.map

\---tracing
report-to-socket.d.ts
report-to-socket.js
report-to-socket.js.map
tracer.d.ts
tracer.js
tracer.js.map

+---compiled
+---@babel
|   \---runtime
|       LICENSE
|       package.json
|       README.md
|
|   +---helpers
|       applyDecoratedDescriptor.js
|       applyDecs.js
|       applyDecs2203.js
|       applyDecs2203R.js
|       applyDecs2301.js
|       applyDecs2305.js
|       applyDecs2311.js
|       arrayLikeToArray.js
|       arrayWithHoles.js
|       arrayWithoutHoles.js
|       assertClassBrand.js
|       assertThisInitialized.js
|       asyncGeneratorDelegate.js
|       asyncIterator.js
|       asyncToGenerator.js
|       awaitAsyncGenerator.js
|       AwaitValue.js
|       callSuper.js
|       checkInRHS.js
|       checkPrivateRedeclaration.js
|       classApplyDescriptorDestructureSet.js
|       classApplyDescriptorGet.js
|       classApplyDescriptorSet.js
|       classCallCheck.js
|       classCheckPrivateStaticAccess.js
|       classCheckPrivateStaticFieldDescriptor.js
|       classExtractFieldDescriptor.js
|       classNameTDZError.js
|       classPrivateFieldDestructureSet.js
|       classPrivateFieldGet.js
|       classPrivateFieldGet2.js
|       classPrivateFieldInitSpec.js
|       classPrivateFieldLooseBase.js
|       classPrivateFieldLooseKey.js

```

classPrivateFieldSet.js  
classPrivateFieldSet2.js  
classPrivateGetter.js  
classPrivateMethodGet.js  
classPrivateMethodInitSpec.js  
classPrivateMethodSet.js  
classPrivateSetter.js  
classStaticPrivateFieldDestructureSet.js  
classStaticPrivateFieldSpecGet.js  
classStaticPrivateFieldSpecSet.js  
classStaticPrivateMethodGet.js  
classStaticPrivateMethodSet.js  
construct.js  
createClass.js  
createForOfIteratorHelper.js  
createForOfIteratorHelperLoose.js  
createSuper.js  
decorate.js  
defaults.js  
defineAccessor.js  
defineEnumerableProperties.js  
defineProperty.js  
dispose.js  
extends.js  
get.js  
getPrototypeOf.js  
identity.js  
importDeferProxy.js  
inherits.js  
inheritsLoose.js  
initializerDefineProperty.js  
initializerWarningHelper.js  
instanceof.js  
interopRequireDefault.js  
interopRequireWildcard.js  
isNativeFunction.js  
isNativeReflectConstruct.js  
iterableToArray.js  
iterableToArrayLimit.js  
jsx.js  
maybeArrayLike.js  
newArrowCheck.js  
nonIterableRest.js  
nonIterableSpread.js  
nullishReceiverError.js  
objectDestructuringEmpty.js  
objectSpread.js  
objectSpread2.js  
objectWithoutProperties.js  
objectWithoutPropertiesLoose.js  
OverloadYield.js  
possibleConstructorReturn.js  
readOnlyError.js  
regeneratorRuntime.js  
set.js  
setFunctionName.js  
setPrototypeOf.js  
skipFirstGeneratorNext.js  
slicedToArray.js  
superPropBase.js  
superPropGet.js  
superPropSet.js  
taggedTemplateLiteral.js  
taggedTemplateLiteralLoose.js  
tdz.js

```

temporalRef.js
temporalUndefined.js
toArray.js
toConsumableArray.js
toPrimitive.js
toPropertyKey.js
toSetter.js
tsRewriteRelativeImportExtensions.js
typeof.js
unsupportedIterableToArray.js
using.js
usingCtx.js
wrapAsyncGenerator.js
wrapNativeSuper.js
wrapRegExp.js
writeOnlyError.js

```

```

\---esm

```

```

  applyDecoratedDescriptor.js
  applyDecs.js
  applyDecs2203.js
  applyDecs2203R.js
  applyDecs2301.js
  applyDecs2305.js
  applyDecs2311.js
  arrayLikeToArray.js
  arrayWithHoles.js
  arrayWithoutHoles.js
  assertClassBrand.js
  assertThisInitialized.js
  asyncGeneratorDelegate.js
  asyncIterator.js
  asyncToGenerator.js
  awaitAsyncGenerator.js
  AwaitValue.js
  callSuper.js
  checkInRHS.js
  checkPrivateRedeclaration.js
  classApplyDescriptorDestructureSet.js
  classApplyDescriptorGet.js
  classApplyDescriptorSet.js
  classCallCheck.js
  classCheckPrivateStaticAccess.js
  classCheckPrivateStaticFieldDescriptor.js
  classExtractFieldDescriptor.js
  classNameTDZError.js
  classPrivateFieldDestructureSet.js
  classPrivateFieldGet.js
  classPrivateFieldGet2.js
  classPrivateFieldInitSpec.js
  classPrivateFieldLooseBase.js
  classPrivateFieldLooseKey.js
  classPrivateFieldSet.js
  classPrivateFieldSet2.js
  classPrivateGetter.js
  classPrivateMethodGet.js
  classPrivateMethodInitSpec.js
  classPrivateMethodSet.js
  classPrivateSetter.js
  classStaticPrivateFieldDestructureSet.js
  classStaticPrivateFieldSpecGet.js
  classStaticPrivateFieldSpecSet.js
  classStaticPrivateMethodGet.js
  classStaticPrivateMethodSet.js
  construct.js

```



createClass.js  
createForOfIteratorHelper.js  
createForOfIteratorHelperLoose.js  
createSuper.js  
decorate.js  
defaults.js  
defineAccessor.js  
defineEnumerableProperties.js  
defineProperty.js  
dispose.js  
extends.js  
get.js  
getPrototypeOf.js  
identity.js  
importDeferProxy.js  
inherits.js  
inheritsLoose.js  
initializerDefineProperty.js  
initializerWarningHelper.js  
instanceof.js  
interopRequireDefault.js  
interopRequireWildcard.js  
isNativeFunction.js  
isNativeReflectConstruct.js  
iterableToArray.js  
iterableToArrayLimit.js  
jsx.js  
maybeArrayLike.js  
newArrowCheck.js  
nonIterableRest.js  
nonIterableSpread.js  
nullishReceiverError.js  
objectDestructuringEmpty.js  
objectSpread.js  
objectSpread2.js  
objectWithoutProperties.js  
objectWithoutPropertiesLoose.js  
OverloadYield.js  
package.json  
possibleConstructorReturn.js  
readOnlyError.js  
regeneratorRuntime.js  
set.js  
setFunctionName.js  
setPrototypeOf.js  
skipFirstGeneratorNext.js  
slicedToArray.js  
superPropBase.js  
superPropGet.js  
superPropSet.js  
taggedTemplateLiteral.js  
taggedTemplateLiteralLoose.js  
tdz.js  
temporalRef.js  
temporalUndefined.js  
toArray.js  
toConsumableArray.js  
toPrimitive.js  
toPropertyKey.js  
toSetter.js  
tsRewriteRelativeImportExtensions.js  
typeof.js  
unsupportedIterableToArray.js  
using.js  
usingCtx.js

```

wrapAsyncGenerator.js
wrapNativeSuper.js
wrapRegExp.js
writeOnlyError.js
\---regenerator
    index.js
+---@edge-runtime
+---cookies
    index.d.ts
    index.js
    package.json
+---ponyfill
    index.d.ts
    index.js
    package.json
\---primitives
    abort-controller.d.ts
    abort-controller.js.LEGAL.txt
    abort-controller.js.text.js
    console.d.ts
    console.js.LEGAL.txt
    console.js.text.js
    crypto.d.ts
    crypto.js
    crypto.js.LEGAL.txt
    events.d.ts
    events.js.LEGAL.txt
    events.js.text.js
    fetch.d.ts
    fetch.js
    fetch.js.LEGAL.txt
    index.d.ts
    index.js
    index.js.LEGAL.txt
    load.d.ts
    load.js
    load.js.LEGAL.txt
    package.json
    stream.js
    stream.js.LEGAL.txt
    timers.d.ts
    timers.js.LEGAL.txt
    timers.js.text.js
    url.d.ts
    url.js.LEGAL.txt
    url.js.text.js
+---@hapi
    \---accept
        index.js
        LICENSE
        package.json
+---@modelcontextprotocol
    \---sdk
        \---server
            mcp.js
            streamableHttp.js
+---@mswjs
    \---interceptors

```

```

\---ClientRequest
    index.js
    LICENSE
    package.json

+---@napi-rs
    \---triples
        index.js
        LICENSE
        package.json

+---@next
    +---font
        package.json

        +---dist
            constants.d.ts
            constants.js
            format-available-values.d.ts
            format-available-values.js
            next-font-error.d.ts
            next-font-error.js
            types.d.ts
            types.js

        +---fontkit
            index.js

        +---google
            fetch-css-from-google-fonts.d.ts
            fetch-css-from-google-fonts.js
            fetch-font-file.d.ts
            fetch-font-file.js
            fetch-resource.d.ts
            fetch-resource.js
            find-font-files-in-css.d.ts
            find-font-files-in-css.js
            font-data.json
            get-fallback-font-override-metrics.d.ts
            get-fallback-font-override-metrics.js
            get-font-axes.d.ts
            get-font-axes.js
            get-google-fonts-url.d.ts
            get-google-fonts-url.js
            get-proxy-agent.d.ts
            get-proxy-agent.js
            google-fonts-metadata.d.ts
            google-fonts-metadata.js
            index.d.ts
            index.js
            loader.d.ts
            loader.js
            retry.d.ts
            retry.js
            sort-fonts-variant-values.d.ts
            sort-fonts-variant-values.js
            validate-google-font-function-call.d.ts
            validate-google-font-function-call.js

        \---local
            get-fallback-metrics-from-font-file.d.ts
            get-fallback-metrics-from-font-file.js
            index.d.ts
            index.js
            loader.d.ts

```

```

        loader.js
        pick-font-file-for-fallback-generation.d.ts
        pick-font-file-for-fallback-generation.js
        validate-local-font-function-call.d.ts
        validate-local-font-function-call.js
    +---google
        index.d.ts
        index.js
        loader.d.ts
        loader.js
    \---local
        index.d.ts
        index.js
        loader.d.ts
        loader.js
    \---react-refresh-utils
        \---dist
            loader.js
            loader.js.map
            ReactRefreshRspackPlugin.js
            ReactRefreshRspackPlugin.js.map
            ReactRefreshWebpackPlugin.js
            ReactRefreshWebpackPlugin.js.map
            rspack-runtime.js
            rspack-runtime.js.map
            runtime.js
            runtime.js.map
        \---internal
            helpers.js
            helpers.js.map
            ReactRefreshModule.runtime.js
            ReactRefreshModule.runtime.js.map
            RspackReactRefresh.js
            RspackReactRefresh.js.map
+---@opentelemetry
    \---api
        index.js
        LICENSE
        package.json
+---@vercel
    +---nft
        index.js
        LICENSE
        package.json
    +---og
        Geist-Regular.ttf
        index.edge.d.ts
        index.edge.js
        index.node.d.ts
        index.node.js
        LICENSE
        package.json
        resvg.wasm
        types.d.ts
        yoga.wasm
    \---satori
        index.d.ts

```

429/819

```
package.json
packages-bundle.js

+---browserify-zlib
|   index.js
|   LICENSE
|   package.json
+---browserslist
|   index.js
|   LICENSE
|   package.json
+---buffer
|   index.js
|   LICENSE
|   package.json
+---busboy
|   index.js
|   LICENSE
|   package.json
+---bytes
|   index.js
|   LICENSE
|   package.json
+---ci-info
|   index.js
|   LICENSE
|   package.json
+---cli-select
|   index.js
|   LICENSE
|   package.json
+---client-only
|   error.js
|   index.js
|   package.json
+---commander
|   index.js
|   LICENSE
|   package.json
+---comment-json
|   index.js
|   LICENSE
|   package.json
+---compression
|   index.js
|   LICENSE
|   package.json
+---conf
|   index.js
|   LICENSE
|   package.json
+---constants-browserify
|   constants.json
```

|  |  |  |  |                         |
|--|--|--|--|-------------------------|
|  |  |  |  | package.json            |
|  |  |  |  | +---content-disposition |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---content-type        |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---cookie              |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---cross-spawn         |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---crypto-browserify   |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---css.escape          |
|  |  |  |  | css.escape.js           |
|  |  |  |  | package.json            |
|  |  |  |  | +---cssnano-simple      |
|  |  |  |  | index.js                |
|  |  |  |  | +---data-uri-to-buffer  |
|  |  |  |  | index.js                |
|  |  |  |  | package.json            |
|  |  |  |  | +---debug               |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---devalue             |
|  |  |  |  | devalue.umd.js          |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---domain-browser      |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---edge-runtime        |
|  |  |  |  | index.js                |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---events              |
|  |  |  |  | events.js               |
|  |  |  |  | LICENSE                 |
|  |  |  |  | package.json            |
|  |  |  |  | +---find-up             |
|  |  |  |  | index.js                |

```

    LICENSE
    package.json
+---fresh
    index.js
    LICENSE
    package.json
+---glob
    glob.js
    LICENSE
    package.json
+---gzip-size
    index.js
    LICENSE
    package.json
+---http-proxy
    index.js
    LICENSE
    package.json
+---http-proxy-agent
    index.js
    package.json
+---https-browserify
    index.js
    LICENSE
    package.json
+---https-proxy-agent
    index.js
    package.json
+---icss-utils
    index.js
    LICENSE
    package.json
+---ignore-loader
    index.js
    LICENSE
    package.json
+---image-detector
    detector.js
+---image-size
    index.js
    LICENSE
    package.json
+---ipaddr.js
    ipaddr.js
    LICENSE
    package.json
+---is-animated
    index.js
    LICENSE
    package.json
+---is-docker
```



```

|         index.js
|         LICENSE
|         package.json
|
| +---is-wsl
| |         index.js
| |         LICENSE
| |         package.json
|
| +---jest-worker
| |         index.js
| |         LICENSE
| |         package.json
| |         processChild.js
| |         threadChild.js
|
| +---json5
| |         index.js
| |         LICENSE
| |         package.json
|
| +---jsonwebtoken
| |         index.js
| |         LICENSE
| |         package.json
|
| +---loader-runner
| |         LICENSE
| |         LoaderRunner.js
| |         package.json
|
| +---loader-utils2
| |         index.js
| |         LICENSE
| |         package.json
|
| +---loader-utils3
| |         index.js
| |         LICENSE
| |         package.json
|
| +---lodash.curry
| |         index.js
| |         LICENSE
| |         package.json
|
| +---lru-cache
| |         index.js
| |         LICENSE
| |         package.json
|
| +---mini-css-extract-plugin
| |         cjs.js
| |         index.js
| |         LICENSE
| |         loader.js
| |         package.json
|
| \---hmr
|         hotModuleReplacement.js
|
| +---nanoid
| |         index.cjs
| |         LICENSE
| |         package.json

```

```

+---native-url
|   index.js
|   LICENSE
|   package.json
|
+---neo-async
|   async.js
|   LICENSE
|   package.json
|
+---next-devtools
|   index.js
|   index.js.map
|
+---next-server
|   app-page-experimental.runtime.dev.js
|   app-page-experimental.runtime.dev.js.map
|   app-page-experimental.runtime.prod.js
|   app-page-experimental.runtime.prod.js.map
|   app-page-turbo-experimental.runtime.dev.js
|   app-page-turbo-experimental.runtime.dev.js.map
|   app-page-turbo-experimental.runtime.prod.js
|   app-page-turbo-experimental.runtime.prod.js.map
|   app-page-turbo.runtime.dev.js
|   app-page-turbo.runtime.dev.js.map
|   app-page-turbo.runtime.prod.js
|   app-page-turbo.runtime.prod.js.map
|   app-page.runtime.dev.js
|   app-page.runtime.dev.js.map
|   app-page.runtime.prod.js
|   app-page.runtime.prod.js.map
|   app-route-experimental.runtime.dev.js
|   app-route-experimental.runtime.dev.js.map
|   app-route-experimental.runtime.prod.js
|   app-route-experimental.runtime.prod.js.map
|   app-route-turbo-experimental.runtime.dev.js
|   app-route-turbo-experimental.runtime.dev.js.map
|   app-route-turbo-experimental.runtime.prod.js
|   app-route-turbo-experimental.runtime.prod.js.map
|   app-route-turbo.runtime.dev.js
|   app-route-turbo.runtime.dev.js.map
|   app-route-turbo.runtime.prod.js
|   app-route-turbo.runtime.prod.js.map
|   app-route.runtime.dev.js
|   app-route.runtime.dev.js.map
|   app-route.runtime.prod.js
|   app-route.runtime.prod.js.map
|   dist_client_dev_noop-turbopack-hmr_js-experimental.runtime.dev.js
|   dist_client_dev_noop-turbopack-hmr_js-experimental.runtime.dev.js.map
|   dist_client_dev_noop-turbopack-hmr_js-turbo-experimental.runtime.dev.js
|   dist_client_dev_noop-turbopack-hmr_js-turbo-experimental.runtime.dev.js.map
|   dist_client_dev_noop-turbopack-hmr_js-turbo.runtime.dev.js
|   dist_client_dev_noop-turbopack-hmr_js-turbo.runtime.dev.js.map
|   dist_client_dev_noop-turbopack-hmr_js.runtime.dev.js
|   dist_client_dev_noop-turbopack-hmr_js.runtime.dev.js.map
|   pages-api-turbo.runtime.dev.js
|   pages-api-turbo.runtime.dev.js.map
|   pages-api-turbo.runtime.prod.js
|   pages-api-turbo.runtime.prod.js.map
|   pages-api.runtime.dev.js
|   pages-api.runtime.dev.js.map
|   pages-api.runtime.prod.js
|   pages-api.runtime.prod.js.map
|   pages-turbo.runtime.dev.js

```

```
pages-turbo.runtime.dev.js.map
pages-turbo.runtime.prod.js
pages-turbo.runtime.prod.js.map
pages.runtime.dev.js
pages.runtime.dev.js.map
pages.runtime.prod.js
pages.runtime.prod.js.map
server.runtime.prod.js
server.runtime.prod.js.map

+---node-html-parser
|   index.js
|   LICENSE
|   package.json
|
+---ora
|   index.js
|   LICENSE
|   package.json
|
+---os-browserify
|   browser.js
|   LICENSE
|   package.json
|
+---p-limit
|   index.js
|   LICENSE
|   package.json
|
+---p-queue
|   index.js
|   LICENSE
|   package.json
|
+---path-browserify
|   index.js
|   LICENSE
|   package.json
|
+---path-to-regexp
|   index.js
|   LICENSE
|   package.json
|
+---picomatch
|   index.js
|   LICENSE
|   package.json
|
+---postcss-flexbugs-fixes
|   index.js
|   LICENSE
|   package.json
|
+---postcss-modules-extract-imports
|   index.js
|   LICENSE
|   package.json
|
+---postcss-modules-local-by-default
|   index.js
|   LICENSE
|   package.json
```

```

+---postcss-modules-scope
|   index.js
|   LICENSE
|   package.json
+---postcss-modules-values
|   index.js
|   LICENSE
|   package.json
+---postcss-plugin-stub-for-cssnano-simple
|   index.js
+---postcss-preset-env
|   index.cjs
|   LICENSE
|   package.json
+---postcss-safe-parser
|   LICENSE
|   package.json
|   safe-parse.js
+---postcss-scss
|   LICENSE
|   package.json
|   scss-syntax.js
+---postcss-value-parser
|   index.js
|   LICENSE
|   package.json
+---process
|   browser.js
|   LICENSE
|   package.json
+---punycode
|   package.json
|   punycode.js
+---querystring-es3
|   index.js
|   LICENSE
|   package.json
+---raw-body
|   index.js
|   LICENSE
|   package.json
+---react
|   compiler-runtime.js
|   index.js
|   jsx-dev-runtime.js
|   jsx-dev-runtime.react-server.js
|   jsx-runtime.js
|   jsx-runtime.react-server.js
|   LICENSE
|   package.json
|   react.react-server.js
+---cjs
|   react-compiler-runtime.development.js

```

```

react-compiler-runtime.production.js
react-compiler-runtime.profiling.js
react-jsx-dev-runtime.development.js
react-jsx-dev-runtime.production.js
react-jsx-dev-runtime.profiling.js
react-jsx-dev-runtime.react-server.development.js
react-jsx-dev-runtime.react-server.production.js
react-jsx-runtime.development.js
react-jsx-runtime.production.js
react-jsx-runtime.profiling.js
react-jsx-runtime.react-server.development.js
react-jsx-runtime.react-server.production.js
react.development.js
react.production.js
react.react-server.development.js
react.react-server.production.js

+---react-dom
  client.js
  client.react-server.js
  index.js
  LICENSE
  package.json
  profiling.js
  profiling.react-server.js
  react-dom.react-server.js
  server.browser.js
  server.edge.js
  server.js
  server.node.js
  server.react-server.js
  static.edge.js
  static.node.js
  static.react-server.js

  \---cjs
    react-dom-client.development.js
    react-dom-client.production.js
    react-dom-profiling.development.js
    react-dom-profiling.profiling.js
    react-dom-server-legacy.browser.development.js
    react-dom-server-legacy.browser.production.js
    react-dom-server-legacy.node.development.js
    react-dom-server-legacy.node.production.js
    react-dom-server.browser.development.js
    react-dom-server.browser.production.js
    react-dom-server.bun.production.js
    react-dom-server.edge.development.js
    react-dom-server.edge.production.js
    react-dom-server.node.development.js
    react-dom-server.node.production.js
    react-dom-test-utils.production.js
    react-dom.development.js
    react-dom.production.js
    react-dom.react-server.development.js
    react-dom.react-server.production.js

+---react-dom-experimental
  client.js
  client.react-server.js
  index.js
  LICENSE
  package.json
  profiling.js
  profiling.react-server.js

```

```

react-dom.react-server.js
server.browser.js
server.edge.js
server.js
server.node.js
server.react-server.js
static.edge.js
static.node.js
static.react-server.js
unstable_testing.react-server.js

\---cjs
  react-dom-client.development.js
  react-dom-client.production.js
  react-dom-profiling.development.js
  react-dom-profiling.profiling.js
  react-dom-server-legacy.browser.development.js
  react-dom-server-legacy.browser.production.js
  react-dom-server-legacy.node.development.js
  react-dom-server-legacy.node.production.js
  react-dom-server.browser.development.js
  react-dom-server.browser.production.js
  react-dom-server.bun.production.js
  react-dom-server.edge.development.js
  react-dom-server.edge.production.js
  react-dom-server.node.development.js
  react-dom-server.node.production.js
  react-dom-test-utils.production.js
  react-dom-unstable_testing.development.js
  react-dom-unstable_testing.production.js
  react-dom.development.js
  react-dom.production.js
  react-dom.react-server.development.js
  react-dom.react-server.production.js

+---react-experimental
  compiler-runtime.js
  index.js
  jsx-dev-runtime.js
  jsx-dev-runtime.react-server.js
  jsx-runtime.js
  jsx-runtime.react-server.js
  LICENSE
  package.json
  react.react-server.js

\---cjs
  react-compiler-runtime.development.js
  react-compiler-runtime.production.js
  react-compiler-runtime.profiling.js
  react-jsx-dev-runtime.development.js
  react-jsx-dev-runtime.production.js
  react-jsx-dev-runtime.profiling.js
  react-jsx-dev-runtime.react-server.development.js
  react-jsx-dev-runtime.react-server.production.js
  react-jsx-runtime.development.js
  react-jsx-runtime.production.js
  react-jsx-runtime.profiling.js
  react-jsx-runtime.react-server.development.js
  react-jsx-runtime.react-server.production.js
  react.development.js
  react.production.js
  react.react-server.development.js
  react.react-server.production.js

```

```

+---react-is
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|   \---cjs
|       react-is.development.js
|       react-is.production.js
|
+---react-refresh
|   babel.js
|   LICENSE
|   package.json
|   README.md
|   runtime.js
|
|   \---cjs
|       react-refresh-babel.development.js
|       react-refresh-babel.production.min.js
|       react-refresh-runtime.development.js
|       react-refresh-runtime.production.min.js
|
+---react-server-dom-turbopack
|   client.browser.js
|   client.edge.js
|   client.js
|   client.node.js
|   index.js
|   LICENSE
|   package.json
|   server.browser.js
|   server.edge.js
|   server.js
|   server.node.js
|   static.browser.js
|   static.edge.js
|   static.js
|   static.node.js
|
|   \---cjs
|       react-server-dom-turbopack-client.browser.development.js
|       react-server-dom-turbopack-client.browser.production.js
|       react-server-dom-turbopack-client.edge.development.js
|       react-server-dom-turbopack-client.edge.production.js
|       react-server-dom-turbopack-client.node.development.js
|       react-server-dom-turbopack-client.node.production.js
|       react-server-dom-turbopack-server.browser.development.js
|       react-server-dom-turbopack-server.browser.production.js
|       react-server-dom-turbopack-server.edge.development.js
|       react-server-dom-turbopack-server.edge.production.js
|       react-server-dom-turbopack-server.node.development.js
|       react-server-dom-turbopack-server.node.production.js
|
+---react-server-dom-turbopack-experimental
|   client.browser.js
|   client.edge.js
|   client.js
|   client.node.js
|   index.js
|   LICENSE
|   package.json
|   server.browser.js
|   server.edge.js
|   server.js

```

```

server.node.js
static.browser.js
static.edge.js
static.js
static.node.js
\---cjs
  react-server-dom-turbopack-client.browser.development.js
  react-server-dom-turbopack-client.browser.production.js
  react-server-dom-turbopack-client.edge.development.js
  react-server-dom-turbopack-client.edge.production.js
  react-server-dom-turbopack-client.node.development.js
  react-server-dom-turbopack-client.node.production.js
  react-server-dom-turbopack-server.browser.development.js
  react-server-dom-turbopack-server.browser.production.js
  react-server-dom-turbopack-server.edge.development.js
  react-server-dom-turbopack-server.edge.production.js
  react-server-dom-turbopack-server.node.development.js
  react-server-dom-turbopack-server.node.production.js
+---react-server-dom-webpack
  client.browser.js
  client.edge.js
  client.js
  client.node.js
  index.js
  LICENSE
  node-register.js
  package.json
  plugin.js
  server.browser.js
  server.edge.js
  server.js
  server.node.js
  static.browser.js
  static.edge.js
  static.js
  static.node.js
\---cjs
  react-server-dom-webpack-client.browser.development.js
  react-server-dom-webpack-client.browser.production.js
  react-server-dom-webpack-client.edge.development.js
  react-server-dom-webpack-client.edge.production.js
  react-server-dom-webpack-client.node.development.js
  react-server-dom-webpack-client.node.production.js
  react-server-dom-webpack-node-register.js
  react-server-dom-webpack-plugin.js
  react-server-dom-webpack-server.browser.development.js
  react-server-dom-webpack-server.browser.production.js
  react-server-dom-webpack-server.edge.development.js
  react-server-dom-webpack-server.edge.production.js
  react-server-dom-webpack-server.node.development.js
  react-server-dom-webpack-server.node.production.js
+---react-server-dom-webpack-experimental
  client.browser.js
  client.edge.js
  client.js
  client.node.js
  index.js
  LICENSE
  node-register.js
  package.json
  plugin.js

```



```

server.browser.js
server.edge.js
server.js
server.node.js
static.browser.js
static.edge.js
static.js
static.node.js
\---cjs
  react-server-dom-webpack-client.browser.development.js
  react-server-dom-webpack-client.browser.production.js
  react-server-dom-webpack-client.edge.development.js
  react-server-dom-webpack-client.edge.production.js
  react-server-dom-webpack-client.node.development.js
  react-server-dom-webpack-client.node.production.js
  react-server-dom-webpack-node-register.js
  react-server-dom-webpack-plugin.js
  react-server-dom-webpack-server.browser.development.js
  react-server-dom-webpack-server.browser.production.js
  react-server-dom-webpack-server.edge.development.js
  react-server-dom-webpack-server.edge.production.js
  react-server-dom-webpack-server.node.development.js
  react-server-dom-webpack-server.node.production.js
+---regenerator-runtime
  LICENSE
  package.json
  path.js
  README.md
  runtime.js
+---safe-stable-stringify
  index.js
  LICENSE
  package.json
+---sass-loader
  cjs.js
  LICENSE
  package.json
+---scheduler
  index.js
  index.native.js
  LICENSE
  package.json
  unstable_mock.js
  unstable_post_task.js
\---cjs
  scheduler-unstable_mock.development.js
  scheduler-unstable_mock.production.js
  scheduler-unstable_post_task.development.js
  scheduler-unstable_post_task.production.js
  scheduler.development.js
  scheduler.native.development.js
  scheduler.native.production.js
  scheduler.production.js
+---scheduler-experimental
  index.js
  index.native.js
  LICENSE
  package.json

```

```

| | unstable_mock
| | unstable_post
| \---cjs
|         scheduler
|         scheduler
|         scheduler
|         scheduler
|         scheduler
|         scheduler
|         scheduler
+---schema-utils2
|       index.js
|       LICENSE
|       package.json
+---schema-utils3
|       index.js
|       LICENSE
|       package.json
+---semver
|       index.js
|       LICENSE
|       package.json
+---send
|       index.js
|       LICENSE
|       package.json
+---serve-handler
|       index.js
|       LICENSE
|       package.json
+---server-only
|       empty.js
|       index.js
|       package.json
+---setimmediate
|       package.json
|       setImmediate.
+---shell-quote
|       index.js
|       LICENSE
|       package.json
+---source-map
|       LICENSE
|       package.json
|       source-map.js
+---source-map08
|       LICENSE
|       mappings.wasm
|       package.json
|       source-map.js
+---stacktrace-parser
|       LICENSE
```

```
package.json
stack-trace-parser.cjs.js

+---stream-browserify
|   index.js
|   LICENSE
|   package.json
+---stream-http
|   index.js
|   LICENSE
|   package.json
+---string-hash
|   index.js
|   package.json
+---string_decoder
|   LICENSE
|   package.json
|   string_decoder.js
+---strip-ansi
|   index.js
|   LICENSE
|   package.json
+---superstruct
|   index.cjs
|   LICENSE
|   package.json
+---tar
|   index.min.js
|   LICENSE
|   package.json
+---terser
|   bundle.min.js
|   LICENSE
|   package.json
+---text-table
|   index.js
|   LICENSE
|   package.json
+---timers-browserify
|   LICENSE
|   main.js
|   package.json
+---tty-browserify
|   index.js
|   LICENSE
|   package.json
+---ua-parser-js
|   LICENSE
|   package.json
|   ua-parser.js
+---unistore
|   package.json
|   unistore.js
```

```
|
|
|
|
|----util
|    LICENSE
|    package.json
|    util.js
|
|----vm-browserify
|    index.js
|    LICENSE
|    package.json
|
|----watchpack
|    LICENSE
|    package.json
|    watchpack.js
|
|----web-vitals
|    LICENSE
|    package.json
|    web-vitals.js
|
|----web-vitals-attribution
|    LICENSE
|    package.json
|    web-vitals.attribution.js
|
|----webpack
|    BasicEvaluatedExpression.js
|    bundle5.js
|    ExternalsPlugin.js
|    FetchCompileAsyncWasmPlugin.js
|    FetchCompileWasmPlugin.js
|    FetchCompileWasmTemplatePlugin.js
|    GraphHelpers.js
|    HotModuleReplacement.runtime.js
|    JavascriptHotModuleReplacement.runtime.js
|    lazy-compilation-node.js
|    lazy-compilation-web.js
|    LibraryTemplatePlugin.js
|    LICENSE
|    LimitChunkCountPlugin.js
|    ModuleFilenameHelpers.js
|    NodeEnvironmentPlugin.js
|    NodeTargetPlugin.js
|    NodeTemplatePlugin.js
|    NormalModule.js
|    package.js
|    package.json
|    SingleEntryPlugin.js
|    SourceMapDevToolModuleOptionsPlugin.js
|    sources.js
|    webpack-lib.js
|    webpack.d.ts
|    webpack.js
|    WebWorkerTemplatePlugin.js
|
|----webpack-sources1
|    index.js
|    LICENSE
|    package.json
|
|----webpack-sources3
|    index.js
|    LICENSE
|    package.json
```

445/819

```

environment-variables.md
forms.md
how-revalidation-works.md
incremental-static-regeneration.md
index.md
instant-navigation.md
instrumentation.md
internationalization.md
json-ld.md
lazy-loading.md
local-development.md
mcp.md
mdx.md
memory-usage.md
migrating-to-cache-components.md
multi-tenant.md
multi-zones.md
open-telemetry.md
package-bundling.md
ppr-platform-guide.md
prefetching.md
preserving-ui-state.md
production-checklist.md
progressive-web-apps.md
redirecting.md
rendering-philosophy.md
sass.md
scripts.md
self-hosting.md
single-page-applications.md
static-exports.md
streaming.md
tailwind-v3-css.md
third-party-libraries.md
videos.md
view-transitions.md

+---migrating
|   app-router-migration.md
|   from-create-react-app.md
|   from-vite.md
|   index.md
|
+---testing
|   cypress.md
|   index.md
|   jest.md
|   playwright.md
|   vitest.md
|
\---upgrading
|   codemods.md
|   index.md
|   version-14.md
|   version-15.md
|   version-16.md
|
\---03-api-reference
|   07-edge.md
|   08-turbopack.md
|   index.md
|
+---01-directives
|   index.md
|   use-cache-private.md

```

```

        use-cache-remote.md
        use-cache.md
        use-client.md
        use-server.md

+---02-components
    font.md
    form.md
    image.md
    index.md
    link.md
    script.md

+---03-file-conventions
    default.md
    dynamic-routes.md
    error.md
    forbidden.md
    index.md
    instrumentation-client.md
    instrumentation.md
    intercepting-routes.md
    layout.md
    loading.md
    mdx-components.md
    not-found.md
    page.md
    parallel-routes.md
    proxy.md
    route-groups.md
    route.md
    src-folder.md
    template.md
    unauthorized.md

+---01-metadata
    app-icons.md
    index.md
    manifest.md
    opengraph-image.md
    robots.md
    sitemap.md

\---02-route-segment-config
    dynamicParams.md
    index.md
    instant.md
    maxDuration.md
    preferredRegion.md
    runtime.md

+---04-functions
    after.md
    cacheLife.md
    cacheTag.md
    catchError.md
    connection.md
    cookies.md
    draft-mode.md
    fetch.md
    forbidden.md
    generate-image-metadata.md
    generate-metadata.md
    generate-sitemaps.md
    generate-static-params.md

```

```

generate-viewport.md
headers.md
image-response.md
index.md
next-request.md
next-response.md
not-found.md
permanentRedirect.md
redirect.md
refresh.md
revalidatePath.md
revalidateTag.md
unauthorized.md
unstable_cache.md
unstable_noStore.md
unstable_rethrow.md
updateTag.md
use-link-status.md
use-params.md
use-pathname.md
use-report-web-vitals.md
use-router.md
use-search-params.md
use-selected-layout-segment.md
use-selected-layout-segments.md
userAgent.md

+---05-config
|   02-typescript.md
|   03-eslint.md
|   index.md
\---01-next-config-js
    adapterPath.md
    allowedDevOrigins.md
    appDir.md
    assetPrefix.md
    authInterrupts.md
    basePath.md
    cacheComponents.md
    cacheHandlers.md
    cacheLife.md
    compress.md
    crossOrigin.md
    cssChunking.md
    deploymentId.md
    devIndicators.md
    distDir.md
    env.md
    expireTime.md
    exportPathMap.md
    generateBuildId.md
    generateEtags.md
    headers.md
    htmlLimitedBots.md
    httpAgentOptions.md
    images.md
    incrementalCacheHandlerPath.md
    index.md
    inlineCss.md
    logging.md
    mdxRs.md
    onDemandEntries.md
    optimizePackageImports.md
    output.md

```



```

pageExtensions.md
poweredByHeader.md
productionBrowserSourceMaps.md
proxyClientMaxBodySize.md
reactCompiler.md
reactMaxHeadersLength.md
reactStrictMode.md
redirects.md
rewrites.md
sassOptions.md
serverActions.md
serverComponentsHmrCache.md
serverExternalPackages.md
staleTimes.md
staticGeneration.md
taint.md
trailingSlash.md
transpilePackages.md
turbopack.md
turbopackFileSystemCache.md
turbopackIgnoreIssue.md
typedRoutes.md
typescript.md
urlImports.md
useLightningcss.md
viewTransition.md
webpack.md
webVitalsAttribution.md

+---06-cli
|   create-next-app.md
|   index.md
|   next.md
|
\---07-adapters
    01-configuration.md
    02-creating-an-adapter.md
    03-api-reference.md
    04-testing-adapters.md
    05-routing-with-next-routing.md
    06-implementing-ppr-in-an-adapter.md
    07-runtime-integration.md
    08-invoking-entrypoints.md
    09-output-types.md
    10-routing-information.md
    11-use-cases.md
    index.md

+---02-pages
|   index.md
|
+---01-getting-started
|   01-installation.md
|   02-project-structure.md
|   04-images.md
|   05-fonts.md
|   06-css.md
|   11-deploying.md
|   index.md
|
+---02-guides
|   analytics.md
|   authentication.md
|   babel.md
|   ci-build-caching.md

```

- content-security-policy.md
- css-in-js.md
- custom-server.md
- debugging.md
- draft-mode.md
- environment-variables.md
- forms.md
- incremental-static-regeneration.md
- index.md
- instrumentation.md
- internationalization.md
- lazy-loading.md
- mdx.md
- multi-zones.md
- open-telemetry.md
- package-bundling.md
- post-css.md
- preview-mode.md
- production-checklist.md
- redirecting.md
- sass.md
- scripts.md
- self-hosting.md
- static-exports.md
- tailwind-v3-css.md
- third-party-libraries.md

#### +---migrating

- app-router-migration.md
- from-create-react-app.md
- from-vite.md
- index.md

#### +---testing

- cypress.md
- index.md
- jest.md
- playwright.md
- vitest.md

#### \---upgrading

- codemods.md
- index.md
- version-10.md
- version-11.md
- version-12.md
- version-13.md
- version-14.md
- version-9.md

#### +---03-building-your-application

- index.md

#### +---01-routing

- 01-pages-and-layouts.md
- 02-dynamic-routes.md
- 03-linking-and-navigating.md
- 05-custom-app.md
- 06-custom-document.md
- 07-api-routes.md
- 08-custom-error.md
- index.md

#### +---02-rendering

- 01-server-side-rendering.md

```

02-static-site-generation.md
04-automatic-static-optimization.md
05-client-side-rendering.md
index.md

+---03-data-fetching
01-get-static-props.md
02-get-static-paths.md
03-forms-and-mutations.md
03-get-server-side-props.md
05-client-side.md
index.md

\---06-configuring
12-error-handling.md
index.md

\---04-api-reference
06-edge.md
08-turbopack.md
index.md

+---01-components
font.md
form.md
head.md
image-legacy.md
image.md
index.md
link.md
script.md

+---02-file-conventions
index.md
instrumentation.md
proxy.md
src-folder.md

+---03-functions
get-initial-props.md
get-server-side-props.md
get-static-paths.md
get-static-props.md
index.md
next-request.md
next-response.md
use-params.md
use-report-web-vitals.md
use-router.md
use-search-params.md
userAgent.md

+---04-config
| 01-typescript.md
| 02-eslint.md
| index.md
|
\---01-next-config-js
adapterPath.md
allowedDevOrigins.md
assetPrefix.md
basePath.md
bundlePagesRouterDependencies.md
compress.md
crossOrigin.md

```

```

deploymentId.md
devIndicators.md
distDir.md
env.md
exportPathMap.md
generateBuildId.md
generateEtags.md
headers.md
httpAgentOptions.md
images.md
index.md
logging.md
onDemandEntries.md
optimizePackageImports.md
output.md
pageExtensions.md
poweredByHeader.md
productionBrowserSourceMaps.md
proxyClientMaxBodySize.md
reactStrictMode.md
redirects.md
rewrites.md
serverExternalPackages.md
trailingSlash.md
transpilePackages.md
turbopack.md
typescript.md
urlImports.md
useLightningcss.md
webpack.md
webVitalsAttribution.md

+---05-cli
|   create-next-app.md
|   index.md
|   next.md
\---06-adapters
    01-configuration.md
    02-creating-an-adapter.md
    03-api-reference.md
    04-testing-adapters.md
    05-routing-with-next-routing.md
    06-implementing-ppr-in-an-adapter.md
    07-runtime-integration.md
    08-invoking-entrypoints.md
    09-output-types.md
    10-routing-information.md
    11-use-cases.md
    index.md

+---03-architecture
|   accessibility.md
|   fast-refresh.md
|   index.md
|   nextjs-compiler.md
|   supported-browsers.md
\---04-community
    01-contribution-guide.md
    02-rspack.md
    index.md

+---esm
+---api

```

```
app-dynamic.js
app-dynamic.js.map
app.js
app.js.map
constants.js
constants.js.map
document.js
document.js.map
dynamic.js
dynamic.js.map
error.js
error.js.map
error.react-server.js
error.react-server.js.map
form.js
form.js.map
head.js
head.js.map
headers.js
headers.js.map
image.js
image.js.map
link.js
link.js.map
navigation.js
navigation.js.map
navigation.react-server.js
navigation.react-server.js.map
og.js
og.js.map
router.js
router.js.map
script.js
script.js.map
server.js
server.js.map

+---build
after-production-compile.js
after-production-compile.js.map
build-context.js
build-context.js.map
collect-build-traces.js
collect-build-traces.js.map
compiler.js
compiler.js.map
create-compiler-aliases.js
create-compiler-aliases.js.map
define-env.js
define-env.js.map
duration-to-string.js
duration-to-string.js.map
entries.js
entries.js.map
file-classifier.js
file-classifier.js.map
generate-build-id.js
generate-build-id.js.map
generate-routes-manifest.js
generate-routes-manifest.js.map
get-babel-config-file.js
get-babel-config-file.js.map
get-babel-loader-config.js
get-babel-loader-config.js.map
get-static-info-including-layouts.js
```

```

get-static-info-including-layouts.js.map
get-supported-browsers.js
get-supported-browsers.js.map
handle-entripoints.js
handle-entripoints.js.map
handle-externals.js
handle-externals.js.map
index.js
index.js.map
is-writeable.js
is-writeable.js.map
load-entripoint.js
load-entripoint.js.map
load-jsconfig.js
load-jsconfig.js.map
lockfile.js
lockfile.js.map
next-dir-paths.js
next-dir-paths.js.map
normalize-catchall-routes.js
normalize-catchall-routes.js.map
page-extensions-type.js
page-extensions-type.js.map
preview-key-utils.js
preview-key-utils.js.map
print-build-errors.js
print-build-errors.js.map
progress.js
progress.js.map
rendering-mode.js
rendering-mode.js.map
route-bundle-stats.js
route-bundle-stats.js.map
route-discovery.js
route-discovery.js.map
sort-by-page-exts.js
sort-by-page-exts.js.map
spinner.js
spinner.js.map
type-check.js
type-check.js.map
utils.js
utils.js.map
validate-app-paths.js
validate-app-paths.js.map
webpack-config.js
webpack-config.js.map
worker.js
worker.js.map
write-build-id.js
write-build-id.js.map

```

#### +---adapter

```

    build-complete.js
    build-complete.js.map
    setup-node-env.external.js
    setup-node-env.external.js.map

```

#### +---analysis

```

    extract-const-value.js
    extract-const-value.js.map
    get-page-static-info.js
    get-page-static-info.js.map
    parse-module.js
    parse-module.js.map

```

```

+---analyze
  index.js
  index.js.map

+---babel
  preset.js
  preset.js.map

  +---loader
    get-config.js
    get-config.js.map
    index.js
    index.js.map
    transform.js
    transform.js.map
    types.d.ts
    util.js
    util.js.map

  \---plugins
    commonjs.js
    commonjs.js.map
    jsx-pragma.js
    jsx-pragma.js.map
    next-font-unsupported.js
    next-font-unsupported.js.map
    next-page-config.js
    next-page-config.js.map
    next-page-disallow-re-export-all-exports.js
    next-page-disallow-re-export-all-exports.js.map
    next-ssg-transform.js
    next-ssg-transform.js.map
    optimize-hook-destructuring.js
    optimize-hook-destructuring.js.map
    react-loadable-plugin.js
    react-loadable-plugin.js.map

+---manifests
  \---formatter
    format-manifest.js
    format-manifest.js.map

+---next-config-ts
  require-hook.js
  require-hook.js.map
  transpile-config.js
  transpile-config.js.map

+---output
  format.js
  format.js.map
  index.js
  index.js.map
  log.js
  log.js.map
  store.js
  store.js.map

+---polyfills
  object-assign.js
  object-assign.js.map
  process.js
  process.js.map

```

```

+---fetch
|   index.js
|   index.js.map
|   whatwg-fetch.js
|   whatwg-fetch.js.map
|
\---object.assign
|   auto.js
|   auto.js.map
|   implementation.js
|   implementation.js.map
|   index.js
|   index.js.map
|   polyfill.js
|   polyfill.js.map
|   shim.js
|   shim.js.map
+---segment-config
+---app
|   app-segment-config.js
|   app-segment-config.js.map
|   app-segments.js
|   app-segments.js.map
|   collect-root-param-keys.js
|   collect-root-param-keys.js.map
|
+---middleware
|   middleware-config.js
|   middleware-config.js.map
|
\---pages
|   pages-segment-config.js
|   pages-segment-config.js.map
+---static-paths
|   app.js
|   app.js.map
|   pages.js
|   pages.js.map
|   types.js
|   types.js.map
|   utils.js
|   utils.js.map
|
\---app
|   extract-pathname-route-param-segments-from-loader-tree.js
|   extract-pathname-route-param-segments-from-loader-tree.js.map
+---SWC
|   generated-native.d.ts
|   generated-wasm.d.ts
|   helpers.js
|   helpers.js.map
|   index.js
|   index.js.map
|   install-bindings.js
|   install-bindings.js.map
|   jest-transformer.js
|   jest-transformer.js.map
|   loaderWorkerPool.js
|   loaderWorkerPool.js.map
|   options.js
|   options.js.map
|   types.js

```



```
types.js.map
+---templates
  app-page.js
  app-page.js.map
  app-route.js
  app-route.js.map
  edge-app-route.js
  edge-app-route.js.map
  edge-ssr-app.js
  edge-ssr-app.js.map
  edge-ssr.js
  edge-ssr.js.map
  edge-wrapper.js
  edge-wrapper.js.map
  helpers.js
  helpers.js.map
  middleware.js
  middleware.js.map
  pages-api.js
  pages-api.js.map
  pages-edge-api.js
  pages-edge-api.js.map
  pages.js
  pages.js.map
+---turbopack-analyze
  index.js
  index.js.map
+---turbopack-build
  impl.js
  impl.js.map
  index.js
  index.js.map
+---turborepo-access-trace
  env.js
  env.js.map
  helpers.js
  helpers.js.map
  index.js
  index.js.map
  result.js
  result.js.map
  tcp.js
  tcp.js.map
  types.js
  types.js.map
+---webpack
  | cache-invalidation.js
  | cache-invalidation.js.map
  | stringify-request.js
  | stringify-request.js.map
  | utils.js
  | utils.js.map
  +---alias
  |   react-dom-server-experimental.js
  |   react-dom-server-experimental.js.map
  |   react-dom-server.js
  |   react-dom-server.js.map
+---config
```

```

helpers.js
helpers.js.map
index.js
index.js.map
utils.js
utils.js.map
\---blocks
|   base.js
|   base.js.map
|
+---css
|   index.js
|   index.js.map
|   messages.js
|   messages.js.map
|   plugins.js
|   plugins.js.map
|
|   \---loaders
|       client.js
|       client.js.map
|       file-resolve.js
|       file-resolve.js.map
|       getCssModuleLocalIdent.js
|       getCssModuleLocalIdent.js.map
|       global.js
|       global.js.map
|       index.js
|       index.js.map
|       modules.js
|       modules.js.map
|       next-font.js
|       next-font.js.map
|
\---images
    index.js
    index.js.map
    messages.js
    messages.js.map
+---loaders
    empty-loader.js
    empty-loader.js.map
    error-loader.js
    error-loader.js.map
    get-module-build-info.js
    get-module-build-info.js.map
    modularize-import-loader.js
    modularize-import-loader.js.map
    next-barrel-loader.js
    next-barrel-loader.js.map
    next-client-pages-loader.js
    next-client-pages-loader.js.map
    next-edge-function-loader.js
    next-edge-function-loader.js.map
    next-error-browser-binary-loader.js
    next-error-browser-binary-loader.js.map
    next-flight-action-entry-loader.js
    next-flight-action-entry-loader.js.map
    next-flight-client-entry-loader.js
    next-flight-client-entry-loader.js.map
    next-flight-client-module-loader.js
    next-flight-client-module-loader.js.map
    next-flight-css-loader.js

```

```

next-flight-css-loader.js.map
next-flight-server-reference-proxy-loader.js
next-flight-server-reference-proxy-loader.js.map
next-invalid-import-error-loader.js
next-invalid-import-error-loader.js.map
next-metadata-image-loader.js
next-metadata-image-loader.js.map
next-metadata-route-loader.js
next-metadata-route-loader.js.map
next-middleware-asset-loader.js
next-middleware-asset-loader.js.map
next-middleware-loader.js
next-middleware-loader.js.map
next-middleware-wasm-loader.js
next-middleware-wasm-loader.js.map
next-root-params-loader.js
next-root-params-loader.js.map
next-swc-loader.js
next-swc-loader.js.map
utils.js
utils.js.map

```

#### +---css-loader

##### \---src

```

    camelcase.js
    camelcase.js.map
    CssSyntaxError.js
    CssSyntaxError.js.map
    index.js
    index.js.map
    utils.js
    utils.js.map

```

##### +---plugins

```

    index.js
    index.js.map
    postcss-icss-parser.js
    postcss-icss-parser.js.map
    postcss-import-parser.js
    postcss-import-parser.js.map
    postcss-url-parser.js
    postcss-url-parser.js.map

```

##### \---runtime

```

    api.js
    api.js.map
    getUrl.js
    getUrl.js.map

```

#### +---devtool

```

    devtool-style-inject.js
    devtool-style-inject.js.map

```

#### +---lightningcss-loader

##### \---src

```

    codegen.js
    codegen.js.map
    index.js
    index.js.map
    interface.js
    interface.js.map
    loader.js
    loader.js.map
    minify.js
    minify.js.map

```

```

        utils.js
        utils.js.map
+---metadata
|   discover.js
|   discover.js.map
|   resolve-route-data.js
|   resolve-route-data.js.map
|   types.js
|   types.js.map
+---next-app-loader
|   create-app-route-code.js
|   create-app-route-code.js.map
|   index.js
|   index.js.map
+---next-edge-app-route-loader
|   index.js
|   index.js.map
+---next-edge-ssr-loader
|   index.js
|   index.js.map
+---next-flight-loader
|   action-client-wrapper.js
|   action-client-wrapper.js.map
|   action-validate.js
|   action-validate.js.map
|   cache-wrapper.js
|   cache-wrapper.js.map
|   index.js
|   index.js.map
|   module-proxy.js
|   module-proxy.js.map
|   server-reference.js
|   server-reference.js.map
|   track-dynamic-import.js
|   track-dynamic-import.js.map
+---next-font-loader
|   index.js
|   index.js.map
|   postcss-next-font.js
|   postcss-next-font.js.map
+---next-image-loader
|   blur.js
|   blur.js.map
|   index.js
|   index.js.map
+---next-route-loader
|   index.js
|   index.js.map
+---next-style-loader
|   index.js
|   index.js.map
\---runtime
    injectStylesIntoLinkTag.js
    injectStylesIntoLinkTag.js.map
    injectStylesIntoStyleTag.js

```

```

        injectStylesIntoStyleTag.js.map
        isEqualLocals.js
        isEqualLocals.js.map
+---postcss-loader
|   \---src
|       Error.js
|       Error.js.map
|       index.js
|       index.js.map
|       utils.js
|       utils.js.map
|       Warning.js
|       Warning.js.map
|   \---resolve-url-loader
|       |   index.js
|       |   index.js.map
|       |
|       \---lib
|           file-protocol.js
|           file-protocol.js.map
|           join-function.js
|           join-function.js.map
|           postcss.js
|           postcss.js.map
|           value-processor.js
|           value-processor.js.map
|
|   \---plugins
|       build-manifest-plugin-utils.js
|       build-manifest-plugin-utils.js.map
|       build-manifest-plugin.js
|       build-manifest-plugin.js.map
|       copy-file-plugin.js
|       copy-file-plugin.js.map
|       css-chunking-plugin.js
|       css-chunking-plugin.js.map
|       css-minimizer-plugin.js
|       css-minimizer-plugin.js.map
|       deferred-entries-plugin.js
|       deferred-entries-plugin.js.map
|       devtools-ignore-list-plugin.js
|       devtools-ignore-list-plugin.js.map
|       eval-source-map-dev-tool-plugin.js
|       eval-source-map-dev-tool-plugin.js.map
|       flight-client-entry-plugin.js
|       flight-client-entry-plugin.js.map
|       flight-manifest-plugin.js
|       flight-manifest-plugin.js.map
|       force-complete-runtime.js
|       force-complete-runtime.js.map
|       jsconfig-paths-plugin.js
|       jsconfig-paths-plugin.js.map
|       memory-with-gc-cache-plugin.js
|       memory-with-gc-cache-plugin.js.map
|       middleware-plugin.js
|       middleware-plugin.js.map
|       mini-css-extract-plugin.js
|       mini-css-extract-plugin.js.map
|       next-font-manifest-plugin.js
|       next-font-manifest-plugin.js.map
|       next-trace-entrypoints-plugin.js
|       next-trace-entrypoints-plugin.js.map
|       nextjs-require-cache-hot-reloader.js

```

```

nextjs-require-cache-hot-reloader.js.map
optional-peer-dependency-resolve-plugin.js
optional-peer-dependency-resolve-plugin.js.map
pages-manifest-plugin.js
pages-manifest-plugin.js.map
profiling-plugin.js
profiling-plugin.js.map
react-loadable-plugin.js
react-loadable-plugin.js.map
rspack-flight-client-entry-plugin.js
rspack-flight-client-entry-plugin.js.map
rspack-profiling-plugin.js
rspack-profiling-plugin.js.map
slow-module-detection-plugin.js
slow-module-detection-plugin.js.map
subresource-integrity-plugin.js
subresource-integrity-plugin.js.map

+---minify-webpack-plugin
|   \---src
|         index.js
|         index.js.map
|
+---next-types-plugin
|   index.js
|   index.js.map
|   shared.js
|   shared.js.map
|
+---telemetry-plugin
|   telemetry-plugin.js
|   telemetry-plugin.js.map
|   update-telemetry-loader-context-from-swc.js
|   update-telemetry-loader-context-from-swc.js.map
|   use-cache-tracker-utils.js
|   use-cache-tracker-utils.js.map
|
\---wellknown-errors-plugin
    getModuleTrace.js
    getModuleTrace.js.map
    index.js
    index.js.map
    parse-dynamic-code-evaluation-error.js
    parse-dynamic-code-evaluation-error.js.map
    parseBabel.js
    parseBabel.js.map
    parseCss.js
    parseCss.js.map
    parseNextAppLoaderError.js
    parseNextAppLoaderError.js.map
    parseNextFontError.js
    parseNextFontError.js.map
    parseNextInvalidImportError.js
    parseNextInvalidImportError.js.map
    parseNotFoundError.js
    parseNotFoundError.js.map
    parseScss.js
    parseScss.js.map
    simpleWebpackError.js
    simpleWebpackError.js.map
    webpackModuleError.js
    webpackModuleError.js.map

+---webpack-build
    impl.js

```

```
impl.js.map
index.js
index.js.map
\---webpack-config-rules
  resolve.js
  resolve.js.map
+---client
  add-base-path.js
  add-base-path.js.map
  add-locale.js
  add-locale.js.map
  app-bootstrap.js
  app-bootstrap.js.map
  app-call-server.js
  app-call-server.js.map
  app-find-source-map-url.js
  app-find-source-map-url.js.map
  app-globals.js
  app-globals.js.map
  app-index.js
  app-index.js.map
  app-link-gc.js
  app-link-gc.js.map
  app-next-dev.js
  app-next-dev.js.map
  app-next-turbopack.js
  app-next-turbopack.js.map
  app-next.js
  app-next.js.map
  app-webpack.js
  app-webpack.js.map
  asset-prefix.js
  asset-prefix.js.map
  assign-location.js
  assign-location.js.map
  detect-domain-locale.js
  detect-domain-locale.js.map
  flight-data-helpers.js
  flight-data-helpers.js.map
  form-shared.js
  form-shared.js.map
  form.js
  form.js.map
  get-domain-locale.js
  get-domain-locale.js.map
  has-base-path.js
  has-base-path.js.map
  head-manager.js
  head-manager.js.map
  image-component.js
  image-component.js.map
  index.js
  index.js.map
  link.js
  link.js.map
  navigation-build-id.js
  navigation-build-id.js.map
  next-dev-turbopack.js
  next-dev-turbopack.js.map
  next-dev.js
  next-dev.js.map
  next-turbopack.js
  next-turbopack.js.map
```

```

next.js
next.js.map
normalize-locale-path.js
normalize-locale-path.js.map
normalize-trailing-slash.js
normalize-trailing-slash.js.map
page-bootstrap.js
page-bootstrap.js.map
page-loader.js
page-loader.js.map
register-deployment-id-global.js
register-deployment-id-global.js.map
remove-base-path.js
remove-base-path.js.map
remove-locale.js
remove-locale.js.map
request-idle-callback.js
request-idle-callback.js.map
resolve-href.js
resolve-href.js.map
route-announcer.js
route-announcer.js.map
route-loader.js
route-loader.js.map
route-params.js
route-params.js.map
router.js
router.js.map
script.js
script.js.map
set-attributes-from-props.js
set-attributes-from-props.js.map
trusted-types.js
trusted-types.js.map
use-client-disallowed.js
use-client-disallowed.js.map
use-intersection.js
use-intersection.js.map
use-merged-ref.js
use-merged-ref.js.map
web-vitals.js
web-vitals.js.map
webpack.js
webpack.js.map
with-router.js
with-router.js.map

+---app-dir
    form.js
    form.js.map
    link.js
    link.js.map
    link.react-server.js
    link.react-server.js.map

+---compat
    router.js
    router.js.map

+---components
    | app-router-announcer.js
    | app-router-announcer.js.map
    | app-router-headers.js
    | app-router-headers.js.map
    | app-router-instance.js

```



app-router-instance.js.map  
app-router-utils.js  
app-router-utils.js.map  
app-router.js  
app-router.js.map  
bfcache-state-manager.js  
bfcache-state-manager.js.map  
catch-error.js  
catch-error.js.map  
client-page.js  
client-page.js.map  
client-segment.js  
client-segment.js.map  
dev-root-http-access-fallback-boundary.js  
dev-root-http-access-fallback-boundary.js.map  
error-boundary.js  
error-boundary.js.map  
forbidden.js  
forbidden.js.map  
handle-isr-error.js  
handle-isr-error.js.map  
hooks-server-context.js  
hooks-server-context.js.map  
is-next-router-error.js  
is-next-router-error.js.map  
layout-router.js  
layout-router.js.map  
links.js  
links.js.map  
match-segments.js  
match-segments.js.map  
nav-failure-handler.js  
nav-failure-handler.js.map  
navigation-devtools.js  
navigation-devtools.js.map  
navigation-untracked.js  
navigation-untracked.js.map  
navigation.js  
navigation.js.map  
navigation.react-server.js  
navigation.react-server.js.map  
noop-head.js  
noop-head.js.map  
not-found.js  
not-found.js.map  
promise-queue.js  
promise-queue.js.map  
readonly-url-search-params.js  
readonly-url-search-params.js.map  
redirect-boundary.js  
redirect-boundary.js.map  
redirect-error.js  
redirect-error.js.map  
redirect-status-code.js  
redirect-status-code.js.map  
redirect.js  
redirect.js.map  
render-from-template-context.js  
render-from-template-context.js.map  
static-generation-bailout.js  
static-generation-bailout.js.map  
unauthorized.js  
unauthorized.js.map  
unrecognized-action-error.js  
unrecognized-action-error.js.map

```

unresolved-thenable.js
unresolved-thenable.js.map
unstable-rethrow.browser.js
unstable-rethrow.browser.js.map
unstable-rethrow.js
unstable-rethrow.js.map
unstable-rethrow.server.js
unstable-rethrow.server.js.map
use-action-queue.js
use-action-queue.js.map

+---builtin
  app-error.js
  app-error.js.map
  default-null.js
  default-null.js.map
  default.js
  default.js.map
  empty-stub.js
  empty-stub.js.map
  error-styles.js
  error-styles.js.map
  forbidden.js
  forbidden.js.map
  global-error.js
  global-error.js.map
  global-not-found.js
  global-not-found.js.map
  layout.js
  layout.js.map
  not-found.js
  not-found.js.map
  unauthorized.js
  unauthorized.js.map

+---errors
  graceful-degrade-boundary.js
  graceful-degrade-boundary.js.map
  root-error-boundary.js
  root-error-boundary.js.map

+---http-access-fallback
  error-boundary.js
  error-boundary.js.map
  error-fallback.js
  error-fallback.js.map
  http-access-fallback.js
  http-access-fallback.js.map

+---instant-validation
  boundary.js
  boundary.js.map

+---router-reducer
  compute-changed-path.js
  compute-changed-path.js.map
  create-href-from-url.js
  create-href-from-url.js.map
  create-initial-router-state.js
  create-initial-router-state.js.map
  create-router-cache-key.js
  create-router-cache-key.js.map
  fetch-server-response.js
  fetch-server-response.js.map
  is-navigating-to-new-root-layout.js

```

```

is-navigating-to-new-root-layout.js.map
ppr-navigations.js
ppr-navigations.js.map
router-reducer-types.js
router-reducer-types.js.map
router-reducer.js
router-reducer.js.map
set-cache-busting-search-param.js
set-cache-busting-search-param.js.map
should-hard-navigate.js
should-hard-navigate.js.map

\---reducers
    committed-state.js
    committed-state.js.map
    find-head-in-cache.js
    find-head-in-cache.js.map
    has-interception-route-in-current-tree.js
    has-interception-route-in-current-tree.js.map
    hmr-refresh-reducer.js
    hmr-refresh-reducer.js.map
    navigate-reducer.js
    navigate-reducer.js.map
    refresh-reducer.js
    refresh-reducer.js.map
    restore-reducer.js
    restore-reducer.js.map
    server-action-reducer.js
    server-action-reducer.js.map
    server-patch-reducer.js
    server-patch-reducer.js.map

+---segment-cache
    bfcache.js
    bfcache.js.map
    cache-key.js
    cache-key.js.map
    cache-map.js
    cache-map.js.map
    cache.js
    cache.js.map
    lru.js
    lru.js.map
    navigation-testing-lock.js
    navigation-testing-lock.js.map
    navigation.js
    navigation.js.map
    optimistic-routes.js
    optimistic-routes.js.map
    prefetch.js
    prefetch.js.map
    scheduler.js
    scheduler.js.map
    types.js
    types.js.map
    vary-path.js
    vary-path.js.map

\---styles
    access-error-styles.js
    access-error-styles.js.map

+---dev
    debug-channel.js
    debug-channel.js.map

```

```

fouc.js
fouc.js.map
hot-middleware-client.js
hot-middleware-client.js.map
noop-turbopack-hmr.js
noop-turbopack-hmr.js.map
on-demand-entries-client.js
on-demand-entries-client.js.map
report-hmr-latency.js
report-hmr-latency.js.map
runtime-error-handler.js
runtime-error-handler.js.map

+---error-overlay
|   websocket.js
|   websocket.js.map
|
\---hot-reloader
|   get-socket-url.js
|   get-socket-url.js.map
|   shared.js
|   shared.js.map
|   turbopack-hot-reloader-common.js
|   turbopack-hot-reloader-common.js.map
|
+---app
|   hot-reloader-app.js
|   hot-reloader-app.js.map
|   web-socket.js
|   web-socket.js.map
|
\---pages
|   hot-reloader-pages.js
|   hot-reloader-pages.js.map
|   websocket.js
|   websocket.js.map
|
+---legacy
|   image.js
|   image.js.map
|
+---lib
|   console.js
|   console.js.map
|   javascript-url.js
|   javascript-url.js.map
|   promise.js
|   promise.js.map
|
+---portal
|   index.js
|   index.js.map
|
+---react-client-callbacks
|   error-boundary-callbacks.js
|   error-boundary-callbacks.js.map
|   on-recoverable-error.js
|   on-recoverable-error.js.map
|   report-global-error.js
|   report-global-error.js.map
|
+---request
|   params.browser.dev.js
|   params.browser.dev.js.map
|   params.browser.js

```

```

        params.browser.js.map
        params.browser.prod.js
        params.browser.prod.js.map
        search-params.browser.dev.js
        search-params.browser.dev.js.map
        search-params.browser.js
        search-params.browser.js.map
        search-params.browser.prod.js
        search-params.browser.prod.js.map
    \---tracing
        report-to-socket.js
        report-to-socket.js.map
        tracer.js
        tracer.js.map
+---export
    index.js
    index.js.map
    types.js
    types.js.map
    utils.js
    utils.js.map
    worker.js
    worker.js.map
+---helpers
    create-incremental-cache.js
    create-incremental-cache.js.map
    get-params.js
    get-params.js.map
    is-dynamic-usage-error.js
    is-dynamic-usage-error.js.map
\---routes
    app-page.js
    app-page.js.map
    app-route.js
    app-route.js.map
    pages.js
    pages.js.map
    types.js
    types.js.map
+---lib
    batcher.js
    batcher.js.map
    build-custom-route.js
    build-custom-route.js.map
    bundler.js
    bundler.js.map
    client-and-server-references.js
    client-and-server-references.js.map
    coalesced-function.js
    coalesced-function.js.map
    compile-error.js
    compile-error.js.map
    constants.js
    constants.js.map
    create-client-router-filter.js
    create-client-router-filter.js.map
    default-transpiled-packages.json
    detached-promise.js
    detached-promise.js.map
    detect-typo.js

```

detect-typo.js.map  
download-swc.js  
download-swc.js.map  
error-telemetry-utils.js  
error-telemetry-utils.js.map  
fallback.js  
fallback.js.map  
fatal-error.js  
fatal-error.js.map  
file-exists.js  
file-exists.js.map  
find-config.js  
find-config.js.map  
find-pages-dir.js  
find-pages-dir.js.map  
find-root.js  
find-root.js.map  
format-cli-help-output.js  
format-cli-help-output.js.map  
format-dynamic-import-path.js  
format-dynamic-import-path.js.map  
format-server-error.js  
format-server-error.js.map  
generate-interception-routes-rewrites.js  
generate-interception-routes-rewrites.js.map  
get-files-in-dir.js  
get-files-in-dir.js.map  
get-network-host.js  
get-network-host.js.map  
get-package-version.js  
get-package-version.js.map  
get-project-dir.js  
get-project-dir.js.map  
has-necessary-dependencies.js  
has-necessary-dependencies.js.map  
import-next-warning.js  
import-next-warning.js.map  
inline-static-env.js  
inline-static-env.js.map  
install-dependencies.js  
install-dependencies.js.map  
interop-default.js  
interop-default.js.map  
is-api-route.js  
is-api-route.js.map  
is-app-page-route.js  
is-app-page-route.js.map  
is-app-route-route.js  
is-app-route-route.js.map  
is-edge-runtime.js  
is-edge-runtime.js.map  
is-error.js  
is-error.js.map  
is-interception-route-rewrite.js  
is-interception-route-rewrite.js.map  
is-internal-component.js  
is-internal-component.js.map  
is-serializable-props.js  
is-serializable-props.js.map  
known-edge-safe-packages.json  
load-custom-routes.js  
load-custom-routes.js.map  
mime-type.js  
mime-type.js.map  
mkcert.js

mkcert.js.map  
multi-file-writer.js  
multi-file-writer.js.map  
needs-experimental-react.js  
needs-experimental-react.js.map  
non-nullable.js  
non-nullable.js.map  
normalize-path.js  
normalize-path.js.map  
oxford-comma-list.js  
oxford-comma-list.js.map  
page-types.js  
page-types.js.map  
patch-incorrect-lockfile.js  
patch-incorrect-lockfile.js.map  
pick.js  
pick.js.map  
picocolors.js  
picocolors.js.map  
pretty-bytes.js  
pretty-bytes.js.map  
realpath.js  
realpath.js.map  
recursive-copy.js  
recursive-copy.js.map  
recursive-delete.js  
recursive-delete.js.map  
recursive-readdir.js  
recursive-readdir.js.map  
redirect-status.js  
redirect-status.js.map  
require-instrumentation-client.js  
require-instrumentation-client.js.map  
resolve-build-paths.js  
resolve-build-paths.js.map  
resolve-from.js  
resolve-from.js.map  
route-pattern-normalizer.js  
route-pattern-normalizer.js.map  
scheduler.js  
scheduler.js.map  
semver-noop.js  
semver-noop.js.map  
server-external-packages.jsonc  
setup-exception-listeners.js  
setup-exception-listeners.js.map  
static-env.js  
static-env.js.map  
try-to-parse-path.js  
try-to-parse-path.js.map  
turbopack-warning.js  
turbopack-warning.js.map  
url.js  
url.js.map  
verify-partytown-setup.js  
verify-partytown-setup.js.map  
verify-root-layout.js  
verify-root-layout.js.map  
verify-typescript-setup.js  
verify-typescript-setup.js.map  
wait.js  
wait.js.map  
with-promise-cache.js  
with-promise-cache.js.map  
worker.js

```
worker.js.map
+---framework
    boundary-components.js
    boundary-components.js.map
    boundary-constants.js
    boundary-constants.js.map
+---fs
    rename.js
    rename.js.map
    write-atomic.js
    write-atomic.js.map
+---helpers
    get-cache-directory.js
    get-cache-directory.js.map
    get-npx-command.js
    get-npx-command.js.map
    get-online.js
    get-online.js.map
    get-pkg-manager.js
    get-pkg-manager.js.map
    get-registry.js
    get-registry.js.map
    get-reserved-port.js
    get-reserved-port.js.map
    install.js
    install.js.map
+---memory
    gc-observer.js
    gc-observer.js.map
    shutdown.js
    shutdown.js.map
    startup.js
    startup.js.map
    trace.js
    trace.js.map
+---metadata
    constants.js
    constants.js.map
    default-metadata.js
    default-metadata.js.map
    get-metadata-route.js
    get-metadata-route.js.map
    is-metadata-route.js
    is-metadata-route.js.map
    metadata-context.js
    metadata-context.js.map
    metadata.js
    metadata.js.map
    resolve-metadata.js
    resolve-metadata.js.map
+---generate
    icon-mark.js
    icon-mark.js.map
    utils.js
    utils.js.map
+---resolvers
    resolve-basics.js
    resolve-basics.js.map
```



```

        resolve-icons.js
        resolve-icons.js.map
        resolve-opengraph.js
        resolve-opengraph.js.map
        resolve-title.js
        resolve-title.js.map
        resolve-url.js
        resolve-url.js.map
    \---types
        alternative-urls-types.js
        alternative-urls-types.js.map
        extra-types.js
        extra-types.js.map
        icons.js
        icons.js.map
        manifest-types.js
        manifest-types.js.map
        metadata-interface.js
        metadata-interface.js.map
        metadata-types.js
        metadata-types.js.map
        opengraph-types.js
        opengraph-types.js.map
        resolvers.js
        resolvers.js.map
        twitter-types.js
        twitter-types.js.map
    \---typescript
        diagnosticFormatter.js
        diagnosticFormatter.js.map
        getTypeScriptConfiguration.js
        getTypeScriptConfiguration.js.map
        getTypeScriptIntent.js
        getTypeScriptIntent.js.map
        missingDependencyError.js
        missingDependencyError.js.map
        runTypeCheck.js
        runTypeCheck.js.map
        type-paths.js
        type-paths.js.map
        writeAppTypeDeclarations.js
        writeAppTypeDeclarations.js.map
        writeConfigurationDefaults.js
        writeConfigurationDefaults.js.map
+---next-devtools
+---server
    attach-nodejs-debugger-middleware.js
    attach-nodejs-debugger-middleware.js.map
    dev-indicator-middleware.js
    dev-indicator-middleware.js.map
    devtools-config-middleware.js
    devtools-config-middleware.js.map
    get-next-error-feedback-middleware.js
    get-next-error-feedback-middleware.js.map
    launch-editor.js
    launch-editor.js.map
    middleware-response.js
    middleware-response.js.map
    restart-dev-server-middleware.js
    restart-dev-server-middleware.js.map
    shared.js
    shared.js.map

```

```

|
| \---font
|     geist-latin-ext.woff2
|     geist-latin.woff2
|     geist-mono-latin-ext.woff2
|     geist-mono-latin.woff2
|     get-dev-overlay-font-middleware.js
|     get-dev-overlay-font-middleware.js.map
|
| +---shared
|     console-error.js
|     console-error.js.map
|     deepmerge.js
|     deepmerge.js.map
|     devtools-config-schema.js
|     devtools-config-schema.js.map
|     forward-logs-shared.js
|     forward-logs-shared.js.map
|     hydration-error.js
|     hydration-error.js.map
|     react-18-hydration-error.js
|     react-18-hydration-error.js.map
|     react-19-hydration-error.js
|     react-19-hydration-error.js.map
|     stack-frame.js
|     stack-frame.js.map
|     types.js
|     types.js.map
|     version-staleness.js
|     version-staleness.js.map
|     webpack-module-path.js
|     webpack-module-path.js.map
|
| \---userspace
|     use-app-dev-rendering-indicator.js
|     use-app-dev-rendering-indicator.js.map
|
| +---app
|     app-dev-overlay-error-boundary.js
|     app-dev-overlay-error-boundary.js.map
|     app-dev-overlay-setup.js
|     app-dev-overlay-setup.js.map
|     client-entry.js
|     client-entry.js.map
|     forward-logs-utils.js
|     forward-logs-utils.js.map
|     forward-logs.js
|     forward-logs.js.map
|     segment-explorer-node.js
|     segment-explorer-node.js.map
|     terminal-logging-config.js
|     terminal-logging-config.js.map
|
| \---errors
|     index.js
|     index.js.map
|     intercept-console-error.js
|     intercept-console-error.js.map
|     replay-ssr-only-errors.js
|     replay-ssr-only-errors.js.map
|     stitched-error.js
|     stitched-error.js.map
|     use-error-handler.js
|     use-error-handler.js.map

```

```

\---pages
  hydration-error-state.js
  hydration-error-state.js.map
  pages-dev-overlay-error-boundary.js
  pages-dev-overlay-error-boundary.js.map
  pages-dev-overlay-setup.js
  pages-dev-overlay-setup.js.map
+---pages
  _app.js
  _app.js.map
  _document.js
  _document.js.map
  _error.js
  _error.js.map
+---server
  accept-header.js
  accept-header.js.map
  base-server.js
  base-server.js.map
  body-streams.js
  body-streams.js.map
  cache-dir.js
  cache-dir.js.map
  ci-info.js
  ci-info.js.map
  client-component-renderer-logger.js
  client-component-renderer-logger.js.map
  config-schema.js
  config-schema.js.map
  config-shared.js
  config-shared.js.map
  config-utils.js
  config-utils.js.map
  config.js
  config.js.map
  create-deduped-by-callsite-server-error-logger.js
  create-deduped-by-callsite-server-error-logger.js.map
  crypto-utils.js
  crypto-utils.js.map
  dynamic-rendering-utils.js
  dynamic-rendering-utils.js.map
  font-utils.js
  font-utils.js.map
  get-app-route-from-entripoint.js
  get-app-route-from-entripoint.js.map
  get-page-files.js
  get-page-files.js.map
  get-route-from-entripoint.js
  get-route-from-entripoint.js.map
  image-optimizer.js
  image-optimizer.js.map
  internal-utils.js
  internal-utils.js.map
  is-private-ip.js
  is-private-ip.js.map
  load-components.js
  load-components.js.map
  load-default-error-components.js
  load-default-error-components.js.map
  load-manifest.external.js
  load-manifest.external.js.map
  match-bundle.js
  match-bundle.js.map

```

```

next-server.js
next-server.js.map
next-typescript.js
next-typescript.js.map
next.js
next.js.map
node-environment-baseline.js
node-environment-baseline.js.map
node-environment.js
node-environment.js.map
node-polyfill-crypto.js
node-polyfill-crypto.js.map
patch-error-inspect.js
patch-error-inspect.js.map
pipe-readable.js
pipe-readable.js.map
post-process.js
post-process.js.map
ReactDOMServerPages.d.ts
ReactDOMServerPages.js
ReactDOMServerPages.js.map
render-result.js
render-result.js.map
render.js
render.js.map
request-meta.js
request-meta.js.map
require-hook.js
require-hook.js.map
require.js
require.js.map
revalidation-utils.js
revalidation-utils.js.map
route-kind.js
route-kind.js.map
runtime-reacts.external.js
runtime-reacts.external.js.map
send-payload.js
send-payload.js.map
send-response.js
send-response.js.map
serve-static.js
serve-static.js.map
server-route-utils.js
server-route-utils.js.map
server-utils.js
server-utils.js.map
setup-http-agent-env.js
setup-http-agent-env.js.map
utils.js
utils.js.map
+---after
  after-context.js
  after-context.js.map
  after.js
  after.js.map
  awaiter.js
  awaiter.js.map
  builtin-request-context.js
  builtin-request-context.js.map
  index.js
  index.js.map
  run-with-after.js
  run-with-after.js.map

```

```

+---api-utils
|   get-cookie-parser.js
|   get-cookie-parser.js.map
|   index.js
|   index.js.map
|   web.js
|   web.js.map
|
|   \---node
|       api-resolver.js
|       api-resolver.js.map
|       parse-body.js
|       parse-body.js.map
|       try-get-preview-data.js
|       try-get-preview-data.js.map
|
+---app-render
|   action-async-storage-instance.js
|   action-async-storage-instance.js.map
|   action-async-storage-external.js
|   action-async-storage-external.js.map
|   action-handler.js
|   action-handler.js.map
|   after-task-async-storage-instance.js
|   after-task-async-storage-instance.js.map
|   after-task-async-storage-external.js
|   after-task-async-storage-external.js.map
|   app-render-prerender-utils.js
|   app-render-prerender-utils.js.map
|   app-render-render-utils.js
|   app-render-render-utils.js.map
|   app-render-scheduling.js
|   app-render-scheduling.js.map
|   app-render.js
|   app-render.js.map
|   async-local-storage.js
|   async-local-storage.js.map
|   cache-signal.js
|   cache-signal.js.map
|   collect-segment-data.js
|   collect-segment-data.js.map
|   console-async-storage-instance.js
|   console-async-storage-instance.js.map
|   console-async-storage-external.js
|   console-async-storage-external.js.map
|   create-component-styles-and-scripts.js
|   create-component-styles-and-scripts.js.map
|   create-component-tree.js
|   create-component-tree.js.map
|   create-error-handler.js
|   create-error-handler.js.map
|   create-flight-router-state-from-loader-tree.js
|   create-flight-router-state-from-loader-tree.js.map
|   csrf-protection.js
|   csrf-protection.js.map
|   debug-channel-server.js
|   debug-channel-server.js.map
|   debug-channel-server.web.js
|   debug-channel-server.web.js.map
|   dynamic-access-async-storage-instance.js
|   dynamic-access-async-storage-instance.js.map
|   dynamic-access-async-storage-external.js
|   dynamic-access-async-storage-external.js.map
|   dynamic-rendering.js

```

dynamic-rendering.js.map  
encryption-utils-server.js  
encryption-utils-server.js.map  
encryption-utils.js  
encryption-utils.js.map  
encryption.js  
encryption.js.map  
entry-base.js  
entry-base.js.map  
flight-render-result.js  
flight-render-result.js.map  
get-asset-query-string.js  
get-asset-query-string.js.map  
get-css-inlined-link-tags.js  
get-css-inlined-link-tags.js.map  
get-layer-assets.js  
get-layer-assets.js.map  
get-preloadable-fonts.js  
get-preloadable-fonts.js.map  
get-script-nonce-from-header.js  
get-script-nonce-from-header.js.map  
get-short-dynamic-param-type.js  
get-short-dynamic-param-type.js.map  
has-loading-component-in-tree.js  
has-loading-component-in-tree.js.map  
interop-default.js  
interop-default.js.map  
make-get-server-inserted-html.js  
make-get-server-inserted-html.js.map  
manifests-singleton.js  
manifests-singleton.js.map  
parse-and-validate-flight-router-state.js  
parse-and-validate-flight-router-state.js.map  
postponed-state.js  
postponed-state.js.map  
prospective-render-utils.js  
prospective-render-utils.js.map  
react-large-shell-error.js  
react-large-shell-error.js.map  
react-server.node.js  
react-server.node.js.map  
render-css-resource.js  
render-css-resource.js.map  
required-scripts.js  
required-scripts.js.map  
segment-explorer-path.js  
segment-explorer-path.js.map  
server-inserted-html.js  
server-inserted-html.js.map  
staged-rendering.js  
staged-rendering.js.map  
stale-time.js  
stale-time.js.map  
stream-ops.js  
stream-ops.js.map  
stream-ops.web.js  
stream-ops.web.js.map  
strip-flight-headers.js  
strip-flight-headers.js.map  
types.js  
types.js.map  
use-flight-response.js  
use-flight-response.js.map  
vary-params.js  
vary-params.js.map

```

walk-tree-with-flight-router-state.js
walk-tree-with-flight-router-state.js.map
work-async-storage-instance.js
work-async-storage-instance.js.map
work-async-storage.external.js
work-async-storage.external.js.map
work-unit-async-storage-instance.js
work-unit-async-storage-instance.js.map
work-unit-async-storage.external.js
work-unit-async-storage.external.js.map

+---instant-validation
|   boundary-constants.js
|   boundary-constants.js.map
|   boundary-impl.js
|   boundary-impl.js.map
|   boundary-tracking.js
|   boundary-tracking.js.map
|   instant-config.js
|   instant-config.js.map
|   instant-samples-client.js
|   instant-samples-client.js.map
|   instant-samples.js
|   instant-samples.js.map
|   instant-validation-error.js
|   instant-validation-error.js.map
|   instant-validation.js
|   instant-validation.js.map
|   stream-utils.js
|   stream-utils.js.map
+---metadata-insertion
|   create-server-inserted-metadata.js
|   create-server-inserted-metadata.js.map
+---module-loading
|   track-dynamic-import.js
|   track-dynamic-import.js.map
|   track-module-loading.external.js
|   track-module-loading.external.js.map
|   track-module-loading.instance.js
|   track-module-loading.instance.js.map
\---rsc
    postpone.js
    postpone.js.map
    preloads.js
    preloads.js.map
    taint.js
    taint.js.map

+---async-storage
|   draft-mode-provider.js
|   draft-mode-provider.js.map
|   request-store.js
|   request-store.js.map
|   with-store.js
|   with-store.js.map
|   work-store.js
|   work-store.js.map
+---base-http
|   helpers.js
|   helpers.js.map
|   index.js

```

```
index.js.map
node.js
node.js.map
web.js
web.js.map
```

```
+---dev
```

```
debug-channel.js
debug-channel.js.map
dev-indicator-server-state.js
dev-indicator-server-state.js.map
get-source-map-from-file.js
get-source-map-from-file.js.map
hot-middleware.js
hot-middleware.js.map
hot-reloader-rspack.js
hot-reloader-rspack.js.map
hot-reloader-shared-utils.js
hot-reloader-shared-utils.js.map
hot-reloader-turbopack.js
hot-reloader-turbopack.js.map
hot-reloader-types.js
hot-reloader-types.js.map
hot-reloader-webpack.js
hot-reloader-webpack.js.map
log-requests.js
log-requests.js.map
messages.js
messages.js.map
middleware-turbopack.js
middleware-turbopack.js.map
middleware-webpack.js
middleware-webpack.js.map
next-dev-server.js
next-dev-server.js.map
node-stack-frames.js
node-stack-frames.js.map
on-demand-entry-handler.js
on-demand-entry-handler.js.map
parse-version-info.js
parse-version-info.js.map
require-cache.js
require-cache.js.map
serialized-errors.js
serialized-errors.js.map
server-action-logger.js
server-action-logger.js.map
static-paths-worker.js
static-paths-worker.js.map
turbopack-utils.js
turbopack-utils.js.map
```

```
\---browser-logs
```

```
file-logger.js
file-logger.js.map
receive-logs.js
receive-logs.js.map
source-map.js
source-map.js.map
```

```
+---instrumentation
```

```
types.js
types.js.map
utils.js
utils.js.map
```



```
+---lib
```

```
app-dir-module.js
app-dir-module.js.map
app-info-log.js
app-info-log.js.map
async-callback-set.js
async-callback-set.js.map
cache-control.js
cache-control.js.map
chrome-devtools-workspace.js
chrome-devtools-workspace.js.map
clone-response.js
clone-response.js.map
cpu-profile.js
cpu-profile.js.map
decode-query-path-parameter.js
decode-query-path-parameter.js.map
dedupe-fetch.js
dedupe-fetch.js.map
dev-bundler-service.js
dev-bundler-service.js.map
disk-lru-cache.external.js
disk-lru-cache.external.js.map
etag.js
etag.js.map
find-page-file.js
find-page-file.js.map
fix-mojibake.js
fix-mojibake.js.map
format-hostname.js
format-hostname.js.map
i18n-provider.js
i18n-provider.js.map
implicit-tags.js
implicit-tags.js.map
install-code-frame.js
install-code-frame.js.map
is-ipv6.js
is-ipv6.js.map
is-rsc-request.js
is-rsc-request.js.map
lazy-result.js
lazy-result.js.map
lru-cache.js
lru-cache.js.map
match-next-data-pathname.js
match-next-data-pathname.js.map
mock-request.js
mock-request.js.map
node-fs-methods.js
node-fs-methods.js.map
parse-stack.js
parse-stack.js.map
patch-fetch.js
patch-fetch.js.map
patch-set-header.js
patch-set-header.js.map
postponed-request-body.js
postponed-request-body.js.map
render-server.js
render-server.js.map
router-server.js
router-server.js.map
server-action-request-meta.js
```

```

server-action-request-meta.js.map
source-maps.js
source-maps.js.map
start-server.js
start-server.js.map
streaming-metadata.js
streaming-metadata.js.map
to-route.js
to-route.js.map
types.js
types.js.map
utils.js
utils.js.map
worker-utils.js
worker-utils.js.map

+---cache-handlers
|   default.external.js
|   default.external.js.map
|   default.js
|   default.js.map
|   types.js
|   types.js.map
+---experimental
|   create-env-definitions.js
|   create-env-definitions.js.map
|   ppr.js
|   ppr.js.map
+---incremental-cache
|   file-system-cache.js
|   file-system-cache.js.map
|   index.js
|   index.js.map
|   memory-cache.external.js
|   memory-cache.external.js.map
|   shared-cache-controls.external.js
|   shared-cache-controls.external.js.map
|   tags-manifest.external.js
|   tags-manifest.external.js.map
+---module-loader
|   module-loader.js
|   module-loader.js.map
|   node-module-loader.js
|   node-module-loader.js.map
|   route-module-loader.js
|   route-module-loader.js.map
+---router-utils
|   block-cross-site-dev.js
|   block-cross-site-dev.js.map
|   build-data-route.js
|   build-data-route.js.map
|   build-prefetch-segment-data-route.js
|   build-prefetch-segment-data-route.js.map
|   cache-life-type-utils.js
|   cache-life-type-utils.js.map
|   decode-path-params.js
|   decode-path-params.js.map
|   filesystem.js
|   filesystem.js.map
|   instrumentation-globals.external.js
|   instrumentation-globals.external.js.map

```

```

instrumentation-node-extensions.js
instrumentation-node-extensions.js.map
is-postpone.js
is-postpone.js.map
proxy-request.js
proxy-request.js.map
resolve-routes.js
resolve-routes.js.map
route-types-utils.js
route-types-utils.js.map
router-server-context.js
router-server-context.js.map
setup-dev-bundler.js
setup-dev-bundler.js.map
typegen.js
typegen.js.map
types.js
types.js.map

+---server-ipc
|   utils.js
|   utils.js.map
\---trace
    constants.js
    constants.js.map
    tracer.js
    tracer.js.map
    utils.js
    utils.js.map

+---mcp
|   get-mcp-middleware.js
|   get-mcp-middleware.js.map
|   get-or-create-mcp-server.js
|   get-or-create-mcp-server.js.map
|   mcp-telemetry-tracker.js
|   mcp-telemetry-tracker.js.map
\---tools
    get-errors.js
    get-errors.js.map
    get-logs.js
    get-logs.js.map
    get-page-metadata.js
    get-page-metadata.js.map
    get-project-metadata.js
    get-project-metadata.js.map
    get-routes.js
    get-routes.js.map
    get-server-action-by-id.js
    get-server-action-by-id.js.map
    next-instance-error-state.js
    next-instance-error-state.js.map

\---utils
    browser-communication.js
    browser-communication.js.map
    format-errors.js
    format-errors.js.map

+---node-environment-extensions
    console-dim.external.js
    console-dim.external.js.map
    console-exit.js

```

```

console-exit.js.map
console-file.js
console-file.js.map
date.js
date.js.map
error-inspect.js
error-inspect.js.map
fast-set-immediate.external.js
fast-set-immediate.external.js.map
global-behaviors.js
global-behaviors.js.map
io-utils.js
io-utils.js.map
node-crypto.js
node-crypto.js.map
process-error-handlers.js
process-error-handlers.js.map
random.js
random.js.map
unhandled-rejection.external.js
unhandled-rejection.external.js.map
web-crypto.js
web-crypto.js.map

```

#### +---normalizers

```

absolute-filename-normalizer.js
absolute-filename-normalizer.js.map
locale-route-normalizer.js
locale-route-normalizer.js.map
normalizer.js
normalizer.js.map
normalizers.js
normalizers.js.map
prefixing-normalizer.js
prefixing-normalizer.js.map
underscore-normalizer.js
underscore-normalizer.js.map
wrap-normalizer-fn.js
wrap-normalizer-fn.js.map

```

#### +---built

##### +---app

```

app-bundle-path-normalizer.js
app-bundle-path-normalizer.js.map
app-filename-normalizer.js
app-filename-normalizer.js.map
app-page-normalizer.js
app-page-normalizer.js.map
app-pathname-normalizer.js
app-pathname-normalizer.js.map
index.js
index.js.map

```

##### \---pages

```

index.js
index.js.map
pages-bundle-path-normalizer.js
pages-bundle-path-normalizer.js.map
pages-filename-normalizer.js
pages-filename-normalizer.js.map
pages-page-normalizer.js
pages-page-normalizer.js.map
pages-pathname-normalizer.js
pages-pathname-normalizer.js.map

```

```

\---request
    base-path.js
    base-path.js.map
    next-data.js
    next-data.js.map
    pathname-normalizer.js
    pathname-normalizer.js.map
    prefix.js
    prefix.js.map
    rsc.js
    rsc.js.map
    segment-prefix-rsc.js
    segment-prefix-rsc.js.map
    suffix.js
    suffix.js.map
+---og
    image-response.js
    image-response.js.map
+---request
    connection.js
    connection.js.map
    cookies.js
    cookies.js.map
    draft-mode.js
    draft-mode.js.map
    fallback-params.js
    fallback-params.js.map
    headers.js
    headers.js.map
    params.js
    params.js.map
    pathname.js
    pathname.js.map
    root-params.js
    root-params.js.map
    search-params.js
    search-params.js.map
    utils.js
    utils.js.map
+---response-cache
    index.js
    index.js.map
    types.js
    types.js.map
    utils.js
    utils.js.map
    web.js
    web.js.map
+---resume-data-cache
    cache-store.js
    cache-store.js.map
    resume-data-cache.js
    resume-data-cache.js.map
+---route-definitions
    app-page-route-definition.js
    app-page-route-definition.js.map
    app-route-route-definition.js
    app-route-route-definition.js.map
    locale-route-definition.js
    locale-route-definition.js.map

```

```

pages-api-route-definition.js
pages-api-route-definition.js.map
pages-route-definition.js
pages-route-definition.js.map
route-definition.js
route-definition.js.map

+---route-matcher-managers
|   default-route-matcher-manager.js
|   default-route-matcher-manager.js.map
|   dev-route-matcher-manager.js
|   dev-route-matcher-manager.js.map
|   route-matcher-manager.js
|   route-matcher-manager.js.map
+---route-matcher-providers
|   app-page-route-matcher-provider.js
|   app-page-route-matcher-provider.js.map
|   app-route-route-matcher-provider.js
|   app-route-route-matcher-provider.js.map
|   manifest-route-matcher-provider.js
|   manifest-route-matcher-provider.js.map
|   pages-api-route-matcher-provider.js
|   pages-api-route-matcher-provider.js.map
|   pages-route-matcher-provider.js
|   pages-route-matcher-provider.js.map
|   route-matcher-provider.js
|   route-matcher-provider.js.map
+---dev
|   dev-app-page-route-matcher-provider.js
|   dev-app-page-route-matcher-provider.js.map
|   dev-app-route-route-matcher-provider.js
|   dev-app-route-route-matcher-provider.js.map
|   dev-pages-api-route-matcher-provider.js
|   dev-pages-api-route-matcher-provider.js.map
|   dev-pages-route-matcher-provider.js
|   dev-pages-route-matcher-provider.js.map
|   file-cache-route-matcher-provider.js
|   file-cache-route-matcher-provider.js.map
|   \---helpers
|       \---file-reader
|           batched-file-reader.js
|           batched-file-reader.js.map
|           default-file-reader.js
|           default-file-reader.js.map
|           file-reader.js
|           file-reader.js.map
|   \---helpers
|       cached-route-matcher-provider.js
|       cached-route-matcher-provider.js.map
|   \---manifest-loaders
|       manifest-loader.js
|       manifest-loader.js.map
|       node-manifest-loader.js
|       node-manifest-loader.js.map
|       server-manifest-loader.js
|       server-manifest-loader.js.map
+---route-matchers
|   app-page-route-matcher.js
|   app-page-route-matcher.js.map

```

```

app-route-route-matcher.js
app-route-route-matcher.js.map
locale-route-matcher.js
locale-route-matcher.js.map
pages-api-route-matcher.js
pages-api-route-matcher.js.map
pages-route-matcher.js
pages-route-matcher.js.map
route-matcher.js
route-matcher.js.map

+---route-matches
|   app-page-route-match.js
|   app-page-route-match.js.map
|   app-route-route-match.js
|   app-route-route-match.js.map
|   locale-route-match.js
|   locale-route-match.js.map
|   pages-api-route-match.js
|   pages-api-route-match.js.map
|   pages-route-match.js
|   pages-route-match.js.map
|   route-match.js
|   route-match.js.map
+---route-modules
|   checks.js
|   checks.js.map
|   route-module.js
|   route-module.js.map
+---app-page
|   module.compiled.d.ts
|   module.compiled.js
|   module.compiled.js.map
|   module.js
|   module.js.map
|   module.render.js
|   module.render.js.map
|   normalize-request-url.js
|   normalize-request-url.js.map
+---helpers
|   prerender-manifest-matcher.js
|   prerender-manifest-matcher.js.map
\---vendored
    +---contexts
    |   app-router-context.js
    |   app-router-context.js.map
    |   entryptoints.js
    |   entryptoints.js.map
    |   head-manager-context.js
    |   head-manager-context.js.map
    |   hooks-client-context.js
    |   hooks-client-context.js.map
    |   image-config-context.js
    |   image-config-context.js.map
    |   router-context.js
    |   router-context.js.map
    |   server-inserted-html.js
    |   server-inserted-html.js.map
    +---rsc
    |   entryptoints.js

```

```

    entrypoints.js.map
    react-compiler-runtime.js
    react-compiler-runtime.js.map
    react-dom.js
    react-dom.js.map
    react-jsx-dev-runtime.js
    react-jsx-dev-runtime.js.map
    react-jsx-runtime.js
    react-jsx-runtime.js.map
    react-server-dom-turbopack-server.js
    react-server-dom-turbopack-server.js.map
    react-server-dom-turbopack-static.js
    react-server-dom-turbopack-static.js.map
    react-server-dom-webpack-server.js
    react-server-dom-webpack-server.js.map
    react-server-dom-webpack-static.js
    react-server-dom-webpack-static.js.map
    react.js
    react.js.map
  \---ssr
    entrypoints.js
    entrypoints.js.map
    react-compiler-runtime.js
    react-compiler-runtime.js.map
    react-dom-server.js
    react-dom-server.js.map
    react-dom.js
    react-dom.js.map
    react-jsx-dev-runtime.js
    react-jsx-dev-runtime.js.map
    react-jsx-runtime.js
    react-jsx-runtime.js.map
    react-server-dom-turbopack-client.js
    react-server-dom-turbopack-client.js.map
    react-server-dom-webpack-client.js
    react-server-dom-webpack-client.js.map
    react.js
    react.js.map
+---app-route
  | module.compiled.d.ts
  | module.compiled.js
  | module.compiled.js.map
  | module.js
  | module.js.map
  | shared-modules.js
  | shared-modules.js.map
  \---helpers
    auto-implement-methods.js
    auto-implement-methods.js.map
    clean-url.js
    clean-url.js.map
    get-pathname-from-absolute-path.js
    get-pathname-from-absolute-path.js.map
    is-static-gen-enabled.js
    is-static-gen-enabled.js.map
    parsed-url-query-to-params.js
    parsed-url-query-to-params.js.map
+---pages
  | module.compiled.d.ts
  | module.compiled.js
  | module.compiled.js.map

```



```

| module.js
| module.js.map
| module.render.js
| module.render.js.map
| pages-handler.js
| pages-handler.js.map
|
+---builtin
|   _error.js
|   _error.js.map
|
\---vendored
    \---contexts
        app-router-context.js
        app-router-context.js.map
        entypoints.js
        entypoints.js.map
        head-manager-context.js
        head-manager-context.js.map
        hooks-client-context.js
        hooks-client-context.js.map
        html-context.js
        html-context.js.map
        image-config-context.js
        image-config-context.js.map
        loadable-context.js
        loadable-context.js.map
        loadable.js
        loadable.js.map
        router-context.js
        router-context.js.map
        server-inserted-html.js
        server-inserted-html.js.map
    \---pages-api
        module.compiled.d.ts
        module.compiled.js
        module.compiled.js.map
        module.js
        module.js.map
+---stream-utils
    encoded-tags.js
    encoded-tags.js.map
    node-web-streams-helper.js
    node-web-streams-helper.js.map
    uint8array-helpers.js
    uint8array-helpers.js.map
+---typescript
|   constant.js
|   constant.js.map
|   index.js
|   index.js.map
|   utils.js
|   utils.js.map
|
\---rules
    client-boundary.js
    client-boundary.js.map
    config.js
    config.js.map
    entry.js
    entry.js.map
    error.js

```

```

    error.js.map
    metadata.js
    metadata.js.map
    server-boundary.js
    server-boundary.js.map
    server.js
    server.js.map
+---use-cache
|   cache-life.js
|   cache-life.js.map
|   cache-tag.js
|   cache-tag.js.map
|   constants.js
|   constants.js.map
|   handlers.js
|   handlers.js.map
|   use-cache-errors.js
|   use-cache-errors.js.map
|   use-cache-wrapper.js
|   use-cache-wrapper.js.map
\---web
|   adapter.js
|   adapter.js.map
|   edge-route-module-wrapper.js
|   edge-route-module-wrapper.js.map
|   error.js
|   error.js.map
|   get-edge-preview-props.js
|   get-edge-preview-props.js.map
|   globals.js
|   globals.js.map
|   http.js
|   http.js.map
|   internal-edge-wait-until.js
|   internal-edge-wait-until.js.map
|   next-url.js
|   next-url.js.map
|   types.js
|   types.js.map
|   utils.js
|   utils.js.map
|   web-on-close.js
|   web-on-close.js.map
+---exports
|   index.js
|   index.js.map
+---sandbox
|   context.js
|   context.js.map
|   fetch-inline-assets.js
|   fetch-inline-assets.js.map
|   index.js
|   index.js.map
|   resource-managers.js
|   resource-managers.js.map
|   sandbox.js
|   sandbox.js.map
\---spec-extension
|   cookies.js
|   cookies.js.map

```

```
headers.js
headers.js.map
next-request.js
next-request.js.map
reflect.js
reflect.js.map
request-cookies.js
request-cookies.js.map
```

```
\---lib
```

---

fnv1a.js.map  
format-webpack-messages.js  
format-webpack-messages.js.map  
get-hostname.js  
get-hostname.js.map  
get-img-props.js  
get-img-props.js.map  
get-rspack.js  
get-rspack.js.map  
get-webpack-bundler.js  
get-webpack-bundler.js.map  
hash.js  
hash.js.map  
head-manager-context.shared-runtime.js  
head-manager-context.shared-runtime.js.map  
head.js  
head.js.map  
hooks-client-context.shared-runtime.js  
hooks-client-context.shared-runtime.js.map  
html-context.shared-runtime.js  
html-context.shared-runtime.js.map  
htmlescape.js  
htmlescape.js.map  
image-blur-svg.js  
image-blur-svg.js.map  
image-config-context.shared-runtime.js  
image-config-context.shared-runtime.js.map  
image-config.js  
image-config.js.map  
image-external.js  
image-external.js.map  
image-loader.js  
image-loader.js.map  
invariant-error.js  
invariant-error.js.map  
is-internal.js  
is-internal.js.map  
is-plain-object.js  
is-plain-object.js.map  
is-thenable.js  
is-thenable.js.map  
loadable-context.shared-runtime.js  
loadable-context.shared-runtime.js.map  
loadable.shared-runtime.js  
loadable.shared-runtime.js.map  
magic-identifier.js  
magic-identifier.js.map  
match-local-pattern.js  
match-local-pattern.js.map  
match-remote-pattern.js  
match-remote-pattern.js.map  
mcp-error-types.js  
mcp-error-types.js.map  
mcp-page-metadata-types.js  
mcp-page-metadata-types.js.map  
mitt.js  
mitt.js.map  
modern-browserslist-target.d.ts  
modern-browserslist-target.js  
modern-browserslist-target.js.map  
no-fallback-error.external.js  
no-fallback-error.external.js.map  
normalized-asset-prefix.js  
normalized-asset-prefix.js.map  
promise-with-resolvers.js

```

promise-with-resolvers.js.map
router-context.shared-runtime.js
router-context.shared-runtime.js.map
segment.js
segment.js.map
server-inserted-html.shared-runtime.js
server-inserted-html.shared-runtime.js.map
server-reference-info.js
server-reference-info.js.map
side-effect.js
side-effect.js.map
size-limit.js
size-limit.js.map
styled-jsx.d.ts
styled-jsx.js
styled-jsx.js.map
utils.js
utils.js.map
zod.js
zod.js.map
+---errors
    canary-only-config-error.js
    canary-only-config-error.js.map
    code-frame.js
    code-frame.js.map
    constants.js
    constants.js.map
    empty-generate-static-params-error.js
    empty-generate-static-params-error.js.map
    hard-deprecated-config-error.js
    hard-deprecated-config-error.js.map
    missing-default-parallel-route-error.js
    missing-default-parallel-route-error.js.map
    usage-error.js
    usage-error.js.map
+---i18n
    detect-domain-locale.js
    detect-domain-locale.js.map
    get-locale-redirect.js
    get-locale-redirect.js.map
    normalize-locale-path.js
    normalize-locale-path.js.map
+---isomorphic
    path.d.ts
    path.js
    path.js.map
+---lazy-dynamic
    bailout-to-csr.js
    bailout-to-csr.js.map
    dynamic-bailout-to-csr.js
    dynamic-bailout-to-csr.js.map
    loadable.js
    loadable.js.map
    preload-chunks.js
    preload-chunks.js.map
    types.js
    types.js.map
+---page-path
    absolute-path-to-page.js
    absolute-path-to-page.js.map

```

```

denormalize-app-path.js
denormalize-app-path.js.map
denormalize-page-path.js
denormalize-page-path.js.map
ensure-leading-slash.js
ensure-leading-slash.js.map
get-page-paths.js
get-page-paths.js.map
normalize-data-path.js
normalize-data-path.js.map
normalize-page-path.js
normalize-page-path.js.map
normalize-path-sep.js
normalize-path-sep.js.map
remove-page-path-tail.js
remove-page-path-tail.js.map

```

#### +---router

```

| adapters.js
| adapters.js.map
| router.js
| router.js.map

```

#### +---routes

```

| app.js
| app.js.map

```

#### \---utils

```

add-locale.js
add-locale.js.map
add-path-prefix.js
add-path-prefix.js.map
add-path-suffix.js
add-path-suffix.js.map
app-paths.js
app-paths.js.map
as-path-to-search-params.js
as-path-to-search-params.js.map
cache-busting-search-param.js
cache-busting-search-param.js.map
compare-states.js
compare-states.js.map
disable-smooth-scroll.js
disable-smooth-scroll.js.map
escape-path-delimiters.js
escape-path-delimiters.js.map
format-next-pathname-info.js
format-next-pathname-info.js.map
format-url.js
format-url.js.map
get-asset-path-from-route.js
get-asset-path-from-route.js.map
get-dynamic-param.js
get-dynamic-param.js.map
get-next-pathname-info.js
get-next-pathname-info.js.map
get-route-from-asset-path.js
get-route-from-asset-path.js.map
get-segment-param.js
get-segment-param.js.map
html-bots.js
html-bots.js.map
index.js
index.js.map
interception-prefix-from-param-type.js

```

```

interception-prefix-from-param-type.js.map
interception-routes.js
interception-routes.js.map
interpolate-as.js
interpolate-as.js.map
is-bot.js
is-bot.js.map
is-dynamic.js
is-dynamic.js.map
is-local-url.js
is-local-url.js.map
middleware-route-matcher.js
middleware-route-matcher.js.map
omit.js
omit.js.map
parse-loader-tree.js
parse-loader-tree.js.map
parse-path.js
parse-path.js.map
parse-relative-url.js
parse-relative-url.js.map
parse-url.js
parse-url.js.map
path-has-prefix.js
path-has-prefix.js.map
path-match.js
path-match.js.map
prepare-destination.js
prepare-destination.js.map
querystring.js
querystring.js.map
relativize-url.js
relativize-url.js.map
remove-path-prefix.js
remove-path-prefix.js.map
remove-trailing-slash.js
remove-trailing-slash.js.map
resolve-param-value.js
resolve-param-value.js.map
resolve-rewrites.js
resolve-rewrites.js.map
route-match-utils.js
route-match-utils.js.map
route-matcher.js
route-matcher.js.map
route-regex.js
route-regex.js.map
sortable-routes.js
sortable-routes.js.map
sorted-routes.js
sorted-routes.js.map

```

#### +---segment-cache

```

segment-value-encoding.js
segment-value-encoding.js.map
vary-params-decoding.js
vary-params-decoding.js.map

```

#### +---turbopack

```

compilation-events.js
compilation-events.js.map
entry-key.js
entry-key.js.map
internal-error.js
internal-error.js.map

```

```
manifest-loader.js
manifest-loader.js.map
utils.js
utils.js.map

\---utils
  error-once.js
  error-once.js.map
  reflect-utils.js
  reflect-utils.js.map
  warn-once.js
  warn-once.js.map
```



```

    page-route.d.ts
    page-route.js
    page-route.js.map
    report.d.ts
    report.js
    report.js.map
    step.d.ts
    step.js
    step.js.map
  \---proxy
    fetch-api.d.ts
    fetch-api.js
    fetch-api.js.map
    index.d.ts
    index.js
    index.js.map
    server.d.ts
    server.js
    server.js.map
    types.d.ts
    types.js
    types.js.map
+---export
  index.d.ts
  index.js
  index.js.map
  types.d.ts
  types.js
  types.js.map
  utils.d.ts
  utils.js
  utils.js.map
  worker.d.ts
  worker.js
  worker.js.map
+---helpers
  create-incremental-cache.d.ts
  create-incremental-cache.js
  create-incremental-cache.js.map
  get-params.d.ts
  get-params.js
  get-params.js.map
  is-dynamic-usage-error.d.ts
  is-dynamic-usage-error.js
  is-dynamic-usage-error.js.map
\---routes
  app-page.d.ts
  app-page.js
  app-page.js.map
  app-route.d.ts
  app-route.js
  app-route.js.map
  pages.d.ts
  pages.js
  pages.js.map
  types.d.ts
  types.js
  types.js.map
+---lib
  | batcher.d.ts

```

batcher.js  
batcher.js.map  
build-custom-route.d.ts  
build-custom-route.js  
build-custom-route.js.map  
bundler.d.ts  
bundler.js  
bundler.js.map  
client-and-server-references.d.ts  
client-and-server-references.js  
client-and-server-references.js.map  
coalesced-function.d.ts  
coalesced-function.js  
coalesced-function.js.map  
compile-error.d.ts  
compile-error.js  
compile-error.js.map  
constants.d.ts  
constants.js  
constants.js.map  
create-client-router-filter.d.ts  
create-client-router-filter.js  
create-client-router-filter.js.map  
default-transpiled-packages.json  
detached-promise.d.ts  
detached-promise.js  
detached-promise.js.map  
detect-typo.d.ts  
detect-typo.js  
detect-typo.js.map  
download-swc.d.ts  
download-swc.js  
download-swc.js.map  
error-telemetry-utils.d.ts  
error-telemetry-utils.js  
error-telemetry-utils.js.map  
fallback.d.ts  
fallback.js  
fallback.js.map  
fatal-error.d.ts  
fatal-error.js  
fatal-error.js.map  
file-exists.d.ts  
file-exists.js  
file-exists.js.map  
find-config.d.ts  
find-config.js  
find-config.js.map  
find-pages-dir.d.ts  
find-pages-dir.js  
find-pages-dir.js.map  
find-root.d.ts  
find-root.js  
find-root.js.map  
format-cli-help-output.d.ts  
format-cli-help-output.js  
format-cli-help-output.js.map  
format-dynamic-import-path.d.ts  
format-dynamic-import-path.js  
format-dynamic-import-path.js.map  
format-server-error.d.ts  
format-server-error.js  
format-server-error.js.map  
generate-interception-routes-rewrites.d.ts  
generate-interception-routes-rewrites.js

|  |  |  |  |  |                                              |
|--|--|--|--|--|----------------------------------------------|
|  |  |  |  |  | generate-interception-routes-rewrites.js.map |
|  |  |  |  |  | get-files-in-dir.d.ts                        |
|  |  |  |  |  | get-files-in-dir.js                          |
|  |  |  |  |  | get-files-in-dir.js.map                      |
|  |  |  |  |  | get-network-host.d.ts                        |
|  |  |  |  |  | get-network-host.js                          |
|  |  |  |  |  | get-network-host.js.map                      |
|  |  |  |  |  | get-package-version.d.ts                     |
|  |  |  |  |  | get-package-version.js                       |
|  |  |  |  |  | get-package-version.js.map                   |
|  |  |  |  |  | get-project-dir.d.ts                         |
|  |  |  |  |  | get-project-dir.js                           |
|  |  |  |  |  | get-project-dir.js.map                       |
|  |  |  |  |  | has-necessary-dependencies.d.ts              |
|  |  |  |  |  | has-necessary-dependencies.js                |
|  |  |  |  |  | has-necessary-dependencies.js.map            |
|  |  |  |  |  | import-next-warning.d.ts                     |
|  |  |  |  |  | import-next-warning.js                       |
|  |  |  |  |  | import-next-warning.js.map                   |
|  |  |  |  |  | inline-static-env.d.ts                       |
|  |  |  |  |  | inline-static-env.js                         |
|  |  |  |  |  | inline-static-env.js.map                     |
|  |  |  |  |  | install-dependencies.d.ts                    |
|  |  |  |  |  | install-dependencies.js                      |
|  |  |  |  |  | install-dependencies.js.map                  |
|  |  |  |  |  | interop-default.d.ts                         |
|  |  |  |  |  | interop-default.js                           |
|  |  |  |  |  | interop-default.js.map                       |
|  |  |  |  |  | is-api-route.d.ts                            |
|  |  |  |  |  | is-api-route.js                              |
|  |  |  |  |  | is-api-route.js.map                          |
|  |  |  |  |  | is-app-page-route.d.ts                       |
|  |  |  |  |  | is-app-page-route.js                         |
|  |  |  |  |  | is-app-page-route.js.map                     |
|  |  |  |  |  | is-app-route-route.d.ts                      |
|  |  |  |  |  | is-app-route-route.js                        |
|  |  |  |  |  | is-app-route-route.js.map                    |
|  |  |  |  |  | is-edge-runtime.d.ts                         |
|  |  |  |  |  | is-edge-runtime.js                           |
|  |  |  |  |  | is-edge-runtime.js.map                       |
|  |  |  |  |  | is-error.d.ts                                |
|  |  |  |  |  | is-error.js                                  |
|  |  |  |  |  | is-error.js.map                              |
|  |  |  |  |  | is-interception-route-rewrite.d.ts           |
|  |  |  |  |  | is-interception-route-rewrite.js             |
|  |  |  |  |  | is-interception-route-rewrite.js.map         |
|  |  |  |  |  | is-internal-component.d.ts                   |
|  |  |  |  |  | is-internal-component.js                     |
|  |  |  |  |  | is-internal-component.js.map                 |
|  |  |  |  |  | is-serializable-props.d.ts                   |
|  |  |  |  |  | is-serializable-props.js                     |
|  |  |  |  |  | is-serializable-props.js.map                 |
|  |  |  |  |  | known-edge-safe-packages.json                |
|  |  |  |  |  | load-custom-routes.d.ts                      |
|  |  |  |  |  | load-custom-routes.js                        |
|  |  |  |  |  | load-custom-routes.js.map                    |
|  |  |  |  |  | mime-type.d.ts                               |
|  |  |  |  |  | mime-type.js                                 |
|  |  |  |  |  | mime-type.js.map                             |
|  |  |  |  |  | mkcert.d.ts                                  |
|  |  |  |  |  | mkcert.js                                    |
|  |  |  |  |  | mkcert.js.map                                |
|  |  |  |  |  | multi-file-writer.d.ts                       |
|  |  |  |  |  | multi-file-writer.js                         |
|  |  |  |  |  | multi-file-writer.js.map                     |

needs-experimental-react.d.ts  
needs-experimental-react.js  
needs-experimental-react.js.map  
non-nullable.d.ts  
non-nullable.js  
non-nullable.js.map  
normalize-path.d.ts  
normalize-path.js  
normalize-path.js.map  
oxford-comma-list.d.ts  
oxford-comma-list.js  
oxford-comma-list.js.map  
page-types.d.ts  
page-types.js  
page-types.js.map  
patch-incorrect-lockfile.d.ts  
patch-incorrect-lockfile.js  
patch-incorrect-lockfile.js.map  
pick.d.ts  
pick.js  
pick.js.map  
picocolors.d.ts  
picocolors.js  
picocolors.js.map  
pretty-bytes.d.ts  
pretty-bytes.js  
pretty-bytes.js.map  
realpath.d.ts  
realpath.js  
realpath.js.map  
recursive-copy.d.ts  
recursive-copy.js  
recursive-copy.js.map  
recursive-delete.d.ts  
recursive-delete.js  
recursive-delete.js.map  
recursive-readdir.d.ts  
recursive-readdir.js  
recursive-readdir.js.map  
redirect-status.d.ts  
redirect-status.js  
redirect-status.js.map  
require-instrumentation-client.d.ts  
require-instrumentation-client.js  
require-instrumentation-client.js.map  
resolve-build-paths.d.ts  
resolve-build-paths.js  
resolve-build-paths.js.map  
resolve-from.d.ts  
resolve-from.js  
resolve-from.js.map  
route-pattern-normalizer.d.ts  
route-pattern-normalizer.js  
route-pattern-normalizer.js.map  
scheduler.d.ts  
scheduler.js  
scheduler.js.map  
semver-noop.d.ts  
semver-noop.js  
semver-noop.js.map  
server-external-packages.jsonc  
setup-exception-listeners.d.ts  
setup-exception-listeners.js  
setup-exception-listeners.js.map  
static-env.d.ts

```

static-env.js
static-env.js.map
try-to-parse-path.d.ts
try-to-parse-path.js
try-to-parse-path.js.map
turbopack-warning.d.ts
turbopack-warning.js
turbopack-warning.js.map
url.d.ts
url.js
url.js.map
verify-partytown-setup.d.ts
verify-partytown-setup.js
verify-partytown-setup.js.map
verify-root-layout.d.ts
verify-root-layout.js
verify-root-layout.js.map
verify-typescript-setup.d.ts
verify-typescript-setup.js
verify-typescript-setup.js.map
wait.d.ts
wait.js
wait.js.map
with-promise-cache.d.ts
with-promise-cache.js
with-promise-cache.js.map
worker.d.ts
worker.js
worker.js.map

+---framework
    boundary-components.d.ts
    boundary-components.js
    boundary-components.js.map
    boundary-constants.d.ts
    boundary-constants.js
    boundary-constants.js.map

+---fs
    rename.d.ts
    rename.js
    rename.js.map
    write-atomic.d.ts
    write-atomic.js
    write-atomic.js.map

+---helpers
    get-cache-directory.d.ts
    get-cache-directory.js
    get-cache-directory.js.map
    get-npx-command.d.ts
    get-npx-command.js
    get-npx-command.js.map
    get-online.d.ts
    get-online.js
    get-online.js.map
    get-pkg-manager.d.ts
    get-pkg-manager.js
    get-pkg-manager.js.map
    get-registry.d.ts
    get-registry.js
    get-registry.js.map
    get-reserved-port.d.ts
    get-reserved-port.js
    get-reserved-port.js.map

```

```
install.d.ts
install.js
install.js.map

+---memory
gc-observer.d.ts
gc-observer.js
gc-observer.js.map
shutdown.d.ts
shutdown.js
shutdown.js.map
startup.d.ts
startup.js
startup.js.map
trace.d.ts
trace.js
trace.js.map

+---metadata
constants.d.ts
constants.js
constants.js.map
default-metadata.d.ts
default-metadata.js
default-metadata.js.map
get-metadata-route.d.ts
get-metadata-route.js
get-metadata-route.js.map
is-metadata-route.d.ts
is-metadata-route.js
is-metadata-route.js.map
metadata-context.d.ts
metadata-context.js
metadata-context.js.map
metadata.d.ts
metadata.js
metadata.js.map
resolve-metadata.d.ts
resolve-metadata.js
resolve-metadata.js.map

+---generate
icon-mark.d.ts
icon-mark.js
icon-mark.js.map
utils.d.ts
utils.js
utils.js.map

+---resolvers
resolve-basics.d.ts
resolve-basics.js
resolve-basics.js.map
resolve-icons.d.ts
resolve-icons.js
resolve-icons.js.map
resolve-opengraph.d.ts
resolve-opengraph.js
resolve-opengraph.js.map
resolve-title.d.ts
resolve-title.js
resolve-title.js.map
resolve-url.d.ts
resolve-url.js
resolve-url.js.map
```

```

|
| \---types
|     alternative-urls-types.d.ts
|     alternative-urls-types.js
|     alternative-urls-types.js.map
|     extra-types.d.ts
|     extra-types.js
|     extra-types.js.map
|     icons.d.ts
|     icons.js
|     icons.js.map
|     manifest-types.d.ts
|     manifest-types.js
|     manifest-types.js.map
|     metadata-interface.d.ts
|     metadata-interface.js
|     metadata-interface.js.map
|     metadata-types.d.ts
|     metadata-types.js
|     metadata-types.js.map
|     opengraph-types.d.ts
|     opengraph-types.js
|     opengraph-types.js.map
|     resolvers.d.ts
|     resolvers.js
|     resolvers.js.map
|     twitter-types.d.ts
|     twitter-types.js
|     twitter-types.js.map
|
| \---typescript
|     diagnosticFormatter.d.ts
|     diagnosticFormatter.js
|     diagnosticFormatter.js.map
|     get TypeScriptConfiguration.d.ts
|     get TypeScriptConfiguration.js
|     get TypeScriptConfiguration.js.map
|     get TypeScriptIntent.d.ts
|     get TypeScriptIntent.js
|     get TypeScriptIntent.js.map
|     missingDependencyError.d.ts
|     missingDependencyError.js
|     missingDependencyError.js.map
|     runTypeCheck.d.ts
|     runTypeCheck.js
|     runTypeCheck.js.map
|     type-paths.d.ts
|     type-paths.js
|     type-paths.js.map
|     writeAppTypeDeclarations.d.ts
|     writeAppTypeDeclarations.js
|     writeAppTypeDeclarations.js.map
|     writeConfigurationDefaults.d.ts
|     writeConfigurationDefaults.js
|     writeConfigurationDefaults.js.map
|
+---next-devtools
|     dev-overlay.browser.d.ts
|     dev-overlay.shim.d.ts
|     dev-overlay.shim.js
|     dev-overlay.shim.js.map
|     entrypoint.d.ts
|
+---dev-overlay
|     cache-indicator.d.ts

```

```

dev-overlay.d.ts
segment-explorer-trie.d.ts
shared.d.ts

+---components
|   shadow-portal.d.ts
+---call-stack
|   call-stack.d.ts
+---call-stack-frame
|   call-stack-frame.d.ts
+---code-frame
|   code-frame.d.ts
|   parse-code-frame.d.ts
+---copy-button
|   index.d.ts
+---devtools-indicator
|   devtools-indicator.d.ts
|   next-logo.d.ts
|   status-indicator.d.ts
|   \---hooks
|       use-measure-width.d.ts
|       use-minimum-loading-time-multiple.d.ts
|       use-update-animation.d.ts
+---devtools-panel
|   \---resize
|       resize-handle.d.ts
|       resize-provider.d.ts
+---dialog
|   dialog-body.d.ts
|   dialog-content.d.ts
|   dialog-header.d.ts
|   dialog.d.ts
|   index.d.ts
|   styles.d.ts
+---errors
|   +---dev-tools-indicator
|       |   drag-context.d.ts
|       |   draggable.d.ts
|       |   utils.d.ts
|       \---dev-tools-info
|           dev-tools-header.d.ts
|           route-info.d.ts
|           shortcut-recorder.d.ts
|           user-preferences.d.ts
|   +---dialog
|       |   body.d.ts
|       |   dialog.d.ts
|       |   header.d.ts
|   +---environment-name-label
|       environment-name-label.d.ts
|   +---error-message
|       error-message.d.ts

```



```

|
| +---error-overlay
| |     error-overlay.d.ts
|
| +---error-overlay-bottom-stack
| |     index.d.ts
|
| +---error-overlay-call-stack
| |     error-overlay-call-stack.d.ts
|
| +---error-overlay-footer
| | |     error-overlay-footer.d.ts
| | |
| | \---error-feedback
| |     error-feedback.d.ts
|
| +---error-overlay-layout
| |     error-overlay-layout.d.ts
|
| +---error-overlay-nav
| |     error-overlay-nav.d.ts
|
| +---error-overlay-pagination
| |     error-overlay-pagination.d.ts
|
| +---error-overlay-toolbar
| |     copy-error-button.d.ts
| |     error-overlay-toolbar.d.ts
| |     nodejs-inspector-button.d.ts
| |     use-restart-server.d.ts
|
| +---error-type-label
| |     error-type-label.d.ts
|
| \---overlay
| |     overlay.d.ts
|
+---fader
|     index.d.ts
|
+---hot-linked-text
|     index.d.ts
|
+---hydration-diff
|     diff-view.d.ts
|
+---instant-navs
|     instant-nav-cookie.d.ts
|     instant-navs-panel.d.ts
|
+---overlay
|     body-locker.d.ts
|     index.d.ts
|     overlay-backdrop.d.ts
|     overlay.d.ts
|     styles.d.ts
|
+---overview
|     segment-boundary-trigger.d.ts
|     segment-explorer.d.ts
|     segment-suggestion.d.ts
|
+---resizer
|     index.d.ts

```

```
+---terminal
|   editor-link.d.ts
|   index.d.ts
|   terminal.d.ts
|
+---toast
|   index.d.ts
|   toast.d.ts
|
+---tooltip
|   tooltip.d.ts
|
\---version-staleness-info
    version-staleness-info.d.ts

+---container
|   build-error.d.ts
|   errors.d.ts
|
\---runtime-error
    component-stack-pseudo-html.d.ts
    error-cause.d.ts
    index.d.ts
    render-error.d.ts

+---font
|   font-styles.d.ts
|
+---hooks
|   use-active-runtime-error.d.ts
|   use-delayed-render.d.ts
|   use-on-click-outside.d.ts
|   use-shortcuts.d.ts
|
+---icons
|   chevron-up-down.d.ts
|   collapse-icon.d.ts
|   cross.d.ts
|   dark-icon.d.ts
|   eclipse.d.ts
|   external.d.ts
|   eye-icon.d.ts
|   file.d.ts
|   gear-icon.d.ts
|   left-arrow.d.ts
|   light-icon.d.ts
|   loading-icon.d.ts
|   right-arrow.d.ts
|   system-icon.d.ts
|   warning.d.ts
|
\---thumbs
    thumbs-down.d.ts
    thumbs-up.d.ts

+---menu
|   context.d.ts
|   dev-overlay-menu.d.ts
|   panel-router.d.ts
|
+---panel
|   dynamic-panel.d.ts
|
+---styles
|   component-styles.d.ts
```

```

    scale-updater.d.ts
  \---utils
    css.d.ts
    cx.d.ts
    get-error-by-type.d.ts
    indicator-metrics.d.ts
    lorem.d.ts
    parse-url-from-text.d.ts
    save-devtools-config.d.ts
    use-open-in-editor.d.ts
+---server
  attach-nodejs-debugger-middleware.d.ts
  attach-nodejs-debugger-middleware.js
  attach-nodejs-debugger-middleware.js.map
  dev-indicator-middleware.d.ts
  dev-indicator-middleware.js
  dev-indicator-middleware.js.map
  devtools-config-middleware.d.ts
  devtools-config-middleware.js
  devtools-config-middleware.js.map
  get-next-error-feedback-middleware.d.ts
  get-next-error-feedback-middleware.js
  get-next-error-feedback-middleware.js.map
  launch-editor.d.ts
  launch-editor.js
  launch-editor.js.map
  middleware-response.d.ts
  middleware-response.js
  middleware-response.js.map
  restart-dev-server-middleware.d.ts
  restart-dev-server-middleware.js
  restart-dev-server-middleware.js.map
  shared.d.ts
  shared.js
  shared.js.map
  \---font
    geist-latin-ext.woff2
    geist-latin.woff2
    geist-mono-latin-ext.woff2
    geist-mono-latin.woff2
    get-dev-overlay-font-middleware.d.ts
    get-dev-overlay-font-middleware.js
    get-dev-overlay-font-middleware.js.map
+---shared
  console-error.d.ts
  console-error.js
  console-error.js.map
  deepmerge.d.ts
  deepmerge.js
  deepmerge.js.map
  devtools-config-schema.d.ts
  devtools-config-schema.js
  devtools-config-schema.js.map
  forward-logs-shared.d.ts
  forward-logs-shared.js
  forward-logs-shared.js.map
  hydration-error.d.ts
  hydration-error.js
  hydration-error.js.map
  react-18-hydration-error.d.ts
  react-18-hydration-error.js

```

```

react-18-hydration-error.js.map
react-19-hydration-error.d.ts
react-19-hydration-error.js
react-19-hydration-error.js.map
stack-frame.d.ts
stack-frame.js
stack-frame.js.map
types.d.ts
types.js
types.js.map
version-staleness.d.ts
version-staleness.js
version-staleness.js.map
webpack-module-path.d.ts
webpack-module-path.js
webpack-module-path.js.map

\---userspace
  use-app-dev-rendering-indicator.d.ts
  use-app-dev-rendering-indicator.js
  use-app-dev-rendering-indicator.js.map

+---app
  app-dev-overlay-error-boundary.d.ts
  app-dev-overlay-error-boundary.js
  app-dev-overlay-error-boundary.js.map
  app-dev-overlay-setup.d.ts
  app-dev-overlay-setup.js
  app-dev-overlay-setup.js.map
  client-entry.d.ts
  client-entry.js
  client-entry.js.map
  forward-logs-utils.d.ts
  forward-logs-utils.js
  forward-logs-utils.js.map
  forward-logs.d.ts
  forward-logs.js
  forward-logs.js.map
  segment-explorer-node.d.ts
  segment-explorer-node.js
  segment-explorer-node.js.map
  terminal-logging-config.d.ts
  terminal-logging-config.js
  terminal-logging-config.js.map

\---errors
  index.d.ts
  index.js
  index.js.map
  intercept-console-error.d.ts
  intercept-console-error.js
  intercept-console-error.js.map
  replay-ssr-only-errors.d.ts
  replay-ssr-only-errors.js
  replay-ssr-only-errors.js.map
  stitched-error.d.ts
  stitched-error.js
  stitched-error.js.map
  use-error-handler.d.ts
  use-error-handler.js
  use-error-handler.js.map

\---pages
  hydration-error-state.d.ts
  hydration-error-state.js

```

```

hydration-error-state.js.map
pages-dev-overlay-error-boundary.d.ts
pages-dev-overlay-error-boundary.js
pages-dev-overlay-error-boundary.js.map
pages-dev-overlay-setup.d.ts
pages-dev-overlay-setup.js
pages-dev-overlay-setup.js.map
+---pages
  _app.d.ts
  _app.js
  _app.js.map
  _document.d.ts
  _document.js
  _document.js.map
  _error.d.ts
  _error.js
  _error.js.map
+---server
  accept-header.d.ts
  accept-header.js
  accept-header.js.map
  base-server.d.ts
  base-server.js
  base-server.js.map
  body-streams.d.ts
  body-streams.js
  body-streams.js.map
  cache-dir.d.ts
  cache-dir.js
  cache-dir.js.map
  capsize-font-metrics.json
  ci-info.d.ts
  ci-info.js
  ci-info.js.map
  client-component-renderer-logger.d.ts
  client-component-renderer-logger.js
  client-component-renderer-logger.js.map
  config-schema.d.ts
  config-schema.js
  config-schema.js.map
  config-shared.d.ts
  config-shared.js
  config-shared.js.map
  config-utils.d.ts
  config-utils.js
  config-utils.js.map
  config.d.ts
  config.js
  config.js.map
  create-deduped-by-callsite-server-error-logger.d.ts
  create-deduped-by-callsite-server-error-logger.js
  create-deduped-by-callsite-server-error-logger.js.map
  crypto-utils.d.ts
  crypto-utils.js
  crypto-utils.js.map
  dynamic-rendering-utils.d.ts
  dynamic-rendering-utils.js
  dynamic-rendering-utils.js.map
  font-utils.d.ts
  font-utils.js
  font-utils.js.map
  get-app-route-from-entrypoint.d.ts
  get-app-route-from-entrypoint.js

```

get-app-route-from-entripoint.js.map  
get-page-files.d.ts  
get-page-files.js  
get-page-files.js.map  
get-route-from-entripoint.d.ts  
get-route-from-entripoint.js  
get-route-from-entripoint.js.map  
image-optimizer.d.ts  
image-optimizer.js  
image-optimizer.js.map  
internal-utils.d.ts  
internal-utils.js  
internal-utils.js.map  
is-private-ip.d.ts  
is-private-ip.js  
is-private-ip.js.map  
load-components.d.ts  
load-components.js  
load-components.js.map  
load-default-error-components.d.ts  
load-default-error-components.js  
load-default-error-components.js.map  
load-manifest.external.d.ts  
load-manifest.external.js  
load-manifest.external.js.map  
match-bundle.d.ts  
match-bundle.js  
match-bundle.js.map  
next-server.d.ts  
next-server.js  
next-server.js.map  
next-typescript.d.ts  
next-typescript.js  
next-typescript.js.map  
next.d.ts  
next.js  
next.js.map  
node-environment-baseline.d.ts  
node-environment-baseline.js  
node-environment-baseline.js.map  
node-environment.d.ts  
node-environment.js  
node-environment.js.map  
node-polyfill-crypto.d.ts  
node-polyfill-crypto.js  
node-polyfill-crypto.js.map  
patch-error-inspect.d.ts  
patch-error-inspect.js  
patch-error-inspect.js.map  
pipe-readable.d.ts  
pipe-readable.js  
pipe-readable.js.map  
post-process.d.ts  
post-process.js  
post-process.js.map  
ReactDOMServerPages.d.ts  
ReactDOMServerPages.js  
ReactDOMServerPages.js.map  
render-result.d.ts  
render-result.js  
render-result.js.map  
render.d.ts  
render.js  
render.js.map  
request-meta.d.ts

```

request-meta.js
request-meta.js.map
require-hook.d.ts
require-hook.js
require-hook.js.map
require.d.ts
require.js
require.js.map
revalidation-utils.d.ts
revalidation-utils.js
revalidation-utils.js.map
route-kind.d.ts
route-kind.js
route-kind.js.map
runtime-reacts.external.d.ts
runtime-reacts.external.js
runtime-reacts.external.js.map
send-payload.d.ts
send-payload.js
send-payload.js.map
send-response.d.ts
send-response.js
send-response.js.map
serve-static.d.ts
serve-static.js
serve-static.js.map
server-route-utils.d.ts
server-route-utils.js
server-route-utils.js.map
server-utils.d.ts
server-utils.js
server-utils.js.map
setup-http-agent-env.d.ts
setup-http-agent-env.js
setup-http-agent-env.js.map
utils.d.ts
utils.js
utils.js.map

```

+---after

```

after-context.d.ts
after-context.js
after-context.js.map
after.d.ts
after.js
after.js.map
awaiter.d.ts
awaiter.js
awaiter.js.map
builtin-request-context.d.ts
builtin-request-context.js
builtin-request-context.js.map
index.d.ts
index.js
index.js.map
run-with-after.d.ts
run-with-after.js
run-with-after.js.map

```

+---api-utils

```

get-cookie-parser.d.ts
get-cookie-parser.js
get-cookie-parser.js.map
index.d.ts
index.js

```

```

index.js.map
web.d.ts
web.js
web.js.map
\---node
  api-resolver.d.ts
  api-resolver.js
  api-resolver.js.map
  parse-body.d.ts
  parse-body.js
  parse-body.js.map
  try-get-preview-data.d.ts
  try-get-preview-data.js
  try-get-preview-data.js.map
+---app-render
  action-async-storage-instance.d.ts
  action-async-storage-instance.js
  action-async-storage-instance.js.map
  action-async-storage-external.d.ts
  action-async-storage-external.js
  action-async-storage-external.js.map
  action-handler.d.ts
  action-handler.js
  action-handler.js.map
  after-task-async-storage-instance.d.ts
  after-task-async-storage-instance.js
  after-task-async-storage-instance.js.map
  after-task-async-storage-external.d.ts
  after-task-async-storage-external.js
  after-task-async-storage-external.js.map
  app-render-prerender-utils.d.ts
  app-render-prerender-utils.js
  app-render-prerender-utils.js.map
  app-render-render-utils.d.ts
  app-render-render-utils.js
  app-render-render-utils.js.map
  app-render-scheduling.d.ts
  app-render-scheduling.js
  app-render-scheduling.js.map
  app-render.d.ts
  app-render.js
  app-render.js.map
  async-local-storage.d.ts
  async-local-storage.js
  async-local-storage.js.map
  cache-signal.d.ts
  cache-signal.js
  cache-signal.js.map
  collect-segment-data.d.ts
  collect-segment-data.js
  collect-segment-data.js.map
  console-async-storage-instance.d.ts
  console-async-storage-instance.js
  console-async-storage-instance.js.map
  console-async-storage-external.d.ts
  console-async-storage-external.js
  console-async-storage-external.js.map
  create-component-styles-and-scripts.d.ts
  create-component-styles-and-scripts.js
  create-component-styles-and-scripts.js.map
  create-component-tree.d.ts
  create-component-tree.js
  create-component-tree.js.map

```



create-error-handler.d.ts  
create-error-handler.js  
create-error-handler.js.map  
create-flight-router-state-from-loader-tree.d.ts  
create-flight-router-state-from-loader-tree.js  
create-flight-router-state-from-loader-tree.js.map  
csrf-protection.d.ts  
csrf-protection.js  
csrf-protection.js.map  
debug-channel-server.d.ts  
debug-channel-server.js  
debug-channel-server.js.map  
debug-channel-server.web.d.ts  
debug-channel-server.web.js  
debug-channel-server.web.js.map  
dynamic-access-async-storage-instance.d.ts  
dynamic-access-async-storage-instance.js  
dynamic-access-async-storage-instance.js.map  
dynamic-access-async-storage.external.d.ts  
dynamic-access-async-storage.external.js  
dynamic-access-async-storage.external.js.map  
dynamic-rendering.d.ts  
dynamic-rendering.js  
dynamic-rendering.js.map  
encryption-utils-server.d.ts  
encryption-utils-server.js  
encryption-utils-server.js.map  
encryption-utils.d.ts  
encryption-utils.js  
encryption-utils.js.map  
encryption.d.ts  
encryption.js  
encryption.js.map  
entry-base.d.ts  
entry-base.js  
entry-base.js.map  
flight-render-result.d.ts  
flight-render-result.js  
flight-render-result.js.map  
get-asset-query-string.d.ts  
get-asset-query-string.js  
get-asset-query-string.js.map  
get-css-inlined-link-tags.d.ts  
get-css-inlined-link-tags.js  
get-css-inlined-link-tags.js.map  
get-layer-assets.d.ts  
get-layer-assets.js  
get-layer-assets.js.map  
get-preloadable-fonts.d.ts  
get-preloadable-fonts.js  
get-preloadable-fonts.js.map  
get-script-nonce-from-header.d.ts  
get-script-nonce-from-header.js  
get-script-nonce-from-header.js.map  
get-short-dynamic-param-type.d.ts  
get-short-dynamic-param-type.js  
get-short-dynamic-param-type.js.map  
has-loading-component-in-tree.d.ts  
has-loading-component-in-tree.js  
has-loading-component-in-tree.js.map  
interop-default.d.ts  
interop-default.js  
interop-default.js.map  
make-get-server-inserted-html.d.ts  
make-get-server-inserted-html.js

make-get-server-inserted-html.js.map  
manifests-singleton.d.ts  
manifests-singleton.js  
manifests-singleton.js.map  
parse-and-validate-flight-router-state.d.ts  
parse-and-validate-flight-router-state.js  
parse-and-validate-flight-router-state.js.map  
postponed-state.d.ts  
postponed-state.js  
postponed-state.js.map  
prospective-render-utils.d.ts  
prospective-render-utils.js  
prospective-render-utils.js.map  
react-large-shell-error.d.ts  
react-large-shell-error.js  
react-large-shell-error.js.map  
react-server.node.d.ts  
react-server.node.js  
react-server.node.js.map  
render-css-resource.d.ts  
render-css-resource.js  
render-css-resource.js.map  
required-scripts.d.ts  
required-scripts.js  
required-scripts.js.map  
segment-explorer-path.d.ts  
segment-explorer-path.js  
segment-explorer-path.js.map  
server-inserted-html.d.ts  
server-inserted-html.js  
server-inserted-html.js.map  
staged-rendering.d.ts  
staged-rendering.js  
staged-rendering.js.map  
stale-time.d.ts  
stale-time.js  
stale-time.js.map  
stream-ops.d.ts  
stream-ops.js  
stream-ops.js.map  
stream-ops.web.d.ts  
stream-ops.web.js  
stream-ops.web.js.map  
strip-flight-headers.d.ts  
strip-flight-headers.js  
strip-flight-headers.js.map  
types.d.ts  
types.js  
types.js.map  
use-flight-response.d.ts  
use-flight-response.js  
use-flight-response.js.map  
vary-params.d.ts  
vary-params.js  
vary-params.js.map  
walk-tree-with-flight-router-state.d.ts  
walk-tree-with-flight-router-state.js  
walk-tree-with-flight-router-state.js.map  
work-async-storage-instance.d.ts  
work-async-storage-instance.js  
work-async-storage-instance.js.map  
work-async-storage.external.d.ts  
work-async-storage.external.js  
work-async-storage.external.js.map  
work-unit-async-storage-instance.d.ts

```

work-unit-async-storage-instance.js
work-unit-async-storage-instance.js.map
work-unit-async-storage.external.d.ts
work-unit-async-storage.external.js
work-unit-async-storage.external.js.map

+---instant-validation
    boundary-constants.d.ts
    boundary-constants.js
    boundary-constants.js.map
    boundary-impl.d.ts
    boundary-impl.js
    boundary-impl.js.map
    boundary-tracking.d.ts
    boundary-tracking.js
    boundary-tracking.js.map
    instant-config.d.ts
    instant-config.js
    instant-config.js.map
    instant-samples-client.d.ts
    instant-samples-client.js
    instant-samples-client.js.map
    instant-samples.d.ts
    instant-samples.js
    instant-samples.js.map
    instant-validation-error.d.ts
    instant-validation-error.js
    instant-validation-error.js.map
    instant-validation.d.ts
    instant-validation.js
    instant-validation.js.map
    stream-utils.d.ts
    stream-utils.js
    stream-utils.js.map

+---metadata-insertion
    create-server-inserted-metadata.d.ts
    create-server-inserted-metadata.js
    create-server-inserted-metadata.js.map

+---module-loading
    track-dynamic-import.d.ts
    track-dynamic-import.js
    track-dynamic-import.js.map
    track-module-loading.external.d.ts
    track-module-loading.external.js
    track-module-loading.external.js.map
    track-module-loading.instance.d.ts
    track-module-loading.instance.js
    track-module-loading.instance.js.map

\---rsc
    postpone.d.ts
    postpone.js
    postpone.js.map
    preloads.d.ts
    preloads.js
    preloads.js.map
    taint.d.ts
    taint.js
    taint.js.map

+---async-storage
    draft-mode-provider.d.ts
    draft-mode-provider.js

```

```
draft-mode-provider.js.map
request-store.d.ts
request-store.js
request-store.js.map
with-store.d.ts
with-store.js
with-store.js.map
work-store.d.ts
work-store.js
work-store.js.map

+---base-http
  helpers.d.ts
  helpers.js
  helpers.js.map
  index.d.ts
  index.js
  index.js.map
  node.d.ts
  node.js
  node.js.map
  web.d.ts
  web.js
  web.js.map

+---dev
  debug-channel.d.ts
  debug-channel.js
  debug-channel.js.map
  dev-indicator-server-state.d.ts
  dev-indicator-server-state.js
  dev-indicator-server-state.js.map
  get-source-map-from-file.d.ts
  get-source-map-from-file.js
  get-source-map-from-file.js.map
  hot-middlewre.d.ts
  hot-middlewre.js
  hot-middlewre.js.map
  hot-reloader-rsack.d.ts
  hot-reloader-rsack.js
  hot-reloader-rsack.js.map
  hot-reloader-shared-utils.d.ts
  hot-reloader-shared-utils.js
  hot-reloader-shared-utils.js.map
  hot-reloader-turbopack.d.ts
  hot-reloader-turbopack.js
  hot-reloader-turbopack.js.map
  hot-reloader-types.d.ts
  hot-reloader-types.js
  hot-reloader-types.js.map
  hot-reloader-webpack.d.ts
  hot-reloader-webpack.js
  hot-reloader-webpack.js.map
  log-requests.d.ts
  log-requests.js
  log-requests.js.map
  messages.d.ts
  messages.js
  messages.js.map
  middleware-turbopack.d.ts
  middleware-turbopack.js
  middleware-turbopack.js.map
  middleware-webpack.d.ts
  middleware-webpack.js
  middleware-webpack.js.map
```

```

next-dev-server.d.ts
next-dev-server.js
next-dev-server.js.map
node-stack-frames.d.ts
node-stack-frames.js
node-stack-frames.js.map
on-demand-entry-handler.d.ts
on-demand-entry-handler.js
on-demand-entry-handler.js.map
parse-version-info.d.ts
parse-version-info.js
parse-version-info.js.map
require-cache.d.ts
require-cache.js
require-cache.js.map
serialized-errors.d.ts
serialized-errors.js
serialized-errors.js.map
server-action-logger.d.ts
server-action-logger.js
server-action-logger.js.map
static-paths-worker.d.ts
static-paths-worker.js
static-paths-worker.js.map
turbopack-utils.d.ts
turbopack-utils.js
turbopack-utils.js.map

\---browser-logs
    file-logger.d.ts
    file-logger.js
    file-logger.js.map
    receive-logs.d.ts
    receive-logs.js
    receive-logs.js.map
    source-map.d.ts
    source-map.js
    source-map.js.map

+---instrumentation
    types.d.ts
    types.js
    types.js.map
    utils.d.ts
    utils.js
    utils.js.map

+---lib
    app-dir-module.d.ts
    app-dir-module.js
    app-dir-module.js.map
    app-info-log.d.ts
    app-info-log.js
    app-info-log.js.map
    async-callback-set.d.ts
    async-callback-set.js
    async-callback-set.js.map
    cache-control.d.ts
    cache-control.js
    cache-control.js.map
    chrome-devtools-workspace.d.ts
    chrome-devtools-workspace.js
    chrome-devtools-workspace.js.map
    clone-response.d.ts
    clone-response.js

```

clone-response.js.map  
cpu-profile.d.ts  
cpu-profile.js  
cpu-profile.js.map  
decode-query-path-parameter.d.ts  
decode-query-path-parameter.js  
decode-query-path-parameter.js.map  
dedupe-fetch.d.ts  
dedupe-fetch.js  
dedupe-fetch.js.map  
dev-bundler-service.d.ts  
dev-bundler-service.js  
dev-bundler-service.js.map  
disk-lru-cache.external.d.ts  
disk-lru-cache.external.js  
disk-lru-cache.external.js.map  
etag.d.ts  
etag.js  
etag.js.map  
find-page-file.d.ts  
find-page-file.js  
find-page-file.js.map  
fix-mojibake.d.ts  
fix-mojibake.js  
fix-mojibake.js.map  
format-hostname.d.ts  
format-hostname.js  
format-hostname.js.map  
i18n-provider.d.ts  
i18n-provider.js  
i18n-provider.js.map  
implicit-tags.d.ts  
implicit-tags.js  
implicit-tags.js.map  
install-code-frame.d.ts  
install-code-frame.js  
install-code-frame.js.map  
is-ipv6.d.ts  
is-ipv6.js  
is-ipv6.js.map  
is-rsc-request.d.ts  
is-rsc-request.js  
is-rsc-request.js.map  
lazy-result.d.ts  
lazy-result.js  
lazy-result.js.map  
lru-cache.d.ts  
lru-cache.js  
lru-cache.js.map  
match-next-data-pathname.d.ts  
match-next-data-pathname.js  
match-next-data-pathname.js.map  
mock-request.d.ts  
mock-request.js  
mock-request.js.map  
node-fs-methods.d.ts  
node-fs-methods.js  
node-fs-methods.js.map  
parse-stack.d.ts  
parse-stack.js  
parse-stack.js.map  
patch-fetch.d.ts  
patch-fetch.js  
patch-fetch.js.map  
patch-set-header.d.ts

```

patch-set-header.js
patch-set-header.js.map
postponed-request-body.d.ts
postponed-request-body.js
postponed-request-body.js.map
render-server.d.ts
render-server.js
render-server.js.map
router-server.d.ts
router-server.js
router-server.js.map
server-action-request-meta.d.ts
server-action-request-meta.js
server-action-request-meta.js.map
source-maps.d.ts
source-maps.js
source-maps.js.map
start-server.d.ts
start-server.js
start-server.js.map
streaming-metadata.d.ts
streaming-metadata.js
streaming-metadata.js.map
to-route.d.ts
to-route.js
to-route.js.map
types.d.ts
types.js
types.js.map
utils.d.ts
utils.js
utils.js.map
worker-utils.d.ts
worker-utils.js
worker-utils.js.map

```

```

+---cache-handlers
    default.d.ts
    default.external.d.ts
    default.external.js
    default.external.js.map
    default.js
    default.js.map
    types.d.ts
    types.js
    types.js.map

```

```

+---experimental
    create-env-definitions.d.ts
    create-env-definitions.js
    create-env-definitions.js.map
    ppr.d.ts
    ppr.js
    ppr.js.map

```

```

+---incremental-cache
    file-system-cache.d.ts
    file-system-cache.js
    file-system-cache.js.map
    index.d.ts
    index.js
    index.js.map
    memory-cache.external.d.ts
    memory-cache.external.js
    memory-cache.external.js.map

```

```
shared-cache-controls.external.d.ts
shared-cache-controls.external.js
shared-cache-controls.external.js.map
tags-manifest.external.d.ts
tags-manifest.external.js
tags-manifest.external.js.map
```

#### +---module-loader

```
module-loader.d.ts
module-loader.js
module-loader.js.map
node-module-loader.d.ts
node-module-loader.js
node-module-loader.js.map
route-module-loader.d.ts
route-module-loader.js
route-module-loader.js.map
```

#### +---router-utils

```
block-cross-site-dev.d.ts
block-cross-site-dev.js
block-cross-site-dev.js.map
build-data-route.d.ts
build-data-route.js
build-data-route.js.map
build-prefetch-segment-data-route.d.ts
build-prefetch-segment-data-route.js
build-prefetch-segment-data-route.js.map
cache-life-type-utils.d.ts
cache-life-type-utils.js
cache-life-type-utils.js.map
decode-path-params.d.ts
decode-path-params.js
decode-path-params.js.map
filesystem.d.ts
filesystem.js
filesystem.js.map
instrumentation-globals.external.d.ts
instrumentation-globals.external.js
instrumentation-globals.external.js.map
instrumentation-node-extensions.d.ts
instrumentation-node-extensions.js
instrumentation-node-extensions.js.map
is-postpone.d.ts
is-postpone.js
is-postpone.js.map
proxy-request.d.ts
proxy-request.js
proxy-request.js.map
resolve-routes.d.ts
resolve-routes.js
resolve-routes.js.map
route-types-utils.d.ts
route-types-utils.js
route-types-utils.js.map
router-server-context.d.ts
router-server-context.js
router-server-context.js.map
setup-dev-bundler.d.ts
setup-dev-bundler.js
setup-dev-bundler.js.map
typegen.d.ts
typegen.js
typegen.js.map
types.d.ts
```



```

types.js
types.js.map

+---server-ipc
  utils.d.ts
  utils.js
  utils.js.map

\---trace
  constants.d.ts
  constants.js
  constants.js.map
  tracer.d.ts
  tracer.js
  tracer.js.map
  utils.d.ts
  utils.js
  utils.js.map

+---mcp
  get-mcp-middleware.d.ts
  get-mcp-middleware.js
  get-mcp-middleware.js.map
  get-or-create-mcp-server.d.ts
  get-or-create-mcp-server.js
  get-or-create-mcp-server.js.map
  mcp-telemetry-tracker.d.ts
  mcp-telemetry-tracker.js
  mcp-telemetry-tracker.js.map

\---tools
  get-errors.d.ts
  get-errors.js
  get-errors.js.map
  get-logs.d.ts
  get-logs.js
  get-logs.js.map
  get-page-metadata.d.ts
  get-page-metadata.js
  get-page-metadata.js.map
  get-project-metadata.d.ts
  get-project-metadata.js
  get-project-metadata.js.map
  get-routes.d.ts
  get-routes.js
  get-routes.js.map
  get-server-action-by-id.d.ts
  get-server-action-by-id.js
  get-server-action-by-id.js.map
  next-instance-error-state.d.ts
  next-instance-error-state.js
  next-instance-error-state.js.map

\---utils
  browser-communication.d.ts
  browser-communication.js
  browser-communication.js.map
  format-errors.d.ts
  format-errors.js
  format-errors.js.map

+---node-environment-extensions
  console-dim.external.d.ts
  console-dim.external.js
  console-dim.external.js.map

```

```

console-exit.d.ts
console-exit.js
console-exit.js.map
console-file.d.ts
console-file.js
console-file.js.map
date.d.ts
date.js
date.js.map
error-inspect.d.ts
error-inspect.js
error-inspect.js.map
fast-set-immediate.external.d.ts
fast-set-immediate.external.js
fast-set-immediate.external.js.map
global-behaviors.d.ts
global-behaviors.js
global-behaviors.js.map
io-utils.d.ts
io-utils.js
io-utils.js.map
node-crypto.d.ts
node-crypto.js
node-crypto.js.map
process-error-handlers.d.ts
process-error-handlers.js
process-error-handlers.js.map
random.d.ts
random.js
random.js.map
unhandled-rejection.external.d.ts
unhandled-rejection.external.js
unhandled-rejection.external.js.map
web-crypto.d.ts
web-crypto.js
web-crypto.js.map

```

#### +---normalizers

```

absolute-filename-normalizer.d.ts
absolute-filename-normalizer.js
absolute-filename-normalizer.js.map
locale-route-normalizer.d.ts
locale-route-normalizer.js
locale-route-normalizer.js.map
normalizer.d.ts
normalizer.js
normalizer.js.map
normalizers.d.ts
normalizers.js
normalizers.js.map
prefixing-normalizer.d.ts
prefixing-normalizer.js
prefixing-normalizer.js.map
underscore-normalizer.d.ts
underscore-normalizer.js
underscore-normalizer.js.map
wrap-normalizer-fn.d.ts
wrap-normalizer-fn.js
wrap-normalizer-fn.js.map

```

#### +---built

##### +---app

```

| app-bundle-path-normalizer.d.ts
| app-bundle-path-normalizer.js
| app-bundle-path-normalizer.js.map

```

523/819

```

draft-mode.d.ts
draft-mode.js
draft-mode.js.map
fallback-params.d.ts
fallback-params.js
fallback-params.js.map
headers.d.ts
headers.js
headers.js.map
params.d.ts
params.js
params.js.map
pathname.d.ts
pathname.js
pathname.js.map
root-params.d.ts
root-params.js
root-params.js.map
search-params.d.ts
search-params.js
search-params.js.map
utils.d.ts
utils.js
utils.js.map

+---response-cache
    index.d.ts
    index.js
    index.js.map
    types.d.ts
    types.js
    types.js.map
    utils.d.ts
    utils.js
    utils.js.map
    web.d.ts
    web.js
    web.js.map

+---resume-data-cache
    cache-store.d.ts
    cache-store.js
    cache-store.js.map
    resume-data-cache.d.ts
    resume-data-cache.js
    resume-data-cache.js.map

+---route-definitions
    app-page-route-definition.d.ts
    app-page-route-definition.js
    app-page-route-definition.js.map
    app-route-route-definition.d.ts
    app-route-route-definition.js
    app-route-route-definition.js.map
    locale-route-definition.d.ts
    locale-route-definition.js
    locale-route-definition.js.map
    pages-api-route-definition.d.ts
    pages-api-route-definition.js
    pages-api-route-definition.js.map
    pages-route-definition.d.ts
    pages-route-definition.js
    pages-route-definition.js.map
    route-definition.d.ts
    route-definition.js

```

```

route-definition.js.map

+---route-matcher-managers
    default-route-matcher-manager.d.ts
    default-route-matcher-manager.js
    default-route-matcher-manager.js.map
    dev-route-matcher-manager.d.ts
    dev-route-matcher-manager.js
    dev-route-matcher-manager.js.map
    route-matcher-manager.d.ts
    route-matcher-manager.js
    route-matcher-manager.js.map

+---route-matcher-providers
    app-page-route-matcher-provider.d.ts
    app-page-route-matcher-provider.js
    app-page-route-matcher-provider.js.map
    app-route-route-matcher-provider.d.ts
    app-route-route-matcher-provider.js
    app-route-route-matcher-provider.js.map
    manifest-route-matcher-provider.d.ts
    manifest-route-matcher-provider.js
    manifest-route-matcher-provider.js.map
    pages-api-route-matcher-provider.d.ts
    pages-api-route-matcher-provider.js
    pages-api-route-matcher-provider.js.map
    pages-route-matcher-provider.d.ts
    pages-route-matcher-provider.js
    pages-route-matcher-provider.js.map
    route-matcher-provider.d.ts
    route-matcher-provider.js
    route-matcher-provider.js.map

+---dev
    dev-app-page-route-matcher-provider.d.ts
    dev-app-page-route-matcher-provider.js
    dev-app-page-route-matcher-provider.js.map
    dev-app-route-route-matcher-provider.d.ts
    dev-app-route-route-matcher-provider.js
    dev-app-route-route-matcher-provider.js.map
    dev-pages-api-route-matcher-provider.d.ts
    dev-pages-api-route-matcher-provider.js
    dev-pages-api-route-matcher-provider.js.map
    dev-pages-route-matcher-provider.d.ts
    dev-pages-route-matcher-provider.js
    dev-pages-route-matcher-provider.js.map
    file-cache-route-matcher-provider.d.ts
    file-cache-route-matcher-provider.js
    file-cache-route-matcher-provider.js.map

\---helpers
    \---file-reader
        batched-file-reader.d.ts
        batched-file-reader.js
        batched-file-reader.js.map
        default-file-reader.d.ts
        default-file-reader.js
        default-file-reader.js.map
        file-reader.d.ts
        file-reader.js
        file-reader.js.map

\---helpers
    cached-route-matcher-provider.d.ts
    cached-route-matcher-provider.js

```

```

|         cached-route-matcher-provider.js.map
|
| \---manifest-loaders
|     manifest-loader.d.ts
|     manifest-loader.js
|     manifest-loader.js.map
|     node-manifest-loader.d.ts
|     node-manifest-loader.js
|     node-manifest-loader.js.map
|     server-manifest-loader.d.ts
|     server-manifest-loader.js
|     server-manifest-loader.js.map
|
+---route-matchers
|     app-page-route-matcher.d.ts
|     app-page-route-matcher.js
|     app-page-route-matcher.js.map
|     app-route-route-matcher.d.ts
|     app-route-route-matcher.js
|     app-route-route-matcher.js.map
|     locale-route-matcher.d.ts
|     locale-route-matcher.js
|     locale-route-matcher.js.map
|     pages-api-route-matcher.d.ts
|     pages-api-route-matcher.js
|     pages-api-route-matcher.js.map
|     pages-route-matcher.d.ts
|     pages-route-matcher.js
|     pages-route-matcher.js.map
|     route-matcher.d.ts
|     route-matcher.js
|     route-matcher.js.map
|
+---route-matches
|     app-page-route-match.d.ts
|     app-page-route-match.js
|     app-page-route-match.js.map
|     app-route-route-match.d.ts
|     app-route-route-match.js
|     app-route-route-match.js.map
|     locale-route-match.d.ts
|     locale-route-match.js
|     locale-route-match.js.map
|     pages-api-route-match.d.ts
|     pages-api-route-match.js
|     pages-api-route-match.js.map
|     pages-route-match.d.ts
|     pages-route-match.js
|     pages-route-match.js.map
|     route-match.d.ts
|     route-match.js
|     route-match.js.map
|
+---route-modules
|     checks.d.ts
|     checks.js
|     checks.js.map
|     route-module.d.ts
|     route-module.js
|     route-module.js.map
|
+---app-page
|     module.compiled.d.ts
|     module.compiled.js
|     module.compiled.js.map

```

```

module.d.ts
module.js
module.js.map
module.render.d.ts
module.render.js
module.render.js.map
normalize-request-url.d.ts
normalize-request-url.js
normalize-request-url.js.map

+---helpers
|   prerender-manifest-matcher.d.ts
|   prerender-manifest-matcher.js
|   prerender-manifest-matcher.js.map
\---vended
    +---contexts
    |   app-router-context.d.ts
    |   app-router-context.js
    |   app-router-context.js.map
    |   entrypoints.d.ts
    |   entrypoints.js
    |   entrypoints.js.map
    |   head-manager-context.d.ts
    |   head-manager-context.js
    |   head-manager-context.js.map
    |   hooks-client-context.d.ts
    |   hooks-client-context.js
    |   hooks-client-context.js.map
    |   image-config-context.d.ts
    |   image-config-context.js
    |   image-config-context.js.map
    |   router-context.d.ts
    |   router-context.js
    |   router-context.js.map
    |   server-inserted-html.d.ts
    |   server-inserted-html.js
    |   server-inserted-html.js.map
    +---rsc
    |   entrypoints.d.ts
    |   entrypoints.js
    |   entrypoints.js.map
    |   react-compiler-runtime.d.ts
    |   react-compiler-runtime.js
    |   react-compiler-runtime.js.map
    |   react-dom.d.ts
    |   react-dom.js
    |   react-dom.js.map
    |   react-jsx-dev-runtime.d.ts
    |   react-jsx-dev-runtime.js
    |   react-jsx-dev-runtime.js.map
    |   react-jsx-runtime.d.ts
    |   react-jsx-runtime.js
    |   react-jsx-runtime.js.map
    |   react-server-dom-turbopack-server.d.ts
    |   react-server-dom-turbopack-server.js
    |   react-server-dom-turbopack-server.js.map
    |   react-server-dom-turbopack-static.d.ts
    |   react-server-dom-turbopack-static.js
    |   react-server-dom-turbopack-static.js.map
    |   react-server-dom-webpack-server.d.ts
    |   react-server-dom-webpack-server.js
    |   react-server-dom-webpack-server.js.map
    |   react-server-dom-webpack-static.d.ts

```

528/819



```

| module.compiled.js
| module.compiled.js.map
| module.d.ts
| module.js
| module.js.map
| module.render.d.ts
| module.render.js
| module.render.js.map
| pages-handler.d.ts
| pages-handler.js
| pages-handler.js.map
|
| +---builtin
| | _error.d.ts
| | _error.js
| | _error.js.map
| |
| | \---vendored
| |   \---contexts
| |     app-router-context.d.ts
| |     app-router-context.js
| |     app-router-context.js.map
| |     entrypoints.d.ts
| |     entrypoints.js
| |     entrypoints.js.map
| |     head-manager-context.d.ts
| |     head-manager-context.js
| |     head-manager-context.js.map
| |     hooks-client-context.d.ts
| |     hooks-client-context.js
| |     hooks-client-context.js.map
| |     html-context.d.ts
| |     html-context.js
| |     html-context.js.map
| |     image-config-context.d.ts
| |     image-config-context.js
| |     image-config-context.js.map
| |     loadable-context.d.ts
| |     loadable-context.js
| |     loadable-context.js.map
| |     loadable.d.ts
| |     loadable.js
| |     loadable.js.map
| |     router-context.d.ts
| |     router-context.js
| |     router-context.js.map
| |     server-inserted-html.d.ts
| |     server-inserted-html.js
| |     server-inserted-html.js.map
| |
| | \---pages-api
| |   module.compiled.d.ts
| |   module.compiled.js
| |   module.compiled.js.map
| |   module.d.ts
| |   module.js
| |   module.js.map
| |
| +---stream-utils
|   encoded-tags.d.ts
|   encoded-tags.js
|   encoded-tags.js.map
|   node-web-streams-helper.d.ts
|   node-web-streams-helper.js
|   node-web-streams-helper.js.map

```

```
uint8array-helpers.d.ts
uint8array-helpers.js
uint8array-helpers.js.map

+---typescript
|   constant.d.ts
|   constant.js
|   constant.js.map
|   index.d.ts
|   index.js
|   index.js.map
|   utils.d.ts
|   utils.js
|   utils.js.map
|
| \---rules
|     client-boundary.d.ts
|     client-boundary.js
|     client-boundary.js.map
|     config.d.ts
|     config.js
|     config.js.map
|     entry.d.ts
|     entry.js
|     entry.js.map
|     error.d.ts
|     error.js
|     error.js.map
|     metadata.d.ts
|     metadata.js
|     metadata.js.map
|     server-boundary.d.ts
|     server-boundary.js
|     server-boundary.js.map
|     server.d.ts
|     server.js
|     server.js.map
|
+---use-cache
|   cache-life.d.ts
|   cache-life.js
|   cache-life.js.map
|   cache-tag.d.ts
|   cache-tag.js
|   cache-tag.js.map
|   constants.d.ts
|   constants.js
|   constants.js.map
|   handlers.d.ts
|   handlers.js
|   handlers.js.map
|   use-cache-errors.d.ts
|   use-cache-errors.js
|   use-cache-errors.js.map
|   use-cache-wrapper.d.ts
|   use-cache-wrapper.js
|   use-cache-wrapper.js.map
|
| \---web
|     adapter.d.ts
|     adapter.js
|     adapter.js.map
|     edge-route-module-wrapper.d.ts
|     edge-route-module-wrapper.js
|     edge-route-module-wrapper.js.map
```

```

error.d.ts
error.js
error.js.map
get-edge-preview-props.d.ts
get-edge-preview-props.js
get-edge-preview-props.js.map
globals.d.ts
globals.js
globals.js.map
http.d.ts
http.js
http.js.map
internal-edge-wait-until.d.ts
internal-edge-wait-until.js
internal-edge-wait-until.js.map
next-url.d.ts
next-url.js
next-url.js.map
types.d.ts
types.js
types.js.map
utils.d.ts
utils.js
utils.js.map
web-on-close.d.ts
web-on-close.js
web-on-close.js.map

+---exports
|   index.d.ts
|   index.js
|   index.js.map
+---sandbox
|   context.d.ts
|   context.js
|   context.js.map
|   fetch-inline-assets.d.ts
|   fetch-inline-assets.js
|   fetch-inline-assets.js.map
|   index.d.ts
|   index.js
|   index.js.map
|   resource-managers.d.ts
|   resource-managers.js
|   resource-managers.js.map
|   sandbox.d.ts
|   sandbox.js
|   sandbox.js.map
\---spec-extension
|   cookies.d.ts
|   cookies.js
|   cookies.js.map
|   fetch-event.d.ts
|   fetch-event.js
|   fetch-event.js.map
|   image-response.d.ts
|   image-response.js
|   image-response.js.map
|   request.d.ts
|   request.js
|   request.js.map
|   response.d.ts
|   response.js

```

```

response.js.map
revalidate.d.ts
revalidate.js
revalidate.js.map
unstable-cache.d.ts
unstable-cache.js
unstable-cache.js.map
unstable-no-store.d.ts
unstable-no-store.js
unstable-no-store.js.map
url-pattern.d.ts
url-pattern.js
url-pattern.js.map
user-agent.d.ts
user-agent.js
user-agent.js.map

\---adapters
  headers.d.ts
  headers.js
  headers.js.map
  next-request.d.ts
  next-request.js
  next-request.js.map
  reflect.d.ts
  reflect.js
  reflect.js.map
  request-cookies.d.ts
  request-cookies.js
  request-cookies.js.map

+---shared
  \---lib
    action-revalidation-kind.d.ts
    action-revalidation-kind.js
    action-revalidation-kind.js.map
    app-dynamic.d.ts
    app-dynamic.js
    app-dynamic.js.map
    app-router-context.shared-runtime.d.ts
    app-router-context.shared-runtime.js
    app-router-context.shared-runtime.js.map
    app-router-types.d.ts
    app-router-types.js
    app-router-types.js.map
    bloom-filter.d.ts
    bloom-filter.js
    bloom-filter.js.map
    constants.d.ts
    constants.js
    constants.js.map
    deep-freeze.d.ts
    deep-freeze.js
    deep-freeze.js.map
    deep-readonly.d.ts
    deep-readonly.js
    deep-readonly.js.map
    deployment-id.d.ts
    deployment-id.js
    deployment-id.js.map
    dset.d.ts
    dset.js
    dset.js.map
    dynamic.d.ts
    dynamic.js

```

dynamic.js.map  
encode-uri-path.d.ts  
encode-uri-path.js  
encode-uri-path.js.map  
entry-constants.d.ts  
entry-constants.js  
entry-constants.js.map  
error-source.d.ts  
error-source.js  
error-source.js.map  
escape-regexp.d.ts  
escape-regexp.js  
escape-regexp.js.map  
find-closest-quality.d.ts  
find-closest-quality.js  
find-closest-quality.js.map  
fnv1a.d.ts  
fnv1a.js  
fnv1a.js.map  
format-webpack-messages.d.ts  
format-webpack-messages.js  
format-webpack-messages.js.map  
get-hostname.d.ts  
get-hostname.js  
get-hostname.js.map  
get-img-props.d.ts  
get-img-props.js  
get-img-props.js.map  
get-rspack.d.ts  
get-rspack.js  
get-rspack.js.map  
get-webpack-bundler.d.ts  
get-webpack-bundler.js  
get-webpack-bundler.js.map  
hash.d.ts  
hash.js  
hash.js.map  
head-manager-context.shared-runtime.d.ts  
head-manager-context.shared-runtime.js  
head-manager-context.shared-runtime.js.map  
head.d.ts  
head.js  
head.js.map  
hooks-client-context.shared-runtime.d.ts  
hooks-client-context.shared-runtime.js  
hooks-client-context.shared-runtime.js.map  
html-context.shared-runtime.d.ts  
html-context.shared-runtime.js  
html-context.shared-runtime.js.map  
htmlescape.d.ts  
htmlescape.js  
htmlescape.js.map  
image-blur-svg.d.ts  
image-blur-svg.js  
image-blur-svg.js.map  
image-config-context.shared-runtime.d.ts  
image-config-context.shared-runtime.js  
image-config-context.shared-runtime.js.map  
image-config.d.ts  
image-config.js  
image-config.js.map  
image-external.d.ts  
image-external.js  
image-external.js.map  
image-loader.d.ts

image-loader.js  
image-loader.js.map  
invariant-error.d.ts  
invariant-error.js  
invariant-error.js.map  
is-internal.d.ts  
is-internal.js  
is-internal.js.map  
is-plain-object.d.ts  
is-plain-object.js  
is-plain-object.js.map  
is-thenable.d.ts  
is-thenable.js  
is-thenable.js.map  
loadable-context.shared-runtime.d.ts  
loadable-context.shared-runtime.js  
loadable-context.shared-runtime.js.map  
loadable.shared-runtime.d.ts  
loadable.shared-runtime.js  
loadable.shared-runtime.js.map  
magic-identifier.d.ts  
magic-identifier.js  
magic-identifier.js.map  
match-local-pattern.d.ts  
match-local-pattern.js  
match-local-pattern.js.map  
match-remote-pattern.d.ts  
match-remote-pattern.js  
match-remote-pattern.js.map  
mcp-error-types.d.ts  
mcp-error-types.js  
mcp-error-types.js.map  
mcp-page-metadata-types.d.ts  
mcp-page-metadata-types.js  
mcp-page-metadata-types.js.map  
mitt.d.ts  
mitt.js  
mitt.js.map  
modern-browserslist-target.d.ts  
modern-browserslist-target.js  
modern-browserslist-target.js.map  
no-fallback-error.external.d.ts  
no-fallback-error.external.js  
no-fallback-error.external.js.map  
normalized-asset-prefix.d.ts  
normalized-asset-prefix.js  
normalized-asset-prefix.js.map  
promise-with-resolvers.d.ts  
promise-with-resolvers.js  
promise-with-resolvers.js.map  
router-context.shared-runtime.d.ts  
router-context.shared-runtime.js  
router-context.shared-runtime.js.map  
segment.d.ts  
segment.js  
segment.js.map  
server-inserted-html.shared-runtime.d.ts  
server-inserted-html.shared-runtime.js  
server-inserted-html.shared-runtime.js.map  
server-reference-info.d.ts  
server-reference-info.js  
server-reference-info.js.map  
side-effect.d.ts  
side-effect.js  
side-effect.js.map

```

size-limit.d.ts
size-limit.js
size-limit.js.map
styled-jsx.d.ts
styled-jsx.js
styled-jsx.js.map
utils.d.ts
utils.js
utils.js.map
zod.d.ts
zod.js
zod.js.map

+---errors
  canary-only-config-error.d.ts
  canary-only-config-error.js
  canary-only-config-error.js.map
  code-frame.d.ts
  code-frame.js
  code-frame.js.map
  constants.d.ts
  constants.js
  constants.js.map
  empty-generate-static-params-error.d.ts
  empty-generate-static-params-error.js
  empty-generate-static-params-error.js.map
  hard-deprecated-config-error.d.ts
  hard-deprecated-config-error.js
  hard-deprecated-config-error.js.map
  missing-default-parallel-route-error.d.ts
  missing-default-parallel-route-error.js
  missing-default-parallel-route-error.js.map
  usage-error.d.ts
  usage-error.js
  usage-error.js.map

+---i18n
  detect-domain-locale.d.ts
  detect-domain-locale.js
  detect-domain-locale.js.map
  get-locale-redirect.d.ts
  get-locale-redirect.js
  get-locale-redirect.js.map
  normalize-locale-path.d.ts
  normalize-locale-path.js
  normalize-locale-path.js.map

+---isomorphic
  path.d.ts
  path.js
  path.js.map

+---lazy-dynamic
  bailout-to-csr.d.ts
  bailout-to-csr.js
  bailout-to-csr.js.map
  dynamic-bailout-to-csr.d.ts
  dynamic-bailout-to-csr.js
  dynamic-bailout-to-csr.js.map
  loadable.d.ts
  loadable.js
  loadable.js.map
  preload-chunks.d.ts
  preload-chunks.js
  preload-chunks.js.map

```

```

types.d.ts
types.js
types.js.map

+---page-path
  absolute-path-to-page.d.ts
  absolute-path-to-page.js
  absolute-path-to-page.js.map
  denormalize-app-path.d.ts
  denormalize-app-path.js
  denormalize-app-path.js.map
  denormalize-page-path.d.ts
  denormalize-page-path.js
  denormalize-page-path.js.map
  ensure-leading-slash.d.ts
  ensure-leading-slash.js
  ensure-leading-slash.js.map
  get-page-paths.d.ts
  get-page-paths.js
  get-page-paths.js.map
  normalize-data-path.d.ts
  normalize-data-path.js
  normalize-data-path.js.map
  normalize-page-path.d.ts
  normalize-page-path.js
  normalize-page-path.js.map
  normalize-path-sep.d.ts
  normalize-path-sep.js
  normalize-path-sep.js.map
  remove-page-path-tail.d.ts
  remove-page-path-tail.js
  remove-page-path-tail.js.map

+---router
  | adapters.d.ts
  | adapters.js
  | adapters.js.map
  | router.d.ts
  | router.js
  | router.js.map
  +---routes
  |   app.d.ts
  |   app.js
  |   app.js.map
  \---utils
      add-locale.d.ts
      add-locale.js
      add-locale.js.map
      add-path-prefix.d.ts
      add-path-prefix.js
      add-path-prefix.js.map
      add-path-suffix.d.ts
      add-path-suffix.js
      add-path-suffix.js.map
      app-paths.d.ts
      app-paths.js
      app-paths.js.map
      as-path-to-search-params.d.ts
      as-path-to-search-params.js
      as-path-to-search-params.js.map
      cache-busting-search-param.d.ts
      cache-busting-search-param.js
      cache-busting-search-param.js.map

```



compare-states.d.ts  
compare-states.js  
compare-states.js.map  
disable-smooth-scroll.d.ts  
disable-smooth-scroll.js  
disable-smooth-scroll.js.map  
escape-path-delimiters.d.ts  
escape-path-delimiters.js  
escape-path-delimiters.js.map  
format-next-pathname-info.d.ts  
format-next-pathname-info.js  
format-next-pathname-info.js.map  
format-url.d.ts  
format-url.js  
format-url.js.map  
get-asset-path-from-route.d.ts  
get-asset-path-from-route.js  
get-asset-path-from-route.js.map  
get-dynamic-param.d.ts  
get-dynamic-param.js  
get-dynamic-param.js.map  
get-next-pathname-info.d.ts  
get-next-pathname-info.js  
get-next-pathname-info.js.map  
get-route-from-asset-path.d.ts  
get-route-from-asset-path.js  
get-route-from-asset-path.js.map  
get-segment-param.d.ts  
get-segment-param.js  
get-segment-param.js.map  
html-bots.d.ts  
html-bots.js  
html-bots.js.map  
index.d.ts  
index.js  
index.js.map  
interception-prefix-from-param-type.d.ts  
interception-prefix-from-param-type.js  
interception-prefix-from-param-type.js.map  
interception-routes.d.ts  
interception-routes.js  
interception-routes.js.map  
interpolate-as.d.ts  
interpolate-as.js  
interpolate-as.js.map  
is-bot.d.ts  
is-bot.js  
is-bot.js.map  
is-dynamic.d.ts  
is-dynamic.js  
is-dynamic.js.map  
is-local-url.d.ts  
is-local-url.js  
is-local-url.js.map  
middleware-route-matcher.d.ts  
middleware-route-matcher.js  
middleware-route-matcher.js.map  
omit.d.ts  
omit.js  
omit.js.map  
parse-loader-tree.d.ts  
parse-loader-tree.js  
parse-loader-tree.js.map  
parse-path.d.ts  
parse-path.js

```

parse-path.js.map
parse-relative-url.d.ts
parse-relative-url.js
parse-relative-url.js.map
parse-url.d.ts
parse-url.js
parse-url.js.map
path-has-prefix.d.ts
path-has-prefix.js
path-has-prefix.js.map
path-match.d.ts
path-match.js
path-match.js.map
prepare-destination.d.ts
prepare-destination.js
prepare-destination.js.map
querystring.d.ts
querystring.js
querystring.js.map
relativize-url.d.ts
relativize-url.js
relativize-url.js.map
remove-path-prefix.d.ts
remove-path-prefix.js
remove-path-prefix.js.map
remove-trailing-slash.d.ts
remove-trailing-slash.js
remove-trailing-slash.js.map
resolve-param-value.d.ts
resolve-param-value.js
resolve-param-value.js.map
resolve-rewrites.d.ts
resolve-rewrites.js
resolve-rewrites.js.map
route-match-utils.d.ts
route-match-utils.js
route-match-utils.js.map
route-matcher.d.ts
route-matcher.js
route-matcher.js.map
route-regex.d.ts
route-regex.js
route-regex.js.map
sortable-routes.d.ts
sortable-routes.js
sortable-routes.js.map
sorted-routes.d.ts
sorted-routes.js
sorted-routes.js.map

```

#### +---segment-cache

```

segment-value-encoding.d.ts
segment-value-encoding.js
segment-value-encoding.js.map
vary-params-decoding.d.ts
vary-params-decoding.js
vary-params-decoding.js.map

```

#### +---turbopack

```

compilation-events.d.ts
compilation-events.js
compilation-events.js.map
entry-key.d.ts
entry-key.js
entry-key.js.map

```

```

        internal-error.d.ts
        internal-error.js
        internal-error.js.map
        manifest-loader.d.ts
        manifest-loader.js
        manifest-loader.js.map
        utils.d.ts
        utils.js
        utils.js.map
    \---utils
        error-once.d.ts
        error-once.js
        error-once.js.map
        reflect-utils.d.ts
        reflect-utils.js
        reflect-utils.js.map
        warn-once.d.ts
        warn-once.js
        warn-once.js.map
+---styled-jsx
    \---types
        css.d.ts
        global.d.ts
        index.d.ts
        macro.d.ts
        style.d.ts
+---telemetry
    anonymous-meta.d.ts
    anonymous-meta.js
    anonymous-meta.js.map
    detached-flush.d.ts
    detached-flush.js
    detached-flush.js.map
    flush-telemetry.d.ts
    flush-telemetry.js
    flush-telemetry.js.map
    post-telemetry-payload.d.ts
    post-telemetry-payload.js
    post-telemetry-payload.js.map
    post-telemetry-payload.test.js
    post-telemetry-payload.test.js.map
    project-id.d.ts
    project-id.js
    project-id.js.map
    storage.d.ts
    storage.js
    storage.js.map
    \---events
        build.d.ts
        build.js
        build.js.map
        error-feedback.d.ts
        error-feedback.js
        error-feedback.js.map
        index.d.ts
        index.js
        index.js.map
        mcp-telemetry.test.js
        mcp-telemetry.test.js.map
        plugins.d.ts
        plugins.js

```

```

    plugins.js.map
    session-stopped.d.ts
    session-stopped.js
    session-stopped.js.map
    swc-load-failure.d.ts
    swc-load-failure.js
    swc-load-failure.js.map
    swc-plugins.d.ts
    swc-plugins.js
    swc-plugins.js.map
    version.d.ts
    version.js
    version.js.map
  \---trace
    index.d.ts
    index.js
    index.js.map
    shared.d.ts
    shared.js
    shared.js.map
    trace-uploader.d.ts
    trace-uploader.js
    trace-uploader.js.map
    trace.d.ts
    trace.js
    trace.js.map
    trace.test.js
    trace.test.js.map
    types.d.ts
    types.js
    types.js.map
    upload-trace.d.ts
    upload-trace.js
    upload-trace.js.map
  \---report
    index.d.ts
    index.js
    index.js.map
    index.test.js
    index.test.js.map
    to-json-build.d.ts
    to-json-build.js
    to-json-build.js.map
    to-json.d.ts
    to-json.js
    to-json.js.map
    to-telemetry.d.ts
    to-telemetry.js
    to-telemetry.js.map
    types.d.ts
    types.js
    types.js.map
+---experimental
+---testing
  |   server.d.ts
  |   server.js
  \---testmode
    playwright.d.ts
    playwright.js
    proxy.d.ts
    proxy.js

```

```

|
| \---playwright
|       msw.d.ts
|       msw.js
+---font
|   index.d.ts
|   +---google
|   |   index.d.ts
|   |   index.js
|   |   target.css
|   \---local
|       index.d.ts
|       index.js
|       target.css
+---image-types
|   global.d.ts
+---legacy
|   image.d.ts
|   image.js
+---navigation-types
|   \---compat
|       navigation.d.ts
|   \---postcss
|       LICENSE
|       package.json
|       README.md
|   \---lib
|       at-rule.d.ts
|       at-rule.js
|       comment.d.ts
|       comment.js
|       container.d.ts
|       container.js
|       css-syntax-error.d.ts
|       css-syntax-error.js
|       declaration.d.ts
|       declaration.js
|       document.d.ts
|       document.js
|       fromJSON.d.ts
|       fromJSON.js
|       input.d.ts
|       input.js
|       lazy-result.d.ts
|       lazy-result.js
|       list.d.ts
|       list.js
|       map-generator.js
|       no-work-result.d.ts
|       no-work-result.js
|       node.d.ts
|       node.js
|       parse.d.ts
|       parse.js
|       parser.js
|       postcss.d.mts
|       postcss.d.ts

```

```

postcss.js
postcss.mjs
previous-map.d.ts
previous-map.js
processor.d.ts
processor.js
result.d.ts
result.js
root.d.ts
root.js
rule.d.ts
rule.js
stringifier.d.ts
stringifier.js
stringify.d.ts
stringify.js
symbols.js
terminal-highlight.js
tokenize.js
warn-once.js
warning.d.ts
warning.js

```

```

\---types

```

```

    compiled.d.ts
    global.d.ts

```

```

+---node-exports-info

```

```

.nycrc
CHANGELOG.md
eslint.config.mjs
getCategoriesForRange.d.ts
getCategoriesForRange.js
getCategory.d.ts
getCategory.js
getCategoryFlags.d.ts
getCategoryFlags.js
getCategoryInfo.d.ts
getCategoryInfo.js
getConditionsForCategory.d.ts
getConditionsForCategory.js
getRange.d.ts
getRange.js
getRangePairs.d.ts
getRangePairs.js
isCategory.d.ts
isCategory.js
LICENSE
package.json
ranges.d.ts
ranges.js
README.md
tsconfig.json
types.d.ts

```

```

    FUNDING.yml

```

```

\---test

```

```

    getCategoriesForRange.js
    getCategory.js
    getCategoryFlags.js
    getCategoryInfo.js
    getConditionsForCategory.js
    getRange.js
    getRangePairs.js

```

```

isCategory.js
versions.js

+---node-releases
|   LICENSE
|   package.json
|   README.md
|
|   \---data
|       +---processed
|           |
|           |   envs.json
|           |
|           \---release-schedule
|               |
|               |   release-schedule.json
|
+---object-assign
|   index.js
|   license
|   package.json
|   readme.md
|
+---object-inspect
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package-support.json
|   package.json
|   readme.markdown
|   test-core-js.js
|   util.inspect.js
|
|       FUNDING.yml
|
+---example
|   all.js
|   circular.js
|   fn.js
|   inspect.js
|
|   \---test
|       |
|       |   bigint.js
|       |   circular.js
|       |   deep.js
|       |   element.js
|       |   err.js
|       |   fakes.js
|       |   fn.js
|       |   global.js
|       |   has.js
|       |   holes.js
|       |   indent-option.js
|       |   inspect.js
|       |   lowbyte.js
|       |   number.js
|       |   quoteStyle.js
|       |   toStringTag.js
|       |   undef.js
|       |   values.js
|       |
|       \---browser
|           |
|           |   dom.js
|
+---object-keys

```

```

|
| .editorconfig
| .eslintrc
| .travis.yml
| CHANGELOG.md
| implementation.js
| index.js
| isArguments.js
| LICENSE
| package.json
| README.md
|
| \---test
|       index.js
|
+---object.assign
|
| .editorconfig
| .eslintrc
| .nycrc
| auto.js
| CHANGELOG.md
| hasSymbols.js
| implementation.js
| index.js
| LICENSE
| package.json
| polyfill.js
| README.md
| shim.js
|
|       FUNDING.yml
|
+---dist
|       browser.js
|
| \---test
|       implementation.js
|       index.js
|       native.js
|       ses-compat.js
|       shimmed.js
|       tests.js
|
+---object.entries
|
| .editorconfig
| .eslintrc
| .nycrc
| auto.js
| CHANGELOG.md
| implementation.js
| index.js
| LICENSE
| package.json
| polyfill.js
| README.md
| shim.js
|
| \---test
|       .eslintrc
|       implementation.js
|       index.js
|       native.js
|       shimmed.js
|       tests.js
|
+---object.fromentries

```



```

.editorconfig
.eslintrc
.nycrc
auto.js
CHANGELOG.md
implementation.js
index.js
LICENSE
package.json
polyfill.js
README.md
shim.js

\---test
    implementation.js
    index.js
    shimmed.js
    tests.js

+---object.groupby
    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md
    implementation.js
    index.js
    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js

    FUNDING.yml

\---test
    implementation.js
    index.js
    shimmed.js
    tests.js

+---object.values
    .editorconfig
    .eslintrc
    .nycrc
    auto.js
    CHANGELOG.md
    implementation.js
    index.js
    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js

\---test
    .eslintrc
    implementation.js
    index.js
    shimmed.js
    tests.js

+---optionator
    CHANGELOG.md
    LICENSE
    package.json

```

```

    |   README.md
    |   \---lib
    |         help.js
    |         index.js
    |         util.js
    |
    +---own-keys
    |   .eslintrc
    |   .nycrc
    |   CHANGELOG.md
    |   index.d.ts
    |   index.js
    |   LICENSE
    |   package.json
    |   README.md
    |   tsconfig.json
    |
    |       FUNDING.yml
    |
    |   \---test
    |         index.js
    |
    +---p-limit
    |   index.d.ts
    |   index.js
    |   license
    |   package.json
    |   readme.md
    |
    +---p-locate
    |   index.d.ts
    |   index.js
    |   license
    |   package.json
    |   readme.md
    |
    +---parent-module
    |   index.js
    |   license
    |   package.json
    |   readme.md
    |
    +---path-exists
    |   index.d.ts
    |   index.js
    |   license
    |   package.json
    |   readme.md
    |
    +---path-key
    |   index.d.ts
    |   index.js
    |   license
    |   package.json
    |   readme.md
    |
    +---path-parse
    |   index.js
    |   LICENSE
    |   package.json
    |   README.md
    |
    +---picocolors
    |   LICENSE

```

- package.json
- picocolors.browser.js
- picocolors.d.ts
- picocolors.js
- README.md
- types.d.ts

#### +++picomatch

- index.js
- LICENSE
- package.json
- README.md

#### \---lib

- constants.js
- parse.js
- picomatch.js
- scan.js
- utils.js

#### +++possible-typed-array-names

- .eslintrc
- CHANGELOG.md
- index.d.ts
- index.js
- LICENSE
- package.json
- README.md
- tsconfig.json

- FUNDING.yml

#### \---test

- index.js

#### +++postcss

- LICENSE
- package.json
- README.md

#### \---lib

- at-rule.d.ts
- at-rule.js
- comment.d.ts
- comment.js
- container.d.ts
- container.js
- css-syntax-error.d.ts
- css-syntax-error.js
- declaration.d.ts
- declaration.js
- document.d.ts
- document.js
- fromJSON.d.ts
- fromJSON.js
- input.d.ts
- input.js
- lazy-result.d.ts
- lazy-result.js
- list.d.ts
- list.js
- map-generator.js
- no-work-result.d.ts
- no-work-result.js
- node.d.ts

```

node.js
parse.d.ts
parse.js
parser.js
postcss.d.mts
postcss.d.ts
postcss.js
postcss.mjs
previous-map.d.ts
previous-map.js
processor.d.ts
processor.js
result.d.ts
result.js
root.d.ts
root.js
rule.d.ts
rule.js
stringifier.d.ts
stringifier.js
stringify.d.ts
stringify.js
symbols.js
terminal-highlight.js
tokenize.js
warn-once.js
warning.d.ts
warning.js

```

#### +++prelude-ls

```

CHANGELOG.md
LICENSE
package.json
README.md

```

#### \---lib

```

Func.js
index.js
List.js
Num.js
Obj.js
Str.js

```

#### +++prop-types

```

checkPropTypes.js
factory.js
factoryWithThrowingShims.js
factoryWithTypeCheckers.js
index.js
LICENSE
package.json
prop-types.js
prop-types.min.js
README.md

```

#### \---lib

```

has.js
ReactPropTypesSecret.js

```

#### +++punycode

```

LICENSE-MIT.txt
package.json
punycode.es6.js
punycode.js
README.md

```

```

+---queue-microtask
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md

+---react
    compiler-runtime.js
    index.js
    jsx-dev-runtime.js
    jsx-dev-runtime.react-server.js
    jsx-runtime.js
    jsx-runtime.react-server.js
    LICENSE
    package.json
    react.react-server.js
    README.md

\---cjs
    react-compiler-runtime.development.js
    react-compiler-runtime.production.js
    react-compiler-runtime.profiling.js
    react-jsx-dev-runtime.development.js
    react-jsx-dev-runtime.production.js
    react-jsx-dev-runtime.profiling.js
    react-jsx-dev-runtime.react-server.development.js
    react-jsx-dev-runtime.react-server.production.js
    react-jsx-runtime.development.js
    react-jsx-runtime.production.js
    react-jsx-runtime.profiling.js
    react-jsx-runtime.react-server.development.js
    react-jsx-runtime.react-server.production.js
    react.development.js
    react.production.js
    react.react-server.development.js
    react.react-server.production.js

+---react-dom
    client.js
    client.react-server.js
    index.js
    LICENSE
    package.json
    profiling.js
    profiling.react-server.js
    react-dom.react-server.js
    README.md
    server.browser.js
    server.bun.js
    server.edge.js
    server.js
    server.node.js
    server.react-server.js
    static.browser.js
    static.edge.js
    static.js
    static.node.js
    static.react-server.js
    test-utils.js

\---cjs
    react-dom-client.development.js
    react-dom-client.production.js

```

```

react-dom-profiling.development.js
react-dom-profiling.profiling.js
react-dom-server-legacy.browser.development.js
react-dom-server-legacy.browser.production.js
react-dom-server-legacy.node.development.js
react-dom-server-legacy.node.production.js
react-dom-server.browser.development.js
react-dom-server.browser.production.js
react-dom-server.bun.development.js
react-dom-server.bun.production.js
react-dom-server.edge.development.js
react-dom-server.edge.production.js
react-dom-server.node.development.js
react-dom-server.node.production.js
react-dom-test-utils.development.js
react-dom-test-utils.production.js
react-dom.development.js
react-dom.production.js
react-dom.react-server.development.js
react-dom.react-server.production.js

```

#### +---react-is

```

build-info.json
index.js
LICENSE
package.json
README.md

```

#### +---cjs

```

react-is.development.js
react-is.production.min.js

```

#### \---umd

```

react-is.development.js
react-is.production.min.js

```

#### +---reflect.getPrototypeOf

```

.eslintrc
.nycrc
auto.js
CHANGELOG.md
implementation.js
index.js
LICENSE
package.json
polyfill.js
README.md
shim.js

```

#### \---test

```

implementation.js
index.js
shimmed.js
tests.js

```

#### +---regexp.prototype.flags

```

.editorconfig
.eslintrc
.nycrc
auto.js
CHANGELOG.md
implementation.js
index.js
LICENSE
package.json

```

```

polyfill.js
README.md
shim.js

```

```

\---test

```

```

builtin.js
implementation.js
index.js
shimmed.js
tests.js

```

```

+---resolve

```

```

.editorconfig
.nycrc
async.d.ts
async.js
eslint.config.mjs
index.d.mts
index.d.ts
index.js
index.mjs
LICENSE
npm-debug.log.357d1f5f60a5f00f2e0c325cef16bbd4
package.json
readme.markdown
SECURITY.md
sync.d.ts
sync.js
tsconfig.json

```

```

FUNDING.yml
INCIDENT_RESPONSE_PROCESS.md
THREAT_MODEL.md

```

```

+---bin

```

```

resolve

```

```

+---example

```

```

async.js
sync.js

```

```

+---lib

```

```

async.d.ts
async.js
caller.js
exports-resolve.js
get-exports-category.js
homedir.js
node-modules-paths.js
normalize-options.js
parse-package-specifier.js
select-most-restrictive.js
sync.d.ts
sync.js

```

```

\---test

```

```

default_paths.js
dotdot.js
exports.js
exports_sync.js
faulty_basedir.js
filter.js
filter_sync.js
homedir.js
home_paths.js

```

```

home_paths_sync.js
mock.js
mock_sync.js
module_dir.js
node-modules-paths.js
node_path.js
nonstring.js
pathfilter.js
pathfilter_sync.js
precedence.js
resolver.js
resolver_sync.js
shadowed_core.js
subdirs.js
symlinks.js

+---dotdot
|   index.js
|
\---abc
      index.js

+---module_dir
+---xmodules
|   \---aaa
|           index.js
|
+---ymodules
|   \---aaa
|           index.js
|
\---zmodules
    \---bbb
          main.js
          package.json

+---node_path
+---x
|   +---aaa
|       index.js
|   \---ccc
|       index.js
|
\---y
    +---bbb
        index.js
    \---ccc
        index.js

+---pathfilter
\---deep_ref
    main.js

+---precedence
|   aaa.js
|   bbb.js
|
+---aaa
|   index.js
|   main.js
|
\---bbb
    main.js

```



```

+---resolver
|   cup.coffee
|   foo.js
|   mug.coffee
|   mug.js
|
+---baz
|   doom.js
|   package.json
|   quux.js
|
+---browser_field
|   a.js
|   b.js
|   package.json
|
+---dot_main
|   index.js
|   package.json
|
+---dot_slash_main
|   index.js
|   package.json
|
+---empty_main
|   index.js
|   package.json
|
+---false_main
|   index.js
|   package.json
|
+---incorrect_main
|   index.js
|   package.json
|
+---invalid_main
|   package.json
|
+---missing_index
|   package.json
|
+---missing_main
|   index.js
|   package.json
|
+---multirepo
|   lerna.json
|   package.json
|   \---packages
|       +---package-a
|       |   index.js
|       |   package.json
|       |
|       \---package-b
|           index.js
|           package.json
|
+---nested_symlinks
|   \---mylib
|       async.js
|       package.json
|       sync.js

```

```
+---reusify
|      |      |
|      |      |  eslint.config.js
|      |      |  LICENSE
|      |      |  package.json
|      |      |  README.md
|      |      |  reusify.d.ts
|      |      |  reusify.js
|      |      |  SECURITY.md
|      |      |  test.js
|      |      |  tsconfig.json
```

```
|    dependabot.yml
|    \---workflows
|         ci.yml
|
|    \---benchmarks
|         createNoCodeFunction.js
|         fib.js
|         reuseNoCodeFunction.js
|
+---run-parallel
|    index.js
|    LICENSE
|    package.json
|    README.md
|
+---safe-array-concat
|    .eslintrc
|    .nycrc
|    CHANGELOG.md
|    index.d.ts
|    index.js
|    LICENSE
|    package.json
|    README.md
|    tsconfig.json
|
|    FUNDING.yml
|
|    \---test
|         index.js
|
+---safe-push-apply
|    .eslintrc
|    .nycrc
|    CHANGELOG.md
|    index.d.ts
|    index.js
|    LICENSE
|    package.json
|    README.md
|    tsconfig.json
|
|    FUNDING.yml
|
|    \---test
|         index.js
|
+---safe-regex-test
|    .eslintrc
|    .nycrc
|    CHANGELOG.md
|    index.d.ts
|    index.js
|    LICENSE
|    package.json
|    README.md
|    tsconfig.json
|
|    FUNDING.yml
|
|    \---test
|         index.js
```

```

+---scheduler
|   index.js
|   index.native.js
|   LICENSE
|   package.json
|   README.md
|   unstable_mock.js
|   unstable_post_task.js
|
|   \---cjs
|       scheduler-unstable_mock.development.js
|       scheduler-unstable_mock.production.js
|       scheduler-unstable_post_task.development.js
|       scheduler-unstable_post_task.production.js
|       scheduler.development.js
|       scheduler.native.development.js
|       scheduler.native.production.js
|       scheduler.production.js
|
+---semver
|   LICENSE
|   package.json
|   range.bnf
|   README.md
|   semver.js
|
|   \---bin
|       semver.js
|
+---set-function-length
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   env.d.ts
|   env.js
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|   FUNDING.yml
|
+---set-function-name
|   .eslintrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   package.json
|   README.md
|   tsconfig.json
|
|   FUNDING.yml
|
+---set-prototypeOf
|   .eslintrc
|   .nycrc
|   CHANGELOG.md
|   index.d.ts
|   index.js
|   LICENSE
|   Object.setPrototypeOf.d.ts
|   Object.setPrototypeOf.js

```

```

package.json
README.md
Reflect.setPrototypeOf.d.ts
Reflect.setPrototypeOf.js
tsconfig.json

```

```

    FUNDING.yml

```

```

\---test
    index.js

```

```

+---sharp
    LICENSE
    package.json
    README.md

```

```

+---install
    build.js
    check.js

```

```

+---lib
    channel.js
    colour.js
    composite.js
    constructor.js
    index.d.ts
    index.js
    input.js
    is.js
    libvips.js
    operation.js
    output.js
    resize.js
    sharp.js
    utility.js

```

```

+---.bin
    semver
    semver.cmd
    semver.ps1

```

```

\---semver
    index.js
    LICENSE
    package.json
    preload.js
    range.bnf
    README.md

```

```

+---bin
    semver.js

```

```

+---classes
    comparator.js
    index.js
    range.js
    semver.js

```

```

+---functions
    clean.js
    cmp.js
    coerce.js
    compare-build.js
    compare-loose.js
    compare.js

```

```

diff.js
eq.js
gt.js
gte.js
inc.js
lt.js
lte.js
major.js
minor.js
neq.js
parse.js
patch.js
prerelease.js
rcompare.js
rsort.js
satisfies.js
sort.js
truncate.js
valid.js

+---internal
|   constants.js
|   debug.js
|   identifiers.js
|   lruCache.js
|   parse-options.js
|   re.js
|
\---ranges
|   gtr.js
|   intersects.js
|   ltr.js
|   max-satisfying.js
|   min-satisfying.js
|   min-version.js
|   outside.js
|   simplify.js
|   subset.js
|   to-comparators.js
|   valid.js
|
\---src
|   binding.gyp
|   common.cc
|   common.h
|   metadata.cc
|   metadata.h
|   operations.cc
|   operations.h
|   pipeline.cc
|   pipeline.h
|   sharp.cc
|   stats.cc
|   stats.h
|   utilities.cc
|   utilities.h
|
+---shebang-command
|   index.js
|   license
|   package.json
|   readme.md
|
+---shebang-regex
|   index.d.ts

```

```

index.js
license
package.json
readme.md

```

#### +---side-channel

```

.editorconfig
.eslintrc
.nycrc
CHANGELOG.md
index.d.ts
index.js
LICENSE
package.json
README.md
tsconfig.json

FUNDING.yml

```

#### \---test

```

index.js

```

#### +---side-channel-list

```

.editorconfig
.eslintrc
.nycrc
CHANGELOG.md
index.d.ts
index.js
LICENSE
list.d.ts
package.json
README.md
tsconfig.json

FUNDING.yml

```

#### \---test

```

index.js

```

#### +---side-channel-map

```

.editorconfig
.eslintrc
.nycrc
CHANGELOG.md
index.d.ts
index.js
LICENSE
package.json
README.md
tsconfig.json

FUNDING.yml

```

#### \---test

```

index.js

```

#### +---side-channel-weakmap

```

.editorconfig
.eslintrc
.nycrc
CHANGELOG.md
index.d.ts
index.js
LICENSE

```

```

package.json
README.md
tsconfig.json

    FUNDING.yml
\---test
    index.js
+---source-map-js
    LICENSE
    package.json
    README.md
    source-map.d.ts
    source-map.js
\---lib
    array-set.js
    base64-vlq.js
    base64.js
    binary-search.js
    mapping-list.js
    quick-sort.js
    source-map-consumer.d.ts
    source-map-consumer.js
    source-map-generator.d.ts
    source-map-generator.js
    source-node.d.ts
    source-node.js
    util.js
+---stable-hash
    package.json
    README.md
\---dist
    index.d.ts
    index.js
    index.mjs
+---stop-iteration-iterator
    .eslintrc
    .nycrc
    CHANGELOG.md
    index.d.ts
    index.js
    LICENSE
    package.json
    README.md
    tsconfig.json

    FUNDING.yml
\---test
    index.js
+---string.prototype.includes
    .editorconfig
    .eslintrc
    .travis.yml
    auto.js
    implementation.js
    index.js
    LICENSE
    package.json

```



```

polyfill.js
README.md
shim.js

\---workflows
    node-aught.yml
    node-pretest.yml
    node-tens.yml
    publish-on-tag.yml
    rebase.yml
    require-allow-edits.yml

```

```

\---tests
    index.js
    shimmed.js
    tests.js

```

#### +++string.prototype.matchall

```

.editorconfig
.eslintrc
.nycrc
auto.js
CHANGELOG.md
implementation.js
index.js
LICENSE
package.json
polyfill-regexp-matchall.js
polyfill.js
README.md
regexp-matchall.js
shim.js

```

```

    FUNDING.yml

```

```

\---test
    index.js
    shimmed.js
    tests.js

```

#### +++string.prototype.repeat

```

.editorconfig
.travis.yml
auto.js
implementation.js
index.js
LICENSE-MIT.txt
package.json
polyfill.js
README.md
shim.js

```

```

\---tests
    index.js
    shimmed.js
    tests.js

```

#### +++string.prototype.trim

```

.editorconfig
.eslintrc
.nycrc
auto.js
CHANGELOG.md
implementation.js
index.js

```

```

    LICENSE
    package.json
    polyfill.js
    README.md
    shim.js
  \---test
    implementation.js
    index.js
    shimmed.js
    tests.js

+---string.prototype.trimend
  .editorconfig
  .eslintrc
  .nycrc
  auto.js
  CHANGELOG.md
  implementation.js
  index.js
  LICENSE
  package.json
  polyfill.js
  README.md
  shim.js
  \---test
    implementation.js
    index.js
    shimmed.js
    tests.js

+---string.prototype.trimstart
  .editorconfig
  .eslintrc
  .nycrc
  auto.js
  CHANGELOG.md
  implementation.js
  index.js
  LICENSE
  package.json
  polyfill.js
  README.md
  shim.js
  \---test
    implementation.js
    index.js
    shimmed.js
    tests.js

+---strip-bom
  index.js
  license
  package.json
  readme.md

+---strip-json-comments
  index.d.ts
  index.js
  license
  package.json
  readme.md

```

```

+---styled-jsx
|   babel-test.js
|   babel.js
|   css.d.ts
|   css.js
|   global.d.ts
|   index.d.ts
|   index.js
|   license.md
|   macro.d.ts
|   macro.js
|   package.json
|   readme.md
|   style.d.ts
|   style.js
|   webpack.js
|
+---dist
|   +---babel
|   |       index.js
|   |
|   +---index
|   |       index.js
|   |
|   \---webpack
|           index.js
|
\---lib
    style-transform.js
    stylesheet.js

+---supports-color
|   browser.js
|   index.js
|   license
|   package.json
|   readme.md
|
+---supports-preserve-symlinks-flag
|   .eslintrc
|   .nycrc
|   browser.js
|   CHANGELOG.md
|   index.js
|   LICENSE
|   package.json
|   README.md
|
|       FUNDING.yml
|
\---test
    index.js

+---swiper
|   LICENSE
|   package.json
|   README.md
|   swiper-bundle.css
|   swiper-bundle.js
|   swiper-bundle.min.css
|   swiper-bundle.min.js
|   swiper-bundle.min.js.map
|   swiper-bundle.min.mjs
|   swiper-bundle.min.mjs.map
|   swiper-bundle.mjs

```

```

swiper-effect-utils.d.ts
swiper-effect-utils.min.mjs
swiper-effect-utils.min.mjs.map
swiper-effect-utils.mjs
swiper-element-bundle.js
swiper-element-bundle.min.js
swiper-element-bundle.min.js.map
swiper-element-bundle.min.mjs
swiper-element-bundle.min.mjs.map
swiper-element-bundle.mjs
swiper-element.d.ts
swiper-element.js
swiper-element.min.js
swiper-element.min.js.map
swiper-element.min.mjs
swiper-element.min.mjs.map
swiper-element.mjs
swiper-react.d.ts
swiper-react.mjs
swiper-vue.d.ts
swiper-vue.mjs
swiper.css
swiper.css.d.ts
swiper.d.ts
swiper.js
swiper.min.css
swiper.min.js
swiper.min.js.map
swiper.min.mjs
swiper.min.mjs.map
swiper.mjs

```

#### +---modules

```

  a11y-element.css
  a11y-element.min.css
  a11y.css
  a11y.min.css
  a11y.min.mjs
  a11y.min.mjs.map
  a11y.mjs
  autoplay-element.css
  autoplay-element.min.css
  autoplay.css
  autoplay.min.css
  autoplay.min.mjs
  autoplay.min.mjs.map
  autoplay.mjs
  controller-element.css
  controller-element.min.css
  controller.css
  controller.min.css
  controller.min.mjs
  controller.min.mjs.map
  controller.mjs
  effect-cards-element.css
  effect-cards-element.min.css
  effect-cards.css
  effect-cards.min.css
  effect-cards.min.mjs
  effect-cards.min.mjs.map
  effect-cards.mjs
  effect-coverflow-element.css
  effect-coverflow-element.min.css
  effect-coverflow.css
  effect-coverflow.min.css

```

effect-coverflow.min.mjs  
effect-coverflow.min.mjs.map  
effect-coverflow.mjs  
effect-creative-element.css  
effect-creative-element.min.css  
effect-creative.css  
effect-creative.min.css  
effect-creative.min.mjs  
effect-creative.min.mjs.map  
effect-creative.mjs  
effect-cube-element.css  
effect-cube-element.min.css  
effect-cube.css  
effect-cube.min.css  
effect-cube.min.mjs  
effect-cube.min.mjs.map  
effect-cube.mjs  
effect-fade-element.css  
effect-fade-element.min.css  
effect-fade.css  
effect-fade.min.css  
effect-fade.min.mjs  
effect-fade.min.mjs.map  
effect-fade.mjs  
effect-flip-element.css  
effect-flip-element.min.css  
effect-flip.css  
effect-flip.min.css  
effect-flip.min.mjs  
effect-flip.min.mjs.map  
effect-flip.mjs  
free-mode-element.css  
free-mode-element.min.css  
free-mode.css  
free-mode.min.css  
free-mode.min.mjs  
free-mode.min.mjs.map  
free-mode.mjs  
grid-element.css  
grid-element.min.css  
grid.css  
grid.min.css  
grid.min.mjs  
grid.min.mjs.map  
grid.mjs  
hash-navigation-element.css  
hash-navigation-element.min.css  
hash-navigation.css  
hash-navigation.min.css  
hash-navigation.min.mjs  
hash-navigation.min.mjs.map  
hash-navigation.mjs  
history-element.css  
history-element.min.css  
history.css  
history.min.css  
history.min.mjs  
history.min.mjs.map  
history.mjs  
index.min.mjs  
index.min.mjs.map  
index.mjs  
keyboard-element.css  
keyboard-element.min.css  
keyboard.css

|  |  |  |                              |
|--|--|--|------------------------------|
|  |  |  | keyboard.min.css             |
|  |  |  | keyboard.min.mjs             |
|  |  |  | keyboard.min.mjs.map         |
|  |  |  | keyboard.mjs                 |
|  |  |  | manipulation-element.css     |
|  |  |  | manipulation-element.min.css |
|  |  |  | manipulation.css             |
|  |  |  | manipulation.min.css         |
|  |  |  | manipulation.min.mjs         |
|  |  |  | manipulation.min.mjs.map     |
|  |  |  | manipulation.mjs             |
|  |  |  | mousewheel-element.css       |
|  |  |  | mousewheel-element.min.css   |
|  |  |  | mousewheel.css               |
|  |  |  | mousewheel.min.css           |
|  |  |  | mousewheel.min.mjs           |
|  |  |  | mousewheel.min.mjs.map       |
|  |  |  | mousewheel.mjs               |
|  |  |  | navigation-element.css       |
|  |  |  | navigation-element.min.css   |
|  |  |  | navigation.css               |
|  |  |  | navigation.min.css           |
|  |  |  | navigation.min.mjs           |
|  |  |  | navigation.min.mjs.map       |
|  |  |  | navigation.mjs               |
|  |  |  | pagination-element.css       |
|  |  |  | pagination-element.min.css   |
|  |  |  | pagination.css               |
|  |  |  | pagination.min.css           |
|  |  |  | pagination.min.mjs           |
|  |  |  | pagination.min.mjs.map       |
|  |  |  | pagination.mjs               |
|  |  |  | parallax-element.css         |
|  |  |  | parallax-element.min.css     |
|  |  |  | parallax.css                 |
|  |  |  | parallax.min.css             |
|  |  |  | parallax.min.mjs             |
|  |  |  | parallax.min.mjs.map         |
|  |  |  | parallax.mjs                 |
|  |  |  | scrollbar-element.css        |
|  |  |  | scrollbar-element.min.css    |
|  |  |  | scrollbar.css                |
|  |  |  | scrollbar.min.css            |
|  |  |  | scrollbar.min.mjs            |
|  |  |  | scrollbar.min.mjs.map        |
|  |  |  | scrollbar.mjs                |
|  |  |  | thumbs-element.css           |
|  |  |  | thumbs-element.min.css       |
|  |  |  | thumbs.css                   |
|  |  |  | thumbs.min.css               |
|  |  |  | thumbs.min.mjs               |
|  |  |  | thumbs.min.mjs.map           |
|  |  |  | thumbs.mjs                   |
|  |  |  | virtual-element.css          |
|  |  |  | virtual-element.min.css      |
|  |  |  | virtual.css                  |
|  |  |  | virtual.min.css              |
|  |  |  | virtual.min.mjs              |
|  |  |  | virtual.min.mjs.map          |
|  |  |  | virtual.mjs                  |
|  |  |  | zoom-element.css             |
|  |  |  | zoom-element.min.css         |
|  |  |  | zoom.css                     |
|  |  |  | zoom.min.css                 |
|  |  |  | zoom.min.mjs                 |

```

zoom.min.mjs.map
zoom.mjs
+---shared
  classes-to-selector.min.mjs
  classes-to-selector.min.mjs.map
  classes-to-selector.mjs
  create-element-if-not-defined.min.mjs
  create-element-if-not-defined.min.mjs.map
  create-element-if-not-defined.mjs
  create-shadow.min.mjs
  create-shadow.min.mjs.map
  create-shadow.mjs
  effect-init.min.mjs
  effect-init.min.mjs.map
  effect-init.mjs
  effect-target.min.mjs
  effect-target.min.mjs.map
  effect-target.mjs
  effect-virtual-transition-end.min.mjs
  effect-virtual-transition-end.min.mjs.map
  effect-virtual-transition-end.mjs
  get-element-params.min.mjs
  get-element-params.min.mjs.map
  get-element-params.mjs
  ssr-window.esm.min.mjs
  ssr-window.esm.min.mjs.map
  ssr-window.esm.mjs
  swiper-core.min.mjs
  swiper-core.min.mjs.map
  swiper-core.mjs
  update-on-virtual-data.min.mjs
  update-on-virtual-data.min.mjs.map
  update-on-virtual-data.mjs
  update-swiper.min.mjs
  update-swiper.min.mjs.map
  update-swiper.mjs
  utils.min.mjs
  utils.min.mjs.map
  utils.mjs
\---types
  index.d.ts
  shared.d.ts
  swiper-class.d.ts
  swiper-events.d.ts
  swiper-options.d.ts
\---modules
  ally.d.ts
  autoplay.d.ts
  controller.d.ts
  effect-cards.d.ts
  effect-coverflow.d.ts
  effect-creative.d.ts
  effect-cube.d.ts
  effect-fade.d.ts
  effect-flip.d.ts
  free-mode.d.ts
  grid.d.ts
  hash-navigation.d.ts
  history.d.ts
  index.d.ts
  keyboard.d.ts
  manipulation.d.ts

```

```

mousewheel.d.ts
navigation.d.ts
pagination.d.ts
parallax.d.ts
scrollbar.d.ts
thumbs.d.ts
virtual.d.ts
zoom.d.ts

```

#### +++tailwindcss

```

index.css
LICENSE
package.json
preflight.css
README.md
theme.css
utilities.css

```

#### \---dist

```

chunk-4VTQOGRC.mjs
chunk-TDNFF6A4.mjs
chunk-X4GG3EDV.mjs
colors-C__qRT83.d.ts
colors.d.mts
colors.d.ts
colors.js
colors.mjs
default-theme.d.mts
default-theme.d.ts
default-theme.js
default-theme.mjs
flatten-color-palette.d.mts
flatten-color-palette.d.ts
flatten-color-palette.js
flatten-color-palette.mjs
lib.d.mts
lib.d.ts
lib.js
lib.mjs
plugin.d.mts
plugin.d.ts
plugin.js
plugin.mjs
resolve-config-B4yBzhca.d.ts
resolve-config-QUZ9b-Gn.d.mts
types-CJYAW1ql.d.mts

```

#### +++tapable

```

LICENSE
package.json
README.md
tapable.d.ts

```

#### \---lib

```

AsyncParallelBailHook.js
AsyncParallelHook.js
AsyncSeriesBailHook.js
AsyncSeriesHook.js
AsyncSeriesLoopHook.js
AsyncSeriesWaterfallHook.js
Hook.js
HookCodeFactory.js
HookMap.js
index.js
MultiHook.js

```



```

SyncBailHook.js
SyncHook.js
SyncLoopHook.js
SyncWaterfallHook.js
util-browser.js

```

## +---tinyglobby

```

LICENSE
package.json
README.md

```

## +---dist

```

index.cjs
index.d.cts
index.d.mts
index.mjs

```

## +---fdir

```

LICENSE
package.json
README.md

```

## \---dist

```

index.cjs
index.d.cts
index.d.mts
index.mjs

```

## \---picomatch

```

index.js
LICENSE
package.json
posix.js
README.md

```

## \---lib

```

constants.js
parse.js
picomatch.js
scan.js
utils.js

```

## +---to-regex-range

```

index.js
LICENSE
package.json
README.md

```

## +---ts-api-utils

```

LICENSE.md
package.json
README.md

```

## \---lib

```

index.cjs
index.d.cts
index.d.ts
index.js

```

## +---tsconfig-paths

```

CHANGELOG.md
LICENSE
package.json
README.md
register.js

```

## +---lib

```

config-loader.d.ts
config-loader.js
config-loader.js.map
filesystem.d.ts
filesystem.js
filesystem.js.map
index.d.ts
index.js
index.js.map
mapping-entry.d.ts
mapping-entry.js
mapping-entry.js.map
match-path-async.d.ts
match-path-async.js
match-path-async.js.map
match-path-sync.d.ts
match-path-sync.js
match-path-sync.js.map
options.d.ts
options.js
options.js.map
register.d.ts
register.js
register.js.map
try-path.d.ts
try-path.js
try-path.js.map
tsconfig-loader.d.ts
tsconfig-loader.js
tsconfig-loader.js.map

```

## \---\_tests\_

```

config-loader.test.d.ts
config-loader.test.js
config-loader.test.js.map
filesystem.test.d.ts
filesystem.test.js
filesystem.test.js.map
mapping-entry.test.d.ts
mapping-entry.test.js
mapping-entry.test.js.map
match-path-async.test.d.ts
match-path-async.test.js
match-path-async.test.js.map
match-path-sync.test.d.ts
match-path-sync.test.js
match-path-sync.test.js.map
try-path.test.d.ts
try-path.test.js
try-path.test.js.map
tsconfig-loader.test.d.ts
tsconfig-loader.test.js
tsconfig-loader.test.js.map

```

## \---data

```

match-path-data.d.ts
match-path-data.js
match-path-data.js.map

```

## +---.bin

```

json5
json5.cmd
json5.ps1

```

```

|
| \---json5
|   | LICENSE.md
|   | package.json
|   | README.md
|   |
|   +---dist
|   |   index.js
|   |
|   \---lib
|         cli.js
|         index.js
|         parse.js
|         register.js
|         require.js
|         stringify.js
|         unicode.js
|         util.js
|
| \---src
|   | config-loader.ts
|   | filesystem.ts
|   | index.ts
|   | mapping-entry.ts
|   | match-path-async.ts
|   | match-path-sync.ts
|   | options.ts
|   | register.ts
|   | try-path.ts
|   | tsconfig-loader.ts
|   |
|   \---_tests_
|         | config-loader.test.ts
|         | filesystem.test.ts
|         | mapping-entry.test.ts
|         | match-path-async.test.ts
|         | match-path-sync.test.ts
|         | try-path.test.ts
|         | tsconfig-loader.test.ts
|         | tsconfig-named.json
|         |
|         \---data
|               match-path-data.ts
|
+---tslib
|   | CopyrightNotice.txt
|   | LICENSE.txt
|   | package.json
|   | README.md
|   | SECURITY.md
|   | tslib.d.ts
|   | tslib.es6.html
|   | tslib.es6.js
|   | tslib.es6.mjs
|   | tslib.html
|   | tslib.js
|   |
|   \---modules
|         | index.d.ts
|         | index.js
|         | package.json
|
+---type-check
|   | LICENSE
|   | package.json

```

README.md

\---lib

check.js  
index.js  
parse-type.js

+---typed-array-buffer

.eslintrc  
.nycrc  
CHANGELOG.md  
index.d.ts  
index.js  
LICENSE  
package.json  
README.md  
tsconfig.json  
  
FUNDING.yml

\---test

index.js

+---typed-array-byte-length

.eslintrc  
.nycrc  
CHANGELOG.md  
index.d.ts  
index.js  
LICENSE  
package.json  
README.md  
tsconfig.json  
  
FUNDING.yml

\---test

index.js

+---typed-array-byte-offset

.eslintrc  
.nycrc  
CHANGELOG.md  
index.d.ts  
index.js  
LICENSE  
package.json  
README.md  
tsconfig.json  
  
FUNDING.yml

\---test

index.js

+---typed-array-length

.eslintrc  
.nycrc  
CHANGELOG.md  
index.d.ts  
index.js  
LICENSE  
package.json  
README.md  
tsconfig.json

```

      FUNDING.yml
    \---test
      index.js
+---typescript
    LICENSE.txt
    package.json
    README.md
    SECURITY.md
    ThirdPartyNoticeText.txt
+---bin
    tsc
    tsserver
\---lib
    lib.d.ts
    lib.decorators.d.ts
    lib.decorators.legacy.d.ts
    lib.dom.asynciterable.d.ts
    lib.dom.d.ts
    lib.dom.iterable.d.ts
    lib.es2015.collection.d.ts
    lib.es2015.core.d.ts
    lib.es2015.d.ts
    lib.es2015.generator.d.ts
    lib.es2015.iterable.d.ts
    lib.es2015.promise.d.ts
    lib.es2015.proxy.d.ts
    lib.es2015.reflect.d.ts
    lib.es2015.symbol.d.ts
    lib.es2015.symbol.wellknown.d.ts
    lib.es2016.array.include.d.ts
    lib.es2016.d.ts
    lib.es2016.full.d.ts
    lib.es2016.intl.d.ts
    lib.es2017.arraybuffer.d.ts
    lib.es2017.d.ts
    lib.es2017.date.d.ts
    lib.es2017.full.d.ts
    lib.es2017.intl.d.ts
    lib.es2017.object.d.ts
    lib.es2017.sharedmemory.d.ts
    lib.es2017.string.d.ts
    lib.es2017.typedarrays.d.ts
    lib.es2018.asyncgenerator.d.ts
    lib.es2018.asynciterable.d.ts
    lib.es2018.d.ts
    lib.es2018.full.d.ts
    lib.es2018.intl.d.ts
    lib.es2018.promise.d.ts
    lib.es2018.regexp.d.ts
    lib.es2019.array.d.ts
    lib.es2019.d.ts
    lib.es2019.full.d.ts
    lib.es2019.intl.d.ts
    lib.es2019.object.d.ts
    lib.es2019.string.d.ts
    lib.es2019.symbol.d.ts
    lib.es2020.bigint.d.ts
    lib.es2020.d.ts
    lib.es2020.date.d.ts
    lib.es2020.full.d.ts

```

lib.es2020.intl.d.ts  
lib.es2020.number.d.ts  
lib.es2020.promise.d.ts  
lib.es2020.sharedmemory.d.ts  
lib.es2020.string.d.ts  
lib.es2020.symbol.wellknown.d.ts  
lib.es2021.d.ts  
lib.es2021.full.d.ts  
lib.es2021.intl.d.ts  
lib.es2021.promise.d.ts  
lib.es2021.string.d.ts  
lib.es2021.weakref.d.ts  
lib.es2022.array.d.ts  
lib.es2022.d.ts  
lib.es2022.error.d.ts  
lib.es2022.full.d.ts  
lib.es2022.intl.d.ts  
lib.es2022.object.d.ts  
lib.es2022.regex.d.ts  
lib.es2022.string.d.ts  
lib.es2023.array.d.ts  
lib.es2023.collection.d.ts  
lib.es2023.d.ts  
lib.es2023.full.d.ts  
lib.es2023.intl.d.ts  
lib.es2024.arraybuffer.d.ts  
lib.es2024.collection.d.ts  
lib.es2024.d.ts  
lib.es2024.full.d.ts  
lib.es2024.object.d.ts  
lib.es2024.promise.d.ts  
lib.es2024.regex.d.ts  
lib.es2024.sharedmemory.d.ts  
lib.es2024.string.d.ts  
lib.es5.d.ts  
lib.es6.d.ts  
lib.esnext.array.d.ts  
lib.esnext.collection.d.ts  
lib.esnext.d.ts  
lib.esnext.decorators.d.ts  
lib.esnext.disposable.d.ts  
lib.esnext.error.d.ts  
lib.esnext.float16.d.ts  
lib.esnext.full.d.ts  
lib.esnext.intl.d.ts  
lib.esnext.iterator.d.ts  
lib.esnext.promise.d.ts  
lib.esnext.sharedmemory.d.ts  
lib.scripthost.d.ts  
lib.webworker.asynciterable.d.ts  
lib.webworker.d.ts  
lib.webworker.importscripts.d.ts  
lib.webworker.iterable.d.ts  
tsc.js  
tsserver.js  
tsserverlibrary.d.ts  
tsserverlibrary.js  
typescript.d.ts  
typescript.js  
typesMap.json  
typingsInstaller.js  
watchGuard.js  
\_tsc.js  
\_tsserver.js  
\_typingsInstaller.js

575/819

FUNDING.yml

index.js

```
webidl.d.ts
websocket.d.ts
```

README.md

LICENSE  
package.json



```

    README.md
    utils.js

+---uri-js
|   LICENSE
|   package.json
|   README.md
|   yarn.lock
|
|   \---dist
|       +---es5
|           uri.all.d.ts
|           uri.all.js
|           uri.all.js.map
|           uri.all.min.d.ts
|           uri.all.min.js
|           uri.all.min.js.map
|
|       \---esnext
|           index.d.ts
|           index.js
|           index.js.map
|           regexps-iri.d.ts
|           regexps-iri.js
|           regexps-iri.js.map
|           regexps-uri.d.ts
|           regexps-uri.js
|           regexps-uri.js.map
|           uri.d.ts
|           uri.js
|           uri.js.map
|           util.d.ts
|           util.js
|           util.js.map
|
|       \---schemes
|           http.d.ts
|           http.js
|           http.js.map
|           https.d.ts
|           https.js
|           https.js.map
|           mailto.d.ts
|           mailto.js
|           mailto.js.map
|           urn-uuid.d.ts
|           urn-uuid.js
|           urn-uuid.js.map
|           urn.d.ts
|           urn.js
|           urn.js.map
|           ws.d.ts
|           ws.js
|           ws.js.map
|           wss.d.ts
|           wss.js
|           wss.js.map
|
+---which
|   CHANGELOG.md
|   LICENSE
|   package.json
|   README.md
|   which.js

```

```

| | | | \---bin
| | | |     node-which
|
| | | | +---which-boxed-primitive
| | | | | .editorconfig
| | | | | .eslintrc
| | | | | .nycrc
| | | | | CHANGELOG.md
| | | | | index.d.ts
| | | | | index.js
| | | | | LICENSE
| | | | | package.json
| | | | | README.md
| | | | | tsconfig.json
| | | |
| | | |     FUNDING.yml
| | | |
| | | | \---test
| | | |     index.js
|
| | | | +---which-builtin-type
| | | | | .eslintrc
| | | | | .nycrc
| | | | | CHANGELOG.md
| | | | | index.d.ts
| | | | | index.js
| | | | | LICENSE
| | | | | package.json
| | | | | README.md
| | | | | tsconfig.json
| | | |
| | | | \---test
| | | |     index.js
|
| | | | +---which-collection
| | | | | .eslintrc
| | | | | .nycrc
| | | | | CHANGELOG.md
| | | | | index.d.ts
| | | | | index.js
| | | | | LICENSE
| | | | | package.json
| | | | | README.md
| | | | | tsconfig.json
| | | |
| | | |     FUNDING.yml
| | | |
| | | | \---test
| | | |     index.js
|
| | | | +---which-typed-array
| | | | | .editorconfig
| | | | | .eslintrc
| | | | | .nycrc
| | | | | CHANGELOG.md
| | | | | index.d.ts
| | | | | index.js
| | | | | LICENSE
| | | | | package.json
| | | | | README.md
| | | | | tsconfig.json
| | | |
| | | |     FUNDING.yml
| | | |
| | | | \---test

```

index.js

+---word-wrap

- index.d.ts
- index.js
- LICENSE
- package.json
- README.md

+---yallist

- iterator.js
- LICENSE
- package.json
- README.md
- yallist.js

+---yocto-queue

- index.d.ts
- index.js
- license
- package.json
- readme.md

+---zod

- index.cjs
- index.d.cts
- index.d.ts
- index.js
- LICENSE
- package.json
- README.md

+---locales

- index.cjs
- index.d.cts
- index.d.ts
- index.js
- package.json

+---mini

- index.cjs
- index.d.cts
- index.d.ts
- index.js
- package.json

+---src

- index.ts

+---locales

- index.ts

+---mini

- index.ts

+---v3

- errors.ts
- external.ts
- index.ts
- standard-schema.ts
- types.ts
- ZodError.ts

+---benchmarks

- datetime.ts

```

discriminatedUnion.ts
index.ts
ipv4.ts
object.ts
primitives.ts
realworld.ts
string.ts
union.ts

+---helpers
|   enumUtil.ts
|   errorUtil.ts
|   parseUtil.ts
|   partialUtil.ts
|   typeAliases.ts
|   util.ts
+---locales
|   en.ts
+---tests
|   all-errors.test.ts
|   anyunknown.test.ts
|   array.test.ts
|   async-parsing.test.ts
|   async-refinements.test.ts
|   base.test.ts
|   bigint.test.ts
|   branded.test.ts
|   catch.test.ts
|   coerce.test.ts
|   complex.test.ts
|   custom.test.ts
|   date.test.ts
|   deepmasking.test.ts
|   default.test.ts
|   description.test.ts
|   discriminated-unions.test.ts
|   enum.test.ts
|   error.test.ts
|   firstparty.test.ts
|   firstpartyschematypes.test.ts
|   function.test.ts
|   generics.test.ts
|   instanceof.test.ts
|   intersection.test.ts
|   language-server.source.ts
|   language-server.test.ts
|   literal.test.ts
|   map.test.ts
|   masking.test.ts
|   mocker.test.ts
|   Mocker.ts
|   nan.test.ts
|   nativeEnum.test.ts
|   nullable.test.ts
|   number.test.ts
|   object-augmentation.test.ts
|   object-in-es5-env.test.ts
|   object.test.ts
|   optional.test.ts
|   parser.test.ts
|   parseUtil.test.ts
|   partials.test.ts
|   pickomit.test.ts

```

```

pipeline.test.ts
preprocess.test.ts
primitive.test.ts
promise.test.ts
readonly.test.ts
record.test.ts
recursive.test.ts
refine.test.ts
safeparse.test.ts
set.test.ts
standard-schema.test.ts
string.test.ts
transformer.test.ts
tuple.test.ts
unions.test.ts
validations.test.ts
void.test.ts

```

```

+---v4

```

```

|   index.ts

```

```

+---classic

```

```

|   checks.ts
|   coerce.ts
|   compat.ts
|   errors.ts
|   external.ts
|   from-json-schema.ts
|   index.ts
|   iso.ts
|   parse.ts
|   schemas.ts

```

```

\---tests

```

```

    anyunknown.test.ts
    apply.test.ts
    array.test.ts
    assignability.test.ts
    async-parsing.test.ts
    async-refinements.test.ts
    base.test.ts
    bigint.test.ts
    brand.test.ts
    catch.test.ts
    coalesce.test.ts
    codec-examples.test.ts
    codec.test.ts
    coerce.test.ts
    continuability.test.ts
    custom.test.ts
    date.test.ts
    datetime.test.ts
    default.test.ts
    describe-meta-checks.test.ts
    description.test.ts
    detached-methods.test.ts
    discriminated-unions.test.ts
    enum.test.ts
    error-utils.test.ts
    error.test.ts
    file.test.ts
    firstparty.test.ts
    fix-json-issue.test.ts
    from-json-schema.test.ts
    function.test.ts

```

```

generics.test.ts
global-config.test.ts
hash.test.ts
index.test.ts
instanceof.test.ts
intersection.test.ts
jitless-allows-eval.test.ts
json.test.ts
lazy.test.ts
literal.test.ts
locales_ka.test.ts
locales_ro.test.ts
map.test.ts
nan.test.ts
nested-refine.test.ts
nonoptional.test.ts
nullable.test.ts
number.test.ts
object.test.ts
optional.test.ts
partial.test.ts
pickomit.test.ts
pipe.test.ts
prefault.test.ts
preprocess-types.test.ts
preprocess.test.ts
primitive.test.ts
promise.test.ts
prototypes.test.ts
readonly.test.ts
record.test.ts
recursive-types.test.ts
refine.test.ts
registries.test.ts
set.test.ts
standard-schema.test.ts
string-formats.test.ts
string.test.ts
stringbool.test.ts
template-literal.test.ts
to-json-schema-methods.test.ts
to-json-schema.test.ts
transform.test.ts
tuple.test.ts
union.test.ts
url.test.ts
validations.test.ts
void.test.ts

```

```

+---core

```

```

api.ts
checks.ts
config.ts
core.ts
doc.ts
errors.ts
index.ts
json-schema-generator.ts
json-schema-processors.ts
json-schema.ts
parse.ts
regexes.ts
registries.ts
schemas.ts
standard-schema.ts

```

-----local

```

sl.ts
sv.ts
ta.ts
th.ts
tr.ts
ua.ts
uk.ts
ur.ts
uz.ts
vi.ts
yo.ts
zh-CN.ts
zh-TW.ts
\---mini
|   checks.ts
|   coerce.ts
|   external.ts
|   index.ts
|   iso.ts
|   parse.ts
|   schemas.ts
\---tests
      apply.test.ts
      assignability.test.ts
      brand.test.ts
      checks.test.ts
      codec.test.ts
      computed.test.ts
      error.test.ts
      functions.test.ts
      index.test.ts
      number.test.ts
      object.test.ts
      prototypes.test.ts
      recursive-types.test.ts
      standard-schema.test.ts
      string.test.ts
-v4-mini
  index.ts

errors.cjs
errors.d.cts
errors.d.ts
errors.js
external.cjs
external.d.cts
external.d.ts
external.js
index.cjs
index.d.cts
index.d.ts
index.js
package.json
standard-schema.cjs
standard-schema.d.cts
standard-schema.d.ts
standard-schema.js
types.cjs
types.d.cts
types.d.ts
types.js

```



```

ZodError.cjs
ZodError.d.cts
ZodError.d.ts
ZodError.js

+---helpers
  enumUtil.cjs
  enumUtil.d.cts
  enumUtil.d.ts
  enumUtil.js
  errorUtil.cjs
  errorUtil.d.cts
  errorUtil.d.ts
  errorUtil.js
  parseUtil.cjs
  parseUtil.d.cts
  parseUtil.d.ts
  parseUtil.js
  partialUtil.cjs
  partialUtil.d.cts
  partialUtil.d.ts
  partialUtil.js
  typeAliases.cjs
  typeAliases.d.cts
  typeAliases.d.ts
  typeAliases.js
  util.cjs
  util.d.cts
  util.d.ts
  util.js

\---locales
  en.cjs
  en.d.cts
  en.d.ts
  en.js

+---v4
  index.cjs
  index.d.cts
  index.d.ts
  index.js
  package.json

+---classic
  checks.cjs
  checks.d.cts
  checks.d.ts
  checks.js
  coerce.cjs
  coerce.d.cts
  coerce.d.ts
  coerce.js
  compat.cjs
  compat.d.cts
  compat.d.ts
  compat.js
  errors.cjs
  errors.d.cts
  errors.d.ts
  errors.js
  external.cjs
  external.d.cts
  external.d.ts
  external.js

```

```
from-json-schema.cjs
from-json-schema.d.cts
from-json-schema.d.ts
from-json-schema.js
index.cjs
index.d.cts
index.d.ts
index.js
iso.cjs
iso.d.cts
iso.d.ts
iso.js
package.json
parse.cjs
parse.d.cts
parse.d.ts
parse.js
schemas.cjs
schemas.d.cts
schemas.d.ts
schemas.js
```

+---core

```
api.cjs
api.d.cts
api.d.ts
api.js
checks.cjs
checks.d.cts
checks.d.ts
checks.js
core.cjs
core.d.cts
core.d.ts
core.js
doc.cjs
doc.d.cts
doc.d.ts
doc.js
errors.cjs
errors.d.cts
errors.d.ts
errors.js
index.cjs
index.d.cts
index.d.ts
index.js
json-schema-generator.cjs
json-schema-generator.d.cts
json-schema-generator.d.ts
json-schema-generator.js
json-schema-processors.cjs
json-schema-processors.d.cts
json-schema-processors.d.ts
json-schema-processors.js
json-schema.cjs
json-schema.d.cts
json-schema.d.ts
json-schema.js
package.json
parse.cjs
parse.d.cts
parse.d.ts
parse.js
regexes.cjs
```

```
regexes.d.cts
regexes.d.ts
regexes.js
registries.cjs
registries.d.cts
registries.d.ts
registries.js
schemas.cjs
schemas.d.cts
schemas.d.ts
schemas.js
standard-schema.cjs
standard-schema.d.cts
standard-schema.d.ts
standard-schema.js
to-json-schema.cjs
to-json-schema.d.cts
to-json-schema.d.ts
to-json-schema.js
util.cjs
util.d.cts
util.d.ts
util.js
versions.cjs
versions.d.cts
versions.d.ts
versions.js
```

+---locales

```
ar.cjs
ar.d.cts
ar.d.ts
ar.js
az.cjs
az.d.cts
az.d.ts
az.js
be.cjs
be.d.cts
be.d.ts
be.js
bg.cjs
bg.d.cts
bg.d.ts
bg.js
ca.cjs
ca.d.cts
ca.d.ts
ca.js
cs.cjs
cs.d.cts
cs.d.ts
cs.js
da.cjs
da.d.cts
da.d.ts
da.js
de.cjs
de.d.cts
de.d.ts
de.js
el.cjs
el.d.cts
el.d.ts
el.js
```

|  |  |  |  |             |
|--|--|--|--|-------------|
|  |  |  |  | en.cjs      |
|  |  |  |  | en.d.cts    |
|  |  |  |  | en.d.ts     |
|  |  |  |  | en.js       |
|  |  |  |  | eo.cjs      |
|  |  |  |  | eo.d.cts    |
|  |  |  |  | eo.d.ts     |
|  |  |  |  | eo.js       |
|  |  |  |  | es.cjs      |
|  |  |  |  | es.d.cts    |
|  |  |  |  | es.d.ts     |
|  |  |  |  | es.js       |
|  |  |  |  | fa.cjs      |
|  |  |  |  | fa.d.cts    |
|  |  |  |  | fa.d.ts     |
|  |  |  |  | fa.js       |
|  |  |  |  | fi.cjs      |
|  |  |  |  | fi.d.cts    |
|  |  |  |  | fi.d.ts     |
|  |  |  |  | fi.js       |
|  |  |  |  | fr-CA.cjs   |
|  |  |  |  | fr-CA.d.cts |
|  |  |  |  | fr-CA.d.ts  |
|  |  |  |  | fr-CA.js    |
|  |  |  |  | fr.cjs      |
|  |  |  |  | fr.d.cts    |
|  |  |  |  | fr.d.ts     |
|  |  |  |  | fr.js       |
|  |  |  |  | he.cjs      |
|  |  |  |  | he.d.cts    |
|  |  |  |  | he.d.ts     |
|  |  |  |  | he.js       |
|  |  |  |  | hr.cjs      |
|  |  |  |  | hr.d.cts    |
|  |  |  |  | hr.d.ts     |
|  |  |  |  | hr.js       |
|  |  |  |  | hu.cjs      |
|  |  |  |  | hu.d.cts    |
|  |  |  |  | hu.d.ts     |
|  |  |  |  | hu.js       |
|  |  |  |  | hy.cjs      |
|  |  |  |  | hy.d.cts    |
|  |  |  |  | hy.d.ts     |
|  |  |  |  | hy.js       |
|  |  |  |  | id.cjs      |
|  |  |  |  | id.d.cts    |
|  |  |  |  | id.d.ts     |
|  |  |  |  | id.js       |
|  |  |  |  | index.cjs   |
|  |  |  |  | index.d.cts |
|  |  |  |  | index.d.ts  |
|  |  |  |  | index.js    |
|  |  |  |  | is.cjs      |
|  |  |  |  | is.d.cts    |
|  |  |  |  | is.d.ts     |
|  |  |  |  | is.js       |
|  |  |  |  | it.cjs      |
|  |  |  |  | it.d.cts    |
|  |  |  |  | it.d.ts     |
|  |  |  |  | it.js       |
|  |  |  |  | ja.cjs      |
|  |  |  |  | ja.d.cts    |
|  |  |  |  | ja.d.ts     |
|  |  |  |  | ja.js       |
|  |  |  |  | ka.cjs      |

|  |  |  |  |              |
|--|--|--|--|--------------|
|  |  |  |  | ka.d.cts     |
|  |  |  |  | ka.d.ts      |
|  |  |  |  | ka.js        |
|  |  |  |  | kh.cjs       |
|  |  |  |  | kh.d.cts     |
|  |  |  |  | kh.d.ts      |
|  |  |  |  | kh.js        |
|  |  |  |  | km.cjs       |
|  |  |  |  | km.d.cts     |
|  |  |  |  | km.d.ts      |
|  |  |  |  | km.js        |
|  |  |  |  | ko.cjs       |
|  |  |  |  | ko.d.cts     |
|  |  |  |  | ko.d.ts      |
|  |  |  |  | ko.js        |
|  |  |  |  | lt.cjs       |
|  |  |  |  | lt.d.cts     |
|  |  |  |  | lt.d.ts      |
|  |  |  |  | lt.js        |
|  |  |  |  | mk.cjs       |
|  |  |  |  | mk.d.cts     |
|  |  |  |  | mk.d.ts      |
|  |  |  |  | mk.js        |
|  |  |  |  | ms.cjs       |
|  |  |  |  | ms.d.cts     |
|  |  |  |  | ms.d.ts      |
|  |  |  |  | ms.js        |
|  |  |  |  | nl.cjs       |
|  |  |  |  | nl.d.cts     |
|  |  |  |  | nl.d.ts      |
|  |  |  |  | nl.js        |
|  |  |  |  | no.cjs       |
|  |  |  |  | no.d.cts     |
|  |  |  |  | no.d.ts      |
|  |  |  |  | no.js        |
|  |  |  |  | ota.cjs      |
|  |  |  |  | ota.d.cts    |
|  |  |  |  | ota.d.ts     |
|  |  |  |  | ota.js       |
|  |  |  |  | package.json |
|  |  |  |  | pl.cjs       |
|  |  |  |  | pl.d.cts     |
|  |  |  |  | pl.d.ts      |
|  |  |  |  | pl.js        |
|  |  |  |  | ps.cjs       |
|  |  |  |  | ps.d.cts     |
|  |  |  |  | ps.d.ts      |
|  |  |  |  | ps.js        |
|  |  |  |  | pt.cjs       |
|  |  |  |  | pt.d.cts     |
|  |  |  |  | pt.d.ts      |
|  |  |  |  | pt.js        |
|  |  |  |  | ro.cjs       |
|  |  |  |  | ro.d.cts     |
|  |  |  |  | ro.d.ts      |
|  |  |  |  | ro.js        |
|  |  |  |  | ru.cjs       |
|  |  |  |  | ru.d.cts     |
|  |  |  |  | ru.d.ts      |
|  |  |  |  | ru.js        |
|  |  |  |  | sl.cjs       |
|  |  |  |  | sl.d.cts     |
|  |  |  |  | sl.d.ts      |
|  |  |  |  | sl.js        |
|  |  |  |  | sv.cjs       |

sv.d.cts  
sv.d.ts  
sv.js  
ta.cjs  
ta.d.cts  
ta.d.ts  
ta.js  
th.cjs  
th.d.cts  
th.d.ts  
th.js  
tr.cjs  
tr.d.cts  
tr.d.ts  
tr.js  
ua.cjs  
ua.d.cts  
ua.d.ts  
ua.js  
uk.cjs  
uk.d.cts  
uk.d.ts  
uk.js  
ur.cjs  
ur.d.cts  
ur.d.ts  
ur.js  
uz.cjs  
uz.d.cts  
uz.d.ts  
uz.js  
vi.cjs  
vi.d.cts  
vi.d.ts  
vi.js  
yo.cjs  
yo.d.cts  
yo.d.ts  
yo.js  
zh-CN.cjs  
zh-CN.d.cts  
zh-CN.d.ts  
zh-CN.js  
zh-TW.cjs  
zh-TW.d.cts  
zh-TW.d.ts  
zh-TW.js

\---mini

checks.cjs  
checks.d.cts  
checks.d.ts  
checks.js  
coerce.cjs  
coerce.d.cts  
coerce.d.ts  
coerce.js  
external.cjs  
external.d.cts  
external.d.ts  
external.js  
index.cjs  
index.d.cts  
index.d.ts  
index.js

```

iso.cjs
iso.d.cts
iso.d.ts
iso.js
package.json
parse.cjs
parse.d.cts
parse.d.ts
parse.js
schemas.cjs
schemas.d.cts
schemas.d.ts
schemas.js

\---v4-mini
  index.cjs
  index.d.cts
  index.d.ts
  index.js
  package.json

\---zod-validation-error
  LICENSE
  package.json
  README.md
  README.v3.md

+---v3
  index.d.mts
  index.d.ts
  index.js
  index.js.map
  index.mjs
  index.mjs.map

\---v4
  index.d.mts
  index.d.ts
  index.js
  index.js.map
  index.mjs
  index.mjs.map

file.svg
globe.svg
next.svg
nuevo_dc.svg
vercel.svg
window.svg

\---services

```

```

=====
CONTENIDO DE LOS ARCHIVOS
=====

```

```

=== ARCHIVO: \AGENTS.md ===
<!-- BEGIN:nextjs-agent-rules -->
# This is NOT the Next.js you know

```

This version has breaking changes – APIs, conventions, and file structure may all differ from your training data. Read the relevant guide in `node\_modules/next/dist/docs/` before writing any code. Heed deprecation notices.

```

<!-- END:nextjs-agent-rules -->

```

```
=== ARCHIVO: \CLAUDE.md ===
@AGENTS.md
```

```
=== ARCHIVO: \CONTRIBUTING.md ===
# Contribuir al repositorio
```

Por favor sigue estas reglas al crear commits en este repositorio:

- Escribe los mensajes de commit en español.
- El título debe ser una línea breve en español.
- Añade una descripción que explique los cambios realizados y por qué se hicieron.

Ejemplo de mensaje de commit:

Resumen breve en español (una línea)

Descripción:

- Cambios: Se modificó `components/Hero.tsx` para corregir un error de hook.
- Por qué: Evitar warnings de ESLint y mejorar la estabilidad del carousel.

Hemos añadido hooks Git que insertan una plantilla en español automáticamente y validan que el mensaje contenga una explicación en español.

```
=== ARCHIVO: \dinco_catalogo_estructura.svg ===
<svg width="100%" viewBox="0 0 680 1080" role="img" style="" xmlns="http://www.w3.org/2000/svg">
  <title style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Estructura del catálogo de propiedades DINCO</title>
  <desc style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Flujo completo desde la portada de región hasta el cierre de
negociación</desc>
  <defs>
    <marker id="arrow" viewBox="0 0 10 10" refX="8" refY="5" markerWidth="6" markerHeight="6"
orient="auto-start-reverse">
      <path d="M2 1L8 5L2 9" fill="none" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
    </marker>
    <mask id="image-text-gaps-15x9t1" maskUnits="userSpaceOnUse"><rect x="0" y="0" width="680"
height="1080" fill="white"/><rect x="190.0812530517578" y="6" width="299.86376953125"
height="19.199999809265137" fill="black" rx="2"/><rect x="183.1374969482422" y="38.400001525878906"
width="313.7250061035156" height="21.600000381469727" fill="black" rx="2"/><rect x="139.625" y="58"
width="400.99365234375" height="19.199999809265137" fill="black" rx="2"/><rect x="167.33750915527344"
y="76" width="345.34967041015625" height="19.199999809265137" fill="black" rx="2"/><rect
x="249.21875" y="132.40000915527344" width="182.1748046875" height="21.600000381469727" fill="black"
rx="2"/><rect x="117.7874984741211" y="152" width="444.6315002441406" height="19.199999809265137"
fill="black" rx="2"/><rect x="118.88750457763672" y="168" width="442.4235534667969"
height="19.199999809265137" fill="black" rx="2"/><rect x="56.90625" y="218.40000915527344"
width="135.6248779296875" height="21.600000381469727" fill="black" rx="2"/><rect
x="71.01875305175781" y="238" width="108.9979019165039" height="19.199999809265137" fill="black"
rx="2"/><rect x="50.73125076293945" y="254" width="148.78387451171875" height="19.199999809265137"
fill="black" rx="2"/><rect x="63.55000305175781" y="270" width="123.54192352294922"
height="19.199999809265137" fill="black" rx="2"/><rect x="292.6875" y="218.40000915527344"
width="94.06591796875" height="21.600000381469727" fill="black" rx="2"/><rect x="271.6625061035156"
y="238" width="137.70791625976562" height="19.199999809265137" fill="black" rx="2"/><rect
x="280.2687683105469" y="254" width="120.22590637207031" height="19.199999809265137" fill="black"
rx="2"/><rect x="275.5812683105469" y="270" width="128.869873046875" height="19.199999809265137"
fill="black" rx="2"/><rect x="503.3125" y="218.40000915527344" width="102.81591796875"
height="19.199999809265137" fill="black" rx="2"/></mask>
  </defs>
  <rect x="0" y="0" width="680" height="1080" fill="white" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="190.0812530517578" y="6" width="299.86376953125" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="183.1374969482422" y="38.400001525878906" width="313.7250061035156" height="21.600000381469727" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="139.625" y="58" width="400.99365234375" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="167.33750915527344" y="76" width="345.34967041015625" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="249.21875" y="132.40000915527344" width="182.1748046875" height="21.600000381469727" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="117.7874984741211" y="152" width="444.6315002441406" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="118.88750457763672" y="168" width="442.4235534667969" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="56.90625" y="218.40000915527344" width="135.6248779296875" height="21.600000381469727" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="71.01875305175781" y="238" width="108.9979019165039" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="50.73125076293945" y="254" width="148.78387451171875" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="63.55000305175781" y="270" width="123.54192352294922" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="292.6875" y="218.40000915527344" width="94.06591796875" height="21.600000381469727" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="271.6625061035156" y="238" width="137.70791625976562" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="280.2687683105469" y="254" width="120.22590637207031" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="275.5812683105469" y="270" width="128.869873046875" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
  <rect x="503.3125" y="218.40000915527344" width="102.81591796875" height="19.199999809265137" fill="black" rx="2" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
</svg>
```



```

height="21.600000381469727" fill="black" rx="2"/><rect x="485.65625" y="238"
width="138.89590454101562" height="19.199999809265137" fill="black" rx="2"/><rect
x="495.8062438964844" y="254" width="118.5918960571289" height="19.199999809265137" fill="black"
rx="2"/><rect x="503.3999938964844" y="270" width="103.20000457763672" height="19.199999809265137"
fill="black" rx="2"/><rect x="156.78750610351562" y="324.3999938964844" width="366.4250183105469"
height="21.600000381469727" fill="black" rx="2"/><rect x="93.5687484741211" y="346"
width="493.467529296875" height="19.199999809265137" fill="black" rx="2"/><rect
x="122.57500457763672" y="364" width="435.48760986328125" height="19.199999809265137" fill="black"
rx="2"/><rect x="135.28125" y="382" width="409.6418151855469" height="19.199999809265137"
fill="black" rx="2"/><rect x="180.5500030517578" y="398" width="318.2977600097656"
height="19.199999809265137" fill="black" rx="2"/><rect x="232.8874969482422" y="448.3999938964844"
width="214.248779296875" height="21.600000381469727" fill="black" rx="2"/><rect
x="152.08750915527344" y="470" width="376.8556213378906" height="19.199999809265137" fill="black"
rx="2"/><rect x="130.40625" y="488" width="419.1875" height="19.199999809265137" fill="black"
rx="2"/><rect x="145.8874969482422" y="506" width="389.2576599121094" height="19.199999809265137"
fill="black" rx="2"/><rect x="184.81875610351562" y="524" width="310.38775634765625"
height="19.199999809265137" fill="black" rx="2"/><rect x="167.625" y="542" width="344.9537048339844"
height="19.199999809265137" fill="black" rx="2"/><rect x="71.9625015258789" y="602.4000244140625"
width="105.51091766357422" height="21.600000381469727" fill="black" rx="2"/><rect
x="59.42499923706055" y="622" width="131.40189361572266" height="19.199999809265137" fill="black"
rx="2"/><rect x="67.5" y="638" width="115.17391204833984" height="19.199999809265137" fill="black"
rx="2"/><rect x="49.53750228881836" y="654" width="151.55587768554688" height="19.199999809265137"
fill="black" rx="2"/><rect x="277.4624938964844" y="602.4000244140625" width="125.6919174194336"
height="21.600000381469727" fill="black" rx="2"/><rect x="268.6125183105469" y="622"
width="142.9418487548828" height="19.199999809265137" fill="black" rx="2"/><rect
x="280.9250183105469" y="638" width="117.37593078613281" height="19.199999809265137" fill="black"
rx="2"/><rect x="286.7749938964844" y="654" width="106.4839096069336" height="19.199999809265137"
fill="black" rx="2"/><rect x="489.1499938964844" y="602.4000244140625" width="132.02685546875"
height="21.600000381469727" fill="black" rx="2"/><rect x="496.13751220703125" y="622"
width="117.89790344238281" height="19.199999809265137" fill="black" rx="2"/><rect
x="490.70001220703125" y="638" width="127.8338851928711" height="19.199999809265137" fill="black"
rx="2"/><rect x="503.2562561035156" y="654" width="103.7359390258789" height="19.199999809265137"
fill="black" rx="2"/><rect x="162.11875915527344" y="706.4000244140625" width="355.76251220703125"
height="21.600000381469727" fill="black" rx="2"/><rect x="127.82499694824219" y="728"
width="424.3500061035156" height="19.199999809265137" fill="black" rx="2"/><rect
x="147.1999969482422" y="746" width="385.8016662597656" height="19.199999809265137" fill="black"
rx="2"/><rect x="109.83125305175781" y="764" width="460.1675720214844" height="19.199999809265137"
fill="black" rx="2"/><rect x="105.78125" y="782" width="468.675537109375" height="19.199999809265137"
fill="black" rx="2"/><rect x="140.68125915527344" y="800" width="398.8056335449219"
height="19.199999809265137" fill="black" rx="2"/><rect x="115.80000305175781" y="840.4000244140625"
width="122.4000015258789" height="21.600000381469727" fill="black" rx="2"/><rect
x="97.38750457763672" y="860" width="158.45787048339844" height="19.199999809265137" fill="black"
rx="2"/><rect x="72.1500015258789" y="876" width="210.7338409423828" height="19.199999809265137"
fill="black" rx="2"/><rect x="402.8999938964844" y="840.4000244140625" width="198.1999969482422"
height="21.600000381469727" fill="black" rx="2"/><rect x="409.1875" y="860" width="185.8278350830078"
height="19.199999809265137" fill="black" rx="2"/><rect x="410.7875061035156" y="876"
width="182.65586853027344" height="19.199999809265137" fill="black" rx="2"/><rect x="204.84375"
y="926.4000244140625" width="270.0896911621094" height="21.600000381469727" fill="black" rx="2"/>
<rect x="98.96875" y="946" width="483.0975036621094" height="19.199999809265137" fill="black"
rx="2"/><rect x="163.65000915527344" y="992" width="353.0556640625" height="19.199999809265137"
fill="black" rx="2"/><rect x="116.5999984741211" y="1010" width="447.0076599121094"
height="19.199999809265137" fill="black" rx="2"/><rect x="199.24375915527344" y="1028"
width="281.0697937011719" height="19.199999809265137" fill="black" rx="2"/></mask></defs>

```

```

<!-- TÍTULO -->
<text x="340" y="20" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">Flujo del catálogo – desde región hasta
negociación</text>

```

```

<!-- = NIVEL 1: PORTADA DEL CATÁLOGO REGIONAL = -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-

```

```

anchor:start;dominant-baseline:auto">
  <rect x="30" y="32" width="620" height="72" rx="10" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="54" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Portada del catálogo regional (ej. Puerto
Plata)</text>
  <text x="340" y="72" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Imagen hero de la
región · Descripción del mercado · Estadísticas clave</text>
  <text x="340" y="90" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Propiedades
destacadas · Filtro rápido por tipo de operación</text>
</g>

  <line x1="340" y1="104" x2="340" y2="124" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

  <!-- == NIVEL 2: BARRA DE FILTROS == -->
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="126" width="620" height="62" rx="10" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="340" y="148" text-anchor="middle" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Barra de filtros
inteligente</text>
    <text x="340" y="166" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Operación: Venta ·
Renta · Promoción | Tipo: Casa · Apto · Villa · Local · Terreno</text>
    <text x="340" y="182" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Precio · Habitaciones
· M² · Amenidades · Ordenar por: precio, fecha, más visto</text>
  </g>

  <line x1="340" y1="188" x2="340" y2="208" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

  <!-- == NIVEL 3: VISTAS DEL CATÁLOGO == -->
  <!-- Vista Grid -->
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-

```

```

linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="210" width="190" height="80" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="125" y="234" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Vista en
cuadrícula</text>
  <text x="125" y="252" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Cards 3
columnas</text>
  <text x="125" y="268" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Foto · precio · datos
clave</text>
  <text x="125" y="284" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Hover: galería
rápida</text>
</g>
<!-- Vista Lista -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="245" y="210" width="190" height="80" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="234" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Vista en lista</text>
  <text x="340" y="252" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Foto lateral · más
datos</text>
  <text x="340" y="268" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Ideal para
comparar</text>
  <text x="340" y="284" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Precio · m² ·
ubicación</text>
</g>
<!-- Vista Mapa -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="460" y="210" width="190" height="80" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,

```

```

251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="555" y="234" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Vista en mapa</text>
<text x="555" y="252" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Google Maps
integrado</text>
<text x="555" y="268" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Pins por
tipo/precio</text>
<text x="555" y="284" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Click → mini
card</text>
</g>

<line x1="340" y1="290" x2="340" y2="316" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

<!-- == NIVEL 4: LA CARD DE PROPIEDAD == -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="30" y="318" width="620" height="100" rx="10" stroke-width="0.5" style="fill:rgb(250,
236, 231);stroke:rgb(153, 60, 29);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="340" y="340" text-anchor="middle" style="fill:rgb(113, 43, 19);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Card de propiedad (lo
que ve el usuario en el catálogo)</text>
<text x="340" y="360" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Foto principal con
badge: VENTA · RENTA · NUEVO · DESTACADO · PRECIO REDUCIDO</text>
<text x="340" y="378" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Precio · Habitaciones
· Baños · M² construidos · M² terreno · Ubicación exacta</text>
<text x="340" y="396" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Botón favoritos (♥)
· Compartir · Ver detalles · Contactar agente directo</text>
<text x="340" y="412" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Al hover: deslizar

```

fotos adicionales sin salir del catálogo</text>  
</g>

<line x1="340" y1="418" x2="340" y2="440" marker-end="url(#arrow)" stroke="var(--t)" stroke-width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<!-- = NIVEL 5: FICHA DETALLADA = -->

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">

<rect x="30" y="442" width="620" height="130" rx="10" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<text x="340" y="464" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Ficha detallada de la propiedad</text>

<text x="340" y="484" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Galería inmersiva: fotos full screen · video · recorrido 360° · planos</text>

<text x="340" y="502" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Descripción completa · Características · Amenidades · Reglas (si es renta)</text>

<text x="340" y="520" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Mapa interactivo · Distancias a: playa, aeropuerto, hospital, escuelas</text>

<text x="340" y="538" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Calculadora de hipoteca / ROI estimado si es inversión</text>

<text x="340" y="556" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Propiedades similares · Otras del mismo agente / propietario</text>  
</g>

<line x1="340" y1="572" x2="340" y2="594" marker-end="url(#arrow)" stroke="var(--t)" stroke-width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<!-- = NIVEL 6: ACCIONES DESDE LA FICHA = -->

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">

<rect x="30" y="596" width="190" height="80" rx="8" stroke-width="0.5" style="fill:rgb(234, 243, 222);stroke:rgb(59, 109, 17);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,

```

    &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
    baseline:auto"/>
    <text x="125" y="618" text-anchor="middle" style="fill:rgb(39, 80, 10);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Agendar visita</text>
    <text x="125" y="636" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Calendario del
    agente</text>
    <text x="125" y="652" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Presencial o
    virtual</text>
    <text x="125" y="668" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Confirmación
    automática</text>
  </g>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
  linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
  BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
  anchor:start;dominant-baseline:auto">
    <rect x="245" y="596" width="190" height="80" rx="8" stroke-width="0.5" style="fill:rgb(234, 243,
    222);stroke:rgb(59, 109, 17);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
    linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
    &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
    baseline:auto"/>
    <text x="340" y="618" text-anchor="middle" style="fill:rgb(39, 80, 10);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Contactar
    agente</text>
    <text x="340" y="636" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Chat · WhatsApp ·
    Email</text>
    <text x="340" y="652" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Agente de la
    región</text>
    <text x="340" y="668" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Respuesta en
    &lt;1h</text>
  </g>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
  linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
  BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
  anchor:start;dominant-baseline:auto">
    <rect x="460" y="596" width="190" height="80" rx="8" stroke-width="0.5" style="fill:rgb(250, 238,
    218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
    linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
    &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
    baseline:auto"/>
    <text x="555" y="618" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
    0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
    Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
    weight:500;text-anchor:middle;dominant-baseline:auto">Iniciar negociación</text>

```

```
<text x="555" y="636" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Hacer oferta formal</text>
```

```
<text x="555" y="652" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Subir pre-aprobación</text>
```

```
<text x="555" y="668" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Módulo de cierre</text>
```

```
</g>
```

```
<line x1="340" y1="676" x2="340" y2="698" marker-end="url(#arrow)" stroke="var(--t)" stroke-width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
```

```
<!-- == NIVEL 7: IMÁGENES – METODOLOGÍA == -->
```

```
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
```

```
<rect x="30" y="700" width="620" height="110" rx="10" stroke-width="0.5" style="fill:rgb(250, 236, 231);stroke:rgb(153, 60, 29);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
```

```
<text x="340" y="722" text-anchor="middle" style="fill:rgb(113, 43, 19);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Metodología de imágenes (punto clave del proyecto)</text>
```

```
<text x="340" y="742" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Cada propiedad: mínimo 8 fotos · formato 16:9 · carga progresiva (lazy load)</text>
```

```
<text x="340" y="760" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Foto de portada: exterior principal en hora dorada o cielo despejado</text>
```

```
<text x="340" y="778" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Secuencia: exterior → sala → cocina → habitaciones → baños → área social → vista</text>
```

```
<text x="340" y="796" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Video 30-60s por propiedad · 360° opcional · Drone para terrenos y zonas costeras</text>
```

```
<text x="340" y="814" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Optimización automática: WebP · compresión sin pérdida · CDN global</text>
```

```
</g>
```

```

<!-- == NIVEL 8: FAVORITOS & COMPARADOR == -->
<line x1="340" y1="810" x2="340" y2="832" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" mask="url(#imagine-text-gaps-15x9t1)" style="fill:none;stroke:rgb(115, 114,
108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="834" width="295" height="62" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="177" y="856" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Lista de
favoritos</text>
  <text x="177" y="874" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Sin login · guarda en
sesión</text>
  <text x="177" y="890" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Con cuenta: persiste
entre sesiones</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="355" y="834" width="295" height="62" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="502" y="856" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Comparador de
propiedades</text>
  <text x="502" y="874" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Hasta 3 propiedades
lado a lado</text>
  <text x="502" y="890" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Tabla comparativa de
atributos</text>
</g>

<!-- == SECCIÓN DE TIPOS == -->
<line x1="340" y1="896" x2="340" y2="918" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,

```



```

BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="920" width="620" height="54" rx="10" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="942" text-anchor="middle" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Tipos de propiedad
con catálogo propio</text>
  <text x="340" y="960" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Casa · Apartamento ·
Villa · Penthouse · Local comercial · Terreno · Proyecto en planos</text>
</g>

<!-- NOTA FINAL -->
<text x="340" y="1006" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">Cada región tiene su propio catálogo con la
misma estructura.</text>
<text x="340" y="1024" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">El sistema asigna automáticamente cada
propiedad nueva al catálogo correcto</text>
<text x="340" y="1042" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">según país y región declarados en la
postulación.</text>
</svg>

=== ARCHIVO: \dinco_estructura_proyecto.svg ===
<svg width="100%" viewBox="0 0 680 1060" role="img" style="" xmlns="http://www.w3.org/2000/svg">
  <title style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Estructura de carpetas y configuración del proyecto
DINCO</title>
  <desc style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Guía completa de setup en VS Code con Next.js para el portal
inmobiliario DINCO</desc>
  <defs>
    <marker id="arrow" viewBox="0 0 10 10" refX="8" refY="5" markerWidth="6" markerHeight="6"
orient="auto-start-reverse">
      <path d="M2 1L8 5L2 9" fill="none" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
    </marker>
  </defs>

  <!-- TÍTULO -->
  <text x="340" y="22" text-anchor="middle" style="fill:rgb(20, 20, 19);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Configuración del proyecto DINCO en VS
Code</text>

  <!-- = PASO 1: LO QUE NECESITAS INSTALAR = -->

```

```

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="34" width="620" height="28" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="53" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Paso 1 – Programas que debes instalar antes de
comenzar</text>
</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="70" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="100" y="90" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Node.js</text>
  <text x="100" y="108" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">nodejs.org</text>
  <text x="100" y="124" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">versión 18 o
mayor</text>
</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="182" y="70" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="252" y="90" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">VS Code</text>
  <text x="252" y="108" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-
baseline:auto">code.visualstudio.com</text>
  <text x="252" y="124" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">ya lo tienes</text>
</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-

```

```

anchor:start;dominant-baseline:auto">
  <rect x="334" y="70" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="404" y="90" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Git</text>
  <text x="404" y="108" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">git-scm.com</text>
  <text x="404" y="124" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">control de
versiones</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="486" y="70" width="164" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="568" y="90" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">GitHub Desktop</text>
  <text x="568" y="108" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-
baseline:auto">desktop.github.com</text>
  <text x="568" y="124" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">guardar tu
trabajo</text>
</g>

<!-- == PASO 2: EXTENSIONES VS CODE == -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="152" width="620" height="28" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="171" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Paso 2 – Extensiones
de VS Code que debes instalar</text>
</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-

```

```

anchor:start;dominant-baseline:auto">
  <rect x="30" y="188" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="100" y="208" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">ES7+ React</text>
  <text x="100" y="226" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Snippets
rápidos</text>
  <text x="100" y="242" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">para React</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="182" y="188" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="252" y="208" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Tailwind CSS</text>
  <text x="252" y="226" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">IntelliSense</text>
  <text x="252" y="242" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">autocompletado</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="334" y="188" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="404" y="208" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Prettier</text>
  <text x="404" y="226" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Formatea el
código</text>
  <text x="404" y="242" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-
baseline:auto">automáticamente</text>

```

```

    </g>
    <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
      <rect x="486" y="188" width="164" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
      <text x="568" y="208" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Auto Rename
Tag</text>
      <text x="568" y="226" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Renombra
etiquetas</text>
      <text x="568" y="242" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">HTML/JSX a la
vez</text>
    </g>

    <!-- == PASO 3: CREAR EL PROYECTO == -->
    <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
      <rect x="30" y="270" width="620" height="28" rx="7" stroke-width="0.5" style="fill:rgb(250, 238,
218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
      <text x="340" y="289" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Paso 3 – Comando para crear el proyecto en la
terminal</text>
    </g>

    <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
      <rect x="30" y="306" width="620" height="54" rx="7" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
      <text x="50" y="326" text-anchor="start" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:start;dominant-baseline:auto">En VS Code abre la terminal (Ctrl + `) y
escribe:</text>
      <text x="50" y="348" text-anchor="start" font-family="monospace" style="fill:rgb(95, 94,
90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:monospace;font-size:12px;font-weight:400;text-
anchor:start;dominant-baseline:auto">npx create-next-app@latest dinco-web</text>
    </g>

    <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-

```

```

linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="368" width="620" height="90" rx="7" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="50" y="388" text-anchor="start" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:start;dominant-baseline:auto">Cuando te pregunte, selecciona estas opciones:
</text>
  <text x="50" y="408" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">✓ TypeScript → No (para empezar simple)</text>
  <text x="50" y="426" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">✓ ESLint → Yes</text>
  <text x="50" y="444" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">✓ Tailwind CSS → Yes</text>
  <text x="50" y="450" text-anchor="start" dy="8" style="fill:rgb(95, 94,
90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">✓ App Router → Yes · Import alias → No</text>
</g>

<!-- == PASO 4: ESTRUCTURA DE CARPETAS == -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="470" width="620" height="28" rx="7" stroke-width="0.5" style="fill:rgb(238, 237,
254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="489" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Paso 4 – Estructura
de carpetas del proyecto</text>
</g>

<!-- árbol de carpetas -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="506" width="620" height="370" rx="7" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="50" y="530" text-anchor="start" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:start;dominant-baseline:auto">dinco-web</text>

```

```

<text x="70" y="550" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— app/           ← páginas del sitio</text>
<text x="90" y="568" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— page.jsx           ← página de inicio</text>
<text x="90" y="586" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— layout.jsx           ← estructura global</text>
<text x="90" y="604" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— propiedades/           ← catálogo general</text>
<text x="90" y="622" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— puerto-plata/           ← catálogo regional</text>
<text x="90" y="640" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— cabarete/</text>
<text x="90" y="658" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— sosua/</text>
<text x="90" y="676" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— agentes/</text>
<text x="90" y="694" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— contacto/</text>
<text x="90" y="712" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— nosotros/</text>
<text x="70" y="730" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— components/           ← piezas reutilizables</text>
<text x="90" y="748" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— Navbar.jsx           ← barra de navegación</text>
<text x="90" y="766" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— Footer.jsx</text>
<text x="90" y="784" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|— PropiedadCard.jsx           ← card del catálogo</text>
<text x="90" y="802" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI"; sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-baseline:auto">|—

```

```

0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">└─ Filtros.jsx</text>
  <text x="70" y="820" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">└─ public/                               ← imágenes y
logos</text>
  <text x="70" y="838" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">└─ lib/                               ← datos y
utilidades</text>
  <text x="70" y="856" text-anchor="start" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">└─ styles/                         ← estilos
globales</text>
</g>

</svg>

=== ARCHIVO: \dinco_fases_lanzamiento.svg ===
<svg width="100%" viewBox="0 0 680 1180" role="img" style="" xmlns="http://www.w3.org/2000/svg">
  <title style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Fases de lanzamiento del sitio DINCO Inmobiliaria</title>
  <desc style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Plan de desarrollo dividido en 4 fases ordenadas por prioridad e
impacto</desc>
  <defs>
    <marker id="arrow" viewBox="0 0 10 10" refX="8" refY="5" markerWidth="6" markerHeight="6"
orient="auto-start-reverse">
      <path d="M2 1L8 5L2 9" fill="none" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
    </marker>
  </defs>

  <!-- TÍTULO -->
  <text x="340" y="22" text-anchor="middle" style="fill:rgb(20, 20, 19);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Plan de lanzamiento por fases – DINCO</text>

  <!-- ===== -->
  <!-- FASE 1 -->
  <!-- ===== -->
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="36" width="620" height="30" rx="8" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="340" y="57" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Fase 1 – Lanzamiento principal · 6 a 8
semanas</text>
  </g>

```



<text x="40" y="86" font-style="italic" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;font-style:italic;text-anchor:start;dominant-baseline:auto">El sitio sale al público. La gente puede encontrar propiedades y contactar agentes.</text>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">

<rect x="30" y="96" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245, 238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<text x="100" y="116" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Inicio</text>

<text x="100" y="134" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Hero ·  
búsqueda</text>

<text x="100" y="150" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">regiones ·  
destacados</text>

</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">

<rect x="182" y="96" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245, 238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<text x="252" y="116" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Catálogos RD</text>

<text x="252" y="134" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Puerto Plata ·  
Cabarete</text>

<text x="252" y="150" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Sosúa · Sto.  
Domingo</text>

</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">

<rect x="334" y="96" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245, 238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<text x="404" y="116" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic

```

Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Ficha propiedad</text>
  <text x="404" y="134" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Galería · mapa</text>
  <text x="404" y="150" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">contacto ·
agente</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="486" y="96" width="164" height="66" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="568" y="116" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Páginas base</text>
  <text x="568" y="134" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Sobre DINCO ·
Contacto</text>
  <text x="568" y="150" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Agentes ·
Legal</text>
</g>

<!-- Presencia social fase 1 -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="172" width="620" height="40" rx="7" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="192" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Presencia social global desde el día 1</text>
  <text x="340" y="210" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Chat en vivo ·
WhatsApp flotante · Selector de idioma · Buscador inteligente con filtros</text>
</g>

  <text x="340" y="236" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">✓ Con esta fase DINCO ya puede recibir
clientes, mostrar propiedades y generar contactos</text>

  <line x1="340" y1="244" x2="340" y2="264" marker-end="url(#arrow)" stroke="var(--t)" stroke-

```

```

width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

<!-- ===== -->
<!-- FASE 2 -->
<!-- ===== -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="266" width="620" height="30" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="287" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Fase 2 – Captación de
propiedades · 4 a 6 semanas</text>
</g>
  <text x="40" y="316" font-style="italic" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;font-style:italic;text-anchor:start;dominant-baseline:auto">Agentes y propietarios del
exterior pueden postularse y publicar propiedades.</text>

  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="326" width="190" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="125" y="346" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Postulación</text>
    <text x="125" y="364" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Portal
internacional</text>
    <text x="125" y="380" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">formulario +
asignación</text>
  </g>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="234" y="326" width="190" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="329" y="346" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-

```

```

serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Cuenta de
usuario</text>
<text x="329" y="364" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Registro ·
login</text>
<text x="329" y="380" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">perfil ·
favoritos</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="438" y="326" width="212" height="66" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="544" y="346" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Sistema de
citas</text>
<text x="544" y="364" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Calendario ·
confirmación</text>
<text x="544" y="380" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">visita presencial o
virtual</text>
</g>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="30" y="402" width="620" height="40" rx="7" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="340" y="422" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Dashboard básico del
propietario</text>
<text x="340" y="440" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Ver mis propiedades ·
consultas recibidas · estado de publicación</text>
</g>

<text x="340" y="466" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">✓ Con esta fase DINCO puede crecer su
inventario desde cualquier país</text>

```

```

<line x1="340" y1="474" x2="340" y2="494" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

<!-- ===== -->
<!-- FASE 3 -->
<!-- ===== -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="496" width="620" height="30" rx="8" stroke-width="0.5" style="fill:rgb(250, 238,
218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="517" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Fase 3 – Cierre de ventas en línea · 5 a 7
semanas</text>
</g>
  <text x="40" y="546" font-style="italic" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;font-style:italic;text-anchor:start;dominant-baseline:auto">El sitio puede cerrar
negociaciones completas sin salir de la plataforma.</text>

  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="556" width="190" height="66" rx="7" stroke-width="0.5" style="fill:rgb(250, 238,
218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="125" y="576" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Módulo de ofertas</text>
    <text x="125" y="594" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Hacer oferta
formal</text>
    <text x="125" y="610" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-
baseline:auto">contrapropuesta</text>
  </g>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="234" y="556" width="190" height="66" rx="7" stroke-width="0.5" style="fill:rgb(250, 238,
218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="329" y="576" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Módulo de ofertas</text>
  </g>

```

```

0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Expediente digital</text>
<text x="329" y="594" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Documentos ·
impuestos</text>
<text x="329" y="610" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">estado en tiempo
real</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="438" y="556" width="212" height="66" rx="7" stroke-width="0.5" style="fill:rgb(250, 238,
218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="544" y="576" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Firma y pago</text>
<text x="544" y="594" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Contrato
digital</text>
<text x="544" y="610" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">pasarela de
pago</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="30" y="632" width="620" height="40" rx="7" stroke-width="0.5" style="fill:rgb(250, 238,
218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="340" y="652" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Dashboard completo del agente DINCO</text>
<text x="340" y="670" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Cartera · citas ·
prospectos · comisiones · negociaciones activas</text>
</g>
<text x="340" y="696" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">✓ Con esta fase DINCO cierra ventas 100% en
línea, desde cualquier parte del mundo</text>

```

```

<line x1="340" y1="704" x2="340" y2="724" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

<!-- ===== -->
<!-- FASE 4 -->
<!-- ===== -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="726" width="620" height="30" rx="8" stroke-width="0.5" style="fill:rgb(238, 237,
254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="747" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Fase 4 – Crecimiento
y automatización · continuo</text>
</g>
  <text x="40" y="776" font-style="italic" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-
weight:400;font-style:italic;text-anchor:start;dominant-baseline:auto">El sitio escala, se optimiza y
se expande a nuevos mercados.</text>

  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="786" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(238, 237,
254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="100" y="806" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Admin DINCO</text>
    <text x="100" y="824" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Panel completo</text>
    <text x="100" y="840" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">reportes · CRM</text>
  </g>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="182" y="786" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(238, 237,
254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="252" y="806" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Blog / SEO</text>

```

```

<text x="252" y="824" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Contenido orgánico</text>
<text x="252" y="840" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">posicionamiento</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
  <rect x="334" y="786" width="140" height="66" rx="7" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
  <text x="404" y="806" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Internacional</text>
  <text x="404" y="824" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Nuevos catálogos</text>
  <text x="404" y="840" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">por país / región</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
  <rect x="486" y="786" width="164" height="66" rx="7" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
  <text x="568" y="806" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">App móvil</text>
  <text x="568" y="824" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">iOS · Android</text>
  <text x="568" y="840" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">notificaciones push</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
  <rect x="30" y="862" width="620" height="40" rx="7" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-

```



```

linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="882" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Inteligencia
artificial integrada</text>
  <text x="340" y="900" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Recomendador de
propiedades · chatbot de ventas · valoración automática de inmuebles</text>
</g>

  <text x="340" y="926" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic
Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-
weight:400;text-anchor:middle;dominant-baseline:auto">✓ Con esta fase DINCO opera como una plataforma
inmobiliaria global de primer nivel</text>

  <!-- == RESUMEN TIMELINE == -->
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="946" width="620" height="100" rx="10" stroke-width="0.5" style="fill:rgb(241,
239, 232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="340" y="968" text-anchor="middle" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Resumen del
timeline</text>

    <rect x="50" y="982" width="130" height="22" rx="4" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="115" y="997" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Fase 1 · semanas 1-
8</text>

    <rect x="196" y="982" width="130" height="22" rx="4" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="261" y="997" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Fase 2 · semanas 9-
14</text>

    <rect x="342" y="982" width="130" height="22" rx="4" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="407" y="997" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,

```

```

0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Fase 3 · semanas 15-
21</text>

<rect x="488" y="982" width="142" height="22" rx="4" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="559" y="997" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Fase 4 · mes 6 en
adelante</text>

<text x="340" y="1034" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Tiempo total estimado
hasta la fase 3 lista: 5 a 6 meses de desarrollo</text>
</g>

</svg>

```

```

=== ARCHIVO: \dinco_real_estate_architecture.svg ===
<svg width="100%" viewBox="0 0 680 1420" role="img" style="" xmlns="http://www.w3.org/2000/svg">
<title style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Arquitectura del sitio web Dinco Inmobiliaria</title>
<desc style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">Mapa visual de todos los módulos, secciones y flujos del portal
inmobiliario Dinco</desc>
<defs>
<marker id="arrow" viewBox="0 0 10 10" refX="8" refY="5" markerWidth="6" markerHeight="6"
orient="auto-start-reverse">
<path d="M2 1L8 5L2 9" fill="none" stroke="context-stroke" stroke-width="1.5" stroke-
linecap="round" stroke-linejoin="round"/>
</marker>
<mask id="imagine-text-gaps-k1bp8u" maskUnits="userSpaceOnUse"><rect x="0" y="0" width="680"
height="1420" fill="white"/><rect x="199.2062530517578" y="8" width="281.7577819824219"
height="19.199999809265137" fill="black" rx="2"/><rect x="147.0124969482422" y="40.400001525878906"
width="386.58160400390625" height="21.600000381469727" fill="black" rx="2"/><rect
x="31.137500762939453" y="60" width="618.3613891601562" height="19.199999809265137" fill="black"
rx="2"/><rect x="257.8187561035156" y="110.4000015258789" width="164.3625030517578"
height="21.600000381469727" fill="black" rx="2"/><rect x="101.89375305175781" y="130"
width="475.43756103515625" height="19.199999809265137" fill="black" rx="2"/><rect
x="225.8937530517578" y="166" width="228.23974609375" height="19.199999809265137" fill="black"
rx="2"/><rect x="76.30000305175781" y="198.40000915527344" width="89.63292694091797"
height="21.600000381469727" fill="black" rx="2"/><rect x="80.4312515258789" y="216"
width="82.17193603515625" height="19.199999809265137" fill="black" rx="2"/><rect x="66.8499984741211"
y="232" width="109.33391571044922" height="19.199999809265137" fill="black" rx="2"/><rect
x="280.6812438964844" y="198.40000915527344" width="71.25295639038086" height="21.600000381469727"
fill="black" rx="2"/><rect x="251.09375" y="216" width="130.04790496826172"
height="19.199999809265137" fill="black" rx="2"/><rect x="264.2062683105469" y="232"
width="104.1639175415039" height="19.199999809265137" fill="black" rx="2"/><rect
x="458.8374938964844" y="198.40000915527344" width="151.52500915527344" height="21.600000381469727"
fill="black" rx="2"/><rect x="465.8062438964844" y="216" width="138.5558624267578"
height="19.199999809265137" fill="black" rx="2"/><rect x="471.8187561035156" y="232"
width="126.53789520263672" height="19.199999809265137" fill="black" rx="2"/><rect
x="194.2687530517578" y="294.3999938964844" width="291.4624938964844" height="21.600000381469727"
fill="black" rx="2"/><rect x="132.3625030517578" y="314" width="415.4496154785156"

```

```

height="19.19999809265137" fill="black" rx="2"/><rect x="125.41874694824219" y="332"
width="429.1875915527344" height="19.19999809265137" fill="black" rx="2"/><rect x="139.875"
y="388.3999938964844" width="400.25" height="21.600000381469727" fill="black" rx="2"/><rect
x="240.5500030517578" y="408" width="198.9258270263672" height="19.19999809265137" fill="black"
rx="2"/><rect x="177.90000915527344" y="426" width="324.20001220703125" height="19.19999809265137"
fill="black" rx="2"/><rect x="127.36250305175781" y="444" width="425.4396057128906"
height="19.19999809265137" fill="black" rx="2"/><rect x="126.81875610351562" y="460"
width="426.57159423828125" height="19.19999809265137" fill="black" rx="2"/><rect
x="228.7687530517578" y="512.4000244140625" width="222.7887725830078" height="21.600000381469727"
fill="black" rx="2"/><rect x="159.3249969482422" y="532" width="361.3500061035156"
height="19.19999809265137" fill="black" rx="2"/><rect x="144.9187469482422" y="550"
width="390.1625061035156" height="19.19999809265137" fill="black" rx="2"/><rect x="147.875" y="568"
width="385.2796936035156" height="19.19999809265137" fill="black" rx="2"/><rect
x="93.88750457763672" y="626.4000244140625" width="162.22500610351562" height="21.600000381469727"
fill="black" rx="2"/><rect x="90.9000015258789" y="646" width="168.1999969482422"
height="19.19999809265137" fill="black" rx="2"/><rect x="99.0562515258789" y="664"
width="152.0178680419922" height="19.19999809265137" fill="black" rx="2"/><rect
x="439.04376220703125" y="626.4000244140625" width="131.6858901977539" height="21.600000381469727"
fill="black" rx="2"/><rect x="428.1499938964844" y="646" width="153.1418914794922"
height="19.19999809265137" fill="black" rx="2"/><rect x="428.5375061035156" y="664"
width="153.5658721923828" height="19.19999809265137" fill="black" rx="2"/><rect x="198.84375"
y="722.4000244140625" width="282.3125" height="21.600000381469727" fill="black" rx="2"/><rect
x="201.94375610351562" y="744" width="276.1397399902344" height="19.19999809265137" fill="black"
rx="2"/><rect x="142.53750610351562" y="762" width="395.9596252441406" height="19.19999809265137"
fill="black" rx="2"/><rect x="135.43125915527344" y="780" width="409.3056640625"
height="19.19999809265137" fill="black" rx="2"/><rect x="177.3000030517578" y="798"
width="325.5636901855469" height="19.19999809265137" fill="black" rx="2"/><rect
x="171.1999969482422" y="816" width="338.6297912597656" height="19.19999809265137" fill="black"
rx="2"/><rect x="76.61250305175781" y="866.4000244140625" width="91.34993743896484"
height="21.600000381469727" fill="black" rx="2"/><rect x="55.96875" y="886"
width="132.31388092041016" height="19.19999809265137" fill="black" rx="2"/><rect
x="82.8499984741211" y="902" width="78.50592041015625" height="19.19999809265137" fill="black"
rx="2"/><rect x="240.4562530517578" y="866.4000244140625" width="157.08750915527344"
height="21.600000381469727" fill="black" rx="2"/><rect x="237.91250610351562" y="886"
width="163.2018585205078" height="19.19999809265137" fill="black" rx="2"/><rect
x="267.1812438964844" y="902" width="103.84394836425781" height="19.19999809265137" fill="black"
rx="2"/><rect x="446.9937438964844" y="866.4000244140625" width="180.0124969482422"
height="21.600000381469727" fill="black" rx="2"/><rect x="461.125" y="886" width="151.9938507080078"
height="19.19999809265137" fill="black" rx="2"/><rect x="467.0500183105469" y="902"
width="140.9358367919922" height="19.19999809265137" fill="black" rx="2"/><rect
x="113.08125305175781" y="962.4000244140625" width="453.8374938964844" height="21.600000381469727"
fill="black" rx="2"/><rect x="116.63750457763672" y="982" width="447.41558837890625"
height="19.19999809265137" fill="black" rx="2"/><rect x="86.13750457763672" y="1040.4000244140625"
width="182.3008270263672" height="21.600000381469727" fill="black" rx="2"/><rect x="93.34375"
y="1060" width="168.34385681152344" height="19.19999809265137" fill="black" rx="2"/><rect
x="92.84375" y="1076" width="169.3458709716797" height="19.19999809265137" fill="black" rx="2"/>
<rect x="401.125" y="1040.4000244140625" width="203.75" height="21.600000381469727" fill="black"
rx="2"/><rect x="422.1812438964844" y="1060" width="162.66787719726562" height="19.19999809265137"
fill="black" rx="2"/><rect x="420.5562438964844" y="1076" width="165.9138641357422"
height="19.19999809265137" fill="black" rx="2"/><rect x="232.3249969482422" y="1136.4000244140625"
width="215.35000610351562" height="21.600000381469727" fill="black" rx="2"/><rect
x="123.6312484741211" y="1156" width="433.7715759277344" height="19.19999809265137" fill="black"
rx="2"/><rect x="143.31875610351562" y="1174" width="394.3996276855469" height="19.19999809265137"
fill="black" rx="2"/><rect x="292.59375" y="1230.4000244140625" width="94.8125"
height="21.600000381469727" fill="black" rx="2"/><rect x="135.6062469482422" y="1250"
width="409.81964111328125" height="19.19999809265137" fill="black" rx="2"/><rect x="26" y="1296"
width="126.85589599609375" height="19.19999809265137" fill="black" rx="2"/><rect x="48" y="1318"
width="124.68592834472656" height="19.19999809265137" fill="black" rx="2"/><rect x="188" y="1318"
width="107.15791320800781" height="19.19999809265137" fill="black" rx="2"/><rect x="328" y="1318"
width="148.1479034423828" height="19.19999809265137" fill="black" rx="2"/><rect x="508" y="1318"
width="72.907958984375" height="19.19999809265137" fill="black" rx="2"/><rect x="47.20000076293945"
y="1348" width="127.20000457763672" height="19.19999809265137" fill="black" rx="2"/><rect x="218"
y="1348" width="126.70391082763672" height="19.19999809265137" fill="black" rx="2"/><rect
x="387.20001220703125" y="1348" width="125.6878890991211" height="19.19999809265137" fill="black"
rx="2"/></mask></defs>

```

```

<!-- LAYER 0: HEADER -->
<text x="340" y="22" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">DINCO INMOBILIARIA – Arquitectura del portal</text>

<!-- ===== -->
<!-- CAPA 1: NAVBAR & PRESENCIA SOCIAL GLOBAL -->
<!-- ===== -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
  <rect x="30" y="34" width="620" height="54" rx="10" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
  <text x="340" y="56" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Barra de navegación global + Presencia social persistente</text>
  <text x="340" y="74" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Chat en vivo · Agente disponible · WhatsApp flotante · Contador de visitas en tiempo real · Selector de idioma</text>
</g>

<!-- ===== -->
<!-- CAPA 2: HERO / PORTADA -->
<!-- ===== -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
  <rect x="30" y="104" width="620" height="54" rx="10" stroke-width="0.5" style="fill:rgb(225, 245, 238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
  <text x="340" y="126" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Hero / Portada principal</text>
  <text x="340" y="144" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Video o galería inmersiva · Buscador inteligente · Filtros: tipo, país, precio, operación</text>
</g>

<!-- ===== -->
<!-- CAPA 3: CATÁLOGOS REGIONALES -->
<!-- ===== -->
<text x="340" y="180" text-anchor="middle" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">▼ Catálogos de propiedades por región</text>

<!-- Puerto Plata -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-

```

```

linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="192" width="182" height="72" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="121" y="214" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Puerto Plata</text>
  <text x="121" y="230" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Casas · Villas</text>
  <text x="121" y="246" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Locales ·
Terrenos</text>
</g>
<!-- Cabarete -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="225" y="192" width="182" height="72" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="316" y="214" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Cabarete</text>
  <text x="316" y="230" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Apartamentos ·
Villas</text>
  <text x="316" y="246" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Beachfront ·
Surf</text>
</g>
<!-- Sosúa -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="420" y="192" width="230" height="72" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="535" y="214" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Sosúa + más
regiones</text>
  <text x="535" y="230" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-

```

```

serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Residencial ·
Comercial</text>
<text x="535" y="246" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Internacional ·
Global</text>
</g>

<!-- Connector: Hero → Catálogos -->
<line x1="340" y1="158" x2="340" y2="190" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" mask="url(#imagine-text-gaps-k1bp8u)" style="fill:none;stroke:rgb(115, 114,
108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>

<!-- ===== -->
<!-- CAPA 4: CADA PROPIEDAD (CARD/FICHA) -->
<!-- ===== -->
<line x1="340" y1="264" x2="340" y2="286" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="30" y="288" width="620" height="70" rx="10" stroke-width="0.5" style="fill:rgb(250, 236,
231);stroke:rgb(153, 60, 29);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
<text x="340" y="310" text-anchor="middle" style="fill:rgb(113, 43, 19);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Ficha de propiedad
(card + vista detallada)</text>
<text x="340" y="328" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Galería de fotos /
video 360° · Precio · Características · Mapa · Tour virtual</text>
<text x="340" y="346" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Botón: Agendar visita
· Botón: Hablar con agente · Botón: Iniciar negociación</text>
</g>

<!-- ===== -->
<!-- CAPA 5: SECCIÓN POSTULACIÓN INTERNACIONAL -->
<!-- ===== -->
<line x1="340" y1="358" x2="340" y2="380" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
<rect x="30" y="382" width="620" height="100" rx="10" stroke-width="0.5" style="fill:rgb(250,
238, 218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,

```

```

    &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
    baseline:auto"/>
    <text x="340" y="404" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0, 0,
    0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
    Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
    weight:500;text-anchor:middle;dominant-baseline:auto">Portal de postulación internacional de
    agentes/propietarios</text>
    <text x="340" y="422" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Paso 1: Selección de
    país de origen</text>
    <text x="340" y="440" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Paso 2: Tipo de
    operación (vender · rentar · promocionar)</text>
    <text x="340" y="458" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Paso 3: Datos de la
    propiedad → Asignación automática al catálogo regional</text>
    <text x="340" y="474" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Paso 4: Documentación
    requerida · Verificación de agente DINCO asignado</text>
  </g>

  <!-- ===== -->
  <!-- CAPA 6: AGENTES & CONTACTO POR REGIÓN -->
  <!-- ===== -->
  <line x1="340" y1="482" x2="340" y2="504" marker-end="url(#arrow)" stroke="var(--t)" stroke-
  width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
  linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
  BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
  anchor:start;dominant-baseline:auto"/>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
  linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
  BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
  anchor:start;dominant-baseline:auto">
    <rect x="30" y="506" width="620" height="90" rx="10" stroke-width="0.5" style="fill:rgb(234, 243,
    222);stroke:rgb(59, 109, 17);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
    linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
    &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
    baseline:auto"/>
    <text x="340" y="528" text-anchor="middle" style="fill:rgb(39, 80, 10);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Directorio de agentes
    por región</text>
    <text x="340" y="546" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Perfil del agente ·
    Zona asignada · Foto · Idiomas · Disponibilidad</text>
    <text x="340" y="564" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">CTA: Llamar ·
    WhatsApp · Email · Agendar cita (calendario integrado)</text>
    <text x="340" y="582" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
    0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
    family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
    serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Enrutamiento

```

inteligente según la región de la propiedad de interés</text>  
</g>

```

<!-- ===== -->
<!-- CAPA 7: SISTEMA DE CITAS -->
<!-- ===== -->
<line x1="340" y1="596" x2="340" y2="618" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

<!-- Left: Online -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="620" width="290" height="72" rx="8" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="175" y="642" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Cita presencial / virtual</text>
  <text x="175" y="660" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Calendario de
disponibilidad</text>
  <text x="175" y="678" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Confirmación email /
SMS</text>
</g>
<!-- Right: Visita virtual -->
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="360" y="620" width="290" height="72" rx="8" stroke-width="0.5" style="fill:rgb(225, 245,
238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="505" y="642" text-anchor="middle" style="fill:rgb(8, 80, 65);stroke:none;color:rgb(0, 0,
0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic
Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:14px;font-
weight:500;text-anchor:middle;dominant-baseline:auto">Tour virtual guiado</text>
  <text x="505" y="660" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Video llamada con
agente</text>
  <text x="505" y="678" text-anchor="middle" style="fill:rgb(15, 110, 86);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Link seguro + sala
privada</text>
</g>

<!-- ===== -->
<!-- CAPA 8: SISTEMA DE CIERRE DE VENTAS -->

```



```

<!-- ===== -->
<line x1="340" y1="692" x2="340" y2="714" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="716" width="620" height="120" rx="10" stroke-width="0.5" style="fill:rgb(250,
236, 231);stroke:rgb(153, 60, 29);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans"; -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="738" text-anchor="middle" style="fill:rgb(113, 43, 19);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Módulo de cierre de
negociación y ventas</text>
  <text x="340" y="758" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Oferta formal →
Contrapropuesta → Aceptación</text>
  <text x="340" y="776" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Upload de documentos:
ID · Prueba de fondos · Escrituras · Impuestos</text>
  <text x="340" y="794" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Firma digital
(DocuSign o similar) · Estado del expediente en tiempo real</text>
  <text x="340" y="812" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Pasarela de pago:
depósito inicial · separación · pago final</text>
  <text x="340" y="830" text-anchor="middle" style="fill:rgb(153, 60, 29);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont, "Segoe UI";, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Notificaciones
automáticas a todas las partes involucradas</text>
</g>

<!-- ===== -->
<!-- CAPA 9: PRESENCIA SOCIAL / COMUNIDAD -->
<!-- ===== -->
<line x1="340" y1="836" x2="340" y2="858" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="860" width="185" height="72" rx="8" stroke-width="0.5" style="fill:rgb(238, 237,
254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>

```

```

<text x="122" y="882" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Chat en vivo</text>
<text x="122" y="900" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Con agentes · Soporte</text>
<text x="122" y="916" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">IA + humano</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
<rect x="227" y="860" width="185" height="72" rx="8" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
<text x="319" y="882" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Reseñas y testimonios</text>
<text x="319" y="900" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Compradores · Proprietarios</text>
<text x="319" y="916" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Rating verificado</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto">
<rect x="424" y="860" width="226" height="72" rx="8" stroke-width="0.5" style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-baseline:auto"/>
<text x="537" y="882" text-anchor="middle" style="fill:rgb(60, 52, 137);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Redes sociales integradas</text>
<text x="537" y="900" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Feed IG · TikTok · YouTube</text>
<text x="537" y="916" text-anchor="middle" style="fill:rgb(83, 74, 183);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Compartir propiedades</text>
</g>

```

```

<!-- ===== -->
<!-- CAPA 10: BLOG / SEO / RECURSOS -->
<!-- ===== -->
<line x1="340" y1="932" x2="340" y2="954" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="956" width="620" height="54" rx="10" stroke-width="0.5" style="fill:rgb(241, 239,
232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="978" text-anchor="middle" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Blog · Guías del
comprador · Noticias del mercado · Recursos legales</text>
  <text x="340" y="996" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Contenido SEO local e
internacional · Guías para extranjeros comprando en RD</text>
</g>

<!-- ===== -->
<!-- CAPA 11: DASHBOARD PRIVADO -->
<!-- ===== -->
<line x1="340" y1="1010" x2="340" y2="1032" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="1034" width="294" height="72" rx="8" stroke-width="0.5" style="fill:rgb(230, 241,
251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="177" y="1056" text-anchor="middle" style="fill:rgb(12, 68, 124);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Dashboard del
propietario</text>
  <text x="177" y="1074" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Mis propiedades ·
Consultas</text>
  <text x="177" y="1090" text-anchor="middle" style="fill:rgb(24, 95, 165);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Documentos ·
Transacciones</text>
</g>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;; sans-serif;font-size:16px;font-weight:400;text-

```

```

anchor:start;dominant-baseline:auto">
  <rect x="356" y="1034" width="294" height="72" rx="8" stroke-width="0.5" style="fill:rgb(234,
243, 222);stroke:rgb(59, 109, 17);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="503" y="1056" text-anchor="middle" style="fill:rgb(39, 80, 10);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Dashboard del agente
DINCO</text>
  <text x="503" y="1074" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Cartera · Citas ·
Prospectos</text>
  <text x="503" y="1090" text-anchor="middle" style="fill:rgb(59, 109, 17);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Comisiones ·
Negociaciones</text>
</g>

<!-- ===== -->
<!-- CAPA 12: ADMIN / BACK-END -->
<!-- ===== -->
<line x1="340" y1="1106" x2="340" y2="1128" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>
  <g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
    <rect x="30" y="1130" width="620" height="72" rx="10" stroke-width="0.5" style="fill:rgb(250,
238, 218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
    <text x="340" y="1152" text-anchor="middle" style="fill:rgb(99, 56, 6);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Panel de
administración DINCO</text>
    <text x="340" y="1170" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Gestión de catálogos
· Aprobación de postulaciones · Asignación de agentes</text>
    <text x="340" y="1188" text-anchor="middle" style="fill:rgb(133, 79, 11);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;;, -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">CRM · Reportes ·
Control de expedientes · Configuración de regiones</text>
  </g>

<!-- ===== -->
<!-- CAPA 13: FOOTER -->
<!-- ===== -->
<line x1="340" y1="1202" x2="340" y2="1222" marker-end="url(#arrow)" stroke="var(--t)" stroke-
width="0.5" style="fill:none;stroke:rgb(115, 114, 108);color:rgb(0, 0, 0);stroke-width:1.5px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;, -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/>

```

```

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto">
  <rect x="30" y="1224" width="620" height="54" rx="10" stroke-width="0.5" style="fill:rgb(241,
239, 232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:0.5px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-anchor:start;dominant-
baseline:auto"/>
  <text x="340" y="1246" text-anchor="middle" style="fill:rgb(68, 68, 65);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:14px;font-weight:500;text-anchor:middle;dominant-baseline:auto">Footer global</text>
  <text x="340" y="1264" text-anchor="middle" style="fill:rgb(95, 94, 90);stroke:none;color:rgb(0,
0, 0);stroke-width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-
family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-
serif;font-size:12px;font-weight:400;text-anchor:middle;dominant-baseline:auto">Mapa del sitio ·
Oficinas · Legal · Privacidad · Newsletter · Redes sociales</text>
</g>

<!-- LEYENDA -->
<text x="30" y="1310" style="fill:rgb(61, 61, 58);stroke:none;color:rgb(0, 0, 0);stroke-
width:1px;stroke-linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;;,
-apple-system, BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-
weight:400;text-anchor:start;dominant-baseline:auto">Leyenda de módulos:</text>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="30" y="1320" width="14" height="14" rx="3"
style="fill:rgb(238, 237, 254);stroke:rgb(83, 74, 183);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/><g><text x="52" y="1332" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">Presencia social / UX</text>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="170" y="1320" width="14" height="14" rx="3"
style="fill:rgb(225, 245, 238);stroke:rgb(15, 110, 86);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/><g><text x="192" y="1332" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">Catálogos / Portal</text>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="310" y="1320" width="14" height="14" rx="3"
style="fill:rgb(250, 236, 231);stroke:rgb(153, 60, 29);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/><g><text x="332" y="1332" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system, BlinkMacSystemFont,
&quot;Segoe UI&quot;;, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">Fichas / Cierre de ventas</text>
<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:&quot;Anthropic Sans&quot;; -apple-system,
BlinkMacSystemFont, &quot;Segoe UI&quot;;, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="490" y="1320" width="14" height="14" rx="3"

```

```

style="fill:rgb(250, 238, 218);stroke:rgb(133, 79, 11);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/></g><text x="512" y="1332" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">Postulación</text>

```

```

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="30" y="1350" width="14" height="14" rx="3"
style="fill:rgb(234, 243, 222);stroke:rgb(59, 109, 17);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/></g><text x="52" y="1362" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">Agentes / Dashboard</text>

```

```

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="200" y="1350" width="14" height="14" rx="3"
style="fill:rgb(230, 241, 251);stroke:rgb(24, 95, 165);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/></g><text x="222" y="1362" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">Catálogos regionales</text>

```

```

<g style="fill:rgb(0, 0, 0);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"><rect x="370" y="1350" width="14" height="14" rx="3"
style="fill:rgb(241, 239, 232);stroke:rgb(95, 94, 90);color:rgb(0, 0, 0);stroke-width:1px;stroke-
linecap:butt;stroke-linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system,
BlinkMacSystemFont, "Segoe UI";, sans-serif;font-size:16px;font-weight:400;text-
anchor:start;dominant-baseline:auto"/></g><text x="392" y="1362" style="fill:rgb(61, 61,
58);stroke:none;color:rgb(0, 0, 0);stroke-width:1px;stroke-linecap:butt;stroke-
linejoin:miter;opacity:1;font-family:"Anthropic Sans";, -apple-system, BlinkMacSystemFont,
"Segoe UI";, sans-serif;font-size:12px;font-weight:400;text-anchor:start;dominant-
baseline:auto">SEO / Admin / Footer</text>
</svg>

```

```

=== ARCHIVO: \eslint.config.mjs ===

```

```

import { defineConfig, globalIgnores } from "eslint/config";
import nextVitals from "eslint-config-next/core-web-vitals";
import nextTs from "eslint-config-next/typescript";

```

```

const eslintConfig = defineConfig([
  ...nextVitals,
  ...nextTs,
  // Override default ignores of eslint-config-next.
  globalIgnores([
    // Default ignores of eslint-config-next:
    ".next/**",
    "out/**",
    "build/**",
    "next-env.d.ts",
  ]),
]);

```

```
export default eslintConfig;
```

```
=== ARCHIVO: \next-env.d.ts ===
/// <reference types="next" />
/// <reference types="next/image-types/global" />
import "./.next/dev/types/routes.d.ts";

// NOTE: This file should not be edited
// see https://nextjs.org/docs/app/api-reference/config/typescript for more information.
```

```
=== ARCHIVO: \next.config.ts ===
import type { NextConfig } from "next";
```

```
const nextConfig: NextConfig = {
  images: {
    remotePatterns: [
      {
        protocol: 'https',
        hostname: 'images.unsplash.com',
      },
    ],
  },
};
```

```
export default nextConfig;
```

```
=== ARCHIVO: \package.json ===
{
  "name": "dinco-web",
  "version": "0.1.0",
  "private": true,
  "scripts": {
    "dev": "next dev",
    "build": "next build --webpack",
    "start": "next start",
    "lint": "eslint"
  },
  "dependencies": {
    "@fontsource/inter": "^5.2.8",
    "@fontsource/playfair-display": "^5.2.8",
    "framer-motion": "^12.40.0",
    "next": "16.2.6",
    "react": "19.2.4",
    "react-dom": "19.2.4",
    "swiper": "^12.1.4"
  },
  "devDependencies": {
    "@tailwindcss/postcss": "^4",
    "@types/node": "^20",
    "@types/react": "^19",
    "@types/react-dom": "^19",
    "eslint": "^9",
    "eslint-config-next": "16.2.6",
    "tailwindcss": "^4",
    "typescript": "^5"
  }
}
```

```
=== ARCHIVO: \postcss.config.mjs ===
const config = {
  plugins: {
    "@tailwindcss/postcss": {},
  },
}
```

```
    },
  };

export default config;
```

=== ARCHIVO: \README.md ===

This is a [Next.js](https://nextjs.org) project bootstrapped with [create-next-app](https://nextjs.org/docs/app/api-reference/cli/create-next-app).

## ## Getting Started

First, run the development server:

```
```bash
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```
```

Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses [next/font](https://nextjs.org/docs/app/building-your-application/optimizing/fonts) to automatically optimize and load [Geist](https://vercel.com/font), a new font family for Vercel.

## ## Learn More

To learn more about Next.js, take a look at the following resources:

- [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
- [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.

You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your feedback and contributions are welcome!

## ## Deploy on Vercel

The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/new?utm\_medium=default-template&filter=next.js&utm\_source=create-next-app&utm\_campaign=create-next-app-readme) from the creators of Next.js.

Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-application/deploying) for more details.

=== ARCHIVO: \tsconfig.json ===

```
{
  "compilerOptions": {
    "target": "ES2017",
    "lib": ["dom", "dom.iterable", "esnext"],
    "allowJs": true,
    "skipLibCheck": true,
    "strict": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "bundler",
```



```

    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "react-jsx",
    "incremental": true,
    "plugins": [
      {
        "name": "next"
      }
    ],
    "paths": {
      "@/*": ["./*"]
    }
  },
  "include": [
    "next-env.d.ts",
    "**/*.ts",
    "**/*.tsx",
    ".next/types/**/*.ts",
    ".next/dev/types/**/*.ts",
    "**/*.mts"
  ],
  "exclude": ["node_modules"]
}

```

=== ARCHIVO: \tsconfig.tsbuildinfo ===

```

{"fileNames":
[".\node_modules\typescript\lib\lib.es5.d.ts", ".\node_modules\typescript\lib\lib.es2015.d.ts", ".\node_modules\typescript\lib\lib.es2016.d.ts", ".\node_modules\typescript\lib\lib.es2017.d.ts", ".\node_modules\typescript\lib\lib.es2018.d.ts", ".\node_modules\typescript\lib\lib.es2019.d.ts", ".\node_modules\typescript\lib\lib.es2020.d.ts", ".\node_modules\typescript\lib\lib.es2021.d.ts", ".\node_modules\typescript\lib\lib.es2022.d.ts", ".\node_modules\typescript\lib\lib.es2023.d.ts", ".\node_modules\typescript\lib\lib.es2024.d.ts", ".\node_modules\typescript\lib\lib.esnext.d.ts", ".\node_modules\typescript\lib\lib.dom.d.ts", ".\node_modules\typescript\lib\lib.dom.iterable.d.ts", ".\node_modules\typescript\lib\lib.es2015.core.d.ts", ".\node_modules\typescript\lib\lib.es2015.collection.d.ts", ".\node_modules\typescript\lib\lib.es2015.generator.d.ts", ".\node_modules\typescript\lib\lib.es2015.iterable.d.ts", ".\node_modules\typescript\lib\lib.es2015.promise.d.ts", ".\node_modules\typescript\lib\lib.es2015.proxy.d.ts", ".\node_modules\typescript\lib\lib.es2015.reflect.d.ts", ".\node_modules\typescript\lib\lib.es2015.symbol.d.ts", ".\node_modules\typescript\lib\lib.es2015.symbol.wellknown.d.ts", ".\node_modules\typescript\lib\lib.es2016.array.include.d.ts", ".\node_modules\typescript\lib\lib.es2016.intl.d.ts", ".\node_modules\typescript\lib\lib.es2017.arraybuffer.d.ts", ".\node_modules\typescript\lib\lib.es2017.date.d.ts", ".\node_modules\typescript\lib\lib.es2017.object.d.ts", ".\node_modules\typescript\lib\lib.es2017.sharedmemory.d.ts", ".\node_modules\typescript\lib\lib.es2017.string.d.ts", ".\node_modules\typescript\lib\lib.es2017.intl.d.ts", ".\node_modules\typescript\lib\lib.es2017.typedarrays.d.ts", ".\node_modules\typescript\lib\lib.es2018.asyncgenerator.d.ts", ".\node_modules\typescript\lib\lib.es2018.asynciterable.d.ts", ".\node_modules\typescript\lib\lib.es2018.intl.d.ts", ".\node_modules\typescript\lib\lib.es2018.promise.d.ts", ".\node_modules\typescript\lib\lib.es2018.regexp.d.ts", ".\node_modules\typescript\lib\lib.es2019.array.d.ts", ".\node_modules\typescript\lib\lib.es2019.object.d.ts", ".\node_modules\typescript\lib\lib.es2019.string.d.ts", ".\node_modules\typescript\lib\lib.es2019.symbol.d.ts", ".\node_modules\typescript\lib\lib.es2019.intl.d.ts", ".\node_modules\typescript\lib\lib.es2020.bigint.d.ts", ".\node_modules\typescript\lib\lib.es2020.date.d.ts", ".\node_modules\typescript\lib\lib.es2020.promise.d.ts", ".\node_modules\typescript\lib\lib.es2020.sharedmemory.d.ts", ".\node_modules\typescript\lib\lib.es2020.string.d.ts", ".\node_modules\typescript\lib\lib.es2020.symbol.wellknown.d.ts", ".\node_modules\typescript\lib\lib.es2020.intl.d.ts", ".\node_modules\typescript\lib\lib.es2020.number.d.ts", ".\node_modules\typescript\lib\lib.es2021.promise.d.ts", ".\node_modules\typescript\lib\lib.es2021.string.d.ts", ".\node_modules\typescript\lib\lib.es2021.weakref.d.ts", ".\node_modules\typescript\lib\lib.es2021.intl.d.ts", ".\node_modules\typescript\lib\lib.es2022.array.d.ts", ".\node_modules\typescript\lib\lib.es2022.error.d.ts", ".\node_modules\typescript\lib\lib.es2022.intl.d.ts", ".\node_modules\typescript\lib\lib.es2022.object.d.ts", ".\node_modules\typescript\lib\lib.es2022.string.d.ts", ".\node_modules\typescript\lib\lib.es2022.regexp.d.ts", ".\node_modules\typescript\lib\lib.es2023.array.d.ts", ".\node_modules\typescript\lib\lib.es2023.collection.d.ts", ".\node_modules\typescript\lib\lib.es2023.intl.d.ts", ".\node_modules\typescript\lib\lib.es2024.arraybuffer.d.ts", ".\node_modules\typescript\lib\lib.es2024.collection.d.ts", ".\node_modules\typescript\lib\lib.es2024.object.d.ts", ".\node_modules\typescript\lib\lib.es2024.promise.d.ts", ".\node_modules\typescript\lib\lib.es2024.regexp.d.ts", ".\node_modules\typescript\lib\lib.es2024.sharedmemory.d.ts", ".\node_modules\typescript\lib\lib.es2024.string.d.ts", ".\node_modules\typescript\lib\lib.es2024.intl.d.ts"]
}

```

es/typescript/lib/lib.esnext.array.d.ts", ". /node\_modules/typescript/lib/lib.esnext.collection.d.ts", ". /node\_modules/typescript/lib/lib.esnext.intl.d.ts", ". /node\_modules/typescript/lib/lib.esnext.dispose-  
 ble.d.ts", ". /node\_modules/typescript/lib/lib.esnext.promise.d.ts", ". /node\_modules/typescript/lib/lib.esnext.decorators.d.ts", ". /node\_modules/typescript/lib/lib.esnext.iterator.d.ts", ". /node\_modules/type-  
 script/lib/lib.esnext.float16.d.ts", ". /node\_modules/typescript/lib/lib.esnext.error.d.ts", ". /node\_mod-  
 ules/typescript/lib/lib.esnext.sharedmemory.d.ts", ". /node\_modules/typescript/lib/lib.decorators.d.ts", ". /node\_modules/typescript/lib/lib.decorators.legacy.d.ts", ". /node\_modules/@types/react/global.d.ts", ". /node\_modules/csstype/index.d.ts", ". /node\_modules/@types/react/index.d.ts", ". /node\_modules/next/di-  
 st/styled-jsx/types/css.d.ts", ". /node\_modules/next/dist/styled-  
 jsx/types/macro.d.ts", ". /node\_modules/next/dist/styled-  
 jsx/types/style.d.ts", ". /node\_modules/next/dist/styled-  
 jsx/types/global.d.ts", ". /node\_modules/next/dist/styled-  
 jsx/types/index.d.ts", ". /node\_modules/next/dist/server/get-page-  
 files.d.ts", ". /node\_modules/@types/node/compatibility/disposable.d.ts", ". /node\_modules/@types/node/compa-  
 tibility/indexable.d.ts", ". /node\_modules/@types/node/compatibility/iterators.d.ts", ". /node\_modules-  
 /@types/node/compatibility/index.d.ts", ". /node\_modules/@types/node/globals.typedarray.d.ts", ". /node\_m-  
 odules/@types/node/buffer.buffer.d.ts", ". /node\_modules/@types/node/globals.d.ts", ". /node\_modules/@typ-  
 es/node/web-globals/abortcontroller.d.ts", ". /node\_modules/@types/node/web-  
 globals/domexception.d.ts", ". /node\_modules/@types/node/web-  
 globals/events.d.ts", ". /node\_modules/undici-types/header.d.ts", ". /node\_modules/undici-  
 types/readable.d.ts", ". /node\_modules/undici-types/file.d.ts", ". /node\_modules/undici-  
 types/fetch.d.ts", ". /node\_modules/undici-types/formdata.d.ts", ". /node\_modules/undici-  
 types/connector.d.ts", ". /node\_modules/undici-types/client.d.ts", ". /node\_modules/undici-  
 types/errors.d.ts", ". /node\_modules/undici-types/dispatcher.d.ts", ". /node\_modules/undici-types/global-  
 dispatcher.d.ts", ". /node\_modules/undici-types/global-origin.d.ts", ". /node\_modules/undici-types/pool-  
 stats.d.ts", ". /node\_modules/undici-types/pool.d.ts", ". /node\_modules/undici-  
 types/handlers.d.ts", ". /node\_modules/undici-types/balanced-pool.d.ts", ". /node\_modules/undici-  
 types/agent.d.ts", ". /node\_modules/undici-types/mock-interceptor.d.ts", ". /node\_modules/undici-  
 types/mock-agent.d.ts", ". /node\_modules/undici-types/mock-client.d.ts", ". /node\_modules/undici-  
 types/mock-pool.d.ts", ". /node\_modules/undici-types/mock-errors.d.ts", ". /node\_modules/undici-  
 types/proxy-agent.d.ts", ". /node\_modules/undici-types/env-http-proxy-  
 agent.d.ts", ". /node\_modules/undici-types/retry-handler.d.ts", ". /node\_modules/undici-types/retry-  
 agent.d.ts", ". /node\_modules/undici-types/api.d.ts", ". /node\_modules/undici-  
 types/interceptors.d.ts", ". /node\_modules/undici-types/util.d.ts", ". /node\_modules/undici-  
 types/cookies.d.ts", ". /node\_modules/undici-types/patch.d.ts", ". /node\_modules/undici-  
 types/websocket.d.ts", ". /node\_modules/undici-types/eventsource.d.ts", ". /node\_modules/undici-  
 types/filereader.d.ts", ". /node\_modules/undici-types/diagnostics-channel.d.ts", ". /node\_modules/undici-  
 types/content-type.d.ts", ". /node\_modules/undici-types/cache.d.ts", ". /node\_modules/undici-  
 types/index.d.ts", ". /node\_modules/@types/node/web-  
 globals/fetch.d.ts", ". /node\_modules/@types/node/assert.d.ts", ". /node\_modules/@types/node/assert/stric-  
 t.d.ts", ". /node\_modules/@types/node/async\_hooks.d.ts", ". /node\_modules/@types/node/buffer.d.ts", ". /nod-  
 e\_modules/@types/node/child\_process.d.ts", ". /node\_modules/@types/node/cluster.d.ts", ". /node\_modules/@-  
 types/node/console.d.ts", ". /node\_modules/@types/node/constants.d.ts", ". /node\_modules/@types/node/cryp-  
 to.d.ts", ". /node\_modules/@types/node/dgram.d.ts", ". /node\_modules/@types/node/diagnostics\_channel.d.ts", ". /node\_modules/@types/node/dns.d.ts", ". /node\_modules/@types/node/dns/promises.d.ts", ". /node\_module-  
 s/@types/node/domain.d.ts", ". /node\_modules/@types/node/events.d.ts", ". /node\_modules/@types/node/fs.d.  
 ts", ". /node\_modules/@types/node/fs/promises.d.ts", ". /node\_modules/@types/node/http.d.ts", ". /node\_modu-  
 les/@types/node/http2.d.ts", ". /node\_modules/@types/node/https.d.ts", ". /node\_modules/@types/node/inspe-  
 ctor.generated.d.ts", ". /node\_modules/@types/node/module.d.ts", ". /node\_modules/@types/node/net.d.ts", ".  
 /node\_modules/@types/node/os.d.ts", ". /node\_modules/@types/node/path.d.ts", ". /node\_modules/@types/nod-  
 e/perf\_hooks.d.ts", ". /node\_modules/@types/node/process.d.ts", ". /node\_modules/@types/node/punycode.d.t-  
 s", ". /node\_modules/@types/node/querystring.d.ts", ". /node\_modules/@types/node/readline.d.ts", ". /node\_m-  
 odules/@types/node/readline/promises.d.ts", ". /node\_modules/@types/node/repl.d.ts", ". /node\_modules/@ty-  
 pes/node/sea.d.ts", ". /node\_modules/@types/node/stream.d.ts", ". /node\_modules/@types/node/stream/promis-  
 es.d.ts", ". /node\_modules/@types/node/stream/consumers.d.ts", ". /node\_modules/@types/node/stream/web.d.  
 ts", ". /node\_modules/@types/node/string\_decoder.d.ts", ". /node\_modules/@types/node/test.d.ts", ". /node\_m-  
 odules/@types/node/timers.d.ts", ". /node\_modules/@types/node/timers/promises.d.ts", ". /node\_modules/@ty-  
 pes/node/tls.d.ts", ". /node\_modules/@types/node/trace\_events.d.ts", ". /node\_modules/@types/node/tty.d.t-  
 s", ". /node\_modules/@types/node/url.d.ts", ". /node\_modules/@types/node/util.d.ts", ". /node\_modules/@type-  
 s/node/v8.d.ts", ". /node\_modules/@types/node/vm.d.ts", ". /node\_modules/@types/node/wasi.d.ts", ". /node\_m-  
 odules/@types/node/worker\_threads.d.ts", ". /node\_modules/@types/node/zlib.d.ts", ". /node\_modules/@types-  
 /node/index.d.ts", ". /node\_modules/@types/react/canary.d.ts", ". /node\_modules/@types/react/experimental-  
 .d.ts", ". /node\_modules/@types/react-dom/index.d.ts", ". /node\_modules/@types/react-  
 dom/experimental.d.ts", ". /node\_modules/next/dist/lib/fallback.d.ts", ". /node\_modules/next/dist/compile

d/webpack/webpack.d.ts", ". /node\_modules/next/dist/shared/lib/modern-browserslist-  
 target.d.ts", ". /node\_modules/next/dist/shared/lib/entry-  
 constants.d.ts", ". /node\_modules/next/dist/shared/lib/constants.d.ts", ". /node\_modules/next/dist/lib/bu  
 ndler.d.ts", ". /node\_modules/next/dist/server/config.d.ts", ". /node\_modules/next/dist/lib/load-custom-  
 routes.d.ts", ". /node\_modules/next/dist/shared/lib/image-  
 config.d.ts", ". /node\_modules/next/dist/build/webpack/plugins/subresource-integrity-  
 plugin.d.ts", ". /node\_modules/next/dist/server/body-  
 streams.d.ts", ". /node\_modules/next/dist/server/request/search-  
 params.d.ts", ". /node\_modules/next/dist/shared/lib/segment-cache/vary-params-  
 decoding.d.ts", ". /node\_modules/next/dist/server/app-render/vary-  
 params.d.ts", ". /node\_modules/next/dist/server/request/params.d.ts", ". /node\_modules/next/dist/server/r  
 oute-kind.d.ts", ". /node\_modules/next/dist/server/route-definitions/route-  
 definition.d.ts", ". /node\_modules/next/dist/server/route-matches/route-  
 match.d.ts", ". /node\_modules/next/dist/client/components/app-router-  
 headers.d.ts", ". /node\_modules/next/dist/server/lib/cache-  
 control.d.ts", ". /node\_modules/next/dist/shared/lib/app-router-  
 types.d.ts", ". /node\_modules/next/dist/server/lib/cache-  
 handlers/types.d.ts", ". /node\_modules/next/dist/server/use-cache/use-cache-  
 wrapper.d.ts", ". /node\_modules/next/dist/server/resume-data-cache/cache-  
 store.d.ts", ". /node\_modules/next/dist/server/resume-data-cache/resume-data-  
 cache.d.ts", ". /node\_modules/next/dist/lib/constants.d.ts", ". /node\_modules/next/dist/server/render-  
 result.d.ts", ". /node\_modules/next/dist/server/response-  
 cache/types.d.ts", ". /node\_modules/next/dist/server/response-  
 cache/index.d.ts", ". /node\_modules/@types/react/jsx-runtime.d.ts", ". /node\_modules/next/dist/next-  
 devtools/userspace/pages/pages-dev-overlay-setup.d.ts", ". /node\_modules/next/dist/build/static-  
 paths/types.d.ts", ". /node\_modules/next/dist/server/route-definitions/app-page-route-  
 definition.d.ts", ". /node\_modules/next/dist/build/adapters/setup-node-  
 env.external.d.ts", ". /node\_modules/next/dist/server/instrumentation/types.d.ts", ". /node\_modules/next/  
 dist/lib/setup-exception-  
 listeners.d.ts", ". /node\_modules/next/dist/lib/worker.d.ts", ". /node\_modules/next/dist/server/lib/exper  
 imental/ppr.d.ts", ". /node\_modules/next/dist/lib/page-  
 types.d.ts", ". /node\_modules/next/dist/build/segment-config/app/app-segment-  
 config.d.ts", ". /node\_modules/next/dist/build/segment-config/pages/pages-segment-  
 config.d.ts", ". /node\_modules/next/dist/build/analysis/get-page-static-  
 info.d.ts", ". /node\_modules/next/dist/build/webpack/loaders/get-module-build-  
 info.d.ts", ". /node\_modules/next/dist/build/webpack/plugins/middleware-  
 plugin.d.ts", ". /node\_modules/next/dist/server/require-  
 hook.d.ts", ". /node\_modules/next/dist/server/node-polyfill-  
 crypto.d.ts", ". /node\_modules/next/dist/server/node-environment-  
 baseline.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/error-  
 inspect.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/console-  
 file.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/console-  
 exit.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/console-  
 dim.external.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/unhandled-  
 rejection.external.d.ts", ". /node\_modules/next/dist/server/node-environment-  
 extensions/random.d.ts", ". /node\_modules/next/dist/server/node-environment-  
 extensions/date.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/web-  
 crypto.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/node-  
 crypto.d.ts", ". /node\_modules/next/dist/server/node-environment-extensions/fast-set-  
 immediate.external.d.ts", ". /node\_modules/next/dist/server/node-  
 environment.d.ts", ". /node\_modules/next/dist/build/page-extensions-  
 type.d.ts", ". /node\_modules/next/dist/server/route-modules/app-  
 page/module.compiled.d.ts", ". /node\_modules/next/dist/server/route-definitions/app-route-route-  
 definition.d.ts", ". /node\_modules/next/dist/server/lib/i18n-  
 provider.d.ts", ". /node\_modules/next/dist/server/web/next-  
 url.d.ts", ". /node\_modules/next/dist/compiled/@edge-  
 runtime/cookies/index.d.ts", ". /node\_modules/next/dist/server/web/spec-  
 extension/cookies.d.ts", ". /node\_modules/next/dist/server/web/spec-  
 extension/request.d.ts", ". /node\_modules/next/dist/shared/lib/deep-  
 readonly.d.ts", ". /node\_modules/next/dist/server/lib/incremental-  
 cache/index.d.ts", ". /node\_modules/next/dist/shared/lib/router/utils/middleware-route-  
 matcher.d.ts", ". /node\_modules/next/dist/build/webpack/plugins/flight-manifest-  
 plugin.d.ts", ". /node\_modules/next/dist/build/webpack/plugins/next-font-manifest-  
 plugin.d.ts", ". /node\_modules/next/dist/server/route-definitions/locale-route-  
 definition.d.ts", ". /node\_modules/next/dist/server/route-definitions/pages-route-

```

definition.d.ts", "./node_modules/next/dist/shared/lib/next.d.ts", "./node_modules/next/dist/client/wit
h-router.d.ts", "./node_modules/next/dist/client/router.d.ts", "./node_modules/next/dist/client/route-
loader.d.ts", "./node_modules/next/dist/client/page-
loader.d.ts", "./node_modules/next/dist/shared/lib/bloom-
filter.d.ts", "./node_modules/next/dist/shared/lib/router/router.d.ts", "./node_modules/next/dist/share
d/lib/router-context.shared-runtime.d.ts", "./node_modules/next/dist/shared/lib/loadable-
context.shared-runtime.d.ts", "./node_modules/next/dist/shared/lib/loadable.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/image-config-context.shared-
runtime.d.ts", "./node_modules/next/dist/client/components/readonly-url-search-
params.d.ts", "./node_modules/next/dist/shared/lib/hooks-client-context.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/head-manager-context.shared-
runtime.d.ts", "./node_modules/next/dist/client/flight-data-
helpers.d.ts", "./node_modules/next/dist/client/components/segment-cache/cache-
key.d.ts", "./node_modules/next/dist/client/components/router-reducer/fetch-server-
response.d.ts", "./node_modules/next/dist/client/components/segment-
cache/types.d.ts", "./node_modules/next/dist/shared/lib/segment-cache/segment-value-
encoding.d.ts", "./node_modules/next/dist/client/components/segment-
cache/scheduler.d.ts", "./node_modules/next/dist/client/components/segment-cache/cache-
map.d.ts", "./node_modules/next/dist/client/components/segment-cache/vary-
path.d.ts", "./node_modules/next/dist/client/components/segment-
cache/cache.d.ts", "./node_modules/next/dist/client/components/router-reducer/ppr-
navigations.d.ts", "./node_modules/next/dist/client/components/segment-
cache/navigation.d.ts", "./node_modules/next/dist/client/components/router-reducer/router-reducer-
types.d.ts", "./node_modules/next/dist/shared/lib/app-router-context.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/server-inserted-html.shared-
runtime.d.ts", "./node_modules/next/dist/server/route-
modules/pages/vendored/contexts/entrypoints.d.ts", "./node_modules/next/dist/server/route-
modules/pages/module.compiled.d.ts", "./node_modules/next/dist/build/templates/pages.d.ts", "./node_mod
ules/next/dist/server/route-
modules/pages/module.d.ts", "./node_modules/next/dist/server/render.d.ts", "./node_modules/next/dist/bu
ild/webpack/plugins/pages-manifest-plugin.d.ts", "./node_modules/next/dist/server/route-
definitions/pages-api-route-definition.d.ts", "./node_modules/next/dist/server/route-matches/pages-
api-route-match.d.ts", "./node_modules/next/dist/server/route-matches/route-
matcher.d.ts", "./node_modules/next/dist/server/route-matcher-providers/route-matcher-
provider.d.ts", "./node_modules/next/dist/server/route-matcher-managers/route-matcher-
manager.d.ts", "./node_modules/next/dist/server/normalizers/normalizer.d.ts", "./node_modules/next/dist
/server/normalizers/locale-route-
normalizer.d.ts", "./node_modules/next/dist/server/normalizers/request/pathname-
normalizer.d.ts", "./node_modules/next/dist/server/normalizers/request/suffix.d.ts", "./node_modules/next
/dist/server/normalizers/request/rsc.d.ts", "./node_modules/next/dist/server/normalizers/request/nex
t-data.d.ts", "./node_modules/next/dist/server/after/builtin-request-
context.d.ts", "./node_modules/next/dist/server/normalizers/request/segment-prefix-
rsc.d.ts", "./node_modules/next/dist/server/route-
modules/pages/builtin/_error.d.ts", "./node_modules/next/dist/server/load-default-error-
components.d.ts", "./node_modules/next/dist/server/base-
server.d.ts", "./node_modules/next/dist/server/after/after.d.ts", "./node_modules/next/dist/server/afte
r/after-context.d.ts", "./node_modules/next/dist/server/use-cache/cache-
life.d.ts", "./node_modules/next/dist/server/app-render/work-async-storage-
instance.d.ts", "./node_modules/next/dist/server/lib/lazy-
result.d.ts", "./node_modules/next/dist/server/app-render/create-error-
handler.d.ts", "./node_modules/next/dist/shared/lib/action-revalidation-
kind.d.ts", "./node_modules/next/dist/server/app-render/work-async-
storage.external.d.ts", "./node_modules/next/dist/server/async-storage/work-
store.d.ts", "./node_modules/next/dist/server/web/http.d.ts", "./node_modules/next/dist/client/componen
ts/hooks-server-context.d.ts", "./node_modules/next/dist/server/route-modules/app-route/shared-
modules.d.ts", "./node_modules/next/dist/client/components/redirect-status-
code.d.ts", "./node_modules/next/dist/client/components/redirect-
error.d.ts", "./node_modules/next/dist/server/web/spec-extension/adapters/request-
cookies.d.ts", "./node_modules/next/dist/server/async-storage/draft-mode-
provider.d.ts", "./node_modules/next/dist/server/web/spec-
extension/adapters/headers.d.ts", "./node_modules/next/dist/server/app-render/cache-
signal.d.ts", "./node_modules/next/dist/server/app-render/instant-validation/boundary-
tracking.d.ts", "./node_modules/next/dist/server/app-render/instant-validation/instant-validation-
error.d.ts", "./node_modules/next/dist/shared/lib/router/utils/parse-relative-
url.d.ts", "./node_modules/next/dist/server/app-render/instant-validation/instant-

```

samples.d.ts", "./node\_modules/next/dist/server/app-render/dynamic-rendering.d.ts",  
 "./node\_modules/next/dist/server/app-render/work-unit-async-storage-instance.d.ts",  
 "./node\_modules/next/dist/server/lib/implicit-tags.d.ts",  
 "./node\_modules/next/dist/server/app-render/staged-rendering.d.ts",  
 "./node\_modules/next/dist/server/app-render/work-unit-async-storage.external.d.ts",  
 "./node\_modules/next/dist/build/templates/app-route.d.ts",  
 "./node\_modules/next/dist/server/app-render/action-async-storage-instance.d.ts",  
 "./node\_modules/next/dist/server/app-render/action-async-storage.external.d.ts",  
 "./node\_modules/next/dist/server/route-modules/app-route/module.d.ts",  
 "./node\_modules/next/dist/server/route-modules/app-route/module.compiled.d.ts",  
 "./node\_modules/next/dist/build/segment-config/app/app-segments.d.ts",  
 "./node\_modules/next/dist/build/get-supported-browsers.d.ts",  
 "./node\_modules/next/dist/build/utils.d.ts",  
 "./node\_modules/next/dist/build/rendering-mode.d.ts",  
 "./node\_modules/next/dist/server/lib/router-utils/build-prefetch-segment-data-route.d.ts",  
 "./node\_modules/next/dist/server/lib/cpu-profile.d.ts",  
 "./node\_modules/next/dist/build/turborepo-access-trace/types.d.ts",  
 "./node\_modules/next/dist/build/turborepo-access-trace/result.d.ts",  
 "./node\_modules/next/dist/build/turborepo-access-trace/helpers.d.ts",  
 "./node\_modules/next/dist/build/turborepo-access-trace/index.d.ts",  
 "./node\_modules/next/dist/export/routes/types.d.ts",  
 "./node\_modules/next/dist/export/types.d.ts",  
 "./node\_modules/next/dist/export/worker.d.ts",  
 "./node\_modules/next/dist/build/worker.d.ts",  
 "./node\_modules/next/dist/build/index.d.ts",  
 "./node\_modules/next/dist/lib/coalesced-function.d.ts",  
 "./node\_modules/next/dist/server/lib/router-utils/types.d.ts",  
 "./node\_modules/next/dist/trace/types.d.ts",  
 "./node\_modules/next/dist/trace/trace.d.ts",  
 "./node\_modules/next/dist/trace/shared.d.ts",  
 "./node\_modules/next/dist/trace/index.d.ts",  
 "./node\_modules/next/dist/build/load-jsconfig.d.ts",  
 "./node\_modules/@next/env/dist/index.d.ts",  
 "./node\_modules/next/dist/build/webpack/plugins/telemetry-plugin/use-cache-tracker-  
 utils.d.ts",  
 "./node\_modules/next/dist/build/webpack/plugins/telemetry-plugin/telemetry-  
 plugin.d.ts",  
 "./node\_modules/next/dist/telemetry/storage.d.ts",  
 "./node\_modules/next/dist/build/build-context.d.ts",  
 "./node\_modules/next/dist/build/webpack-config.d.ts",  
 "./node\_modules/next/dist/build/swc/generated-native.d.ts",  
 "./node\_modules/next/dist/build/define-env.d.ts",  
 "./node\_modules/next/dist/build/swc/index.d.ts",  
 "./node\_modules/next/dist/build/swc/types.d.ts",  
 "./node\_modules/next/dist/server/dev/parse-version-info.d.ts",  
 "./node\_modules/next/dist/next-devtools/shared/types.d.ts",  
 "./node\_modules/next/dist/server/dev/dev-indicator-server-state.d.ts",  
 "./node\_modules/next/dist/next-devtools/dev-overlay/cache-indicator.d.ts",  
 "./node\_modules/next/dist/server/lib/parse-stack.d.ts",  
 "./node\_modules/next/dist/next-devtools/server/shared.d.ts",  
 "./node\_modules/next/dist/next-devtools/shared/stack-frame.d.ts",  
 "./node\_modules/next/dist/next-devtools/dev-overlay/utils/get-error-by-type.d.ts",  
 "./node\_modules/next/dist/next-devtools/dev-overlay/container/runtime-error/render-error.d.ts",  
 "./node\_modules/next/dist/next-devtools/dev-overlay/shared.d.ts",  
 "./node\_modules/next/dist/server/dev/debug-channel.d.ts",  
 "./node\_modules/next/dist/server/dev/hot-reloader-types.d.ts",  
 "./node\_modules/next/dist/server/web/spec-extension/fetch-event.d.ts",  
 "./node\_modules/next/dist/server/web/spec-extension/response.d.ts",  
 "./node\_modules/next/dist/build/segment-config/middleware/middleware-config.d.ts",  
 "./node\_modules/next/dist/server/web/types.d.ts",  
 "./node\_modules/next/dist/shared/lib/router/utils/parse-url.d.ts",  
 "./node\_modules/next/dist/server/base-http/node.d.ts",  
 "./node\_modules/next/dist/server/lib/async-callback-set.d.ts",  
 "./node\_modules/next/dist/shared/lib/router/utils/route-regex.d.ts",  
 "./node\_modules/next/dist/shared/lib/router/utils/route-matcher.d.ts",  
 "./node\_modules/next/dist/server/image-optimizer.d.ts",  
 "./node\_modules/next/dist/server/next-server.d.ts",  
 "./node\_modules/next/dist/server/lib/types.d.ts",  
 "./node\_modules/next/dist/server/lib/lru-cache.d.ts",  
 "./node\_modules/next/dist/server/lib/dev-bundler-service.d.ts",  
 "./node\_modules/next/dist/server/dev/static-paths-worker.d.ts",  
 "./node\_modules/next/dist/server/dev/next-dev-server.d.ts",  
 "./node\_modules/next/dist/server/next.d.ts",  
 "./node\_modules/next/dist/server/lib/render-server.d.ts",  
 "./node\_modules/next/dist/server/lib/router-server.d.ts",  
 "./node\_modules/next/dist/shared/lib/router/utils/path-match.d.ts",  
 "./node\_modules/next/dist/server/lib/router-utils/filesystem.d.ts",  
 "./node\_modules/next/dist/server/lib/router-utils/setup-dev-bundler.d.ts",  
 "./node\_modules/next/dist/server/lib/router-utils/router-server-

```

context.d.ts", "./node_modules/next/dist/server/route-modules/route-
module.d.ts", "./node_modules/next/dist/server/load-
components.d.ts", "./node_modules/next/dist/server/web/adapter.d.ts", "./node_modules/next/dist/server/app-
render/types.d.ts", "./node_modules/next/dist/build/webpack/loaders/metadata/types.d.ts", "./node_modules/next/dist/build/webpack/loaders/next-app-
loader/index.d.ts", "./node_modules/next/dist/server/lib/app-dir-
module.d.ts", "./node_modules/next/dist/server/app-render/app-
render.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/vendored/contexts/entrypoints.d.ts", "./node_modules/next/dist/client/components/error-
boundary.d.ts", "./node_modules/next/dist/client/components/layout-
router.d.ts", "./node_modules/next/dist/client/components/render-from-template-
context.d.ts", "./node_modules/next/dist/client/components/client-
page.d.ts", "./node_modules/next/dist/client/components/client-
segment.d.ts", "./node_modules/next/dist/client/components/http-access-fallback/error-
boundary.d.ts", "./node_modules/next/dist/lib/metadata/types/alternative-urls-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/extra-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/metadata-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/manifest-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/opengraph-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/twitter-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/metadata-
interface.d.ts", "./node_modules/next/dist/lib/metadata/types/resolvers.d.ts", "./node_modules/next/dist/lib/metadata/types/icons.d.ts", "./node_modules/next/dist/lib/metadata/resolve-
metadata.d.ts", "./node_modules/next/dist/lib/metadata/metadata.d.ts", "./node_modules/next/dist/lib/framework/boundary-components.d.ts", "./node_modules/next/dist/server/app-
render/rsc/preloads.d.ts", "./node_modules/next/dist/server/app-
render/rsc/postpone.d.ts", "./node_modules/next/dist/server/app-
render/rsc/taint.d.ts", "./node_modules/next/dist/server/app-render/collect-segment-
data.d.ts", "./node_modules/next/dist/server/app-render/instant-validation/instant-
validation.d.ts", "./node_modules/next/dist/next-devtools/userspace/app/segment-explorer-
node.d.ts", "./node_modules/next/dist/server/app-render/entry-
base.d.ts", "./node_modules/next/dist/build/templates/app-
page.d.ts", "./node_modules/next/dist/server/route-modules/app-page/helpers/prerender-manifest-
matcher.d.ts", "./node_modules/@types/react/jsx-dev-
runtime.d.ts", "./node_modules/@types/react/compiler-
runtime.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/vendored/rsc/entrypoints.d.ts", "./node_modules/@types/react-
dom/client.d.ts", "./node_modules/@types/react-dom/static.d.ts", "./node_modules/@types/react-
dom/server.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/vendored/ssr/entrypoints.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/module.d.ts", "./node_modules/next/dist/server/request/fallback-
params.d.ts", "./node_modules/next/dist/server/web/spec-extension/image-
response.d.ts", "./node_modules/next/dist/server/web/spec-extension/user-
agent.d.ts", "./node_modules/next/dist/server/web/spec-extension/url-
pattern.d.ts", "./node_modules/next/dist/server/after/index.d.ts", "./node_modules/next/dist/server/request/connection.d.ts", "./node_modules/next/dist/server/web/exports/index.d.ts", "./node_modules/next/dist/server/request-meta.d.ts", "./node_modules/next/dist/cli/next-
test.d.ts", "./node_modules/next/dist/shared/lib/size-
limit.d.ts", "./node_modules/next/dist/server/config-
shared.d.ts", "./node_modules/next/dist/server/base-
http/index.d.ts", "./node_modules/next/dist/server/api-
utils/index.d.ts", "./node_modules/next/dist/build/adapters/build-
complete.d.ts", "./node_modules/next/dist/types.d.ts", "./node_modules/next/dist/shared/lib/html-
context.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/utils.d.ts", "./node_modules/next/dist/pages/_app.d.ts", "./node_modules/next/app.d.ts", "./node_modules/next/dist/server/web/spec-extension/unstable-
cache.d.ts", "./node_modules/next/dist/server/web/spec-
extension/revalidate.d.ts", "./node_modules/next/dist/server/web/spec-extension/unstable-no-
store.d.ts", "./node_modules/next/dist/server/use-cache/cache-
tag.d.ts", "./node_modules/next/cache.d.ts", "./node_modules/next/dist/pages/_document.d.ts", "./node_modules/next/document.d.ts", "./node_modules/next/dist/shared/lib/dynamic.d.ts", "./node_modules/next/dyn-
amic.d.ts", "./node_modules/next/dist/pages/_error.d.ts", "./node_modules/next/dist/client/components/c-
atch-
error.d.ts", "./node_modules/next/dist/api/error.d.ts", "./node_modules/next/error.d.ts", "./node_modules

```

s/next/dist/shared/lib/head.d.ts", "./node\_modules/next/head.d.ts", "./node\_modules/next/dist/server/request/cookies.d.ts", "./node\_modules/next/dist/server/request/headers.d.ts", "./node\_modules/next/dist/server/request/draft-mode.d.ts", "./node\_modules/next/headers.d.ts", "./node\_modules/next/dist/shared/lib/get-img-props.d.ts", "./node\_modules/next/dist/client/image-component.d.ts", "./node\_modules/next/dist/shared/lib/image-external.d.ts", "./node\_modules/next/image.d.ts", "./node\_modules/next/dist/client/link.d.ts", "./node\_modules/next/link.d.ts", "./node\_modules/next/dist/client/components/unrecognized-action-error.d.ts", "./node\_modules/next/dist/client/components/redirect.d.ts", "./node\_modules/next/dist/client/components/not-found.d.ts", "./node\_modules/next/dist/client/components/forbidden.d.ts", "./node\_modules/next/dist/client/components/unauthorized.d.ts", "./node\_modules/next/dist/client/components/unstable-rethrow.server.d.ts", "./node\_modules/next/dist/client/components/unstable-rethrow.d.ts", "./node\_modules/next/dist/client/components/navigation.react-server.d.ts", "./node\_modules/next/dist/client/components/navigation.d.ts", "./node\_modules/next/navigation.d.ts", "./node\_modules/next/router.d.ts", "./node\_modules/next/dist/client/script.d.ts", "./node\_modules/next/script.d.ts", "./node\_modules/next/dist/compiled/@edge-runtime/primitives/url.d.ts", "./node\_modules/next/dist/compiled/@vercel/og/satori/index.d.ts", "./node\_modules/next/dist/compiled/@vercel/og/types.d.ts", "./node\_modules/next/server.d.ts", "./node\_modules/next/types/global.d.ts", "./node\_modules/next/types/compiled.d.ts", "./node\_modules/next/types.d.ts", "./node\_modules/next/index.d.ts", "./node\_modules/next/image-types/global.d.ts", "./next/dev/types/routes.d.ts", "./next-env.d.ts", "./next.config.ts", "./node\_modules/next/dist/compiled/@next/font/dist/types.d.ts", "./node\_modules/next/dist/compiled/@next/font/dist/google/index.d.ts", "./node\_modules/next/font/google/index.d.ts", "./app/layout.tsx", "./components/navbar.tsx", "./components/hero.tsx", "./components/seccionregiones.tsx", "./components/propiedadesdestacadas.tsx", "./components/seccionagentes.tsx", "./components/seccionpostulacion.tsx", "./components/presenciasocial.tsx", "./app/page.tsx", "./components/footer.tsx", "./components/testimonios.tsx", "./next/types/cache-life.d.ts", "./next/types/routes.d.ts", "./next/types/validator.ts", "./next/dev/types/cache-life.d.ts", "./next/dev/types/validator.ts", "./node\_modules/@types/estree/index.d.ts", "./node\_modules/@types/json-schema/index.d.ts", "./node\_modules/@types/json5/index.d.ts", "fileIdsList":

[97,143,483,484,485,486,547], [97,143,547,550], [97,143,226,527,530,536,544,547,550], [97,143,483,484,485,486,550], [97,143,226,527,536,544,547,548,550], [97,143,226,525,528,535,547,550], [97,143,226,537,538,539,540,541,542,543,547,550], [97,143,226,507,547,550], [85,97,143,226,547,550], [85,97,143,226,505,507,547,550], [97,143,528,529,530,547,550], [97,143,226,528,547,550], [97,140,143,547,550], [97,142,143,547,550], [143,547,550], [97,143,148,176,547,550], [97,143,144,149,154,162,173,184,547,550], [97,143,144,145,154,162,547,550], [92,93,94,97,143,547,550], [97,143,146,185,547,550], [97,143,147,148,155,163,547,550], [97,143,148,173,181,547,550], [97,143,149,151,154,162,547,550], [97,142,143,150,547,550], [97,143,151,152,547,550], [97,143,153,154,547,550], [97,142,143,154,547,550], [97,143,154,155,156,173,184,547,550], [97,143,154,155,156,169,173,176,547,550], [97,143,151,154,157,162,173,184,547,550], [97,143,154,155,157,158,162,173,181,184,547,550], [97,143,157,159,173,181,184,547,550], [95,96,97,98,99,100,101,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189,190,547,550], [97,143,154,160,547,550], [97,143,161,184,189,547,550], [97,143,151,154,162,173,547,550], [97,143,163,547,550], [97,143,164,547,550], [97,142,143,165,547,550], [97,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,189,190,547,550], [97,143,167,547,550], [97,143,168,547,550], [97,143,154,169,170,547,550], [97,143,169,171,185,187,547,550], [97,143,154,173,174,176,547,550], [97,143,175,176,547,550], [97,143,173,174,547,550], [97,143,176,547,550], [97,143,177,547,550], [97,140,143,173,178,547,550], [97,143,154,179,180,547,550], [97,143,179,180,547,550], [97,143,148,162,173,181,547,550], [97,143,182,547,550], [97,143,162,183,547,550], [97,143,157,168,184,547,550], [97,143,148,185,547,550], [97,143,173,186,547,550], [97,143,161,187,547,550], [97,143,188,547,550], [97,138,143,547,550], [97,138,143,154,156,165,173,176,184,187,189,547,550], [97,143,173,190,547,550], [85,89,97,143,192,193,194,196,478,523,547,550], [85,97,143,547,550], [85,89,97,143,192,193,194,195,459,478,523,547,550], [85,89,97,143,192,193,195,196,478,523,547,550], [85,97,143,196,459,460,547,550], [85,97,143,196,459,547,550], [85,89,97,143,193,194,195,196,478,523,547,550], [85,89,97,143,192,194,195,196,478,523,547,550], [83,84,97,143,547,550], [97,143,481,547,550], [97,143,483,484,485,486,547,550], [97,143,429,492,493,547,550], [97,143,201,202,204,216,240,355,366,474,547,550], [97,143,204,235,236,237,239,474,547,550], [97,143,204,372,374,376,377,379,474,476,547,550], [97,143,204,238,275,474,547,550], [97,143,202,204,215,216,222,228,233,354,355,356,365,474,476,547,550], [97,143,474,547,550], [97,143,211,217,236,256,351,547,550], [97,143,204,547,550], [97,143,197,211,217,547,550],

[97,143,383,547,550],[97,143,380,381,383,547,550],[97,143,380,382,474,547,550],  
 [97,143,157,256,453,471,547,550],[97,143,157,327,330,346,351,471,547,550],  
 [97,143,157,299,471,547,550],[97,143,359,547,550],[97,143,358,359,360,547,550],[97,143,358,547,550],  
 [91,97,143,157,197,204,216,222,228,234,236,240,241,254,255,322,352,353,366,474,478,547,550],  
 [97,143,201,204,238,275,372,373,378,474,526,547,550],[97,143,238,526,547,550],  
 [97,143,201,255,424,474,526,547,550],[97,143,526,547,550],[97,143,204,238,239,526,547,550],  
 [97,143,375,526,547,550],[97,143,241,354,357,364,547,550],[85,97,143,429,547,550],  
 [97,143,168,211,226,547,550],[97,143,211,226,547,550],[85,97,143,296,547,550],  
 [85,97,143,217,226,429,547,550],[97,143,211,282,296,297,508,515,547,550],  
 [97,143,281,509,510,511,512,514,547,550],[97,143,332,547,550],[97,143,332,333,547,550],  
 [97,143,215,217,284,285,547,550],[97,143,217,291,292,547,550],[97,143,217,286,294,547,550],  
 [97,143,291,547,550],[97,143,209,217,284,285,286,287,288,289,290,291,294,547,550],  
 [97,143,217,284,291,292,293,295,547,550],[97,143,217,285,287,288,547,550],  
 [97,143,285,287,290,292,547,550],[97,143,513,547,550],[97,143,217,547,550],  
 [85,97,143,205,502,547,550],[85,97,143,184,547,550],[85,97,143,238,273,547,550],  
 [85,97,143,238,366,547,550],[97,143,271,276,547,550],[85,97,143,272,480,547,550],  
 [97,143,533,547,550],[85,89,97,143,157,192,193,194,195,196,478,522,547,550],[97,143,157,217,547,550],  
 [97,143,157,216,221,302,319,361,362,366,421,423,474,475,547,550],[97,143,254,363,547,550],  
 [97,143,478,547,550],[97,143,203,547,550],[85,97,143,208,211,426,442,444,547,550],  
 [97,143,168,211,426,441,442,443,525,547,550],[97,143,435,436,437,438,439,440,547,550],  
 [97,143,437,547,550],[97,143,441,547,550],[97,143,226,390,391,393,547,550],  
 [85,97,143,217,384,385,386,387,392,547,550],[97,143,390,392,547,550],[97,143,388,547,550],  
 [97,143,389,547,550],[85,97,143,226,272,480,547,550],[85,97,143,226,479,480,547,550],  
 [85,97,143,226,480,547,550],[97,143,319,320,547,550],[97,143,320,547,550],  
 [97,143,157,475,480,547,550],[97,143,349,547,550],[97,142,143,348,547,550],  
 [97,143,211,217,223,225,327,340,344,346,423,426,463,464,471,475,547,550],  
 [97,143,217,266,288,547,550],[97,143,327,338,341,346,547,550],  
 [85,97,143,208,211,327,330,346,349,383,430,431,432,433,434,445,446,447,448,449,450,451,452,526,547,550],  
 [97,143,208,211,236,327,334,335,336,339,340,547,550],  
 [97,143,173,217,236,338,345,426,427,471,547,550],[97,143,342,547,550],  
 [97,143,157,168,205,217,221,231,263,264,267,319,322,387,421,422,463,474,475,476,478,526,547,550],  
 [97,143,208,209,211,547,550],[97,143,327,547,550],  
 [97,142,143,236,263,264,321,322,323,324,325,326,475,547,550],[97,143,346,547,550],  
 [97,142,143,210,211,221,225,261,327,334,335,336,337,338,341,342,343,344,345,464,547,550],  
 [97,143,157,261,262,334,475,476,547,550],[97,143,236,264,319,322,327,423,475,547,550],  
 [97,143,157,474,476,547,550],[97,143,157,173,471,475,476,547,550],  
 [97,143,157,168,197,211,216,223,225,228,231,238,258,263,264,265,266,267,302,303,305,308,310,313,314,315,316,318,366,421,423,471,474,475,476,547,550],[97,143,157,173,547,550],  
 [97,143,204,205,206,234,471,472,473,478,480,526,547,550],[97,143,201,202,474,547,550],  
 [97,143,395,547,550],[97,143,157,173,184,213,379,383,384,385,386,387,393,394,526,547,550],  
 [97,143,168,184,197,211,213,225,228,264,303,308,318,319,372,399,400,401,407,410,411,421,423,471,474,547,550],[97,143,228,234,241,254,264,322,474,547,550],  
 [97,143,157,184,205,216,225,264,405,471,474,547,550],[97,143,425,547,550],  
 [97,143,157,395,408,409,418,547,550],[97,143,471,474,547,550],[97,143,324,464,547,550],  
 [97,143,225,263,366,480,547,550],[97,143,157,168,203,308,368,372,401,407,410,413,471,547,550],  
 [97,143,157,241,254,372,414,547,550],[97,143,204,265,366,416,474,476,547,550],  
 [97,143,157,184,387,474,547,550],[97,143,157,238,265,366,367,368,377,395,415,417,474,547,550],  
 [91,97,143,157,263,420,478,480,547,550],[97,143,317,421,547,550],  
 [97,143,157,168,211,214,216,217,223,225,231,240,241,254,264,267,303,305,315,318,319,366,399,400,401,402,404,406,421,423,471,480,547,550],[97,143,157,173,241,407,412,418,471,547,550],  
 [97,143,244,245,246,247,248,249,250,251,252,253,547,550],[97,143,258,309,547,550],  
 [97,143,311,547,550],[97,143,309,547,550],[97,143,311,312,547,550],  
 [97,143,157,215,216,217,221,222,475,547,550],  
 [97,143,157,168,203,205,223,227,263,266,267,301,421,471,476,478,480,547,550],  
 [97,143,157,168,184,207,214,215,225,227,264,419,464,470,475,547,550],[97,143,334,547,550],  
 [97,143,335,547,550],[97,143,217,228,463,547,550],[97,143,336,547,550],[97,143,210,547,550],  
 [97,143,212,224,547,550],[97,143,157,212,216,223,547,550],[97,143,219,224,547,550],  
 [97,143,220,547,550],[97,143,212,213,547,550],[97,143,212,268,547,550],[97,143,212,547,550],  
 [97,143,214,258,307,547,550],[97,143,306,547,550],[97,143,211,213,214,547,550],  
 [97,143,214,304,547,550],[97,143,211,213,547,550],[97,143,263,366,547,550],[97,143,463,547,550],  
 [97,143,157,184,223,225,229,263,366,420,423,426,427,428,454,455,458,462,464,471,475,547,550],  
 [97,143,277,280,282,283,296,297,547,550],[85,97,143,194,196,226,456,457,547,550],  
 [85,97,143,194,196,226,456,457,461,547,550],[97,143,350,547,550],  
 [97,143,236,257,262,263,327,328,329,330,331,333,346,347,349,352,420,423,474,476,547,550],  
 [97,143,296,547,550],[97,143,157,301,471,547,550],[97,143,301,547,550],



```
[97,143,157,223,269,298,300,302,420,471,478,480,547,550],
[97,143,277,278,279,280,282,283,296,297,479,547,550],
[91,97,143,157,168,184,212,213,225,231,263,264,267,366,418,419,421,471,474,475,478,547,550],
[97,143,208,211,218,547,550],[97,143,262,264,396,399,547,550],
[97,143,262,397,465,466,467,468,469,547,550],[97,143,157,258,474,547,550],[97,143,157,547,550],
[97,143,261,346,547,550],[97,143,260,547,550],[97,143,262,315,547,550],[97,143,259,261,474,547,550],
[97,143,157,207,262,396,397,398,471,474,475,547,550],[85,97,143,211,217,295,547,550],
[85,97,143,209,547,550],[97,143,199,200,547,550],[85,97,143,205,547,550],[85,97,143,211,281,547,550],
[85,91,97,143,263,267,478,480,547,550],[97,143,205,502,503,547,550],[85,97,143,276,547,550],
[85,97,143,168,184,203,270,272,274,275,480,547,550],[97,143,211,238,475,547,550],
[97,143,211,403,547,550],[85,97,143,155,157,168,201,203,276,374,478,479,547,550],
[85,97,143,192,193,194,195,196,478,523,547,550],[85,86,87,88,89,97,143,547,550],[97,143,148,547,550],
[97,143,369,370,371,547,550],[97,143,369,547,550],
[85,89,97,143,157,159,168,191,192,193,194,195,196,197,203,231,236,413,441,476,477,480,523,547,550],
[97,143,488,547,550],[97,143,490,547,550],[97,143,494,547,550],[97,143,534,547,550],
[97,143,496,547,550],[97,143,498,499,500,547,550],[97,143,504,547,550],
[90,97,143,482,487,489,491,495,497,501,505,507,517,518,520,524,525,526,527,547,550],
[97,143,506,547,550],[97,143,516,547,550],[97,143,272,547,550],[97,143,519,547,550],
[97,142,143,262,396,397,399,465,466,468,469,521,523,547,550],[97,143,191,547,550],
[97,143,173,191,547,550],[97,110,114,143,184,547,550],[97,110,143,173,184,547,550],
[97,105,143,547,550],[97,107,110,143,181,184,547,550],[97,143,162,181,547,550],
[97,105,143,191,547,550],[97,107,110,143,162,184,547,550],
[97,102,103,106,109,143,154,173,184,547,550],[97,110,117,143,547,550],[97,102,108,143,547,550],
[97,110,131,132,143,547,550],[97,106,110,143,176,184,191,547,550],[97,131,143,191,547,550],
[97,104,105,143,191,547,550],[97,110,143,547,550],
[97,104,105,106,107,108,109,110,111,112,114,115,116,117,118,119,120,121,122,123,124,125,126,127,128,1
29,130,132,133,134,135,136,137,143,547,550],[97,110,125,143,547,550],[97,110,117,118,143,547,550],
[97,108,110,118,119,143,547,550],[97,109,143,547,550],[97,102,105,110,143,547,550],
[97,110,114,118,119,143,547,550],[97,114,143,547,550],[97,108,110,113,143,184,547,550],
[97,102,107,110,117,143,547,550],[97,143,173,547,550],
[97,105,110,131,143,189,191,547,550]], "fileInfos":
[{"version":"c430d44666289dae81f30fa7b2edebf186ecc91a2d4c71266ea6ae76388792e1","affectsGlobalScope":t
rue,"impliedFormat":1},
{"version":"45b7ab580deca34ae9729e97c13cfd999df04416a79116c3bfb483804f85ded4","impliedFormat":1},
{"version":"3facaf05f0c5fc569c5649dd359892c98a85557e3e0c847964caeb67076f4d75","impliedFormat":1},
{"version":"e44bb8bbac7f10ecc786703fe0a6a4b952189f908707980ba8f3c8975a760962","impliedFormat":1},
{"version":"5e1c4c362065a6b95ff952c0eab010f04dcd2c3494e813b493ecfd4fcb9fc0d8","impliedFormat":1},
{"version":"68d73b4a11549f9c0b7d352d10e91e5dca8faa3322bfb77b661839c42b1ddec7","impliedFormat":1},
{"version":"5efce4fc3c29ea84e8928f97adec086e3dc876365e0982cc8479a07954a3efd4","impliedFormat":1},
{"version":"feecb1be483ed332fad555aff858affd90a48ab19ba7272ee084704eb7167569","impliedFormat":1},
{"version":"ee7bad0c15b58988daa84371e0b89d313b762ab83cb5b31b8a2d1162e8eb41c2","impliedFormat":1},
{"version":"27bdc30a0e32783366a5abeda841bc22757c1797de8681bbe81fbc735eeb1c10","impliedFormat":1},
{"version":"8fd575e12870e9944c7e1d62e1f5a73fcf23dd8d3a321f2a2c74c20d022283fe","impliedFormat":1},
{"version":"2ab096661c711e4a81cc464fa1e6feb929a54f5340b46b0a07ac6bbf857471f0","impliedFormat":1},
{"version":"080941d9f9ff9307f7e27a83bcd888b7c8270716c39af943532438932ec1d0b9","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"2e80ee7a49e8ac312cc11b77f1475804bee36b3b2bc896bead8b6e1266befb43","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"c57796738e7f83dbc4b8e65132f11a377649c00dd3eee333f672b8f0a6bea671","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"dc2df20b1bcd8c2d34af4926e2c3ab15ffe1160a63e58b7e09833f616efff44","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"515d0b7b9bea2e31ea4ec968e9edd2c39d3eebf4a2d5cbd04e88639819ae3b71","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"0559b1f683ac7505ae451f9a96ce4c3c92bdc71411651ca6ddb0e88baaad6a3","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"0dc1e7ceda9b8b9b455c3a2d67b0412feab00bd2f66656cd8850e8831b08b537","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"ce691fb9e5c64efb9547083e4a34091bcb5b41027e310ebba8f7d96a98671","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"8d697a2a929a5fcb38b7a65594020fcef05ec1630804a33748829c5ff53640d0","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"4ff2a353abf8a80ee399af572debb8faab2d33ad38c4b4474cff7f26e7653b8d","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"fb0f136d372979348d59b3f5020b4cdb81b5504192b1cacff5d1fbba29378aa1","affectsGlobalScope":tr
```

```

ue,"impliedFormat":1},
{"version":"d15bea3d62cbbdb9797079416b8ac375ae99162a7fba5de2c6c505446486ac0a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"68d18b664c9d32a7336a70235958b8997ebc1c3b8505f4f1ae2b7e7753b87618","affectsGlobalScope":true,"impliedFormat":1},
{"version":"eb3d66c8327153d8fa7dd03f9c58d351107fe824c79e9b56b462935176cdf12a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"38f0219c9e23c915ef9790ab1d680440d95419ad264816fa15009a8851e79119","affectsGlobalScope":true,"impliedFormat":1},
{"version":"69ab18c3b76cd9b1be3d188eaf8bba06112ebbe2f47f6c322b5105a6fbc45a2e","affectsGlobalScope":true,"impliedFormat":1},
{"version":"a680117f487a4d2f30ea46f1b4b7f58bef1480456e18ba53ee85c2746eeca012","affectsGlobalScope":true,"impliedFormat":1},
{"version":"2f11ff796926e0832f9ae148008138ad583bd181899ab7dd768a2666700b1893","affectsGlobalScope":true,"impliedFormat":1},
{"version":"4de680d5bb41c17f7f68e0419412ca23c98d5749dcaaea1896172f06435891fc","affectsGlobalScope":true,"impliedFormat":1},
{"version":"954296b30da6d508a104a3a0b5d96b76495c709785c1d11610908e63481ee667","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ac9538681b19688c8eae65811b329d3744af679e0bdfa5d842d0e32524c73e1c","affectsGlobalScope":true,"impliedFormat":1},
{"version":"0a969edff4bd52585473d24995c5ef223f6652d6ef46193309b3921d65dd4376","affectsGlobalScope":true,"impliedFormat":1},
{"version":"9e9fbd7030c440b33d021da145d3232984c8bb7916f277e8ffdd3dc2e3eae2bdb","affectsGlobalScope":true,"impliedFormat":1},
{"version":"811ec787fefcabbda4bfa93b3eb67d9ae166ef95f9bfff989d964061cbf81a0c","affectsGlobalScope":true,"impliedFormat":1},
{"version":"717937616a17072082152a2ef351cb51f98802fb4b2fdabd32399843875974ca","affectsGlobalScope":true,"impliedFormat":1},
{"version":"d7e7d9b7b50e5f22c915b525acc5a49a7a6584cf8f62d0569e557c5cfc4b2ac2","affectsGlobalScope":true,"impliedFormat":1},
{"version":"71c37f4c9543f31dfced6c7840e068c5a5aacb7b89111a4364b1d5276b852557","affectsGlobalScope":true,"impliedFormat":1},
{"version":"576711e016cf4f1804676043e6a0a5414252560eb57de9faceee34d79798c850","affectsGlobalScope":true,"impliedFormat":1},
{"version":"89c1b1281ba7b8a96efc676b11b264de7a8374c5ea1e6617f11880a13fc56dc6","affectsGlobalScope":true,"impliedFormat":1},
{"version":"74f7fa2d027d5b33eb0471c8e82a6c87216223181ec31247c357a3e8e2fddc5b","affectsGlobalScope":true,"impliedFormat":1},
{"version":"d6d7ae4d1f1f3772e2a3cde568ed08991a8ae34a080ff1151af28b7f798e22ca","affectsGlobalScope":true,"impliedFormat":1},
{"version":"063600664504610fe3e99b717a1223f8b1900087fab0b4cad1496a114744f8df","affectsGlobalScope":true,"impliedFormat":1},
{"version":"934019d7e3c81950f9a8426d093458b65d5aff2c7c1511233c0fd5b941e608ab","affectsGlobalScope":true,"impliedFormat":1},
{"version":"52ada8e0b6e0482b728070b7639ee42e83a9b1c22d205992756fe020fd9f4a47","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3bdefe1bfd4d6dee0e26f928f93ccc128f1b64d5d501ff4a8cf3c6371200e5e6","affectsGlobalScope":true,"impliedFormat":1},
{"version":"59fb2c069260b4ba00b5643b907ef5d5341b167e7d1dbf58dfd895658bda2867","affectsGlobalScope":true,"impliedFormat":1},
{"version":"639e512c0dfc3fad96a84caad71b8834d66329a1f28dc95e3946c9b58176c73a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"368af93f74c9c932edd84c58883e736c9e3d53cec1fe24c0b0ff451f529ceab1","affectsGlobalScope":true,"impliedFormat":1},
{"version":"af3dd424cf267428f30ccfc376f47a2c0114546b55c44d8c0f1d57d841e28d74","affectsGlobalScope":true,"impliedFormat":1},
{"version":"995c005ab91a498455ea8dfb63aa9f83fa2ea793c3d8aa344be4a1678d06d399","affectsGlobalScope":true,"impliedFormat":1},
{"version":"959d36cddf5e7d572a65045b876f2956c973a586da58e5d26cde519184fd9b8a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"965f36eae237dd74e6cca203a43e9ca801ce38824ead814728a2807b1910117d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3925a6c820dcb1a06506c90b1577db1fdbf7705d65b62b99dce4be75c637e26b","affectsGlobalScope":true,"impliedFormat":1},

```

```

{"version":"0a3d63ef2b853447ec4f749d3f368ce642264246e02911fcb1590d8c161b8005","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8cdf8847677ac7d20486e54dd3fcf09eda95812ac8ace44b4418da1bbbab6eb8","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8444af78980e3b20b49324f4a16ba35024fef3ee069a0eb67616ea6ca821c47a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3287d9d085fbd618c3971944b65b4be57859f5415f495b33a6adc994edd2f004","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b4b67b1a91182421f5df999988c690f14d813b9850b40acd06ed44691f6727ad","affectsGlobalScope":true,"impliedFormat":1},
{"version":"df83c2a6c73228b625b0beb6669c7ee2a09c914637e2d35170723ad49c0f5cd4","affectsGlobalScope":true,"impliedFormat":1},
{"version":"436aaf437562f276ec2ddb2f2cddedac7664c1e4c1d2c36839ddd582eeb3d0a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8e3c06ea092138bf9fa5e874a1fdb9c9d54805d074bee1de31b99a11e2fec239d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"87dc0f382502f5bbce5129bdc0aea21e19a3abbc19259e0b43ae038a9fc4e326","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b1cb28af0c891c8c96b2d6b7be76bd394fddcfdb4709a20ba05a7c1605eea0f9","affectsGlobalScope":true,"impliedFormat":1},
{"version":"2fef54945a13095fdb9b84f705f2b5994597640c46afeb2ce78352fab4cb3279","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ac77cb3e8c6d3565793eb90a8373ee8033146315a3dbead3bde8db5eaf5e5ec6","affectsGlobalScope":true,"impliedFormat":1},
{"version":"56e4ed5aab5f5920980066a9409bfaf53e6d21d3f8d020c17e4de584d29600ad","affectsGlobalScope":true,"impliedFormat":1},
{"version":"4ece9f17b3866cc077099c73f4983bddbcb1dc7ddb943227f1ec070f529dedd1","affectsGlobalScope":true,"impliedFormat":1},
{"version":"0a6282c8827e4b9a95f4bf4f5c205673ada31b982f50572d27103df8ceb8013c","affectsGlobalScope":true,"impliedFormat":1},
{"version":"1c9319a09485199c1f7b0498f2988d6d2249793ef67edda49d1e584746be9032","affectsGlobalScope":true,"impliedFormat":1},
{"version":"e3a2a0cee0f03ffdde24d89660eba2685bfbdeae955a6c67e8c4c9fd28928eeb","affectsGlobalScope":true,"impliedFormat":1},
{"version":"811c71eee4aa0ac5f7adf713323a5c41b0cf6c4e17367a34fbce379e12bbf0a4","affectsGlobalScope":true,"impliedFormat":1},
{"version":"51ad4c928303041605b4d7ae32e0c1ee387d43a24cd6f1ebf4a2699e1076d4fa","affectsGlobalScope":true,"impliedFormat":1},
{"version":"60037901da1a425516449b9a20073aa03386cce92f7a1fd902d7602be3a7c2e9","affectsGlobalScope":true,"impliedFormat":1},
{"version":"d4b1d2c51d058fc21ec2629ffff7a76249dec2e36e12960ea056e3ef89174080f","affectsGlobalScope":true,"impliedFormat":1},
{"version":"22adec94ef7047a6c9d1af3cb96be87a335908bf9ef386ae9fd50eeb37f44c47","affectsGlobalScope":true,"impliedFormat":1},
{"version":"196cb558a13d4533a5163286f30b0509ce0210e4b316c56c38d4c0fd2fb38405","affectsGlobalScope":true,"impliedFormat":1},
{"version":"73f78680d4c08509933daf80947902f6ff41b6230f94dd002ae372620adb0f60","affectsGlobalScope":true,"impliedFormat":1},
{"version":"c5239f5c01bcfa9cd32f37c496cf19c61d69d37e48be9de612b541aac915805b","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8e7f8264d0fb4c5339605a15daadb037bf238c10b654bb3eee14208f860a32ea","affectsGlobalScope":true,"impliedFormat":1},
{"version":"782dec38049b92d4e85c1585fba5474a219c6984a35b004963b00beb1aab538","affectsGlobalScope":true,"impliedFormat":1},
{"version":"7e29f41b158de217f94cb9676bf9cbd0cd9b5a46e1985141ed36e075c52bf6ad","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ac51dd7d31333793807a6abaa5ae168512b6131bd41d9c5b98477fc3b7800f9f","impliedFormat":1},
{"version":"bd7dee3446a5b94651d58000ddfd4a0296f073e9372891f65003a524b4620697","impliedFormat":1},
{"version":"acd8fd5090ac73902278889c38336ff3f48af6ba03aa665eb34a75e7ba1dccc4","impliedFormat":1},
{"version":"d6258883868fb2680d2ca96bc8b1352cab69874581493e6d52680c5ffecdb6cc","impliedFormat":1},
{"version":"1b61d259de5350f8b1e5db06290d31eaebebc6baafd5f79d314b5af9256d7153","impliedFormat":1},
{"version":"f258e3960f324a956fc76a3d3d9e964fff2244ff5859dcc6ce5951e5413ca826","impliedFormat":1},
{"version":"643f7232d07bf75e15bd8f658f664d6183a0efaca5eb84b48201c7671a266979","impliedFormat":1},
{"version":"21da358700a3893281ce0c517a7a30cbd46be020d9f0c3f2834d0a8ad1f5fc75","impliedFormat":1},
{"version":"70521b6ab0dcba37539e5303104f29b721bf2940b2776da4cc818c07e1fefc1","affectsGlobalScope":true}

```

```

ue,"impliedFormat":1},
{"version":"ab41ef1f2cdafb8df48be20cd969d875602483859dc194e9c97c8a576892c052","affectsGlobalScope":true,"impliedFormat":1},
{"version":"d153a11543fd884b596587ccd97aebbeed950b26933ee00f94009f1ab142848","affectsGlobalScope":true,"impliedFormat":1},
{"version":"21d819c173c0cf7cc3ce57c3276e77fd9a8a01d35a06ad87158781515c9a438a","impliedFormat":1},
{"version":"98cffbf06d6bab333473c70a893770dbe990783904002c4f1a960447b4b53dca","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ba481bca06f37d3f2c137ce343c7d5937029b2468f8e26111f3c9d9963d6568d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"6d9ef24f9a22a88e3e9b3b3d8c40ab1ddb0853f1bfbfd5c843c37800138437b61","affectsGlobalScope":true,"impliedFormat":1},
{"version":"1db0b7dca579049ca4193d034d835f6bfe73096c73663e5ef9a0b5779939f3d0","affectsGlobalScope":true,"impliedFormat":1},
{"version":"9798340ffb0d067d69b1ae5b32faa17ab31b82466a3fc00d8f2f2df0c8554aaa","affectsGlobalScope":true,"impliedFormat":1},
{"version":"f26b11d8d8e4b8028f1c7d618b22274c892e4b0ef5b3678a8ccbad85419aef43","affectsGlobalScope":true,"impliedFormat":1},
{"version":"5929864ce17fba74232584d90cb721a89b7ad277220627cc97054ba15a98ea8f","impliedFormat":1},
{"version":"763fe0f42b3d79b440a9b6e51e9ba3f3f91352469c1e4b3b67bfa4ff6352f3f4","impliedFormat":1},
{"version":"25c8056edf4314820382a5fdb4bb7816999acdcb929c8f75e3f39473b87e85bc","impliedFormat":1},
{"version":"c464d66b20788266e5353b48dc4aa6bc0dc4a707276df1e7152ab0c9ae21fad8","impliedFormat":1},
{"version":"78d0d27c130d35c60b5e5566c9f1e5be77caf39804636bc1a40133919a949f21","impliedFormat":1},
{"version":"c6fd2c5a395f2432786c9cb8deb870b9b0e8ff7e22c029954fabdd692bff6195","impliedFormat":1},
{"version":"1d6e127068ea8e104a912e42fc0a110e2aa5a66a356a917a163e8cf9a65e4a75","impliedFormat":1},
{"version":"5ded6427296cdf3b9542de4471d2aa8d3983671d4cac0f4bf9c637208d1ced43","impliedFormat":1},
{"version":"7f182617db458e98fc18dfb272d40aa2fff3a353c44a89b2c0ccb3937709bfb5","impliedFormat":1},
{"version":"cadc8aced301244057c4e7e73fbcae534b0f5b12a37b150d80e5a45aa4bebcdb","impliedFormat":1},
{"version":"385aab901643aa54e1c36f5ef3107913b10d1b5bb8cbcd933d4263b80a0d7f20","impliedFormat":1},
{"version":"9670d44354bab9d9982eca21945686b5c24a3f893db73c0dae0fd74217a4c219","impliedFormat":1},
{"version":"0b8a9268adaf4da35e7fa830c8981cfa22adbbe5b3f6f5ab91f6658899e657a7","impliedFormat":1},
{"version":"11396ed8a44c02ab9798b7dca436009f866e8dae3c9c25e8c1fbc396880bf1bb","impliedFormat":1},
{"version":"ba7bc87d01492633cb5a0e5da8a4a42a1c86270e7b3d2dea5d156828a84e4882","impliedFormat":1},
{"version":"4893a895ea92c85345017a04ed427cbd6a1710453338df26881a6019432febdd","impliedFormat":1},
{"version":"c21dc52e277bcfc75fac0436ccb75c204f9e1b3fa5e12729670910639f27343e","impliedFormat":1},
{"version":"13f6f39e12b1518c6650bbb220c8985999020fe0f21d818e28f512b7771d00f9","impliedFormat":1},
{"version":"9b5369969f6e7175740bf51223112ff209f94ba43ecd3bb09eefff9fd675624a","impliedFormat":1},
{"version":"4fe9e626e7164748e8769bbf74b538e09607f07ed17c2f20af8d680ee49fc1da","impliedFormat":1},
{"version":"24515859bc0b836719105bb6cc3d68255042a9f02a6022b3187948b204946bd2","impliedFormat":1},
{"version":"ea0148f897b45a76544ae179784c95af1bd6721b8610af9ffa467a518a086a43","impliedFormat":1},
{"version":"24c6a117721e606c9984335f71711877293a9651e44f59f3d21c1ea0856f9cc9","impliedFormat":1},
{"version":"dd3273ead9fbde62a72949c97dbec2247ea08e0c6952e701a483d74ef92d6a17","impliedFormat":1},
{"version":"405822be75ad3e4d162e07439bac80c6bcc6dbae1929e179cf467ec0b9ee4e2e","impliedFormat":1},
{"version":"0db18c6e78ea846316c012478888f33c11ffadab9efd1cc8bcc12daded7a60b6","impliedFormat":1},
{"version":"e61be3f894b41b7baa1fbd6a66893f2579bfad01d208b4bff61daef21493ef0a8","impliedFormat":1},
{"version":"bd0532fd6556073727d28da0edfd1736417a3f9f394877b6d5ef6ad88fba1d1a","impliedFormat":1},
{"version":"89167d696a849fce5ca508032aab6f901c0868f833a8625d5a9c6e861ef935d2","impliedFormat":1},
{"version":"615ba88d0128ed16bf83ef8cbb6aff05c3ee2db1cc0f89ab50a4939bfc1943f","impliedFormat":1},
{"version":"a4d551dbf8746780194d550c88b726cf937caf8d56f10f969a110cfad4b06656","impliedFormat":1},
{"version":"8bd86b8e8f6a6aa6c49b71e14c4ffe1211a0e97c80f08d2c8cc98838006e4b88","impliedFormat":1},
{"version":"317e63deeb21ac07f3992f5b50cdca8338f10acd4fbb7257ebf56735bf52ab00","impliedFormat":1},
{"version":"4732aec92b20fb28c5fe9ad99521fb59974289ed1e45aebc282616202184064f","impliedFormat":1},
{"version":"2e85db9e6fd73cfa3d7f28e0ab6b55417ea18931423bd47b409a96e4a169e8e6","impliedFormat":1},
{"version":"c46e079fe54c76f95c67fb89081b3e399da2c7d109e7dca8e4b58d83e332e605","impliedFormat":1},
{"version":"bf67d53d168abc1298888693338cb82854bdb2e69ef83f8a0092093c2d562107","impliedFormat":1},
{"version":"b52476feb4a0cbcb25e5931b930fc73cb6643fb1a5060bf8a3dda0eeae5b4b68","affectsGlobalScope":true,"impliedFormat":1},
{"version":"e2677634fe27e87348825bb041651e22d50a613e2fdf6a4a3ade971d71bac37e","impliedFormat":1},
{"version":"7394959e5a741b185456e1ef5d64599c36c60a323207450991e7a42e08911419","impliedFormat":1},
{"version":"8c0bcd6c6b7b4b503c11e91a1fb91522ed585900eab2ab1f61bba7d7caa9d6f","impliedFormat":1},
{"version":"8cd19276b6590b3ebbeeb030ac271871b9ed0afc3074ac88a94ed2449174b776","affectsGlobalScope":true,"impliedFormat":1},
{"version":"696eb8d28f5949b87d894b26dc97318ef944c794a9a4e4f62360cd1d1958014b","impliedFormat":1},
{"version":"3f8fa3061bd7402970b399300880d55257953ee6d3cd408722cb9ac20126460c","impliedFormat":1},
{"version":"35ec8b6760fd7138bbf5809b84551e31028fb2ba7b6dc91d95d098bf212ca8b4","affectsGlobalScope":true,"impliedFormat":1}

```

```

ue,"impliedFormat":1},
{"version":"5524481e56c48ff486f42926778c0a3cce1cc85dc46683b92b1271865bcf015a","impliedFormat":1},
{"version":"68bd56c92c2bd7d2339457eb84d63e7de3bd56a69b25f3576e1568d21a162398","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3e93b123f7c2944969d291b35fed2af79a6e9e27fdd5faa99748a51c07c02d28","impliedFormat":1},
{"version":"9d19808c8c291a9010a6c788e8532a2da70f811adb431c97520803e0ec649991","impliedFormat":1},
{"version":"87aad3dd9752067dc875cfaa466fc44246451c0c560b820796bdd528e29bef40","impliedFormat":1},
{"version":"4aacb0dd020eeaf65426153686cc639a78ec2885dc72ad220be1d25f1a439df","impliedFormat":1},
{"version":"f0bd7e6d931657b59605c44112eaf8b980ba7f957a5051ed21cb93d978cf2f45","impliedFormat":1},
{"version":"8db0ae9cb14d9955b14c214f34dae1b9ef2baee2fe4ce794a4cd3ac2531e3255","affectsGlobalScope":true,"impliedFormat":1},
{"version":"15fc6f7512c86810273af28f224251a5a879e4261b4d4c7e532abfbfc3983134","impliedFormat":1},
{"version":"58adba1a8ab2d10b54dc1dced4e41f4e7c9772cbbac40939c0dc8ce2cdb1d442","impliedFormat":1},
{"version":"641942a78f9063caa5d6b777c99304b7d1dc7328076038c6d94d8a0b81fc95c1","impliedFormat":1},
{"version":"2de7636e6fbb9e54a61a38bc7505b94ec5be61197fe9e840cff629ca920c4bc","impliedFormat":1},
{"version":"855cd5f7eb396f5f1ab1bc0f8580339bfff77b68a770f84c6b254e319bbfd1ac7","impliedFormat":1},
{"version":"5650cf3dace09e7c25d384e3e6b818b938f68f4e8de96f52d9c5a1b3db068e86","impliedFormat":1},
{"version":"1354ca5c38bd3fd3836a68e0f7c9f91f172582ba30ab15bb8c075891b91502b7","affectsGlobalScope":true,"impliedFormat":1},
{"version":"7e20d899c28ca26a2a7afc98beaa69e63ff7fba0a8bc47b4e3bf3ede5e09e424","impliedFormat":1},
{"version":"2d2fcaab481b31a5882065c7951255703ddb1c0e507af56ea42d79ac3911201","impliedFormat":1},
{"version":"a192fe8ec33f75edbc8d8f3ed79f768dfae11ff5735e7fe52bfa69956e46d78d","impliedFormat":1},
{"version":"ca867399f7db82df981d6915bcb2d81131d7d1ef683bc782b59f71dda59bc85","affectsGlobalScope":true,"impliedFormat":1},
{"version":"372413016d17d804e1d139418aca0c68e47a83fb6669490857f4b318de8cccb3","affectsGlobalScope":true,"impliedFormat":1},
{"version":"9e043a1bc8fbf2a255bccf9bf27e0f1caf916c3b0518ea34aa72357c0afd42ec","impliedFormat":1},
{"version":"b4f70ec656a11d570e1a9edce07d118cd58d9760239e2ece99306ee9dfe61d02","impliedFormat":1},
{"version":"3bc2f1e2c95c04048212c569ed38e338873f6a8593930cf5a7ef24ffb38fc3b6","impliedFormat":1},
{"version":"6e70e9570e98aae2b825b533aa6292b6abd542e8d9f6e9475e88e1d7ba17c866","impliedFormat":1},
{"version":"f9d9d753d430ed050dc1bf2667a1bab711ccbb1c1507183d794cc195a5b085cc","impliedFormat":1},
{"version":"9eece5e586312581ccd106d4853e861aaaa1a39f8e3ea672b8c3847eadd12f6e","impliedFormat":1},
{"version":"085f552d005479e26a7311cddb5d8c55c497b4d19274285df161ee9684dc9c","impliedFormat":1},
{"version":"37ba7b45141a45ce6e80e66f2a96c8a5ab1bcef0fc2d0f56bb58df96ec67e972","impliedFormat":1},
{"version":"45650f47bfb376c8a8ed39d4bcda5902ab899a3150029684ee4c10676d9fbaee","impliedFormat":1},
{"version":"007faacc9268357caa21d24169f3f3f2497af3e9241308df2d89f6e6d9bb3f2e","affectsGlobalScope":true,"impliedFormat":1},
{"version":"74cf591a0f63db318651e0e04cb55f8791385f86e987a67fd4d2eaab8191f730","impliedFormat":1},
{"version":"5eab9b3dc9b34f185417342436ec3f106898da5f4801992d8ff38ab3aff346b5","impliedFormat":1},
{"version":"12ed4559eba17cd977aa0db658d25c4047067444b51acfdcbf38470630642b23","affectsGlobalScope":true,"impliedFormat":1},
{"version":"f3ffabc95802521e1e4bcba4c88d8615176dc6e09111d920c7a213bdda6e1d65","impliedFormat":1},
{"version":"809821b8a065e3234a55b3a9d7846231ed18d66dd749f2494c66288d890daf7f","impliedFormat":1},
{"version":"ae56f65caf3be91108707bd8dfbccc2a57a91feb5daabf7165a06a945545ed26","impliedFormat":1},
{"version":"a136d5de521da20f31631a0a96bf712370779d1c05b7015d7019a9b2a0446ca9","impliedFormat":1},
{"version":"c3b41e74b9a84b88b1dca61ec39eee25c0dbc8e7d519ba11bb070918cfac656","affectsGlobalScope":true,"impliedFormat":1},
{"version":"4737a9dc24d0e68b734e6cfbcea0c15a2cfafeb493485e27905f7856988c6b29","affectsGlobalScope":true,"impliedFormat":1},
{"version":"36d8d3e7506b631c9582c251a2c0b8a28855af3f76719b12b534c6edf952748d","impliedFormat":1},
{"version":"1ca69210cc42729e7ca97d3a9ad48f2e9cb0042bada4075b588ae5387debd318","impliedFormat":1},
{"version":"f5ebe66baaf7c552cfa59d75f2bfba679f329204847db3cec385acda245e574e","impliedFormat":1},
{"version":"ed59add13139f84da271cafd32e2171876b0a0af2f798d0c663e8eeb867732cf","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b7c5e2ea4a9749097c347454805e933844ed207b6eefec6b7cfd418b5f5f7b28","impliedFormat":1},
{"version":"b1810689b76fd473bd12cc9ee219f8e62f54a7d08019a235d07424afbf074d25","impliedFormat":1},
{"version":"2beff543f6e9a9701df88daee3cdd70a34b4a1c11cb4c734472195a5cb2af54","impliedFormat":1},
{"version":"2e07abf27aa06353d46f4448c0bbac73431f6065eef7113128a5cd804d0c384d","impliedFormat":1},
{"version":"be1cc4d94ea60cbe567bc29ed479d42587bf1e6cba490f123d329976b0fe4ee5","impliedFormat":1},
{"version":"42bc0e1a903408137c3df2b06dfd7e402cdab5bbfa5fcb871b22ebfdb30bd0b","impliedFormat":1},
{"version":"9894dafe342b976d251aac58e616ac6df8db91fb9d98934ff9dd103e9e82578f","impliedFormat":1},
{"version":"413df52d4ea14472c2fa5bee62f7a40abd1eb49be0b9722ee01ee4e52e63beb2","impliedFormat":1},
{"version":"db6d2d9daad8a6d83f281af12ce4355a20b9a3e71b82b9f57cddcca0a8964a96","impliedFormat":1},
{"version":"446a50749b24d14deac6f8843e057a6355dd6437d1fac4f9e5ce4a5071f34bfff","impliedFormat":1},
{"version":"182e9fcb0e8ac7c012e0a6e2b5798b4352470be29a64fdc114d23c2bab7d5106","impliedFormat":1},

```

```

{"version":"2f4e6b4d39426a1b85ecf4bdeb9dddbf4d9b3397d95d8555d46f925c9519ec7d","impliedFormat":1},
{"version":"78a2869ad0cbf3f9045dda08c0d4562b7e1b2bfe07b19e0db072f5c3c56e9584","impliedFormat":1},
{"version":"89d5d28d4f57e000b836ac273079be1b75710e28ce14750d081fb420d37e2ca5","impliedFormat":1},
{"version":"fd4e24ccff3966390600d7f5d6aa1fed5a512e92ada735ea5fbc933d313ad3d3","impliedFormat":1},
{"version":"b7cddfe1aa6b86b5fad3c9ccb30d05b3ccb165aebbf112f48d2d8a5f69dd98b1","impliedFormat":1},
{"version":"a86f82d646a739041d6702101afa82dcb935c416dd93cbca7fd754fd0282ce1f","impliedFormat":1},
{"version":"ad0d1d75d129b1c80f911be438d6b61bfa8703930a8ff2be2f0e1f8a91841c64","impliedFormat":1},
{"version":"bd2c7ada3dee03653d3f601011d30072194bc3970cd93208f9588fbdcc0c69347","impliedFormat":1},
{"version":"e480da45d32313e7174b265674da504f075f59ef326852f0c5a5d863b438ae85","impliedFormat":1},
{"version":"ad54850f61fcf5d014e11be80d2f46fea9265cfa7e77456da876f7833ef81769","impliedFormat":1},
{"version":"6f7c9e8bd2b5b6a080b07080065f94900bd3c7e5ebbd3047bc33fcce2fab1dd8","impliedFormat":1},
{"version":"3e7efde639c6a6c3edb9847b3f61e308bf7a69685b92f665048c45132f51c218","impliedFormat":1},
{"version":"df45ca1176e6ac211eae7ddf51336dc075c5314bc5c253651bae639defd5eec5","impliedFormat":1},
{"version":"8a0e762ceb20c7e72504feef83d709468a70af4abccb304f32d6b9bac1129b2c","impliedFormat":1},
{"version":"da5950ee2a90721df6f3fba45f5d05308f7e4c35835392215dd2cd404505e2de","impliedFormat":1},
{"version":"ce75b1aebb33d510ff28af960a9221410a3eaf7f18fc5f21f9404075fba77256","impliedFormat":1},
{"version":"f42d5fed19610d485c646a0c430e768115567d078c7fc855c57b0c578b3d6cd3","impliedFormat":1},
{"version":"ee8df1cb8d0faaca4013a1b442e99130769ce06f438d18d510fed95890067563","impliedFormat":1},
{"version":"d5630f2ad9b4541e5ce891648121022f9412ecdca1820baa1f0104f70fd7eff7","impliedFormat":1},
{"version":"4d15375ab13497104bc8fe56fdef2b5fd6853f29255737d23a33fa306ff7fd69","impliedFormat":1},
{"version":"2cd3fc1d0d6a1e85baffd2d4f50f5efb192b5446eef567e97c94765402f0aad4","impliedFormat":1},
{"version":"e4cbf2f1e89eccadd2c045e600ae41b732295953fb06247c7dcbc2d281ed30","impliedFormat":1},
{"version":"6dcedaef57dff0d79a05ab0ab602cde74db803d1e765468bf91263786a383e1b","impliedFormat":1},
{"version":"8c1697d90c394a6fd955b98eae01238eff628e129b987a68aea10f898a48e7da","impliedFormat":1},
{"version":"7580e62139cb2b44a0270c8d01abcbfcbca2819a02514a527342447fa69b34ef1","impliedFormat":1},
{"version":"42c169fb8c2d42f4f668c624a9a11e719d5d07dacbebb63cbcf7ef365b0a75b3","impliedFormat":1},
{"version":"f374cb24e93e7798c4d9e83ff872fa52d2cdb36306392b840a6ddf46cb925cb6","impliedFormat":1},
{"version":"d10d63718e1646c2279e3b33831f82c60e31f622b2b7020f1196409ca4c09242","impliedFormat":1},
{"version":"106c6025f1d99fd468fd8bf6e5bda724e11e5905a4076c5d29790b6c3745e50c","impliedFormat":1},
{"version":"e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"148679c6d0f449210a96e7d2e562d589e56fcd87f843a92808b3ff103f1a774","impliedFormat":1},
{"version":"e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"02436d7e9ead85e09a2f8e27d5f47d9464bced31738dec138ca735390815c9f0","impliedFormat":1},
{"version":"f8d5ff8eafcd37499f2b6a98659dd9b45a321de186b8db6b6142faed0fea3de77","impliedFormat":1},
{"version":"c86fe861cf1b4c46a0fb7d74dffe596cf679a2e5e8b1456881313170f092e3fa","impliedFormat":1},
{"version":"a22dd55aa4d39906252000ab8e8a1b83b195eef7f4274eb51e457c1f11cf6580","impliedFormat":1},
{"version":"540cc83ab772a2c6bc509fe1354f314825b5dba3669efdfbe4693ecd3048e34f","impliedFormat":1},
{"version":"121b0696021ab885c570bbeb331be8ad82c6efe2f3b93a6e63874901bebc13e3","impliedFormat":1},
{"version":"612d9da66bb046a9c1e2e8d026245ded881fc4b9f98cbfae714415d57ee0ae0b","impliedFormat":1},
{"version":"32c2ad9494dad5d11b0564a619fee18f388db6c1e9e2cd3c360b3122549691eb","impliedFormat":1},
{"version":"6c301d40aec56a74ec7bd7324e31a728dadf9bfba3e96def02938d3d973534ec","impliedFormat":1},
{"version":"e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","impliedFormat":1},
{"version":"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","impliedFormat":1},
{"version":"aa14cee20aa0db79f8df101fc027d929aec10feb5b8a8da3b9af3895d05b7ba2","impliedFormat":1},
{"version":"493c700ac3bd317177b2eb913805c87fe60d4e8af4fb39c41f04ba81fae7e170","impliedFormat":1},
{"version":"aeb554ad876c6b8c18da2e118d8b11e1e559adbe6bf606cc9a611c1b6c09f670","impliedFormat":1},
{"version":"acf5a2ac47b59ca07afa9abbdb2b31d001bf7448b041927befae2ea5b1951d9f9","impliedFormat":1},
{"version":"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","impliedFormat":1},
{"version":"d71291eff1e19d8762a908ba947e891af44749f3a2cbc5bd2ec4b72f72ea795f","impliedFormat":1},
{"version":"c0480e03db4b816dff2682b347c95f2177699525c54e7e6f6aa8ded890b76be7","impliedFormat":1},
{"version":"25a5f6fd3a2243c859eddc99ab5fba11d970af2fe7a5df9c32b7668f76f97b01","impliedFormat":1},
{"version":"8d207e1f9d2c30d6f77dfa693f3827c3fbf0d89240297e10bdfef041d433df68","impliedFormat":1},
{"version":"b620391fe8060cf9bedc176a4d01366e6574d7a71e0ac0ab344a4e76576fcbb8","impliedFormat":1},
{"version":"6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff","impliedFormat":1},
{"version":"2652448ac55a2010a1f71dd141f828b682298d39728f9871e1cdf8696ef443fd","impliedFormat":1},
{"version":"d682336018141807fb602709e2d95a192828fcb8d5ba06dda3833a8ea98f69e3","impliedFormat":1},
{"version":"6124e973eab8c52cabf3c07575204efc1784aca6b0a30c79eb85fe240a857efa","impliedFormat":1},
{"version":"0d891735a21edc75df51f3eb995e18149e119d1ce22fd40db2b260c5960b914e","impliedFormat":1},
{"version":"3b414b99a73171e1c4b7b7714e26b87d6c5cb03d200352da5342ab4088a54c85","impliedFormat":1},
{"version":"4fbd3116e00ed3a6410499924b6403cc9367fdca303e34838129b328058ede40","impliedFormat":1},
{"version":"9c82171d836c47486074e4ca8e059735bf97b205e70b196535b5efd40cbe1bc5","impliedFormat":1},
{"version":"8c70ddc0c22d85e56011d49fddfaae3405eb53d47b59327b9dd589e82df672e7","impliedFormat":1},
{"version":"2f9c89cbb29d362290531b48880a4024f258c6033aaeb7e59fbc62db26819650","impliedFormat":1},

```

```

{"version":"a365c4d3bed3be4e4e20793c999c51f5cd7e6792322f14650949d827fbcdd170f","impliedFormat":1},
{"version":"c5426dbfbc1cf90532f66965a7aa8c1136a78d4d0f96d8180ecbfc11d7722f1a5","impliedFormat":1},
{"version":"65a15fc47900787c0bd18b603afb98d33ede930bed1798fc984d5ebb78b26cf9","impliedFormat":1},
{"version":"9d202701f6e0744adb6314d03d2eb8fc994798fc83d91b691b75b07626a69801","impliedFormat":1},
{"version":"de9d2df7663e64e3a91bf495f315a7577e23ba088f2949d5ce9ec96f44fba37d","impliedFormat":1},
{"version":"c7af78a2ea7cb1cd009cfb5bdb48cd0b03dad3b54f6da7aab615c2e9e9d570c5","impliedFormat":1},
{"version":"1ee45496b5f8bdee6f7abc233355898e5bf9bd51255db65f5ff7ede617ca0027","impliedFormat":1},
{"version":"273782b8454e78f6a8b30d2cfbf6860499c930595095fcc1689637115f0eddda","affectsGlobalScope":true,
"impliedFormat":1},
{"version":"3fbdd025f9d4d820414417eeb4107ffa0078d454a033b506e22d3a23bc3d9c41","affectsGlobalScope":true,
"impliedFormat":1},
{"version":"dba114fb6a32b355a9cfc26ca2276834d72fe0e94cd2c3494005547025015369","impliedFormat":1},
{"version":"a8f8e6ab2fa07b45251f403548b78eaf2022f3c2254df3dc186cb2671fe4996d","affectsGlobalScope":true,
"impliedFormat":1},
{"version":"fa6c12a7c0f6b84d512f200690bfc74819e99efae69e4c95c4cd30f6884c526e","impliedFormat":1},
{"version":"f1c32f9ce9c497da4dc215c3bc84b722ea02497d35f9134db3bb40a8d918b92b","impliedFormat":1},
{"version":"b73c319af2cc3ef8f6421308a250f328836531ea3761823b4cabbd133047aefa","affectsGlobalScope":true,
"impliedFormat":1},
{"version":"e433b0337b8106909e7953015e8fa3f2d30797cea27141d1c5b135365bb975a6","impliedFormat":1},
{"version":"9f9bb6755a8ce32d656ffa4763a8144aa4f274d6b69b59d7c32811031467216e","impliedFormat":1},
{"version":"5c32bdfbd2d65e8fffb9fbda04d7165e9181b08dad61154961852366deb7540","impliedFormat":1},
{"version":"ddfff7fc6edbd5163a09e22bf8df7bef75f75369ebd7ecea95ba55c4386e2441","impliedFormat":1},
{"version":"0c05e9842ec4f8b7bfebf3ca61604bb8c914ba8da9b5337c4f25da427a005f2","impliedFormat":1},
{"version":"faed7a5153215dbd6ebe76dfdcc0af0cfe760f7362bed43284be544308b114cf","impliedFormat":1},
{"version":"7029e566b8df176f703fb59fd437a38670c7a0e02c58b2d66dfb5b2e2b2defdb","impliedFormat":1},
{"version":"7f2aa4d4989a82530aaac3f72b3dceca90e9c25bee0b1a327e8a08a1262435ad","impliedFormat":1},
{"version":"d96b39301d0ded3f1a27b47759676a33a02f6f5049bfcbde81e533fd10f50dcb","impliedFormat":1},
{"version":"e9f147ecca73d9346a4c073432843c159ccbe50bdc6b78a78f6da10eae2cecf4","impliedFormat":1},
{"version":"de061f7d72bd65c06fc1419f841dfdc29a8e22fe6fa527d1e6eb20b897d4de0","impliedFormat":1},
{"version":"663beafc2446079574570cba86e9b15f986f908ddb1b01274509970126fee945","impliedFormat":1},
{"version":"a3102887d5508bf4cb5b37fa6964c09e527c42053b3b5c642b89878620748de","impliedFormat":1},
{"version":"0aaaa1727edd29673d85c9b26d7ca4d54e5407a48586903c51b48b7f7d196f61","impliedFormat":1},
{"version":"d35bca0b261bfff02635758c48e8ab99c61c420d0dfabbcf467e847171d876b7d","impliedFormat":1},
{"version":"3bc12c40d90c342ff88a3d876996c555ed5cbee5fe8c3308a240b321f401ee46","impliedFormat":1},
{"version":"ba130768aae855a5477e9e148e5c879548e6e7ccbcc56fd1934c8a18ea5b7569","impliedFormat":1},
{"version":"2e4f37ffe8862b14d8e24ae8763daaa8340c0df0b859d9a9733def0eee7562d9","impliedFormat":1},
{"version":"d38530db0601215d6d767f280e3a3c54b2a83b709e8d9001acb6f61c67e965fc","impliedFormat":1},
{"version":"6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff","impliedFormat":1},
{"version":"b499af2054a037a162b3b72cd886f48bbf32a3502c865c6e29fac7d2ab3ce0b5","impliedFormat":1},
{"version":"b83cb14474fa60c5f3ec660146b97d122f0735627f80d82dd03e8caa39b4388c","impliedFormat":1},
{"version":"48773ca557b0319c2ee62ae249cf52a81709e8be139920d6479a66274de7c4ed","impliedFormat":1},
{"version":"7274fbfbfd7c9589d8d0ffba68157237afd5cecffe1e99881ea3399127e60572f","impliedFormat":1},
{"version":"b73cbf0a72c8800cf8f96a9acfe94f3ad32ca71342a8908b8ae484d61113f647","impliedFormat":1},
{"version":"bae6dd176832f6423966647382c0d7ba9e63f8c167522f09a982f086cd4e8b23","impliedFormat":1},
{"version":"20865ac316b8893c1a0cc383ccfc1801443fbcc2a7255be166cf90d03fac88c9","impliedFormat":1},
{"version":"c9958eb32126a3843deedda8c22fb97024aa5d6dd588b90af2d7f2bfac540f23","impliedFormat":1},
{"version":"461d0ad8ae5f2ff981778af912ba71b37a8426a33301daa00f21c6ccb27f8156","impliedFormat":1},
{"version":"e927c2c13c4eaf0a7f17e6022eee8519eb29ef42c4c13a31e81a611ab8c95577","impliedFormat":1},
{"version":"fcafff163ca5e66d3b87126e756e1b6dfa8c526aa9cd2a2b0a9da837d81bbd72","impliedFormat":1},
{"version":"70246ad95ad8a22bdf806cb5d383a26c0c6e58e7207ab9c431f1cb175aca657","impliedFormat":1},
{"version":"f00f3aa5d64ff46e600648b55a79dcd1333458f7a10da2ed594d9f0a44b76d0b","impliedFormat":1},
{"version":"772d8d5eb158b6c92412c03228bd9902ccb1457d7a705b8129814a5d1a6308fc","impliedFormat":1},
{"version":"802e797bcab5663b2c9f63f51bdf67eff7c41bc64c0fd65e6da3e7941359e2f7","impliedFormat":1},
{"version":"b01bd582a6e41457bc56e6f0f9de4cb17f33f5f3843a7c8210ac9c18472fb0f","impliedFormat":1},
{"version":"8b4327413e5af38cd8cb97c59f48c3c866015d5d642f28518e3a891c469f240e","impliedFormat":1},
{"version":"4cceef18d7f088e797a463e90b7a9dad10c6bc667724b7686e3e740ae00122be","impliedFormat":1},
{"version":"7ee86fbb3754388e004de0ef9e6505485ddfb3be7640783d6d015711c03d302d","impliedFormat":1},
{"version":"cc1954b539604b1e562319119ac7e888172208b32ca873f9a357a92c826bd046","impliedFormat":1},
{"version":"a67b87d0281c97dfc1197ef28dfe397fc2c865ccd41f7e32b53f647184cc7307","impliedFormat":1},
{"version":"771ffb773f1ddd562492a6b9aaca648192ac3f056f0e1d997678ff97dbb6bf9b","impliedFormat":1},
{"version":"43e96a3d5d1411ab40ba2f61d6a3192e58177bcf3b133a80ad2a16591611726d","impliedFormat":1},
{"version":"232f70c0cf2b432f3a6e56a8dc3417103eb162292a9fd376d51a3a9ea5fbbbf6f","impliedFormat":1},
{"version":"bb8f2dbc03533abca2066ce4655c119bfff353dd4514375beb93c08590c03e023","impliedFormat":1},
{"version":"706dd95827e7ebaabda91d5db2b755233e0952d98570e9c032b0f066a15c1177","affectsGlobalScope":true,
"impliedFormat":1},

```



```

{"version":"0b103e9abfe82d14c0ad06a55d9f91d6747154ef7cacc73cf27ecad2bfb3afcfc","impliedFormat":1},
{"version":"cd9304972e6d616197fb44fce00540a904f38b54306a1951b5dbeaf3c01ab5bd","impliedFormat":1},
{"version":"77438e2c397a3db78407621cfc57241a305b310dde2c185f1d555248297f587","impliedFormat":1},
{"version":"120599fd965257b1f4d0fff794bc696162832d9d8467224f4665f713a3119078b","impliedFormat":1},
{"version":"43ba4f2fa8c698f5c304d21a3ef596741e8e85a810b7c1f9b692653791d8d97a","impliedFormat":1},
{"version":"5433f33b0a20300cca35d2f229a7fc20b0e8477c44be2affeb21cb464af60c76","impliedFormat":1},
{"version":"db036c56f79186da50af66511d37d9fe77fa6793381927292d17f81f787bb195","impliedFormat":1},
{"version":"a6805fcafed712aea7759f8bc731014f9d22738c1d6ef9d43b8091d1d48346d5","impliedFormat":1},
{"version":"c49469a5349b3cc1965710b5b0f98ed6c028686aa8450bcb3796728873eb923e","impliedFormat":1},
{"version":"4a889f2c763edb4d55cb624257272ac10d04a1cad2ed2948b10ed4a7fda2a428","impliedFormat":1},
{"version":"7bb79aa2fead87d9d56294ef71e056487e848d7b550c9a367523ee5416c44cfa","impliedFormat":1},
{"version":"d88ea80a6447d7391f52352ec97e56b52ebec934a4a4af6e2464cfd8b39c3ba8","impliedFormat":1},
{"version":"142617b3cdf902b69c6464c9fbd942b60ab3e733ca18c032b19e0f7e2adbefe8","impliedFormat":1},
{"version":"0b603555f1881f87256fffd6344d3e3ed6d466c2e701eabf381f28be8c2125892","impliedFormat":1},
{"version":"897e4f7662488e3ecc79e743bdd3b78f13bdb69a97851afa5b440c4211e32ea9","impliedFormat":1},
{"version":"e2e1c6d3b2d93add5200bd7bc1a8cccb4e46836b2111ece45db8683a2c765de","impliedFormat":1},
{"version":"251b03d5cd243854ce870d9a9a39f491faf69898c5d6b5eee28cc7649c57417b","impliedFormat":1},
{"version":"27ff4196654e6373c9af16b6165120e2dd2169f9ad6abb5c935af5abd8c7938c","impliedFormat":1},
{"version":"2c4de79f406d137390608e8c0a44fba2ff8e00bacfcae7c9d1781fef10e9440d","impliedFormat":1},
{"version":"07ba23a10465791be5d22deaf5ef7de7658774ddff53721e5ea17fedea1bc721","impliedFormat":1},
{"version":"dca8c645c5afeb03b1ecedbf16323f33e7d0afaa6256c8e047e6e38087a97f53","impliedFormat":1},
{"version":"775f181bd4a533d6f8b5e55ec1d9f1624559720ae8a70e9432258da26b38d27c","impliedFormat":1},
{"version":"796273b2edc72e78a04e86d7c58ae94d370ab93a0dddf40b1aa85a37a1c29ecd7","impliedFormat":1},
{"version":"5df15a69187d737d6d8d066e189ae4f97e41f4d53712a46b2710ff9f8563ec9f","impliedFormat":1},
{"version":"7715134a0cf07dd41a9da2895d708625a3a303a0385e355ecaaf0b8bfaef2550","impliedFormat":1},
{"version":"6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff","impliedFormat":1},
{"version":"622694a8522b46f6310c2a9b5d2530dde1e2854cb5829354e6d1ff8f371cf469","impliedFormat":1},
{"version":"cd8ce8d68567f62dd580b3c3c37777ac3f5b81944c7417f5ea83030eab533385","impliedFormat":1},
{"version":"e5c939d896565dcac0f6fbdbada11284e7728ef26a069561c09aa5aa4a788393","impliedFormat":1},
{"version":"9e2739b32f741859263fdb0244c194ca8e96da49b430377930b8f721d77c000","impliedFormat":1},
{"version":"a9e6c0ff3f8186fccd05752cf75fc94e147c02645087ac6de5cc16403323d870","impliedFormat":1},
{"version":"49af452f0d4d2304c5f2c6fe5fab3e153e0acc38830d020821b877c097dd02","impliedFormat":1},
{"version":"49c346823ba6d4b12278c12c977f7b3a31c06b9ca719015978cb145eb86da1c61","impliedFormat":1},
{"version":"bfac6e50eaa7e73bb66b7e052c38fdc8ccfc8dbde2777648642af33cf349f7f1","impliedFormat":1},
{"version":"92f7c1a4da7fbfd67a2228d1687d5c2e1faa0ba865a94d3550a3941d7527a45d","impliedFormat":1},
{"version":"f53b120213a9289d9a26f5af90c4c686dd71d91487a0aa5451a38366c70dc64b","impliedFormat":1},
{"version":"e68b8e5a1df7c1be2bc105141456ecba70215806e1c28bfb5c12bfc4be6e68","impliedFormat":1},
{"version":"511c8f02329808d47d00b859c532ae9115590048b17325a946c74dac48428650","impliedFormat":1},
{"version":"57d67b72e06059adc5e9454de26bbfe567d412b962a501d263c75c2db430f40e","impliedFormat":1},
{"version":"b5f9e66625783eefcbe3d2da074b2e7ba2066d61ce3fc6ef4f22805ad946cab4","impliedFormat":1},
{"version":"e37115962d284b9f7a37c2bdd2add50f88365dde41f5e0fff591ffc48a8ec7575","impliedFormat":1},
{"version":"6459054aabb306821a043e02b89d54da508e3a6966601a41e71c166e4ea1474f","impliedFormat":1},
{"version":"bb37588926aba35c9283fe8d46ebf4e79ffe976343105f5c6d45f282793352b2","impliedFormat":1},
{"version":"f89488602bec98a142072fae7ea5ba99431a569ff580c64b7be39896474799d8","impliedFormat":1},
{"version":"bbbc47961f39a57df103cf4ca3bb8f8732b4b6678a18225a0aa76d59c466956c","impliedFormat":1},
{"version":"2e6114a7dd6feef85b2c80120fdbfb59a5529c0dcc5bfa8447b6996c97a69f5","impliedFormat":1},
{"version":"2ffb043dc5163458e473b7010859f86e01dc4edffcae0a93d885d028b426a546","impliedFormat":1},
{"version":"c8df004e60036aa1c764ad4ec543cf89a5c1893a9535c80ef3f2b653e370de45e6","impliedFormat":1},
{"version":"dd80b1e600d0f5c6a6ba23f455b84a7db121219e68f89f10552c54ba46e4dc9","impliedFormat":1},
{"version":"b064c36f35de7387d71c599bfcf28875849a1dbc733e82bd26cae3d1cd060521","impliedFormat":1},
{"version":"05c7280d72f3ed26f346cbe7cbbbbb002fb7f15739197cbbee6ab3fd1a6cb9347","impliedFormat":1},
{"version":"8de9fe97fa9e00ec00666fa77ab6e91b35d25af8ca75dabcb01e14ad3299b150","impliedFormat":1},
{"version":"04b7b2e0832dfd3c31e81df3975e8d8fda28e7ff999b0aa2932608a8f6661d5c","impliedFormat":1},
{"version":"ca2d34c6ed5cbd3070b8b6f32f42ae54adcc6499c1e4b99f0a5798b3f27cc653","impliedFormat":1},
{"version":"9ec68995e66dd6b9dac834bf5ae85fde802714ea2e82151a5d1d53ef01b463ef","impliedFormat":1},
{"version":"5c4d626b4902f2ef8a1cc146d761d276cef988016dc674e3b98fbad70e64bc9f","impliedFormat":1},
{"version":"fdfaa0aad899524962e2955287b5b991ffe3be50f64e02eb60c933ca44644a94","impliedFormat":1},
{"version":"53c972a0f9bc3a4ec70ffff7314123ea8cfcf75b3703046f767d2dc1eea87b2fb","impliedFormat":1},
{"version":"f974e4a06953682a2c15d5bd5114c0284d5abf8bc0fe4da25cb9159427b70072","impliedFormat":1},
{"version":"50256e9c31318487f3752b7ac12ff365c8949953e04568009c8705db802776fb","impliedFormat":1},
{"version":"7d73b24e7bf31dfb8a931ca6c4245f6bb0814dfae17e4b60c9e194a631fe5f7b","impliedFormat":1},
{"version":"d130c5f73768de51402351d5dc7d1b36eac980ca697846e53156e4ea9911476","impliedFormat":1},
{"version":"413586add0cfe7369b64979d4ec2ed56c3f771c0667fbde1bf1f10063ede0b08","impliedFormat":1},
{"version":"06472528e998d152375ad3bd8ebcb69ff4694fd8d2effaf60a9d9f25a37a097a","impliedFormat":1},
{"version":"7303b45138d2511035056a5901a1490ebdcbf055cbb1276f8629c5121cbe733e","impliedFormat":1},

```



```

{"version":"27f874cd5327507eeff699a74567f60c1215b94509f4308633a7b01922471ed2","impliedFormat":1},
{"version":"a401617604fa1f6ce437b81689563dfdc377069e4c58465dbd8d16069aede0a5","impliedFormat":1},
{"version":"2c6cf04bc525caf6546e859e8ef10bfb9573837ec0bc5ec7b53a7b1b8ca72781","impliedFormat":1},
{"version":"8695dec09ad439b0ceef3776ea68a232e381135b516878f0901ed2ea114fd0fe","impliedFormat":1},
{"version":"304b44b1e97dd4c94697c3313df89a578dca4930a104454c99863f1784a54357","impliedFormat":1},
{"version":"0a437ae178f999b46b6153d79095b60c42c996bc0458c04955f1c996dc68b971","impliedFormat":1},
{"version":"74b2a5e197bd0f2e0077a1ea7c07455bbea67b87b0869d9786d55104006784f","impliedFormat":1},
{"version":"4a7baeb6325920044f66c0f8e5e6f1f52e06e6d87588d837bdf44feb6f35c664","impliedFormat":1},
{"version":"87cc05fe13108f02e12da7e3efd8e360fef78d96a0c9e11408ea1b1b9fb3e03d","impliedFormat":1},
{"version":"1abbf67c218d23c2ce76887caac2df6c7dab3d97ba2b65348432b876f510002a","impliedFormat":1},
{"version":"1a82deef4c1d39f6882f28d275cad4c01f907b9b39be9cbc472fcf2cf051e05b","impliedFormat":1},
{"version":"4b20fcf10a5413680e39f5666464859fc56b1003e7dfe2405ced82371ebd49b6","impliedFormat":1},
{"version":"c06ef3b2569b1c1ad99fcd7fe5fba8d466e2619da5375dfa940a94e0feea899b","impliedFormat":1},
{"version":"f7d628893c9fa52ba3ab01bcb5e79191636c4331ee5667ecc6373cbccff8ae12","impliedFormat":1},
{"version":"1d879125d1ec570bf04bc1f362fdbecb538315c7ac4bcfcdf0c1e9670846aa6","impliedFormat":1},
{"version":"dad97c99382889ec7d1a9d8275500ff71235130fae9f8916fdbf3641d56e592","impliedFormat":1},
{"version":"a6dba407fc287f1e25454e75028c91bbc00675f2d1c4e8b3edcc36c08611a486","impliedFormat":1},
{"version":"d663134457d8d669ae0df34eabd57028bddc04fc444c4bc04bc5215afc91e1f4","impliedFormat":1},
{"version":"e91f7b1344577a02f051b9b471f33044fef8334a76dc9e1de003d17595a5219b","impliedFormat":1},
{"version":"c0723195c85e19656d6b5b9fdb81d3f3403c1ae4679e722c6ea058c516b38d12","impliedFormat":1},
{"version":"b55eb9f72166093b5460d34b34f5d8699c968de3bc3fc696e40f2c93f2ebf650","impliedFormat":1},
{"version":"71d9eb4c4e99456b78ae182fb20a5dfc20eb1667f091dbb9335b3c017dd1c783","impliedFormat":1},
{"version":"cfa846a7b7847a1d973605fbb8c91f47f3a0f0643c18ac05c47077ebc72e71c7","impliedFormat":1},
{"version":"1594da19968752a22b2ac48c2d0e60575700e745c577a8a4a676b841238ad5bb","impliedFormat":1},
{"version":"e0cee12109e0a10a4c3d6769fcc7644b7c1ea7f52365bea51728f5af29f8a137","impliedFormat":1},
{"version":"7d4254b4c6c67a29d5e7f65e67d72540480ac2cfb041ca484847f5ae70480b62","impliedFormat":1},
{"version":"3536968defef8a75514f547ead5e2e9c1e984820290ec9b00c5fdfb6ef786535","impliedFormat":1},
{"version":"d83773870080c30a230e322ce13a9c6f3398e8dacea4ea8a83e26370f3bac23e","impliedFormat":1},
{"version":"dcfeaf98d66314fec29a9076c4290e45d0b196a65827becc19138e9c7b855f37","impliedFormat":1},
{"version":"6849fe9210fe4946d5f085bfed36758f33dc6ae15a751338d178dd4daa017c46","impliedFormat":1},
{"version":"888cda0fa66d7f74e985a3f7b1af1f64b8ff03eb3d5e80d051c3cbdeb7f32ab7","impliedFormat":1},
{"version":"f0681e13f345b5e9477acbf52b741eae6eaf4cc01658a25ec05bff8b82a2ef","impliedFormat":1},
{"version":"ffae4e1e06aa848a1e4bcef162cd1c48e5909b26223515981310af9c036bdfc7","impliedFormat":1},
{"version":"a57b1802794433adec9ff3fed12aa79d671faed86c49b09e02e1ac41b4f1d33a","impliedFormat":1},
{"version":"34e16eb7c31768a11a08aebcfb3d70d7b8f0b016197e98d8419e566ceae6d6c8","impliedFormat":1},
{"version":"f94ec1f7e4b709d26960306c9082a7a1b728a6e13089346aa48ba57c74cbf47e","impliedFormat":1},
{"version":"9a11cb4033405e96c247cd5aa29790212aaffdd127869e8a5219103f0b389fd5","impliedFormat":1},
{"version":"01479d9d5a5dda16d529b91811375187f61a06e74be294a35ecce77e0b9e8d6c","impliedFormat":1},
{"version":"aff5213585cb72e94054dfe17250ff315f3569b3919d1ef1ad235f37c4ee894e","impliedFormat":1},
{"version":"fb2ea35e1be6388d722d7725e2b49c697d34d9c890c3b96758faeab86d35cef8","impliedFormat":1},
{"version":"ce0df82a9ae6f914ba08409d4d883983cc08e6d59eb2df02d8e4d68309e7848b","impliedFormat":1},
{"version":"1a4dc28334a926d90ba6a2d811ba0ff6c22775fcc13679521f034c124269fd40","impliedFormat":1},
{"version":"f05315ff85714f0b87cc0b54bcd3dde2716e5a6b99aedcc19cad02bf2403e08c","impliedFormat":1},
{"version":"5fad3b31fc17a5bc58095118a8b160f5260964787c52e7eb51e3d4fcf5d4a6f0","impliedFormat":1},
{"version":"72105519d0390262cf0abe84cf41c926ade0ff475d35eb21307b2f94de985778","impliedFormat":1},
{"version":"456006a6975b26c0a1785feddae165f6d307e2d601ffde27e21fc4a790e448a4","impliedFormat":1},
{"version":"c857e0aae3f5f444abd791ec81206020fbcc1223e187316677e026d1c1d6fe08","impliedFormat":1},
{"version":"ccf6dd45b708fb74ba9ed0f2478d4eb9195c9dfef0f83a6092fa3cf2ff53b4f","impliedFormat":1},
{"version":"11fe0d18b111e1145a7e7601855bccd4ca20f24e3b9a5aba6bb1fa9d1a7059170","impliedFormat":1},
{"version":"5632c3c26d420c063eebe64c45b1248b9492a67bf44f1d0c57e9dc8f6cf449bb","impliedFormat":1},
{"version":"0df5aa619ab12993a39ea6dae062ee46eadbb4d738916460e636ada52bcd75b","impliedFormat":1},
{"version":"8fca3039857709484e5893c05c1f9126ab7451fa6c29e19bb8c2411a2e937345","impliedFormat":1},
{"version":"35069c2c417bd7443ae7c7cafd1de02f665bf015479fec998985ffbbf500628c","impliedFormat":1},
{"version":"10ab7be91f87ebe8916b62cf28af2e45b5601fc7b0e311adf838f912c6b31dd8","impliedFormat":1},
{"version":"bc636fbc08e0979ceb7eb0731a33000283d77a33b62e1f71ee65be50394e40ba","impliedFormat":1},
{"version":"7e0b7f91c5ab6e33f511efc640d36e6f933510b11be24f98836a20a2dc914c2d","impliedFormat":1},
{"version":"045b752f44bf9bbdcaffd882424ab0e15cb8d11fa94e1448942e338c8ef19fba","impliedFormat":1},
{"version":"2894c56cad581928bb37607810af011764a2f511f575d28c9f4af0f2ef02d1ab","impliedFormat":1},
{"version":"0a72186f94215d020cb386f7dca81d7495ab6c17066eb07d0f44a5bf33c1b21a","impliedFormat":1},
{"version":"75bbd3be047d539988a0ff0b56384ef7a6a25f3b676ad96bee547d44c31622a7","impliedFormat":1},
{"version":"42960001a776b089ade681ab5cfdcc936e0afb0615133ec1841f3dee89d3e1bf","impliedFormat":1},
{"version":"0aedb02516baf3e66b2c1db9fef50666d6ed257edac0f866ea32f1aa05aa474f","impliedFormat":1},
{"version":"da47712b394d944328245482603bc6f416d3949b67c9392279caab595076b510","affectsGlobalScope":true,"impliedFormat":1},
{"version":"37d0071d8f0a06dc55c2c5e0ec3391affd4fd107c53410bf358196ec0bf3923f","impliedFormat":1},

```

```

{"version":"b213dad76ca37fd552274c9499056e1c0d9c1bd38a55bb7f68b22ba6b84c3ad7","impliedFormat":1},
{"version":"56ccb49443bfb72e5952f7012f0de1a8679f9f75fc93a5c1ac0bafb28725fc5f","impliedFormat":1},
{"version":"20fa37b636fdcc1746ea0738f733d0aed17890d1cd7cb1b2f37010222c23f13e","impliedFormat":1},
{"version":"d90b9f1520366d713a73bd30c5a9eb0040d0fb6076aff370796bc776fd705943","impliedFormat":1},
{"version":"bc03c3c352f689e38c0ddd50c39b1e65d59273991bfc8858a9e3c0ebb79c023b","impliedFormat":1},
{"version":"19df3488557c2fc9b4d8f0bac0fd20fb59aa19dec67c81f93813951a81a867f8","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b25350193e103ae90423c5418ddb0ad1168dc9c393c9295ef34980b990030617","affectsGlobalScope":true,"impliedFormat":1},
{"version":"bef86adb77316505c6b471da1d9b8c9e428867c2566270e8894d4d773a1c4dc2","impliedFormat":1},
{"version":"5a49adaef698b7ad7e6127949fa1b0bbd3d46b7cbd11c54e392a4dcdd51f5190","impliedFormat":1},
{"version":"6ee598cdfdd0fa52039dca135b3dfff7b49035dc13292143e0a93843e3861967","impliedFormat":1},
{"version":"27be6622e2922a1b412eb057faa854831b95db9db5035c3f6d4b677b902ab3b7","impliedFormat":1},
{"version":"5c634644d45a1b6bc7b05e71e05e52ec04f3d73d9ac85d5927f647a5f965181a","impliedFormat":1},
{"version":"2489bf04d77dc025ba67f49f1a56eb24b9db477d5ff88123d887e163ed1776aa","impliedFormat":1},
{"version":"63a7595a5015e65262557f883463f934904959da563b4f788306f699411e9bac","impliedFormat":1},
{"version":"4ba137d6553965703b6b55fd2000b4e07ba365f8caeb0359162ad7247f9707a6","impliedFormat":1},
{"version":"0b77b819b5417775fccb20c678293cf614c054a5b1a65421a5b933a9124ba998","impliedFormat":1},
{"version":"eb5acb58487367e502d994b57e2c58255d8241f481ea8efa8e79af23af3f41c2","impliedFormat":1},
{"version":"9252d498a77517aab5d8d4b5eb9d71e4b225bbc7123df9713e08181de63180f6","impliedFormat":1},
{"version":"b1f1d57fde8247599731b24a733395c880a6561ec0c882efaaf20d7df968c5af","impliedFormat":1},
{"version":"6715dc4eb59c8ea9abe2b78c235ed331dc710a06fe56798868dbc4d40cd1b707","impliedFormat":1},
{"version":"35e6379c3f7cb27b11ad4c1aa69538fd8e788ab737b8ff7596a1b40e96f4f90","impliedFormat":1},
{"version":"1ffffe726740f9787f15b532e1dc870af3cd964dbe29e191e76121aa3dd8693f2","impliedFormat":1},
{"version":"5a3ea721d03a361ccbdd7390ccd75f6e84cbca3a3f01f4b331ecc9af31890c49","impliedFormat":1},
{"version":"e7dfaee4af38d45b1cab8a1ee0b3bc1f85ddcf64545ed391d675d78ae6526274","affectsGlobalScope":true,"impliedFormat":1},
{"version":"e8daa443eaf9a27fd382cc1f8ebe30330c0f4d89511cfb469166874806751d35","impliedFormat":1},
{"version":"af48e58339188d5737b608d41411a9c054685413d8ae88b8c1d0d9bfbabdf6e7e","impliedFormat":1},
{"version":"616775f16134fa9d01fc677ad3f76e68c051a056c22ab552c64cc281a9686790","impliedFormat":1},
{"version":"65c24a8baa2cca1de069a0ba9fba82a173690f52d7e2d0f1f7542d59d5eb4db0","impliedFormat":1},
{"version":"f9fe6af238339a0e5f7563ace3178f51db37f32a2e7c09f85273098cee7ec49","impliedFormat":1},
{"version":"1de8c302fd35220d8f29dea378a4ae45199dc8ff83ca9923aca1400f2b28848a","impliedFormat":1},
{"version":"77e71242e71ebf8528c5802993697878f0533db8f2299b4d36aa015bae08a79c","impliedFormat":1},
{"version":"98a787be42bd92f8c2a37d7df5f13e5992da0d967fab794adbb7ee18370f9849","impliedFormat":1},
{"version":"332248ee37cca52903572e66c11bef755ccc6e235835e63d3c3e60ddda3e9b93","impliedFormat":1},
{"version":"94e8cc88ae2ef3d920bb3bdc369f48436db123aa2dc07f683309ad8c9968a1e1","impliedFormat":1},
{"version":"4545c1a1ceca170d5d83452dd7c4994644c35cf676a671412601689d9a62da35","impliedFormat":1},
{"version":"320f4091e33548b554d2214ce5fc31c96631b513dfffa806e2e3a60766c8c49d9","impliedFormat":1},
{"version":"a2d648d333cf67b9aeac5d81a1a379d563a8ffa91ddd61c6179f68de724260ff","impliedFormat":1},
{"version":"d90d5f524de38889d1e1dbc2aee00060d779f8688c02766ddb9ca195e4a713d","impliedFormat":1},
{"version":"07ed3ddab975995eea41b22f3010506fb9f5fb301d04820b07d7a1aee5477d7c","impliedFormat":1},
{"version":"969d8b0965849f4bae7cab0ba90bd1e1220e95999c2c6f01117fa7500901c017","impliedFormat":1},
{"version":"6ec840ee5e2bc103f557fe38b1d585ee250540468713d7634ee066de372bf332","impliedFormat":1},
{"version":"b0309e1eda99a9e76f87c18992d9c3689b0938266242835dd4611f2b69efe456","impliedFormat":1},
{"version":"47699512e6d8bebf7be488182427189f999affe3addc1c87c882d36b7f2d0b0e","impliedFormat":1},
{"version":"6ceb10ca57943be87ff9debe978f4ab73593c0c85ee802c051a93fc96aaf7a20","impliedFormat":1},
{"version":"1de3ffe0cc28a9fe2ac761ece075826836b5a02f340b412510a59ba1d41a505a","impliedFormat":1},
{"version":"e46d6cc08d243d8d083986f609d830991f00450fb234f5b2f861648c42dc0d8","impliedFormat":1},
{"version":"1c0a98de1323051010ce5b958ad47bc1c007f7921973123c999300e2b7b0ecc0","impliedFormat":1},
{"version":"ff863d17c6c659440f7c5c536e4db7762d8c2565547b2608f36b798a743606ca","impliedFormat":1},
{"version":"5412ad0043cd60d1f1406fc12cb4fb987e9a734decbbd4db6f6acf71791e36fe","impliedFormat":1},
{"version":"ad036a85efcd9e5b4f7dd5c1a7362c8478f9a3b6c3554654ca24a29aa850a9c5","impliedFormat":1},
{"version":"fedebeae32c5cdd1a85b4e0504a01996e4a8adf3dfa72876920d3dd6e42978e7","impliedFormat":1},
{"version":"e297c0a524edee7677939122f90027bfbe5f2698939d9a85728e5044b39c7124","impliedFormat":1},
{"version":"cdf21eee8007e339b1b9945abf4a7b44930b1d695cc528459e68a3adc39a622e","impliedFormat":1},
{"version":"bc9ee0192f056b3d5527bcd78dc3f9e527a9ba2bdc0a2c296fbc9027147df4b2","impliedFormat":1},
{"version":"b62381cae176db34f003cc6172ee8f3e0122014889d66391aa73698105cf4934","impliedFormat":1},
{"version":"1d9c0a9a6df4e8f29dc84c25c5aa0bb1da5456ebede7a03e03df08bb8b27bae6","impliedFormat":1},
{"version":"84380af21da938a567c65ef95aefb5354f676368ee1a1cbb4cae81604a4c7d17","impliedFormat":1},
{"version":"1af3e1f2a5d1332e136f8b0b95c0e6c0a02aaabd5092b36b64f3042a03deb28","impliedFormat":1},
{"version":"30d8da250766efa99490fc02801047c2c6d72dd0da1bba6581c7e80d1d8842a4","impliedFormat":1},
{"version":"03566202f5553bd2d9de22dfab0c61aa163cabb64f0223c08431fb3fc8f70280","impliedFormat":1},
{"version":"41eb514d9ce0a6e87957f08a4b7af70d93f87637f37dee706e2d92a6601c25a9","impliedFormat":1},
{"version":"e7765aa8bcb74a38b3230d212b4547686be9796621f34b4367a104451c3f9614f","impliedFormat":1},

```

```

{"version":"1de80059b8078ea5749941c9f863aa970b4735bddd003be4925c853a8b6b4450","impliedFormat":1},
{"version":"1d079c37fa53e3c21ed3fa214a27507bda9991f2a41458705b19ed8c2b61173d","impliedFormat":1},
{"version":"5bf5c7a44e779790d1eb54c234b668b15e34affa95e78ead73e5757f61ed76a","impliedFormat":1},
{"version":"5835a6e0d7cd2738e56b671af0e561e7c1b4fb77751383672f4b009f4e161d70","impliedFormat":1},
{"version":"4b7f74b772140395e7af67c4841be1ab867c11b3b82a51b1aeb692822b76c872","impliedFormat":1},
{"version":"7bd01f0f28cd3aeb2046274d85208e245965f6f2948edf4f7b2057bcf9f22ccc","impliedFormat":99},
{"version":"d2f2cf2b8cc92bea913cda4a076e0f790b23a21e84f989d12f0116a7fe3906e0","impliedFormat":99},
{"version":"6de125ea94866c736c6d58d68eb15272cf7d1020a5b459fea1c660027eca9a90","affectsGlobalScope":true,"impliedFormat":1},
{"version":"f5b20bc288ee49989c95b20847fc93b96bf61cc0845598897a6a53a967dd7d07","affectsGlobalScope":true,"impliedFormat":1},
{"version":"064ac1c2ac4b2867c2ceaa74bbdce0cb6a4c16e7c31a6497097159c18f74aa7c","impliedFormat":1},
{"version":"3dc14e1ab45e497e5d5e4295271d54ff689aeae00b4277979fdd10fa563540ae","impliedFormat":1},
{"version":"d3b315763d91265d6b0e7e7fa93cfdb8a80ce7cdd2d9f55ba0f37a22db00bdb8","impliedFormat":1},
{"version":"b789bf89eb19c777ed1e956dbad0925ca795701552d22e68fd130a032008b9f9","impliedFormat":1},
{"version":"a384610388221cd70cffb4503cee7853b8b076f2b4a55324b20a4bddd25a3538","affectsGlobalScope":true},
{"version":"7ad303e40d4fdd4f44f156129e397511953a71481c5cfd86b1862649aaaf240cc","ca9daf0d2269bb8cb03a96e0d23315e6039da8228500896470410795a070e413"},
{"version":"fe93c474ab38ac02e30e3af073412b4f92b740152cf3a751fdaee8cbea982341","impliedFormat":1},
{"version":"3255b97f3f24af29c79cc1aa88004efb13b6285ebdde0a567bf32e19bb65250d","impliedFormat":1},
{"version":"1e00b8bf9e3766c958218cd6144ffe08418286f89ff44ba5a2cc830c03dd22c7","impliedFormat":1},
{"version":"b98a24027c5c78385b127baf3c2f4f29b18c2c8c19c0beed8c74bb57bd98e4ef","ff68e26bc13dfda200bf48f859df3d97ae8cf3a749fff1fbf8279efedcc182932"},
{"version":"a0d69784efd3673bbcdf8752c08c1bc6eb39bec153a5c27a699ad065b8e9756"},
{"version":"b4d5aa2f4f509717d2b60593da595d2e5f4c9cfb162d5b78143957ab3f19e833"},
{"version":"6c58530e14cf2ba81eebf15114b015806f29df819c93058cedaed459444f720c"},
{"version":"8f900664d9eccec24aa2fa8c2e4f0f5adb49063c077fc228349c20b5a5c18347"},
{"version":"93934a31ce244f1360e6dd5b92a8ec5b3de0bad98b8a6c0b8d98de268e2cb716"},
{"version":"554e69717ca02d9daf8ae56f4b83eb80093e9c15d50ce2639131f32ea2a99214"},
{"version":"af9f730053696717116759329daf43d12e3d2aa99e7f63ebc0dbcc7d0f8e0561"},
{"version":"8f60df355f1977309eea5b163970f8c95c9b3f3a91d3ae46fa60fe6af0b42705","signature":"7237060c590b200df3597909a9a0d2bacbb1ad68dc62cd4338c9357a08826967"},
{"version":"0726ad9c2ab57c0fb91dc3e54ddee60f9c3d8809a6c60613a680f030f2b51d6c","signature":"fc3e57f03c9502f40c4698d34c7eb3cc17b5e488e6b97b4313262bc963ab413"},
{"version":"d1986184a09a52db8228cb2bb2a61a8c05c9354e5b93cec8e2628d8579c892d7"},
{"version":"a384610388221cd70cffb4503cee7853b8b076f2b4a55324b20a4bddd25a3538","affectsGlobalScope":true},
{"version":"8c738d7ab02122bec55d98eab2f5e875f5306ebffe56a6be96f2da0916a7ea71"},
{"version":"d1986184a09a52db8228cb2bb2a61a8c05c9354e5b93cec8e2628d8579c892d7"},
{"version":"ac965c40df1c4a3d53cebd90c50063ebda4522b0a054741dc3d2bd98bc852e6"},
{"version":"751764bb94219b4ce8f5475dc35d3de2e432fea01a0c9610cd7f69ad05e398c6","impliedFormat":1},
{"version":"f3d8c757e148ad968f0d98697987db363070abada5f503da3c06aefd9d4248c1","impliedFormat":1},
{"version":"96d14f21b7652903852eef49379d04dbda28c16ed36468f8c9fa08f7c14c9538","impliedFormat":1}],
"root":[[530,532],[536,551]],
"options":{
  "allowJs":true,
  "esModuleInterop":true,
  "jsx":4,
  "module":99,
  "skipLibCheck":true,
  "strict":true,
  "target":4,
  "referencedMap":[[550,1],[530,2],[551,3],[547,4],[548,2],[549,5],[536,6],[544,7],[545,8],[538,9],[537,10],[543,9],[540,8],[541,8],[542,8],[539,8],[546,9],[531,11],[532,12],[374,2],[552,2],[553,2],[554,2],[140,13],[141,13],[142,14],[97,15],[143,16],[144,17],[145,18],[92,2],[95,19],[93,2],[94,2],[146,20],[147,21],[148,22],[149,23],[150,24],[151,25],[152,25],[153,26],[154,27],[155,28],[156,29],[98,2],[96,2],[157,30],[158,31],[159,32],[191,33],[160,34],[161,35],[162,36],[163,37],[164,38],[165,39],[166,40],[167,41],[168,42],[169,43],[170,43],[171,44],[172,2],[173,45],[175,46],[174,47],[176,48],[177,49],[178,50],[179,51],[180,52],[181,53],[182,54],[183,55],[184,56],[185,57],[186,58],[187,59],[188,60],[99,2],[100,2],[101,2],[139,61],[189,62],[190,63],[195,64],[459,65],[196,66],[194,67],[461,68],[460,69],[192,70],[457,2],[193,71],[83,2],[85,72],[456,65],[226,65],[84,2],[482,73],[487,74],[494,75],[477,76],[230,2],[238,77],[378,78],[381,79],[353,2],[366,80],[373,81],[255,2],[355,2],[236,2],[352,82],[398,83],[237,2],[228,84],[380,85],[382,86],[383,87],[454,88],[347,89],[300,90],[360,91],[361,92],[359,93],[358,2],[354,94],[379,95],[239,96],[424,2],[425,97],[266,98],[240,99],[267,98],[303,98],[206,98],[376,100],[375,2],[365,101],[472,2],[215,2],[493,102],[432,103],[433,104],[429,105],[511,2],[330,2],[434,9],[430,106],[516,107],[515,108],[510,2],[281,2],[333,109],[332,2],[509,110],[431,65],[286,111],[293,112],[295,113],[285,2],[290,114],[292,115],[294,116],[289,117],[287,2],[291,118],[512,2],[508,2],[514,119],[513,2],[284,120],[503,121],[506,122],[274,123],[273,124],[272,125],[519,65],[271,126],[260,2],[521,2],[534,127],[533,2],[522,65],[523,128],[198,2],[362,129],[363,130],[364,131],[202,2],[367,2],[222,132],[197,2],[446,65],[204,133],[445,134],[444,135],[435,2],[436,2],[443,2],[438,2],[441,136],[437,2],[439,137],[442,138],[440,137],[235,2],[232,2],[233,98],[387,2],[392,139],[393,140],[391,141],[389,142],[390,143],[385,2],[452,9],[227,9],[481,144],[488,145],[492,146],[321,147],[320,2],[315,2],[468,148],[476,149],[348,150],[349,151],[427,152],[337,2],[450,153],[325,65],[342,154],[453,155],[338,2],[341,156],[339,2],[451,157],[448,158],[447,2],[449,2],[345,2],[423,159],[210,160],[323,161],[327,162],[343,163],[346,164],[335,165],[328,166],[475,167],[401,168],[319,169],[207,170],[474,171],[203,172],[394,173],[386,2],[395,174],[412,175],[384,2],[411,176],[91,2],[406,177],[231,2],[426,178],[402,2],

```

```
[216,2],[218,2],[357,2],[410,179],[234,2],[258,180],[344,181],[264,182],[324,2],[409,2],[388,2],
[414,183],[415,184],[356,2],[417,185],[419,186],[418,187],[368,2],[408,170],[421,188],[318,189],
[407,190],[413,191],[243,2],[247,2],[246,2],[245,2],[250,2],[244,2],[253,2],[252,2],[249,2],[248,2],
[251,2],[254,192],[242,2],[310,193],[309,2],[314,194],[311,195],[313,196],[316,194],[312,195],
[223,197],[302,198],[471,199],[469,2],[498,200],[500,201],[464,202],[499,203],[211,204],[208,204],
[241,2],[225,205],[224,206],[220,207],[221,208],[229,209],[257,209],[268,209],[304,210],[269,210],
[213,211],[212,2],[308,212],[307,213],[306,214],[305,215],[214,216],[455,217],[256,218],[463,219],
[428,220],[458,221],[462,222],[351,223],[350,224],[331,225],[317,226],[299,227],[301,228],[298,229],
[420,230],[322,2],[486,2],[219,231],[422,232],[470,233],[329,2],[259,234],[336,235],[334,236],
[261,237],[396,238],[465,2],[262,239],[397,239],[484,2],[483,2],[485,2],[467,2],[466,2],[399,240],
[326,2],[296,241],[217,242],[275,2],[201,243],[263,2],[490,65],[200,2],[502,244],[283,65],[496,9],
[282,245],[479,246],[280,244],[205,2],[504,247],[278,65],[279,65],[270,2],[199,2],[277,248],
[276,249],[265,250],[340,42],[400,42],[416,2],[404,251],[403,2],[288,120],[209,2],[297,65],[473,132],
[480,252],[86,65],[89,253],[90,254],[87,65],[88,2],[377,255],[372,256],[371,2],[370,257],[369,2],
[478,258],[489,259],[491,260],[495,261],[535,262],[497,263],[501,264],[529,265],[505,265],[528,266],
[507,267],[517,268],[518,269],[520,270],[524,271],[527,132],[526,2],[525,272],[405,273],[81,2],
[82,2],[13,2],[14,2],[16,2],[15,2],[2,2],[17,2],[18,2],[19,2],[20,2],[21,2],[22,2],[23,2],[24,2],
[3,2],[25,2],[26,2],[4,2],[27,2],[31,2],[28,2],[29,2],[30,2],[32,2],[33,2],[34,2],[5,2],[35,2],
[36,2],[37,2],[38,2],[6,2],[42,2],[39,2],[40,2],[41,2],[43,2],[7,2],[44,2],[49,2],[50,2],[45,2],
[46,2],[47,2],[48,2],[8,2],[54,2],[51,2],[52,2],[53,2],[55,2],[9,2],[56,2],[57,2],[58,2],[60,2],
[59,2],[61,2],[62,2],[10,2],[63,2],[64,2],[65,2],[11,2],[66,2],[67,2],[68,2],[69,2],[70,2],[1,2],
[71,2],[72,2],[12,2],[76,2],[74,2],[79,2],[78,2],[73,2],[77,2],[75,2],[80,2],[117,274],[127,275],
[116,274],[137,276],[108,277],[107,278],[136,272],[130,279],[135,280],[110,281],[124,282],[109,283],
[133,284],[105,285],[104,272],[134,286],[106,287],[111,288],[112,2],[115,288],[102,2],[138,289],
[128,290],[119,291],[120,292],[122,293],[118,294],[121,295],[131,272],[113,296],[114,297],[123,298],
[103,299],[126,290],[125,288],[129,2],[132,300]], "affectedFilesPendingEmit":
[551,549,536,544,545,538,537,543,540,541,542,539,546,532], "version": "5.9.3"]
```

```
=== ARCHIVO: \app\favicon.ico ===
```

```

F( n00 (-
F(
$]
$
8
8
ggg#000
555Y
kkk
JJJkkkY#
#111DDD
8
8
$]
$
(
, UU,
*
*

```

653/819



655/819

656/819





U%7?\_?b 8A??J`3` 510wQ?vr:2K@ ?v\*  
{%#A?Z?  
^((=g\W??!?:,`66643?:@c.F?u?<??'????\_vp: 8Q??  
I?t?  
p{3??kH8?G??c?  
<628?  
2uC??敷??T3?  
??  
;;?d~/~m?.?X@{?w.??d]G??{?LK??Eb??(P?RuM?T??C??  
?d??])??\_Lm=?=?=@b??K??GUK??^?U???)1??T??g?T??m`9?\??Q??@  
??66:ض^?w??E?D?? 5??F??,??  
?X"?d?m<?nB~??@??t?t?x?  
?;?f?>?I8?8??C1\$B??e??+??j1EZ??&  
S:?:66m??\G1??!??n1l1l?^?Q`?@OcS??@e??w??qb?P??S??@up??F?D?@??  
??2@#??L3??A??H2??\_?h??F#r?((??0?D??runGOWa?b??&??SgD??3?E  
D?to?\*G??9k??~)??,\$??x?R?1?v?K ??9?D  
U(??w?&LE??,??S)??3??Y8x?8\$.i??(??K?1-Y??a?]???4?  
c??@3f??4??  
/\*b??\$!I?~??7?B\*-1` ?o ??  
\$??ãD??L??J"??OQ??)??2@#x4"\$e??I88?O?i??8??"??G??8[x?t<?.??7&??m&?~R  
?^??tq??.??Y??-2??d??\*\_??&d|j\Wb ?G??\*g??豐?F4?"I??\_\_?  
?b1?qN??YD?Pp??9??p?}w\??P??1 ?j`??O??xK=??H??A??1?  
??#??  
D:U8j??t??\$b b??A| |??UQ??26%??)1 ??\_?  
?!~D??+??b ??>A?:?]?E\$??50??GDhR?t??z?wR?)??P??n\$?  
3??@b??S?Nu?,Y?j??:??;??@? ??|?-[?]'OV??L?sFx??n}'  
7??~??3?:??Q??J\_??UKj8?q0x??;v4??=[?hW=? ??  
?&?e5??8h?E??w?]?6??\_?iW}?SZ??/?`??;v1?}  
??2?<?h?"??A??X,?m?r?+V?((??<?w??#F^??;??aH?c??)S?\*?{a??p??c  
89(?^??4?&E??o?  
??W/??u=?^??\*?{k^?\_E??z??g??UI-??{?WU\*  
?:?p?9?.tJo?(/\_us>??3?'?^?Rg??ضG??I\_D?? ~??{  
?????N?0?7?S???.9?? ~?}/y|nA;?2??[?]?FOB2??C?I\_??[?:???:=?#OzK?-?  
??y??%??j??I??P?j??{N?-hU??t?:???,??G?K?-hU??c?h?P7  
?~??@n?P\?-?k?.??2?:?? ?`??F??=?-@V?\_G??V??}  
?0?WI??F??H??sM?r?Z?8p?J?Q?\*@O?K8??  
r?Z??a,??w??S?W^y???.??5?a?t7??\_??Tv#?~?7n??A"??+??W?m??pM??/?h  
K8??g??F/^??M{e??R?|?)q??7?t??8'???K??P~??  
?\??r??>?pUK??eP??|?^x??  
?/?/  
??v??\*?p?v??L]J??}??k8(??c?GÚ?O?m?gq,X?o??e.??^  
?Qx??p?t??4^\_?N?{??y?2?s??-?sg?s??i?v??Z  
8  
!~PJJ?c??|?]??{??z?R??1p?n??z??t1??p?9?f?r?v?jT殿  
?z??4\*0?L??~??x3??4?~??r??;?m?xY??+????3?r??;?m?x?4???:7]2qL?4)U??  
!r??1??u?6??\$?  
?7??8??w??3N|5??>?  
?\z??0?E??3??2??[??2Wu:E??^?p?.H1cJ?m?t?}}  
??B?u??S?O?u??Ic?O??%??  
??AZ??k??D??5??@Q??  
??3?w?+?"?T?S?U???13?5??M'???>?p??Z?j?~fj?  
c??E?n??>??i5D?[bf ??~a?'?`X?c??-?1?k??I??k??Q?ú|  
?k?M??(92?@?t??X-?L7a??N4??q?.\$?@?  
@V?nA?Y?L9:??/^s?? )0`?j??T\w?uZ-??'\?? @?:??c?t??{??-  
??Rb??1%??I,Y?T??~??r?1??C??,??\$??\*'???f<?z??h?F??  
??8Z-  
?CR??Tg??HRf??gLY??s??-?p??+??m?\_g??C??{??  
??Ö?K?I3g?-?GR|7?`G??0U??\_?ZU?>?D??)\>??C??z??N??@??~??-  
??P??{rs??@<??|. ]??|

659/819

```

?@=1K|RX??X?WS?e?j5?/????$????:??v@?? 8??
?d?1(?z2~F?)??3??*??l??C??#??=??.\Lt?
%??N$9b?%?:??2??u? 1?|-? 1d????t?b??@?@?
?F?c?p^?D?d?[9?z?:?
H?@ ?P2?v?)~??@??z5??|
??R?|`#?W39_?<?"-??0??\?<?d?u?oGL?z?1??Gp?e?松d?.?j
H?@j?F?3??@? c??{?s<?J& ?@??b??w?? ? ?n?v?<
??,?M;??*p>p!0hH?={=???x?}I??DLh??<'??h8?@V
?#??J?f??I??Hn??W?}?N?t[u?$$?????
@? 2? ?]&)??#3??, =%?T??k?&?? I??I?ý?[8
?L?]t?T?g??6?-@b?2?U?OV?:
?
A??
}??.i?|
?xC??rv?w??;??#?>?i?8?_b82??WP????{?'n?8?z;?Py?s????@??
??P?o|?S?i?h?$3??@?j?????IEND?B`?

```

```

=== ARCHIVO: \app\globals.css ===

```

```

@import "tailwindcss";
@import "@fontsource/playfair-display/400.css";
@import "@fontsource/playfair-display/700.css";
@import "@fontsource/playfair-display/900.css";
@import "@fontsource/inter/400.css";
@import "@fontsource/inter/500.css";
@import "@fontsource/inter/600.css";
@import "@fontsource/inter/700.css";
@import "@fontsource/inter/900.css";

```

```

:root {
  --dinco-azul: #0056B3;
  --dinco-rojo: #FF2A39;
  --dinco-azul-oscuro: #003d82;
  --dinco-rojo-oscuro: #cc0015;
  --dinco-fondo: #f8fafc;
  --dinco-texto: #0f172a;
}

```

```

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

```

```

html {
  scroll-behavior: smooth;
}

```

```

body {
  font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
  color: var(--dinco-texto);
  background: white;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
}

```

```

h1, h2, h3, .font-display {
  font-family: 'Playfair Display', Georgia, serif;
}

```

```

/* Scrollbar personalizada */
::-webkit-scrollbar {
  width: 6px;
}
::-webkit-scrollbar-track {

```

```

    background: #f1f5f9;
}
::-webkit-scrollbar-thumb {
    background: var(--dinco-azul);
    border-radius: 3px;
}

/* Selección de texto */
::selection {
    background: var(--dinco-azul);
    color: white;
}

/* Animaciones globales */
@keyframes fadeInUp {
    from {
        opacity: 0;
        transform: translateY(24px);
    }
    to {
        opacity: 1;
        transform: translateY(0);
    }
}

@keyframes fadeIn {
    from { opacity: 0; }
    to { opacity: 1; }
}

@keyframes slideInLeft {
    from {
        opacity: 0;
        transform: translateX(-24px);
    }
    to {
        opacity: 1;
        transform: translateX(0);
    }
}

.animate-fade-in-up {
    animation: fadeInUp 0.6s ease forwards;
}

.animate-fade-in {
    animation: fadeIn 0.4s ease forwards;
}

.animate-slide-in-left {
    animation: slideInLeft 0.6s ease forwards;
}

/* Delay utilities */
.delay-100 { animation-delay: 0.1s; }
.delay-200 { animation-delay: 0.2s; }
.delay-300 { animation-delay: 0.3s; }
.delay-400 { animation-delay: 0.4s; }
.delay-500 { animation-delay: 0.5s; }

/* Glassmorphism */
.glass {
    background: rgba(255, 255, 255, 0.1);
    backdrop-filter: blur(12px);
    -webkit-backdrop-filter: blur(12px);
}

```

```

border: 1px solid rgba(255, 255, 255, 0.2);
}

.glass-dark {
background: rgba(0, 0, 0, 0.3);
backdrop-filter: blur(12px);
-webkit-backdrop-filter: blur(12px);
border: 1px solid rgba(255, 255, 255, 0.1);
}

/* Card hover premium */
.card-hover {
transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.card-hover:hover {
transform: translateY(-6px);
box-shadow: 0 20px 60px rgba(0, 86, 179, 0.15);
}

/* Gradiente marca */
.gradient-dinco {
background: linear-gradient(135deg, var(--dinco-azul) 0%, #0080ff 100%);
}

.gradient-dinco-text {
background: linear-gradient(135deg, var(--dinco-azul) 0%, #0080ff 100%);
-webkit-background-clip: text;
-webkit-text-fill-color: transparent;
background-clip: text;
}

=== ARCHIVO: \app\layout.tsx ===
import type { Metadata } from 'next'
import './globals.css'
import PresenciaSocial from '@components/layout/PresenciaSocial'

export const metadata: Metadata = {
  title: {
    default: 'DINCO Inmobiliaria & Constructora',
    template: '%s | DINCO Inmobiliaria',
  },
  description: 'Plataforma global de venta, renta y promoción de propiedades en República Dominicana y el mundo. Más de 12 años de experiencia.',
  keywords: ['inmobiliaria', 'propiedades', 'Puerto Plata', 'Cabarete', 'Sosúa', 'República Dominicana', 'venta', 'renta'],
  openGraph: {
    title: 'DINCO Inmobiliaria & Constructora',
    description: 'Plataforma global de negocios inmobiliarios',
    locale: 'es_DO',
    type: 'website',
  },
}

export default function RootLayout({
  children,
}: Readonly<{
  children: React.ReactNode
}>) {
  return (
    <html lang="es" className="scroll-smooth">
      <body className="min-h-full flex flex-col antialiased">
        {children}
        <PresenciaSocial />
      </body>
    </html>
  )
}

```

```

    )
  }

=== ARCHIVO: \app\page.tsx ===
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Hero from '@components/ui/Hero'
import SeccionRegiones from '@components/ui/SeccionRegiones'
import PropiedadesDestacadas from '@components/property/PropiedadesDestacadas'
import SeccionAgentes from '@components/ui/SeccionAgentes'
import SeccionPostulacion from '@components/ui/SeccionPostulacion'
import Testimonios from '@components/ui/Testimonios'

```

```

export default function Home() {
  return (
    <main>
      <Navbar />
      <Hero />
      <SeccionRegiones />
      <PropiedadesDestacadas />
      <SeccionAgentes />
      <SeccionPostulacion />
      <Testimonios />
      <Footer />
    </main>
  )
}

```

```

=== ARCHIVO: \app\agentes\page.tsx ===
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'

```

```

const agentes = [
  { id: 1, nombre: 'Carlos Durán', cargo: 'Agente Senior', region: 'Puerto Plata', idiomas:
['Español', 'Inglés'], propiedades: 48, foto: 'https://images.unsplash.com/photo-1507003211169-
0a1dd7228f2d?w=400&q=80', whatsapp: '18091234567', email: 'carlos@dinco.com' },
  { id: 2, nombre: 'María González', cargo: 'Agente Inmobiliaria', region: 'Cabarete', idiomas:
['Español', 'Inglés', 'Francés'], propiedades: 35, foto: 'https://images.unsplash.com/photo-
1494790108377-be9c29b29330?w=400&q=80', whatsapp: '18097654321', email: 'maria@dinco.com' },
  { id: 3, nombre: 'Roberto Méndez', cargo: 'Agente Comercial', region: 'Santo Domingo', idiomas:
['Español', 'Inglés', 'Alemán'], propiedades: 62, foto: 'https://images.unsplash.com/photo-
1472099645785-5658abf4ff4e?w=400&q=80', whatsapp: '18099876543', email: 'roberto@dinco.com' },
  { id: 4, nombre: 'Ana Martínez', cargo: 'Agente de Lujo', region: 'Sosúa', idiomas: ['Español',
'Inglés', 'Italiano'], propiedades: 29, foto: 'https://images.unsplash.com/photo-1438761681033-
6461ffad8d80?w=400&q=80', whatsapp: '18091112233', email: 'ana@dinco.com' },
  { id: 5, nombre: 'Pedro Reyes', cargo: 'Agente Internacional', region: 'Samaná', idiomas:
['Español', 'Inglés', 'Portugués'], propiedades: 21, foto: 'https://images.unsplash.com/photo-
1500648767791-00dcc994a43e?w=400&q=80', whatsapp: '18094445566', email: 'pedro@dinco.com' },
  { id: 6, nombre: 'Laura Sánchez', cargo: 'Agente Residencial', region: 'Monte Cristi', idiomas:
['Español', 'Inglés'], propiedades: 17, foto: 'https://images.unsplash.com/photo-1544005313-
94ddf0286df2?w=400&q=80', whatsapp: '18097778899', email: 'laura@dinco.com' },
]

```

```

const regiones = ['Todas', 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo', 'Samaná', 'Monte
Cristi']

```

```

export default function Agentes() {
  return (
    <main>
      <Navbar />

      { /* HERO */ }
      <section className="pt-32 pb-16 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5

```

```
rounded-full tracking-widest uppercase mb-4">
```

```
Nuestro equipo
```

```
</span>
```

```
<h1 className="text-5xl font-black text-white mb-4">Directorio de agentes</h1>
```

```
<p className="text-white/75 text-lg max-w-2xl mx-auto">
```

```
Expertos en cada región listos para asesorarte y encontrar la propiedad ideal
```

```
</p>
```

```
</div>
```

```
</section>
```

```
{/* FILTRO POR REGIÓN */}
```

```
<section className="bg-white border-b border-gray-100 py-4 px-6 sticky top-0 z-40 shadow-sm">
```

```
<div className="max-w-7xl mx-auto flex flex-wrap gap-2">
```

```
{regiones.map((region) => (
```

```
<button
```

```
key={region}
```

```
className={`px-4 py-2 rounded-full text-sm font-semibold transition-all duration-200 ${
```

```
region === 'Todas'
```

```
? 'bg-[#0056B3] text-white'
```

```
: 'bg-gray-100 text-gray-600 hover:bg-[#0056B3] hover:text-white'
```

```
}`}
```

```
>
```

```
{region}
```

```
</button>
```

```
))}
```

```
</div>
```

```
</section>
```

```
{/* GRID DE AGENTES */}
```

```
<section className="py-16 px-6 bg-gray-50">
```

```
<div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
```

```
{agentes.map((agente) => (
```

```
<div key={agente.id} className="bg-white rounded-2xl shadow-md hover:shadow-xl
```

```
transition-all duration-300 overflow-hidden group">
```

```
{/* FOTO */}
```

```
<div className="relative h-64 overflow-hidden">
```

```
<div
```

```
className="h-full bg-cover bg-center transition-transform duration-500 group-  
hover:scale-105"
```

```
style={{ backgroundImage: `url(${agente.foto})` }}>
```

```
</div>
```

```
<div className="absolute inset-0 bg-linear-to-t from-black/60 to-transparent" />
```

```
<div className="absolute bottom-4 left-4">
```

```
<span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-full">
```

```
{agente.region}
```

```
</span>
```

```
</div>
```

```
</div>
```

```
{/* CONTENIDO */}
```

```
<div className="p-6">
```

```
<h3 className="text-gray-900 font-black text-xl mb-1">{agente.nombre}</h3>
```

```
<p className="text-[#0056B3] text-sm font-semibold mb-3">{agente.cargo}</p>
```

```
<div className="flex flex-wrap gap-1 mb-4">
```

```
{agente.idiomas.map((idioma) => (
```

```
<span key={idioma} className="text-xs bg-blue-50 text-[#0056B3] px-2 py-0.5
```

```
rounded-full">
```

```
{idioma}
```

```
</span>
```

```
))}
```

```
</div>
```

```
<p className="text-gray-400 text-sm mb-5">
```



```

        <span className="text-[#0056B3] font-black text-xl">{agente.propiedades}</span>
propiedades activas
    </p>

    <div className="flex gap-2">
        <a
            href={`https://wa.me/${agente.whatsapp}`}
            target="_blank"
            rel="noopener noreferrer"
            className="flex-1 bg-green-500 hover:bg-green-600 text-white text-sm font-bold
py-2.5 rounded-xl text-center transition-colors duration-300"
        >
            WhatsApp
        </a>
        <a
            href={`mailto:${agente.email}`}
            className="flex-1 bg-[#0056B3] hover:bg-[#003d82] text-white text-sm font-bold
py-2.5 rounded-xl text-center transition-colors duration-300"
        >
            Email
        </a>
    </div>
</div>
</div>
    )}
</div>
</section>

    <Footer />
</main>
)
}

```

```

=== ARCHIVO: \app\blog\page.tsx ===

```

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

```

```

const articulos = [
  {
    id: 1,
    titulo: 'Guía completa para comprar propiedad en República Dominicana siendo extranjero',
    categoria: 'Guía del comprador',
    fecha: '15 Mayo 2025',
    tiempo: '8 min lectura',
    imagen: 'https://images.unsplash.com/photo-1560518883-ce09059eeffa?w=800&q=80',
    resumen: 'Todo lo que necesitas saber sobre el proceso legal, impuestos y requisitos para adquirir una propiedad en RD como ciudadano extranjero.',
    destacado: true,
  },
  {
    id: 2,
    titulo: 'Las 5 zonas con mayor plusvalía en la costa norte dominicana en 2025',
    categoria: 'Mercado inmobiliario',
    fecha: '10 Mayo 2025',
    tiempo: '5 min lectura',
    imagen: 'https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=800&q=80',
    resumen: 'Analizamos el comportamiento del mercado en Puerto Plata, Cabarete, Sosúa y sus alrededores para identificar las mejores oportunidades de inversión.',
    destacado: true,
  },
  {
    id: 3,
    titulo: 'Cómo rentar tu propiedad en Cabarete y generar ingresos pasivos',
    categoria: 'Inversión',
  },

```

```

    fecha: '5 Mayo 2025',
    tiempo: '6 min lectura',
    imagen: 'https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=800&q=80',
    resumen: 'Estrategias probadas para maximizar el retorno de tu inversión inmobiliaria a través
del alquiler vacacional y a largo plazo.',
    destacado: false,
  },
  {
    id: 4,
    titulo: 'Impuestos y gastos al comprar propiedad en República Dominicana',
    categoria: 'Legal y financiero',
    fecha: '28 Abril 2025',
    tiempo: '7 min lectura',
    imagen: 'https://images.unsplash.com/photo-1554224155-6726b3ff858f?w=800&q=80',
    resumen: 'Desglose completo de todos los impuestos, honorarios y gastos adicionales que debes
considerar al momento de comprar una propiedad.',
    destacado: false,
  },
  {
    id: 5,
    titulo: 'Samaná: el secreto mejor guardado del Caribe para invertir',
    categoria: 'Destinos',
    fecha: '20 Abril 2025',
    tiempo: '4 min lectura',
    imagen: 'https://images.unsplash.com/photo-1501854140801-50d01698950b?w=800&q=80',
    resumen: 'Por qué Samaná se está convirtiendo en uno de los destinos inmobiliarios más atractivos
para inversores internacionales.',
    destacado: false,
  },
  {
    id: 6,
    titulo: 'Qué debes verificar antes de firmar un contrato de compraventa',
    categoria: 'Legal y financiero',
    fecha: '15 Abril 2025',
    tiempo: '9 min lectura',
    imagen: 'https://images.unsplash.com/photo-1450101499163-c8848c66ca85?w=800&q=80',
    resumen: 'Lista de verificación completa para proteger tu inversión y evitar sorpresas durante el
proceso de compra de una propiedad.',
    destacado: false,
  },
]

```

```

const categorias = ['Todas', 'Guía del comprador', 'Mercado inmobiliario', 'Inversión', 'Legal y
financiero', 'Destinos']

```

```

export default function Blog() {
  const destacados = articulos.filter((a) => a.destacado)
  const resto = articulos.filter((a) => !a.destacado)

  return (
    <main>
      <Navbar />

      {/* HERO */}
      <section className="pt-32 pb-16 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5
rounded-full tracking-widest uppercase mb-4">
            Conocimiento inmobiliario
          </span>
          <h1 className="text-5xl font-black text-white mb-4">Blog DINCO</h1>
          <p className="text-white/75 text-lg max-w-2xl mx-auto">
            Guías, noticias del mercado y recursos para tomar la mejor decisión inmobiliaria
          </p>
        </div>
      </section>
    </main>
  )
}

```

```

</section>

{/* CATEGORÍAS */}
<section className="bg-white border-b border-gray-100 py-4 px-6 sticky top-0 z-40 shadow-sm">
  <div className="max-w-7xl mx-auto flex flex-wrap gap-2">
    {categorias.map((cat) => (
      <button
        key={cat}
        className={`px-4 py-2 rounded-full text-sm font-semibold transition-all duration-200 ${
          cat === 'Todas'
            ? 'bg-[#0056B3] text-white'
            : 'bg-gray-100 text-gray-600 hover:bg-[#0056B3] hover:text-white'
        }`}
      >
        {cat}
      </button>
    ))}
  </div>
</section>

<section className="py-16 px-6 bg-gray-50">
  <div className="max-w-7xl mx-auto">

    {/* ARTÍCULOS DESTACADOS */}
    <div className="mb-16">
      <h2 className="text-2xl font-black text-gray-900 mb-8">Artículos destacados</h2>
      <div className="grid grid-cols-1 lg:grid-cols-2 gap-8">
        {destacados.map((articulo) => (
          <Link
            key={articulo.id}
            href={` /blog/${articulo.id}`}
            className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden"
          >
            <div className="relative overflow-hidden h-64">
              <div
                className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
                style={{ backgroundImage: `url(${articulo.imagen})` }}
              />
              <div className="absolute inset-0 bg-linear-to-t from-black/60 to-transparent" />
              <div className="absolute top-4 left-4">
                <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-
full">
                  {articulo.categoria}
                </span>
              </div>
            </div>
            <div className="p-6">
              <div className="flex items-center gap-3 text-gray-400 text-xs mb-3">
                <span>{articulo.fecha}</span>
                <span>.</span>
                <span>{articulo.tiempo}</span>
              </div>
              <h3 className="text-gray-900 font-black text-xl mb-3 group-hover:text-[#0056B3]
transition-colors">
                {articulo.titulo}
              </h3>
              <p className="text-gray-500 text-sm leading-relaxed">{articulo.resumen}</p>
              <div className="flex items-center gap-2 text-[#0056B3] font-bold text-sm mt-4">
                Leer artículo
                <svg className="w-4 h-4 group-hover:translate-x-1 transition-transform"
fill="none" stroke="currentColor" viewBox="0 0 24 24">
                  <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8 14
4m0 0 1-4 4m4-4H3" />

```

```

        </svg>
      </div>
    </div>
  </Link>
  )))
</div>
</div>

{/* TODOS LOS ARTÍCULOS */}
<div>
  <h2 className="text-2xl font-black text-gray-900 mb-8">Más artículos</h2>
  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
    {resto.map((articulo) => (
      <Link
        key={articulo.id}
        href={` /blog/${articulo.id}`}
        className="group bg-white rounded-2xl shadow-md hover:shadow-xl transition-all
duration-300 overflow-hidden"
      >
        <div className="relative overflow-hidden h-44">
          <div
            className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
            style={{ backgroundImage: `url(${articulo.imagen})` }}
          />
          <div className="absolute top-3 left-3">
            <span className="bg-[#0056B3] text-white text-xs font-bold px-2.5 py-1 rounded-
full">
              {articulo.categoria}
            </span>
          </div>
        </div>
        <div className="p-4">
          <div className="flex items-center gap-2 text-gray-400 text-xs mb-2">
            <span>{articulo.fecha}</span>
            <span>.</span>
            <span>{articulo.tiempo}</span>
          </div>
          <h3 className="text-gray-900 font-black text-sm leading-snug group-hover:text-
[#0056B3] transition-colors">
            {articulo.titulo}
          </h3>
        </div>
      </Link>
    )))
  </div>
</div>

{/* NEWSLETTER */}
<div className="mt-16 bg-[#0056B3] rounded-3xl p-10 text-center">
  <h3 className="text-3xl font-black text-white mb-3">
    Recibe el mercado en tu correo
  </h3>
  <p className="text-white/75 mb-6">
    Análisis semanal del mercado inmobiliario dominicano directo a tu bandeja de entrada
  </p>
  <div className="flex gap-3 max-w-md mx-auto">
    <input
      type="email"
      placeholder="tu@email.com"
      className="flex-1 px-5 py-3 rounded-xl outline-none text-gray-700 text-sm"
    />
    <button className="bg-[#FF2A39] hover:bg-white hover:text-[#FF2A39] text-white font-
bold px-6 py-3 rounded-xl transition-all duration-300 whitespace-nowrap">
      Suscribirme
    </button>
  </div>
</div>

```

```

        </button>
      </div>
    </div>

  </div>
</section>

<Footer />
</main>
)
}

=== ARCHIVO: \app\blog\[id]\page.tsx ===
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

export default function ArtículoBlog() {
  return (
    <main>
      <Navbar />

      <section className="pt-24 pb-16 px-6 bg-white">
        <div className="max-w-4xl mx-auto">

          {/* BREADCRUMB */}
          <div className="flex items-center gap-2 text-gray-400 text-sm mb-8">
            <Link href="/" className="hover:text-[#0056B3] transition-colors">Inicio</Link>
            <span></span>
            <Link href="/blog" className="hover:text-[#0056B3] transition-colors">Blog</Link>
            <span></span>
            <span className="text-gray-700">Guía para comprar en RD</span>
          </div>

          {/* CATEGORÍA Y FECHA */}
          <div className="flex items-center gap-3 mb-4">
            <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-full">
              Guía del comprador
            </span>
            <span className="text-gray-400 text-sm">15 Mayo 2025</span>
            <span className="text-gray-400 text-sm">.</span>
            <span className="text-gray-400 text-sm">8 min lectura</span>
          </div>

          {/* TÍTULO */}
          <h1 className="text-4xl md:text-5xl font-black text-gray-900 mb-6 leading-tight">
            Guía completa para comprar propiedad en República Dominicana siendo extranjero
          </h1>

          {/* IMAGEN */}
          <div
            className="h-80 bg-cover bg-center rounded-3xl mb-10"
            style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1560518883-ce09059eeffa?
w=1200&q=80)' }}
          />

          {/* CONTENIDO */}
          <div className="prose prose-lg max-w-none">
            <p className="text-gray-600 text-lg leading-relaxed mb-6">
              República Dominicana es uno de los destinos más atractivos del Caribe para la inversión
              inmobiliaria. Su economía estable, clima tropical, playas de clase mundial y legislación favorable
              hacen de este país una opción ideal para compradores internacionales.
            </p>

            <h2 className="text-2xl font-black text-gray-900 mt-10 mb-4">¿Pueden los extranjeros

```

comprar propiedades en RD?

className="text-gray-600 leading-relaxed mb-6">

Sí. La ley dominicana permite a los ciudadanos extranjeros comprar, vender y poseer propiedades con los mismos derechos que los ciudadanos nacionales. No se requiere residencia ni visa especial para ser propietario.

</p>

## className="text-2xl font-black text-gray-900 mt-10 mb-4">Documentos necesarios</h2>

className="space-y-2 mb-6">

['Pasaporte vigente', 'Certificado de no deuda (si aplica)', 'Prueba de fondos o pre-aprobación bancaria', 'Número de RNC (Registro Nacional del Contribuyente)', 'Contrato de compraventa firmado por ambas partes'].map((item) => (

- key={item} className="flex items-center gap-3 text-gray-600">

className="w-5 h-5 rounded-full bg-green-100 flex items-center justify-center

shrink-0">

className="w-3 h-3 text-green-600" fill="none" stroke="currentColor"

viewBox="0 0 24 24">

strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13L4

4L19 7" />

</div>

</div>

{item}

</li>

)))

</ul>

## className="text-2xl font-black text-gray-900 mt-10 mb-4">Impuestos al comprar</h2>

className="text-gray-600 leading-relaxed mb-4">

Al adquirir una propiedad en República Dominicana debes considerar los siguientes impuestos y gastos:

</p>

className="bg-gray-50 rounded-2xl p-6 mb-6">

{[

{ concepto: 'Impuesto de transferencia', valor: '3% del valor de la propiedad' },

{ concepto: 'Impuesto anual sobre la propiedad (IPI)', valor: '1% del valor

catastral' },

{ concepto: 'Honorarios del notario', valor: '0.5% a 1% del valor' },

{ concepto: 'Registro en el título', valor: 'Variable según la zona' },

].map((item) => (

key={item.concepto} className="flex justify-between py-3 border-b border-gray-

200 last:border-0">

className="text-gray-600 font-medium">{item.concepto}</div>

className="text-[#0056B3] font-black">{item.valor}</div>

</div>

)))

</div>

## className="text-2xl font-black text-gray-900 mt-10 mb-4">El papel del agente inmobiliario</h2>

className="text-gray-600 leading-relaxed mb-6">

Contar con un agente certificado como los de DINCO es fundamental para navegar el proceso de compra con seguridad. Un agente te ayuda a verificar el título de propiedad, negociar el precio, coordinar con el notario y asegurarse de que todo el proceso legal sea correcto.

</p>

</div>

{/\* CTA \*/}

className="bg-[#0056B3] rounded-3xl p-8 text-center mt-12">

### className="text-2xl font-black text-white mb-3">¿Listo para dar el siguiente paso?

</h3>

className="text-white/75 mb-6">Nuestros agentes te guían en todo el proceso sin costo adicional</p>

className="flex flex-col md:flex-row gap-3 justify-center">

<Link

href="/propiedades"

```

        className="bg-white text-[#0056B3] font-black px-8 py-3 rounded-xl hover:bg-[#FF2A39]
hover:text-white transition-all duration-300"
      >
        Ver propiedades
      </Link>
      <Link
        href="/contacto"
        className="bg-transparent border-2 border-white text-white font-black px-8 py-3
rounded-xl hover:bg-white hover:text-[#0056B3] transition-all duration-300"
      >
        Hablar con un agente
      </Link>
    </div>
  </div>

  { /* VOLVER */ }
  <div className="mt-10 text-center">
    <Link href="/blog" className="inline-flex items-center gap-2 text-[#0056B3] font-bold
hover:text-[#FF2A39] transition-colors">
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-
7" />
      </svg>
      Volver al blog
    </Link>
  </div>

</div>
</section>

<Footer />
</main>
)
}

```

```
=== ARCHIVO: \app\cabarete\page.tsx ===
```

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function Cabarete() {
  return (
    <CatalogoRegion
      nombre="Cabarete"
      descripcion="El paraíso del surf y la vida costera"
      imagen="https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=1920&q=80"
      propiedades={86}
      slug="cabarete"
    />
  )
}

```

```
=== ARCHIVO: \app\contacto\page.tsx ===
```

```

'use client'
import { useState } from 'react'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'

const oficinas = [
  { ciudad: 'Puerto Plata', direccion: 'Av. Circunvalación Norte, Puerto Plata', telefono: '+1 (809)
123-4567', email: 'pplata@dinco.com', horario: 'Lun-Vie 8am-6pm · Sáb 9am-2pm' },
  { ciudad: 'Santo Domingo', direccion: 'Av. Winston Churchill, Piantini, D.N.', telefono: '+1 (809)
987-6543', email: 'sd@dinco.com', horario: 'Lun-Vie 8am-6pm · Sáb 9am-2pm' },
  { ciudad: 'Cabarete', direccion: 'Carretera Principal, Cabarete, Puerto Plata', telefono: '+1 (809)
456-7890', email: 'cabarete@dinco.com', horario: 'Lun-Vie 9am-5pm · Sáb 10am-1pm' },
]

```

```

export default function Contacto() {
  const [enviado, setEnviado] = useState(false)
  const [form, setForm] = useState({ nombre: '', email: '', telefono: '', asunto: '', mensaje: '' })

  const actualizar = (campo: string, valor: string) => setForm((prev) => ({ ...prev, [campo]: valor
}))

  const enviar = () => setEnviado(true)

  return (
    <main>
      <Navbar />

      { /* HERO */ }
      <section className="pt-32 pb-16 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5
rounded-full tracking-widest uppercase mb-4">
            Estamos aquí para ayudarte
          </span>
          <h1 className="text-5xl font-black text-white mb-4">Contáctanos</h1>
          <p className="text-white/75 text-lg max-w-2xl mx-auto">
            Nuestro equipo de agentes está disponible para responder todas tus preguntas
          </p>
        </div>
      </section>

      { /* CONTENIDO PRINCIPAL */ }
      <section className="py-16 px-6 bg-gray-50">
        <div className="max-w-7xl mx-auto grid grid-cols-1 lg:grid-cols-2 gap-12">

          { /* FORMULARIO */ }
          <div className="bg-white rounded-3xl shadow-xl p-8">
            { !enviado ? (
              <>
                <h2 className="text-2xl font-black text-gray-900 mb-6">Envíanos un mensaje</h2>
                <div className="space-y-4">
                  <div className="grid grid-cols-2 gap-4">
                    <div>
                      <label className="block text-sm font-bold text-gray-700 mb-2">Nombre</label>
                      <input
                        type="text"
                        value={form.nombre}
                        onChange={(e) => actualizar('nombre', e.target.value)}
                        placeholder="Tu nombre"
                        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm"
                      />
                    </div>
                    <div>
                      <label className="block text-sm font-bold text-gray-700 mb-2">Teléfono</label>
                      <input
                        type="tel"
                        value={form.telefono}
                        onChange={(e) => actualizar('telefono', e.target.value)}
                        placeholder="+1 (809) 000-0000"
                        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm"
                      />
                    </div>
                  </div>
                  <div>
                    <label className="block text-sm font-bold text-gray-700 mb-2">Correo
electrónico</label>
                    <input

```



```

        type="email"
        value={form.email}
        onChange={(e) => actualizar('email', e.target.value)}
        placeholder="tu@email.com"
        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm"
      />
    </div>
    <div>
      <label className="block text-sm font-bold text-gray-700 mb-2">Asunto</label>
      <select
        value={form.asunto}
        onChange={(e) => actualizar('asunto', e.target.value)}
        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm text-gray-700"
      >
        <option value="">Selecciona un asunto</option>
        <option value="compra">Quiero comprar una propiedad</option>
        <option value="renta">Quiero rentar una propiedad</option>
        <option value="vender">Quiero vender mi propiedad</option>
        <option value="inversion">Asesoría de inversión</option>
        <option value="otro">Otro</option>
      </select>
    </div>
    <div>
      <label className="block text-sm font-bold text-gray-700 mb-2">Mensaje</label>
      <textarea
        value={form.mensaje}
        onChange={(e) => actualizar('mensaje', e.target.value)}
        placeholder="Cuéntanos en qué podemos ayudarte..."
        rows={5}
        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm resize-none"
      />
    </div>
    <button
      onClick={enviar}
      className="w-full bg-[#0056B3] hover:bg-[#FF2A39] text-white font-black py-4
rounded-xl transition-all duration-300"
    >
      Enviar mensaje
    </button>
  </div>
</>
) : (
  <div className="text-center py-12">
    <div className="w-20 h-20 bg-green-100 rounded-full flex items-center justify-center
mx-auto mb-6">
      <svg className="w-10 h-10 text-green-600" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M5 13l4
4L19 7" />
      </svg>
    </div>
    <h3 className="text-2xl font-black text-gray-900 mb-3">¡Mensaje enviado!</h3>
    <p className="text-gray-500">Un agente te contactará en menos de 24 horas.</p>
  </div>
)}
</div>

{/* INFORMACIÓN */}
<div className="space-y-6">
  <div>
    <h2 className="text-2xl font-black text-gray-900 mb-6">Nuestras oficinas</h2>
    <div className="space-y-4">

```

```

      {oficinas.map((oficina) => (
        <div key={oficina.ciudad} className="bg-white rounded-2xl p-6 shadow-md">
          <h3 className="font-black text-[#0056B3] text-lg mb-3">{oficina.ciudad}</h3>
          <div className="space-y-2 text-sm text-gray-600">
            <p>📍 {oficina.direccion}</p>
            <p>☎️ {oficina.telefono}</p>
            <p>✉️ {oficina.email}</p>
            <p>🕒 {oficina.horario}</p>
          </div>
        </div>
      ))}
    </div>
  </div>

  { /* WHATSAPP DIRECTO */ }
  <a
    href="https://wa.me/18091234567?text=Hola%20DINCO,%20necesito%20información"
    target="_blank"
    rel="noopener noreferrer"
    className="block bg-green-500 hover:bg-green-600 text-white font-black py-4 px-6
rounded-2xl text-center transition-colors duration-300 shadow-lg"
  >
    🗨 Chatea con un agente ahora por WhatsApp
  </a>
</div>

</div>
</section>

<Footer />
</main>
)
}

=== ARCHIVO: \app\dashboard\agente\page.tsx ===
'use client'
import { useState } from 'react'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'

const citas = [
  { id: 1, cliente: 'Michael Johnson us', propiedad: 'Villa frente al mar', fecha: 'Hoy 3:00 PM',
  tipo: 'Presencial', estado: 'Confirmada' },
  { id: 2, cliente: 'Sophie Müller DE', propiedad: 'Apartamento beachfront', fecha: 'Mañana 10:00
AM', tipo: 'Virtual', estado: 'Pendiente' },
  { id: 3, cliente: 'Jean-Pierre Dubois FR', propiedad: 'Terreno residencial', fecha: '28 Mayo 2:00
PM', tipo: 'Presencial', estado: 'Confirmada' },
]

const cartera = [
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', precio: 'US$ 285,000', tipo:
'Venta', visitas: 142, imagen: 'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?
w=400&q=80' },
  { id: 2, titulo: 'Apartamento beachfront', region: 'Cabarete', precio: 'US$ 145,000', tipo:
'Venta', visitas: 89, imagen: 'https://images.unsplash.com/photo-1560448204-e02f11c3d0e2?w=400&q=80'
},
  { id: 3, titulo: 'Villa de lujo', region: 'Sosúa', precio: 'US$ 420,000', tipo: 'Venta', visitas:
201, imagen: 'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=400&q=80' },
  { id: 4, titulo: 'Penthouse ejecutivo', region: 'Santo Domingo', precio: 'US$ 3,500/mes', tipo:
'Renta', visitas: 55, imagen: 'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?
w=400&q=80' },
]

const prospectos = [

```

```

    { nombre: 'Michael Johnson', pais: 'us', interes: 'Villa · Puerto Plata', presupuesto: 'US$ 250k-350k', estado: 'Caliente', ultima: 'Hoy' },
    { nombre: 'Sophie Müller', pais: 'de', interes: 'Apartamento · Cabarete', presupuesto: 'US$ 100k-200k', estado: 'Tibio', ultima: 'Ayer' },
    { nombre: 'Isabella Rossi', pais: 'it', interes: 'Villa · Sosúa', presupuesto: 'US$ 400k+', estado: 'Nuevo', ultima: 'Hace 3 días' },
  ]

```

```
const tabs = ['Mi cartera', 'Citas del día', 'Prospectos', 'Comisiones']
```

```

export default function DashboardAgente() {
  const [tabActiva, setTabActiva] = useState(0)

  return (
    <main>
      <Navbar />

      <section className="pt-24 pb-16 px-6 bg-gray-50 min-h-screen">
        <div className="max-w-7xl mx-auto">

          {/* ENCABEZADO */}
          <div className="flex flex-col md:flex-row md:items-center justify-between gap-4 mb-8">
            <div>
              <div className="flex items-center gap-3 mb-1">
                <div
                  className="w-12 h-12 rounded-full bg-cover bg-center border-2 border-[#0056B3]"
                  style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=200&q=80)' }}
                />
                <div>
                  <h1 className="text-2xl font-black text-gray-900">Carlos Durán</h1>
                  <p className="text-[#0056B3] text-sm font-semibold">Agente Senior · Puerto
Plata</p>
                </div>
              </div>
            </div>
            <div className="flex items-center gap-2">
              <div className="w-2 h-2 bg-green-400 rounded-full" />
              <span className="text-green-600 text-sm font-bold">Disponible</span>
            </div>
          </div>

          {/* STATS */}
          <div className="grid grid-cols-2 md:grid-cols-4 gap-4 mb-8">
            {[
              { label: 'Propiedades activas', valor: '48', color: 'text-[#0056B3]' },
              { label: 'Citas esta semana', valor: '6', color: 'text-green-600' },
              { label: 'Prospectos activos', valor: '14', color: 'text-[#FF2A39]' },
              { label: 'Ventas este mes', valor: 'US$ 42k', color: 'text-yellow-600' },
            ].map((stat) => (
              <div key={stat.label} className="bg-white rounded-2xl p-5 shadow-sm border border-gray-
100">
                <p className="text-3xl font-black ${stat.color}">{stat.valor}</p>
                <p className="text-gray-500 text-sm mt-1">{stat.label}</p>
              </div>
            ))}
          </div>

          {/* TABS */}
          <div className="bg-white rounded-2xl shadow-sm border border-gray-100 overflow-hidden">
            <div className="flex border-b border-gray-100">
              {tabs.map((tab, i) => (
                <button
                  key={tab}
                  onClick={() => setTabActiva(i)}

```

```

        className={`flex-1 py-4 text-sm font-semibold transition-all duration-200 ${
          tabActiva === i
            ? 'text-[#0056B3] border-b-2 border-[#0056B3] bg-blue-50'
            : 'text-gray-500 hover:text-gray-700'
        }`}
      >
        {tab}
      </button>
    )}
  </div>

  <div className="p-6">

    {/* TAB 1: CARTERA */}
    {tabActiva === 0 && (
      <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
        {cartera.map((p) => (
          <div key={p.id} className="flex items-center gap-4 p-4 bg-gray-50 rounded-2xl
hover:bg-gray-100 transition-colors">
            <div
              className="w-20 h-16 rounded-xl bg-cover bg-center shrink-0"
              style={{ backgroundImage: `url(${p.imagen})` }}
            />
            <div className="flex-1 min-w-0">
              <h3 className="font-black text-gray-900 text-sm truncate">{p.titulo}</h3>
              <p className="text-gray-500 text-xs mt-0.5">{p.region} · {p.tipo}</p>
              <p className="text-[#0056B3] font-black text-sm mt-1">{p.precio}</p>
              <p className="text-gray-400 text-xs">{p.visitas} visitas</p>
            </div>
          </div>
        ))}
      </div>
    )}

    {/* TAB 2: CITAS */}
    {tabActiva === 1 && (
      <div className="space-y-3">
        {citas.map((c) => (
          <div key={c.id} className="flex items-center justify-between p-4 bg-gray-50
rounded-2xl">
            <div>
              <div className="flex items-center gap-2 mb-1">
                <h3 className="font-black text-gray-900">{c.cliente}</h3>
                <span className={`text-xs font-bold px-2 py-0.5 rounded-full ${
                  c.tipo === 'Virtual' ? 'bg-blue-100 text-blue-700' : 'bg-green-100 text-
green-700'
                }`}>
                  {c.tipo}
                </span>
              </div>
            </div>
            <p className="text-[#0056B3] text-sm font-semibold">{c.propiedad}</p>
            <p className="text-gray-400 text-xs mt-0.5">{c.fecha}</p>
          </div>
          <span className={`text-xs font-bold px-3 py-1.5 rounded-xl ${
            c.estado === 'Confirmada' ? 'bg-green-100 text-green-700' : 'bg-yellow-100
text-yellow-700'
          }`}>
            {c.estado}
          </span>
        </div>
      ))}
    </div>
  )}

  {/* TAB 3: PROSPECTOS */}

```

```

{tabActiva === 2 && (
  <div className="space-y-3">
    {prospectos.map((p) => (
      <div key={p.nombre} className="flex items-center justify-between p-4 bg-gray-50
rounded-2xl">
        <div>
          <h3 className="font-black text-gray-900">{p.nombre} {p.pais}</h3>
          <p className="text-gray-500 text-sm">{p.interes}</p>
          <p className="text-[#0056B3] font-bold text-sm">{p.presupuesto}</p>
          <p className="text-gray-400 text-xs">Último contacto: {p.ultima}</p>
        </div>
        <div className="text-right">
          <span className={`text-xs font-bold px-3 py-1.5 rounded-full block mb-2 ${
            p.estado === 'Caliente' ? 'bg-red-100 text-red-700' :
            p.estado === 'Tibio' ? 'bg-yellow-100 text-yellow-700' :
            'bg-blue-100 text-blue-700'
          }`}>
            {p.estado}
          </span>
          <button className="text-xs bg-[#0056B3] hover:bg-[#FF2A39] text-white px-3
py-1.5 rounded-xl transition-all duration-200">
            Contactar
          </button>
        </div>
      </div>
    )})
  </div>
)}

{/* TAB 4: COMISIONES */}
{tabActiva === 3 && (
  <div>
    <div className="grid grid-cols-3 gap-4 mb-6">
      {[
        { label: 'Este mes', valor: 'US$ 42,000', color: 'bg-green-50 text-green-700'
},
        { label: 'Este año', valor: 'US$ 186,500', color: 'bg-blue-50 text-[#0056B3]'
},
        { label: 'Pendiente cobro', valor: 'US$ 18,000', color: 'bg-yellow-50 text-
yellow-700' },
      ].map((item) => (
        <div key={item.label} className={`p-5 rounded-2xl ${item.color}`}>
          <p className="text-2xl font-black">{item.valor}</p>
          <p className="text-sm mt-1 opacity-75">{item.label}</p>
        </div>
      )})
    </div>
    <div className="bg-gray-50 rounded-2xl p-6 text-center">
      <p className="text-gray-500 text-sm">Historial detallado de comisiones disponible
en la siguiente fase</p>
    </div>
  </div>
)}

</div>
</div>

</div>
</section>

<Footer />
</main>
)
}

```

```
=== ARCHIVO: \app\dashboard\propietario\page.tsx ===
```

```
'use client'
```

```
import { useState } from 'react'
```

```
import Navbar from '@components/layout/Navbar'
```

```
import Footer from '@components/layout/Footer'
```

```
import Link from 'next/link'
```

```
const propiedades = [
```

```
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', tipo: 'Venta', precio: 'US$ 285,000', estado: 'Publicada', visitas: 142, consultas: 8, imagen:
```

```
'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=400&q=80' },
```

```
  { id: 2, titulo: 'Apartamento céntrico', region: 'Santo Domingo', tipo: 'Renta', precio: 'US$ 1,800/mes', estado: 'En revisión', visitas: 0, consultas: 0, imagen:
```

```
'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?w=400&q=80' },
```

```
  { id: 3, titulo: 'Terreno residencial', region: 'Samaná', tipo: 'Venta', precio: 'US$ 95,000', estado: 'Pausada', visitas: 67, consultas: 3, imagen: 'https://images.unsplash.com/photo-1500382017468-9049fed747ef?w=400&q=80' },
```

```
]
```

```
const consultas = [
```

```
  { id: 1, nombre: 'Michael Johnson', pais: 'us', propiedad: 'Villa frente al mar', mensaje: 'Me interesa agendar una visita esta semana.', fecha: 'Hace 2 horas', leído: false },
```

```
  { id: 2, nombre: 'Sophie Müller', pais: 'de', propiedad: 'Villa frente al mar', mensaje: '¿Está disponible para renta vacacional?', fecha: 'Hace 1 día', leído: true },
```

```
  { id: 3, nombre: 'Carlos Pérez', pais: 'do', propiedad: 'Terreno residencial', mensaje: 'Quisiera más información sobre el terreno.', fecha: 'Hace 2 días', leído: true },
```

```
]
```

```
const documentos = [
```

```
  { nombre: 'Título de propiedad', estado: 'Verificado', fecha: '10 Mayo 2025' },
```

```
  { nombre: 'Planos de construcción', estado: 'Pendiente', fecha: '-' },
```

```
  { nombre: 'Certificado catastral', estado: 'Verificado', fecha: '8 Mayo 2025' },
```

```
  { nombre: 'Contrato de venta', estado: 'En proceso', fecha: '12 Mayo 2025' },
```

```
]
```

```
const tabs = ['Mis propiedades', 'Consultas', 'Documentos', 'Negociaciones']
```

```
export default function DashboardPropietario() {
```

```
  const [tabActiva, setTabActiva] = useState(0)
```

```
  return (
```

```
    <main>
```

```
      <Navbar />
```

```
      <section className="pt-24 pb-16 px-6 bg-gray-50 min-h-screen">
```

```
        <div className="max-w-7xl mx-auto">
```

```
          { /* ENCABEZADO */ }
```

```
          <div className="flex flex-col md:flex-row md:items-center justify-between gap-4 mb-8">
```

```
            <div>
```

```
              <h1 className="text-3xl font-black text-gray-900">Mi panel</h1>
```

```
              <p className="text-gray-500 mt-1">Bienvenido, <span className="text-[#0056B3] font-bold">Rafael Durán</span></p>
```

```
            </div>
```

```
            <Link
```

```
              href="/postulacion"
```

```
              className="inline-flex items-center gap-2 bg-[#FF2A39] hover:bg-[#0056B3] text-white font-bold px-6 py-3 rounded-xl transition-all duration-300"
```

```
            >
```

```
              <svg className="w-5 h-5 fill="none" stroke="currentColor" viewBox="0 0 24 24">
```

```
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 4v16m8-8H4"
```

```
              />
```

```
            </svg>
```

```
            Publicar nueva propiedad
```

```
          </Link>
```

```

</div>

{/* STATS */}
<div className="grid grid-cols-2 md:grid-cols-4 gap-4 mb-8">
  {[
    { label: 'Propiedades activas', valor: '2', color: 'text-[#0056B3]' },
    { label: 'Total consultas', valor: '11', color: 'text-green-600' },
    { label: 'Visitas totales', valor: '209', color: 'text-[#FF2A39]' },
    { label: 'Negociaciones abiertas', valor: '1', color: 'text-yellow-600' },
  ]}.map((stat) => (
    <div key={stat.label} className="bg-white rounded-2xl p-5 shadow-sm border border-gray-
100">
      <p className={`text-3xl font-black ${stat.color}`}>{stat.valor}</p>
      <p className="text-gray-500 text-sm mt-1">{stat.label}</p>
    </div>
  )))
</div>

{/* TABS */}
<div className="bg-white rounded-2xl shadow-sm border border-gray-100 overflow-hidden">
  <div className="flex border-b border-gray-100">
    {tabs.map((tab, i) => (
      <button
        key={tab}
        onClick={() => setTabActiva(i)}
        className={`flex-1 py-4 text-sm font-semibold transition-all duration-200 ${
          tabActiva === i
            ? 'text-[#0056B3] border-b-2 border-[#0056B3] bg-blue-50'
            : 'text-gray-500 hover:text-gray-700'
        }`}
      >
        {tab}
      </button>
    ))}
  </div>

  <div className="p-6">

    {/* TAB 1: MIS PROPIEDADES */}
    {tabActiva === 0 && (
      <div className="space-y-4">
        {propiedades.map((p) => (
          <div key={p.id} className="flex items-center gap-4 p-4 bg-gray-50 rounded-2xl
hover:bg-gray-100 transition-colors">
            <div
              className="w-20 h-16 rounded-xl bg-cover bg-center shrink-0"
              style={{ backgroundImage: `url(${p.imagen})` }}
            />
            <div className="flex-1 min-w-0">
              <div className="flex items-center gap-2 mb-1">
                <h3 className="font-black text-gray-900 truncate">{p.titulo}</h3>
                <span className={`text-xs font-bold px-2 py-0.5 rounded-full shrink-0 ${
                  p.estado === 'Publicada' ? 'bg-green-100 text-green-700' :
                  p.estado === 'En revisión' ? 'bg-yellow-100 text-yellow-700' :
                  'bg-gray-100 text-gray-600'
                }`}>
                  {p.estado}
                </span>
              </div>
              <div>
                <p className="text-gray-500 text-sm">{p.region} · {p.tipo} · {p.precio}</p>
                <p className="text-gray-400 text-xs mt-1">{p.visitas} visitas · {p.consultas}
consultas</p>
              </div>
            </div>
          </div>
        ))}
      </div>
    ))}
  </div>
  <div className="flex gap-2 shrink-0">
    <button className="text-xs bg-white border border-gray-200 hover:border-

```

```

[#0056B3] hover:text-[#0056B3] text-gray-600 px-3 py-1.5 rounded-xl transition-all duration-200">
    Editar
  </button>
  <Link
    href={` /propiedades/${p.id}`}
    className="text-xs bg-[#0056B3] hover:bg-[#FF2A39] text-white px-3 py-1.5
rounded-xl transition-all duration-200"
  >
    Ver
  </Link>
</div>
</div>
)}}
</div>
)}

{/* TAB 2: CONSULTAS */}
{tabActiva === 1 && (
  <div className="space-y-3">
    {consultas.map((c) => (
      <div key={c.id} className={`p-4 rounded-2xl border transition-colors ${
        !c.leido ? 'bg-blue-50 border-blue-100' : 'bg-gray-50 border-gray-100'
      }`} >
        <div className="flex items-start justify-between gap-3">
          <div className="flex-1">
            <div className="flex items-center gap-2 mb-1">
              <span className="font-black text-gray-900">{c.nombre} {c.pais}</span>
              {!c.leido && (
                <span className="w-2 h-2 bg-[#0056B3] rounded-full shrink-0" />
              )}
            </div>
            <p className="text-[#0056B3] text-xs font-semibold mb-1">{c.propiedad}</p>
            <p className="text-gray-600 text-sm">{c.mensaje}</p>
          </div>
          <div className="text-right shrink-0">
            <p className="text-gray-400 text-xs mb-2">{c.fecha}</p>
            <button className="text-xs bg-[#0056B3] hover:bg-[#FF2A39] text-white px-3
py-1.5 rounded-xl transition-all duration-200">
              Responder
            </button>
          </div>
        </div>
      </div>
    )})}
  </div>
)}

{/* TAB 3: DOCUMENTOS */}
{tabActiva === 2 && (
  <div>
    <div className="space-y-3 mb-6">
      {documentos.map((doc) => (
        <div key={doc.nombre} className="flex items-center justify-between p-4 bg-gray-
50 rounded-2xl">
          <div className="flex items-center gap-3">
            <div className={`w-10 h-10 rounded-xl flex items-center justify-center ${
              doc.estado === 'Verificado' ? 'bg-green-100' :
              doc.estado === 'Pendiente' ? 'bg-gray-100' :
              'bg-yellow-100'
            }`} >
              <svg className={`w-5 h-5 ${
                doc.estado === 'Verificado' ? 'text-green-600' :
                doc.estado === 'Pendiente' ? 'text-gray-400' :
                'text-yellow-600'
              }`} fill="none" stroke="currentColor" viewBox="0 0 24 24">

```



```

        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0
01.293.707V19a2 2 0 01-2 2z" />
        </svg>
      </div>
      <div>
        <p className="font-bold text-gray-900 text-sm">{doc.nombre}</p>
        <p className="text-gray-400 text-xs">{doc.fecha}</p>
      </div>
    </div>
    <span className={`text-xs font-bold px-3 py-1 rounded-full ${
      doc.estado === 'Verificado' ? 'bg-green-100 text-green-700' :
      doc.estado === 'Pendiente' ? 'bg-gray-100 text-gray-600' :
      'bg-yellow-100 text-yellow-700'
    }`}>
      {doc.estado}
    </span>
  </div>
  </div>
  <button className="w-full border-2 border-dashed border-gray-300 hover:border-
[#0056B3] hover:text-[#0056B3] text-gray-400 font-bold py-4 rounded-2xl transition-all duration-300
flex items-center justify-center gap-2">
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12
4v16m8-8H4" />
    </svg>
    Subir documento
  </button>
</div>
)}

{/* TAB 4: NEGOCIACIONES */}
{tabActiva === 3 && (
  <div className="text-center py-12">
    <div className="w-16 h-16 bg-[#0056B3]/10 rounded-2xl flex items-center justify-
center mx-auto mb-4">
      <svg className="w-8 h-8 text-[#0056B3]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12h6m-
6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0
01-2 2z" />
      </svg>
    </div>
    <h3 className="font-black text-gray-900 text-lg mb-2">Módulo de negociaciones</h3>
    <p className="text-gray-500 text-sm max-w-sm mx-auto">
      Aquí aparecerán las ofertas recibidas, contratos en proceso y el estado de cada
negociación activa.
    </p>
    <p className="text-[#0056B3] font-bold text-sm mt-3">Disponible en la siguiente
fase</p>
  </div>
)}

</div>
</div>

</div>
</section>

<Footer />
</main>
)
}

```

```
=== ARCHIVO: \app\monte-cristi\page.tsx ===
```

```
import CatalogoRegion from '@components/property/CatalogoRegion'
```

```
export default function MonteCristi() {
  return (
    <CatalogoRegion
      nombre="Monte Cristi"
      descripcion="Tierra de oportunidades y paisajes únicos"
      imagen="https://images.unsplash.com/photo-1499793983690-e29da59ef1c2?w=1920&q=80"
      propiedades={43}
      slug="monte-cristi"
    />
  )
}
```

```
=== ARCHIVO: \app\nosotros\page.tsx ===
```

```
import Navbar from '@components/layout/Navbar'
```

```
import Footer from '@components/layout/Footer'
```

```
import Link from 'next/link'
```

```
const valores = [
  { titulo: 'Transparencia', desc: 'Cada transacción es clara y honesta. Sin letra pequeña, sin sorpresas.' },
  { titulo: 'Excelencia', desc: 'Más de 12 años perfeccionando cada detalle del servicio inmobiliario.' },
  { titulo: 'Alcance global', desc: 'Presencia en más de 40 países conectando compradores e inversores.' },
  { titulo: 'Compromiso', desc: 'Tu inversión es nuestra prioridad. Acompañamos cada paso del proceso.' },
]
```

```
const equipo = [
  { nombre: 'Lic. Rafael Durán', cargo: 'Director General', foto: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=400&q=80' },
  { nombre: 'Arq. Carmen Durán', cargo: 'Directora de Proyectos', foto: 'https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=400&q=80' },
  { nombre: 'Lic. Miguel Santos', cargo: 'Director Comercial', foto: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=400&q=80' },
]
```

```
export default function Nosotros() {
  return (
    <main>
      <Navbar />

      { /* HERO */ }
      <section
        className="relative pt-32 pb-20 px-6 bg-cover bg-center"
        style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1486325212027-8081e485255e?w=1920&q=80)' }}
      >
        <div className="absolute inset-0 bg-[#0056B3]/85" />
        <div className="relative z-10 max-w-4xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
            Nuestra historia
          </span>
          <h1 className="text-5xl md:text-6xl font-black text-white mb-6">
            Más de 12 años construyendo sueños
          </h1>
          <p className="text-white/80 text-xl leading-relaxed">
            DINCO nació en Puerto Plata con una visión clara – hacer que cada dominicano y cada inversor del mundo pueda acceder a la mejor propiedad, con el mejor servicio y total transparencia.
          </p>
        </div>
      </section>
    </main>
  )
}
```

```

</section>

{/* MISIÓN Y VISIÓN */}
<section className="py-16 px-6 bg-white">
  <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 gap-10">
    <div className="bg-gray-50 rounded-3xl p-8">
      <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Nuestra
misión</span>
      <h2 className="text-3xl font-black text-[#0056B3] mt-2 mb-4">¿Para qué existimos?</h2>
      <p className="text-gray-600 leading-relaxed">
        Conectar personas con propiedades que transformen sus vidas, ya sea como hogar,
inversión o negocio. Ofrecemos un servicio inmobiliario completo, ético y accesible desde cualquier
parte del mundo.
      </p>
    </div>
    <div className="bg-[#0056B3] rounded-3xl p-8">
      <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Nuestra
visión</span>
      <h2 className="text-3xl font-black text-white mt-2 mb-4">¿Hacia dónde vamos?</h2>
      <p className="text-white/80 leading-relaxed">
        Ser la plataforma inmobiliaria de referencia en el Caribe y América Latina, reconocida
por su tecnología, transparencia y el impacto positivo que generamos en cada comunidad donde
operamos.
      </p>
    </div>
  </div>
</section>

{/* VALORES */}
<section className="py-16 px-6 bg-gray-50">
  <div className="max-w-7xl mx-auto">
    <div className="text-center mb-12">
      <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Lo que nos
define</span>
      <h2 className="text-4xl font-black text-[#0056B3] mt-2">Nuestros valores</h2>
    </div>
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
      {valores.map((valor) => (
        <div key={valor.titulo} className="bg-white rounded-2xl p-6 shadow-md hover:shadow-xl
transition-all duration-300 text-center">
          <div className="w-14 h-14 bg-[#0056B3]/10 rounded-2xl flex items-center justify-
center mx-auto mb-4">
            <div className="w-6 h-6 bg-[#0056B3] rounded-full" />
          </div>
          <h3 className="font-black text-gray-900 text-lg mb-2">{valor.titulo}</h3>
          <p className="text-gray-500 text-sm leading-relaxed">{valor.desc}</p>
        </div>
      )
    )}
    </div>
  </div>
</section>

{/* EQUIPO DIRECTIVO */}
<section className="py-16 px-6 bg-white">
  <div className="max-w-7xl mx-auto">
    <div className="text-center mb-12">
      <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Las personas
detrás de DINCO</span>
      <h2 className="text-4xl font-black text-[#0056B3] mt-2">Equipo directivo</h2>
    </div>
    <div className="grid grid-cols-1 md:grid-cols-3 gap-8 max-w-4xl mx-auto">
      {equipo.map((persona) => (
        <div key={persona.nombre} className="text-center group">
          <div
            className="w-40 h-40 rounded-full bg-cover bg-center mx-auto mb-4 border-4 border-

```

```

[#0056B3] transition-transform duration-300 group-hover:scale-105"
      style={{ backgroundImage: `url(${persona.foto})` }}
    />
    <h3 className="font-black text-gray-900 text-lg">{persona.nombre}</h3>
    <p className="text-[#0056B3] text-sm font-semibold">{persona.cargo}</p>
  </div>
  </div>
</div>
</section>

{/* CTA */}
<section className="py-16 px-6 bg-[#FF2A39]">
  <div className="max-w-3xl mx-auto text-center">
    <h2 className="text-4xl font-black text-white mb-4">¿Listo para encontrar tu propiedad
ideal?</h2>
    <p className="text-white/80 text-lg mb-8">
      Nuestro equipo está disponible para asesorarte sin compromiso
    </p>
    <div className="flex flex-col md:flex-row gap-4 justify-center">
      <Link
        href="/propiedades"
        className="bg-white text-[#FF2A39] font-black px-8 py-4 rounded-xl hover:bg-[#0056B3]
hover:text-white transition-all duration-300"
      >
        Ver propiedades
      </Link>
      <Link
        href="/contacto"
        className="bg-transparent border-2 border-white text-white font-black px-8 py-4
rounded-xl hover:bg-white hover:text-[#FF2A39] transition-all duration-300"
      >
        Contactar ahora
      </Link>
    </div>
  </div>
</section>

<Footer />
</main>
)
}

```

```

=== ARCHIVO: \app\propiedades\page.tsx ===

```

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

```

```

const todas = [
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', precio: 'US$ 285,000', tipo:
'Venta', habitaciones: 4, banos: 3, metros: 320, imagen: 'https://images.unsplash.com/photo-
1512917774080-9991f1c4c750?w=800&q=80' },
  { id: 2, titulo: 'Apartamento beachfront', region: 'Cabarete', precio: 'US$ 145,000', tipo:
'Venta', habitaciones: 2, banos: 2, metros: 95, imagen: 'https://images.unsplash.com/photo-
1560448204-e02f11c3d0e2?w=800&q=80' },
  { id: 3, titulo: 'Villa de lujo con piscina', region: 'Sosúa', precio: 'US$ 420,000', tipo:
'Venta', habitaciones: 5, banos: 4, metros: 480, imagen: 'https://images.unsplash.com/photo-
1613490493576-7fde63acd811?w=800&q=80' },
  { id: 4, titulo: 'Penthouse ejecutivo', region: 'Santo Domingo', precio: 'US$ 3,500 / mes', tipo:
'Renta', habitaciones: 3, banos: 2, metros: 210, imagen: 'https://images.unsplash.com/photo-
1522708323590-d24dbb6b0267?w=800&q=80' },
  { id: 5, titulo: 'Casa colonial restaurada', region: 'Samaná', precio: 'US$ 195,000', tipo:
'Venta', habitaciones: 3, banos: 2, metros: 180, imagen: 'https://images.unsplash.com/photo-
1600596542815-ffad4c1539a9?w=800&q=80' },
  { id: 6, titulo: 'Terreno frente al mar', region: 'Monte Cristi', precio: 'US$ 89,000', tipo:

```

```
'Venta', habitaciones: 0, banos: 0, metros: 1200, imagen: 'https://images.unsplash.com/photo-1500382017468-9049fed747ef?w=800&q=80' },
{ id: 7, titulo: 'Casa moderna con piscina', region: 'Puerto Plata', precio: 'US$ 320,000', tipo: 'Venta', habitaciones: 4, banos: 3, metros: 350, imagen: 'https://images.unsplash.com/photo-1613977257363-707ba9348227?w=800&q=80' },
{ id: 8, titulo: 'Apartamento céntrico', region: 'Santo Domingo', precio: 'US$ 2,200 / mes', tipo: 'Renta', habitaciones: 2, banos: 1, metros: 90, imagen: 'https://images.unsplash.com/photo-1502672260266-1c1ef2d93688?w=800&q=80' },
{ id: 9, titulo: 'Villa privada con vista al mar', region: 'Cabarete', precio: 'US$ 550,000', tipo: 'Venta', habitaciones: 6, banos: 5, metros: 600, imagen: 'https://images.unsplash.com/photo-1580587771525-78b9dba3b914?w=800&q=80' },
]
```

```
const filtros = ['Todas', 'Venta', 'Renta']
const regiones = ['Todas las regiones', 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo', 'Samaná', 'Monte Cristi']
const tipos = ['Todos los tipos', 'Casa', 'Apartamento', 'Villa', 'Terreno', 'Local comercial']
```

```
export default function Propiedades() {
  return (
    <main>
      <Navbar />

      {/* HERO */}
      <section className="pt-32 pb-12 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto">
          <div className="text-center mb-8">
            <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
              Catálogo completo
            </span>
            <h1 className="text-5xl font-black text-white mb-3">Todas las propiedades</h1>
            <p className="text-white/75 text-lg">+600 propiedades disponibles en República Dominicana y el mundo</p>
          </div>

          {/* FILTROS HERO */}
          <div className="bg-white/10 backdrop-blur-md border border-white/20 rounded-2xl p-4 flex flex-col md:flex-row gap-3 max-w-4xl mx-auto">
            <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3 text-sm font-medium outline-none">
              {filtros.map((f) => <option key={f}>{f}</option>)}
            </select>
            <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3 text-sm font-medium outline-none">
              {regiones.map((r) => <option key={r}>{r}</option>)}
            </select>
            <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3 text-sm font-medium outline-none">
              {tipos.map((t) => <option key={t}>{t}</option>)}
            </select>
            <button className="bg-[#FF2A39] hover:bg-white hover:text-[#FF2A39] text-white font-bold px-8 py-3 rounded-xl transition-all duration-300">
              Buscar
            </button>
          </div>
        </div>
      </section>

      {/* CATÁLOGO */}
      <section className="py-12 px-6 bg-gray-50">
        <div className="max-w-7xl mx-auto">

          {/* CONTEO */}
          <div className="flex items-center justify-between mb-8">
```

```

<p className="text-gray-500 font-medium">
  Mostrando <span className="text-[#0056B3] font-black">{todas.length}</span> propiedades
</p>
<select className="border border-gray-200 rounded-xl px-4 py-2 text-sm text-gray-600
outline-none">
  <option>Ordenar por: Más recientes</option>
  <option>Precio: menor a mayor</option>
  <option>Precio: mayor a menor</option>
  <option>Más vistos</option>
</select>
</div>

<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
  {todas.map((p) => (
    <div
      key={p.id}
      className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden border border-gray-100"
    >
      <div className="relative overflow-hidden h-52">
        <div
          className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
          style={{ backgroundImage: `url(${p.imagen})` }}
        />
        <div className="absolute top-4 left-4">
          <span className={`text-xs font-bold px-3 py-1 rounded-full text-white ${
            p.tipo === 'Venta' ? 'bg-[#0056B3]' : 'bg-[#FF2A39]'
          }`}>
            {p.tipo}
          </span>
        </div>
        <button className="absolute top-4 right-4 bg-white/90 p-2 rounded-full hover:bg-
white transition-colors">
          <svg className="w-4 h-4 text-gray-400 hover:text-[#FF2A39]" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokejoin="round" strokeWidth={2} d="M4.318
6.318a4.5 4.5 0 00 6.364L12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5
4.5 0 00-6.364 0z" />
          </svg>
        </button>
      </div>

      <div className="p-5">
        <h3 className="text-gray-900 font-bold text-lg mb-1">{p.titulo}</h3>
        <div className="flex items-center gap-1 text-gray-400 text-sm mb-3">
          <svg className="w-4 h-4 text-[#FF2A39]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
            <path strokeLinecap="round" strokejoin="round" strokeWidth={2} d="M17.657
16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0z" />
          </svg>
          {p.region}
        </div>

        <div className="flex items-center gap-4 text-gray-500 text-sm mb-4 pb-4 border-b
border-gray-100">
          {p.habitaciones} > 0 && <span>{p.habitaciones} hab.</span>
          {p.banos} > 0 && <span>{p.banos} baños</span>
          <span>{p.metros} m²</span>
        </div>

        <div className="flex items-center justify-between">
          <p className="text-[#0056B3] font-black text-xl">{p.precio}</p>
          <Link
            href={` /propiedades/${p.id}`}

```

```

        className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-4
py-2 rounded-xl transition-colors duration-300"

```

```

        >
        Ver detalles
      </Link>
    </div>
  </div>
</div>
))}
</div>
</div>
</section>

<Footer />
</main>
)
}

```

```

=== ARCHIVO: \app\propiedades\[id]\page.tsx ===

```

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

```

```

const ICONOS = {
  ubicacion: 'M17.657 16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0zM15
11a3 3 0 11-6 0 3 3 0 016 0z',
  habitacion: 'M3 12l2-2m0 0l7-7 7 7M5 10v10a1 1 0 001 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1
0 001-1v-4a1 1 0 011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6',
  baño: 'M8 14v3m4-3v3m4-3v3M3 21h18M3 10h18M3 7l9-4 9 4M4 10h16v11H4V10z',
  metro: 'M4 8V4m0 0h4M4 4l5 5m11-1V4m0 0h-4m4 0l-5 5M4 16v4m0 0h4m-4 0l5-5m11 5l-5-5m5 5v-4m0 4h-4',
  garaje: 'M19 21V5a2 2 0 00-2-2H7a2 2 0 00-2 2v16m14 0h2m-2 0h-5m-9 0H3m2 0h5M9 7h1m-1 4h1m4-4h1m-1
4h1m-5 10v-5a1 1 0 011-1h2a1 1 0 011 1v5m-4 0h4',
  check: 'M5 13l4 4L19 7',
  flecha: 'M17 8l4 4m0 0l-4 4m4-4H3',
  whatsapp: 'M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.67.15-.197.297-.767.966-.94 1.164-.173.199-.347.223-.644.075-.297-.15-
1.255-.463-2.39-1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.298.298-.497.099-.198.05-.3
71-.025-.52-.075-.149-.669-1.612-.916-
2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198 0-.52.074-.792.372-.272.297-1.04
1.016-1.04 2.479 0 1.462 1.065 2.875 1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-1.413.248-.694.248-1.289.173-
1.413-.074-.124-.272-.198-.57-.347m-5.421 7.403h-.004a9.87 9.87 0 01-5.031-1.378l-.361-.214-
3.741.982.998-3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-9.884 2.64 0 5.122
1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003 5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815
11.815 0 0012.05 0C5.495 0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 24l6.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-11.893a11.821 11.821 0 00-3.48-
8.413z',
  email: 'M3 8l7.89 5.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2
0 002 2z',
  calendario: 'M8 7V3m8 4V3m-9 8h10M5 21h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v12a2 2 0 002
2z',
}

```

```

const CARACTERISTICAS = [
  { label: 'Habitaciones', valor: '4', icono: ICONOS.habitacion },
  { label: 'Baños', valor: '3', icono: ICONOS.baño },
  { label: 'Metros²', valor: '320', icono: ICONOS.metro },
  { label: 'Garajes', valor: '2', icono: ICONOS.garaje },
]

```

```

const AMENIDADES = [
  'Piscina privada', 'Acceso a la playa', 'Jardín tropical',
  'Energía solar', 'Seguridad 24/7', 'Garaje doble',
  'Cocina equipada', 'Terraza panorámica', 'Wi-Fi incluido',
]

```

```

]

const IMAGENES = [
  'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=800&q=80',
  'https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?w=400&q=80',
  'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=400&q=80',
]

function Icono({ path, className = 'w-5 h-5' }: { path: string; className?: string }) {
  return (
    <svg className={className} fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d={path} />
    </svg>
  )
}

function IconoFill({ path, className = 'w-5 h-5' }: { path: string; className?: string }) {
  return (
    <svg className={className} fill="currentColor" viewBox="0 0 24 24">
      <path d={path} />
    </svg>
  )
}

export default function FichaPropiedad() {
  return (
    <main>
      <Navbar />

      <section className="pt-24 pb-12 px-6 bg-white">
        <div className="max-w-7xl mx-auto">

          {/* BREADCRUMB */}
          <div className="flex items-center gap-2 text-gray-400 text-sm mb-6">
            <Link href="/" className="hover:text-[#0056B3] transition-colors">Inicio</Link>
            <span></span>
            <Link href="/puerto-plata" className="hover:text-[#0056B3] transition-colors">Puerto
Plata</Link>
            <span></span>
            <span className="text-gray-700">Villa frente al mar</span>
          </div>

          <div className="grid grid-cols-1 lg:grid-cols-3 gap-10">

            {/* COLUMNA PRINCIPAL */}
            <div className="lg:col-span-2">

              {/* GALERÍA */}
              <div className="grid grid-cols-3 gap-3 mb-8 h-80">
                <div
                  className="col-span-2 bg-cover bg-center rounded-2xl"
                  style={{ backgroundImage: `url(${IMAGENES[0]})` }}
                />
                <div className="grid grid-rows-2 gap-3">
                  <div
                    className="bg-cover bg-center rounded-2xl"
                    style={{ backgroundImage: `url(${IMAGENES[1]})` }}
                  />
                  <div
                    className="bg-cover bg-center rounded-2xl relative overflow-hidden"
                    style={{ backgroundImage: `url(${IMAGENES[2]})` }}
                  >
                    <div className="absolute inset-0 bg-black/50 flex items-center justify-center">
                      <span className="text-white font-bold text-sm">+8 fotos</span>
                    </div>
                  </div>
                </div>
              </div>
            </div>
          </div>
        </div>
      </section>
    </main>
  )
}

```



```

    </div>
  </div>
</div>

{/* TÍTULO */}
<div className="flex flex-wrap items-start justify-between gap-4 mb-6">
  <div>
    <div className="flex gap-2 mb-2">
      <span className="bg-[#0056B3] text-white text-xs font-bold px-3 py-1 rounded-
full">Venta</span>
      <span className="bg-yellow-400 text-yellow-900 text-xs font-bold px-3 py-1
rounded-full">Destacada</span>
    </div>
    <h1 className="text-3xl font-black text-gray-900">Villa frente al mar</h1>
    <div className="flex items-center gap-1 text-gray-400 text-sm mt-2">
      <Icono path={ICONOS.ubicacion} className="w-4 h-4 text-[#FF2A39]" />
      Puerto Plata, República Dominicana
    </div>
  </div>
  <p className="text-[#0056B3] font-black text-4xl">US$ 285,000</p>
</div>

{/* CARACTERÍSTICAS */}
<div className="grid grid-cols-4 gap-4 p-6 bg-gray-50 rounded-2xl mb-8">
  {CARACTERISTICAS.map((item) => (
    <div key={item.label} className="text-center">
      <Icono path={item.icono} className="w-6 h-6 text-[#0056B3] mx-auto mb-2" />
      <p className="text-2xl font-black text-gray-900">{item.valor}</p>
      <p className="text-gray-400 text-xs">{item.label}</p>
    </div>
  ))}
</div>

{/* DESCRIPCIÓN */}
<div className="mb-8">
  <h2 className="text-2xl font-black text-gray-900 mb-4">Descripción</h2>
  <p className="text-gray-600 leading-relaxed">
    Espectacular villa frente al mar ubicada en la costa norte de Puerto Plata. Esta
propiedad de lujo cuenta con acabados de primera calidad, piscina privada, jardines tropicales y
acceso directo a la playa. Ideal para familia o inversión turística. Incluye sistema de energía
solar, cisterna propia y generador eléctrico.
  </p>
</div>

{/* AMENIDADES */}
<div className="mb-8">
  <h2 className="text-2xl font-black text-gray-900 mb-4">Amenidades</h2>
  <div className="grid grid-cols-2 md:grid-cols-3 gap-3">
    {AMENIDADES.map((amenidad) => (
      <div key={amenidad} className="flex items-center gap-2 text-gray-600 text-sm">
        <div className="w-5 h-5 rounded-full bg-green-100 flex items-center justify-
center shrink-0">
          <Icono path={ICONOS.check} className="w-3 h-3 text-green-600" />
        </div>
        {amenidad}
      </div>
    ))}
  </div>
</div>

{/* MAPA */}
<div className="mb-8">
  <h2 className="text-2xl font-black text-gray-900 mb-4">Ubicación</h2>
  <div className="h-64 bg-gray-200 rounded-2xl flex items-center justify-center">
    <p className="text-gray-400 font-medium">Mapa interactivo – Google Maps</p>
  </div>
</div>

```

```

    </div>
  </div>

</div>

{ /* COLUMNA LATERAL */}
<div className="lg:col-span-1">
  <div className="sticky top-24 space-y-4">

    { /* AGENTE */}
    <div className="bg-white border border-gray-100 rounded-2xl shadow-lg p-6">
      <div className="flex items-center gap-4 mb-6">
        <div
          className="w-16 h-16 rounded-full bg-cover bg-center border-2 border-[#0056B3]"
          style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=200&q=80)' }}
        />
        <div>
          <p className="font-black text-gray-900">Carlos Durán</p>
          <p className="text-[#0056B3] text-sm">Agente Senior · Puerto Plata</p>
          <div className="flex items-center gap-1 mt-1">
            <div className="w-2 h-2 bg-green-400 rounded-full" />
            <span className="text-green-600 text-xs font-medium">Disponible ahora</span>
          </div>
        </div>
      </div>

      <div className="space-y-3">
        <a
          href="https://wa.me/18091234567"
          target="_blank"
          rel="noopener noreferrer"
          className="w-full bg-green-500 hover:bg-green-600 text-white font-bold py-3
rounded-xl flex items-center justify-center gap-2 transition-colors duration-300"
        >
          <IconoFill path={ICONOS.whatsapp} className="w-5 h-5" />
          WhatsApp
        </a>
        <a
          href="mailto:carlos@dinco.com"
          className="w-full bg-[#0056B3] hover:bg-[#003d82] text-white font-bold py-3
rounded-xl flex items-center justify-center gap-2 transition-colors duration-300"
        >
          <Icono path={ICONOS.email} className="w-5 h-5 text-white" />
          Enviar email
        </a>
        <button className="w-full bg-[#FF2A39] hover:bg-[#cc0015] text-white font-bold
py-3 rounded-xl flex items-center justify-center gap-2 transition-colors duration-300">
          <Icono path={ICONOS.calendario} className="w-5 h-5 text-white" />
          Agendar visita
        </button>
      </div>
    </div>

    { /* NEGOCIACIÓN */}
    <div className="bg-[#0056B3] rounded-2xl p-6 text-white text-center">
      <h3 className="font-black text-lg mb-2">¿Listo para comprar?</h3>
      <p className="text-white/75 text-sm mb-4">
        Inicia el proceso de negociación de forma 100% digital
      </p>
      <button className="w-full bg-white text-[#0056B3] font-black py-3 rounded-xl
hover:bg-[#FF2A39] hover:text-white transition-all duration-300">
        Iniciar negociación
      </button>
    </div>
  </div>

```

```

        </div>
    </div>

    </div>
</div>
</section>

<Footer />
</main>
)
}

```

=== ARCHIVO: \app\puerto-plata\page.tsx ===

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function PuertoPlata() {
  return (
    <CatalogoRegion
      nombre="Puerto Plata"
      descripcion="Descubre villas y residencias frente al mar Caribe"
      imagen="https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=1920&q=80"
      propiedades={124}
      slug="puerto-plata"
    />
  )
}

```

=== ARCHIVO: \app\samana\page.tsx ===

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function Samana() {
  return (
    <CatalogoRegion
      nombre="Samaná"
      descripcion="Naturaleza exuberante y exclusividad tropical"
      imagen="https://images.unsplash.com/photo-1501854140801-50d01698950b?w=1920&q=80"
      propiedades={67}
      slug="samana"
    />
  )
}

```

=== ARCHIVO: \app\santo-domingo\page.tsx ===

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function SantoDomingo() {
  return (
    <CatalogoRegion
      nombre="Santo Domingo"
      descripcion="La capital, centro de negocios e inversión"
      imagen="https://images.unsplash.com/photo-1486325212027-8081e485255e?w=1920&q=80"
      propiedades={215}
      slug="santo-domingo"
    />
  )
}

```

=== ARCHIVO: \app\sosua\page.tsx ===

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function Sosua() {
  return (
    <CatalogoRegion
      nombre="Sosúa"

```

```

    descripcion="Playas cristalinas y propiedades de lujo"
    imagen="https://images.unsplash.com/photo-1590523741831-ab7e8b8f9c7f?w=1920&q=80"
    propiedades={98}
    slug="sosua"
  />
)
}

=== ARCHIVO: \components\layout\Footer.tsx ===
import Image from 'next/image'
import Link from 'next/link'

export default function Footer() {
  return (
    <footer className="bg-[#0d1b2a] text-white">

      {/* NEWSLETTER */}
      <div className="bg-[#FF2A39] py-12 px-6">
        <div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center justify-between gap-6">
          <div>
            <h3 className="text-white font-black text-2xl mb-1">Recibe propiedades exclusivas</h3>
            <p className="text-white/75">Suscríbete y sé el primero en conocer las mejores oportunidades</p>
          </div>
          <div className="flex gap-3 w-full md:w-auto">
            <input
              type="email"
              placeholder="Tu correo electrónico"
              className="flex-1 md:w-72 px-5 py-3 rounded-xl text-gray-700 outline-none text-sm"
            />
            <button className="bg-[#0056B3] hover:bg-white hover:text-[#0056B3] text-white font-bold px-6 py-3 rounded-xl transition-all duration-300 whitespace-nowrap">
              Suscribirse
            </button>
          </div>
        </div>

      {/* CONTENIDO PRINCIPAL */}
      <div className="py-16 px-6">
        <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-12">

          {/* LOGO Y DESCRIPCIÓN */}
          <div className="lg:col-span-1">
            <Image src="/nuevo_dc.svg" alt="DINCO" width={128} height={40} className="w-32 mb-4 brightness-0 invert" />
            <p className="text-white/60 text-sm leading-relaxed mb-6">
              Inmobiliaria y Constructora con más de 12 años conectando personas con propiedades de ensueño en República Dominicana y el mundo.
            </p>
            {/* REDES SOCIALES */}
            <div className="flex gap-3">
              {[
                { icon: 'M24 12.073c0-6.627-5.373-12-12-12s-12 5.373-12 12c0 5.99 4.388 10.954 10.125 11.854v-8.385H7.078v-3.47h3.047V9.43c0-3.007 1.792-4.669 4.533-4.669 1.312 0 2.686.235 2.686.235v2.953H15.83c-1.491 0-1.956.925-1.956 1.874v2.25h3.328l-.532 3.47h-2.796v8.385C19.612 23.027 24 18.062 24 12.073z', label: 'Facebook' },
                { icon: 'M12 2.163c3.204 0 3.584.012 4.85.07 3.252.148 4.771 1.691 4.919 4.919.058 1.265.069 1.645.069 4.849 0 3.205-.012 3.584-.069 4.849-.149 3.225-1.664 4.771-4.919 4.919-1.266.058-1.644-.07-4.85-.07-3.204 0-3.584-.012-4.849-.07-3.26-.149-4.771-1.699-4.919-4.92-.058-1.265-.07-1.644-.07-4.849 0-3.204.013-3.583.07-4.849.149-3.227 1.664-4.771 4.919-4.919 1.266-.057 1.645-.069 4.849-.069zm0-2.163c-3.259 0-3.667.014-4.947.072-4.358.2-6.78 2.618-6.98 6.98-.059 1.281-.073 1.689-.073 4.948 0 3.259.014 3.668.072 4.948.2 6.782 2.618 6.979-6.98.059-1.28.073-1.689.073-4.948.072 3.259 0 3.668-.014 4.948-.072 4.354-.2 6.782-2.618 6.979-6.98.059-1.28.073-1.689.073-4.948' }
              ]}
            </div>
          </div>
        </div>
      </div>
    </footer>
  )
}

```

```

0-3.259-.014-3.667-.072-4.947-.196-4.354-2.617-6.78-6.979-6.98-1.281-.059-1.69-.073-4.949-.073zm0
5.838c-3.403 0-6.162 2.759-6.162 6.162s2.759 6.163 6.162 6.163 6.162-2.759 6.162-6.163c0-3.403-2.759-
6.162-6.162-6.162zm0 10.162c-2.209 0-4-1.79-4-4 0-2.209 1.791-4 4-4s4 1.791 4 4c0 2.21-1.791 4-4
4zm6.406-11.845c-.796 0-1.441.645-1.441 1.44s.645 1.44 1.441 1.44c.795 0 1.439-.645 1.439-1.44s-.644-
1.44-1.439-1.44z', label: 'Instagram' },
  { icon: 'M19.59 6.69a4.83 4.83 0 01-3.77-4.25V2h-3.45v13.67a2.89 2.89 0 01-2.88 2.5
2.89 2.89 0 01-2.89-2.89 2.89 2.89 0 012.89-2.89c.28 0 .54.04.79.1v9.01a6.33 6.33 0 00-.79-.05 6.34
6.34 0 00-6.34 6.34 6.34 6.34 0 006.34 6.34 6.34 6.34 0 006.33-6.34V8.69a8.27 8.27 0 004.83
1.55V6.79a4.85 4.85 0 01-1.06-.1z', label: 'TikTok' },
].map((red) => (
  <a
    key={red.label}
    href="#"
    className="w-10 h-10 bg-white/10 hover:bg-[#FF2A39] rounded-full flex items-center
justify-center transition-all duration-300"
  >
    <svg className="w-4 h-4" fill="currentColor" viewBox="0 0 24 24">
      <path d={red.icon} />
    </svg>
  </a>
))}
</div>
</div>

{/* PROPIEDADES */}
<div>
  <h4 className="font-black text-lg mb-6">Propiedades</h4>
  <ul className="space-y-3">
    {[ 'Venta', 'Renta', 'Promoción', 'Proyectos nuevos', 'Propiedades destacadas', 'Blog',
'Internacional' ].map((item) => (
      <li key={item}>
        <Link href="#" className="text-white/60 hover:text-[#FF2A39] text-sm transition-
colors duration-200">
          {item}
        </Link>
      </li>
    ))}
  </ul>
</div>

{/* REGIONES */}
<div>
  <h4 className="font-black text-lg mb-6">Regiones</h4>
  <ul className="space-y-3">
    {[ 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo', 'Samaná', 'Monte
Cristi' ].map((item) => (
      <li key={item}>
        <Link href="#" className="text-white/60 hover:text-[#FF2A39] text-sm transition-
colors duration-200">
          {item}
        </Link>
      </li>
    ))}
  </ul>
</div>

{/* CONTACTO */}
<div>
  <h4 className="font-black text-lg mb-6">Contacto</h4>
  <ul className="space-y-4">
    {[
      { icon: 'M17.657 16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0
1111.314 0z M15 11a3 3 0 11-6 0 3 3 0 016 0z', texto: 'Puerto Plata, República Dominicana' },
      { icon: 'M3 5a2 2 0 012-2h3.28a1 1 0 01.948.684l1.498 4.493a1 1 0 01-.502 1.211-2.257
1.13a11.042 11.042 0 005.516 5.516l1.13-2.257a1 1 0 011.21-.502l4.493 1.498a1 1 0 01.684.949V19a2 2 0

```

```

01-2 2h-1C9.716 21 3 14.284 3 6V5z', texto: '+1 (809) 123-4567' },
    { icon: 'M3 8l7.89 5.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2
0 00-2 2v10a2 2 0 002 2z', texto: 'info@dinco.com' },
    ].map((item, i) => (
      <li key={i} className="flex items-start gap-3">
        <svg className="w-5 h-5 text-[#FF2A39] shrink-0 mt-0.5" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d={item.icon}
/>
        </svg>
        <span className="text-white/60 text-sm">{item.texto}</span>
      </li>
    )))
</ul>

<div className="mt-6">
  <h5 className="font-bold text-sm mb-3">Horario de atención</h5>
  <p className="text-white/60 text-sm">Lunes a Viernes: 8am - 6pm</p>
  <p className="text-white/60 text-sm">Sábados: 9am - 2pm</p>
</div>
</div>
</div>
</div>

{/* BARRA LEGAL */}
<div className="border-t border-white/10 py-6 px-6">
  <div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center justify-between gap-
4">
    <p className="text-white/40 text-sm">
      © 2025 DINCO Inmobiliaria & Constructora. Todos los derechos reservados.
    </p>
    <div className="flex gap-6">
      {[ 'Términos y condiciones', 'Política de privacidad', 'Cookies' ].map((item) => (
        <Link key={item} href="#" className="text-white/40 hover:text-white text-xs transition-
colors duration-200">
          {item}
        </Link>
      )))
    </div>
  </div>
</div>

</footer>
)
}

```

```

=== ARCHIVO: \components\layout\Navbar.tsx ===

```

```

'use client'

```

```

import { useState, useEffect } from 'react'

```

```

import Link from 'next/link'

```

```

import Image from 'next/image'

```

```

const MENU_ITEMS = [
  {
    label: 'Propiedades',
    href: '/propiedades',
    submenu: [
      { label: 'Todas las propiedades', href: '/propiedades' },
      { label: 'En venta', href: '/propiedades?tipo=venta' },
      { label: 'En renta', href: '/propiedades?tipo=renta' },
      { label: 'Proyectos nuevos', href: '/propiedades?tipo=nuevo' },
    ],
  },
  {
    label: 'Regiones',

```

```

    href: '#',
    submenu: [
      { label: 'Puerto Plata', href: '/puerto-plata' },
      { label: 'Cabarete', href: '/cabarete' },
      { label: 'Sosúa', href: '/sosua' },
      { label: 'Santo Domingo', href: '/santo-domingo' },
      { label: 'Samaná', href: '/samana' },
      { label: 'Monte Cristi', href: '/monte-cristi' },
    ],
  },
  { label: 'Agentes', href: '/agentes' },
  { label: 'Blog', href: '/blog' },
  { label: 'Nosotros', href: '/nosotros' },
  { label: 'Contacto', href: '/contacto' },
]

export default function Navbar() {
  const [scrolled, setScrolled] = useState(false)
  const [menuOpen, setMenuOpen] = useState(false)
  const [activeSubmenu, setActiveSubmenu] = useState<string | null>(null)

  useEffect(() => {
    const onScroll = () => setScrolled(window.scrollY > 40)
    window.addEventListener('scroll', onScroll, { passive: true })
    return () => window.removeEventListener('scroll', onScroll)
  }, [])

  return (
    <nav
      className={`fixed top-0 left-0 right-0 z-50 transition-all duration-500 ${
        scrolled
          ? 'bg-white/95 backdrop-blur-md shadow-lg shadow-black/5 py-3'
          : 'bg-transparent py-5'
      }`}
    >
      <div className="max-w-7xl mx-auto px-6 flex items-center justify-between">

        {/* LOGO */}
        <Link href="/" className="flex items-center gap-2 flex-shrink-0">
          
        </Link>

        {/* MENÚ DESKTOP */}
        <div className="hidden lg:flex items-center gap-1">
          {MENU_ITEMS.map((item) => (
            <div
              key={item.label}
              className="relative"
              onMouseEnter={() => item.submenu && setActiveSubmenu(item.label)}
              onMouseLeave={() => setActiveSubmenu(null)}
            >
              <Link
                href={item.href}
                className={`flex items-center gap-1 px-4 py-2 rounded-xl text-sm font-semibold
                  transition-all duration-200 ${
                    scrolled
                      ? 'text-gray-700 hover:text-[#0056B3] hover:bg-blue-50'
                      : 'text-white/90 hover:text-white hover:bg-white/10'
                  }`}
              >

```

```

    }` }
  >
  {item.label}
  {item.submenu && (
    <svg
      className={`w-3.5 h-3.5 transition-transform duration-200 ${
        activeSubmenu === item.label ? 'rotate-180' : ''
      }`}
      fill="none"
      stroke="currentColor"
      viewBox="0 0 24 24"
    >
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M19 9l-7
7-7-7" />
    </svg>
  )}
</Link>

{ /* SUBMENU DROPDOWN */ }
{item.submenu && activeSubmenu === item.label && (
  <div className="absolute top-full left-0 mt-2 w-56 bg-white rounded-2xl shadow-2xl
shadow-black/10 border border-gray-100 overflow-hidden animate-fade-in">
    {item.submenu.map((sub) => (
      <Link
        key={sub.label}
        href={sub.href}
        className="flex items-center gap-3 px-5 py-3.5 text-sm text-gray-700
hover:text-[#0056B3] hover:bg-blue-50 transition-colors duration-150 first:pt-4 last:pb-4"
      >
        <span className="w-1.5 h-1.5 rounded-full bg-[#FF2A39] flex-shrink-0" />
        {sub.label}
      </Link>
    ))}
  </div>
)}
</div>
)}
)}
</div>

{ /* BOTÓN PUBLICAR */ }
<div className="hidden lg:flex items-center gap-3">
  <Link
    href="/dashboard/propietario"
    className={`text-sm font-semibold px-4 py-2 rounded-xl transition-all duration-200 ${
      scrolled
        ? 'text-gray-600 hover:text-[#0056B3]'
        : 'text-white/80 hover:text-white'
      }`}
  >
    Mi panel
  </Link>
  <Link
    href="/postulacion"
    className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-6 py-2.5
rounded-xl transition-all duration-300 shadow-lg shadow-red-500/25 hover:shadow-blue-500/25
hover:scale-105"
  >
    Publicar propiedad
  </Link>
</div>

{ /* HAMBURGER MOBILE */ }
<button
  onClick={() => setMenuOpen(!menuOpen)}
  className="lg:hidden flex flex-col gap-1.5 p-2 rounded-xl"

```



```

aria-label="Menú"
>
<span className={`block h-0.5 rounded-full transition-all duration-300 ${
  menuOpen ? 'w-6 rotate-45 translate-y-2' : 'w-6'
} ${scrolled ? 'bg-gray-700' : 'bg-white'}}` />
<span className={`block h-0.5 rounded-full transition-all duration-300 ${
  menuOpen ? 'opacity-0 w-0' : 'w-4'
} ${scrolled ? 'bg-gray-700' : 'bg-white'}}` />
<span className={`block h-0.5 rounded-full transition-all duration-300 ${
  menuOpen ? 'w-6 -rotate-45 -translate-y-2' : 'w-6'
} ${scrolled ? 'bg-gray-700' : 'bg-white'}}` />
</button>
</div>

{/* MENÚ MOBILE */}
{menuOpen && (
  <div className="lg:hidden bg-white border-t border-gray-100 shadow-xl animate-fade-in">
    <div className="max-w-7xl mx-auto px-6 py-4 space-y-1">
      {MENU_ITEMS.map((item) => (
        <div key={item.label}>
          <Link
            href={item.href}
            className="block px-4 py-3 text-gray-700 font-semibold rounded-xl hover:bg-blue-50
hover:text-[#0056B3] transition-colors"
            onClick={() => setMenuOpen(false)}
          >
            {item.label}
          </Link>
          {item.submenu && (
            <div className="ml-4 space-y-1 mb-2">
              {item.submenu.map((sub) => (
                <Link
                  key={sub.label}
                  href={sub.href}
                  className="flex items-center gap-2 px-4 py-2 text-sm text-gray-500
hover:text-[#0056B3] rounded-xl hover:bg-blue-50 transition-colors"
                  onClick={() => setMenuOpen(false)}
                >
                  <span className="w-1 h-1 rounded-full bg-[#FF2A39]" />
                  {sub.label}
                </Link>
              ))}
            </div>
          )}}
        </div>
      ))}
    </div>
  )}
  <div className="pt-3 border-t border-gray-100 flex flex-col gap-2">
    <Link
      href="/dashboard/propietario"
      className="block px-4 py-3 text-center text-gray-600 font-semibold rounded-xl border
border-gray-200 hover:border-[#0056B3] hover:text-[#0056B3] transition-all"
      onClick={() => setMenuOpen(false)}
    >
      Mi panel
    </Link>
    <Link
      href="/postulacion"
      className="block px-4 py-3 text-center bg-[#FF2A39] text-white font-bold rounded-xl
hover:bg-[#0056B3] transition-colors"
      onClick={() => setMenuOpen(false)}
    >
      Publicar propiedad
    </Link>
  </div>
</div>

```

```

    </div>
  })
</nav>
)
}

=== ARCHIVO: \components\layout\PresenciaSocial.tsx ===
'use client'
import { useState } from 'react'

export default function PresenciaSocial() {
  const [chatAbierto, setChatAbierto] = useState(false)

  return (
    <>
      { /* WHATSAPP FLOTANTE */ }
      <a
        href="https://wa.me/18091234567?text=Hola,%20me%20interesa%20una%20propiedad%20en%20DINCO"
        target="_blank"
        rel="noopener noreferrer"
        className="fixed bottom-6 left-6 z-50 bg-green-500 hover:bg-green-600 text-white p-4 rounded-
full shadow-2xl hover:shadow-green-500/50 transition-all duration-300 hover:scale-110 flex items-
center gap-3 group"
      >
        <svg className="w-6 h-6" fill="currentColor" viewBox="0 0 24 24">
          <path d="M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.67.15-.197.297-.767.966-.94 1.164-.173.199-.347.223-.644.075-.297-.15-
1.255-.463-2.39-1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.298.298-.497.099-.198.05-.3
71-.025-.52-.075-.149-.669-1.612-.916-
2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198 0-.52.074-.792.372-.272.297-1.04
1.016-1.04 2.479 0 1.462 1.065 2.875 1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-1.413.248-.694.248-1.289.173-
1.413-.074-.124-.272-.198-.57-.347m-5.421 7.403h-.004a9.87 9.87 0 01-5.031-1.378l-.361-.214-
3.741.982.998-3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-9.884 2.64 0 5.122
1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003 5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815
11.815 0 012.05 0C5.495 0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 24.16.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-11.893a11.821 11.821 0 00-3.48-
8.413z"/>
        </svg>
        <span className="text-sm font-bold max-w-0 overflow-hidden group-hover:max-w-xs transition-
all duration-300 whitespace-nowrap">
          Chatea con un agente
        </span>
      </a>

      { /* BOTÓN CHAT */ }
      <button
        onClick={() => setChatAbierto(!chatAbierto)}
        className="fixed bottom-6 right-6 z-50 bg-[#0056B3] hover:bg-[#FF2A39] text-white p-4
rounded-full shadow-2xl transition-all duration-300 hover:scale-110"
      >
        {chatAbierto ? (
          <svg className="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12
12" />
          </svg>
        ) : (
          <svg className="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M8 12h.01M12
12h.01M16 12h.01M21 12c0 4.418-4.03 8-9 8a9.863 9.863 0 01-4.255-.949L3 20.11.395-3.72C3.512 15.042 3
13.574 3 12c0-4.418 4.03-8 9-8s9 3.582 9 8z" />
          </svg>
        )}
      </button>
    </>
  )
}

```

```

    { /* PANEL CHAT */
    { chatAbierto && (
      <div className="fixed bottom-24 right-6 z-50 bg-white rounded-2xl shadow-2xl w-80 overflow-
hidden border border-gray-100">
        { /* HEADER */
        <div className="bg-[#0056B3] p-4 flex items-center gap-3">
          <div className="w-10 h-10 bg-white/20 rounded-full flex items-center justify-center">
            <svg className="w-5 h-5 text-white" fill="none" stroke="currentColor" viewBox="0 0 24
24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M16 7a4 4 0 11-
8 0 4 4 0 0 18 0zM12 14a7 7 0 0 0 7 7h14a7 7 0 0 0 7 7z" />
            </svg>
          </div>
          <div>
            <p className="text-white font-bold text-sm">Agente DINCO</p>
            <div className="flex items-center gap-1">
              <div className="w-2 h-2 bg-green-400 rounded-full" />
              <p className="text-white/70 text-xs">En línea ahora</p>
            </div>
          </div>
        </div>

        { /* MENSAJE */
        <div className="p-4 bg-gray-50">
          <div className="bg-white rounded-xl p-3 shadow-sm">
            <p className="text-gray-700 text-sm">
              ¡Hola! 🐼 Soy tu agente DINCO. ¿En qué región te interesa una propiedad?
            </p>
            <p className="text-gray-400 text-xs mt-1">Ahora mismo</p>
          </div>
        </div>

        { /* OPCIONES RÁPIDAS */
        <div className="p-4 space-y-2">
          {[ 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo' ].map((region) => (
            <a
              key={region}
              href={`https://wa.me/18091234567?text=Me interesa una propiedad en ${region}`}
              target="_blank"
              rel="noopener noreferrer"
              className="block w-full text-left text-sm text-[#0056B3] border border-[#0056B3] px-4
py-2 rounded-xl hover:bg-[#0056B3] hover:text-white transition-all duration-200"
            >
              {region}
            </a>
          ))}
        </div>
      </div>
    )}
  </>
)
}

```

```
=== ARCHIVO: \components\property\CatalogoRegion.tsx ===
```

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

```

```

const propiedadesEjemplo = [
  { id: 1, titulo: 'Villa frente al mar', precio: 'US$ 285,000', tipo: 'Venta', habitaciones: 4,
    banos: 3, metros: 320, imagen: 'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?
w=800&q=80', destacada: true },
  { id: 2, titulo: 'Apartamento moderno', precio: 'US$ 145,000', tipo: 'Venta', habitaciones: 2,
    banos: 2, metros: 95, imagen: 'https://images.unsplash.com/photo-1560448204-e02f11c3d0e2?w=800&q=80',

```

```

destacada: false },
  { id: 3, titulo: 'Casa con jardín', precio: 'US$ 1,800 / mes', tipo: 'Renta', habitaciones: 3,
    banos: 2, metros: 180, imagen: 'https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?
w=800&q=80', destacada: false },
  { id: 4, titulo: 'Penthouse ejecutivo', precio: 'US$ 3,500 / mes', tipo: 'Renta', habitaciones: 3,
    banos: 2, metros: 210, imagen: 'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?
w=800&q=80', destacada: false },
  { id: 5, titulo: 'Villa de lujo', precio: 'US$ 420,000', tipo: 'Venta', habitaciones: 5, banos: 4,
    metros: 480, imagen: 'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=800&q=80',
    destacada: true },
  { id: 6, titulo: 'Terreno residencial', precio: 'US$ 89,000', tipo: 'Venta', habitaciones: 0,
    banos: 0, metros: 1200, imagen: 'https://images.unsplash.com/photo-1500382017468-9049fed747ef?
w=800&q=80', destacada: false },
]

const filtros = ['Todas', 'Venta', 'Renta', 'Casas', 'Apartamentos', 'Villas', 'Terrenos']

interface Props {
  nombre: string
  descripcion: string
  imagen: string
  propiedades: number
  slug: string
}

export default function CatalogoRegion({ nombre, descripcion, imagen, propiedades }: Props) {
  return (
    <main>
      <Navbar />

      { /* HERO REGIÓN */ }
      <section
        className="relative h-80 bg-cover bg-center flex items-end"
        style={{ backgroundImage: `url(${imagen})` }}
      >
        <div className="absolute inset-0 bg-linear-to-t from-black/80 to-black/20" />
        <div className="relative z-10 max-w-7xl mx-auto px-6 pb-10 w-full">
          <div className="flex items-center gap-2 text-white/60 text-sm mb-2">
            <Link href="/" className="hover:text-white transition-colors">Inicio</Link>
            <span></span>
            <span className="text-white">{nombre}</span>
          </div>
          <h1 className="text-5xl font-black text-white">{nombre}</h1>
          <p className="text-white/75 mt-2">{propiedades} propiedades disponibles · {descripcion}</p>
        </div>
      </section>

      { /* FILTROS */ }
      <section className="bg-white border-b border-gray-100 sticky top-0 z-40 shadow-sm">
        <div className="max-w-7xl mx-auto px-6 py-4 flex flex-wrap gap-3">
          {filtros.map((filtro) => (
            <button
              key={filtro}
              className={`px-4 py-2 rounded-full text-sm font-semibold transition-all duration-200 ${
                filtro === 'Todas'
                  ? 'bg-[#0056B3] text-white'
                  : 'bg-gray-100 text-gray-600 hover:bg-[#0056B3] hover:text-white'
              }`}
            >
              {filtro}
            </button>
          ))}
        </div>
      </section>
    </main>
  )
}

```

```

{ /* CATÁLOGO */ }
<section className="py-12 px-6 bg-gray-50">
  <div className="max-w-7xl mx-auto">
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
      {propiedadesEjemplo.map((p) => (
        <div
          key={p.id}
          className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden border border-gray-100"
        >
          <div className="relative overflow-hidden h-52">
            <div
              className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
              style={{ backgroundImage: `url(${p.imagen})` }}
            />
            <div className="absolute top-4 left-4 flex gap-2">
              <span className={`text-xs font-bold px-3 py-1 rounded-full text-white ${
                p.tipo === 'Venta' ? 'bg-[#0056B3]' : 'bg-[#FF2A39]'
              }`}>
                {p.tipo}
              </span>
              {p.destacada && (
                <span className="text-xs font-bold px-3 py-1 rounded-full bg-yellow-400 text-
yellow-900">
                  Destacada
                </span>
              )}
            </div>
            <button className="absolute top-4 right-4 bg-white/90 p-2 rounded-full hover:bg-
white transition-colors">
              <svg className="w-4 h-4 text-gray-400 hover:text-[#FF2A39]" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318
6.318a4.5 4.5 0 00 6.364L12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5
4.5 0 00-6.364 0z" />
              </svg>
            </button>
          </div>

          <div className="p-5">
            <h3 className="text-gray-900 font-bold text-lg mb-1">{p.titulo}</h3>
            <div className="flex items-center gap-1 text-gray-400 text-sm mb-3">
              <svg className="w-4 h-4 text-[#FF2A39]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17.657
16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0z" />
              </svg>
              {nombre}
            </div>

            <div className="flex items-center gap-4 text-gray-500 text-sm mb-4 pb-4 border-b
border-gray-100">
              {p.habitaciones > 0 && <span>{p.habitaciones} hab.</span>}
              {p.banos > 0 && <span>{p.banos} baños</span>}
              <span>{p.metros} m²</span>
            </div>

            <div className="flex items-center justify-between">
              <p className="text-[#0056B3] font-black text-xl">{p.precio}</p>
              <Link
                href={` /propiedades/${p.id}`}
                className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-4
py-2 rounded-xl transition-colors duration-300"
              >

```

```

                Ver detalles
            </Link>
        </div>
    </div>
</div>
    )}}
</div>
</div>
</section>

    <Footer />
</main>
)
}

```

```

=== ARCHIVO: \components\property\PropiedadesDestacadas.tsx ===
import Link from 'next/link'

```

```

const propiedades = [
  {
    id: 1,
    titulo: 'Villa frente al mar',
    ubicacion: 'Puerto Plata',
    precio: 'US$ 285,000',
    tipo: 'Venta',
    habitaciones: 4,
    banos: 3,
    metros: 320,
    imagen: 'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=800&q=80',
    destacada: true,
  },
  {
    id: 2,
    titulo: 'Apartamento beachfront',
    ubicacion: 'Cabarete',
    precio: 'US$ 145,000',
    tipo: 'Venta',
    habitaciones: 2,
    banos: 2,
    metros: 95,
    imagen: 'https://images.unsplash.com/photo-1560448204-e02f11c3d0e2?w=800&q=80',
    destacada: false,
  },
  {
    id: 3,
    titulo: 'Villa de lujo con piscina',
    ubicacion: 'Sosúa',
    precio: 'US$ 420,000',
    tipo: 'Venta',
    habitaciones: 5,
    banos: 4,
    metros: 480,
    imagen: 'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=800&q=80',
    destacada: true,
  },
  {
    id: 4,
    titulo: 'Penthouse ejecutivo',
    ubicacion: 'Santo Domingo',
    precio: 'US$ 3,500 / mes',
    tipo: 'Renta',
    habitaciones: 3,
    banos: 2,
    metros: 210,
    imagen: 'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?w=800&q=80',
  },
]

```

```

    destacada: false,
  },
  {
    id: 5,
    titulo: 'Casa colonial restaurada',
    ubicacion: 'Samaná',
    precio: 'US$ 195,000',
    tipo: 'Venta',
    habitaciones: 3,
    banos: 2,
    metros: 180,
    imagen: 'https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?w=800&q=80',
    destacada: false,
  },
  {
    id: 6,
    titulo: 'Terreno frente al mar',
    ubicacion: 'Monte Cristi',
    precio: 'US$ 89,000',
    tipo: 'Venta',
    habitaciones: 0,
    banos: 0,
    metros: 1200,
    imagen: 'https://images.unsplash.com/photo-1500382017468-9049fed747ef?w=800&q=80',
    destacada: false,
  },
]

export default function PropiedadesDestacadas() {
  return (
    <section className="py-20 px-6 bg-white">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}
        <div className="flex flex-col md:flex-row md:items-end justify-between mb-14">
          <div>
            <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
              Selección exclusiva
            </span>
            <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-3">
              Propiedades destacadas
            </h2>
            <p className="text-gray-500 text-lg max-w-xl">
              Las mejores oportunidades de inversión seleccionadas por nuestros expertos
            </p>
          </div>
          <Link
            href="/propiedades"
            className="mt-6 md:mt-0 inline-flex items-center gap-2 text-[#0056B3] font-bold border-2
border-[#0056B3] px-6 py-3 rounded-xl hover:bg-[#0056B3] hover:text-white transition-all duration-
300"
          >
            Ver todas
            <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4 4m0 0l-4 4m4-4H3" />
            </svg>
          </Link>
        </div>

        {/* GRID */}
        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
          {propiedades.map((p) => (
            <div
              key={p.id}

```

```

        className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden border border-gray-100"
    >
        { /* IMAGEN */ }
        <div className="relative overflow-hidden h-52">
            <div
                className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
                style={{ backgroundImage: `url(${p.imagen})` }}
            />
            { /* BADGES */ }
            <div className="absolute top-4 left-4 flex gap-2">
                <span className={`text-xs font-bold px-3 py-1 rounded-full text-white ${
                    p.tipo === 'Venta' ? 'bg-[#0056B3]' : 'bg-[#FF2A39]'
                }`}>
                    {p.tipo}
                </span>
                {p.destacada && (
                    <span className="text-xs font-bold px-3 py-1 rounded-full bg-yellow-400 text-
yellow-900">
                        Destacada
                    </span>
                )}
            </div>
            { /* FAVORITO */ }
            <button className="absolute top-4 right-4 bg-white/90 p-2 rounded-full hover:bg-white
transition-colors duration-200">
                <svg className="w-4 h-4 text-gray-400 hover:text-[#FF2A39]" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318
6.318a4.5 4.5 0 00 6.364 12 20.364 17.682 7.682a4.5 4.5 0 00-6.364-6.364 12 7.636 1-1.318-1.318a4.5
4.5 0 00-6.364 0z" />
                </svg>
            </button>
        </div>

        { /* CONTENIDO */ }
        <div className="p-5">
            <div className="flex items-start justify-between mb-2">
                <h3 className="text-gray-900 font-bold text-lg leading-tight">
                    {p.titulo}
                </h3>
            </div>

            { /* UBICACIÓN */ }
            <div className="flex items-center gap-1 text-gray-400 text-sm mb-3">
                <svg className="w-4 h-4 text-[#FF2A39]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17.657
16.657 13.414 20.9a1.998 1.998 0 01-2.827 0 1-4.244-4.243a8 8 0 1111.314 0z" />
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 11a3 3
0 11-6 0 3 3 0 016 0z" />
                </svg>
                {p.ubicacion}
            </div>

            { /* CARACTERÍSTICAS */ }
            <div className="flex items-center gap-4 text-gray-500 text-sm mb-4 pb-4 border-b
border-gray-100">
                {p.habitaciones > 0 && (
                    <span className="flex items-center gap-1">
                        <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M3
12 12-2m0 0 17-7 7 7M5 10v10a1 1 0 01 1h3m10-11 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1 0 001-1v-4a1 1 0
011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6" />

```



```

    </svg>
    {p.habitaciones} hab.
  </span>
)}
{p.banos > 0 && (
  <span className="flex items-center gap-1">
    <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M8
14v3m4-3v3m4-3v3M3 21h18M3 10h18M3 7l9-4 9 4M4 10h16v11H4V10z" />
    </svg>
    {p.banos} baños
  </span>
)}
<span className="flex items-center gap-1">
  <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 8v4m0
0h4m4 4l5 5M4 16v4m0 0h4m-4 0l5-5m11 5l-5-5m5 5v-4m0 4h-4" />
    </svg>
    {p.metros} m²
  </span>
</div>

  { /* PRECIO Y ACCIÓN */ }
  <div className="flex items-center justify-between">
    <p className="text-[#0056B3] font-black text-xl">
      {p.precio}
    </p>
    <Link
      href={` /propiedades/${p.id}`}
      className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-4 py-2
rounded-xl transition-colors duration-300"
    >
      Ver detalles
    </Link>
  </div>
</div>
</div>
)}}
</div>
</div>
</section>
)
}

```

=== ARCHIVO: \components\ui\Hero.tsx ===

```
'use client'
import { useState, useEffect, useCallback } from 'react'
import Link from 'next/link'
```

```
const REGIONES = [
  {
    nombre: 'Puerto Plata',
    descripcion: 'Villas y residencias frente al mar Caribe',
    tagline: 'Costa Norte · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=1920&q=80',
    propiedades: 124,
    slug: 'puerto-plata',
    color: 'from-blue-900/70',
  },
  {
    nombre: 'Cabarete',
    descripcion: 'El paraíso del surf y la vida costera',
    tagline: 'Capital del Surf · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=1920&q=80',
    propiedades: 86,
  },
]
```

```

    slug: 'cabarete',
    color: 'from-teal-900/70',
  },
  {
    nombre: 'Sosúa',
    descripcion: 'Playas cristalinas y propiedades de lujo',
    tagline: 'Costa Norte · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1590523741831-ab7e8b8f9c7f?w=1920&q=80',
    propiedades: 98,
    slug: 'sosua',
    color: 'from-cyan-900/70',
  },
  {
    nombre: 'Santo Domingo',
    descripcion: 'La capital – centro de negocios e inversión',
    tagline: 'Capital · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1486325212027-8081e485255e?w=1920&q=80',
    propiedades: 215,
    slug: 'santo-domingo',
    color: 'from-gray-900/80',
  },
  {
    nombre: 'Samaná',
    descripcion: 'Naturaleza exuberante y exclusividad tropical',
    tagline: 'Noroeste · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1501854140801-50d01698950b?w=1920&q=80',
    propiedades: 67,
    slug: 'samana',
    color: 'from-green-900/70',
  },
  {
    nombre: 'Monte Cristi',
    descripcion: 'Tierra de oportunidades y paisajes únicos',
    tagline: 'Noroeste · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1499793983690-e29da59ef1c2?w=1920&q=80',
    propiedades: 43,
    slug: 'monte-cristi',
    color: 'from-amber-900/70',
  },
]

```

```

const TIPOS_OPERACION = ['Venta', 'Renta', 'Promoción']
const TIPOS_PROPIEDAD = ['Casa', 'Apartamento', 'Villa', 'Penthouse', 'Local', 'Terreno']

```

```

export default function Hero() {
  const [actual, setActual] = useState(0)
  const [prev, setPrev] = useState<number | null>(null)
  const [transitioning, setTransitioning] = useState(false)

  const goTo = useCallback((idx: number) => {
    if (transitioning || idx === actual) return
    setPrev(actual)
    setTransitioning(true)
    setTimeout(() => {
      setActual(idx)
      setTransitioning(false)
      setPrev(null)
    }, 700)
  }, [actual, transitioning])

  useEffect(() => {
    const t = setInterval(() => goTo((actual + 1) % REGIONES.length), 6000)
    return () => clearInterval(t)
  }, [actual, goTo])
}

```

```

const region = REGIONES[actual]

return (
  <section className="relative w-full h-screen min-h-[600px] overflow-hidden">

    {/* FONDO ANTERIOR (salida) */}
    {prev !== null && (
      <div
        className="absolute inset-0 bg-cover bg-center transition-opacity duration-700 opacity-0"
        style={{ backgroundImage: `url(${REGIONES[prev].imagen})` }}
      />
    )}

    {/* FONDO ACTUAL */}
    <div
      className="absolute inset-0 bg-cover bg-center transition-opacity duration-700"
      style={{ backgroundImage: `url(${region.imagen})` }}
    />

    {/* GRADIENTES */}
    <div className={`absolute inset-0 bg-gradient-to-t ${region.color} via-black/30 to-black/10
transition-all duration-700`} />
    <div className="absolute inset-0 bg-gradient-to-r from-black/50 via-transparent to-transparent"
  />

    {/* CONTENIDO */}
    <div className="relative z-10 h-full flex flex-col items-center justify-center text-white px-6
pt-20">

      {/* BADGE */}
      <div className={`transition-all duration-500 ${transitioning ? 'opacity-0 scale-95' :
'opacity-100 scale-100'}`}>
        <span className="inline-flex items-center gap-2 bg-[#FF2A39]/90 backdrop-blur-sm text-white
text-xs font-bold px-5 py-2 rounded-full tracking-widest uppercase mb-6">
          <span className="w-1.5 h-1.5 bg-white rounded-full animate-pulse" />
          {region.tagline}
        </span>
      </div>

      {/* TÍTULO */}
      <div className={`text-center transition-all duration-500 ${transitioning ? 'opacity-0
translate-y-4' : 'opacity-100 translate-y-0'}`}>
        <h1
          className="text-6xl md:text-8xl lg:text-9xl font-black mb-4 leading-none tracking-tight
drop-shadow-2xl"
          style={{ fontFamily: "'Playfair Display', Georgia, serif" }}
        >
          {region.nombre}
        </h1>
        <p className="text-xl md:text-2xl text-white/80 mb-2 font-light max-w-2xl mx-auto">
          {region.descripcion}
        </p>
        <p className="text-[#FF2A39] font-bold text-sm tracking-widest uppercase mb-10">
          {region.propiedades} propiedades disponibles
        </p>
      </div>

      {/* BUSCADOR */}
      <div className="w-full max-w-4xl glass rounded-2xl p-3 mb-8">
        <div className="flex flex-col md:flex-row gap-2">
          <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3.5 text-sm font-
semibold outline-none cursor-pointer">
            <option value="">Tipo de operación</option>
            {TIPOS_OPERACION.map(t => <option key={t} value={t.toLowerCase()}>{t}</option>)}
          </select>

```

```

        <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3.5 text-sm font-
semibold outline-none cursor-pointer">
            <option value="">Tipo de propiedad</option>
            {TIPOS_PROPIEDAD.map(t => <option key={t} value={t.toLowerCase()}>{t}</option>)}
        </select>
        <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3.5 text-sm font-
semibold outline-none cursor-pointer">
            <option value="">Región</option>
            {REGIONES.map(r => <option key={r.slug} value={r.slug}>{r.nombre}</option>)}
        </select>
        <Link
            href="/propiedades"
            className="bg-[#FF2A39] hover:bg-[#0056B3] text-white font-black px-10 py-3.5 rounded-
xl transition-all duration-300 flex items-center justify-center gap-2 whitespace-nowrap shadow-lg"
        >
            <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M21 21l-6-
6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />
            </svg>
            Buscar
        </Link>
    </div>
</div>

{/* ESTADÍSTICAS */}
<div className="flex items-center gap-6 md:gap-10 mb-8">
    {[
        { num: '+600', label: 'Propiedades' },
        { num: '6', label: 'Regiones' },
        { num: '+12', label: 'Años' },
        { num: '+800', label: 'Clientes' },
    ].map((s, i) => (
        <div key={s.label} className="flex items-center gap-6">
            <div className="text-center">
                <p className="text-2xl md:text-3xl font-black text-white leading-none">{s.num}</p>
                <p className="text-white/50 text-xs tracking-widest uppercase mt-0.5">{s.label}</p>
            </div>
            {i < 3 && <div className="w-px h-8 bg-white/20" /> }
        </div>
    ))}
</div>

{/* INDICADORES */}
<div className="flex items-center gap-3 flex-wrap justify-center">
    {REGIONES.map((r, i) => (
        <button
            key={r.slug}
            onClick={() => goTo(i)}
            className="group flex flex-col items-center gap-1.5"
        >
            <span className={`text-xs font-bold transition-all duration-300 ${
                i === actual ? 'text-white' : 'text-white/35 group-hover:text-white/65'
            }`} >
                {r.nombre}
            </span>
            <span className={`block h-0.5 rounded-full transition-all duration-400 ${
                i === actual
                    ? 'bg-[#FF2A39] w-10'
                    : 'bg-white/25 w-3 group-hover:w-6 group-hover:bg-white/50'
            }`} />
        </button>
    ))}
</div>
</div>

```

```

    { /* SCROLL INDICATOR */ }
    <div className="absolute bottom-8 left-1/2 -translate-x-1/2 z-10 flex flex-col items-center
gap-1 animate-bounce">
      <span className="text-white/40 text-xs tracking-widest uppercase">Explorar</span>
      <svg className="w-5 h-5 text-white/40" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 9l-7 7-7-7" />
      </svg>
    </div>

  </section>
)
}

```

```

=== ARCHIVO: \components\ui\SeccionAgentes.tsx ===
import Link from 'next/link'

```

```

const agentes = [
  {
    id: 1,
    nombre: 'Carlos Durán',
    cargo: 'Agente Senior',
    region: 'Puerto Plata',
    idiomas: ['Español', 'Inglés'],
    propiedades: 48,
    foto: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=400&q=80',
    whatsapp: '18091234567',
    email: 'carlos@dinco.com',
  },
  {
    id: 2,
    nombre: 'María González',
    cargo: 'Agente Inmobiliaria',
    region: 'Cabarete',
    idiomas: ['Español', 'Inglés', 'Francés'],
    propiedades: 35,
    foto: 'https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=400&q=80',
    whatsapp: '18097654321',
    email: 'maria@dinco.com',
  },
  {
    id: 3,
    nombre: 'Roberto Méndez',
    cargo: 'Agente Comercial',
    region: 'Santo Domingo',
    idiomas: ['Español', 'Inglés', 'Alemán'],
    propiedades: 62,
    foto: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=400&q=80',
    whatsapp: '18099876543',
    email: 'roberto@dinco.com',
  },
  {
    id: 4,
    nombre: 'Ana Martínez',
    cargo: 'Agente de Lujo',
    region: 'Sosúa',
    idiomas: ['Español', 'Inglés', 'Italiano'],
    propiedades: 29,
    foto: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=400&q=80',
    whatsapp: '18091112233',
    email: 'ana@dinco.com',
  },
]

```

```

export default function SeccionAgentes() {
  return (

```

```

<section className="py-20 px-6 bg-gray-50">
  <div className="max-w-7xl mx-auto">

    {/* ENCABEZADO */}
    <div className="text-center mb-14">
      <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
        Nuestro equipo
      </span>
      <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-4">
        Agentes especializados
      </h2>
      <p className="text-gray-500 text-lg max-w-2xl mx-auto">
        Expertos en cada región listos para asesorarte y encontrar la propiedad ideal
      </p>
    </div>

    {/* GRID AGENTES */}
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
      {agentes.map((agente) => (
        <div
          key={agente.id}
          className="bg-white rounded-2xl shadow-md hover:shadow-xl transition-all duration-300
overflow-hidden group"
        >
          {/* FOTO */}
          <div className="relative h-56 overflow-hidden">
            <div
              className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-105"
              style={{ backgroundImage: `url(${agente.foto})` }}
            />
            <div className="absolute inset-0 bg-linear-to-t from-black/60 to-transparent" />
            <div className="absolute bottom-4 left-4">
              <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-full">
                {agente.region}
              </span>
            </div>
          </div>

          {/* CONTENIDO */}
          <div className="p-5">
            <h3 className="text-gray-900 font-black text-lg">{agente.nombre}</h3>
            <p className="text-[#0056B3] text-sm font-semibold mb-2">{agente.cargo}</p>

            {/* IDIOMAS */}
            <div className="flex flex-wrap gap-1 mb-3">
              {agente.idiomas.map((idioma) => (
                <span key={idioma} className="text-xs bg-blue-50 text-[#0056B3] px-2 py-0.5
rounded-full">
                  {idioma}
                </span>
              ))}
            </div>

            {/* PROPIEDADES */}
            <p className="text-gray-400 text-sm mb-4">
              <span className="text-[#0056B3] font-black text-lg">{agente.propiedades}</span>
            <p>propiedades activas
          </p>

          {/* BOTONES CONTACTO */}
          <div className="flex gap-2">

            <a
              href={`https://wa.me/${agente.whatsapp}`}

```

```

target="_blank"
rel="noopener noreferrer"
className="flex-1 bg-green-500 hover:bg-green-600 text-white text-xs font-bold py-2.5 rounded-xl
flex items-center justify-center gap-1.5 transition-colors duration-300"
>
  <svg className="w-4 h-4" fill="currentColor" viewBox="0 0 24 24">
    <path d="M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.6715-.197.297-.767.966-.94 1.164-.173.199-.347.223-.644.075-.297-.15-
1.255-.463-2.39-1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.298.298-.497.099-.198.05-.3
71-.025-.52-.075-.149-.669-1.612-.916-
2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198 0-.52.074-.792.372-.272.297-1.04
1.016-1.04 2.479 0 1.462 1.065 2.875 1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-1.413.248-.694.248-1.289.173-
1.413-.074-.124-.272-.198-.57-.347m-5.421 7.403h-.004a9.87 9.87 0 01-5.031-1.3781-.361-.214-
3.741.982.998-3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-9.884 2.64 0 5.122
1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003 5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815
11.815 0 0012.05 0C5.495 0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 24.16.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-11.893a11.821 11.821 0 00-3.48-
8.413z"/>
  </svg>

  WhatsApp
</a>

<a
  href={`mailto:${agente.email}`}
  className="flex-1 bg-[#0056B3] hover:bg-[#003d82] text-white text-xs font-bold py-2.5 rounded-xl
flex items-center justify-center gap-1.5 transition-colors duration-300"
>
  <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path
      strokeLinecap="round"
      strokeLinejoin="round"
      strokeWidth={2}
      d="M3 8l7.89 5.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2
2 0 002 2z"
    />
  </svg>

  Email
</a>

</div>
</div>
</div>
)))
</div>

{/* VER TODOS */}
<div className="text-center mt-12">
  <Link
    href="/agentes"
    className="inline-flex items-center gap-2 bg-[#0056B3] hover:bg-[#FF2A39] text-white
font-bold px-8 py-4 rounded-xl transition-all duration-300 shadow-lg hover:shadow-xl"
  >
    Ver todos los agentes
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4 4m0 0l-4
4m4-4H3" />
    </svg>
  </Link>
</div>

</div>

```

```

    </section>
  )
}

```

```

=== ARCHIVO: \components\ui\SeccionPostulacion.tsx ===
import Link from 'next/link'

```

```

export default function SeccionPostulacion() {
  return (
    <section className="py-20 px-6 bg-[#0056B3] relative overflow-hidden">

      {/* FONDO DECORATIVO */}
      <div className="absolute inset-0 opacity-10">
        <div className="absolute top-0 right-0 w-96 h-96 bg-white rounded-full -translate-y-1/2
translate-x-1/2" />
        <div className="absolute bottom-0 left-0 w-64 h-64 bg-[#FF2A39] rounded-full translate-y-1/2
-translate-x-1/2" />
      </div>

      <div className="max-w-7xl mx-auto relative z-10">
        <div className="grid grid-cols-1 lg:grid-cols-2 gap-16 items-center">

          {/* TEXTO */}
          <div>
            <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5
rounded-full tracking-widest uppercase mb-6">
              Propietarios internacionales
            </span>
            <h2 className="text-4xl md:text-5xl font-black text-white mb-6 leading-tight">
              ¿Tienes una propiedad fuera de República Dominicana?
            </h2>
            <p className="text-white/75 text-lg mb-8 leading-relaxed">
              Publica, vende, renta o promociona tu propiedad a través de DINCO y llega a miles de
compradores e inversores en todo el mundo. Nuestros agentes especializados te guiarán en cada paso.
            </p>

            {/* BENEFICIOS */}
            <div className="space-y-4 mb-10">
              {[
                'Asignación automática al catálogo de tu región',
                'Agente DINCO dedicado para tu zona',
                'Visibilidad internacional sin comisión adelantada',
                'Proceso 100% digital desde cualquier país',
              ].map((item) => (
                <div key={item} className="flex items-center gap-3">
                  <div className="w-5 h-5 rounded-full bg-[#FF2A39] flex items-center justify-center
shrink-0">
                    <svg className="w-3 h-3 text-white" fill="none" stroke="currentColor" viewBox="0
0 24 24">
                      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13L4
4L19 7" />
                    </svg>
                  </div>
                  <p className="text-white/85 font-medium">{item}</p>
                </div>
              ))}
            </div>

            <Link
              href="/postulacion"
              className="inline-flex items-center gap-3 bg-white text-[#0056B3] font-black px-8 py-4
rounded-xl hover:bg-[#FF2A39] hover:text-white transition-all duration-300 shadow-xl text-lg"
            >
              Publicar mi propiedad
              <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">

```



```

    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 814 4m0 0l-
4 4m4-4H3" />
  </svg>
</Link>
</div>

{/* PASOS */}
<div className="grid grid-cols-1 gap-4">
  {[
    { paso: '01', titulo: 'Selecciona tu país', desc: 'Elige el país donde está ubicada tu
propiedad' },
    { paso: '02', titulo: 'Tipo de operación', desc: 'Indica si deseas vender, rentar o
promocionar' },
    { paso: '03', titulo: 'Datos de la propiedad', desc: 'Completa el formulario con los
detalles y fotos' },
    { paso: '04', titulo: 'Agente asignado', desc: 'DINCO te asigna un agente experto en tu
región' },
  ]}.map((item) => (
    <div key={item.paso} className="bg-white/10 backdrop-blur-sm border border-white/20
rounded-2xl p-5 flex items-center gap-5 hover:bg-white/20 transition-all duration-300">
      <span className="text-4xl font-black text-white/20 w-14 shrink-0">{item.paso}</span>
      <div>
        <h3 className="text-white font-black text-lg">{item.titulo}</h3>
        <p className="text-white/65 text-sm">{item.desc}</p>
      </div>
    </div>
  )))
</div>

</div>
</div>
</section>
)
}

```

```

=== ARCHIVO: \components\ui\SeccionRegiones.tsx ===

```

```

import Link from 'next/link'

```

```

const regiones = [
  {
    nombre: 'Puerto Plata',
    descripcion: 'Villas, casas y locales frente al mar Caribe',
    imagen: 'https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=800&q=80',
    propiedades: 124,
    slug: 'puerto-plata',
  },
  {
    nombre: 'Cabarete',
    descripcion: 'Apartamentos y villas en la capital del surf',
    imagen: 'https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=800&q=80',
    propiedades: 86,
    slug: 'cabarete',
  },
  {
    nombre: 'Sosúa',
    descripcion: 'Residencias de lujo y propiedades comerciales',
    imagen: 'https://images.unsplash.com/photo-1590523741831-ab7e8b8f9c7f?w=800&q=80',
    propiedades: 98,
    slug: 'sosua',
  },
  {
    nombre: 'Santo Domingo',
    descripcion: 'Inversión y negocios en la capital del país',
    imagen: 'https://images.unsplash.com/photo-1486325212027-8081e485255e?w=800&q=80',
    propiedades: 215,
  },
]

```

```

    slug: 'santo-domingo',
  },
  {
    nombre: 'Samaná',
    descripcion: 'Naturaleza tropical y exclusividad costera',
    imagen: 'https://images.unsplash.com/photo-1501854140801-50d01698950b?w=800&q=80',
    propiedades: 67,
    slug: 'samana',
  },
  {
    nombre: 'Monte Cristi',
    descripcion: 'Oportunidades únicas en el norte del país',
    imagen: 'https://images.unsplash.com/photo-1499793983690-e29da59ef1c2?w=800&q=80',
    propiedades: 43,
    slug: 'monte-cristi',
  },
]

export default function SeccionRegiones() {
  return (
    <section className="py-20 px-6 bg-gray-50">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}
        <div className="text-center mb-14">
          <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
            República Dominicana
          </span>
          <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-4">
            Explora por región
          </h2>
          <p className="text-gray-500 text-lg max-w-2xl mx-auto">
            Encuentra la propiedad perfecta en las mejores zonas del país
          </p>
        </div>

        {/* GRID DE REGIONES */}
        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
          {regiones.map((region) => (
            <Link
              key={region.slug}
              href={`/${region.slug}`}
              className="group relative overflow-hidden rounded-2xl shadow-lg hover:shadow-2xl
transition-all duration-300 cursor-pointer"
            >
              {/* IMAGEN */}
              <div
                className="h-64 bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
                style={{ backgroundImage: `url(${region.imagen})` }}
              </div>

              {/* CAPA OSCURA */}
              <div className="absolute inset-0 bg-linear-to-t from-black/80 via-black/20 to-
transparent" />

              {/* CONTENIDO */}
              <div className="absolute bottom-0 left-0 right-0 p-6">
                <div className="flex items-end justify-between">
                  <div>
                    <h3 className="text-white text-2xl font-black mb-1">
                      {region.nombre}
                    </h3>
                    <p className="text-white/70 text-sm">
                      {region.descripcion}

```

```

        </p>
      </div>
      <div className="text-right ml-4">
        <p className="text-[#FF2A39] text-2xl font-black">
          {region.propiedades}
        </p>
        <p className="text-white/60 text-xs uppercase tracking-wider">
          propiedades
        </p>
      </div>
    </div>

    { /* BOTÓN */ }
    <div className="mt-4 flex items-center gap-2 text-white text-sm font-semibold
opacity-0 group-hover:opacity-100 transition-opacity duration-300">
      <span>Ver propiedades</span>
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4 4m0
0 1-4 4m4-4H3" />
      </svg>
    </div>
  </div>
</Link>
  )}
</div>
</div>
</section>
)
}

```

```
=== ARCHIVO: \components\ui\Testimonios.tsx ===
```

```
'use client'
```

```
import { useState } from 'react'
```

```
const testimonios = [
```

```

  {
    id: 1,
    nombre: 'Michael Johnson',
    pais: 'Estados Unidos',
    bandera: 'us',
    texto: 'Compré mi villa en Cabarete a través de DINCO y fue una experiencia increíble. El agente
me guió en cada paso del proceso desde Nueva York. En menos de 3 meses todo estaba cerrado.',
    propiedad: 'Villa en Cabarete',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1500648767791-00dcc994a43e?w=200&q=80',
  },
  {
    id: 2,
    nombre: 'Sophie Müller',
    pais: 'Alemania',
    bandera: 'DE',
    texto: 'Publiqué mi apartamento en Sosúa con DINCO y en dos semanas ya tenía inquilinos. El
proceso fue completamente digital, nunca tuve que viajar a República Dominicana.',
    propiedad: 'Apartamento en Sosúa',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1544005313-94ddf0286df2?w=200&q=80',
  },
  {
    id: 3,
    nombre: 'Jean-Pierre Dubois',
    pais: 'Francia',
    bandera: 'FR',
    texto: 'Invertí en un terreno en Puerto Plata gracias a DINCO. La asesoría fue excelente y el
precio superó mis expectativas. Ya estoy planificando mi segunda inversión.',
    propiedad: 'Terreno en Puerto Plata',
  },

```

```

    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=200&q=80',
  },
  {
    id: 4,
    nombre: 'Isabella Rossi',
    pais: 'Italia',
    bandera: 'IT',
    texto: 'El equipo de DINCO es profesional y transparente. Me ayudaron a encontrar el penthouse perfecto en Santo Domingo. La comunicación fue impecable en todo momento.',
    propiedad: 'Penthouse en Santo Domingo',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=200&q=80',
  },
]

```

```

export default function Testimonios() {
  const [actual, setActual] = useState(0)

  const anterior = () => setActual((prev) => (prev === 0 ? testimonios.length - 1 : prev - 1))
  const siguiente = () => setActual((prev) => (prev === testimonios.length - 1 ? 0 : prev + 1))

  return (
    <section className="py-20 px-6 bg-white">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}
        <div className="text-center mb-14">
          <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
            Lo que dicen nuestros clientes
          </span>
          <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-4">
            Historias de éxito
          </h2>
          <p className="text-gray-500 text-lg max-w-2xl mx-auto">
            Clientes de todo el mundo confían en DINCO para sus inversiones inmobiliarias
          </p>
        </div>

        {/* ESTADÍSTICAS */}
        <div className="grid grid-cols-2 md:grid-cols-4 gap-6 mb-16">
          {[
            { numero: '98%', label: 'Clientes satisfechos' },
            { numero: '+800', label: 'Transacciones cerradas' },
            { numero: '+40', label: 'Países representados' },
            { numero: '12', label: 'Años de experiencia' },
          ]}.map((stat) => (
            <div key={stat.label} className="text-center p-6 bg-gray-50 rounded-2xl">
              <p className="text-4xl font-black text-[#0056B3] mb-1">{stat.numero}</p>
              <p className="text-gray-500 text-sm">{stat.label}</p>
            </div>
          )))
        </div>

        {/* CAROUSEL */}
        <div className="relative max-w-4xl mx-auto">
          <div className="bg-gray-50 rounded-3xl p-8 md:p-12">
            <div className="flex flex-col md:flex-row gap-8 items-center">

              {/* FOTO */}
              <div className="shrink-0">
                <div
                  className="w-24 h-24 rounded-full bg-cover bg-center border-4 border-[#0056B3]"
                  style={{ backgroundImage: `url(${testimonios[actual].foto})` }}
                />

```

```

</div>

{/* CONTENIDO */}
<div className="flex-1">
  {/* ESTRELLAS */}
  <div className="flex gap-1 mb-4">
    {[...Array(testimonios[actual].calificacion)].map((_, i) => (
      <svg key={i} className="w-5 h-5 text-yellow-400" fill="currentColor" viewBox="0 0
20 20">
        <path d="M9.049 2.927c.3-.921 1.603-.921 1.902 0l1.07 3.292a1 1 0
00.95.69h3.462c.969 0 1.371 1.24.588 1.81l-2.8 2.034a1 1 0 00-.364 1.118l1.07 3.292c.3.921-.755
1.688-1.54 1.118l-2.8-2.034a1 1 0 00-1.175 0l-2.8 2.034c-.784.57-1.838-.197-1.539-1.118l1.07-3.292a1
1 0 00-.364-1.118l2.98 8.72c-.783-.57-.38-1.81.588-1.81h3.461a1 1 0 00.951-.69l1.07-3.292z" />
      </svg>
    )]}
  </div>

  <p className="text-gray-700 text-lg leading-relaxed mb-6 italic">
    &quot;{testimonios[actual].texto}&quot;
  </p>

  <div>
    <p className="font-black text-gray-900 text-lg">
      {testimonios[actual].nombre} {testimonios[actual].bandera}
    </p>
    <p className="text-[#0056B3] text-sm font-semibold">
      {testimonios[actual].propiedad} · {testimonios[actual].pais}
    </p>
  </div>
</div>
</div>
</div>

{/* CONTROLES */}
<div className="flex items-center justify-center gap-4 mt-8">
  <button
    onClick={anterior}
    className="w-12 h-12 bg-gray-100 hover:bg-[#0056B3] hover:text-white text-gray-600
rounded-full flex items-center justify-center transition-all duration-300"
  >
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-
7" />
    </svg>
  </button>

  <div className="flex gap-2">
    {testimonios.map((_, i) => (
      <button
        key={i}
        onClick={() => setActual(i)}
        className={`rounded-full transition-all duration-300 ${
          i === actual ? 'bg-[#FF2A39] w-8 h-3' : 'bg-gray-200 w-3 h-3'
        }`}
      />
    )]}
  </div>

  <button
    onClick={siguiente}
    className="w-12 h-12 bg-gray-100 hover:bg-[#0056B3] hover:text-white text-gray-600
rounded-full flex items-center justify-center transition-all duration-300"
  >
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7-7 7 7" />
    </svg>
  </button>
</div>

```

```

/>
      </svg>
    </button>
  </div>
</div>
</div>
</section>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\README.md ---

This is a [Next.js](https://nextjs.org) project bootstrapped with [`create-next-app`](https://nextjs.org/docs/app/api-reference/cli/create-next-app).

## ## Getting Started

First, run the development server:

```

```bash
npm run dev
# or
yarn dev
# or
pnpm dev
# or
bun dev
```

```

Open [http://localhost:3000](http://localhost:3000) with your browser to see the result.

You can start editing the page by modifying `app/page.tsx`. The page auto-updates as you edit the file.

This project uses [`next/font`](https://nextjs.org/docs/app/building-your-application/optimizing/fonts) to automatically optimize and load [Geist](https://vercel.com/font), a new font family for Vercel.

## ## Learn More

To learn more about Next.js, take a look at the following resources:

- [Next.js Documentation](https://nextjs.org/docs) - learn about Next.js features and API.
- [Learn Next.js](https://nextjs.org/learn) - an interactive Next.js tutorial.

You can check out [the Next.js GitHub repository](https://github.com/vercel/next.js) - your feedback and contributions are welcome!

## ## Deploy on Vercel

The easiest way to deploy your Next.js app is to use the [Vercel Platform](https://vercel.com/new?utm\_medium=default-template&filter=next.js&utm\_source=create-next-app&utm\_campaign=create-next-app-readme) from the creators of Next.js.

Check out our [Next.js deployment documentation](https://nextjs.org/docs/app/building-your-application/deploying) for more details.

--- ARCHIVO: C:\Users\Dell\dinco-web\tscconfig.json ---

```

{
  "compilerOptions": {
    "target": "ES2017",
    "lib": ["dom", "dom.iterable", "esnext"],

```

```

    "allowJs": true,
    "skipLibCheck": true,
    "strict": true,
    "noEmit": true,
    "esModuleInterop": true,
    "module": "esnext",
    "moduleResolution": "bundler",
    "resolveJsonModule": true,
    "isolatedModules": true,
    "jsx": "react-jsx",
    "incremental": true,
    "plugins": [
      {
        "name": "next"
      }
    ],
    "paths": {
      "@/*": ["./*"]
    }
  },
  "include": [
    "next-env.d.ts",
    "**/*.ts",
    "**/*.tsx",
    ".next/types/**/*.ts",
    ".next/dev/types/**/*.ts",
    "**/*.mts"
  ],
  "exclude": ["node_modules"]
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\tsconfig.tsbuildinfo ---

```

{"fileNames":
[".\node_modules\typescript\lib\lib.es5.d.ts", ".\node_modules\typescript\lib\lib.es2015.d.ts", ".\node_modules\typescript\lib\lib.es2016.d.ts", ".\node_modules\typescript\lib\lib.es2017.d.ts", ".\node_modules\typescript\lib\lib.es2018.d.ts", ".\node_modules\typescript\lib\lib.es2019.d.ts", ".\node_modules\typescript\lib\lib.es2020.d.ts", ".\node_modules\typescript\lib\lib.es2021.d.ts", ".\node_modules\typescript\lib\lib.es2022.d.ts", ".\node_modules\typescript\lib\lib.es2023.d.ts", ".\node_modules\typescript\lib\lib.es2024.d.ts", ".\node_modules\typescript\lib\lib.esnext.d.ts", ".\node_modules\typescript\lib\lib.dom.d.ts", ".\node_modules\typescript\lib\lib.dom.iterable.d.ts", ".\node_modules\typescript\lib\lib.es2015.core.d.ts", ".\node_modules\typescript\lib\lib.es2015.collection.d.ts", ".\node_modules\typescript\lib\lib.es2015.generator.d.ts", ".\node_modules\typescript\lib\lib.es2015.iterable.d.ts", ".\node_modules\typescript\lib\lib.es2015.promise.d.ts", ".\node_modules\typescript\lib\lib.es2015.proxy.d.ts", ".\node_modules\typescript\lib\lib.es2015.reflect.d.ts", ".\node_modules\typescript\lib\lib.es2015.symbol.d.ts", ".\node_modules\typescript\lib\lib.es2015.symbol.wellknown.d.ts", ".\node_modules\typescript\lib\lib.es2016.array.include.d.ts", ".\node_modules\typescript\lib\lib.es2016.intl.d.ts", ".\node_modules\typescript\lib\lib.es2017.arraybuffer.d.ts", ".\node_modules\typescript\lib\lib.es2017.date.d.ts", ".\node_modules\typescript\lib\lib.es2017.object.d.ts", ".\node_modules\typescript\lib\lib.es2017.sharedmemory.d.ts", ".\node_modules\typescript\lib\lib.es2017.string.d.ts", ".\node_modules\typescript\lib\lib.es2017.intl.d.ts", ".\node_modules\typescript\lib\lib.es2017.typedarrays.d.ts", ".\node_modules\typescript\lib\lib.es2018.asyncgenerator.d.ts", ".\node_modules\typescript\lib\lib.es2018.asynciterable.d.ts", ".\node_modules\typescript\lib\lib.es2018.intl.d.ts", ".\node_modules\typescript\lib\lib.es2018.promise.d.ts", ".\node_modules\typescript\lib\lib.es2018.regexp.d.ts", ".\node_modules\typescript\lib\lib.es2019.array.d.ts", ".\node_modules\typescript\lib\lib.es2019.object.d.ts", ".\node_modules\typescript\lib\lib.es2019.string.d.ts", ".\node_modules\typescript\lib\lib.es2019.symbol.d.ts", ".\node_modules\typescript\lib\lib.es2019.intl.d.ts", ".\node_modules\typescript\lib\lib.es2020.bigint.d.ts", ".\node_modules\typescript\lib\lib.es2020.date.d.ts", ".\node_modules\typescript\lib\lib.es2020.promise.d.ts", ".\node_modules\typescript\lib\lib.es2020.sharedmemory.d.ts", ".\node_modules\typescript\lib\lib.es2020.string.d.ts", ".\node_modules\typescript\lib\lib.es2020.symbol.wellknown.d.ts", ".\node_modules\typescript\lib\lib.es2020.intl.d.ts", ".\node_modules\typescript\lib\lib.es2020.number.d.ts", ".\node_modules\typescript\lib\lib.es2021.promise.d.ts", ".\node_modules\typescript\lib\lib.es2021.string.d.ts", ".\node_modules\typescript\lib\lib.es2021.weakref.d.ts", ".\node_modules\typescript\lib\lib.es2021.intl.d.ts", ".\node_modules\typescript\lib\lib.es2022.array.d.ts", ".\node_modules\typescript\lib\lib.es2022.er

```

ror.d.ts", "./node\_modules/typescript/lib/lib.es2022.intl.d.ts", "./node\_modules/typescript/lib/lib.es2022.object.d.ts", "./node\_modules/typescript/lib/lib.es2022.string.d.ts", "./node\_modules/typescript/lib/lib.es2022.regexp.d.ts", "./node\_modules/typescript/lib/lib.es2023.array.d.ts", "./node\_modules/typescript/lib/lib.es2023.collection.d.ts", "./node\_modules/typescript/lib/lib.es2023.intl.d.ts", "./node\_modules/typescript/lib/lib.es2024.arraybuffer.d.ts", "./node\_modules/typescript/lib/lib.es2024.collection.d.ts", "./node\_modules/typescript/lib/lib.es2024.object.d.ts", "./node\_modules/typescript/lib/lib.es2024.promise.d.ts", "./node\_modules/typescript/lib/lib.es2024.regexp.d.ts", "./node\_modules/typescript/lib/lib.es2024.sharedmemory.d.ts", "./node\_modules/typescript/lib/lib.es2024.string.d.ts", "./node\_modules/typescript/lib/lib.esnext.array.d.ts", "./node\_modules/typescript/lib/lib.esnext.collection.d.ts", "./node\_modules/typescript/lib/lib.esnext.intl.d.ts", "./node\_modules/typescript/lib/lib.esnext.disposable.d.ts", "./node\_modules/typescript/lib/lib.esnext.promise.d.ts", "./node\_modules/typescript/lib/lib.esnext.decorators.d.ts", "./node\_modules/typescript/lib/lib.esnext.iterator.d.ts", "./node\_modules/typescript/lib/lib.esnext.float16.d.ts", "./node\_modules/typescript/lib/lib.esnext.error.d.ts", "./node\_modules/typescript/lib/lib.esnext.sharedmemory.d.ts", "./node\_modules/typescript/lib/lib.decorators.d.ts", "./node\_modules/typescript/lib/lib.decorators.legacy.d.ts", "./node\_modules/@types/react/global.d.ts", "./node\_modules/@types/react/index.d.ts", "./node\_modules/@types/react/index.d.ts", "./node\_modules/next/dist/styled-jsx/types/css.d.ts", "./node\_modules/next/dist/styled-jsx/types/macro.d.ts", "./node\_modules/next/dist/styled-jsx/types/style.d.ts", "./node\_modules/next/dist/styled-jsx/types/global.d.ts", "./node\_modules/next/dist/styled-jsx/types/index.d.ts", "./node\_modules/next/dist/server/get-page-files.d.ts", "./node\_modules/@types/node/compatibility/disposable.d.ts", "./node\_modules/@types/node/compatibility/indexable.d.ts", "./node\_modules/@types/node/compatibility/iterators.d.ts", "./node\_modules/@types/node/compatibility/index.d.ts", "./node\_modules/@types/node/globals.typedarray.d.ts", "./node\_modules/@types/node/buffer.buffer.d.ts", "./node\_modules/@types/node/globals.d.ts", "./node\_modules/@types/node/web-globals/abortcontroller.d.ts", "./node\_modules/@types/node/web-globals/domexception.d.ts", "./node\_modules/@types/node/web-globals/events.d.ts", "./node\_modules/undici-types/header.d.ts", "./node\_modules/undici-types/readable.d.ts", "./node\_modules/undici-types/file.d.ts", "./node\_modules/undici-types/fetch.d.ts", "./node\_modules/undici-types/formdata.d.ts", "./node\_modules/undici-types/connector.d.ts", "./node\_modules/undici-types/client.d.ts", "./node\_modules/undici-types/errors.d.ts", "./node\_modules/undici-types/dispatcher.d.ts", "./node\_modules/undici-types/global-dispatcher.d.ts", "./node\_modules/undici-types/global-origin.d.ts", "./node\_modules/undici-types/pool-stats.d.ts", "./node\_modules/undici-types/pool.d.ts", "./node\_modules/undici-types/handlers.d.ts", "./node\_modules/undici-types/balanced-pool.d.ts", "./node\_modules/undici-types/agent.d.ts", "./node\_modules/undici-types/mock-interceptor.d.ts", "./node\_modules/undici-types/mock-agent.d.ts", "./node\_modules/undici-types/mock-client.d.ts", "./node\_modules/undici-types/mock-pool.d.ts", "./node\_modules/undici-types/mock-errors.d.ts", "./node\_modules/undici-types/proxy-agent.d.ts", "./node\_modules/undici-types/env-http-proxy-agent.d.ts", "./node\_modules/undici-types/retry-handler.d.ts", "./node\_modules/undici-types/retry-agent.d.ts", "./node\_modules/undici-types/api.d.ts", "./node\_modules/undici-types/interceptors.d.ts", "./node\_modules/undici-types/util.d.ts", "./node\_modules/undici-types/cookies.d.ts", "./node\_modules/undici-types/patch.d.ts", "./node\_modules/undici-types/websocket.d.ts", "./node\_modules/undici-types/eventsource.d.ts", "./node\_modules/undici-types/filereader.d.ts", "./node\_modules/undici-types/diagnostics-channel.d.ts", "./node\_modules/undici-types/content-type.d.ts", "./node\_modules/undici-types/cache.d.ts", "./node\_modules/undici-types/index.d.ts", "./node\_modules/@types/node/web-globals/fetch.d.ts", "./node\_modules/@types/node/assert.d.ts", "./node\_modules/@types/node/assert/strict.d.ts", "./node\_modules/@types/node/async\_hooks.d.ts", "./node\_modules/@types/node/buffer.d.ts", "./node\_modules/@types/node/child\_process.d.ts", "./node\_modules/@types/node/cluster.d.ts", "./node\_modules/@types/node/console.d.ts", "./node\_modules/@types/node/constants.d.ts", "./node\_modules/@types/node/crypto.d.ts", "./node\_modules/@types/node/dgram.d.ts", "./node\_modules/@types/node/diagnostics\_channel.d.ts", "./node\_modules/@types/node/dns.d.ts", "./node\_modules/@types/node/dns/promises.d.ts", "./node\_modules/@types/node/domain.d.ts", "./node\_modules/@types/node/events.d.ts", "./node\_modules/@types/node/fs.d.ts", "./node\_modules/@types/node/fs/promises.d.ts", "./node\_modules/@types/node/http.d.ts", "./node\_modules/@types/node/http2.d.ts", "./node\_modules/@types/node/https.d.ts", "./node\_modules/@types/node/inspector.generated.d.ts", "./node\_modules/@types/node/module.d.ts", "./node\_modules/@types/node/net.d.ts", "./node\_modules/@types/node/os.d.ts", "./node\_modules/@types/node/path.d.ts", "./node\_modules/@types/node/perf\_hooks.d.ts", "./node\_modules/@types/node/process.d.ts", "./node\_modules/@types/node/punycode.d.ts", "./node\_modules/@types/node/querystring.d.ts", "./node\_modules/@types/node/readline.d.ts", "./node\_modules/@types/node/readline/promises.d.ts", "./node\_modules/@types/node/repl.d.ts", "./node\_modules/@types/node/sea.d.ts", "./node\_modules/@types/node/stream.d.ts", "./node\_modules/@types/node/stream/promises.d.ts", "./node\_modules/@types/node/stream/consumers.d.ts", "./node\_modules/@types/node/stream/web.d.ts", "./node\_modules/@types/node/string\_decoder.d.ts", "./node\_modules/@types/node/test.d.ts", "./node\_modules/@types/node/timers.d.ts", "./node\_modules/@types/node/timers/promises.d.ts", ./node\_modules/@ty



pes/node/tls.d.ts", ".node\_modules/@types/node/trace\_events.d.ts", ".node\_modules/@types/node/tty.d.ts", ".node\_modules/@types/node/url.d.ts", ".node\_modules/@types/node/util.d.ts", ".node\_modules/@types/node/v8.d.ts", ".node\_modules/@types/node/vm.d.ts", ".node\_modules/@types/node/wasi.d.ts", ".node\_modules/@types/node/worker\_threads.d.ts", ".node\_modules/@types/node/zlib.d.ts", ".node\_modules/@types/node/index.d.ts", ".node\_modules/@types/react/canary.d.ts", ".node\_modules/@types/react/experimental.d.ts", ".node\_modules/@types/react-dom/index.d.ts", ".node\_modules/@types/react-dom/canary.d.ts", ".node\_modules/@types/react-dom/experimental.d.ts", ".node\_modules/next/dist/lib/fallback.d.ts", ".node\_modules/next/dist/compiled/webpack/webpack.d.ts", ".node\_modules/next/dist/shared/lib/modern-browserslist-target.d.ts", ".node\_modules/next/dist/shared/lib/entry-constants.d.ts", ".node\_modules/next/dist/shared/lib/constants.d.ts", ".node\_modules/next/dist/lib/bundler.d.ts", ".node\_modules/next/dist/server/config.d.ts", ".node\_modules/next/dist/lib/load-custom-routes.d.ts", ".node\_modules/next/dist/shared/lib/image-config.d.ts", ".node\_modules/next/dist/build/webpack/plugins/subresource-integrity-plugin.d.ts", ".node\_modules/next/dist/server/body-streams.d.ts", ".node\_modules/next/dist/server/request/search-params.d.ts", ".node\_modules/next/dist/shared/lib/segment-cache/vary-params-decoding.d.ts", ".node\_modules/next/dist/server/app-render/vary-params.d.ts", ".node\_modules/next/dist/server/request/params.d.ts", ".node\_modules/next/dist/server/route-kind.d.ts", ".node\_modules/next/dist/server/route-definitions/route-definition.d.ts", ".node\_modules/next/dist/server/route-matches/route-match.d.ts", ".node\_modules/next/dist/client/components/app-router-headers.d.ts", ".node\_modules/next/dist/server/lib/cache-control.d.ts", ".node\_modules/next/dist/shared/lib/app-router-types.d.ts", ".node\_modules/next/dist/server/lib/cache-handlers/types.d.ts", ".node\_modules/next/dist/server/use-cache/use-cache-wrapper.d.ts", ".node\_modules/next/dist/server/resume-data-cache/cache-store.d.ts", ".node\_modules/next/dist/server/resume-data-cache/resume-data-cache.d.ts", ".node\_modules/next/dist/lib/constants.d.ts", ".node\_modules/next/dist/server/render-result.d.ts", ".node\_modules/next/dist/server/response-cache/types.d.ts", ".node\_modules/next/dist/server/response-cache/index.d.ts", ".node\_modules/@types/react/jsx-runtime.d.ts", ".node\_modules/next/dist/next-devtools/userspace/pages/pages-dev-overlay-setup.d.ts", ".node\_modules/next/dist/build/static-paths/types.d.ts", ".node\_modules/next/dist/server/route-definitions/app-page-route-definition.d.ts", ".node\_modules/next/dist/build/adapters/setup-node-env.external.d.ts", ".node\_modules/next/dist/server/instrumentation/types.d.ts", ".node\_modules/next/dist/lib/setup-exception-listeners.d.ts", ".node\_modules/next/dist/lib/worker.d.ts", ".node\_modules/next/dist/server/lib/experimental/ppr.d.ts", ".node\_modules/next/dist/lib/page-types.d.ts", ".node\_modules/next/dist/build/segment-config/app/app-segment-config.d.ts", ".node\_modules/next/dist/build/segment-config/pages/pages-segment-config.d.ts", ".node\_modules/next/dist/build/analysis/get-page-static-info.d.ts", ".node\_modules/next/dist/build/webpack/loaders/get-module-build-info.d.ts", ".node\_modules/next/dist/build/webpack/plugins/middleware-plugin.d.ts", ".node\_modules/next/dist/server/require-hook.d.ts", ".node\_modules/next/dist/server/node-polyfill-crypto.d.ts", ".node\_modules/next/dist/server/node-environment-baseline.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/error-inspect.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/console-file.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/console-exit.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/console-dim.external.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/unhandled-rejection.external.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/random.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/date.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/web-crypto.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/node-crypto.d.ts", ".node\_modules/next/dist/server/node-environment-extensions/fast-set-immediate.external.d.ts", ".node\_modules/next/dist/server/node-environment.d.ts", ".node\_modules/next/dist/build/page-extensions-type.d.ts", ".node\_modules/next/dist/server/route-modules/app-page/module.compiled.d.ts", ".node\_modules/next/dist/server/route-definitions/app-route-route-definition.d.ts", ".node\_modules/next/dist/server/lib/i18n-provider.d.ts", ".node\_modules/next/dist/server/web/next-url.d.ts", ".node\_modules/next/dist/compiled/@edge-runtime/cookies/index.d.ts", ".node\_modules/next/dist/server/web/spec-

```

extension/cookies.d.ts", "./node_modules/next/dist/server/web/spec-
extension/request.d.ts", "./node_modules/next/dist/shared/lib/deep-
readonly.d.ts", "./node_modules/next/dist/server/lib/incremental-
cache/index.d.ts", "./node_modules/next/dist/shared/lib/router/utils/middleware-route-
matcher.d.ts", "./node_modules/next/dist/build/webpack/plugins/flight-manifest-
plugin.d.ts", "./node_modules/next/dist/build/webpack/plugins/next-font-manifest-
plugin.d.ts", "./node_modules/next/dist/server/route-definitions/locale-route-
definition.d.ts", "./node_modules/next/dist/server/route-definitions/pages-route-
definition.d.ts", "./node_modules/next/dist/shared/lib/mitt.d.ts", "./node_modules/next/dist/client/wit-
h-router.d.ts", "./node_modules/next/dist/client/router.d.ts", "./node_modules/next/dist/client/route-
loader.d.ts", "./node_modules/next/dist/client/page-
loader.d.ts", "./node_modules/next/dist/shared/lib/bloom-
filter.d.ts", "./node_modules/next/dist/shared/lib/router/router.d.ts", "./node_modules/next/dist/share-
d/lib/router-context.shared-runtime.d.ts", "./node_modules/next/dist/shared/lib/loadable-
context.shared-runtime.d.ts", "./node_modules/next/dist/shared/lib/loadable.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/image-config-context.shared-
runtime.d.ts", "./node_modules/next/dist/client/components/readonly-url-search-
params.d.ts", "./node_modules/next/dist/shared/lib/hooks-client-context.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/head-manager-context.shared-
runtime.d.ts", "./node_modules/next/dist/client/flight-data-
helpers.d.ts", "./node_modules/next/dist/client/components/segment-cache/cache-
key.d.ts", "./node_modules/next/dist/client/components/router-reducer/fetch-server-
response.d.ts", "./node_modules/next/dist/client/components/segment-
cache/types.d.ts", "./node_modules/next/dist/shared/lib/segment-cache/segment-value-
encoding.d.ts", "./node_modules/next/dist/client/components/segment-
cache/scheduler.d.ts", "./node_modules/next/dist/client/components/segment-cache/cache-
map.d.ts", "./node_modules/next/dist/client/components/segment-cache/vary-
path.d.ts", "./node_modules/next/dist/client/components/segment-
cache/cache.d.ts", "./node_modules/next/dist/client/components/router-reducer/ppr-
navigations.d.ts", "./node_modules/next/dist/client/components/segment-
cache/navigation.d.ts", "./node_modules/next/dist/client/components/router-reducer/router-reducer-
types.d.ts", "./node_modules/next/dist/shared/lib/app-router-context.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/server-inserted-html.shared-
runtime.d.ts", "./node_modules/next/dist/server/route-
modules/pages/vendored/contexts/entrypoints.d.ts", "./node_modules/next/dist/server/route-
modules/pages/module.compiled.d.ts", "./node_modules/next/dist/build/templates/pages.d.ts", "./node_mod-
ules/next/dist/server/route-
modules/pages/module.d.ts", "./node_modules/next/dist/server/render.d.ts", "./node_modules/next/dist/bu-
ild/webpack/plugins/pages-manifest-plugin.d.ts", "./node_modules/next/dist/server/route-
definitions/pages-api-route-definition.d.ts", "./node_modules/next/dist/server/route-matches/pages-
api-route-match.d.ts", "./node_modules/next/dist/server/route-matchers/route-
matcher.d.ts", "./node_modules/next/dist/server/route-matcher-providers/route-matcher-
provider.d.ts", "./node_modules/next/dist/server/route-matcher-managers/route-matcher-
manager.d.ts", "./node_modules/next/dist/server/normalizers/normalizer.d.ts", "./node_modules/next/dist-
/server/normalizers/locale-route-
normalizer.d.ts", "./node_modules/next/dist/server/normalizers/request/pathname-
normalizer.d.ts", "./node_modules/next/dist/server/normalizers/request/suffix.d.ts", "./node_modules/ne-
xt/dist/server/normalizers/request/rsc.d.ts", "./node_modules/next/dist/server/normalizers/request/nex-
t-data.d.ts", "./node_modules/next/dist/server/after/builtin-request-
context.d.ts", "./node_modules/next/dist/server/normalizers/request/segment-prefix-
rsc.d.ts", "./node_modules/next/dist/server/route-
modules/pages/builtin/_error.d.ts", "./node_modules/next/dist/server/load-default-error-
components.d.ts", "./node_modules/next/dist/server/base-
server.d.ts", "./node_modules/next/dist/server/after/after.d.ts", "./node_modules/next/dist/server/afte-
r/after-context.d.ts", "./node_modules/next/dist/server/use-cache/cache-
life.d.ts", "./node_modules/next/dist/server/app-render/work-async-storage-
instance.d.ts", "./node_modules/next/dist/server/lib/lazy-
result.d.ts", "./node_modules/next/dist/server/app-render/create-error-
handler.d.ts", "./node_modules/next/dist/shared/lib/action-revalidation-
kind.d.ts", "./node_modules/next/dist/server/app-render/work-async-
storage.external.d.ts", "./node_modules/next/dist/server/async-storage/work-
store.d.ts", "./node_modules/next/dist/server/web/http.d.ts", "./node_modules/next/dist/client/componen-
ts/hooks-server-context.d.ts", "./node_modules/next/dist/server/route-modules/app-route/shared-
modules.d.ts", "./node_modules/next/dist/client/components/redirect-status-
code.d.ts", "./node_modules/next/dist/client/components/redirect-

```

error.d.ts", ". /node\_modules/next/dist/server/web/spec-extension/adapters/request-cookies.d.ts", ". /node\_modules/next/dist/server/async-storage/draft-mode-provider.d.ts", ". /node\_modules/next/dist/server/web/spec-extension/adapters/headers.d.ts", ". /node\_modules/next/dist/server/app-render/cache-signal.d.ts", ". /node\_modules/next/dist/server/app-render/instant-validation/boundary-tracking.d.ts", ". /node\_modules/next/dist/server/app-render/instant-validation/instant-validation-error.d.ts", ". /node\_modules/next/dist/shared/lib/router/utils/parse-relative-url.d.ts", ". /node\_modules/next/dist/server/app-render/instant-validation/instant-samples.d.ts", ". /node\_modules/next/dist/server/app-render/dynamic-rendering.d.ts", ". /node\_modules/next/dist/server/app-render/work-unit-async-storage-instance.d.ts", ". /node\_modules/next/dist/server/lib/implicit-tags.d.ts", ". /node\_modules/next/dist/server/app-render/staged-rendering.d.ts", ". /node\_modules/next/dist/server/app-render/work-unit-async-storage.external.d.ts", ". /node\_modules/next/dist/build/templates/app-route.d.ts", ". /node\_modules/next/dist/server/app-render/action-async-storage-instance.d.ts", ". /node\_modules/next/dist/server/app-render/action-async-storage.external.d.ts", ". /node\_modules/next/dist/server/route-modules/app-route/module.d.ts", ". /node\_modules/next/dist/server/route-modules/app-route/module.compiled.d.ts", ". /node\_modules/next/dist/build/segment-config/app/app-segments.d.ts", ". /node\_modules/next/dist/build/get-supported-browsers.d.ts", ". /node\_modules/next/dist/build/utils.d.ts", ". /node\_modules/next/dist/build/rendering-mode.d.ts", ". /node\_modules/next/dist/server/lib/router-utils/build-prefetch-segment-data-route.d.ts", ". /node\_modules/next/dist/server/lib/cpu-profile.d.ts", ". /node\_modules/next/dist/build/turborepo-access-trace/types.d.ts", ". /node\_modules/next/dist/build/turborepo-access-trace/result.d.ts", ". /node\_modules/next/dist/build/turborepo-access-trace/helpers.d.ts", ". /node\_modules/next/dist/build/turborepo-access-trace/index.d.ts", ". /node\_modules/next/dist/export/routes/types.d.ts", ". /node\_modules/next/dist/export/types.d.ts", ". /node\_modules/next/dist/export/worker.d.ts", ". /node\_modules/next/dist/build/worker.d.ts", ". /node\_modules/next/dist/build/index.d.ts", ". /node\_modules/next/dist/lib/coalesced-function.d.ts", ". /node\_modules/next/dist/server/lib/router-utils/types.d.ts", ". /node\_modules/next/dist/trace/types.d.ts", ". /node\_modules/next/dist/trace/trace.d.ts", ". /node\_modules/next/dist/trace/shared.d.ts", ". /node\_modules/next/dist/trace/index.d.ts", ". /node\_modules/next/dist/build/load-jsconfig.d.ts", ". /node\_modules/@next/env/dist/index.d.ts", ". /node\_modules/next/dist/build/webpack/plugins/telemetry-plugin/use-cache-tracker-utils.d.ts", ". /node\_modules/next/dist/build/webpack/plugins/telemetry-plugin/telemetry-plugin.d.ts", ". /node\_modules/next/dist/telemetry/storage.d.ts", ". /node\_modules/next/dist/build/build-context.d.ts", ". /node\_modules/next/dist/build/webpack-config.d.ts", ". /node\_modules/next/dist/build/swc/generated-native.d.ts", ". /node\_modules/next/dist/build/define-env.d.ts", ". /node\_modules/next/dist/build/swc/index.d.ts", ". /node\_modules/next/dist/build/swc/types.d.ts", ". /node\_modules/next/dist/server/dev/parse-version-info.d.ts", ". /node\_modules/next/dist/next-devtools/shared/types.d.ts", ". /node\_modules/next/dist/server/dev/dev-indicator-server-state.d.ts", ". /node\_modules/next/dist/next-devtools/dev-overlay/cache-indicator.d.ts", ". /node\_modules/next/dist/server/lib/parse-stack.d.ts", ". /node\_modules/next/dist/next-devtools/server/shared.d.ts", ". /node\_modules/next/dist/next-devtools/shared/stack-frame.d.ts", ". /node\_modules/next/dist/next-devtools/dev-overlay/utils/get-error-by-type.d.ts", ". /node\_modules/next/dist/next-devtools/dev-overlay/container/runtime-error/render-error.d.ts", ". /node\_modules/next/dist/next-devtools/dev-overlay/shared.d.ts", ". /node\_modules/next/dist/server/dev/debug-channel.d.ts", ". /node\_modules/next/dist/server/dev/hot-reloader-types.d.ts", ". /node\_modules/next/dist/server/web/spec-extension/fetch-event.d.ts", ". /node\_modules/next/dist/server/web/spec-extension/response.d.ts", ". /node\_modules/next/dist/build/segment-config/middleware/middleware-config.d.ts", ". /node\_modules/next/dist/server/web/types.d.ts", ". /node\_modules/next/dist/shared/lib/router/utils/parse-url.d.ts", ". /node\_modules/next/dist/server/base-http/node.d.ts", ". /node\_modules/next/dist/server/lib/async-callback-set.d.ts", ". /node\_modules/next/dist/shared/lib/router/utils/route-regex.d.ts", ". /node\_modules/next/dist/shared/lib/router/utils/route-matcher.d.ts", ". /node\_modules/sharp/lib/index.d.ts", ". /node\_modules/next/dist/server/image-optimizer.d.ts", ". /node\_modules/next/dist/server/next-server.d.ts", ". /node\_modules/next/dist/server/lib/types.d.ts", ". /node\_modules/next/dist/server/lib/lru-cache.d.ts", ". /node\_modules/next/dist/server/lib/dev-bundler-

```

service.d.ts", "./node_modules/next/dist/server/dev/static-paths-
worker.d.ts", "./node_modules/next/dist/server/dev/next-dev-
server.d.ts", "./node_modules/next/dist/server/next.d.ts", "./node_modules/next/dist/server/lib/render-
server.d.ts", "./node_modules/next/dist/server/lib/router-
server.d.ts", "./node_modules/next/dist/shared/lib/router/utils/path-
match.d.ts", "./node_modules/next/dist/server/lib/router-
utils/filesystem.d.ts", "./node_modules/next/dist/server/lib/router-utils/setup-dev-
bundler.d.ts", "./node_modules/next/dist/server/lib/router-utils/router-server-
context.d.ts", "./node_modules/next/dist/server/route-modules/route-
module.d.ts", "./node_modules/next/dist/server/load-
components.d.ts", "./node_modules/next/dist/server/web/adapters.d.ts", "./node_modules/next/dist/server/
app-
render/types.d.ts", "./node_modules/next/dist/build/webpack/loaders/metadata/types.d.ts", "./node_modul
es/next/dist/build/webpack/loaders/next-app-
loader/index.d.ts", "./node_modules/next/dist/server/lib/app-dir-
module.d.ts", "./node_modules/next/dist/server/app-render/app-
render.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/vendored/contexts/entrypoints.d.ts", "./node_modules/next/dist/client/components/error-
boundary.d.ts", "./node_modules/next/dist/client/components/layout-
router.d.ts", "./node_modules/next/dist/client/components/render-from-template-
context.d.ts", "./node_modules/next/dist/client/components/client-
page.d.ts", "./node_modules/next/dist/client/components/client-
segment.d.ts", "./node_modules/next/dist/client/components/http-access-fallback/error-
boundary.d.ts", "./node_modules/next/dist/lib/metadata/types/alternative-urls-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/extra-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/metadata-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/manifest-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/opengraph-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/twitter-
types.d.ts", "./node_modules/next/dist/lib/metadata/types/metadata-
interface.d.ts", "./node_modules/next/dist/lib/metadata/types/resolvers.d.ts", "./node_modules/next/dis
t/lib/metadata/types/icons.d.ts", "./node_modules/next/dist/lib/metadata/resolve-
metadata.d.ts", "./node_modules/next/dist/lib/metadata/metadata.d.ts", "./node_modules/next/dist/lib/fr
amework/boundary-components.d.ts", "./node_modules/next/dist/server/app-
render/rsc/preloads.d.ts", "./node_modules/next/dist/server/app-
render/rsc/postpone.d.ts", "./node_modules/next/dist/server/app-
render/rsc/taint.d.ts", "./node_modules/next/dist/server/app-render/collect-segment-
data.d.ts", "./node_modules/next/dist/server/app-render/instant-validation/instant-
validation.d.ts", "./node_modules/next/dist/next-devtools/userspace/app/segment-explorer-
node.d.ts", "./node_modules/next/dist/server/app-render/entry-
base.d.ts", "./node_modules/next/dist/build/templates/app-
page.d.ts", "./node_modules/next/dist/server/route-modules/app-page/helpers/prerender-manifest-
matcher.d.ts", "./node_modules/@types/react/jsx-dev-
runtime.d.ts", "./node_modules/@types/react/compiler-
runtime.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/vendored/rsc/entrypoints.d.ts", "./node_modules/@types/react-
dom/client.d.ts", "./node_modules/@types/react-dom/static.d.ts", "./node_modules/@types/react-
dom/server.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/vendored/ssr/entrypoints.d.ts", "./node_modules/next/dist/server/route-modules/app-
page/module.d.ts", "./node_modules/next/dist/server/request/fallback-
params.d.ts", "./node_modules/next/dist/server/web/spec-extension/image-
response.d.ts", "./node_modules/next/dist/server/web/spec-extension/user-
agent.d.ts", "./node_modules/next/dist/server/web/spec-extension/url-
pattern.d.ts", "./node_modules/next/dist/server/after/index.d.ts", "./node_modules/next/dist/server/req
uest/connection.d.ts", "./node_modules/next/dist/server/web/exports/index.d.ts", "./node_modules/next/d
ist/server/request-meta.d.ts", "./node_modules/next/dist/cli/next-
test.d.ts", "./node_modules/next/dist/shared/lib/size-
limit.d.ts", "./node_modules/next/dist/server/config-
shared.d.ts", "./node_modules/next/dist/server/base-
http/index.d.ts", "./node_modules/next/dist/server/api-
utils/index.d.ts", "./node_modules/next/dist/build/adapters/build-
complete.d.ts", "./node_modules/next/dist/types.d.ts", "./node_modules/next/dist/shared/lib/html-
context.shared-
runtime.d.ts", "./node_modules/next/dist/shared/lib/utils.d.ts", "./node_modules/next/dist/pages/_app.d
.ts", "./node_modules/next/app.d.ts", "./node_modules/next/dist/server/web/spec-extension/unstable-

```

```

cache.d.ts", "./node_modules/next/dist/server/web/spec-
extension/revalidate.d.ts", "./node_modules/next/dist/server/web/spec-extension/unstable-no-
store.d.ts", "./node_modules/next/dist/server/use-cache/cache-
tag.d.ts", "./node_modules/next/cache.d.ts", "./node_modules/next/dist/pages/_document.d.ts", "./node_mo-
dules/next/document.d.ts", "./node_modules/next/dist/shared/lib/dynamic.d.ts", "./node_modules/next/dyn-
amic.d.ts", "./node_modules/next/dist/pages/_error.d.ts", "./node_modules/next/dist/client/components/c-
atch-
error.d.ts", "./node_modules/next/dist/api/error.d.ts", "./node_modules/next/error.d.ts", "./node_module-
s/next/dist/shared/lib/head.d.ts", "./node_modules/next/head.d.ts", "./node_modules/next/dist/server/re-
quest/cookies.d.ts", "./node_modules/next/dist/server/request/headers.d.ts", "./node_modules/next/dist/
server/request/draft-
mode.d.ts", "./node_modules/next/headers.d.ts", "./node_modules/next/dist/shared/lib/get-img-
props.d.ts", "./node_modules/next/dist/client/image-
component.d.ts", "./node_modules/next/dist/shared/lib/image-
external.d.ts", "./node_modules/next/image.d.ts", "./node_modules/next/dist/client/link.d.ts", "./node_m-
odules/next/link.d.ts", "./node_modules/next/dist/client/components/unrecognized-action-
error.d.ts", "./node_modules/next/dist/client/components/redirect.d.ts", "./node_modules/next/dist/clie-
nt/components/not-
found.d.ts", "./node_modules/next/dist/client/components/forbidden.d.ts", "./node_modules/next/dist/cli-
ent/components/unauthorized.d.ts", "./node_modules/next/dist/client/components/unstable-
rethrow.server.d.ts", "./node_modules/next/dist/client/components/unstable-
rethrow.d.ts", "./node_modules/next/dist/client/components/navigation.react-
server.d.ts", "./node_modules/next/dist/client/components/navigation.d.ts", "./node_modules/next/naviga-
tion.d.ts", "./node_modules/next/router.d.ts", "./node_modules/next/dist/client/script.d.ts", "./node_mo-
dules/next/script.d.ts", "./node_modules/next/dist/compiled/@edge-
runtime/primitives/url.d.ts", "./node_modules/next/dist/compiled/@vercel/og/satori/index.d.ts", "./node-
_modules/next/dist/compiled/@vercel/og/types.d.ts", "./node_modules/next/server.d.ts", "./node_modules/
next/types/global.d.ts", "./node_modules/next/types/compiled.d.ts", "./node_modules/next/types.d.ts", ".-
/node_modules/next/index.d.ts", "./node_modules/next/image-
types/global.d.ts", "./.next/dev/types/routes.d.ts", "./.next-
env.d.ts", "./.next.config.ts", "./node_modules/next/dist/compiled/@next/font/dist/types.d.ts", "./node_m-
odules/next/dist/compiled/@next/font/dist/google/index.d.ts", "./node_modules/next/font/google/index.d-
.ts", "./app/layout.tsx", "./components/navbar.tsx", "./components/hero.tsx", "./components/seccionregion-
es.tsx", "./components/propiedadesdestacadas.tsx", "./components/seccionagentes.tsx", "./components/secc-
ionpostulacion.tsx", "./components/presenciasocial.tsx", "./app/page.tsx", "./components/footer.tsx", "./-
components/testimonios.tsx", "./.next/types/cache-
life.d.ts", "./.next/types/routes.d.ts", "./.next/types/validator.ts", "./.next/dev/types/cache-
life.d.ts", "./.next/dev/types/validator.ts", "./node_modules/@types/estree/index.d.ts", "./node_modules-
/@types/json-schema/index.d.ts", "./node_modules/@types/json5/index.d.ts"], "fileIdsList":
[[97,143,483,484,485,486,547],[97,143,547,550],[97,143,226,527,530,536,544,547,550],
[97,143,483,484,485,486,550],[97,143,226,527,536,544,547,548,550],[97,143,226,525,528,535,547,550],
[97,143,226,537,538,539,540,541,542,543,547,550],[97,143,226,507,547,550],[85,97,143,226,547,550],
[85,97,143,226,505,507,547,550],[97,143,528,529,530,547,550],[97,143,226,528,547,550],
[97,140,143,547,550],[97,142,143,547,550],[143,547,550],[97,143,148,176,547,550],
[97,143,144,149,154,162,173,184,547,550],[97,143,144,145,154,162,547,550],[92,93,94,97,143,547,550],
[97,143,146,185,547,550],[97,143,147,148,155,163,547,550],[97,143,148,173,181,547,550],
[97,143,149,151,154,162,547,550],[97,142,143,150,547,550],[97,143,151,152,547,550],
[97,143,153,154,547,550],[97,142,143,154,547,550],[97,143,154,155,156,173,184,547,550],
[97,143,154,155,156,169,173,176,547,550],[97,143,151,154,157,162,173,184,547,550],
[97,143,154,155,157,158,162,173,181,184,547,550],[97,143,157,159,173,181,184,547,550],
[95,96,97,98,99,100,101,139,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,1-
58,159,160,161,162,163,164,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,18-
3,184,185,186,187,188,189,190,547,550],[97,143,154,160,547,550],[97,143,161,184,189,547,550],
[97,143,151,154,162,173,547,550],[97,143,163,547,550],[97,143,164,547,550],[97,142,143,165,547,550],
[97,140,141,142,143,144,145,146,147,148,149,150,151,152,153,154,155,156,157,158,159,160,161,162,163,1-
64,165,166,167,168,169,170,171,172,173,174,175,176,177,178,179,180,181,182,183,184,185,186,187,188,18-
9,190,547,550],[97,143,167,547,550],[97,143,168,547,550],[97,143,154,169,170,547,550],
[97,143,169,171,185,187,547,550],[97,143,154,173,174,176,547,550],[97,143,175,176,547,550],
[97,143,173,174,547,550],[97,143,176,547,550],[97,143,177,547,550],[97,140,143,173,178,547,550],
[97,143,154,179,180,547,550],[97,143,179,180,547,550],[97,143,148,162,173,181,547,550],
[97,143,182,547,550],[97,143,162,183,547,550],[97,143,157,168,184,547,550],[97,143,148,185,547,550],
[97,143,173,186,547,550],[97,143,161,187,547,550],[97,143,188,547,550],[97,138,143,547,550],
[97,138,143,154,156,165,173,176,184,187,189,547,550],[97,143,173,190,547,550],
[85,89,97,143,192,193,194,196,478,523,547,550],[85,97,143,547,550],
[85,89,97,143,192,193,194,195,459,478,523,547,550],[85,89,97,143,192,193,195,196,478,523,547,550],

```

[85,97,143,196,459,460,547,550],[85,97,143,196,459,547,550],  
 [85,89,97,143,193,194,195,196,478,523,547,550],[85,89,97,143,192,194,195,196,478,523,547,550],  
 [83,84,97,143,547,550],[97,143,481,547,550],[97,143,483,484,485,486,547,550],  
 [97,143,429,492,493,547,550],[97,143,201,202,204,216,240,355,366,474,547,550],  
 [97,143,204,235,236,237,239,474,547,550],[97,143,204,372,374,376,377,379,474,476,547,550],  
 [97,143,204,238,275,474,547,550],  
 [97,143,202,204,215,216,222,228,233,354,355,356,365,474,476,547,550],[97,143,474,547,550],  
 [97,143,211,217,236,256,351,547,550],[97,143,204,547,550],[97,143,197,211,217,547,550],  
 [97,143,383,547,550],[97,143,380,381,383,547,550],[97,143,380,382,474,547,550],  
 [97,143,157,256,453,471,547,550],[97,143,157,327,330,346,351,471,547,550],  
 [97,143,157,299,471,547,550],[97,143,359,547,550],[97,143,358,359,360,547,550],[97,143,358,547,550],  
 [91,97,143,157,197,204,216,222,228,234,236,240,241,254,255,322,352,353,366,474,478,547,550],  
 [97,143,201,204,238,275,372,373,378,474,526,547,550],[97,143,238,526,547,550],  
 [97,143,201,255,424,474,526,547,550],[97,143,526,547,550],[97,143,204,238,239,526,547,550],  
 [97,143,375,526,547,550],[97,143,241,354,357,364,547,550],[85,97,143,429,547,550],  
 [97,143,168,211,226,547,550],[97,143,211,226,547,550],[85,97,143,296,547,550],  
 [85,97,143,217,226,429,547,550],[97,143,211,282,296,297,508,515,547,550],  
 [97,143,281,509,510,511,512,514,547,550],[97,143,332,547,550],[97,143,332,333,547,550],  
 [97,143,215,217,284,285,547,550],[97,143,217,291,292,547,550],[97,143,217,286,294,547,550],  
 [97,143,291,547,550],[97,143,209,217,284,285,286,287,288,289,290,291,294,547,550],  
 [97,143,217,284,291,292,293,295,547,550],[97,143,217,285,287,288,547,550],  
 [97,143,285,287,290,292,547,550],[97,143,513,547,550],[97,143,217,547,550],  
 [85,97,143,205,502,547,550],[85,97,143,184,547,550],[85,97,143,238,273,547,550],  
 [85,97,143,238,366,547,550],[97,143,271,276,547,550],[85,97,143,272,480,547,550],  
 [97,143,533,547,550],[85,89,97,143,157,192,193,194,195,196,478,522,547,550],[97,143,157,217,547,550],  
 [97,143,157,216,221,302,319,361,362,366,421,423,474,475,547,550],[97,143,254,363,547,550],  
 [97,143,478,547,550],[97,143,203,547,550],[85,97,143,208,211,426,442,444,547,550],  
 [97,143,168,211,426,441,442,443,525,547,550],[97,143,435,436,437,438,439,440,547,550],  
 [97,143,437,547,550],[97,143,441,547,550],[97,143,226,390,391,393,547,550],  
 [85,97,143,217,384,385,386,387,392,547,550],[97,143,390,392,547,550],[97,143,388,547,550],  
 [97,143,389,547,550],[85,97,143,226,272,480,547,550],[85,97,143,226,479,480,547,550],  
 [85,97,143,226,480,547,550],[97,143,319,320,547,550],[97,143,320,547,550],  
 [97,143,157,475,480,547,550],[97,143,349,547,550],[97,142,143,348,547,550],  
 [97,143,211,217,223,225,327,340,344,346,423,426,463,464,471,475,547,550],  
 [97,143,217,266,288,547,550],[97,143,327,338,341,346,547,550],  
 [85,97,143,208,211,327,330,346,349,383,430,431,432,433,434,445,446,447,448,449,450,451,452,526,547,550],  
 [97,143,208,211,236,327,334,335,336,339,340,547,550],  
 [97,143,173,217,236,338,345,426,427,471,547,550],[97,143,342,547,550],  
 [97,143,157,168,205,217,221,231,263,264,267,319,322,387,421,422,463,474,475,476,478,526,547,550],  
 [97,143,208,209,211,547,550],[97,143,327,547,550],  
 [97,142,143,236,263,264,321,322,323,324,325,326,475,547,550],[97,143,346,547,550],  
 [97,142,143,210,211,221,225,261,327,334,335,336,337,338,341,342,343,344,345,464,547,550],  
 [97,143,157,261,262,334,475,476,547,550],[97,143,236,264,319,322,327,423,475,547,550],  
 [97,143,157,474,476,547,550],[97,143,157,173,471,475,476,547,550],  
 [97,143,157,168,197,211,216,223,225,228,231,238,258,263,264,265,266,267,302,303,305,308,310,313,314,315,316,318,366,421,423,471,474,475,476,547,550],[97,143,157,173,547,550],  
 [97,143,204,205,206,234,471,472,473,478,480,526,547,550],[97,143,201,202,474,547,550],  
 [97,143,395,547,550],[97,143,157,173,184,213,379,383,384,385,386,387,393,394,526,547,550],  
 [97,143,168,184,197,211,213,225,228,264,303,308,318,319,372,399,400,401,407,410,411,421,423,471,474,547,550],  
 [97,143,228,234,241,254,264,322,474,547,550],  
 [97,143,157,184,205,216,225,264,405,471,474,547,550],[97,143,425,547,550],  
 [97,143,157,395,408,409,418,547,550],[97,143,471,474,547,550],[97,143,324,464,547,550],  
 [97,143,225,263,366,480,547,550],[97,143,157,168,203,308,368,372,401,407,410,413,471,547,550],  
 [97,143,157,241,254,372,414,547,550],[97,143,204,265,366,416,474,476,547,550],  
 [97,143,157,184,387,474,547,550],[97,143,157,238,265,366,367,368,377,395,415,417,474,547,550],  
 [91,97,143,157,263,420,478,480,547,550],[97,143,317,421,547,550],  
 [97,143,157,168,211,214,216,217,223,225,231,240,241,254,264,267,303,305,315,318,319,366,399,400,401,402,404,406,421,423,471,480,547,550],[97,143,157,173,241,407,412,418,471,547,550],  
 [97,143,244,245,246,247,248,249,250,251,252,253,547,550],[97,143,258,309,547,550],  
 [97,143,311,547,550],[97,143,309,547,550],[97,143,311,312,547,550],  
 [97,143,157,215,216,217,221,222,475,547,550],  
 [97,143,157,168,203,205,223,227,263,266,267,301,421,471,476,478,480,547,550],  
 [97,143,157,168,184,207,214,215,225,227,264,419,464,470,475,547,550],[97,143,334,547,550],  
 [97,143,335,547,550],[97,143,217,228,463,547,550],[97,143,336,547,550],[97,143,210,547,550],  
 [97,143,212,224,547,550],[97,143,157,212,216,223,547,550],[97,143,219,224,547,550],

[97,143,220,547,550],[97,143,212,213,547,550],[97,143,212,268,547,550],[97,143,212,547,550],  
 [97,143,214,258,307,547,550],[97,143,306,547,550],[97,143,211,213,214,547,550],  
 [97,143,214,304,547,550],[97,143,211,213,547,550],[97,143,263,366,547,550],[97,143,463,547,550],  
 [97,143,157,184,223,225,229,263,366,420,423,426,427,428,454,455,458,462,464,471,475,547,550],  
 [97,143,277,280,282,283,296,297,547,550],[85,97,143,194,196,226,456,457,547,550],  
 [85,97,143,194,196,226,456,457,461,547,550],[97,143,350,547,550],  
 [97,143,236,257,262,263,327,328,329,330,331,333,346,347,349,352,420,423,474,476,547,550],  
 [97,143,296,547,550],[97,143,157,301,471,547,550],[97,143,301,547,550],  
 [97,143,157,223,269,298,300,302,420,471,478,480,547,550],  
 [97,143,277,278,279,280,282,283,296,297,479,547,550],  
 [91,97,143,157,168,184,212,213,225,231,263,264,267,366,418,419,421,471,474,475,478,547,550],  
 [97,143,208,211,218,547,550],[97,143,262,264,396,399,547,550],  
 [97,143,262,397,465,466,467,468,469,547,550],[97,143,157,258,474,547,550],[97,143,157,547,550],  
 [97,143,261,346,547,550],[97,143,260,547,550],[97,143,262,315,547,550],[97,143,259,261,474,547,550],  
 [97,143,157,207,262,396,397,398,471,474,475,547,550],[85,97,143,211,217,295,547,550],  
 [85,97,143,209,547,550],[97,143,199,200,547,550],[85,97,143,205,547,550],[85,97,143,211,281,547,550],  
 [85,91,97,143,263,267,478,480,547,550],[97,143,205,502,503,547,550],[85,97,143,276,547,550],  
 [85,97,143,168,184,203,270,272,274,275,480,547,550],[97,143,211,238,475,547,550],  
 [97,143,211,403,547,550],[85,97,143,155,157,168,201,203,276,374,478,479,547,550],  
 [85,97,143,192,193,194,195,196,478,523,547,550],[85,86,87,88,89,97,143,547,550],[97,143,148,547,550],  
 [97,143,369,370,371,547,550],[97,143,369,547,550],  
 [85,89,97,143,157,159,168,191,192,193,194,195,196,197,203,231,236,413,441,476,477,480,523,547,550],  
 [97,143,488,547,550],[97,143,490,547,550],[97,143,494,547,550],[97,143,534,547,550],  
 [97,143,496,547,550],[97,143,498,499,500,547,550],[97,143,504,547,550],  
 [90,97,143,482,487,489,491,495,497,501,505,507,517,518,520,524,525,526,527,547,550],  
 [97,143,506,547,550],[97,143,516,547,550],[97,143,272,547,550],[97,143,519,547,550],  
 [97,142,143,262,396,397,399,465,466,468,469,521,523,547,550],[97,143,191,547,550],  
 [97,143,173,191,547,550],[97,110,114,143,184,547,550],[97,110,143,173,184,547,550],  
 [97,105,143,547,550],[97,107,110,143,181,184,547,550],[97,143,162,181,547,550],  
 [97,105,143,191,547,550],[97,107,110,143,162,184,547,550],  
 [97,102,103,106,109,143,154,173,184,547,550],[97,110,117,143,547,550],[97,102,108,143,547,550],  
 [97,110,131,132,143,547,550],[97,106,110,143,176,184,191,547,550],[97,131,143,191,547,550],  
 [97,104,105,143,191,547,550],[97,110,143,547,550],  
 [97,104,105,106,107,108,109,110,111,112,114,115,116,117,118,119,120,121,122,123,124,125,126,127,128,129,130,132,133,134,135,136,137,143,547,550],[97,110,125,143,547,550],[97,110,117,118,143,547,550],  
 [97,108,110,118,119,143,547,550],[97,109,143,547,550],[97,102,105,110,143,547,550],  
 [97,110,114,118,119,143,547,550],[97,114,143,547,550],[97,108,110,113,143,184,547,550],  
 [97,102,107,110,117,143,547,550],[97,143,173,547,550],  
 [97,105,110,131,143,189,191,547,550]], "fileInfos":  
 [{"version":"c430d44666289dae81f30fa7b2edebf186ecc91a2d4c71266ea6ae76388792e1","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"45b7ab580deca34ae9729e97c13cfd999df04416a79116c3bfb483804f85ded4","impliedFormat":1},  
 {"version":"3facaf05f0c5fc569c5649dd359892c98a85557e3e0c847964caeb67076f4d75","impliedFormat":1},  
 {"version":"e44bb8bbac7f10ecc786703fe0a6a4b952189f908707980ba8f3c8975a760962","impliedFormat":1},  
 {"version":"5e1c4c362065a6b95ff952c0eab010f04dcd2c3494e813b493ecfd4fcb9fc0d8","impliedFormat":1},  
 {"version":"68d73b4a11549f9c0b7d352d10e91e5dca8faa3322bfb77b661839c42b1ddec7","impliedFormat":1},  
 {"version":"5efce4fc3c29ea84e8928f97adec086e3dc876365e0982cc8479a07954a3efd4","impliedFormat":1},  
 {"version":"feecb1be483ed332fad555aff858affd90a48ab19ba7272ee084704eb7167569","impliedFormat":1},  
 {"version":"ee7bad0c15b58988daa84371e0b89d313b762ab83cb5b31b8a2d1162e8eb41c2","impliedFormat":1},  
 {"version":"27bdc30a0e32783366a5abeda841bc22757c1797de8681bbe81fbc735eeb1c10","impliedFormat":1},  
 {"version":"8fd575e12870e9944c7e1d62e1f5a73fcf23dd8d3a321f2a2c74c20d022283fe","impliedFormat":1},  
 {"version":"2ab096661c711e4a81cc464fa1e6feb929a54f5340b46b0a07ac6bbf857471f0","impliedFormat":1},  
 {"version":"080941d9f9ff9307f7e27a83bcd888b7c8270716c39af943532438932ec1d0b9","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"2e80ee7a49e8ac312cc11b77f1475804bee36b3b2bc896bead8b6e1266befb43","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"c57796738e7f83dbc4b8e65132f11a377649c00dd3eee333f672b8f0a6bea671","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"dc2df20b1bcd8c8c2d34af4926e2c3ab15ffe1160a63e58b7e09833f616efff44","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"515d0b7b9bea2e31ea4ec968e9edd2c39d3eebf4a2d5cbd04e88639819ae3b71","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"0559b1f683ac7505ae451f9a96ce4c3c92bdc71411651ca6ddb0e88baaad6a3","affectsGlobalScope":true,"impliedFormat":1},  
 {"version":"0dc1e7ceda9b8b9b455c3a2d67b0412feab00bd2f66656cd8850e8831b08b537","affectsGlobalScope":true,"impliedFormat":1}

```

ue,"impliedFormat":1},
{"version":"ce691fb9e5c64efb9547083e4a34091bcbe5bdb41027e310ebba8f7d96a98671","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"8d697a2a929a5fcb38b7a65594020fcef05ec1630804a33748829c5ff53640d0","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"4ff2a353abf8a80ee399af572debb8faab2d33ad38c4b4474cff7f26e7653b8d","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"fb0f136d372979348d59b3f5020b4cdb81b5504192b1cacff5d1fbba29378aa1","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"d15bea3d62cbbdb9797079416b8ac375ae99162a7fba5de2c6c505446486ac0a","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"68d18b664c9d32a7336a70235958b8997ebc1c3b8505f4f1ae2b7e7753b87618","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"eb3d66c8327153d8fa7dd03f9c58d351107fe824c79e9b56b462935176cdf12a","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"38f0219c9e23c915ef9790ab1d680440d95419ad264816fa15009a8851e79119","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"69ab18c3b76cd9b1be3d188eaf8bba06112ebbe2f47f6c322b5105a6fbc45a2e","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"a680117f487a4d2f30ea46f1b4b7f58bef1480456e18ba53ee85c2746eeca012","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"2f11ff796926e0832f9ae148008138ad583bd181899ab7dd768a2666700b1893","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"4de680d5bb41c17f7f68e0419412ca23c98d5749dcaaea1896172f06435891fc","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"954296b30da6d508a104a3a0b5d96b76495c709785c1d11610908e63481ee667","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"ac9538681b19688c8eae65811b329d3744af679e0bdfa5d842d0e32524c73e1c","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"0a969edff4bd52585473d24995c5ef223f6652d6ef46193309b3921d65dd4376","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"9e9fbd7030c440b33d021da145d3232984c8bb7916f277e8fffd3dc2e3eae2bdb","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"811ec78f7fefcabbda4bfa93b3eb67d9ae166ef95f9bfff989d964061cbf81a0c","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"717937616a17072082152a2ef351cb51f98802fb4b2fdabd32399843875974ca","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"d7e7d9b7b50e5f22c915b525acc5a49a7a6584cf8f62d0569e557c5cfc4b2ac2","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"71c37f4c9543f31dfced6c7840e068c5a5aacb7b89111a4364b1d5276b852557","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"576711e016cf4f1804676043e6a0a5414252560eb57de9faceee34d79798c850","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"89c1b1281ba7b8a96efc676b11b264de7a8374c5ea1e6617f11880a13fc56dc6","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"74f7fa2d027d5b33eb0471c8e82a6c87216223181ec31247c357a3e8e2fddc5b","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"d6d7ae4d1f1f3772e2a3cde568ed08991a8ae34a080ff1151af28b7f798e22ca","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"063600664504610fe3e99b717a1223f8b1900087fab0b4cad1496a114744f8df","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"934019d7e3c81950f9a8426d093458b65d5aff2c7c1511233c0fd5b941e608ab","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"52ada8e0b6e0482b728070b7639ee42e83a9b1c22d205992756fe020fd9f4a47","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"3bdefe1bfd4d6dee0e26f928f93ccc128f1b64d5d501ff4a8cf3c6371200e5e6","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"59fb2c069260b4ba00b5643b907ef5d5341b167e7d1dbf58dfd895658bda2867","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"639e512c0dfc3fad96a84caad71b8834d66329a1f28dc95e3946c9b58176c73a","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"368af93f74c9c932edd84c58883e736c9e3d53cec1fe24c0b0ff451f529ceab1","affectsGlobalScope":tr
ue,"impliedFormat":1},
{"version":"af3dd424cfd267428f30ccfc376f47a2c0114546b55c44d8c0f1d57d841e28d74","affectsGlobalScope":tr
ue,"impliedFormat":1},

```



```
{"version":"995c005ab91a498455ea8dfb63aa9f83fa2ea793c3d8aa344be4a1678d06d399","affectsGlobalScope":true,"impliedFormat":1},
{"version":"959d36cddf5e7d572a65045b876f2956c973a586da58e5d26cde519184fd9b8a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"965f36eae237dd74e6cca203a43e9ca801ce38824ead814728a2807b1910117d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3925a6c820dcb1a06506c90b1577db1fdbf7705d65b62b99dce4be75c637e26b","affectsGlobalScope":true,"impliedFormat":1},
{"version":"0a3d63ef2b853447ec4f749d3f368ce642264246e02911fcb1590d8c161b8005","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8cdf8847677ac7d20486e54dd3fcf09eda95812ac8ace44b4418da1bbbab6eb8","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8444af78980e3b20b49324f4a16ba35024fef3ee069a0eb67616ea6ca821c47a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3287d9d085fbd618c3971944b65b4be57859f5415f495b33a6adc994edd2f004","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b4b67b1a91182421f5df999988c690f14d813b9850b40acd06ed44691f6727ad","affectsGlobalScope":true,"impliedFormat":1},
{"version":"df83c2a6c73228b625b0beb6669c7ee2a09c914637e2d35170723ad49c0f5cd4","affectsGlobalScope":true,"impliedFormat":1},
{"version":"436aaf437562f276ec2ddb2ef2c2dedac7664c1e4c1d2c36839ddd582eeb3d0a","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8e3c06ea092138bf9fa5e874a1fdb9d54805d074bee1de31b99a11e2fec239d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"87dc0f382502f5bbce5129bdc0aea21e19a3abbc19259e0b43ae038a9fc4e326","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b1cb28af0c891c8c96b2d6b7be76bd394fddcfdb4709a20ba05a7c1605eea0f9","affectsGlobalScope":true,"impliedFormat":1},
{"version":"2fef54945a13095fdb9b84f705f2b5994597640c46afeb2ce78352fab4cb3279","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ac77cb3e8c6d3565793eb90a8373ee8033146315a3dbead3bde8db5eaf5e5ec6","affectsGlobalScope":true,"impliedFormat":1},
{"version":"56e4ed5aab5f5920980066a9409bfaf53e6d21d3f8d020c17e4de584d29600ad","affectsGlobalScope":true,"impliedFormat":1},
{"version":"4ece9f17b3866cc077099c73f4983bddbcb1dc7ddb943227f1ec070f529dedd1","affectsGlobalScope":true,"impliedFormat":1},
{"version":"0a6282c8827e4b9a95f4bf4f5c205673ada31b982f50572d27103df8ceb8013c","affectsGlobalScope":true,"impliedFormat":1},
{"version":"1c9319a09485199c1f7b0498f2988d6d2249793ef67edda49d1e584746be9032","affectsGlobalScope":true,"impliedFormat":1},
{"version":"e3a2a0cee0f03ffdde24d89660eba2685bfbdeae955a6c67e8c4c9fd28928eeb","affectsGlobalScope":true,"impliedFormat":1},
{"version":"811c71eee4aa0ac5f7adf713323a5c41b0cf6c4e17367a34fbce379e12bbf0a4","affectsGlobalScope":true,"impliedFormat":1},
{"version":"51ad4c928303041605b4d7ae32e0c1ee387d43a24cd6f1ebf4a2699e1076d4fa","affectsGlobalScope":true,"impliedFormat":1},
{"version":"60037901da1a425516449b9a20073aa03386cce92f7a1fd902d7602be3a7c2e9","affectsGlobalScope":true,"impliedFormat":1},
{"version":"d4b1d2c51d058fc21ec2629fff7a76249dec2e36e12960ea056e3ef89174080f","affectsGlobalScope":true,"impliedFormat":1},
{"version":"22adec94ef7047a6c9d1af3cb96be87a335908bf9ef386ae9fd50eeb37f44c47","affectsGlobalScope":true,"impliedFormat":1},
{"version":"196cb558a13d4533a5163286f30b0509ce0210e4b316c56c38d4c0fd2fb38405","affectsGlobalScope":true,"impliedFormat":1},
{"version":"73f78680d4c08509933daf80947902f6ff41b6230f94dd002ae372620adb0f60","affectsGlobalScope":true,"impliedFormat":1},
{"version":"c5239f5c01bcfa9cd32f37c496cf19c61d69d37e48be9de612b541aac915805b","affectsGlobalScope":true,"impliedFormat":1},
{"version":"8e7f8264d0fb4c5339605a15daadb037bf238c10b654bb3eee14208f860a32ea","affectsGlobalScope":true,"impliedFormat":1},
{"version":"782dec38049b92d4e85c1585fba5474a219c6984a35b004963b00beb1aab538","affectsGlobalScope":true,"impliedFormat":1},
{"version":"7e29f41b158de217f94cb9676bf9cbd0cd9b5a46e1985141ed36e075c52bf6ad","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ac51dd7d31333793807a6abaa5ae168512b6131bd41d9c5b98477fc3b7800f9f","impliedFormat":1},
```

```

{"version":"bd7dee3446a5b94651d58000ddfd40296f073e9372891f65003a524b4620697","impliedFormat":1},
{"version":"acd8fd5090ac73902278889c38336ff3f48af6ba03aa665eb34a75e7ba1dccc4","impliedFormat":1},
{"version":"d6258883868fb2680d2ca96bc8b1352cab69874581493e6d52680c5ffecdb6cc","impliedFormat":1},
{"version":"1b61d259de5350f8b1e5db06290d31eaebebc6baafd5f79d314b5af9256d7153","impliedFormat":1},
{"version":"f258e3960f324a956fc76a3d3d9e964fff2244ff5859dcc6ce5951e5413ca826","impliedFormat":1},
{"version":"643f7232d07bf75e15bd8f658f664d6183a0efaca5eb84b48201c7671a266979","impliedFormat":1},
{"version":"21da358700a3893281ce0c517a7a30cbd46be020d9f0c3f2834d0a8ad1f5fc75","impliedFormat":1},
{"version":"70521b6ab0dcba37539e5303104f29b721bfb2940b2776da4cc818c07e1fefc1","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ab41ef1f2cdaf8df48be20cd969d875602483859dc194e9c97c8a576892c052","affectsGlobalScope":true,"impliedFormat":1},
{"version":"d153a11543fd884b596587ccd97aebbeed950b26933ee000f94009f1ab142848","affectsGlobalScope":true,"impliedFormat":1},
{"version":"21d819c173c0cf7cc3ce57c3276e77fd9a8a01d35a06ad87158781515c9a438a","impliedFormat":1},
{"version":"98cffbf06d6bab333473c70a893770dbe990783904002c4f1a960447b4b53dca","affectsGlobalScope":true,"impliedFormat":1},
{"version":"ba481bca06f37d3f2c137ce343c7d5937029b2468f8e26111f3c9d9963d6568d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"6d9ef24f9a22a88e3e9b3b3d8c40ab1ddb0853f1bfb5c843c37800138437b61","affectsGlobalScope":true,"impliedFormat":1},
{"version":"1db0b7dca579049ca4193d034d835f6bfe73096c73663e5ef9a0b5779939f3d0","affectsGlobalScope":true,"impliedFormat":1},
{"version":"9798340ffb0d067d69b1ae5b32faa17ab31b82466a3fc00d8f2f2df0c8554aaa","affectsGlobalScope":true,"impliedFormat":1},
{"version":"f26b11d8d8e4b8028f1c7d618b22274c892e4b0ef5b3678a8ccbad85419aef43","affectsGlobalScope":true,"impliedFormat":1},
{"version":"5929864ce17fba74232584d90cb721a89b7ad277220627cc97054ba15a98ea8f","impliedFormat":1},
{"version":"763fe0f42b3d79b440a9b6e51e9ba3f3f91352469c1e4b3b67bfa4ff6352f3f4","impliedFormat":1},
{"version":"25c8056edf4314820382a5fdb4bb7816999acdcb929c8f75e3f39473b87e85bc","impliedFormat":1},
{"version":"c464d66b20788266e5353b48dc4aa6bc0dc4a707276df1e7152ab0c9ae21fad8","impliedFormat":1},
{"version":"78d0d27c130d35c60b5e5566c9f1e5be77caf39804636bc1a40133919a949f21","impliedFormat":1},
{"version":"c6fd2c5a395f2432786c9cb8deb870b9b0e8ff7e22c029954fabdd692bfff6195","impliedFormat":1},
{"version":"1d6e127068ea8e104a912e42fc0a110e2aa5a66a356a917a163e8cf9a65e4a75","impliedFormat":1},
{"version":"5ded6427296cdf3b9542de4471d2aa8d3983671d4cac0f4bf9c637208d1ced43","impliedFormat":1},
{"version":"7f182617db458e98fc18dfb272d40aa2fff3a353c44a89b2c0ccb3937709bfb5","impliedFormat":1},
{"version":"cad8aced301244057c4e7e73fbcae534b0f5b12a37b150d80e5a45aa4bebcdb","impliedFormat":1},
{"version":"385aab901643aa54e1c36f5ef3107913b10d1b5bb8cbcd933d4263b80a0d7f20","impliedFormat":1},
{"version":"9670d44354bab9d9982eca21945686b5c24a3f893db73c0dae0fd74217a4c219","impliedFormat":1},
{"version":"0b8a9268adaf4da35e7fa830c8981cfa22adbbe5b3f6f5ab91f6658899e657a7","impliedFormat":1},
{"version":"11396ed8a44c02ab9798b7dca436009f866e8dae3c9c25e8c1fbc396880bf1bb","impliedFormat":1},
{"version":"ba7bc87d01492633cb5a0e5da8a4a42a1c86270e7b3d2dea5d156828a84e4882","impliedFormat":1},
{"version":"4893a895ea92c85345017a04ed427cbd6a1710453338df26881a6019432febdd","impliedFormat":1},
{"version":"c21dc52e277bcfc75fac0436ccb75c204f9e1b3fa5e12729670910639f27343e","impliedFormat":1},
{"version":"13f6f39e12b1518c6650bbb220c8985999020fe0f21d818e28f512b7771d00f9","impliedFormat":1},
{"version":"9b5369969f6e7175740bf51223112ff209f94ba43ecd3bb09eefff9fd675624a","impliedFormat":1},
{"version":"4fe9e626e7164748e8769bbf74b538e09607f07ed17c2f20af8d680ee49fc1da","impliedFormat":1},
{"version":"24515859bc0b836719105bb6cc3d68255042a9f02a6022b3187948b204946bd2","impliedFormat":1},
{"version":"ea0148f897b45a76544ae19784c95af1bd6721b8610af9ffa467a518a086a43","impliedFormat":1},
{"version":"24c6a117721e606c9984335f71711877293a9651e44f59f3d21c1ea0856f9cc9","impliedFormat":1},
{"version":"dd3273ead9fbde62a72949c97dbec2247ea08e0c6952e701a483d74ef92d6a17","impliedFormat":1},
{"version":"405822be75ad3e4d162e07439bac80c6bcc6dbae1929e179cf467ec0b9ee4e2e","impliedFormat":1},
{"version":"0db18c6e78ea846316c012478888f33c11ffadab9efd1cc8bcc12daded7a60b6","impliedFormat":1},
{"version":"e61be3f894b41b7baa1fbd6a66893f2579bfad01d208b4fff61daef21493ef0a8","impliedFormat":1},
{"version":"bd0532fd6556073727d28da0edfd1736417a3f9f394877b6d5ef6ad88fba1d1a","impliedFormat":1},
{"version":"89167d696a849f9ce5ca508032aabfe901c0868f833a8625d5a9c6e861ef935d2","impliedFormat":1},
{"version":"615ba88d0128ed16bf83ef8ccbb6aff05c3ee2db1cc0f89ab50a4939bfc1943f","impliedFormat":1},
{"version":"a4d551dbf8746780194d550c88f26cf937caf8d56f102969a110cfaed4b06656","impliedFormat":1},
{"version":"8bd86b8e8f6a6aa6c49b71e14c4ffe1211a0e97c80f08d2c8cc98838006e4b88","impliedFormat":1},
{"version":"317e63deeb21ac07f3992f5b50cdca8338f10acd4fbb7257ebf56735bf52ab00","impliedFormat":1},
{"version":"4732aec92b20fb28c5fe9ad99521fb59974289ed1e45aecb282616202184064f","impliedFormat":1},
{"version":"2e85db9e6fd73cfa3d7f28e0ab6b55417ea18931423bd47b409a96e4a169e8e6","impliedFormat":1},
{"version":"c46e079fe54c76f95c67fb89081b3e399da2c7d109e7dca8e4b58d83e332e605","impliedFormat":1},
{"version":"bf67d53d168abc1298888693338cb82854b0b2e69ef83f8a0092093c2d562107","impliedFormat":1},
{"version":"b52476feb4a0cbcb25e5931b930fc73cb6643fb1a5060bf8a3dda0eeae5b4b68","affectsGlobalScope":true,"impliedFormat":1},

```

```

{"version":"e2677634fe27e87348825bb041651e22d50a613e2fd6a4a3ade971d71bac37e","impliedFormat":1},
{"version":"7394959e5a741b185456e1ef5d64599c36c60a323207450991e7a42e08911419","impliedFormat":1},
{"version":"8c0bcd6c6b67b4b503c11e91a1fb91522ed585900eab2ab1f61bba7d7caa9d6f","impliedFormat":1},
{"version":"8cd19276b6590b3ebbbeeb030ac271871b9ed0afc3074ac88a94ed2449174b776","affectsGlobalScope":true,"impliedFormat":1},
{"version":"696eb8d28f5949b87d894b26dc97318ef944c794a9a4e4f62360cd1d1958014b","impliedFormat":1},
{"version":"3f8fa3061bd7402970b399300880d55257953ee6d3cd408722cb9ac20126460c","impliedFormat":1},
{"version":"35ec8b6760fd7138bbf5809b84551e31028fb2ba7b6dc91d95d098bf212ca8b4","affectsGlobalScope":true,"impliedFormat":1},
{"version":"5524481e56c48ff486f42926778c0a3cce1cc85dc46683b92b1271865bcf015a","impliedFormat":1},
{"version":"68bd56c92c2bd7d2339457eb84d63e7de3bd56a69b25f3576e1568d21a162398","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3e93b123f7c2944969d291b35fed2af79a6e9e27fdd5faa99748a51c07c02d28","impliedFormat":1},
{"version":"9d19808c8c291a9010a6c788e8532a2da70f811adb431c97520803e0ec649991","impliedFormat":1},
{"version":"87aad3dd9752067dc875cfaa466fc44246451c0c560b820796bdd528e29bef40","impliedFormat":1},
{"version":"4aacb0dd020eeaf65426153686cc639a78ec2885dc72ad220be1d25f1a439df","impliedFormat":1},
{"version":"f0bd7e6d931657b59605c44112eaf8b980ba7f957a5051ed21cb93d978cf2f45","impliedFormat":1},
{"version":"8db0ae9cb14d9955b14c214f34dae1b9ef2baee2fe4ce794a4cd3ac2531e3255","affectsGlobalScope":true,"impliedFormat":1},
{"version":"15fc6f7512c86810273af28f224251a5a879e4261b4d4c7e532abfbfc3983134","impliedFormat":1},
{"version":"58adba1a8ab2d10b54dc1dced4e41f4e7c9772cbbac40939c0dc8ce2cddb1d442","impliedFormat":1},
{"version":"641942a78f9063caa5d6b777c99304b7d1dc7328076038c6d94d8a0b81fc95c1","impliedFormat":1},
{"version":"2de7636e6fbb9e54a61a38bc7505b94ec5be61197fe9e840cff629ca920c4bc","impliedFormat":1},
{"version":"855cd5f7eb396f5f1ab1bc0f8580339bfff77b68a770f84c6b254e319bbfd1ac7","impliedFormat":1},
{"version":"5650cf3dace09e7c25d384e3e6b818b938f68f4e8de96f52d9c5a1b3db068e86","impliedFormat":1},
{"version":"1354ca5c38bd3fd3836a68e0f7c9f91f172582ba30ab15bb8c075891b91502b7","affectsGlobalScope":true,"impliedFormat":1},
{"version":"7e20d899c28ca26a2a7afc98beaa69e63ff7fba0a8bc47b4e3bf3ede5e09e424","impliedFormat":1},
{"version":"2d2fcaab481b31a5882065c7951255703ddbe1c0e507af56ea42d79ac3911201","impliedFormat":1},
{"version":"a192fe8ec33f75edbc8d8f3ed79f768dfae11ff5735e7fe52bfa69956e46d78d","impliedFormat":1},
{"version":"ca867399f7db82df981d6915bcb2d81131d7d1ef683bc782b59f71dda59bc85","affectsGlobalScope":true,"impliedFormat":1},
{"version":"372413016d17d804e1d139418aca0c68e47a83fb6669490857f4b318de8cccb3","affectsGlobalScope":true,"impliedFormat":1},
{"version":"9e043a1bc8fbf2a255bccf9bf27e0f1caf916c3b0518ea34aa72357c0afd42ec","impliedFormat":1},
{"version":"b4f70ec656a11d570e1a9edce07d118cd58d9760239e2ece99306ee9dfe61d02","impliedFormat":1},
{"version":"3bc2f1e2c95c04048212c569ed38e338873f6a8593930cf5a7ef24ffb38fc3b6","impliedFormat":1},
{"version":"6e70e9570e98aae2b825b533aa6292b6abd542e8d9f6e9475e88e1d7ba17c866","impliedFormat":1},
{"version":"f9d9d753d430ed050dc1bf2667a1bab711ccbb1c1507183d794cc195a5b085cc","impliedFormat":1},
{"version":"9eece5e586312581ccd106d4853e861aaaa1a39f8e3ea672b8c3847eedd12f6e","impliedFormat":1},
{"version":"085f552d005479e2e6a7311cddb5e5d8c55c497b4d19274285df161ee9684cd9c","impliedFormat":1},
{"version":"37ba7b45141a45ce6e80e66f2a96c8a5ab1bcef0fc2d0f56bb58df96ec67e972","impliedFormat":1},
{"version":"45650f47bfb376c8a8ed39d4bcda5902ab899a3150029684ee4c10676d9fbaee","impliedFormat":1},
{"version":"007faacc9268357caa21d24169f3f3f2497af3e9241308df2d89f6e6d9bb3f2e","affectsGlobalScope":true,"impliedFormat":1},
{"version":"74cf591a0f63db318651e0e04cb55f8791385f86e987a67fd4d2eaab8191f730","impliedFormat":1},
{"version":"5eab9b3dc9b34f185417342436ec3f106898da5f4801992d8ff38ab3aff346b5","impliedFormat":1},
{"version":"12ed4559eba17cd977aa0db658d25c4047067444b51acfdcbf38470630642b23","affectsGlobalScope":true,"impliedFormat":1},
{"version":"f3ffabcf95802521e1e4bcba4c88d8615176dc6e09111d920c7a213bdda6e1d65","impliedFormat":1},
{"version":"809821b8a065e3234a55b3a9d7846231ed18d66dd749f2494c66288d890daf7f","impliedFormat":1},
{"version":"ae56f65caf3be91108707bd8dfbccc2a57a91feb5daabf7165a06a945545ed26","impliedFormat":1},
{"version":"a136d5de521da20f31631a0a96bf712370779d1c05b7015d7019a9b2a0446ca9","impliedFormat":1},
{"version":"c3b41e74b9a84b88b1dca61ec39eee25c0dbc8e7d519ba11bb070918cfac656","affectsGlobalScope":true,"impliedFormat":1},
{"version":"4737a9dc24d0e68b734e6cfbcea0c15a2cfafeb493485e27905f7856988c6b29","affectsGlobalScope":true,"impliedFormat":1},
{"version":"36d8d3e7506b631c9582c251a2c0b8a28855af3f76719b12b534c6edf952748d","impliedFormat":1},
{"version":"1ca69210cc42729e7ca97d3a9ad48f2e9cb0042bada4075b588ae5387debd318","impliedFormat":1},
{"version":"f5ebe66baaf7c552cfa59d75f2bfa679f329204847db3cec385acda245e574e","impliedFormat":1},
{"version":"ed59add13139f84da271cafd32e2171876b0a0af2f798d0c663e8eeb867732cf","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b7c5e2ea4a9749097c347454805e933844ed207b6eefec6b7cfd418b5f5f7b28","impliedFormat":1},
{"version":"b1810689b76fd473bd12cc9ee219f8e62f54a7d08019a235d07424afb074d25","impliedFormat":1},
{"version":"2beff543f6e9a9701df88daeee3cdd70a34b4a1c11cb4c734472195a5cb2af54","impliedFormat":1},

```

```

{"version":"2e07abf27aa06353d46f4448c0bbac73431f6065eef7113128a5cd804d0c384d","impliedFormat":1},
{"version":"be1cc4d94ea60cbe567bc29ed479d42587bf1e6cba490f123d329976b0fe4ee5","impliedFormat":1},
{"version":"42bc0e1a903408137c3df2b06dfd7e402cdab5bbfa5fcfb871b22ebfdb30bd0b","impliedFormat":1},
{"version":"9894dafa342b976d251aac58e616ac6df8db91fb9d98934ff9dd103e9e82578f","impliedFormat":1},
{"version":"413df52d4ea14472c2fa5bee62f7a40abd1eb49be0b9722ee01ee4e52e63beb2","impliedFormat":1},
{"version":"db6d2d9daad8a6d83f281af12ce4355a20b9a3e71b82b9f57cddcca0a8964a96","impliedFormat":1},
{"version":"446a50749b24d14deac6f8843e057a6355dd6437d1fac4f9e5ce4a5071f34bfff","impliedFormat":1},
{"version":"182e9fcbce08ac7c012e0a6e2b5798b4352470be29a64fdc114d23c2bab7d5106","impliedFormat":1},
{"version":"2f4e6b4d39426a1b85ecf4bdeb9dddbf4d9b3397d95d855d46f925c9519ec7d","impliedFormat":1},
{"version":"78a2869ad0cbf3f9045dda08c0d4562b7e1b2bfe07b19e0db072f5c3c56e9584","impliedFormat":1},
{"version":"89d5d28d4f57e000b836ac273079be1b75710e28ce14750d081fb420d37e2ca5","impliedFormat":1},
{"version":"fd4e24ccff3966390600d7f5d6aa1fed5a512e92ada735ea5fbc933d313ad3d3","impliedFormat":1},
{"version":"b7cddfe1aa6b86b5fad3c9ccb30d05b3ccb165aebbf112f48d2d8a5f69dd98b1","impliedFormat":1},
{"version":"a86f82d646a739041d6702101afa82dcb935c416dd93cbca7fd754fd0282ce1f","impliedFormat":1},
{"version":"ad0d1d75d129b1c80f911be438d6b61bfa8703930a8ff2be2f0e1f8a91841c64","impliedFormat":1},
{"version":"bd2c7ada3dee03653d3f601011d30072194bc3970cd93208f9588fbd0c69347","impliedFormat":1},
{"version":"e480da45d32313e7174b265674da504f075f59ef3c26852f0c5a5d863b438ae85","impliedFormat":1},
{"version":"ad54850f61fcf5d014e11be80d2f46fea9265cfa7e77456da876f7833ef81769","impliedFormat":1},
{"version":"6f7c9e8bd2b5b6a080b07080065f94900bd3c7e5ebbd3047bc33fcce2fab1dd8","impliedFormat":1},
{"version":"3e7efde639c6a6c3edb9847b3f61e308bf7a69685b92f665048c45132f51c218","impliedFormat":1},
{"version":"df45ca1176e6ac211eae7ddf51336dc075c5314bc5c253651bae639defd5eec5","impliedFormat":1},
{"version":"8a0e762ceb20c7e72504feef83d709468a70af4abccb304f32d6b9bac1129b2c","impliedFormat":1},
{"version":"da5950ee2a90721df6f3fba45f5d05308f7e4c35835392215dd2cd404505e2de","impliedFormat":1},
{"version":"ce75b1aebb33d510ff28af960a9221410a3eaf7f18fc5f21f9404075fba77256","impliedFormat":1},
{"version":"f42d5fed19610d485c646a0c430e768115567d078c7fc855c57b0c578b3d6cd3","impliedFormat":1},
{"version":"ee8df1cb8d0faaca4013a1b442e99130769ce06f438d18d510fed95890067563","impliedFormat":1},
{"version":"d5630f2ad9b4541e5ce891648121022f9412ecdca1820baa1f0104f70fd7eff7","impliedFormat":1},
{"version":"4d15375ab13497104bc8fe56fdef2b5fd6853f29255737d23a33fa306ff7fd69","impliedFormat":1},
{"version":"2cd3fc1d0d6a1e85baffd2d4f50f5efb192b5446eef567e97c94765402f0aad4","impliedFormat":1},
{"version":"e4cbf2f1e89eccadd2c045e600ae41b732295953fb06247c7dcbc2d281ed30","impliedFormat":1},
{"version":"6dcaded5f7dff0d79a05ab0ab602cde74db803d1e765468bf91263786a383e1b","impliedFormat":1},
{"version":"8c1697d90c394a6fd955b98eae01238fef628e129b987a68aea10f898a48e7da","impliedFormat":1},
{"version":"7580e62139cb2b44a0270c8d01abcbfcb2819a02514a527342447fa69b34ef1","impliedFormat":1},
{"version":"42c169fb8c2d42f4f668c624a9a11e719d5d07dacbebb63cbcf7ef365b0a75b3","impliedFormat":1},
{"version":"f374cb24e93e7798c4d9e83ff872fa52d2cdb36306392b840a6ddf46cb925cb6","impliedFormat":1},
{"version":"d10d63718e1646c2279e3b33831f82c60e31f622b2b7020f1196409ca4c09242","impliedFormat":1},
{"version":"106c6025f1d99fd468fd8bf6e5bda724e11e5905a4076c5d29790b6c3745e50c","impliedFormat":1},
{"version":"e3b0c44298fc1c149afbfb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"148679c6d0f449210a96e7d2e562d589e56fcd87f843a92808b3ff103f1a774","impliedFormat":1},
{"version":"e3b0c44298fc1c149afbfb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"02436d7e9ead85e09a2f8e27d5f47d9464bced31738dec138ca735390815c9f0","impliedFormat":1},
{"version":"f8d5ff8eafcd37499f2b6a98659dd9b45a321de186b8db6b6142faed0fea3de77","impliedFormat":1},
{"version":"c86fe861cf1b4c46a0fb7d74dffe596cf679a2e5e8b1456881313170f092e3fa","impliedFormat":1},
{"version":"a22dd55aa4d39906252000ab8e8a1b83b195eef7f4274eb51e457c1f11cf6580","impliedFormat":1},
{"version":"540cc83ab772a2c6bc509fe1354f314825b5dba3669efdfbe4693ecd3048e34f","impliedFormat":1},
{"version":"121b0696021ab885c570bbeb331be8ad82c6efe2f3b93a6e63874901bebc13e3","impliedFormat":1},
{"version":"612d9da66bb046a9c1e2e8d026245ded881fc4b9f98cbfae714415d57ee0ae0b","impliedFormat":1},
{"version":"32c2ad9494dad5d11b0564a619fee18f388db6c1e9e2cd3c360b3122549691eb","impliedFormat":1},
{"version":"6c301d40aec56a74ec7bd7324e31a728dadf9bfbca3e96def02938d3d973534ec","impliedFormat":1},
{"version":"e3b0c44298fc1c149afbfb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"e3b0c44298fc1c149afbfb4c8996fb92427ae41e4649b934ca495991b7852b855","impliedFormat":1},
{"version":"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","impliedFormat":1},
{"version":"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","impliedFormat":1},
{"version":"aa14cee20aa0db79f8df101fc027d929aec10feb5b8a8da3b9af3895d05b7ba2","impliedFormat":1},
{"version":"493c700ac3bd317177b2eb913805c87fe60d4e8af4fb39c41f04ba81fae7e170","impliedFormat":1},
{"version":"aeb554d876c6b8c818da2e118d8b11e1e559adbe6bf606cc9a611c1b6c09f670","impliedFormat":1},
{"version":"acf5a2ac47b59ca07afa9abbd2b31d001bf7448b041927befae2ea5b1951d9f9","impliedFormat":1},
{"version":"8e609bb71c20b858c77f0e9f90bb1319db8477b13f9f965f1a1e18524bf50881","impliedFormat":1},
{"version":"d71291eff1e19d8762a908ba947e891af44749f3a2cbc5bd2ec4b72f72ea795f","impliedFormat":1},
{"version":"c0480e03db4b816dfff2682b347c95f2177699525c54e7e6f6aa8ded890b76be7","impliedFormat":1},
{"version":"25a5f6fd3a2243c859eddc99ab5fba11d970af2fe7a5df9c32b7668f76f97b01","impliedFormat":1},
{"version":"8d207e1f9d2c30d6f77dfa693f3827c3fbf0d89240297e10bdfef041d433df68","impliedFormat":1},
{"version":"b620391fe8060cf9bedc176a4d01366e6574d7a71e0ac0ab344a4e76576fcbb8","impliedFormat":1},
{"version":"6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff","impliedFormat":1},
{"version":"2652448ac55a2010a1f71dd141f828b682298d39728f9871e1cdf8696ef443fd","impliedFormat":1},

```

```

{"version":"d682336018141807fb602709e2d95a192828fcb8d5ba06dda3833a8ea98f69e3","impliedFormat":1},
{"version":"6124e973eab8c52cabf3c07575204efc1784aca6b0a30c79eb85fe240a857efa","impliedFormat":1},
{"version":"0d891735a21edc75df51f3eb995e18149e119d1ce22fd40db2b260c5960b914e","impliedFormat":1},
{"version":"3b414b99a73171e1c4b7b7714e26b87d6c5cb03d200352da5342ab4088a54c85","impliedFormat":1},
{"version":"4fbd3116e00ed3a6410499924b6403cc9367fdca303e34838129b328058ede40","impliedFormat":1},
{"version":"9c82171d836c47486074e4ca8e059735bf97b205e70b196535b5efd40cbe1bc5","impliedFormat":1},
{"version":"8c70ddc0c22d85e56011d49fddfaae3405eb53d47b59327b9dd589e82df672e7","impliedFormat":1},
{"version":"2f9c89cbb29d362290531b48880a4024f258c6033aaeb7e59fbc62db26819650","impliedFormat":1},
{"version":"a365c4d3bed3be4e4e20793c999c51f5cd7e6792322f14650949d827fbcd170f","impliedFormat":1},
{"version":"c5426dbfc1cf90532f66965a7aa8c1136a78d4d0f96d8180ecbfc11d7722f1a5","impliedFormat":1},
{"version":"65a15fc47900787c0bd18b603afb98d33ede930bed1798fc984d5ebb78b26cf9","impliedFormat":1},
{"version":"9d202701f6e0744adb6314d03d2eb8fc994798fc83d91b691b75b07626a69801","impliedFormat":1},
{"version":"de9d2df7663e64e3a91bf495f315a7577e23ba088f2949d5ce9ec96f44fba37d","impliedFormat":1},
{"version":"c7af78a2ea7cb1cd009cfb5bdb48cd0b03dad3b54f6da7aab615c2e9e9d570c5","impliedFormat":1},
{"version":"1ee45496b5f8bdee6f7abc233355898e5bf9bd51255db65f5ff7ede617ca0027","impliedFormat":1},
{"version":"273782b8454e78f6a8b30d2cbbf6860499c930595095fcc1689637115f0eddda","affectsGlobalScope":true,"impliedFormat":1},
{"version":"3fbdd025f9d4d820414417eeb4107ffa0078d454a033b506e22d3a23bc3d9c41","affectsGlobalScope":true,"impliedFormat":1},
{"version":"dba114fb6a32b355a9cfc26ca2276834d72fe0e94cd2c3494005547025015369","impliedFormat":1},
{"version":"a8f8e6ab2fa07b45251f403548b78eaf2022f3c2254df3dc186cb2671fe4996d","affectsGlobalScope":true,"impliedFormat":1},
{"version":"fa6c12a7c0f6b84d512f200690bfc74819e99efae69e4c95c4cd30f6884c526e","impliedFormat":1},
{"version":"f1c32f9ce9c497da4dc215c3bc84b722ea02497d35f9134db3bb40a8d918b92b","impliedFormat":1},
{"version":"b73c319af2cc3ef8f6421308a250f328836531ea3761823b4cabbd133047aefa","affectsGlobalScope":true,"impliedFormat":1},
{"version":"e433b0337b8106909e7953015e8fa3f2d30797cea27141d1c5b135365bb975a6","impliedFormat":1},
{"version":"9f9bb6755a8ce32d656ffa4763a8144aa4f274d6b69b59d7c32811031467216e","impliedFormat":1},
{"version":"5c32bdfbd2d65e8fffb9fbd04d7165e9181b08dad61154961852366deb7540","impliedFormat":1},
{"version":"ddff7fc6edbdc5163a09e22bf8df7bef75f75369ebd7ecea95ba55c4386e2441","impliedFormat":1},
{"version":"0c05e9842ec4f8b7bfebf8d3ca61604bb8c914ba8da9b5337c4f25da427a005f2","impliedFormat":1},
{"version":"faed7a5153215dbd6ebe76dfdcc0af0cfe760f7362bed43284be544308b114cf","impliedFormat":1},
{"version":"7029e566b8df176f703fb59fd437a38670c7a0e02c58b2d66dfb5b2e2b2defdb","impliedFormat":1},
{"version":"7f2aa4d4989a82530aaac3f72b3dceca90e9c25bee0b1a327e8a08a1262435ad","impliedFormat":1},
{"version":"d96b39301d0ded3f1a27b47759676a33a02f6f5049bfcdbde81e533fd10f50dcb","impliedFormat":1},
{"version":"e9f147ecca73d9346a4c073432843c159cbe50bdc6b78a78f6da10eae2cecf4","impliedFormat":1},
{"version":"de061f7d72bd65c06fc1419f841dfdcb29a8e22fe6fa527d1e6eb20b897d4de0","impliedFormat":1},
{"version":"663beafc2446079574570cba86e9b15f986f908ddb1b01274509970126fee945","impliedFormat":1},
{"version":"a3102887d5058bf4cb5b37fa6964c09e9527c42053b3b5c642b89878620748de","impliedFormat":1},
{"version":"0aaaa1727edd29673d85c9b26d7ca4d54e5407a48586903c51b48b7f7d196f61","impliedFormat":1},
{"version":"d35bca0b261bf02635758c48e8ab99c61c420d0dfabbcf467e847171d876b7d","impliedFormat":1},
{"version":"3bc12c40d90c342ff88a3d876996c555ed5cbee5fe8c3308a240b321f401ee46","impliedFormat":1},
{"version":"ba130768aae855a5477e9e148e5c879548e6e7ccbcc56fd1934c8a18ea5b7569","impliedFormat":1},
{"version":"2e4f37ffe8862b14d8e24ae8763daaa8340c0df0b859d9a9733def0eee7562d9","impliedFormat":1},
{"version":"d38530db0601215d6d767f280e3a3c54b2a83b709e8d9001acb6f61c67e965fc","impliedFormat":1},
{"version":"6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff","impliedFormat":1},
{"version":"b499af2054a037a162b3b72cd886f48bbf32a3502c865c6e29fac7d2ab3ce0b5","impliedFormat":1},
{"version":"b83cb14474fa603cf3ec660146b97d122f0735627fb80d82dd03e8caa39b4388c","impliedFormat":1},
{"version":"48773ca557b0319c2ee62ae29cf52a81709e8be139920d6479a66274de7c4ed","impliedFormat":1},
{"version":"7274fbffbd7c9589d8d0ffba68157237afd5cecff1e99881ea3399127e60572f","impliedFormat":1},
{"version":"b73cbf0a72c8800cf8f96a9acfe94f3ad32ca71342a8908b8ae484d61113f647","impliedFormat":1},
{"version":"bae6dd176832f6423966647382c0d7ba9e63f8c167522f09a982f086cd4e8b23","impliedFormat":1},
{"version":"20865ac316b8893c1a0cc383ccfc1801443fbcc2a7255be166cf90d03fac88c9","impliedFormat":1},
{"version":"c9958eb32126a3843deedda8c22fb97024aa5d6dd588b90af2d7f2bfac540f23","impliedFormat":1},
{"version":"461d0ad8ae5f2ff981778af912ba71b37a8426a33301daa00f21c6ccb27f8156","impliedFormat":1},
{"version":"e927c2c13c4eaf0a7f17e6022eee8519eb29ef42c4c13a31e81a611ab8c95577","impliedFormat":1},
{"version":"fcafff163ca5e66d3b87126e756e1b6dfa8c526aa9cd2a2b0a9da837d81bbd72","impliedFormat":1},
{"version":"70246ad95ad8a22bdf806cb5d383a26c0c6e58e7207ab9c431f1cb175aca657","impliedFormat":1},
{"version":"f00f3aa5d64ff46e00648b55a79dcd1333458f7a10da2ed594d9f0a44b76d0b","impliedFormat":1},
{"version":"772d8d5eb158b6c92412c03228bd9902ccb1457d7a705b8129814a5d1a6308fc","impliedFormat":1},
{"version":"802e797bcab5663b2c9f63f51bdf67eff7c41bc64c0fd65e6da3e7941359e2f7","impliedFormat":1},
{"version":"b01bd582a6e41457bc56e6f0f9de4cb17f33f5f3843a7c8210ac9c18472fb0f","impliedFormat":1},
{"version":"8b4327413e5af38cd8cb97c59f48c3c866015d5d642f28518e3a891c469f240e","impliedFormat":1},
{"version":"4cceef18d7f088e797a463e90b7a9dad10c6bc667724b7686e3e740ae00122be","impliedFormat":1},
{"version":"7ee86fbb3754388e004de0ef9e6505485ddfb3be7640783d6d015711c03d302d","impliedFormat":1},

```

```

{"version":"cc1954b539604b1e562319119ac7e888172208b32ca873f9a357a92c826bd046","impliedFormat":1},
{"version":"a67b87d0281c97dfc1197ef28dfe397fc2c865ccd41f7e32b53f647184cc7307","impliedFormat":1},
{"version":"771ffb773f1ddd562492a6b9aaca648192ac3f056f0e1d997678ff97dbb6bf9b","impliedFormat":1},
{"version":"43e96a3d5d1411ab40ba2f61d6a3192e58177bcf3b133a80ad2a16591611726d","impliedFormat":1},
{"version":"232f70c0cf2b432f3a6e56a8dc3417103eb162292a9fd376d51a3a9ea5fbbf6f","impliedFormat":1},
{"version":"bb8f2dbc03533abca2066ce4655c119bfff353dd4514375beb93c08590c03e023","impliedFormat":1},
{"version":"706dd95827e7ebaabda91d5db2b755233e0952d98570e9c032b0f066a15c1177","affectsGlobalScope":true,"impliedFormat":1},
{"version":"0b103e9abfe82d14c0ad06a55d9f91d6747154ef7cacc73cf27ecad2bfb3afcf","impliedFormat":1},
{"version":"cd9304972e6d616197fb44fce00540a904f38b54306a1951b5dbeaf3c01ab5bd","impliedFormat":1},
{"version":"77438e2c397a3db78407621cfc57241a305b310ddea2c185f1d555248297f587","impliedFormat":1},
{"version":"120599fd965257b1f4d0fff794bc696162832d9d8467224f4665f713a3119078b","impliedFormat":1},
{"version":"43ba4f2fa8c698f5c304d21a3ef596741e8e85a810b7c1f9b692653791d8d97a","impliedFormat":1},
{"version":"5433f33b0a20300cca35d2f229a7fc20b0e8477c44be2affeb21cb464af60c76","impliedFormat":1},
{"version":"db036c56f79186da50af66511d37d9fe77fa6793381927292d17f81f787bb195","impliedFormat":1},
{"version":"a6805fcafed712aea7759f8bc731014fd22738c1d6ef9d43b8091d1d48346d5","impliedFormat":1},
{"version":"c49469a5349b3cc1965710b5b0f98ed6c0228686aa8450bcb3796728873eb923e","impliedFormat":1},
{"version":"4a889f2c763edb4d55cb624257272ac10d04a1cad2ed2948b10ed4a7fda2a428","impliedFormat":1},
{"version":"7bb79aa2fead87d9d56294ef71e056487e848d7b550c9a367523ee5416c44cfa","impliedFormat":1},
{"version":"d88ea80a6447d7391f52352ec97e56b52ebec934a4a4af6e2464cfd8b39c3ba8","impliedFormat":1},
{"version":"142617b3cdf902b69c6464c9fbd942b60ab3e733ca18c032b19e0f7e2adbefe8","impliedFormat":1},
{"version":"0b603555f1881f87256fffd6344d3e3ed6d466c2e701eabf381f28be8c2125892","impliedFormat":1},
{"version":"897e4f7662488e3ecc79e743bdd3b78f13bdb69a97851afa5b440c4211e32ea9","impliedFormat":1},
{"version":"e2e1c6d3b2d93add5200bd7bc1a8ccc4e446836b2111ece45db8683a2c765de","impliedFormat":1},
{"version":"251b03d5cd243854ce870d9a9a39f491faf69898c5d6b5eee28cc7649c57417b","impliedFormat":1},
{"version":"27ff4196654e6373c9af16b6165120e2dd2169f9ad6abb5c935af5abd8c7938c","impliedFormat":1},
{"version":"2c4de79f406d137390608e8c0a44fba2ff8e00bacfcae7c9d1781fef10e9440d","impliedFormat":1},
{"version":"07ba23a10465791be5d22deaf5ef7de7658774ddff53721e5ea17fedea1bc721","impliedFormat":1},
{"version":"dca8c645c5afeb03b1ecedbf16323f33e7d0afaa6256c8e047e6e38087a97f53","impliedFormat":1},
{"version":"775f181bd4a533d6f8b5e55ec1d9f1624559720ae8a70e9432258da26b38d27c","impliedFormat":1},
{"version":"796273b2edc72e78a04e86d7c58ae94d370ab93a0ddf40b1aa85a37a1c29ecd7","impliedFormat":1},
{"version":"5df15a69187d737d6d8d066e189ae4f97e41f4d53712a46b2710ff9f8563ec9f","impliedFormat":1},
{"version":"7715134a0cf07dd41a9da2895d708625a3a303a0385e355ecaaf0b8bfaef2550","impliedFormat":1},
{"version":"6ac6715916fa75a1f7ebdfecac09513b4d904b667d827b7535e84ff59679aff","impliedFormat":1},
{"version":"622694a8522b46f6310c2a9b5d2530dde1e2854cb5829354e6d1ff8f371cf469","impliedFormat":1},
{"version":"cd8ce8d68567f62dd580b3c3c37777ac3f5b81944c7417f5ea83030eab533385","impliedFormat":1},
{"version":"e5c939d896565dcac0f6fbdbada11284e7728ef26a069561c09aa5aa4a788393","impliedFormat":1},
{"version":"9e2739b32f741859263fdb0244c194ca8e96da49b430377930b8f721d77c000","impliedFormat":1},
{"version":"a9e6c0ff3f8186fccd05752cf75fc94e147c02645087ac6de5cc16403323d870","impliedFormat":1},
{"version":"49af4b52f0d4d2304c5f2c6fe5fab3e153e0acc38830d0202821b877c097dd02","impliedFormat":1},
{"version":"49c346823ba6d4b12278c12c977fb3a31c06b9ca719015978cb145eb86da1c61","impliedFormat":1},
{"version":"bfac6e50eaa7e73bb66b7e052c38fdc8ccfc8dbde2777648642af33cf349f7f1","impliedFormat":1},
{"version":"92f7c1a4da7fbfd67a2228d1687d5c2e1faa0ba865a94d3550a3941d7527a45d","impliedFormat":1},
{"version":"f53b120213a9289d9a26f5af90c4c686dd71d91487a0aa5451a38366c70dc64b","impliedFormat":1},
{"version":"e68b8e5a1df7c1be2bc105141456ecba70215806e1c28bfbfc5c12bfce4be6e68","impliedFormat":1},
{"version":"511c8f02329808d47d00b859c532ae9115590048b17325a946c74dac48428650","impliedFormat":1},
{"version":"57d67b72e06059adc5e9454de26bbfe567d412b962a501d263c75c2db430f40e","impliedFormat":1},
{"version":"b5f9e66625783eefcbe3d2da074b2e7ba20666d1ce3fc6ef4f22805ad946cab4","impliedFormat":1},
{"version":"e37115962d284b9f7a37c2bdd2add507f88365dded41f50eff591ffc48a8ec7575","impliedFormat":1},
{"version":"6459054aabb306821a043e02b89d54da508e3a6966601a41e71c166e4ea1474f","impliedFormat":1},
{"version":"bb37588926aba35c9283fe8d46ebf4e79ffe976343105f5c6d45f282793352b2","impliedFormat":1},
{"version":"f89488602bec98a142072fae7ea5ba99431a569ff580c64b7be39896474799d8","impliedFormat":1},
{"version":"bbbc47961f39a57df103cf4ca3bb8f8732b4b6678a18225a0aa76d59c466956c","impliedFormat":1},
{"version":"2e6114a7dd6feef85b2c80120fdbfb59a5529c0dcc5bfa8447b6996c97a69f5","impliedFormat":1},
{"version":"2fffb043dc5163458e473b7010859f86e01dc4edffcae0a93d885d028b426a546","impliedFormat":1},
{"version":"c8f004e6036aa1c764ad4ec543cf89a5c1893a9535c80ef3f2b653e370de45e6","impliedFormat":1},
{"version":"dd80b1e600d00f5c6a6ba23f455b84a7db121219e68f89f10552c54ba46e4dc9","impliedFormat":1},
{"version":"b064c36f35de7387d71c599bfcf28875849a1dbc733e82bd26cae3d1cd060521","impliedFormat":1},
{"version":"05c7280d72f3ed26f346cbe7cbbbbb002fb7f15739197cbbbee6ab3fd1a6cb9347","impliedFormat":1},
{"version":"8de9fe97fa9e00ec00666fa77ab6e91b35d25af8ca75dabcb01e14ad3299b150","impliedFormat":1},
{"version":"04b7b2e0832dfd3c31e81df3975e8d8fda28e7ff999b0aa2932608a8f6661d5c","impliedFormat":1},
{"version":"ca2d34c6ed5cbd3070b8b6f32f42ae54adcc6499c1e4b99f0a5798b3f27cc653","impliedFormat":1},
{"version":"9ec68995e66dd6b9dac834bf5ae85fde802714ea2e82151a5d1d53ef01b463ef","impliedFormat":1},
{"version":"5c4d626b4902f2ef8a1cc146d761d276cef988016dc674e3b98fbad70e64bc9f","impliedFormat":1},
{"version":"fdfaa0aad899524962e2955287b5b991ffe3be50f64e02eb60c933ca44644a94","impliedFormat":1},

```

```

{"version":"53c972a0f9bc3a4ec70fff7314123ea8cfcf75b3703046f767d2dc1eea87b2fb","impliedFormat":1},
{"version":"f974e4a06953682a2c15d5bd5114c0284d5abf8bc0fe4da25cb9159427b70072","impliedFormat":1},
{"version":"50256e9c31318487f3752b7ac12ff365c8949953e04568009c8705db802776fb","impliedFormat":1},
{"version":"7d73b24e7bf31dfb8a931ca6c4245f6bb0814dfae17e4b60c9e194a631fe5f7b","impliedFormat":1},
{"version":"d130c5f73768de51402351d5dc7d1b36eae980ca697846e53156e4ea9911476","impliedFormat":1},
{"version":"413586add0cfe7369b64979d4ec2ed56c3f771c0667fbde1bf1f10063ede0b08","impliedFormat":1},
{"version":"06472528e998d152375ad3bd8ebcb69ff4694fd8d2effaf60a9d9f25a37a097a","impliedFormat":1},
{"version":"7303b45138d2511035056a5901a1490ebdcfb055cbb1276f8629c5121cbe733e","impliedFormat":1},
{"version":"27f874cd5327507eef6f99a74567f60c1215b94509f4308633a7b01922471ed2","impliedFormat":1},
{"version":"a401617604fa1f6ce437b81689563dfdc377069e4c58465dbd8d16069aede0a5","impliedFormat":1},
{"version":"2c6cf04bc525caf6546e859e8ef10bfb9573837ec0bc5ec7b53a7b1b8ca72781","impliedFormat":1},
{"version":"8695dec09ad439b0ceef3776ea68a232e381135b516878f0901ed2ea114fd0fe","impliedFormat":1},
{"version":"304b44b1e97dd4c94697c3313df89a578dca4930a104454c99863f1784a54357","impliedFormat":1},
{"version":"0a437ae178f999b46b6153d79095b60c42c996bc0458c04955f1c996dc68b971","impliedFormat":1},
{"version":"74b2a5e5197bd0f2e0077a1ea7c07455bbea67b87b0869d9786d55104006784f","impliedFormat":1},
{"version":"4a7baeb6325920044cf66c0f8e5e6f1f52e06e6d87588d837bdf44feb6f35c664","impliedFormat":1},
{"version":"87cc05fe13108f02e12da7e3efd8e360fef78d96a0c9e11408ea1b1b9fb3e03d","impliedFormat":1},
{"version":"1abbf67c218d23c2ce76887caac2df6c7dab3d97ba2b65348432b876f510002a","impliedFormat":1},
{"version":"1a82deef4c1d39f6882f28d275cad4c01f907b9b39be9cbc472fcfcf051e05b","impliedFormat":1},
{"version":"4b20fcf10a5413680e39f5666464859fc56b1003e7dfe2405ced82371ebd49b6","impliedFormat":1},
{"version":"c06ef3b2569b1c1ad99fcd7fe5fba8d466e2619da5375dfa940a94e0feea899b","impliedFormat":1},
{"version":"f7d628893c9fa52ba3ab01bcb5e79191636c4331ee5667ecc6373cbccff8ae12","impliedFormat":1},
{"version":"1d879125d1ec570bf04bc1f362fdb0cb538315c7ac4bcfcdf0c1e9670846aa6","impliedFormat":1},
{"version":"dad97c99382889e9c7d1a9d8275500ff71235130fae9f8916fdbf3641d56e592","impliedFormat":1},
{"version":"a6dba407fc287f1e25454e75028c91bbc00675f2d1c4e8b3edcc36c08611a486","impliedFormat":1},
{"version":"d663134457d8d669ae0df34eabd57028bddc04fc444c4bc04bc5215afc91e1f4","impliedFormat":1},
{"version":"e91f7b1344577a02f051b9b471f33044fef8334a76dc9e1de003d17595a5219b","impliedFormat":1},
{"version":"c0723195c85e19656d6b5b9fdb81d3f3403c1ae4679e722c6ea058c516b38d12","impliedFormat":1},
{"version":"b55eb9f72166093b5460d34b34f5d8699c968de3bc3fc696e40f2c93f2ebf650","impliedFormat":1},
{"version":"71d9eb4c4e99456b78ae182fb20a5dfc20eb1667f091dbb9335b3c017dd1c783","impliedFormat":1},
{"version":"cfa846a7b7847a1d973605fbb8c91f47f3a0f0643c18ac05c47077ebc72e71c7","impliedFormat":1},
{"version":"1594da19968752a22b2ac48c2d0e605575700e745c577a8a4a676b841238ad5bb","impliedFormat":1},
{"version":"e0cee12109e0a10a4c3d6769fc7644b7f523659ea1728f5af29f8a137","impliedFormat":1},
{"version":"7d4254b4c6c67a29d5e7f65e67d72540480ac2cfb041ca484847f5ae70480b62","impliedFormat":1},
{"version":"3536968defef8a75514f547ead5e2e9c1e984820290ec9b00c5fdfb6ef786535","impliedFormat":1},
{"version":"d83773870080c30a230e322ce13a9c6f3398e8dacea4ea8a83e26370f3bac23e","impliedFormat":1},
{"version":"dcfeaf98d66314fec29a9076c4290e45d0b196a65827becc19138e9c7b855f37","impliedFormat":1},
{"version":"6849fe9210fe4946d5f085bfed36758f33dc6ae15a751338d178dd4daa017c46","impliedFormat":1},
{"version":"888cda0fa66d7f74e985a3f7b1af1f64b8ff03eb3d5e80d051c3cbdeb7f32ab7","impliedFormat":1},
{"version":"60681e13f3545be5e9477acb752b741eae6eaf4cc01658a25ec05bff8b82a2ef","impliedFormat":1},
{"version":"ffae4e1e06aa848a1e4bcef162cd1c48e5909b26223515981310af9c036bdfc7","impliedFormat":1},
{"version":"a57b1802794433adec9ff3fed12aa79d671faed86c49b09e02e1ac41b4f1d33a","impliedFormat":1},
{"version":"34e16eb7c31768a11a08aebcfb3d70d7b8f0b016197e98d8419e566ceae6d6c8","impliedFormat":1},
{"version":"f94ec1f7e4b709d26960306c9082a7a1b728a6e13089346aa48ba57c74cbf47e","impliedFormat":1},
{"version":"9a11cb4033405e96c247cd5aa29790212aaffdd127869e8a5219103f0b389fd5","impliedFormat":1},
{"version":"01479d9d5a5dda16d529b91811375187f61a06e74be294a35ecce77e0b9e8d6c","impliedFormat":1},
{"version":"aff5213585cb72e94054dfe17250ff315f3569b3919d1ef1ad235f37c4ee894e","impliedFormat":1},
{"version":"fb20a35e1b6388d722d7725e2b49c697d34d9c890c3b96758faeb86d35cef8","impliedFormat":1},
{"version":"ce0df82a9ae6f914ba08409d4d883983cc08e6d59eb2d4d8e4d68309e7848b","impliedFormat":1},
{"version":"1a4dc28334a926d90ba6a2d811ba0ff6c22775fcc13679521f034c124269fd40","impliedFormat":1},
{"version":"f05315ff85714f0b87cc0b54bcd3dde2716e5a6b99aedcc19cad02bf2403e08c","impliedFormat":1},
{"version":"5fad3b31fc17a5bc58095118a8b160f5260964787c52e7eb51e3d4fcf5d4a6f0","impliedFormat":1},
{"version":"72105519d0390262cf0abe84cf41c926ade0ff475d35eb21307b2f94de985778","impliedFormat":1},
{"version":"456006a6975b26c0a1785feddae165f6d307e2d601ffde27e21fc4a790e448a4","impliedFormat":1},
{"version":"c857e0aae3f5f444abd791ec81206020fbcc1223e187316677e026d1c1d6fe08","impliedFormat":1},
{"version":"ccf6dd45b708fb74ba9ed0f2478d4eb9195c9dfef0ff83a6092fa3cf2ff53b4f","impliedFormat":1},
{"version":"1fe0d18b111e1145a7e7601855bccd4ca20f24e3b9a5aba6bb1fa9d1a7059170","impliedFormat":1},
{"version":"5632c3c26d420c063eebe64c45b1248b9492a67bf44f1d0c57e9dc8f6cf449bb","impliedFormat":1},
{"version":"0df5aa619ab12993a39ea6dae062ee46eadbb4d738916460e636ada52bcd75b","impliedFormat":1},
{"version":"8fca3039857709484e5893c05c1f9126ab7451fa6c29e19bb8c2411a2e937345","impliedFormat":1},
{"version":"35069c2c417bd7443ae7c7cafd1de02f665bf015479fec998985ffbbb500628c","impliedFormat":1},
{"version":"10ab7be91f87ebe8916b62cf28af2e45b5601fc7b0e311adf838f912c6b31dd8","impliedFormat":1},
{"version":"bc636fbc08e0979ceb7eb0731a33000283d77a33b62e1f71ee65be50394e40ba","impliedFormat":1},
{"version":"7e0b7f91c5ab6e33f511efc640d36e6f933510b11be24f98836a20a2dc914c2d","impliedFormat":1},
{"version":"045b752f44bf9bbdcffdd882424ab0e15cb8d11fa94e1448942e338c8ef19fba","impliedFormat":1},

```



```

{"version":"2894c56cad581928bb37607810af011764a2f511f575d28c9f4af0f2ef02d1ab","impliedFormat":1},
{"version":"0a72186f94215d020cb386f7dca81d7495ab6c17066eb07d0f44a5bf33c1b21a","impliedFormat":1},
{"version":"75bbd3be047d539988a0ff0b56384ef7a6a25f3b676ad96bee547d44c31622a7","impliedFormat":1},
{"version":"42960001a776b089ade681ab5cfdcc936e0afb0615133ec1841f3dee89d3e1bf","impliedFormat":1},
{"version":"0aedb02516baf3e66b2c1db9fef50666d6ed257edac0f866ea32f1aa05aa474f","impliedFormat":1},
{"version":"da47712b394d944328245482603bc6f416d3949b67c9392279caab595076b510","affectsGlobalScope":true,"impliedFormat":1},
{"version":"37d0071d8f0a06dc55c2c5e0ec3391affd4fd107c53410bf358196ec0bf3923f","impliedFormat":1},
{"version":"b213dad76ca37fd552274c9499056e1c0d9c1bd38a55bb7f68b22ba6b84c3ad7","impliedFormat":1},
{"version":"56ccb49443bfb72e5952f7012f0de1a8679f9f75fc93a5c1ac0bafb28725fc5f","impliedFormat":1},
{"version":"20fa37b636fdcc1746ea0738f733d0aed17890d1cd7cb1b2f37010222c23f13e","impliedFormat":1},
{"version":"d90b9f1520366d713a73bd30c5a9eb0040d0fb6076aff370796bc776fd705943","impliedFormat":1},
{"version":"bc03c3c352f689e38c0ddd50c39b1e65d59273991bfc8858a9e3c0ebb79c023b","impliedFormat":1},
{"version":"19df3488557c2fc9b4d8f0bac0fd20fb59aa19dec67c81f93813951a81a867f8","affectsGlobalScope":true,"impliedFormat":1},
{"version":"b25350193e103ae90423c5418ddb0ad1168dc9c393c9295ef34980b990030617","affectsGlobalScope":true,"impliedFormat":1},
{"version":"bef86adb77316505c6b471da1d9b8c9e428867c2566270e8894d4d773a1c4dc2","impliedFormat":1},
{"version":"5a49adaef698b7ad7e6127949fa1b0bbd3d46b7cbd11c54e392a4dcdd51f5190","impliedFormat":1},
{"version":"6ee598cdfdd0fa52039dca135b3dfff7b49035dc13292143e0a93843e3861967","impliedFormat":1},
{"version":"27be6622e2922a1b412eb057faa854831b95db9db5035c3f6d4b677b902ab3b7","impliedFormat":1},
{"version":"5c634644d45a1b6bc7b05e71e05e52ec04f3d73d9ac85d5927f647a5f965181a","impliedFormat":1},
{"version":"2489bf04d77dc025ba67f49f1a56eb24b9db477d5fff88123d887e163ed1776aa","impliedFormat":1},
{"version":"63a7595a5015e65262557f883463f934904959da563b4f788306f699411e9bac","impliedFormat":1},
{"version":"4ba137d6553965703b6b55fd2000b4e07ba365f8caeb0359162ad7247f9707a6","impliedFormat":1},
{"version":"0b77b819b5417775fccb20c678293cf614c054a5b1a65421a5b933a9124ba998","impliedFormat":1},
{"version":"eb5acb58487367e502d994b57e2c58255d8241f481ea8efa8e79af23af3f41c2","impliedFormat":1},
{"version":"9252d498a77517aab5d8d4b5eb9d71e4b225bbc7123df9713e08181de63180f6","impliedFormat":1},
{"version":"b1f1d57fde8247599731b24a733395c880a6561ec0c882efaaf20d7df968c5af","impliedFormat":1},
{"version":"6715dc4eb59c8ea9abe2b78c235ed331dc710a06fe56798868dbc4d40cd1b707","impliedFormat":1},
{"version":"35e6379c3f7cb27b11ad4c1aa69538fd8e788ab737b8ff7596a1b40e96f4f90","impliedFormat":1},
{"version":"1ffffe726740f9787f15b532e1dc870af3cd964dbe29e191e76121aa3dd8693f2","impliedFormat":1},
{"version":"5a3ea721d03a361ccbdd7390ccd75f6e84cbca3a3f01f4b331ecc9af31890c49","impliedFormat":1},
{"version":"e7dfaee4af38d45b1cab8a1ee0b3bc1f85ddcf64545ed391d675d78ae6526274","affectsGlobalScope":true,"impliedFormat":1},
{"version":"e8daa443eaf9a27fd382cc1f8ebe30330c0f4d89511cfb469166874806751d35","impliedFormat":1},
{"version":"af48e58339188d5737b608d41411a9c054685413d8ae88b8c1d0d9bfabdf6e7e","impliedFormat":1},
{"version":"616775f16134fa9d01fc677ad3f76e68c051a056c22ab552c64cc281a9686790","impliedFormat":1},
{"version":"65c24a8baa2cca1de069a0ba9fba82a173690f52d7e2d0f1f7542d59d5eb4db0","impliedFormat":1},
{"version":"f9fe6af238339a0e5f7563acee3178f51db37f32a2e7c09f85273098cee7ec49","impliedFormat":1},
{"version":"1de8c302fd35220d8f29dea378a4ae45199dc8ff83ca9923aca1400f2b28848a","impliedFormat":1},
{"version":"77e71242e71ebf8528c5802993697878f0533db8f2299b4d36aa015bae08a79c","impliedFormat":1},
{"version":"98a787be42bd92f8c2a37d7df5f13e5992da0d967fab794adbb7ee18370f9849","impliedFormat":1},
{"version":"332248ee37cca52903572e66c11bef755ccc6e235835e63d3c3e60ddda3e9b93","impliedFormat":1},
{"version":"94e8cc88ae2ef3d920bb3bdc369f48436db123aa2dc07f683309ad8c9968a1e1","impliedFormat":1},
{"version":"4545c1a1ceca170d5d83452dd7c4994644c35cf676a671412601689d9a62da35","impliedFormat":1},
{"version":"320f4091e33548b554d2214ce5fc31c96631b513dffa806e2e3a60766c8c49d9","impliedFormat":1},
{"version":"a2d648d333cf67b9aeac5d81a1a379d563a8ffa91ddd61c6179f68de724260ff","impliedFormat":1},
{"version":"d90d5f524de38889d1e1dbdc2aee0f0060d779f68688c02766ddb9ca195e4a713d","impliedFormat":1},
{"version":"07ed3ddab975995eea41b22f3010506fb9f5fb301d04820b07d7a1ae5477d7c","impliedFormat":1},
{"version":"969d8b0965849f4bae7cab0ba90bd1e1220e95999c2c6f01117fa7500901c017","impliedFormat":1},
{"version":"6ec840ee5e2bc103f557fe38b1d585ee250540468713d7634ee066de372bf332","impliedFormat":1},
{"version":"b0309e1eda99a9e76f87c18992d9c3689b0938266242835dd4611f2b69efe456","impliedFormat":1},
{"version":"47699512e6d8bebf7be488182427189f999affe3addc1c87c882d36b7f2d0b0e","impliedFormat":1},
{"version":"6ceb10ca57943be87ff9debe978f4ab73593c0c85ee802c051a93fc96aaf7a20","impliedFormat":1},
{"version":"1de3ffe0cc28a9fe2ac761ece075826836b5a02f340b412510a59ba1d41a505a","impliedFormat":1},
{"version":"e46d6cc08d243d8d0d83986f609d830991f00450fb234f5b2f861648c42dc0d8","impliedFormat":1},
{"version":"1c0a98de1323051010ce5b958ad47bc1c007f7921973123c999300e2b7b0ecc0","impliedFormat":1},
{"version":"ff863d17c6c659440f7c5c536e4db7762d8c2565547b2608f36b798a743606ca","impliedFormat":1},
{"version":"5412ad0043cd60d1f1406fc12cb4fb987e9a734decbbd4db6f6acf71791e36fe","impliedFormat":1},
{"version":"ad036a85efcd9e5b4f7dd5c1a7362c8478f9a3b6c3554654ca24a29aa850a9c5","impliedFormat":1},
{"version":"fedebae32c5cdd1a85b4e0504a01996e4a8adf3dfa72876920d3dd6e42978e7","impliedFormat":1},
{"version":"e297c0a524edee7677939122f90027bfbef5f2698939d9a85728e5044b39c7124","impliedFormat":1},
{"version":"cdf21eee8007e339b1b9945abf4a7b44930b1d695cc528459e68a3adc39a622e","impliedFormat":1},
{"version":"bc9ee0192f056b3d5527bcd78dc3f9e527a9ba2bdc0a2c296fbc9027147df4b2","impliedFormat":1},

```



```

{"version":"b62381cae176db34f003cc6172ee8f3e0122014889d66391aa73698105cf4934","impliedFormat":1},
{"version":"1d9c0a9a6df4e8f29dc84c25c5aa0bb1da5456ebede7a03e03df08bb8b27bae6","impliedFormat":1},
{"version":"84380af21da938a567c65ef95aefb5354f676368ee1a1cbb4cae81604a4c7d17","impliedFormat":1},
{"version":"1af3e1f2a5d1332e136f8b0b95c0e6c0a02aaabd5092b36b64f3042a03debf28","impliedFormat":1},
{"version":"30d8da250766efa99490fc02801047c2c6d72dd0da1bba6581c7e80d1d8842a4","impliedFormat":1},
{"version":"03566202f5553bd2d9de22dfab0c61aa163cabb64f0223c08431fb3fc8f70280","impliedFormat":1},
{"version":"41eb514d9ce0a6e87957f08a4b7af70d93f87637f37dee706e2d92a6601c25a9","impliedFormat":1},
{"version":"e7765aa8bcb74a38b3230d212b4547686eb9796621ffb4367a104451c3f9614f","impliedFormat":1},
{"version":"1de80059b8078ea5749941c9f863aa970b4735bdbb003be4925c853a8b6b4450","impliedFormat":1},
{"version":"1d079c37fa53e3c21ed3fa214a27507bda9991f2a41458705b19ed8c2b61173d","impliedFormat":1},
{"version":"5bf5c7a44e779790d1eb54c234b668b15e34affa95e78ead73e5757f61ed76a","impliedFormat":1},
{"version":"5835a6e0d7cd2738e56b671af0e561e7c1b4fb77751383672f4b009f4e161d70","impliedFormat":1},
{"version":"4b7f74b772140395e7af67c4841be1ab867c11b3b82a51b1aeb692822b76c872","impliedFormat":1},
{"version":"7bd01f0f28cd3aeb2046274d85208e245965f6f2948edf4f7b2057bcf9f22ccc","impliedFormat":99},
{"version":"d2f2cf2b8cc92bea913cda4a076e0f790b23a21e84f989d12f0116a7fe3906e0","impliedFormat":99},
{"version":"6de125ea94866c736c6d58d68eb15272cf7d1020a5b459fea1c660027eca9a90","affectsGlobalScope":true,"impliedFormat":1},
{"version":"f5b20bc288ee49989c95b20847fc93b96bf61cc0845598897a6a53a967dd7d07","affectsGlobalScope":true,"impliedFormat":1},
{"version":"064ac1c2ac4b2867c2ceaa74bbdce0cb6a4c16e7c31a6497097159c18f74aa7c","impliedFormat":1},
{"version":"3dc14e1ab45e497e5d5e4295271d54ff689aeae00b4277979fdd10fa563540ae","impliedFormat":1},
{"version":"d3b315763d91265d6b0e7e7fa93cfdb8a80ce7cdd2d9f55ba0f37a22db00bdb8","impliedFormat":1},
{"version":"b789bf89eb19c777ed1e956dbad0925ca795701552d22e68fd130a032008b9f9","impliedFormat":1},
{"version":"a384610388221cd70cffb4503cee7853b8b076f2b4a55324b20a4bdbc25a3538","affectsGlobalScope":true},
{"version":"7ad303e40d4fdd44f156129e397511953a71481c5cfd86b1862649aaaf240cc","ca9daf0d2269bb8cb03a96e0d23315e6039da8228500896470410795a070e413"},
{"version":"fe93c474ab38ac02e30e3af073412b4f92b740152cf3a751fdaee8cbea982341","impliedFormat":1},
{"version":"3255b97f3f24af29c79cc1aa88004efb13b6285ebdde0a567bf32e19bb65250d","impliedFormat":1},
{"version":"1e00b8bf9e3766c958218cd6144ffe08418286f89ff44ba5a2cc830c03dd22c7","impliedFormat":1},
{"version":"b98a24027c5c78385b127baf3c2f4f29b18c2c8c19c0beed8c74bb57bd98e4ef","ff68e26bc13dfda200bf48f859df3d97ae8cf3a749ff1fbf8279efedcc182932"},
{"version":"a0d69784efd3673bbcdf8752c08c1bc6eb39bec153a5c27a699ad065b8e9756"},
{"version":"b4d5aa274f509717d2b60593da595d2e5f4c9cfb162d5b78143957ab3f19e833"},
{"version":"6c58530e14cf2ba81eebf15114b015806f29df819c93058cedaed459444f720c"},
{"version":"8f900664d9ec24aa2fa8c2e4fa0f5adb49063c077fc228349c20b5a5c18347"},
{"version":"93934a31ce244f1360e6dd5b92a8ec5b3de0bad98b8a6c0b8d98de268e2cb716"},
{"version":"554e69717ca02d9daf8ae56f4b83eb80093e9c15d50ce2639131f32ea2a99214"},
{"version":"af9f730053696717116759329daf43d12e3d2aa99e7f63ebc0dbcc7d0f8e0561"},
{"version":"8f60df355f1977309eea5b163970f8c95c9b3f3a91d3ae46fa60fe6af0b42705","signature":"7237060c590b200df3597909a9a0d2bacbb1ad68dc62cd4338c9357a08826967"},
{"version":"0726ad9c2ab57c0fb91dc3e54ddee60f9c3d8809a6c60613a680f030f2b51d6c","signature":"fc3e57f03c9502f40c4698d34c7ebb3cc17b5e488e6b97b4313262bc963ab413"},
{"version":"d1986184a09a52db8228cb2bb2a61a8c05c9354e5b93cec8e2628d8579c892d7"},
{"version":"a384610388221cd70cffb4503cee7853b8b076f2b4a55324b20a4bdbc25a3538","affectsGlobalScope":true},
{"version":"8c738d7ab02122bec55d98eab2f5e875f5306ebffe56a6be96f2da0916a7ea71"},
{"version":"d1986184a09a52db8228cb2bb2a61a8c05c9354e5b93cec8e2628d8579c892d7"},
{"version":"ac965c40df1c4a3d53cebd90c50063ebda4522b0a054741dc3d2bd98bc852e6"},
{"version":"751764bb94219b4ce8f5475dc35d3de2e432fea01a0c9610cd7f69ad05e398c6","impliedFormat":1},
{"version":"f3d8c757e148ad968f0d98697987db363070abada5f503da3c06aefd9d4248c1","impliedFormat":1},
{"version":"96d14f21b7652903852eef49379d04dbda28c16ed36468f8c9fa08f7c14c9538","impliedFormat":1}],
"root":[[530,532],[536,551]],
"options":{
  "allowJs":true,
  "esModuleInterop":true,
  "jsx":4,
  "module":99,
  "skipLibCheck":true,
  "strict":true,
  "target":4,
  "referencedMap":[[550,1],[530,2],[551,3],[547,4],[548,2],[549,5],[536,6],[544,7],[545,8],[538,9],[537,10],[543,9],[540,8],[541,8],[542,8],[539,8],[546,9],[531,11],[532,12],[374,2],[552,2],[553,2],[554,2],[140,13],[141,13],[142,14],[97,15],[143,16],[144,17],[145,18],[92,2],[95,19],[93,2],[94,2],[146,20],[147,21],[148,22],[149,23],[150,24],[151,25],[152,25],[153,26],[154,27],[155,28],[156,29],[98,2],[96,2],[157,30],[158,31],[159,32],[191,33],[160,34],[161,35],[162,36],[163,37],[164,38],[165,39],[166,40],[167,41],[168,42],[169,43],[170,43],[171,44],[172,2],[173,45],[175,46],[174,47],[176,48],[177,49],[178,50],[179,51],[180,52],[181,53],[182,54],[183,55],[184,56],[185,57],[186,58],[187,59],[188,60],[99,2],[100,2],[101,2],[139,61],[189,62],[190,63],[195,64],[459,65],[196,66],[194,67],[461,68],[460,69],[192,70],[457,2],[193,71],[83,2],[85,72],[456,65],[226,65],[84,2],[482,73],[487,74],[494,75],[477,76],[230,2],[238,77],[378,78],[381,79],[353,2],[366,80],[373,81],[255,2],[355,2],[236,2],[352,82],[398,83],[237,2],[228,84],[380,85],[382,86],[383,87],[454,88],[347,89],[300,90],[360,91],[361,92],[359,93],[358,2],[354,94],[379,95],[239,96],[424,2],[425,97],[266,98],[240,99],[267,98],[303,98],[206,98],[376,100],[375,2],[365,101],[472,2],[215,2],[493,102],[432,103],[433,104],[429,105],[511,2],[330,2],[434,9],[430,106],[516,107],[515,108],[510,2],[281,2],[333,109],[332,2],[509,110],[431,65],[286,111],[293,112],[295,113],[285,2],[290,114],[292,115],[294,116],[289,117],[287,2],[291,118],[512,2],[508,2],[514,119],[513,2],[284,120],[503,121],[506,122],[274,123],[273,124],[272,125],[519,65],[271,126],[260,2],[521,2],[534,127],[533,2],

```

```
[522,65],[523,128],[198,2],[362,129],[363,130],[364,131],[202,2],[367,2],[222,132],[197,2],[446,65],
[204,133],[445,134],[444,135],[435,2],[436,2],[443,2],[438,2],[441,136],[437,2],[439,137],[442,138],
[440,137],[235,2],[232,2],[233,98],[387,2],[392,139],[393,140],[391,141],[389,142],[390,143],[385,2],
[452,9],[227,9],[481,144],[488,145],[492,146],[321,147],[320,2],[315,2],[468,148],[476,149],
[348,150],[349,151],[427,152],[337,2],[450,153],[325,65],[342,154],[453,155],[338,2],[341,156],
[339,2],[451,157],[448,158],[447,2],[449,2],[345,2],[423,159],[210,160],[323,161],[327,162],
[343,163],[346,164],[335,165],[328,166],[475,167],[401,168],[319,169],[207,170],[474,171],[203,172],
[394,173],[386,2],[395,174],[412,175],[384,2],[411,176],[91,2],[406,177],[231,2],[426,178],[402,2],
[216,2],[218,2],[357,2],[410,179],[234,2],[258,180],[344,181],[264,182],[324,2],[409,2],[388,2],
[414,183],[415,184],[356,2],[417,185],[419,186],[418,187],[368,2],[408,170],[421,188],[318,189],
[407,190],[413,191],[243,2],[247,2],[246,2],[245,2],[250,2],[244,2],[253,2],[252,2],[249,2],[248,2],
[251,2],[254,192],[242,2],[310,193],[309,2],[314,194],[311,195],[313,196],[316,194],[312,195],
[223,197],[302,198],[471,199],[469,2],[498,200],[500,201],[464,202],[499,203],[211,204],[208,204],
[241,2],[225,205],[224,206],[220,207],[221,208],[229,209],[257,209],[268,209],[304,210],[269,210],
[213,211],[212,2],[308,212],[307,213],[306,214],[305,215],[214,216],[455,217],[256,218],[463,219],
[428,220],[458,221],[462,222],[351,223],[350,224],[331,225],[317,226],[299,227],[301,228],[298,229],
[220,230],[322,2],[486,2],[219,231],[422,232],[470,233],[329,2],[259,234],[336,235],[334,236],
[261,237],[396,238],[465,2],[262,239],[397,239],[484,2],[483,2],[485,2],[467,2],[466,2],[399,240],
[326,2],[296,241],[217,242],[275,2],[201,243],[263,2],[490,65],[200,2],[502,244],[283,65],[496,9],
[282,245],[479,246],[280,244],[205,2],[504,247],[278,65],[279,65],[270,2],[199,2],[277,248],
[276,249],[265,250],[340,42],[400,42],[416,2],[404,251],[403,2],[288,120],[209,2],[297,65],[473,132],
[480,252],[86,65],[89,253],[90,254],[87,65],[88,2],[377,255],[372,256],[371,2],[370,257],[369,2],
[478,258],[489,259],[491,260],[495,261],[535,262],[497,263],[501,264],[529,265],[505,265],[528,266],
[507,267],[517,268],[518,269],[520,270],[524,271],[527,132],[526,2],[525,272],[405,273],[81,2],
[82,2],[13,2],[14,2],[16,2],[15,2],[2,2],[17,2],[18,2],[19,2],[20,2],[21,2],[22,2],[23,2],[24,2],
[3,2],[25,2],[26,2],[4,2],[27,2],[31,2],[28,2],[29,2],[30,2],[32,2],[33,2],[34,2],[5,2],[35,2],
[36,2],[37,2],[38,2],[6,2],[42,2],[39,2],[40,2],[41,2],[43,2],[7,2],[44,2],[49,2],[50,2],[45,2],
[46,2],[47,2],[48,2],[8,2],[54,2],[51,2],[52,2],[53,2],[55,2],[9,2],[56,2],[57,2],[58,2],[60,2],
[59,2],[61,2],[62,2],[10,2],[63,2],[64,2],[65,2],[11,2],[66,2],[67,2],[68,2],[69,2],[70,2],[1,2],
[71,2],[72,2],[12,2],[76,2],[74,2],[79,2],[78,2],[73,2],[77,2],[75,2],[80,2],[117,274],[127,275],
[116,274],[137,276],[108,277],[107,278],[136,272],[130,279],[135,280],[110,281],[124,282],[109,283],
[133,284],[105,285],[104,272],[134,286],[106,287],[111,288],[112,2],[115,288],[102,2],[138,289],
[128,290],[119,291],[120,292],[122,293],[118,294],[121,295],[131,272],[113,296],[114,297],[123,298],
[103,299],[126,290],[125,288],[129,2],[132,300]],"affectedFilesPendingEmit":
[551,549,536,544,545,538,537,543,540,541,542,539,546,532],"version":"5.9.3"}
```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\.github\commit-msg ---
```

```
#!/bin/sh
# Valida que el mensaje de commit incluya español básico y explicación de cambios.

MSG_FILE="$1"

# Buscar caracteres típicos en español o palabras claves en español
if grep -qE "[áéíóúñÁÉÍÓÚÑ¿¡]" "$MSG_FILE" || grep -qE "(Resumen|Resumen
breve|Descripción|Cambios|Por qué|actualiz|arregl|correcci[oó]n|mejoras|fijo|fixo|ajuste)"
"$MSG_FILE"; then
    exit 0
else
    echo "ERROR: El mensaje de commit debe estar en español y especificar qué se cambió y por qué." >&2
    echo "Usa la plantilla que se agregó automáticamente. Ejemplo:" >&2
    echo "Resumen breve en español (una línea)" >&2
    echo "Descripción:" >&2
    echo "- Cambios: ..." >&2
    echo "- Por qué: ..." >&2
    exit 1
fi
```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\.github\prepare-commit-msg ---
```

```
#!/bin/sh
# Plantilla en español para mensajes de commit.
# Añade una estructura guía si el mensaje está vacío o no contiene la plantilla.
```

```

MSG_FILE="$1"
COMMIT_SOURCE="$2"

# No modificar mensajes de merge o squash generados automáticamente
if [ "$COMMIT_SOURCE" = "merge" ] || [ "$COMMIT_SOURCE" = "squash" ]; then
    exit 0
fi

# Si el mensaje ya contiene la plantilla en español, salir
if grep -qE "Resumen breve en español|Descripción:|- Cambios:|- Por qué:" "$MSG_FILE"; then
    exit 0
fi

# Añadir plantilla al final del mensaje (si está vacío o no tiene contenido útil)
cat <<'EOF' >> "$MSG_FILE"

Resumen breve en español (una línea):
Descripción:
- Cambios: (qué se cambió)
- Por qué: (motivo/beneficio de este cambio)
EOF

exit 0

```

```

--- ARCHIVO: C:\Users\Dell\dinco-web\.github\workflows\ci.yml ---

```

```

name: CI

```

```

on:
  push:
    branches: [main, develop]
  pull_request:
    branches: [main, develop]

```

```

jobs:
  build:
    runs-on: ubuntu-latest
    strategy:
      matrix:
        node-version: [18.x, 20.x]

```

```

steps:
  - name: Checkout
    uses: actions/checkout@v4

  - name: Use Node.js ${ matrix.node-version }
    uses: actions/setup-node@v4
    with:
      node-version: ${ matrix.node-version }
      cache: "npm"

  - name: Install dependencies
    run: npm ci

  - name: Lint
    run: npm run lint

  - name: Build
    run: npm run build

```

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\globals.css ---

```

```

@import "tailwindcss";

```

```

@import "@fontsource/playfair-display/400.css";
@import "@fontsource/playfair-display/700.css";
@import "@fontsource/playfair-display/900.css";
@import "@fontsource/inter/400.css";
@import "@fontsource/inter/500.css";
@import "@fontsource/inter/600.css";
@import "@fontsource/inter/700.css";
@import "@fontsource/inter/900.css";

:root {
  --dinco-azul: #0056B3;
  --dinco-rojo: #FF2A39;
  --dinco-azul-oscuro: #003d82;
  --dinco-rojo-oscuro: #cc0015;
  --dinco-fondo: #f8fafc;
  --dinco-texto: #0f172a;
}

* {
  box-sizing: border-box;
  margin: 0;
  padding: 0;
}

html {
  scroll-behavior: smooth;
}

body {
  font-family: 'Inter', -apple-system, BlinkMacSystemFont, sans-serif;
  color: var(--dinco-texto);
  background: white;
  -webkit-font-smoothing: antialiased;
  -moz-osx-font-smoothing: grayscale;
}

h1, h2, h3, .font-display {
  font-family: 'Playfair Display', Georgia, serif;
}

/* Scrollbar personalizada */
::-webkit-scrollbar {
  width: 6px;
}
::-webkit-scrollbar-track {
  background: #f1f5f9;
}
::-webkit-scrollbar-thumb {
  background: var(--dinco-azul);
  border-radius: 3px;
}

/* Selección de texto */
::selection {
  background: var(--dinco-azul);
  color: white;
}

/* Animaciones globales */
@keyframes fadeInUp {
  from {
    opacity: 0;
    transform: translateY(24px);
  }
  to {

```

```

    opacity: 1;
    transform: translateY(0);
  }
}

@keyframes fadeIn {
  from { opacity: 0; }
  to { opacity: 1; }
}

@keyframes slideInLeft {
  from {
    opacity: 0;
    transform: translateX(-24px);
  }
  to {
    opacity: 1;
    transform: translateX(0);
  }
}

.animate-fade-in-up {
  animation: fadeInUp 0.6s ease forwards;
}

.animate-fade-in {
  animation: fadeIn 0.4s ease forwards;
}

.animate-slide-in-left {
  animation: slideInLeft 0.6s ease forwards;
}

/* Delay utilities */
.delay-100 { animation-delay: 0.1s; }
.delay-200 { animation-delay: 0.2s; }
.delay-300 { animation-delay: 0.3s; }
.delay-400 { animation-delay: 0.4s; }
.delay-500 { animation-delay: 0.5s; }

/* Glassmorphism */
.glass {
  background: rgba(255, 255, 255, 0.1);
  backdrop-filter: blur(12px);
  -webkit-backdrop-filter: blur(12px);
  border: 1px solid rgba(255, 255, 255, 0.2);
}

.glass-dark {
  background: rgba(0, 0, 0, 0.3);
  backdrop-filter: blur(12px);
  -webkit-backdrop-filter: blur(12px);
  border: 1px solid rgba(255, 255, 255, 0.1);
}

/* Card hover premium */
.card-hover {
  transition: transform 0.3s ease, box-shadow 0.3s ease;
}
.card-hover:hover {
  transform: translateY(-6px);
  box-shadow: 0 20px 60px rgba(0, 86, 179, 0.15);
}

/* Gradiente marca */

```

```
.gradient-dinco {
  background: linear-gradient(135deg, var(--dinco-azul) 0%, #0080ff 100%);
}
```

```
.gradient-dinco-text {
  background: linear-gradient(135deg, var(--dinco-azul) 0%, #0080ff 100%);
  -webkit-background-clip: text;
  -webkit-text-fill-color: transparent;
  background-clip: text;
}
```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\layout.tsx ---

```
import type { Metadata } from 'next'
import './globals.css'
import PresenciaSocial from '@components/layout/PresenciaSocial'

export const metadata: Metadata = {
  title: {
    default: 'DINCO Inmobiliaria & Constructora',
    template: '%s | DINCO Inmobiliaria',
  },
  description: 'Plataforma global de venta, renta y promoción de propiedades en República Dominicana y el mundo. Más de 12 años de experiencia.',
  keywords: ['inmobiliaria', 'propiedades', 'Puerto Plata', 'Cabarete', 'Sosúa', 'República Dominicana', 'venta', 'renta'],
  openGraph: {
    title: 'DINCO Inmobiliaria & Constructora',
    description: 'Plataforma global de negocios inmobiliarios',
    locale: 'es_DO',
    type: 'website',
  },
}

export default function RootLayout({
  children,
}: Readonly<{
  children: React.ReactNode
}>) {
  return (
    <html lang="es" className="scroll-smooth">
      <body className="min-h-full flex flex-col antialiased">
        {children}
        <PresenciaSocial />
      </body>
    </html>
  )
}
```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\not-found.tsx ---

```
import Link from 'next/link'

export default function NotFound() {
  return (
    <div className="min-h-screen bg-[#0056B3] flex items-center justify-center px-6">
      <div className="text-center max-w-lg">
        <div
          className="w-full h-64 bg-cover bg-center rounded-3xl mb-8 opacity-20"
          style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=800&q=80)' }}
        />
        <p className="text-[#FF2A39] font-black text-sm tracking-widest uppercase mb-2">Error 404</p>
        <h1 className="text-5xl font-black text-white mb-4">
          Página no encontrada
        </h1>
      </div>
    </div>
  )
}
```

```

    </h1>
    <p className="text-white/70 text-lg mb-8">
      La página que buscas no existe o fue movida. Pero tenemos más de 600 propiedades
esperándote.
    </p>
    <div className="flex flex-col sm:flex-row gap-3 justify-center">
      <Link
        href="/"
        className="bg-white text-[#0056B3] font-black px-8 py-4 rounded-xl hover:bg-[#FF2A39]
hover:text-white transition-all duration-300"
      >
        Ir al inicio
      </Link>
      <Link
        href="/propiedades"
        className="bg-transparent border-2 border-white text-white font-black px-8 py-4 rounded-
xl hover:bg-white hover:text-[#0056B3] transition-all duration-300"
      >
        Ver propiedades
      </Link>
    </div>
  </div>
</div>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\page.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Hero from '@components/ui/Hero'
import SeccionRegiones from '@components/ui/SeccionRegiones'
import PropiedadesDestacadas from '@components/property/PropiedadesDestacadas'
import SeccionAgentes from '@components/ui/SeccionAgentes'
import SeccionPostulacion from '@components/ui/SeccionPostulacion'
import Testimonios from '@components/ui/Testimonios'

export default function Home() {
  return (
    <main>
      <Navbar />
      <Hero />
      <SeccionRegiones />
      <PropiedadesDestacadas />
      <SeccionAgentes />
      <SeccionPostulacion />
      <Testimonios />
      <Footer />
    </main>
  )
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\agentes\page.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'

const agentes = [
  { id: 1, nombre: 'Carlos Durán', cargo: 'Agente Senior', region: 'Puerto Plata', idiomas:
['Español', 'Inglés'], propiedades: 48, foto: 'https://images.unsplash.com/photo-1507003211169-
0a1dd7228f2d?w=400&q=80', whatsapp: '18091234567', email: 'carlos@dinco.com' },
  { id: 2, nombre: 'María González', cargo: 'Agente Inmobiliaria', region: 'Cabarete', idiomas:
['Español', 'Inglés', 'Francés'], propiedades: 35, foto: 'https://images.unsplash.com/photo-
1494790108377-be9c29b29330?w=400&q=80', whatsapp: '18097654321', email: 'maria@dinco.com' },
  { id: 3, nombre: 'Roberto Méndez', cargo: 'Agente Comercial', region: 'Santo Domingo', idiomas:

```

```
[ 'Español', 'Inglés', 'Alemán'], propiedades: 62, foto: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=400&q=80', whatsapp: '18099876543', email: 'roberto@dinco.com' },
  { id: 4, nombre: 'Ana Martínez', cargo: 'Agente de Lujo', region: 'Sosúa', idiomas: ['Español', 'Inglés', 'Italiano'], propiedades: 29, foto: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=400&q=80', whatsapp: '18091112233', email: 'ana@dinco.com' },
  { id: 5, nombre: 'Pedro Reyes', cargo: 'Agente Internacional', region: 'Samaná', idiomas: ['Español', 'Inglés', 'Portugués'], propiedades: 21, foto: 'https://images.unsplash.com/photo-1500648767791-00dcc994a43e?w=400&q=80', whatsapp: '18094445566', email: 'pedro@dinco.com' },
  { id: 6, nombre: 'Laura Sánchez', cargo: 'Agente Residencial', region: 'Monte Cristi', idiomas: ['Español', 'Inglés'], propiedades: 17, foto: 'https://images.unsplash.com/photo-1544005313-94ddf0286df2?w=400&q=80', whatsapp: '18097778899', email: 'laura@dinco.com' },
]
```

```
const regiones = ['Todas', 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo', 'Samaná', 'Monte Cristi']
```

```
export default function Agentes() {
  return (
    <main>
      <Navbar />

      { /* HERO */ }
      <section className="pt-32 pb-16 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
            Nuestro equipo
          </span>
          <h1 className="text-5xl font-black text-white mb-4">Directorio de agentes</h1>
          <p className="text-white/75 text-lg max-w-2xl mx-auto">
            Expertos en cada región listos para asesorarte y encontrar la propiedad ideal
          </p>
        </div>
      </section>

      { /* FILTRO POR REGIÓN */ }
      <section className="bg-white border-b border-gray-100 py-4 px-6 sticky top-0 z-40 shadow-sm">
        <div className="max-w-7xl mx-auto flex flex-wrap gap-2">
          {regiones.map((region) => (
            <button
              key={region}
              className={`px-4 py-2 rounded-full text-sm font-semibold transition-all duration-200 ${
                region === 'Todas'
                  ? 'bg-[#0056B3] text-white'
                  : 'bg-gray-100 text-gray-600 hover:bg-[#0056B3] hover:text-white'
              }`}
            >
              {region}
            </button>
          ))}
        </div>
      </section>

      { /* GRID DE AGENTES */ }
      <section className="py-16 px-6 bg-gray-50">
        <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
          {agentes.map((agente) => (
            <div key={agente.id} className="bg-white rounded-2xl shadow-md hover:shadow-xl transition-all duration-300 overflow-hidden group">

              { /* FOTO */ }
              <div className="relative h-64 overflow-hidden">
                <div
                  className="h-full bg-cover bg-center transition-transform duration-500 group-hover:scale-105"

```



```

        style={{ backgroundImage: `url(${agente.foto})` }}
      />
      <div className="absolute inset-0 bg-linear-to-t from-black/60 to-transparent" />
      <div className="absolute bottom-4 left-4">
        <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-full">
          {agente.region}
        </span>
      </div>
    </div>

    {/* CONTENIDO */}
    <div className="p-6">
      <h3 className="text-gray-900 font-black text-xl mb-1">{agente.nombre}</h3>
      <p className="text-[#0056B3] text-sm font-semibold mb-3">{agente.cargo}</p>

      <div className="flex flex-wrap gap-1 mb-4">
        {agente.idiomas.map((idioma) => (
          <span key={idioma} className="text-xs bg-blue-50 text-[#0056B3] px-2 py-0.5
rounded-full">
            {idioma}
          </span>
        ))}
      </div>

      <p className="text-gray-400 text-sm mb-5">
        <span className="text-[#0056B3] font-black text-xl">{agente.propiedades}</span>
propiedades activas
      </p>

      <div className="flex gap-2">
        <a
          href={`https://wa.me/${agente.whatsapp}`}
          target="_blank"
          rel="noopener noreferrer"
          className="flex-1 bg-green-500 hover:bg-green-600 text-white text-sm font-bold
py-2.5 rounded-xl text-center transition-colors duration-300"
        >
          WhatsApp
        </a>
        <a
          href={`mailto:${agente.email}`}
          className="flex-1 bg-[#0056B3] hover:bg-[#003d82] text-white text-sm font-bold
py-2.5 rounded-xl text-center transition-colors duration-300"
        >
          Email
        </a>
      </div>
    </div>
  </div>
</section>

  <Footer />
</main>
)
}

```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\app\blog\page.tsx ---
```

```
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'
```

```
const articulos = [
```

```

{
  id: 1,
  titulo: 'Guía completa para comprar propiedad en República Dominicana siendo extranjero',
  categoria: 'Guía del comprador',
  fecha: '15 Mayo 2025',
  tiempo: '8 min lectura',
  imagen: 'https://images.unsplash.com/photo-1560518883-ce09059eeffa?w=800&q=80',
  resumen: 'Todo lo que necesitas saber sobre el proceso legal, impuestos y requisitos para
adquirir una propiedad en RD como ciudadano extranjero.',
  destacado: true,
},
{
  id: 2,
  titulo: 'Las 5 zonas con mayor plusvalía en la costa norte dominicana en 2025',
  categoria: 'Mercado inmobiliario',
  fecha: '10 Mayo 2025',
  tiempo: '5 min lectura',
  imagen: 'https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=800&q=80',
  resumen: 'Analizamos el comportamiento del mercado en Puerto Plata, Cabarete, Sosúa y sus
alrededores para identificar las mejores oportunidades de inversión.',
  destacado: true,
},
{
  id: 3,
  titulo: 'Cómo rentar tu propiedad en Cabarete y generar ingresos pasivos',
  categoria: 'Inversión',
  fecha: '5 Mayo 2025',
  tiempo: '6 min lectura',
  imagen: 'https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=800&q=80',
  resumen: 'Estrategias probadas para maximizar el retorno de tu inversión inmobiliaria a través
del alquiler vacacional y a largo plazo.',
  destacado: false,
},
{
  id: 4,
  titulo: 'Impuestos y gastos al comprar propiedad en República Dominicana',
  categoria: 'Legal y financiero',
  fecha: '28 Abril 2025',
  tiempo: '7 min lectura',
  imagen: 'https://images.unsplash.com/photo-1554224155-6726b3ff858f?w=800&q=80',
  resumen: 'Desglose completo de todos los impuestos, honorarios y gastos adicionales que debes
considerar al momento de comprar una propiedad.',
  destacado: false,
},
{
  id: 5,
  titulo: 'Samaná: el secreto mejor guardado del Caribe para invertir',
  categoria: 'Destinos',
  fecha: '20 Abril 2025',
  tiempo: '4 min lectura',
  imagen: 'https://images.unsplash.com/photo-1501854140801-50d01698950b?w=800&q=80',
  resumen: 'Por qué Samaná se está convirtiendo en uno de los destinos inmobiliarios más atractivos
para inversores internacionales.',
  destacado: false,
},
{
  id: 6,
  titulo: 'Qué debes verificar antes de firmar un contrato de compraventa',
  categoria: 'Legal y financiero',
  fecha: '15 Abril 2025',
  tiempo: '9 min lectura',
  imagen: 'https://images.unsplash.com/photo-1450101499163-c8848c66ca85?w=800&q=80',
  resumen: 'Lista de verificación completa para proteger tu inversión y evitar sorpresas durante el
proceso de compra de una propiedad.',
  destacado: false,
}

```

```

    },
  ]

const categorias = ['Todas', 'Guía del comprador', 'Mercado inmobiliario', 'Inversión', 'Legal y financiero', 'Destinos']

export default function Blog() {
  const destacados = articulos.filter((a) => a.destacado)
  const resto = articulos.filter((a) => !a.destacado)

  return (
    <main>
      <Navbar />

      {/* HERO */}
      <section className="pt-32 pb-16 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
            Conocimiento inmobiliario
          </span>
          <h1 className="text-5xl font-black text-white mb-4">Blog DINCO</h1>
          <p className="text-white/75 text-lg max-w-2xl mx-auto">
            Guías, noticias del mercado y recursos para tomar la mejor decisión inmobiliaria
          </p>
        </div>
      </section>

      {/* CATEGORÍAS */}
      <section className="bg-white border-b border-gray-100 py-4 px-6 sticky top-0 z-40 shadow-sm">
        <div className="max-w-7xl mx-auto flex flex-wrap gap-2">
          {categorias.map((cat) => (
            <button
              key={cat}
              className={`px-4 py-2 rounded-full text-sm font-semibold transition-all duration-200 ${
                cat === 'Todas'
                  ? 'bg-[#0056B3] text-white'
                  : 'bg-gray-100 text-gray-600 hover:bg-[#0056B3] hover:text-white'
              }`}
            >
              {cat}
            </button>
          ))}
        </div>
      </section>

      <section className="py-16 px-6 bg-gray-50">
        <div className="max-w-7xl mx-auto">

          {/* ARTÍCULOS DESTACADOS */}
          <div className="mb-16">
            <h2 className="text-2xl font-black text-gray-900 mb-8">Artículos destacados</h2>
            <div className="grid grid-cols-1 lg:grid-cols-2 gap-8">
              {destacados.map((articulo) => (
                <Link
                  key={articulo.id}
                  href={` /blog/${articulo.id}`}
                  className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all duration-300 overflow-hidden"
                >
                  <div className="relative overflow-hidden h-64">
                    <div
                      className="h-full bg-cover bg-center transition-transform duration-500 group-hover:scale-110"
                      style={{ backgroundImage: `url(${articulo.imagen})` }}

```

```

    />
    <div className="absolute inset-0 bg-linear-to-t from-black/60 to-transparent" />
    <div className="absolute top-4 left-4">
      <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-
full">
        {articulo.categoria}
      </span>
    </div>
  </div>
  <div className="p-6">
    <div className="flex items-center gap-3 text-gray-400 text-xs mb-3">
      <span>{articulo.fecha}</span>
      <span>.</span>
      <span>{articulo.tiempo}</span>
    </div>
    <h3 className="text-gray-900 font-black text-xl mb-3 group-hover:text-[#0056B3]
transition-colors">
      {articulo.titulo}
    </h3>
    <p className="text-gray-500 text-sm leading-relaxed">{articulo.resumen}</p>
    <div className="flex items-center gap-2 text-[#0056B3] font-bold text-sm mt-4">
      Leer artículo
      <svg className="w-4 h-4 group-hover:translate-x-1 transition-transform"
fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4
4m0 0l-4 4m4-4H3" />
      </svg>
    </div>
  </div>
</Link>
  )}}
</div>
</div>

{ /* TODOS LOS ARTÍCULOS */ }
<div>
  <h2 className="text-2xl font-black text-gray-900 mb-8">Más artículos</h2>
  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
    {resto.map((articulo) => (
      <Link
        key={articulo.id}
        href={` /blog/${articulo.id} `}
        className="group bg-white rounded-2xl shadow-md hover:shadow-xl transition-all
duration-300 overflow-hidden"
      >
        <div className="relative overflow-hidden h-44">
          <div
            className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
            style={{ backgroundImage: `url(${articulo.imagen})` }}
          />
          <div className="absolute top-3 left-3">
            <span className="bg-[#0056B3] text-white text-xs font-bold px-2.5 py-1 rounded-
full">
              {articulo.categoria}
            </span>
          </div>
        </div>
        <div className="p-4">
          <div className="flex items-center gap-2 text-gray-400 text-xs mb-2">
            <span>{articulo.fecha}</span>
            <span>.</span>
            <span>{articulo.tiempo}</span>
          </div>
          <h3 className="text-gray-900 font-black text-sm leading-snug group-hover:text-

```

```

[#0056B3] transition-colors">
    {articulo.titulo}
  </h3>
</div>
</Link>
)}}
</div>
</div>

{/* NEWSLETTER */}
<div className="mt-16 bg-[#0056B3] rounded-3xl p-10 text-center">
  <h3 className="text-3xl font-black text-white mb-3">
    Recibe el mercado en tu correo
  </h3>
  <p className="text-white/75 mb-6">
    Análisis semanal del mercado inmobiliario dominicano directo a tu bandeja de entrada
  </p>
  <div className="flex gap-3 max-w-md mx-auto">
    <input
      type="email"
      placeholder="tu@email.com"
      className="flex-1 px-5 py-3 rounded-xl outline-none text-gray-700 text-sm"
    />
    <button className="bg-[#FF2A39] hover:bg-white hover:text-[#FF2A39] text-white font-
bold px-6 py-3 rounded-xl transition-all duration-300 whitespace-nowrap">
      Suscribirse
    </button>
  </div>
</div>

</div>
</section>

<Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\blog\[id]\page.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

export default function ArticuloBlog() {
  return (
    <main>
      <Navbar />

      <section className="pt-24 pb-16 px-6 bg-white">
        <div className="max-w-4xl mx-auto">

          {/* BREADCRUMB */}
          <div className="flex items-center gap-2 text-gray-400 text-sm mb-8">
            <Link href="/" className="hover:text-[#0056B3] transition-colors">Inicio</Link>
            <span>/</span>
            <Link href="/blog" className="hover:text-[#0056B3] transition-colors">Blog</Link>
            <span>/</span>
            <span className="text-gray-700">Guía para comprar en RD</span>
          </div>

          {/* CATEGORÍA Y FECHA */}
          <div className="flex items-center gap-3 mb-4">
            <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-full">
              Guía del comprador
            </span>

```

```

</span>
<span className="text-gray-400 text-sm">15 Mayo 2025</span>
<span className="text-gray-400 text-sm">.</span>
<span className="text-gray-400 text-sm">8 min lectura</span>
</div>

{/* TÍTULO */}
<h1 className="text-4xl md:text-5xl font-black text-gray-900 mb-6 leading-tight">
  Guía completa para comprar propiedad en República Dominicana siendo extranjero
</h1>

{/* IMAGEN */}
<div
  className="h-80 bg-cover bg-center rounded-3xl mb-10"
  style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1560518883-ce09059eeffa?
w=1200&q=80)' }}
/>

{/* CONTENIDO */}
<div className="prose prose-lg max-w-none">
  <p className="text-gray-600 text-lg leading-relaxed mb-6">
    República Dominicana es uno de los destinos más atractivos del Caribe para la inversión
    inmobiliaria. Su economía estable, clima tropical, playas de clase mundial y legislación favorable
    hacen de este país una opción ideal para compradores internacionales.
  </p>

  <h2 className="text-2xl font-black text-gray-900 mt-10 mb-4">¿Pueden los extranjeros
  comprar propiedades en RD?</h2>
  <p className="text-gray-600 leading-relaxed mb-6">
    Sí. La ley dominicana permite a los ciudadanos extranjeros comprar, vender y poseer
    propiedades con los mismos derechos que los ciudadanos nacionales. No se requiere residencia ni visa
    especial para ser propietario.
  </p>

  <h2 className="text-2xl font-black text-gray-900 mt-10 mb-4">Documentos necesarios</h2>
  <ul className="space-y-2 mb-6">
    {[ 'Pasaporte vigente', 'Certificado de no deuda (si aplica)', 'Prueba de fondos o pre-
    aprobación bancaria', 'Número de RNC (Registro Nacional del Contribuyente)', 'Contrato de compraventa
    firmado por ambas partes' ].map((item) => (
      <li key={item} className="flex items-center gap-3 text-gray-600">
        <div className="w-5 h-5 rounded-full bg-green-100 flex items-center justify-center
        shrink-0">
          <svg className="w-3 h-3 text-green-600" fill="none" stroke="currentColor"
          viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13L4
            19 7" />
          </svg>
        </div>
        {item}
      </li>
    ))}
  </ul>

  <h2 className="text-2xl font-black text-gray-900 mt-10 mb-4">Impuestos al comprar</h2>
  <p className="text-gray-600 leading-relaxed mb-4">
    Al adquirir una propiedad en República Dominicana debes considerar los siguientes
    impuestos y gastos:
  </p>
  <div className="bg-gray-50 rounded-2xl p-6 mb-6">
    {[
      { concepto: 'Impuesto de transferencia', valor: '3% del valor de la propiedad' },
      { concepto: 'Impuesto anual sobre la propiedad (IPI)', valor: '1% del valor
catastral' },
      { concepto: 'Honorarios del notario', valor: '0.5% a 1% del valor' },
      { concepto: 'Registro en el título', valor: 'Variable según la zona' },
    ]}
  </div>

```

```

    ].map((item) => (
      <div key={item.concepto} className="flex justify-between py-3 border-b border-gray-
200 last:border-0">
        <span className="text-gray-600 font-medium">{item.concepto}</span>
        <span className="text-[#0056B3] font-black">{item.valor}</span>
      </div>
    )))
  </div>

  <h2 className="text-2xl font-black text-gray-900 mt-10 mb-4">El papel del agente
inmobiliario</h2>
  <p className="text-gray-600 leading-relaxed mb-6">
    Contar con un agente certificado como los de DINCO es fundamental para navegar el
proceso de compra con seguridad. Un agente te ayuda a verificar el título de propiedad, negociar el
precio, coordinar con el notario y asegurarse de que todo el proceso legal sea correcto.
  </p>
</div>

  { /* CTA */ }
  <div className="bg-[#0056B3] rounded-3xl p-8 text-center mt-12">
    <h3 className="text-2xl font-black text-white mb-3">¿Listo para dar el siguiente paso?
</h3>
    <p className="text-white/75 mb-6">Nuestros agentes te guían en todo el proceso sin costo
adicional</p>
    <div className="flex flex-col md:flex-row gap-3 justify-center">
      <Link
        href="/propiedades"
        className="bg-white text-[#0056B3] font-black px-8 py-3 rounded-xl hover:bg-[#FF2A39]
hover:text-white transition-all duration-300"
      >
        Ver propiedades
      </Link>
      <Link
        href="/contacto"
        className="bg-transparent border-2 border-white text-white font-black px-8 py-3
rounded-xl hover:bg-white hover:text-[#0056B3] transition-all duration-300"
      >
        Hablar con un agente
      </Link>
    </div>
  </div>

  { /* VOLVER */ }
  <div className="mt-10 text-center">
    <Link href="/blog" className="inline-flex items-center gap-2 text-[#0056B3] font-bold
hover:text-[#FF2A39] transition-colors">
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-
7" />
      </svg>
      Volver al blog
    </Link>
  </div>

</div>
</section>

<Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\cabarete\page.tsx ---

```
import CatalogoRegion from '@components/property/CatalogoRegion'
```

```
export default function Cabarete() {
  return (
    <CatalogoRegion
      nombre="Cabarete"
      descripcion="El paraíso del surf y la vida costera"
      imagen="https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=1920&q=80"
      propiedades={86}
      slug="cabarete"
    />
  )
}
```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\contacto\page.tsx ---

```
'use client'
import { useState } from 'react'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'

const oficinas = [
  { ciudad: 'Puerto Plata', direccion: 'Av. Circunvalación Norte, Puerto Plata', telefono: '+1 (809) 123-4567', email: 'pplata@dinco.com', horario: 'Lun-Vie 8am-6pm · Sáb 9am-2pm' },
  { ciudad: 'Santo Domingo', direccion: 'Av. Winston Churchill, Piantini, D.N.', telefono: '+1 (809) 987-6543', email: 'sd@dinco.com', horario: 'Lun-Vie 8am-6pm · Sáb 9am-2pm' },
  { ciudad: 'Cabarete', direccion: 'Carretera Principal, Cabarete, Puerto Plata', telefono: '+1 (809) 456-7890', email: 'cabarete@dinco.com', horario: 'Lun-Vie 9am-5pm · Sáb 10am-1pm' },
]

export default function Contacto() {
  const [enviado, setEnviado] = useState(false)
  const [form, setForm] = useState({ nombre: '', email: '', telefono: '', asunto: '', mensaje: '' })

  const actualizar = (campo: string, valor: string) => setForm((prev) => ({ ...prev, [campo]: valor }))

  const enviar = () => setEnviado(true)

  return (
    <main>
      <Navbar />

      {/* HERO */}
      <section className="pt-32 pb-16 px-6 bg-[#0056B3]">
        <div className="max-w-7xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
            Estamos aquí para ayudarte
          </span>
          <h1 className="text-5xl font-black text-white mb-4">Contáctanos</h1>
          <p className="text-white/75 text-lg max-w-2xl mx-auto">
            Nuestro equipo de agentes está disponible para responder todas tus preguntas
          </p>
        </div>
      </section>

      {/* CONTENIDO PRINCIPAL */}
      <section className="py-16 px-6 bg-gray-50">
        <div className="max-w-7xl mx-auto grid grid-cols-1 lg:grid-cols-2 gap-12">

          {/* FORMULARIO */}
          <div className="bg-white rounded-3xl shadow-xl p-8">
            {!enviado ? (
              <>
                <h2 className="text-2xl font-black text-gray-900 mb-6">Envíanos un mensaje</h2>

```



```

<div className="space-y-4">
  <div className="grid grid-cols-2 gap-4">
    <div>
      <label className="block text-sm font-bold text-gray-700 mb-2">Nombre</label>
      <input
        type="text"
        value={form.nombre}
        onChange={(e) => actualizar('nombre', e.target.value)}
        placeholder="Tu nombre"
        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm"
      />
    </div>
    <div>
      <label className="block text-sm font-bold text-gray-700 mb-2">Teléfono</label>
      <input
        type="tel"
        value={form.telefono}
        onChange={(e) => actualizar('telefono', e.target.value)}
        placeholder="+1 (809) 000-0000"
        className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm"
      />
    </div>
  </div>
  <div>
    <label className="block text-sm font-bold text-gray-700 mb-2">Correo
electrónico</label>
    <input
      type="email"
      value={form.email}
      onChange={(e) => actualizar('email', e.target.value)}
      placeholder="tu@email.com"
      className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm"
    />
  </div>
  <div>
    <label className="block text-sm font-bold text-gray-700 mb-2">Asunto</label>
    <select
      value={form.asunto}
      onChange={(e) => actualizar('asunto', e.target.value)}
      className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm text-gray-700"
    >
      <option value="">Selecciona un asunto</option>
      <option value="compra">Quiero comprar una propiedad</option>
      <option value="renta">Quiero rentar una propiedad</option>
      <option value="vender">Quiero vender mi propiedad</option>
      <option value="inversion">Asesoría de inversión</option>
      <option value="otro">Otro</option>
    </select>
  </div>
  <div>
    <label className="block text-sm font-bold text-gray-700 mb-2">Mensaje</label>
    <textarea
      value={form.mensaje}
      onChange={(e) => actualizar('mensaje', e.target.value)}
      placeholder="Cuéntanos en qué podemos ayudarte..."
      rows={5}
      className="w-full border-2 border-gray-200 rounded-xl px-4 py-3 outline-none
focus:border-[#0056B3] transition-colors text-sm resize-none"
    />
  </div>
  <button

```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\app\dashboard\admin\page.tsx ---
```

```

'use client'
import { useState } from 'react'
import Link from 'next/link'

const STATS = [
  { label: 'Propiedades activas', valor: '247', cambio: '+12 este mes', color: 'text-[#0056B3]', bg: 'bg-blue-50' },
  { label: 'Postulaciones pendientes', valor: '18', cambio: '5 sin revisar', color: 'text-yellow-600', bg: 'bg-yellow-50' },
  { label: 'Usuarios registrados', valor: '1,284', cambio: '+34 esta semana', color: 'text-green-600', bg: 'bg-green-50' },
  { label: 'Negociaciones abiertas', valor: '9', cambio: '3 en firma', color: 'text-[#FF2A39]', bg: 'bg-red-50' },
]

const POSTULACIONES = [
  { id: 1, nombre: 'Michael Johnson', pais: 'US', propiedad: 'Villa frente al mar', region: 'Puerto Plata', tipo: 'Venta', estado: 'Pendiente', fecha: 'Hace 2h' },
  { id: 2, nombre: 'Sophie Müller', pais: 'DE', propiedad: 'Apartamento en Cabarete', region: 'Cabarete', tipo: 'Renta', estado: 'En revisión', fecha: 'Hace 5h' },
  { id: 3, nombre: 'Jean-Pierre Dubois', pais: 'FR', propiedad: 'Villa con piscina', region: 'Sosúa', tipo: 'Venta', estado: 'Aprobada', fecha: 'Ayer' },
  { id: 4, nombre: 'Isabella Rossi', pais: 'IT', propiedad: 'Penthouse ejecutivo', region: 'Santo Domingo', tipo: 'Renta', estado: 'Pendiente', fecha: 'Ayer' },
]

const PROPIEDADES_RECIENTES = [
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', precio: 'US$ 285,000', estado: 'Publicada', visitas: 142 },
  { id: 2, titulo: 'Apartamento beachfront', region: 'Cabarete', precio: 'US$ 145,000', estado: 'En revisión', visitas: 0 },
  { id: 3, titulo: 'Villa de lujo con piscina', region: 'Sosúa', precio: 'US$ 420,000', estado: 'Publicada', visitas: 201 },
  { id: 4, titulo: 'Penthouse ejecutivo', region: 'Santo Domingo', precio: 'US$ 3,500/mes', estado: 'Publicada', visitas: 89 },
]

const TABS = ['Resumen', 'Postulaciones', 'Propiedades', 'Usuarios', 'Reportes']

const REGIONES = ['Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo', 'Samaná', 'Monte Cristi']

export default function DashboardAdmin() {
  const [tab, setTab] = useState(0)

  return (
    <div className="min-h-screen bg-gray-50 flex">

      {/* SIDEBAR */}
      <aside className="w-64 bg-[#0d1b2a] text-white flex flex-col fixed h-full z-40">
        <div className="p-6 border-b border-white/10">
          
          <p className="text-white/40 text-xs font-medium tracking-widest uppercase">Panel Admin</p>
        </div>

        <nav className="flex-1 p-4 space-y-1">
          {[
            { label: 'Resumen', icon: 'M3 12l2-2m0 0l7-7 7 7M5 10v10a1 1 0 01 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1 0 001-1v-4a1 1 0 011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6', active: true },
            { label: 'Propiedades', icon: 'M19 21V5a2 2 0 00-2-2H7a2 2 0 00-2 2v16m14 0h2m-2 0h-5m-9 0H3m2 0h5M9 7h1m-1 4h1m4-4h1m-1 4h1m-5 10v-5a1 1 0 011-1h2a1 1 0 011 1v5m-4 0h4', active: false },
            { label: 'Postulaciones', icon: 'M9 5H7a2 2 0 00-2 2v12a2 2 0 002 2h10a2 2 0 002-2V7a2 2 0 00-2-2h-2M9 5a2 2 0 002 2h2a2 2 0 002-2M9 5a2 2 0 012-2h2a2 2 0 012 2', active: false },
          ]}
        </nav>
      </aside>
    </div>
  )
}

```

```

    { label: 'Agentes', icon: 'M17 20h5v-2a3 3 0 00-5.356-1.857M17 20H7m10 0v-2c0-.656-.126-
1.283-.356-1.857M7 20H2v-2a3 3 0 015.356-1.857M7 20v-2c0-.656.126-1.283.356-1.857m0 0a5.002 5.002 0
019.288 0M15 7a3 3 0 11-6 0 3 3 0 016 0z', active: false },
    { label: 'Usuarios', icon: 'M16 7a4 4 0 11-8 0 4 4 0 018 0zM12 14a7 7 0 00-7 7h14a7 7 0
00-7-7z', active: false },
    { label: 'Negociaciones', icon: 'M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1
1 0 01.707.29315.414 5.414a1 1 0 01.293.707V19a2 2 0 01-2 2z', active: false },
    { label: 'Blog', icon: 'M19 20H5a2 2 0 01-2-2V6a2 2 0 012-2h10a2 2 0 012 2v1m2 13a2 2 0
01-2-2V7m2 13a2 2 0 002-2V9a2 2 0 00-2-2h-2m-4-3H9M7 16h6M7 8h6v4H7V8z', active: false },
    { label: 'Reportes', icon: 'M9 19v-6a2 2 0 00-2-2H5a2 2 0 00-2 2v6a2 2 0 002 2h2a2 2 0
002-2zm0 0V9a2 2 0 012-2h2a2 2 0 012 2v10m-6 0a2 2 0 002 2h2a2 2 0 002-2m0 0V5a2 2 0 012-2h2a2 2 0
012 2v14a2 2 0 01-2 2h-2a2 2 0 01-2-2z', active: false },
  ].map((item) => (
    <button
      key={item.label}
      className={`w-full flex items-center gap-3 px-4 py-3 rounded-xl text-sm font-semibold
transition-all duration-200 ${
        item.active
          ? 'bg-[#0056B3] text-white'
          : 'text-white/50 hover:text-white hover:bg-white/5'
      }`}
    >
      <svg className="w-5 h-5 shrink-0" fill="none" stroke="currentColor" viewBox="0 0 24
24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d={item.icon} />
      </svg>
      {item.label}
    </button>
  )))
</nav>

<div className="p-4 border-t border-white/10">
  <Link
    href="/"
    className="flex items-center gap-3 px-4 py-3 text-white/40 hover:text-white text-sm font-
semibold rounded-xl hover:bg-white/5 transition-all"
  >
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M10 19l-7-7m0
0 17-7m-7 7h18" />
    </svg>
    Ver sitio
  </Link>
</div>
</aside>

{/* CONTENIDO PRINCIPAL */}
<main className="flex-1 ml-64">

  {/* TOPBAR */}
  <header className="bg-white border-b border-gray-100 px-8 py-4 flex items-center justify-
between sticky top-0 z-30">
    <div>
      <h1 className="text-xl font-black text-gray-900">Panel de administración</h1>
      <p className="text-gray-400 text-xs mt-0.5">DINCO Inmobiliaria & Constructora</p>
    </div>
    <div className="flex items-center gap-3">
      <button className="relative p-2 rounded-xl hover:bg-gray-100 transition-colors">
        <svg className="w-5 h-5 text-gray-500" fill="none" stroke="currentColor" viewBox="0 0
24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 17h5l-
1.405-1.405A2.032 2.032 0 0118 14.158V11a6.002 6.002 0 00-4-5.659V5a2 2 0 10-4 0v.341C7.67 6.165 6
8.388 6 11v3.159c0 .538-.214 1.055-.595 1.436L4 17h5m6 0v1a3 3 0 11-6 0v-1m6 0H9" />
        </svg>
        <span className="absolute top-1.5 right-1.5 w-2 h-2 bg-[#FF2A39] rounded-full" />

```

```

    </button>
    <div className="flex items-center gap-2 pl-3 border-1 border-gray-100">
      <div className="w-8 h-8 bg-[#0056B3] rounded-full flex items-center justify-center
text-white text-xs font-black">
        AD
      </div>
      <span className="text-sm font-semibold text-gray-700">Admin DINCO</span>
    </div>
  </div>
</header>

<div className="p-8">

  {/* STATS */}
  <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-5 mb-8">
    {STATS.map((stat) => (
      <div key={stat.label} className="bg-white rounded-2xl p-5 shadow-sm border border-gray-
100 hover:shadow-md transition-shadow">
        <div className={`inline-flex items-center justify-center w-10 h-10 ${stat.bg}
rounded-xl mb-3`} >
          <div className={`w-3 h-3 rounded-full ${stat.color.replace('text-', 'bg-')}} />
        </div>
        <p className={`text-3xl font-black ${stat.color}`}>{stat.valor}</p>
        <p className="text-gray-700 font-semibold text-sm mt-0.5">{stat.label}</p>
        <p className="text-gray-400 text-xs mt-1">{stat.cambio}</p>
      </div>
    ))}
  </div>

  <div className="grid grid-cols-1 lg:grid-cols-3 gap-6">

    {/* POSTULACIONES RECIENTES */}
    <div className="lg:col-span-2 bg-white rounded-2xl shadow-sm border border-gray-100">
      <div className="flex items-center justify-between px-6 py-4 border-b border-gray-100">
        <h2 className="font-black text-gray-900">Postulaciones recientes</h2>
        <span className="text-xs bg-yellow-100 text-yellow-700 font-bold px-2.5 py-1 rounded-
full">
          5 sin revisar
        </span>
      </div>
      <div className="divide-y divide-gray-50">
        {POSTULACIONES.map((p) => (
          <div key={p.id} className="flex items-center justify-between px-6 py-4 hover:bg-
gray-50 transition-colors">
            <div className="flex-1 min-w-0">
              <div className="flex items-center gap-2 mb-0.5">
                <span className="font-bold text-gray-900 text-sm">{p.nombre} {p.pais}</span>
              </div>
              <p className="text-gray-500 text-xs truncate">{p.propiedad} · {p.region}</p>
              <p className="text-gray-400 text-xs">{p.fecha}</p>
            </div>
            <div className="flex items-center gap-3 ml-4">
              <span className={`text-xs font-bold px-2.5 py-1 rounded-full shrink-0 ${
                p.estado === 'Aprobada' ? 'bg-green-100 text-green-700' :
                p.estado === 'Pendiente' ? 'bg-yellow-100 text-yellow-700' :
                'bg-blue-100 text-blue-700'
              }`} >
                {p.estado}
              </span>
              <div className="flex gap-1">
                <button className="w-8 h-8 bg-green-50 hover:bg-green-100 text-green-600
rounded-lg flex items-center justify-center transition-colors">
                  <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24
24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5}

```

```

d="M5 1314 4L19 7" />
    </svg>
  </button>
  <button className="w-8 h-8 bg-red-50 hover:bg-red-100 text-red-500 rounded-lg
flex items-center justify-center transition-colors">
    <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24
24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5}
d="M6 18L18 6M6 6L12 12" />
    </svg>
  </button>
</div>
</div>
</div>
))}
</div>
<div className="px-6 py-3 border-t border-gray-100">
  <button className="text-sm text-[#0056B3] font-bold hover:text-[#FF2A39] transition-
colors">
    Ver todas las postulaciones →
  </button>
</div>
</div>

{/* PANEL DERECHO */}
<div className="space-y-5">

  {/* CATÁLOGOS POR REGIÓN */}
  <div className="bg-white rounded-2xl shadow-sm border border-gray-100 p-5">
    <h2 className="font-black text-gray-900 mb-4">Propiedades por región</h2>
    <div className="space-y-3">
      {[
        { region: 'Santo Domingo', total: 215, color: 'bg-[#0056B3]', pct: 100 },
        { region: 'Puerto Plata', total: 124, color: 'bg-[#FF2A39]', pct: 58 },
        { region: 'Sosúa', total: 98, color: 'bg-green-500', pct: 46 },
        { region: 'Cabarete', total: 86, color: 'bg-yellow-500', pct: 40 },
        { region: 'Samaná', total: 67, color: 'bg-purple-500', pct: 31 },
        { region: 'Monte Cristi', total: 43, color: 'bg-orange-400', pct: 20 },
      ]}.map((r) => (
        <div key={r.region}>
          <div className="flex justify-between text-xs mb-1">
            <span className="text-gray-600 font-medium">{r.region}</span>
            <span className="text-gray-400 font-bold">{r.total}</span>
          </div>
          <div className="h-1.5 bg-gray-100 rounded-full overflow-hidden">
            <div
              className={`h-full ${r.color} rounded-full transition-all duration-700`}
              style={{ width: `${r.pct}%` }}
            />
          </div>
        </div>
      )
    </div>
  </div>

  {/* ACCIONES RÁPIDAS */}
  <div className="bg-white rounded-2xl shadow-sm border border-gray-100 p-5">
    <h2 className="font-black text-gray-900 mb-4">Acciones rápidas</h2>
    <div className="space-y-2">
      {[
        { label: 'Aprobar postulaciones', color: 'bg-green-50 text-green-700 hover:bg-
green-100', count: '5' },
        { label: 'Revisar propiedades', color: 'bg-blue-50 text-[#0056B3] hover:bg-blue-
100', count: '3' },
        { label: 'Asignar agentes', color: 'bg-yellow-50 text-yellow-700 hover:bg-yellow-

```

```

100', count: '2' },
    { label: 'Ver negociaciones', color: 'bg-red-50 text-[#FF2A39] hover:bg-red-100',
count: '9' },
    ].map((a) => (
      <button
        key={a.label}
        className={`w-full flex items-center justify-between px-4 py-3 rounded-xl text-
sm font-bold transition-colors ${a.color}`}
      >
        {a.label}
        <span className="w-6 h-6 bg-white rounded-full flex items-center justify-center
text-xs font-black">
          {a.count}
        </span>
      </button>
    )))
  </div>
</div>

</div>
</div>

{/* TABLA PROPIEDADES */}
<div className="mt-6 bg-white rounded-2xl shadow-sm border border-gray-100">
  <div className="flex items-center justify-between px-6 py-4 border-b border-gray-100">
    <h2 className="font-black text-gray-900">Propiedades recientes</h2>
    <Link href="/propiedades" className="text-sm text-[#0056B3] font-bold hover:text-
[#FF2A39] transition-colors">
      Ver catálogo completo →
    </Link>
  </div>
  <div className="overflow-x-auto">
    <table className="w-full">
      <thead>
        <tr className="border-b border-gray-50">
          <th className="text-left text-xs font-bold text-gray-400 uppercase tracking-wider
px-6 py-3">Propiedad</th>
          <th className="text-left text-xs font-bold text-gray-400 uppercase tracking-wider
px-6 py-3">Región</th>
          <th className="text-left text-xs font-bold text-gray-400 uppercase tracking-wider
px-6 py-3">Precio</th>
          <th className="text-left text-xs font-bold text-gray-400 uppercase tracking-wider
px-6 py-3">Estado</th>
          <th className="text-left text-xs font-bold text-gray-400 uppercase tracking-wider
px-6 py-3">Visitas</th>
          <th className="text-left text-xs font-bold text-gray-400 uppercase tracking-wider
px-6 py-3">Acciones</th>
        </tr>
      </thead>
      <tbody className="divide-y divide-gray-50">
        {PROPIEDADES_RECIENTES.map((p) => (
          <tr key={p.id} className="hover:bg-gray-50 transition-colors">
            <td className="px-6 py-4 font-semibold text-gray-900 text-sm">{p.titulo}</td>
            <td className="px-6 py-4 text-gray-500 text-sm">{p.region}</td>
            <td className="px-6 py-4 text-[#0056B3] font-black text-sm">{p.precio}</td>
            <td className="px-6 py-4">
              <span className={`text-xs font-bold px-2.5 py-1 rounded-full ${
                p.estado === 'Publicada' ? 'bg-green-100 text-green-700' : 'bg-yellow-100
text-yellow-700'
              }`>
                {p.estado}
              </span>
            </td>
            <td className="px-6 py-4 text-gray-500 text-sm">{p.visitas}</td>
            <td className="px-6 py-4">

```

```

                <div className="flex gap-2">
                    <button className="text-xs text-[#0056B3] font-bold hover:text-[#FF2A39]
transition-colors">Editar</button>
                    <button className="text-xs text-gray-400 font-bold hover:text-red-500
transition-colors">Pausar</button>
                </div>
            </td>
        </tr>
    </tbody>
</table>
</div>
</div>
</main>
</div>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\dashboard\agente\page.tsx ---

```

'use client'
import { useState } from 'react'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'

const citas = [
  { id: 1, cliente: 'Michael Johnson us', propiedad: 'Villa frente al mar', fecha: 'Hoy 3:00 PM',
    tipo: 'Presencial', estado: 'Confirmada' },
  { id: 2, cliente: 'Sophie Müller de', propiedad: 'Apartamento beachfront', fecha: 'Mañana 10:00
AM', tipo: 'Virtual', estado: 'Pendiente' },
  { id: 3, cliente: 'Jean-Pierre Dubois FR', propiedad: 'Terreno residencial', fecha: '28 Mayo 2:00
PM', tipo: 'Presencial', estado: 'Confirmada' },
]

const cartera = [
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', precio: 'US$ 285,000', tipo:
'Venta', visitas: 142, imagen: 'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?
w=400&q=80' },
  { id: 2, titulo: 'Apartamento beachfront', region: 'Cabarete', precio: 'US$ 145,000', tipo:
'Venta', visitas: 89, imagen: 'https://images.unsplash.com/photo-1560448204-e02f11c3d0e2?w=400&q=80'
},
  { id: 3, titulo: 'Villa de lujo', region: 'Sosúa', precio: 'US$ 420,000', tipo: 'Venta', visitas:
201, imagen: 'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=400&q=80' },
  { id: 4, titulo: 'Penthouse ejecutivo', region: 'Santo Domingo', precio: 'US$ 3,500/mes', tipo:
'Renta', visitas: 55, imagen: 'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?
w=400&q=80' },
]

const prospectos = [
  { nombre: 'Michael Johnson', pais: 'us', interes: 'Villa · Puerto Plata', presupuesto: 'US$ 250k-
350k', estado: 'Caliente', ultima: 'Hoy' },
  { nombre: 'Sophie Müller', pais: 'de', interes: 'Apartamento · Cabarete', presupuesto: 'US$ 100k-
200k', estado: 'Tibio', ultima: 'Ayer' },
  { nombre: 'Isabella Rossi', pais: 'it', interes: 'Villa · Sosúa', presupuesto: 'US$ 400k+', estado:
'Nuevo', ultima: 'Hace 3 días' },
]

const tabs = ['Mi cartera', 'Citas del día', 'Prospectos', 'Comisiones']

export default function DashboardAgente() {
  const [tabActiva, setTabActiva] = useState(0)

```



```

return (
  <main>
    <Navbar />

    <section className="pt-24 pb-16 px-6 bg-gray-50 min-h-screen">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}
        <div className="flex flex-col md:flex-row md:items-center justify-between gap-4 mb-8">
          <div>
            <div className="flex items-center gap-3 mb-1">
              <div
                className="w-12 h-12 rounded-full bg-cover bg-center border-2 border-[#0056B3]"
                style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1507003211169-
0a1dd7228f2d?w=200&q=80)' }}
              />
              <div>
                <h1 className="text-2xl font-black text-gray-900">Carlos Durán</h1>
                <p className="text-[#0056B3] text-sm font-semibold">Agente Senior · Puerto
Plata</p>
              </div>
            </div>
          </div>
          <div>
            <div className="flex items-center gap-2">
              <div className="w-2 h-2 bg-green-400 rounded-full" />
              <span className="text-green-600 text-sm font-bold">Disponible</span>
            </div>
          </div>

        {/* STATS */}
        <div className="grid grid-cols-2 md:grid-cols-4 gap-4 mb-8">
          {[
            { label: 'Propiedades activas', valor: '48', color: 'text-[#0056B3]' },
            { label: 'Citas esta semana', valor: '6', color: 'text-green-600' },
            { label: 'Prospectos activos', valor: '14', color: 'text-[#FF2A39]' },
            { label: 'Ventas este mes', valor: 'US$ 42k', color: 'text-yellow-600' },
          ]}.map((stat) => (
            <div key={stat.label} className="bg-white rounded-2xl p-5 shadow-sm border border-gray-
100">
              <p className={`text-3xl font-black ${stat.color}`}>{stat.valor}</p>
              <p className="text-gray-500 text-sm mt-1">{stat.label}</p>
            </div>
          )))
        </div>

        {/* TABS */}
        <div className="bg-white rounded-2xl shadow-sm border border-gray-100 overflow-hidden">
          <div className="flex border-b border-gray-100">
            {tabs.map((tab, i) => (
              <button
                key={tab}
                onClick={() => setTabActiva(i)}
                className={`flex-1 py-4 text-sm font-semibold transition-all duration-200 ${
                  tabActiva === i
                    ? 'text-[#0056B3] border-b-2 border-[#0056B3] bg-blue-50'
                    : 'text-gray-500 hover:text-gray-700'
                }`}
              >
                {tab}
              </button>
            ))}
          </div>

          <div className="p-6">

```

```

{ /* TAB 1: CARTERA */ }
{ tabActiva === 0 && (
  <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
    { cartera.map((p) => (
      <div key={p.id} className="flex items-center gap-4 p-4 bg-gray-50 rounded-2xl
hover:bg-gray-100 transition-colors">
        <div
          className="w-20 h-16 rounded-xl bg-cover bg-center shrink-0"
          style={{ backgroundImage: `url(${p.imagen})` }}
        />
        <div className="flex-1 min-w-0">
          <h3 className="font-black text-gray-900 text-sm truncate">{p.titulo}</h3>
          <p className="text-gray-500 text-xs mt-0.5">{p.region} · {p.tipo}</p>
          <p className="text-[#0056B3] font-black text-sm mt-1">{p.precio}</p>
          <p className="text-gray-400 text-xs">{p.visitas} visitas</p>
        </div>
      </div>
    ) ) }
  </div>
)}

{ /* TAB 2: CITAS */ }
{ tabActiva === 1 && (
  <div className="space-y-3">
    { citas.map((c) => (
      <div key={c.id} className="flex items-center justify-between p-4 bg-gray-50
rounded-2xl">
        <div>
          <div className="flex items-center gap-2 mb-1">
            <h3 className="font-black text-gray-900">{c.cliente}</h3>
            <span className={`text-xs font-bold px-2 py-0.5 rounded-full ${
              c.tipo === 'Virtual' ? 'bg-blue-100 text-blue-700' : 'bg-green-100 text-
green-700'
            }`}>
              {c.tipo}
            </span>
          </div>
          <p className="text-[#0056B3] text-sm font-semibold">{c.propiedad}</p>
          <p className="text-gray-400 text-xs mt-0.5">{c.fecha}</p>
        </div>
        <span className={`text-xs font-bold px-3 py-1.5 rounded-xl ${
          c.estado === 'Confirmada' ? 'bg-green-100 text-green-700' : 'bg-yellow-100
text-yellow-700'
        }`}>
          {c.estado}
        </span>
      </div>
    ) ) }
  </div>
)}

{ /* TAB 3: PROSPECTOS */ }
{ tabActiva === 2 && (
  <div className="space-y-3">
    { prospectos.map((p) => (
      <div key={p.nombre} className="flex items-center justify-between p-4 bg-gray-50
rounded-2xl">
        <div>
          <h3 className="font-black text-gray-900">{p.nombre} {p.pais}</h3>
          <p className="text-gray-500 text-sm">{p.interes}</p>
          <p className="text-[#0056B3] font-bold text-sm">{p.presupuesto}</p>
          <p className="text-gray-400 text-xs">Último contacto: {p.ultima}</p>
        </div>
        <div className="text-right">
          <span className={`text-xs font-bold px-3 py-1.5 rounded-full block mb-2 ${

```

```

        p.estado === 'Caliente' ? 'bg-red-100 text-red-700' :
        p.estado === 'Tibio' ? 'bg-yellow-100 text-yellow-700' :
        'bg-blue-100 text-blue-700'
      `}>
      {p.estado}
    </span>
    <button className="text-xs bg-[#0056B3] hover:bg-[#FF2A39] text-white px-3
py-1.5 rounded-xl transition-all duration-200">
      Contactar
    </button>
  </div>
</div>
)))
</div>
))
{ /* TAB 4: COMISIONES */ }
{ tabActiva === 3 && (
  <div>
    <div className="grid grid-cols-3 gap-4 mb-6">
      [[
        { label: 'Este mes', valor: 'US$ 42,000', color: 'bg-green-50 text-green-700'
},
        { label: 'Este año', valor: 'US$ 186,500', color: 'bg-blue-50 text-[#0056B3]'
},
        { label: 'Pendiente cobro', valor: 'US$ 18,000', color: 'bg-yellow-50 text-
yellow-700' },
      ].map((item) => (
        <div key={item.label} className={`p-5 rounded-2xl ${item.color}`}>
          <p className="text-2xl font-black">{item.valor}</p>
          <p className="text-sm mt-1 opacity-75">{item.label}</p>
        </div>
      )))
    </div>
    <div className="bg-gray-50 rounded-2xl p-6 text-center">
      <p className="text-gray-500 text-sm">Historial detallado de comisiones disponible
en la siguiente fase</p>
    </div>
  </div>
))
</div>
</div>
</div>
</section>
<Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\dashboard\propietario\page.tsx ---

```

'use client'
import { useState } from 'react'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

const propiedades = [
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', tipo: 'Venta', precio: 'US$
285,000', estado: 'Publicada', visitas: 142, consultas: 8, imagen:
'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=400&q=80' },
  { id: 2, titulo: 'Apartamento céntrico', region: 'Santo Domingo', tipo: 'Renta', precio: 'US$

```

```

1,800/mes', estado: 'En revisión', visitas: 0, consultas: 0, imagen:
'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?w=400&q=80' },
  { id: 3, titulo: 'Terreno residencial', region: 'Samaná', tipo: 'Venta', precio: 'US$ 95,000',
estado: 'Pausada', visitas: 67, consultas: 3, imagen: 'https://images.unsplash.com/photo-
1500382017468-9049fed747ef?w=400&q=80' },
]

const consultas = [
  { id: 1, nombre: 'Michael Johnson', pais: 'us', propiedad: 'Villa frente al mar', mensaje: 'Me
interesa agendar una visita esta semana.', fecha: 'Hace 2 horas', leído: false },
  { id: 2, nombre: 'Sophie Müller', pais: 'DE', propiedad: 'Villa frente al mar', mensaje: '¿Está
disponible para renta vacacional?', fecha: 'Hace 1 día', leído: true },
  { id: 3, nombre: 'Carlos Pérez', pais: 'DO', propiedad: 'Terreno residencial', mensaje: 'Quisiera
más información sobre el terreno.', fecha: 'Hace 2 días', leído: true },
]

const documentos = [
  { nombre: 'Título de propiedad', estado: 'Verificado', fecha: '10 Mayo 2025' },
  { nombre: 'Planos de construcción', estado: 'Pendiente', fecha: '-' },
  { nombre: 'Certificado catastral', estado: 'Verificado', fecha: '8 Mayo 2025' },
  { nombre: 'Contrato de venta', estado: 'En proceso', fecha: '12 Mayo 2025' },
]

const tabs = ['Mis propiedades', 'Consultas', 'Documentos', 'Negociaciones']

export default function DashboardPropietario() {
  const [tabActiva, setTabActiva] = useState(0)

  return (
    <main>
      <Navbar />

      <section className="pt-24 pb-16 px-6 bg-gray-50 min-h-screen">
        <div className="max-w-7xl mx-auto">

          {/* ENCABEZADO */}
          <div className="flex flex-col md:flex-row md:items-center justify-between gap-4 mb-8">
            <div>
              <h1 className="text-3xl font-black text-gray-900">Mi panel</h1>
              <p className="text-gray-500 mt-1">Bienvenido, <span className="text-[#0056B3] font-
bold">Rafael Durán</span></p>
            </div>
            <Link
              href="/postulacion"
              className="inline-flex items-center gap-2 bg-[#FF2A39] hover:bg-[#0056B3] text-white
font-bold px-6 py-3 rounded-xl transition-all duration-300"
            >
              <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12 4v16m8-8H4"
              />
              </svg>
              Publicar nueva propiedad
            </Link>
          </div>

          {/* STATS */}
          <div className="grid grid-cols-2 md:grid-cols-4 gap-4 mb-8">
            [
              { label: 'Propiedades activas', valor: '2', color: 'text-[#0056B3]' },
              { label: 'Total consultas', valor: '11', color: 'text-green-600' },
              { label: 'Visitas totales', valor: '209', color: 'text-[#FF2A39]' },
              { label: 'Negociaciones abiertas', valor: '1', color: 'text-yellow-600' },
            ].map((stat) => (
              <div key={stat.label} className="bg-white rounded-2xl p-5 shadow-sm border border-gray-
100">

```

```

        <p className={`text-3xl font-black ${stat.color}`}>{stat.valor}</p>
        <p className="text-gray-500 text-sm mt-1">{stat.label}</p>
      </div>
    )}}
  </div>

  {/ * TABS */}
  <div className="bg-white rounded-2xl shadow-sm border border-gray-100 overflow-hidden">
    <div className="flex border-b border-gray-100">
      {tabs.map((tab, i) => (
        <button
          key={tab}
          onClick={() => setTabActiva(i)}
          className={`flex-1 py-4 text-sm font-semibold transition-all duration-200 ${
            tabActiva === i
              ? 'text-[#0056B3] border-b-2 border-[#0056B3] bg-blue-50'
              : 'text-gray-500 hover:text-gray-700'
            }`}
        >
          {tab}
        </button>
      )}}
    </div>

    <div className="p-6">

      {/ * TAB 1: MIS PROPIEDADES */}
      {tabActiva === 0 && (
        <div className="space-y-4">
          {propiedades.map((p) => (
            <div key={p.id} className="flex items-center gap-4 p-4 bg-gray-50 rounded-2xl
            hover:bg-gray-100 transition-colors">
              <div
                className="w-20 h-16 rounded-xl bg-cover bg-center shrink-0"
                style={{ backgroundImage: `url(${p.imagen})` }}
              />
              <div className="flex-1 min-w-0">
                <div className="flex items-center gap-2 mb-1">
                  <h3 className="font-black text-gray-900 truncate">{p.titulo}</h3>
                  <span className={`text-xs font-bold px-2 py-0.5 rounded-full shrink-0 ${
                    p.estado === 'Publicada' ? 'bg-green-100 text-green-700' :
                    p.estado === 'En revisión' ? 'bg-yellow-100 text-yellow-700' :
                    'bg-gray-100 text-gray-600'
                  }`}>
                    {p.estado}
                  </span>
                </div>
                <div>
                  <p className="text-gray-500 text-sm">{p.region} · {p.tipo} · {p.precio}</p>
                  <p className="text-gray-400 text-xs mt-1">{p.visitas} visitas · {p.consultas}
                </p>
                </div>
                <div className="flex gap-2 shrink-0">
                  <button className="text-xs bg-white border border-gray-200 hover:border-
                  [#0056B3] hover:text-[#0056B3] text-gray-600 px-3 py-1.5 rounded-xl transition-all duration-200">
                    Editar
                  </button>
                  <Link
                    href={` /propiedades/${p.id}`}
                    className="text-xs bg-[#0056B3] hover:bg-[#FF2A39] text-white px-3 py-1.5
                    rounded-xl transition-all duration-200"
                  >
                    Ver
                  </Link>
                </div>
              </div>
            </div>
          )}}
        </div>
      )}
    </div>
  </div>

```

```

    ))}
  </div>
)}

{/* TAB 2: CONSULTAS */}
{tabActiva === 1 && (
  <div className="space-y-3">
    {consultas.map((c) => (
      <div key={c.id} className={`p-4 rounded-2xl border transition-colors ${
        !c.leido ? 'bg-blue-50 border-blue-100' : 'bg-gray-50 border-gray-100'
      }`} >
        <div className="flex items-start justify-between gap-3">
          <div className="flex-1">
            <div className="flex items-center gap-2 mb-1">
              <span className="font-black text-gray-900">{c.nombre} {c.pais}</span>
              {!c.leido && (
                <span className="w-2 h-2 bg-[#0056B3] rounded-full shrink-0" />
              )}
            </div>
            <p className="text-[#0056B3] text-xs font-semibold mb-1">{c.propiedad}</p>
            <p className="text-gray-600 text-sm">{c.mensaje}</p>
          </div>
          <div className="text-right shrink-0">
            <p className="text-gray-400 text-xs mb-2">{c.fecha}</p>
            <button className="text-xs bg-[#0056B3] hover:bg-[#FF2A39] text-white px-3
py-1.5 rounded-xl transition-all duration-200">
              Responder
            </button>
          </div>
        </div>
      </div>
    )})}
  </div>
)}

{/* TAB 3: DOCUMENTOS */}
{tabActiva === 2 && (
  <div>
    <div className="space-y-3 mb-6">
      {documentos.map((doc) => (
        <div key={doc.nombre} className="flex items-center justify-between p-4 bg-gray-
50 rounded-2xl">
          <div className="flex items-center gap-3">
            <div className={`w-10 h-10 rounded-xl flex items-center justify-center ${
              doc.estado === 'Verificado' ? 'bg-green-100' :
              doc.estado === 'Pendiente' ? 'bg-gray-100' :
              'bg-yellow-100'
            }`} >
              <svg className={`w-5 h-5 ${
                doc.estado === 'Verificado' ? 'text-green-600' :
                doc.estado === 'Pendiente' ? 'text-gray-400' :
                'text-yellow-600'
              }`} fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2}
d="M9 12h6m-6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0
01-.293.707V19a2 2 0 01-2 2z" />
              </svg>
            </div>
            <div>
              <p className="font-bold text-gray-900 text-sm">{doc.nombre}</p>
              <p className="text-gray-400 text-xs">{doc.fecha}</p>
            </div>
            <span className={`text-xs font-bold px-3 py-1 rounded-full ${
              doc.estado === 'Verificado' ? 'bg-green-100 text-green-700' :

```

```

        doc.estado === 'Pendiente' ? 'bg-gray-100 text-gray-600' :
        'bg-yellow-100 text-yellow-700'
      }`}>
      {doc.estado}
    </span>
  </div>
  )}}
</div>
<button className="w-full border-2 border-dashed border-gray-300 hover:border-
[#0056B3] hover:text-[#0056B3] text-gray-400 font-bold py-4 rounded-2xl transition-all duration-300
flex items-center justify-center gap-2">
  <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M12
4v16m8-8H4" />
  </svg>
  Subir documento
</button>
</div>
)}}

{/* TAB 4: NEGOCIACIONES */}
{tabActiva === 3 && (
  <div className="text-center py-12">
    <div className="w-16 h-16 bg-[#0056B3]/10 rounded-2xl flex items-center justify-
center mx-auto mb-4">
      <svg className="w-8 h-8 text-[#0056B3]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 12h6m-
6 4h6m2 5H7a2 2 0 01-2-2V5a2 2 0 012-2h5.586a1 1 0 01.707.293l5.414 5.414a1 1 0 01.293.707V19a2 2 0
01-2 2z" />
      </svg>
    </div>
    <h3 className="font-black text-gray-900 text-lg mb-2">Módulo de negociaciones</h3>
    <p className="text-gray-500 text-sm max-w-sm mx-auto">
      Aquí aparecerán las ofertas recibidas, contratos en proceso y el estado de cada
negociación activa.
    </p>
    <p className="text-[#0056B3] font-bold text-sm mt-3">Disponible en la siguiente
fase</p>
  </div>
)}}

</div>
</div>

</div>
</section>

<Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\login\page.tsx ---

```

'use client'
import { useState } from 'react'
import Link from 'next/link'

const ROLES = [
  { id: 'propietario', label: 'Propietario', desc: 'Quiero publicar y gestionar mis propiedades',
  icono: 'M3 12l2-2m0 0l7-7 7 7M5 10v10a1 1 0 01 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1 0 01-1
1v-4a1 1 0 011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6' },
  { id: 'comprador', label: 'Comprador / Inversor', desc: 'Busco propiedades para comprar o
invertir', icono: 'M21 21l-6-6m2-5a7 7 0 11-14 0 7 7 0 0114 0z' },

```

```
{ id: 'agente', label: 'Agente inmobiliario', desc: 'Soy agente y quiero trabajar con DINCO',
icono: 'M17 20h5v-2a3 3 0 00-5.356-1.857M17 20H7m10 0v-2c0-.656-.126-1.283-.356-1.857M7 20H2v-2a3 3 0
015.356-1.857M7 20v-2c0-.656.126-1.283.356-1.857m0 0a5.002 5.002 0 019.288 0M15 7a3 3 0 11-6 0 3 3 0
016 0z' },
]
```

```
export default function Registro() {
  const [paso, setPaso] = useState(1)
  const [rol, setRol] = useState('')
  const [form, setForm] = useState({ nombre: '', email: '', telefono: '', password: '', confirmar: ''
})
```

```
  const actualizar = (campo: string, valor: string) =>
    setForm(p => ({ ...p, [campo]: valor })))
```

```
  return (
    <div className="min-h-screen bg-gray-50 flex items-center justify-center p-6">
      <div className="w-full max-w-lg">

        {/* LOGO */}
        <Link href="/" className="flex justify-center mb-8">
          
        </Link>

        {/* INDICADOR DE PASOS */}
        <div className="flex items-center justify-center gap-2 mb-8">
          {[1, 2, 3].map((p) => (
            <div key={p} className="flex items-center">
              <div className={`w-8 h-8 rounded-full flex items-center justify-center text-xs font-
black transition-all duration-300 ${
                paso >= p ? 'bg-[#0056B3] text-white' : 'bg-gray-200 text-gray-400'
              }`} >
                {paso > p ? (
                  <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4
4L19 7" />
                  </svg>
                ) : p}
              </div>
              {p < 3 && <div className={`w-12 h-0.5 mx-1 transition-all duration-300 ${paso > p ?
'bg-[#0056B3]' : 'bg-gray-200'}`} /> }
            </div>
          )]}
        </div>

        <div className="bg-white rounded-3xl shadow-xl p-8">

          {/* PASO 1 – ROL */}
          {paso === 1 && (
            <div>
              <h1 className="text-2xl font-black text-gray-900 mb-2">¿Cómo usarás DINCO?</h1>
              <p className="text-gray-500 text-sm mb-6">Selecciona tu perfil para personalizar tu
experiencia</p>
              <div className="space-y-3">
                {ROLES.map((r) => (
                  <button
                    key={r.id}
                    onClick={() => setRol(r.id)}
                    className={`w-full flex items-center gap-4 p-4 rounded-2xl border-2 text-left
transition-all duration-200 ${
                      rol === r.id
                        ? 'border-[#0056B3] bg-blue-50'
                        : 'border-gray-200 hover:border-gray-300'
                    }`}
                  >
                    >
                )}
              </div>
            </div>
          )}
        </div>
      </div>
    </div>
  )
```



```

    <div className={`w-10 h-10 rounded-xl flex items-center justify-center shrink-0
    ${
        rol === r.id ? 'bg-[#0056B3]' : 'bg-gray-100'
    }`}>
        <svg className={`w-5 h-5 ${rol === r.id ? 'text-white' : 'text-gray-400'}`
fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d=
            {r.icono} />
        </svg>
    </div>
    <div>
        <p className={`font-black text-sm ${rol === r.id ? 'text-[#0056B3]' : 'text-
gray-900'}`}>{r.label}</p>
        <p className="text-gray-400 text-xs mt-0.5">{r.desc}</p>
    </div>
</button>
    )})
</div>
</div>
)}

{/* PASO 2 – DATOS */}
{paso === 2 && (
    <div>
        <h1 className="text-2xl font-black text-gray-900 mb-2">Tus datos personales</h1>
        <p className="text-gray-500 text-sm mb-6">Completa tu información básica</p>
        <div className="space-y-4">
            <div>
                <label className="block text-sm font-bold text-gray-700 mb-2">Nombre
completo</label>
                <input
                    type="text"
                    value={form.nombre}
                    onChange={e => actualizar('nombre', e.target.value)}
                    placeholder="Tu nombre completo"
                    className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4
py-3 text-sm outline-none transition-colors"
                />
            </div>
            <div>
                <label className="block text-sm font-bold text-gray-700 mb-2">Correo
electrónico</label>
                <input
                    type="email"
                    value={form.email}
                    onChange={e => actualizar('email', e.target.value)}
                    placeholder="tu@email.com"
                    className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4
py-3 text-sm outline-none transition-colors"
                />
            </div>
            <div>
                <label className="block text-sm font-bold text-gray-700 mb-2">Teléfono /
WhatsApp</label>
                <input
                    type="tel"
                    value={form.telefono}
                    onChange={e => actualizar('telefono', e.target.value)}
                    placeholder="+1 (809) 000-0000"
                    className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4
py-3 text-sm outline-none transition-colors"
                />
            </div>
        </div>
    </div>
)
}

```

```

    })

    { /* PASO 3 – CONTRASEÑA */ }
    { paso === 3 && (
      <div>
        <h1 className="text-2xl font-black text-gray-900 mb-2">Crea tu contraseña</h1>
        <p className="text-gray-500 text-sm mb-6">Mínimo 8 caracteres con números y letras</p>
        <div className="space-y-4">
          <div>
            <label className="block text-sm font-bold text-gray-700 mb-2">Contraseña</label>
            <input
              type="password"
              value={form.password}
              onChange={e => actualizar('password', e.target.value)}
              placeholder="....."
              className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4
py-3 text-sm outline-none transition-colors"
            />
          </div>
          <div>
            <label className="block text-sm font-bold text-gray-700 mb-2">Confirmar
contraseña</label>
            <input
              type="password"
              value={form.confirmar}
              onChange={e => actualizar('confirmar', e.target.value)}
              placeholder="....."
              className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4
py-3 text-sm outline-none transition-colors"
            />
          </div>
          <div className="bg-gray-50 rounded-xl p-4">
            <p className="text-xs font-bold text-gray-600 mb-2">Al registrarte aceptas:</p>
            <div className="space-y-1 text-xs text-gray-500">
              <p>✓ Términos y condiciones de DINCO</p>
              <p>✓ Política de privacidad</p>
              <p>✓ Recibir comunicaciones sobre propiedades</p>
            </div>
          </div>
        </div>
      </div>
    ) }

    { /* NAVEGACIÓN */ }
    <div className="flex justify-between mt-8 pt-6 border-t border-gray-100">
      { paso > 1 ? (
        <button
          onClick={() => setPaso(paso - 1)}
          className="flex items-center gap-2 text-gray-500 font-bold hover:text-[#0056B3]
transition-colors text-sm"
        >
          <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7" />
          </svg>
          Anterior
        </button>
      ) : <div /> }

      { paso < 3 ? (
        <button
          onClick={() => setPaso(paso + 1)}
          disabled={paso === 1 && !rol}
          className="flex items-center gap-2 bg-[#0056B3] hover:bg-[#FF2A39] text-white font-
black px-8 py-3 rounded-xl transition-all duration-300 disabled:opacity-40 disabled:cursor-not-

```

```

allowed text-sm"
    >
      Continuar
      <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 517 7-7 7"
      />
    </svg>
  </button>
) : (
  <button className="bg-[#0056B3] hover:bg-[#FF2A39] text-white font-black px-8 py-3
rounded-xl transition-all duration-300 text-sm">
    Crear mi cuenta
  </button>
)}
</div>
</div>

<p className="text-center text-sm text-gray-500 mt-6">
  ¿Ya tienes cuenta?{' '}
  <Link href="/login" className="text-[#0056B3] font-bold hover:text-[#FF2A39] transition-
colors">
    Inicia sesión
  </Link>
</p>

</div>
</div>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\monte-cristi\page.tsx ---

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function MonteCristi() {
  return (
    <CatalogoRegion
      nombre="Monte Cristi"
      descripcion="Tierra de oportunidades y paisajes únicos"
      imagen="https://images.unsplash.com/photo-1499793983690-e29da59ef1c2?w=1920&q=80"
      propiedades={43}
      slug="monte-cristi"
    />
  )
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\negociacion\page.tsx ---

```

'use client'
import { useState } from 'react'
import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

const PASOS = [
  { num: 1, label: 'Oferta', desc: 'Propón tu precio' },
  { num: 2, label: 'Documentos', desc: 'Sube tus archivos' },
  { num: 3, label: 'Revisión', desc: 'DINCO valida' },
  { num: 4, label: 'Firma', desc: 'Contrato digital' },
  { num: 5, label: 'Pago', desc: 'Cierre final' },
]

const DOCS_REQUERIDOS = [
  { id: 'id', label: 'Cédula o Pasaporte', requerido: true, subido: false },
  { id: 'fondos', label: 'Prueba de fondos / Pre-aprobación bancaria', requerido: true, subido: false }
]

```

```

    },
    { id: 'escrituras', label: 'Escrituras o Título (si aplica)', requerido: false, subido: false },
    { id: 'impuestos', label: 'Constancia de impuestos al día', requerido: true, subido: false },
  ]

export default function Negociacion() {
  const [paso, setPaso] = useState(1)
  const [oferta, setOferta] = useState('')
  const [mensaje, setMensaje] = useState('')
  const [docs, setDocs] = useState(DOCS_REQUERIDOS)

  const toggleDoc = (id: string) => {
    setDocs(prev => prev.map(d => d.id === id ? { ...d, subido: !d.subido } : d))
  }

  return (
    <main>
      <Navbar />

      { /* HERO */ }
      <section className="pt-32 pb-12 px-6 bg-[#0056B3]">
        <div className="max-w-4xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
            Proceso 100% digital
          </span>
          <h1 className="text-4xl md:text-5xl font-black text-white mb-3">
            Cierre de negociación
          </h1>
          <p className="text-white/75 text-lg">
            Gestiona toda la transacción desde aquí – sin visitas innecesarias
          </p>
        </div>
      </section>

      { /* INDICADOR DE PASOS */ }
      <section className="bg-white border-b border-gray-100 py-6 px-6 sticky top-0 z-40 shadow-sm">
        <div className="max-w-4xl mx-auto">
          <div className="flex items-center justify-between">
            {PASOS.map((p, i) => (
              <div key={p.num} className="flex items-center flex-1">
                <div className="flex flex-col items-center">
                  <div className={`w-10 h-10 rounded-full flex items-center justify-center font-black text-sm transition-all duration-300 ${
                    paso > p.num
                      ? 'bg-green-500 text-white'
                      : paso === p.num
                      ? 'bg-[#0056B3] text-white shadow-lg shadow-blue-200'
                      : 'bg-gray-100 text-gray-400'
                  }`}>
                    {p.num}
                  </div>
                  <div>
                    {paso > p.num ? (
                      <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4 7" />
                      </svg>
                    ) : p.num}
                    </div>
                  <span className={`text-xs font-bold mt-1 hidden md:block transition-colors ${
                    paso >= p.num ? 'text-[#0056B3]' : 'text-gray-400'
                  }`}>{p.label}</span>
                </div>
              </div>
            ))}
          <div className="flex flex-col items-center">
            <div className="flex items-center justify-center font-black text-sm transition-all duration-300 ${
              paso >= PASOS.length - 1 && (
                <div className={`flex-1 h-0.5 mx-2 mb-4 transition-all duration-500 ${
                  paso > p.num ? 'bg-green-400' : 'bg-gray-200'
                }`} />
              </div>
            ) : p.num}
            </div>
          </div>
        </div>
      </section>
    </main>
  )
}

```

```

    })
  </div>
  )))
</div>
</div>
</section>

<section className="py-12 px-6 bg-gray-50">
  <div className="max-w-4xl mx-auto">
    <div className="grid grid-cols-1 lg:grid-cols-3 gap-8">

      { /* FORMULARIO PRINCIPAL */ }
      <div className="lg:col-span-2">
        <div className="bg-white rounded-3xl shadow-sm border border-gray-100 p-8">

          { /* PASO 1 - OFERTA */ }
          {paso === 1 && (
            <div>
              <h2 className="text-2xl font-black text-gray-900 mb-2">Tu oferta</h2>
              <p className="text-gray-500 text-sm mb-6">Propón el precio que consideras justo.
El propietario puede aceptar, rechazar o hacer una contrapropuesta.</p>

              <div className="bg-gray-50 rounded-2xl p-5 mb-6 flex items-center gap-4">
                <div
                  className="w-16 h-16 rounded-xl bg-cover bg-center shrink-0"
                  style={{ backgroundImage: 'url(https://unsplash.com)' }}
                />
                <div>
                  <h3 className="font-black text-gray-900">Villa frente al mar</h3>
                  <p className="text-[#0056B3] font-black text-lg">US$ 285,000</p>
                  <p className="text-gray-400 text-xs">Puerto Plata · Venta</p>
                </div>
              </div>

              <div className="space-y-4">
                <div>
                  <label className="block text-sm font-bold text-gray-700 mb-2">Tu oferta (US$)
</label>

                  <div className="relative">
                    <span className="absolute left-4 top-1/2 -translate-y-1/2 text-gray-400
font-bold">US$</span>

                    <input
                      type="text"
                      value={oferta}
                      onChange={e => setOferta(e.target.value)}
                      placeholder="270,000"
                      className="w-full border-2 border-gray-200 focus:border-[#0056B3]
rounded-xl pl-12 pr-4 py-3.5 text-sm outline-none transition-colors font-bold"
                    />
                  </div>
                  <p className="text-gray-400 text-xs mt-1">Precio listado: US$ 285,000</p>
                </div>
                <div>
                  <label className="block text-sm font-bold text-gray-700 mb-2">Mensaje al
propietario (opcional)</label>
                  <textarea
                    value={mensaje}
                    onChange={e => setMensaje(e.target.value)}
                    placeholder="Explica las razones de tu oferta o cualquier condición
especial..."
                    rows={4}
                    className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-
xl px-4 py-3 text-sm outline-none transition-colors resize-none"
                  />
                </div>

```

```

    <div className="bg-blue-50 rounded-2xl p-4">
      <p className="text-[#0056B3] font-bold text-sm mb-2">¿Qué pasa después?</p>
      <div className="space-y-1.5 text-xs text-gray-600">
        <p>✓ El propietario recibe tu oferta en menos de 1 hora</p>
        <p>✓ Tiene 48h para responder</p>
        <p>✓ Si acepta, pasamos al proceso de documentación</p>
        <p>✓ Tu agente DINCO te acompaña en todo momento</p>
      </div>
    </div>
  </div>
</div>
)}

{/* PASO 2 – DOCUMENTOS */}
{paso === 2 && (
  <div>
    <h2 className="text-2xl font-black text-gray-900 mb-2">Documentación
requerida</h2>
    <p className="text-gray-500 text-sm mb-6">Sube los documentos necesarios para
procesar la transacción</p>

    <div className="space-y-3 mb-6">
      {docs.map((doc) => (
        <div
          key={doc.id}
          className={`flex items-center justify-between p-4 rounded-2xl border-2
transition-all duration-200 ${
50'
            doc.subido ? 'border-green-200 bg-green-50' : 'border-gray-200 bg-gray-
50'
          }`}
        >
          <div className="flex items-center gap-3">
            <span className="font-bold text-gray-800 text-sm">{doc.label}</span>
          </div>
        </div>
      )})}
    </div>
  </div>
)}

</div>
</div>

</div>
</div>
</section>
<Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\nosotros\page.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

```

```

const valores = [
  { titulo: 'Transparencia', desc: 'Cada transacción es clara y honesta. Sin letra pequeña, sin sorpresas.' },
  { titulo: 'Excelencia', desc: 'Más de 12 años perfeccionando cada detalle del servicio inmobiliario.' },
]

```

```

    { titulo: 'Alcance global', desc: 'Presencia en más de 40 países conectando compradores e inversores.' },
    { titulo: 'Compromiso', desc: 'Tu inversión es nuestra prioridad. Acompañamos cada paso del proceso.' },
  ]

const equipo = [
  { nombre: 'Lic. Rafael Durán', cargo: 'Director General', foto: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=400&q=80' },
  { nombre: 'Arq. Carmen Durán', cargo: 'Directora de Proyectos', foto: 'https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=400&q=80' },
  { nombre: 'Lic. Miguel Santos', cargo: 'Director Comercial', foto: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=400&q=80' },
]

export default function Nosotros() {
  return (
    <main>
      <Navbar />

      { /* HERO */ }
      <section
        className="relative pt-32 pb-20 px-6 bg-cover bg-center"
        style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1486325212027-8081e485255e?w=1920&q=80)' }}
      >
        <div className="absolute inset-0 bg-[#0056B3]/85" />
        <div className="relative z-10 max-w-4xl mx-auto text-center">
          <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5 rounded-full tracking-widest uppercase mb-4">
            Nuestra historia
          </span>
          <h1 className="text-5xl md:text-6xl font-black text-white mb-6">
            Más de 12 años construyendo sueños
          </h1>
          <p className="text-white/80 text-xl leading-relaxed">
            DINCO nació en Puerto Plata con una visión clara – hacer que cada dominicano y cada inversor del mundo pueda acceder a la mejor propiedad, con el mejor servicio y total transparencia.
          </p>
        </div>
      </section>

      { /* MISIÓN Y VISIÓN */ }
      <section className="py-16 px-6 bg-white">
        <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 gap-10">
          <div className="bg-gray-50 rounded-3xl p-8">
            <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Nuestra misión</span>
            <h2 className="text-3xl font-black text-[#0056B3] mt-2 mb-4">¿Para qué existimos?</h2>
            <p className="text-gray-600 leading-relaxed">
              Conectar personas con propiedades que transformen sus vidas, ya sea como hogar, inversión o negocio. Ofrecemos un servicio inmobiliario completo, ético y accesible desde cualquier parte del mundo.
            </p>
          </div>
          <div className="bg-[#0056B3] rounded-3xl p-8">
            <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Nuestra visión</span>
            <h2 className="text-3xl font-black text-white mt-2 mb-4">¿Hacia dónde vamos?</h2>
            <p className="text-white/80 leading-relaxed">
              Ser la plataforma inmobiliaria de referencia en el Caribe y América Latina, reconocida por su tecnología, transparencia y el impacto positivo que generamos en cada comunidad donde operamos.
            </p>
          </div>
        </div>
      </section>
    </main>
  )
}

```

```

    </div>
  </section>

  { /* VALORES */ }
  <section className="py-16 px-6 bg-gray-50">
    <div className="max-w-7xl mx-auto">
      <div className="text-center mb-12">
        <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Lo que nos
define</span>
        <h2 className="text-4xl font-black text-[#0056B3] mt-2">Nuestros valores</h2>
      </div>
      <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
        {valores.map((valor) => (
          <div key={valor.titulo} className="bg-white rounded-2xl p-6 shadow-md hover:shadow-xl
transition-all duration-300 text-center">
            <div className="w-14 h-14 bg-[#0056B3]/10 rounded-2xl flex items-center justify-
center mx-auto mb-4">
              <div className="w-6 h-6 bg-[#0056B3] rounded-full" />
            </div>
            <h3 className="font-black text-gray-900 text-lg mb-2">{valor.titulo}</h3>
            <p className="text-gray-500 text-sm leading-relaxed">{valor.desc}</p>
          </div>
        ))}
      </div>
    </div>
  </section>

  { /* EQUIPO DIRECTIVO */ }
  <section className="py-16 px-6 bg-white">
    <div className="max-w-7xl mx-auto">
      <div className="text-center mb-12">
        <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">Las personas
detrás de DINCO</span>
        <h2 className="text-4xl font-black text-[#0056B3] mt-2">Equipo directivo</h2>
      </div>
      <div className="grid grid-cols-1 md:grid-cols-3 gap-8 max-w-4xl mx-auto">
        {equipo.map((persona) => (
          <div key={persona.nombre} className="text-center group">
            <div
              className="w-40 h-40 rounded-full bg-cover bg-center mx-auto mb-4 border-4 border-
[#0056B3] transition-transform duration-300 group-hover:scale-105"
              style={{ backgroundImage: `url(${persona.foto})` }}
            />
            <h3 className="font-black text-gray-900 text-lg">{persona.nombre}</h3>
            <p className="text-[#0056B3] text-sm font-semibold">{persona.cargo}</p>
          </div>
        ))}
      </div>
    </div>
  </section>

  { /* CTA */ }
  <section className="py-16 px-6 bg-[#FF2A39]">
    <div className="max-w-3xl mx-auto text-center">
      <h2 className="text-4xl font-black text-white mb-4">¿Listo para encontrar tu propiedad
ideal?</h2>
      <p className="text-white/80 text-lg mb-8">
        Nuestro equipo está disponible para asesorarte sin compromiso
      </p>
      <div className="flex flex-col md:flex-row gap-4 justify-center">
        <Link
          href="/propiedades"
          className="bg-white text-[#FF2A39] font-black px-8 py-4 rounded-xl hover:bg-[#0056B3]
hover:text-white transition-all duration-300"
        >

```



```

        Ver propiedades
      </Link>
      <Link
        href="/contacto"
        className="bg-transparent border-2 border-white text-white font-black px-8 py-4
rounded-xl hover:bg-white hover:text-[#FF2A39] transition-all duration-300"
      >
        Contactar ahora
      </Link>
    </div>
  </div>
</section>

  <Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\propiedades\page.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

const todas = [
  { id: 1, titulo: 'Villa frente al mar', region: 'Puerto Plata', precio: 'US$ 285,000', tipo:
'Venta', habitaciones: 4, banos: 3, metros: 320, imagen: 'https://images.unsplash.com/photo-
1512917774080-9991f1c4c750?w=800&q=80' },
  { id: 2, titulo: 'Apartamento beachfront', region: 'Cabarete', precio: 'US$ 145,000', tipo:
'Venta', habitaciones: 2, banos: 2, metros: 95, imagen: 'https://images.unsplash.com/photo-
1560448204-e02f11c3d0e2?w=800&q=80' },
  { id: 3, titulo: 'Villa de lujo con piscina', region: 'Sosúa', precio: 'US$ 420,000', tipo:
'Venta', habitaciones: 5, banos: 4, metros: 480, imagen: 'https://images.unsplash.com/photo-
1613490493576-7fde63acd811?w=800&q=80' },
  { id: 4, titulo: 'Penthouse ejecutivo', region: 'Santo Domingo', precio: 'US$ 3,500 / mes', tipo:
'Renta', habitaciones: 3, banos: 2, metros: 210, imagen: 'https://images.unsplash.com/photo-
1522708323590-d24dbb6b0267?w=800&q=80' },
  { id: 5, titulo: 'Casa colonial restaurada', region: 'Samaná', precio: 'US$ 195,000', tipo:
'Venta', habitaciones: 3, banos: 2, metros: 180, imagen: 'https://images.unsplash.com/photo-
1600596542815-ffad4c1539a9?w=800&q=80' },
  { id: 6, titulo: 'Terreno frente al mar', region: 'Monte Cristi', precio: 'US$ 89,000', tipo:
'Venta', habitaciones: 0, banos: 0, metros: 1200, imagen: 'https://images.unsplash.com/photo-
1500382017468-9049fed747ef?w=800&q=80' },
  { id: 7, titulo: 'Casa moderna con piscina', region: 'Puerto Plata', precio: 'US$ 320,000', tipo:
'Venta', habitaciones: 4, banos: 3, metros: 350, imagen: 'https://images.unsplash.com/photo-
1613977257363-707ba9348227?w=800&q=80' },
  { id: 8, titulo: 'Apartamento céntrico', region: 'Santo Domingo', precio: 'US$ 2,200 / mes', tipo:
'Renta', habitaciones: 2, banos: 1, metros: 90, imagen: 'https://images.unsplash.com/photo-
1502672260266-1c1ef2d93688?w=800&q=80' },
  { id: 9, titulo: 'Villa privada con vista al mar', region: 'Cabarete', precio: 'US$ 550,000', tipo:
'Venta', habitaciones: 6, banos: 5, metros: 600, imagen: 'https://images.unsplash.com/photo-
1580587771525-78b9dba3b914?w=800&q=80' },
]

const filtros = ['Todas', 'Venta', 'Renta']
const regiones = ['Todas las regiones', 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo',
'Samaná', 'Monte Cristi']
const tipos = ['Todos los tipos', 'Casa', 'Apartamento', 'Villa', 'Terreno', 'Local comercial']

export default function Propiedades() {
  return (
    <main>
      <Navbar />

      { /* HERO */ }
    </main>
  )
}

```

```

<section className="pt-32 pb-12 px-6 bg-[#0056B3]">
  <div className="max-w-7xl mx-auto">
    <div className="text-center mb-8">
      <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5
rounded-full tracking-widest uppercase mb-4">
        Catálogo completo
      </span>
      <h1 className="text-5xl font-black text-white mb-3">Todas las propiedades</h1>
      <p className="text-white/75 text-lg">+600 propiedades disponibles en República Dominicana
y el mundo</p>
    </div>

    {/* FILTROS HERO */}
    <div className="bg-white/10 backdrop-blur-md border border-white/20 rounded-2xl p-4 flex
flex-col md:flex-row gap-3 max-w-4xl mx-auto">
      <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3 text-sm font-medium
outline-none">
        {filtros.map((f) => <option key={f}>{f}</option>)}
      </select>
      <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3 text-sm font-medium
outline-none">
        {regiones.map((r) => <option key={r}>{r}</option>)}
      </select>
      <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3 text-sm font-medium
outline-none">
        {tipos.map((t) => <option key={t}>{t}</option>)}
      </select>
      <button className="bg-[#FF2A39] hover:bg-white hover:text-[#FF2A39] text-white font-bold
px-8 py-3 rounded-xl transition-all duration-300">
        Buscar
      </button>
    </div>
  </div>
</section>

{/* CATÁLOGO */}
<section className="py-12 px-6 bg-gray-50">
  <div className="max-w-7xl mx-auto">

    {/* CONTEO */}
    <div className="flex items-center justify-between mb-8">
      <p className="text-gray-500 font-medium">
        Mostrando <span className="text-[#0056B3] font-black">{todas.length}</span> propiedades
      </p>
      <select className="border border-gray-200 rounded-xl px-4 py-2 text-sm text-gray-600
outline-none">
        <option>Ordenar por: Más recientes</option>
        <option>Precio: menor a mayor</option>
        <option>Precio: mayor a menor</option>
        <option>Más vistos</option>
      </select>
    </div>

    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
      {todas.map((p) => (
        <div
          key={p.id}
          className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden border border-gray-100"
        >
          <div className="relative overflow-hidden h-52">
            <div
              className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
              style={{ backgroundImage: `url(${p.imagen})` }}

```

```

    />
    <div className="absolute top-4 left-4">
      <span className={`text-xs font-bold px-3 py-1 rounded-full text-white ${
        p.tipo === 'Venta' ? 'bg-[#0056B3]' : 'bg-[#FF2A39]'
      }`}>
        {p.tipo}
      </span>
    </div>
    <button className="absolute top-4 right-4 bg-white/90 p-2 rounded-full hover:bg-
white transition-colors">
      <svg className="w-4 h-4 text-gray-400 hover:text-[#FF2A39]" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318
6.318a4.5 4.5 0 00 6.364L12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5
4.5 0 00-6.364 0z" />
      </svg>
    </button>
  </div>

  <div className="p-5">
    <h3 className="text-gray-900 font-bold text-lg mb-1">{p.titulo}</h3>
    <div className="flex items-center gap-1 text-gray-400 text-sm mb-3">
      <svg className="w-4 h-4 text-[#FF2A39]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
        <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17.657
16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0z" />
      </svg>
      {p.region}
    </div>

    <div className="flex items-center gap-4 text-gray-500 text-sm mb-4 pb-4 border-b
border-gray-100">
      {p.habitaciones} > 0 && <span>{p.habitaciones} hab.</span>
      {p.banos} > 0 && <span>{p.banos} baños</span>
      <span>{p.metros} m²</span>
    </div>

    <div className="flex items-center justify-between">
      <p className="text-[#0056B3] font-black text-xl">{p.precio}</p>
      <Link
        href={` /propiedades/${p.id}`}
        className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-4
py-2 rounded-xl transition-colors duration-300"
      >
        Ver detalles
      </Link>
    </div>
  </div>
</div>
  </div>
</section>

  <Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\propiedades\[id]\page.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

```

```
const ICONOS = {
  ubicacion: 'M17.657 16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0zM15
11a3 3 0 11-6 0 3 3 0 016 0z',
  habitacion: 'M3 12l2-2m0 0l7-7 7 7M5 10v10a1 1 0 001 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1
0 001-1v-4a1 1 0 011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6',
  baño: 'M8 14v3m4-3v3m4-3v3M3 21h18M3 10h18M3 7l9-4 9 4M4 10h16v11H4V10z',
  metro: 'M4 8V4m0 0h4M4 4l5 5m11-1V4m0 0h-4m4 0l-5 5M4 16v4m0 0h4m-4 0l5-5m11 5l-5-5m5 5v-4m0 4h-4',
  garaje: 'M19 21V5a2 2 0 00-2-2H7a2 2 0 00-2 2v16m14 0h2m-2 0h-5m-9 0H3m2 0h5M9 7h1m-1 4h1m4-4h1m-1
4h1m-5 10v-5a1 1 0 011-1h2a1 1 0 011 1v5m-4 0h4',
  check: 'M5 13l4 4l19 7',
  flecha: 'M17 8l4 4m0 0l-4 4m4-4H3',
  whatsapp: 'M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.67.15-.197.297-.767.966-.94 1.164-.173.199-.347.223-.644.075-.297-.15-
1.255-.463-2.39-1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.298.298-.497.099-.198.05-.3
71-.025-.52-.075-.149-.669-1.612-.916-
2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198 0-.52.074-.792.372-.272.297-1.04
1.016-1.04 2.479 0 1.462 1.065 2.875 1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-1.413.248-.694.248-1.289.173-
1.413-.074-.124-.272-.198-.57-.347m-5.421 7.403h-.004a9.87 9.87 0 01-5.031-1.378l-.361-.214-
3.741.982.998-3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-9.884 2.64 0 5.122
1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003 5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815
11.815 0 0012.05 0C5.495 0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 24l6.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-11.893a11.821 11.821 0 00-3.48-
8.413z',
  email: 'M3 8l7.89 5.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v10a2 2
0 002 2z',
  calendario: 'M8 7V3m8 4V3m-9 8h10M5 21h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2 0 00-2 2v12a2 2 0 002
2z',
}
```

```
const CARACTERISTICAS = [
  { label: 'Habitaciones', valor: '4', icono: ICONOS.habitacion },
  { label: 'Baños', valor: '3', icono: ICONOS.baño },
  { label: 'Metros²', valor: '320', icono: ICONOS.metro },
  { label: 'Garajes', valor: '2', icono: ICONOS.garaje },
]
```

```
const AMENIDADES = [
  'Piscina privada', 'Acceso a la playa', 'Jardín tropical',
  'Energía solar', 'Seguridad 24/7', 'Garaje doble',
  'Cocina equipada', 'Terraza panorámica', 'Wi-Fi incluido',
]
```

```
const IMAGENES = [
  'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=800&q=80',
  'https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?w=400&q=80',
  'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=400&q=80',
]
```

```
function Icono({ path, className = 'w-5 h-5' }: { path: string; className?: string }) {
  return (
    <svg className={className} fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d={path} />
    </svg>
  )
}
```

```
function IconoFill({ path, className = 'w-5 h-5' }: { path: string; className?: string }) {
  return (
    <svg className={className} fill="currentColor" viewBox="0 0 24 24">
      <path d={path} />
    </svg>
  )
}
```

```

export default function FichaPropiedad() {
  return (
    <main>
      <Navbar />

      <section className="pt-24 pb-12 px-6 bg-white">
        <div className="max-w-7xl mx-auto">

          {/* BREADCRUMB */}
          <div className="flex items-center gap-2 text-gray-400 text-sm mb-6">
            <Link href="/" className="hover:text-[#0056B3] transition-colors">Inicio</Link>
            <span>/</span>
            <Link href="/puerto-plata" className="hover:text-[#0056B3] transition-colors">Puerto
Plata</Link>
            <span>/</span>
            <span className="text-gray-700">Villa frente al mar</span>
          </div>

          <div className="grid grid-cols-1 lg:grid-cols-3 gap-10">

            {/* COLUMNA PRINCIPAL */}
            <div className="lg:col-span-2">

              {/* GALERÍA */}
              <div className="grid grid-cols-3 gap-3 mb-8 h-80">
                <div
                  className="col-span-2 bg-cover bg-center rounded-2xl"
                  style={{ backgroundImage: `url(${IMAGENES[0]})` }}
                />
                <div className="grid grid-rows-2 gap-3">
                  <div
                    className="bg-cover bg-center rounded-2xl"
                    style={{ backgroundImage: `url(${IMAGENES[1]})` }}
                  />
                  <div
                    className="bg-cover bg-center rounded-2xl relative overflow-hidden"
                    style={{ backgroundImage: `url(${IMAGENES[2]})` }}
                  >
                    <div className="absolute inset-0 bg-black/50 flex items-center justify-center">
                      <span className="text-white font-bold text-sm">+8 fotos</span>
                    </div>
                  </div>
                </div>
              </div>

              {/* TÍTULO */}
              <div className="flex flex-wrap items-start justify-between gap-4 mb-6">
                <div>
                  <div className="flex gap-2 mb-2">
                    <span className="bg-[#0056B3] text-white text-xs font-bold px-3 py-1 rounded-
full">Venta</span>
                    <span className="bg-yellow-400 text-yellow-900 text-xs font-bold px-3 py-1
rounded-full">Destacada</span>
                  </div>
                  <h1 className="text-3xl font-black text-gray-900">Villa frente al mar</h1>
                  <div className="flex items-center gap-1 text-gray-400 text-sm mt-2">
                    <Icono path={ICONOS.ubicacion} className="w-4 h-4 text-[#FF2A39]" />
                    Puerto Plata, República Dominicana
                  </div>
                </div>
                <p className="text-[#0056B3] font-black text-4xl">US$ 285,000</p>
              </div>

            {/* CARACTERÍSTICAS */}

```

```

<div className="grid grid-cols-4 gap-4 p-6 bg-gray-50 rounded-2xl mb-8">
  {CARACTERISTICAS.map((item) => (
    <div key={item.label} className="text-center">
      <Icono path={item.icono} className="w-6 h-6 text-[#0056B3] mx-auto mb-2" />
      <p className="text-2xl font-black text-gray-900">{item.valor}</p>
      <p className="text-gray-400 text-xs">{item.label}</p>
    </div>
  ))}
</div>

{/* DESCRIPCIÓN */}
<div className="mb-8">
  <h2 className="text-2xl font-black text-gray-900 mb-4">Descripción</h2>
  <p className="text-gray-600 leading-relaxed">
    Espectacular villa frente al mar ubicada en la costa norte de Puerto Plata. Esta
propiedad de lujo cuenta con acabados de primera calidad, piscina privada, jardines tropicales y
acceso directo a la playa. Ideal para familia o inversión turística. Incluye sistema de energía
solar, cisterna propia y generador eléctrico.
  </p>
</div>

{/* AMENIDADES */}
<div className="mb-8">
  <h2 className="text-2xl font-black text-gray-900 mb-4">Amenidades</h2>
  <div className="grid grid-cols-2 md:grid-cols-3 gap-3">
    {AMENIDADES.map((amenidad) => (
      <div key={amenidad} className="flex items-center gap-2 text-gray-600 text-sm">
        <div className="w-5 h-5 rounded-full bg-green-100 flex items-center justify-
center shrink-0">
          <Icono path={ICONOS.check} className="w-3 h-3 text-green-600" />
        </div>
        {amenidad}
      </div>
    ))}
  </div>
</div>

{/* MAPA */}
<div className="mb-8">
  <h2 className="text-2xl font-black text-gray-900 mb-4">Ubicación</h2>
  <div className="h-64 bg-gray-200 rounded-2xl flex items-center justify-center">
    <p className="text-gray-400 font-medium">Mapa interactivo – Google Maps</p>
  </div>
</div>

</div>

{/* COLUMNA LATERAL */}
<div className="lg:col-span-1">
  <div className="sticky top-24 space-y-4">

    {/* AGENTE */}
    <div className="bg-white border border-gray-100 rounded-2xl shadow-lg p-6">
      <div className="flex items-center gap-4 mb-6">
        <div
          className="w-16 h-16 rounded-full bg-cover bg-center border-2 border-[#0056B3]"
          style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1507003211169-
0a1dd7228f2d?w=200&q=80)' }}
        </div>
        <div>
          <p className="font-black text-gray-900">Carlos Durán</p>
          <p className="text-[#0056B3] text-sm">Agente Senior · Puerto Plata</p>
          <div className="flex items-center gap-1 mt-1">
            <div className="w-2 h-2 bg-green-400 rounded-full" />
            <span className="text-green-600 text-xs font-medium">Disponible ahora</span>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

        </div>
      </div>
    </div>

    <div className="space-y-3">
      <a
        href="https://wa.me/18091234567"
        target="_blank"
        rel="noopener noreferrer"
        className="w-full bg-green-500 hover:bg-green-600 text-white font-bold py-3
rounded-xl flex items-center justify-center gap-2 transition-colors duration-300"
      >
        <IconoFill path={ICONOS.whatsapp} className="w-5 h-5" />
        WhatsApp
      </a>
      <a
        href="mailto:carlos@dinco.com"
        className="w-full bg-[#0056B3] hover:bg-[#003d82] text-white font-bold py-3
rounded-xl flex items-center justify-center gap-2 transition-colors duration-300"
      >
        <Icono path={ICONOS.email} className="w-5 h-5 text-white" />
        Enviar email
      </a>
      <button className="w-full bg-[#FF2A39] hover:bg-[#cc0015] text-white font-bold
py-3 rounded-xl flex items-center justify-center gap-2 transition-colors duration-300">
        <Icono path={ICONOS.calendario} className="w-5 h-5 text-white" />
        Agendar visita
      </button>
    </div>
  </div>

  { /* NEGOCIACIÓN */ }
  <div className="bg-[#0056B3] rounded-2xl p-6 text-white text-center">
    <h3 className="font-black text-lg mb-2">¿Listo para comprar?</h3>
    <p className="text-white/75 text-sm mb-4">
      Inicia el proceso de negociación de forma 100% digital
    </p>
    <button className="w-full bg-white text-[#0056B3] font-black py-3 rounded-xl
hover:bg-[#FF2A39] hover:text-white transition-all duration-300">
      Iniciar negociación
    </button>
  </div>

</div>
</div>

</div>
</div>
</section>

<Footer />
</main>
)
}

```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\app\puerto-plata\page.tsx ---
```

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function PuertoPlata() {
  return (
    <CatalogoRegion
      nombre="Puerto Plata"
      descripcion="Descubre villas y residencias frente al mar Caribe"
      imagen="https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=1920&q=80"
    />
  )
}

```

```

    propiedades={124}
    slug="puerto-plata"
  />
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\registro\page.tsx ---

```

'use client'
import { useState } from 'react'
import Link from 'next/link'

export default function Login() {
  const [form, setForm] = useState({ email: '', password: '' })
  const [loading, setLoading] = useState(false)

  const handleSubmit = () => {
    setLoading(true)
    setTimeout(() => setLoading(false), 1500)
  }

  return (
    <div className="min-h-screen bg-gray-50 flex">

      {/* PANEL IZQUIERDO - VISUAL */}
      <div
        className="hidden lg:flex lg:w-1/2 relative bg-cover bg-center"
        style={{ backgroundImage: 'url(https://images.unsplash.com/photo-1512917774080-9991f1c4c750?
w=1200&q=80)' }}
      >
        <div className="absolute inset-0 bg-linear-to-br from-[#0056B3]/90 to-[#003d82]/80" />
        <div className="relative z-10 flex flex-col justify-between p-12 w-full">
          <Link href="/">
            
          </Link>
          <div>
            <h2 className="text-4xl font-black text-white mb-4 leading-tight">
              Tu propiedad ideal te espera
            </h2>
            <p className="text-white/70 text-lg leading-relaxed mb-8">
              Accede a tu panel para gestionar propiedades, consultas y negociaciones en tiempo real.
            </p>
            <div className="flex gap-4">
              {[
                { num: '+600', label: 'Propiedades' },
                { num: '+800', label: 'Clientes' },
                { num: '12', label: 'Años' },
              ].map((s) => (
                <div key={s.label} className="bg-white/10 rounded-2xl px-4 py-3 text-center">
                  <p className="text-white font-black text-xl">{s.num}</p>
                  <p className="text-white/60 text-xs">{s.label}</p>
                </div>
              )))
            </div>
          </div>
        </div>
      </div>

      {/* PANEL DERECHO - FORMULARIO */}
      <div className="flex-1 flex items-center justify-center p-8">
        <div className="w-full max-w-md">

          {/* LOGO MOBILE */}
          <Link href="/" className="flex justify-center mb-8 lg:hidden">
            
          </Link>

```



```

</Link>

<div className="mb-8">
  <h1 className="text-3xl font-black text-gray-900 mb-2">Bienvenido de vuelta</h1>
  <p className="text-gray-500">Ingresa a tu cuenta de DINCO</p>
</div>

{/* TABS TIPO USUARIO */}
<div className="flex bg-gray-100 rounded-xl p-1 mb-6">
  {[ 'Propietario', 'Agente', 'Admin' ].map((tipo, i) => (
    <button
      key={tipo}
      className={`flex-1 py-2.5 text-sm font-bold rounded-lg transition-all duration-200 ${
        i === 0 ? 'bg-white text-[#0056B3] shadow-sm' : 'text-gray-500'
      }`}
    >
      {tipo}
    </button>
  ))}
</div>

<div className="space-y-4">
  <div>
    <label className="block text-sm font-bold text-gray-700 mb-2">Correo
electrónico</label>
    <input
      type="email"
      value={form.email}
      onChange={(e) => setForm(p => ({ ...p, email: e.target.value })))}
      placeholder="tu@email.com"
      className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4 py-
3.5 text-sm outline-none transition-colors"
    />
  </div>
  <div>
    <div className="flex justify-between mb-2">
      <label className="text-sm font-bold text-gray-700">Contraseña</label>
      <Link href="#" className="text-xs text-[#0056B3] font-semibold hover:text-[#FF2A39]
transition-colors">
        ¿Olvidaste tu contraseña?
      </Link>
    </div>
    <input
      type="password"
      value={form.password}
      onChange={(e) => setForm(p => ({ ...p, password: e.target.value })))}
      placeholder="....."
      className="w-full border-2 border-gray-200 focus:border-[#0056B3] rounded-xl px-4 py-
3.5 text-sm outline-none transition-colors"
    />
  </div>

  <button
    onClick={handleSubmit}
    disabled={loading}
    className="w-full bg-[#0056B3] hover:bg-[#FF2A39] text-white font-black py-4 rounded-xl
transition-all duration-300 flex items-center justify-center gap-2 shadow-lg mt-2 disabled:opacity-
70"
    >
    {loading ? (
      <svg className="w-5 h-5 animate-spin" fill="none" viewBox="0 0 24 24">
        <circle className="opacity-25" cx="12" cy="12" r="10" stroke="currentColor"
strokeWidth="4" />
        <path className="opacity-75" fill="currentColor" d="M4 12a8 8 0 018-8V0C5.373 0 0
5.373 0 12h4z" />

```

```

        </svg>
      ) : 'Iniciar sesión'}
    </button>
  </div>

  { /* SEPARADOR */ }
  <div className="flex items-center gap-3 my-6">
    <div className="flex-1 h-px bg-gray-200" />
    <span className="text-gray-400 text-sm">o continúa con</span>
    <div className="flex-1 h-px bg-gray-200" />
  </div>

  { /* SOCIAL LOGIN */ }
  <div className="grid grid-cols-2 gap-3">
    <button className="flex items-center justify-center gap-2 border-2 border-gray-200
    hover:border-gray-300 rounded-xl py-3 text-sm font-semibold text-gray-700 transition-colors">
      <svg className="w-5 h-5" viewBox="0 0 24 24">
        <path fill="#4285F4" d="M22.56 12.25c0-.78-.07-1.53-.2-2.25H12v4.26h5.92c-.26 1.37-
1.04 2.53-2.21 3.31v2.77h3.57c2.08-1.92 3.28-4.74 3.28-8.09z"/>
        <path fill="#34A853" d="M12 23c2.97 0 5.46-.98 7.28-2.66l-3.57-2.77c-.98.66-2.23
1.06-3.71 1.06-2.86 0-5.29-1.93-6.16-4.53H2.18v2.84C3.99 20.53 7.7 23 12 23z"/>
        <path fill="#FBBC05" d="M5.84 14.09c-.22-.66-.35-1.36-.35-2.09s.13-1.43.35-
2.09V7.07H2.18C1.43 8.55 1 10.22 1 12s.43 3.45 1.18 4.93l2.85-2.22.81-.62z"/>
        <path fill="#EA4335" d="M12 5.38c1.62 0 3.06.56 4.21 1.64l3.15-3.15C17.45 2.09 14.97
1 12 1 7.7 1 3.99 3.47 2.18 7.07l3.66 2.84c.87-2.6 3.3-4.53 6.16-4.53z"/>
      </svg>
      Google
    </button>
    <button className="flex items-center justify-center gap-2 border-2 border-gray-200
    hover:border-gray-300 rounded-xl py-3 text-sm font-semibold text-gray-700 transition-colors">
      <svg className="w-5 h-5" fill="currentColor" viewBox="0 0 24 24">
        <path d="M24 12.073c0-6.627-5.373-12-12-12 5.373-12 12c0 5.99 4.388 10.954 10.125
11.854v-8.385H7.078v-3.47h3.047V9.43c0-3.007 1.792-4.669 4.533-4.669 1.312 0 2.686.235
2.686.235v2.953H15.83c-1.491 0-1.956.925-1.956 1.874v2.25h3.328l-.532 3.47h-2.796v8.385C19.612 23.027
24 18.062 24 12.073z"/>
      </svg>
      Facebook
    </button>
  </div>

  <p className="text-center text-sm text-gray-500 mt-6">
    ¿No tienes cuenta?{' '}
    <Link href="/registro" className="text-[#0056B3] font-bold hover:text-[#FF2A39]
    transition-colors">
      Regístrate gratis
    </Link>
  </p>
</div>
</div>
</div>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\samana\page.tsx ---

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function Samana() {
  return (
    <CatalogoRegion
      nombre="Samaná"
      descripcion="Naturaleza exuberante y exclusividad tropical"
      imagen="https://images.unsplash.com/photo-1501854140801-50d01698950b?w=1920&q=80"
      propiedades={67}
    />
  )
}

```

```

    slug="samana"
  />
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\santo-domingo\page.tsx ---

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function SantoDomingo() {
  return (
    <CatalogoRegion
      nombre="Santo Domingo"
      descripcion="La capital, centro de negocios e inversión"
      imagen="https://images.unsplash.com/photo-1486325212027-8081e485255e?w=1920&q=80"
      propiedades={215}
      slug="santo-domingo"
    />
  )
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\app\sosua\page.tsx ---

```

import CatalogoRegion from '@components/property/CatalogoRegion'

export default function Sosua() {
  return (
    <CatalogoRegion
      nombre="Sosúa"
      descripcion="Playas cristalinas y propiedades de lujo"
      imagen="https://images.unsplash.com/photo-1590523741831-ab7e8b8f9c7f?w=1920&q=80"
      propiedades={98}
      slug="sosua"
    />
  )
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\layout\Footer.tsx ---

```

import Image from 'next/image'
import Link from 'next/link'

export default function Footer() {
  return (
    <footer className="bg-[#0d1b2a] text-white">

      {/* NEWSLETTER */}
      <div className="bg-[#FF2A39] py-12 px-6">
        <div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center justify-between gap-6">
          <div>
            <h3 className="text-white font-black text-2xl mb-1">Recibe propiedades exclusivas</h3>
            <p className="text-white/75">Suscríbete y sé el primero en conocer las mejores oportunidades</p>
          </div>
          <div className="flex gap-3 w-full md:w-auto">
            <input
              type="email"
              placeholder="Tu correo electrónico"
              className="flex-1 md:w-72 px-5 py-3 rounded-xl text-gray-700 outline-none text-sm"
            />
            <button className="bg-[#0056B3] hover:bg-white hover:text-[#0056B3] text-white font-bold px-6 py-3 rounded-xl transition-all duration-300 whitespace-nowrap">
              Suscribirse
            </button>
          </div>
        </div>
      </div>
    </footer>
  )
}

```

```

    </div>
  </div>
</div>

{/* CONTENIDO PRINCIPAL */}
<div className="py-16 px-6">
  <div className="max-w-7xl mx-auto grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-12">

    {/* LOGO Y DESCRIPCIÓN */}
    <div className="lg:col-span-1">
      <Image src="/nuevo_dc.svg" alt="DINCO" width={128} height={40} className="w-32 mb-4
brightness-0 invert" />
      <p className="text-white/60 text-sm leading-relaxed mb-6">
        Inmobiliaria y Constructora con más de 12 años conectando personas con propiedades de
ensueño en República Dominicana y el mundo.
      </p>
      {/* REDES SOCIALES */}
      <div className="flex gap-3">
        {[
          { icon: 'M24 12.073c0-6.627-5.373-12-12-12s-12 5.373-12 12c0 5.99 4.388 10.954 10.125
11.854v-8.385H7.078v-3.47h3.047V9.43c0-3.007 1.792-4.669 4.533-4.669 1.312 0 2.686.235
2.686.235v2.953H15.83c-1.491 0-1.956.925-1.956 1.874v2.25h3.328l-.532 3.47h-2.796v8.385C19.612 23.027
24 18.062 24 12.073z', label: 'Facebook' },
          { icon: 'M12 2.163c3.204 0 3.584.012 4.85.07 3.252.148 4.771 1.691 4.919 4.919.058
1.265.069 1.645.069 4.849 0 3.205-.012 3.584-.069 4.849-.149 3.225-1.664 4.771-4.919 4.919-1.266.058-
1.644.07-4.85.07-3.204 0-3.584-.012-4.849-.07-3.26-.149-4.771-1.699-4.919-4.92-.058-1.265-.07-
1.644-.07-4.849 0-3.204.013-3.583.07-4.849.149-3.227 1.664-4.771 4.919-4.919 1.266-.057 1.645-.069
4.849-.069zm0-2.163c-3.259 0-3.667.014-4.947.072-4.358.2-6.78 2.618-6.98 6.98-.059 1.281-.073
1.689-.073 4.948 0 3.259.014 3.668.072 4.948.2 4.358 2.618 6.78 6.98 6.98 1.281.058 1.689.072
4.948.072 3.259 0 3.668-.014 4.948-.072 4.354-.2 6.782-2.618 6.979-6.98.059-1.28.073-1.689.073-4.948
0-3.259-.014-3.667-.072-4.947-.196-4.354-2.617-6.78-6.979-6.98-1.281-.059-1.69-.073-4.949-.073zm0
5.838c-3.403 0-6.162 2.759-6.162 6.162s2.759 6.163 6.162 6.162 2.759 6.162-6.163c0-3.403-2.759-
6.162-6.162-6.162zm0 10.162c-2.209 0-4-1.79-4-4 0-2.209 1.791-4 4-4s4 1.791 4 4c0 2.21-1.791 4-4
4zm6.406-11.845c-.796 0-1.441.645-1.441 1.44s.645 1.44 1.441 1.44c.795 0 1.439-.645 1.439-1.44s-.644-
1.44-1.439-1.44z', label: 'Instagram' },
          { icon: 'M19.59 6.69a4.83 4.83 0 01-3.77-4.25V2h-3.45v13.67a2.89 2.89 0 01-2.88 2.5
2.89 2.89 0 01-2.89-2.89 2.89 2.89 0 012.89-2.89c.28 0 .54.04.79.1V9.01a6.33 6.33 0 00-.79-.05 6.34
6.34 0 00-6.34 6.34 6.34 6.34 0 006.34 6.34 6.34 6.34 0 006.33-6.34V8.69a8.27 8.27 0 004.83
1.55V6.79a4.85 4.85 0 01-1.06-.1z', label: 'TikTok' },
        ].map((red) => (
          <a
            key={red.label}
            href="#"
            className="w-10 h-10 bg-white/10 hover:bg-[#FF2A39] rounded-full flex items-center
justify-center transition-all duration-300"
          >
            <svg className="w-4 h-4" fill="currentColor" viewBox="0 0 24 24">
              <path d={red.icon} />
            </svg>
          </a>
        )))
    </div>
  </div>

  {/* PROPIEDADES */}
  <div>
    <h4 className="font-black text-lg mb-6">Propiedades</h4>
    <ul className="space-y-3">
      {[ 'Venta', 'Renta', 'Promoción', 'Proyectos nuevos', 'Propiedades destacadas', 'Blog',
'Internacional' ].map((item) => (
        <li key={item}>
          {[ 'Términos y condiciones', 'Política de privacidad', 'Cookies', 'Login',
'Registro' ].map((item) => (
            <Link key={item} href={item === 'Login' ? '/login' : item === 'Registro' ?
'/registro' : '#'} className="text-white/40 hover:text-white text-xs transition-colors duration-200">

```

```

        {item}
      </Link> )}}
    </li>
  )}}
</ul>
</div>

{ /* REGIONES */
<div>
  <h4 className="font-black text-lg mb-6">Regiones</h4>
  <ul className="space-y-3">
    {[ 'Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo', 'Samaná', 'Monte
Cristi'].map((item) => (
      <li key={item}>
        <Link href="#" className="text-white/60 hover:text-[#FF2A39] text-sm transition-
colors duration-200">
          {item}
        </Link>
      </li>
    )}}
  </ul>
</div>

{ /* CONTACTO */
<div>
  <h4 className="font-black text-lg mb-6">Contacto</h4>
  <ul className="space-y-4">
    {[
      { icon: 'M17.657 16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0
1111.314 0z M15 11a3 3 0 11-6 0 3 3 0 016 0z', texto: 'Puerto Plata, República Dominicana' },
      { icon: 'M3 5a2 2 0 012-2h3.28a1 1 0 01.948.684l1.498 4.493a1 1 0 01-.502 1.211-2.257
1.13a11.042 11.042 0 005.516 5.516l1.13-2.257a1 1 0 011.21-.502l4.493 1.498a1 1 0 01.684.949V19a2 2 0
01-2 2h-1C9.716 21 3 14.284 3 6V5z', texto: '+1 (809) 123-4567' },
      { icon: 'M3 8l7.89 5.26a2 2 0 002.22 0L21 8M5 19h14a2 2 0 002-2V7a2 2 0 00-2-2H5a2 2
0 00-2 2v10a2 2 0 002 2z', texto: 'info@dinco.com' },
    ].map((item, i) => (
      <li key={i} className="flex items-start gap-3">
        <svg className="w-5 h-5 text-[#FF2A39] shrink-0 mt-0.5" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d={item.icon}
/>
        </svg>
        <span className="text-white/60 text-sm">{item.texto}</span>
      </li>
    )}}
  </ul>

  <div className="mt-6">
    <h5 className="font-bold text-sm mb-3">Horario de atención</h5>
    <p className="text-white/60 text-sm">Lunes a Viernes: 8am - 6pm</p>
    <p className="text-white/60 text-sm">Sábados: 9am - 2pm</p>
  </div>
</div>
</div>
</div>

{ /* BARRA LEGAL */
<div className="border-t border-white/10 py-6 px-6">
  <div className="max-w-7xl mx-auto flex flex-col md:flex-row items-center justify-between gap-
4">
    <p className="text-white/40 text-sm">
      © 2025 DINCO Inmobiliaria & Constructora. Todos los derechos reservados.
    </p>
    <div className="flex gap-6">

```

```

    [['Términos y condiciones', 'Política de privacidad', 'Cookies'].map((item) => (
      <Link key={item} href="#" className="text-white/40 hover:text-white text-xs transition-
colors duration-200">
        {item}
      </Link>
    ))}
  </div>
</div>
</div>

</footer>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\layout\Navbar.tsx ---

```

'use client'
import { useState, useEffect } from 'react'
import Link from 'next/link'
import Image from 'next/image'

const MENU_ITEMS = [
  {
    label: 'Propiedades',
    href: '/propiedades',
    submenu: [
      { label: 'Todas las propiedades', href: '/propiedades' },
      { label: 'En venta', href: '/propiedades?tipo=venta' },
      { label: 'En renta', href: '/propiedades?tipo=renta' },
      { label: 'Proyectos nuevos', href: '/propiedades?tipo=nuevo' },
    ],
  },
  {
    label: 'Regiones',
    href: '#',
    submenu: [
      { label: 'Puerto Plata', href: '/puerto-plata' },
      { label: 'Cabarete', href: '/cabarete' },
      { label: 'Sosúa', href: '/sosua' },
      { label: 'Santo Domingo', href: '/santo-domingo' },
      { label: 'Samaná', href: '/samana' },
      { label: 'Monte Cristi', href: '/monte-cristi' },
    ],
  },
  { label: 'Agentes', href: '/agentes' },
  { label: 'Blog', href: '/blog' },
  { label: 'Nosotros', href: '/nosotros' },
  { label: 'Contacto', href: '/contacto' },
]

export default function Navbar() {
  const [scrolled, setScrolled] = useState(false)
  const [menuOpen, setMenuOpen] = useState(false)
  const [activeSubmenu, setActiveSubmenu] = useState<string | null>(null)

  useEffect(() => {
    const onScroll = () => setScrolled(window.scrollY > 40)
    window.addEventListener('scroll', onScroll, { passive: true })
    return () => window.removeEventListener('scroll', onScroll)
  }, [])

  return (
    <nav
      className={`fixed top-0 left-0 right-0 z-50 transition-all duration-500 ${
        scrolled

```

```

    ? 'bg-white/95 backdrop-blur-md shadow-lg shadow-black/5 py-3'
    : 'bg-transparent py-5'
  }}
}
>
<div className="max-w-7xl mx-auto px-6 flex items-center justify-between">

  {/* LOGO */}
  <Link href="/" className="flex items-center gap-2 flex-shrink-0">
    
  </Link>

  {/* MENÚ DESKTOP */}
  <div className="hidden lg:flex items-center gap-1">
    {MENU_ITEMS.map((item) => (
      <div
        key={item.label}
        className="relative"
        onMouseEnter={() => item.submenu && setActiveSubmenu(item.label)}
        onMouseLeave={() => setActiveSubmenu(null)}
      >
        <Link
          href={item.href}
          className={`flex items-center gap-1 px-4 py-2 rounded-xl text-sm font-semibold
transition-all duration-200 ${
            scrolled
              ? 'text-gray-700 hover:text-[#0056B3] hover:bg-blue-50'
              : 'text-white/90 hover:text-white hover:bg-white/10'
          }`}
        >
          {item.label}
          {item.submenu && (
            <svg
              className={`w-3.5 h-3.5 transition-transform duration-200 ${
                activeSubmenu === item.label ? 'rotate-180' : ''
              }`}
              fill="none"
              stroke="currentColor"
              viewBox="0 0 24 24"
            >
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M19 9l-7
7-7" />
            </svg>
          )}
        </Link>

        {/* SUBMENU DROPDOWN */}
        {item.submenu && activeSubmenu === item.label && (
          <div className="absolute top-full left-0 mt-2 w-56 bg-white rounded-2xl shadow-2xl
shadow-black/10 border border-gray-100 overflow-hidden animate-fade-in">
            {item.submenu.map((sub) => (
              <Link
                key={sub.label}
                href={sub.href}
                className="flex items-center gap-3 px-5 py-3.5 text-sm text-gray-700
hover:text-[#0056B3] hover:bg-blue-50 transition-colors duration-150 first:pt-4 last:pb-4"
              >
                <span className="w-1.5 h-1.5 rounded-full bg-[#FF2A39] flex-shrink-0" />
                {sub.label}
              </Link>
            )}
          </div>
        )}
      </div>
    )}
  </div>

```

```

        </Link>
      )})
    </div>
  })
</div>
)})
</div>

{/* BOTÓN PUBLICAR */}
<div className="hidden lg:flex items-center gap-3">
  <Link
    href="/dashboard/propietario"
    className={`text-sm font-semibold px-4 py-2 rounded-xl transition-all duration-200 ${
      scrolled
        ? 'text-gray-600 hover:text-[#0056B3]'
        : 'text-white/80 hover:text-white'
      }`
    >
    >
    Mi panel
  </Link>
  <Link
    href="/postulacion"
    className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-6 py-2.5
rounded-xl transition-all duration-300 shadow-lg shadow-red-500/25 hover:shadow-blue-500/25
hover:scale-105"
    >
    >
    Publicar propiedad
  </Link>
</div>

{/* HAMBURGER MOBILE */}
<button
  onClick={() => setMenuOpen(!menuOpen)}
  className="lg:hidden flex flex-col gap-1.5 p-2 rounded-xl"
  aria-label="Menú"
>
  <span className={`block h-0.5 rounded-full transition-all duration-300 ${
    menuOpen ? 'w-6 rotate-45 translate-y-2' : 'w-6'
  } ${scrolled ? 'bg-gray-700' : 'bg-white'}}` />
  <span className={`block h-0.5 rounded-full transition-all duration-300 ${
    menuOpen ? 'opacity-0 w-0' : 'w-4'
  } ${scrolled ? 'bg-gray-700' : 'bg-white'}}` />
  <span className={`block h-0.5 rounded-full transition-all duration-300 ${
    menuOpen ? 'w-6 -rotate-45 -translate-y-2' : 'w-6'
  } ${scrolled ? 'bg-gray-700' : 'bg-white'}}` />
</button>
</div>

{/* MENÚ MOBILE */}
{menuOpen && (
  <div className="lg:hidden bg-white border-t border-gray-100 shadow-xl animate-fade-in">
    <div className="max-w-7xl mx-auto px-6 py-4 space-y-1">
      {MENU_ITEMS.map((item) => (
        <div key={item.label}>
          <Link
            href={item.href}
            className="block px-4 py-3 text-gray-700 font-semibold rounded-xl hover:bg-blue-50
hover:text-[#0056B3] transition-colors"
            onClick={() => setMenuOpen(false)}
          >
            {item.label}
          </Link>
          {item.submenu && (
            <div className="ml-4 space-y-1 mb-2">
              {item.submenu.map((sub) => (

```



```

        <Link
          key={sub.label}
          href={sub.href}
          className="flex items-center gap-2 px-4 py-2 text-sm text-gray-500
hover:text-[#0056B3] rounded-xl hover:bg-blue-50 transition-colors"
          onClick={() => setMenuOpen(false)}
        >
          <span className="w-1 h-1 rounded-full bg-[#FF2A39]" />
          {sub.label}
        </Link>
      )}}
    </div>
  )}
</div>
<div className="pt-3 border-t border-gray-100 flex flex-col gap-2">
  <Link
    href="/dashboard/propietario"
    className="block px-4 py-3 text-center text-gray-600 font-semibold rounded-xl border
border-gray-200 hover:border-[#0056B3] hover:text-[#0056B3] transition-all"
    onClick={() => setMenuOpen(false)}
  >
    Mi panel
  </Link>
  <Link
    href="/postulacion"
    className="block px-4 py-3 text-center bg-[#FF2A39] text-white font-bold rounded-xl
hover:bg-[#0056B3] transition-colors"
    onClick={() => setMenuOpen(false)}
  >
    Publicar propiedad
  </Link>
</div>
</div>
</div>
)}
</nav>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\layout\PresenciaSocial.tsx ---

```

'use client'
import { useState } from 'react'

export default function PresenciaSocial() {
  const [chatAbierto, setChatAbierto] = useState(false)

  return (
    <>
      { /* WHATSAPP FLOTANTE */ }
      <a
        href="https://wa.me/18091234567?text=Hola,%20me%20interesa%20una%20propiedad%20en%20DINCO"
        target="_blank"
        rel="noopener noreferrer"
        className="fixed bottom-6 left-6 z-50 bg-green-500 hover:bg-green-600 text-white p-4 rounded-
full shadow-2xl hover:shadow-green-500/50 transition-all duration-300 hover:scale-110 flex items-
center gap-3 group"
      >
        <svg className="w-6 h-6" fill="currentColor" viewBox="0 0 24 24">
          <path d="M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.67.15-.197.297-.767.966-.94 1.164-.173.199-.347.223-.644.075-.297-.15-
1.255-.463-2.39-1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.298.298-.497.099-.198.05-.3
71-.025-.52-.075-.149-.669-1.612-.916-

```

```

2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198 0-.52.074-.792.372-.272.297-1.04
1.016-1.04 2.479 0 1.462 1.065 2.875 1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-1.413.248-.694.248-1.289.173-
1.413-.074-.124-.272-.198-.57-.347m-5.421 7.403h-.004a9.87 9.87 0 01-5.031-1.378l-.361-.214-
3.741.982.998-3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-9.884 2.64 0 5.122
1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003 5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815
11.815 0 0012.05 0C5.495 0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 2416.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-11.893a11.821 11.821 0 00-3.48-
8.413z"/>
</svg>
<span className="text-sm font-bold max-w-0 overflow-hidden group-hover:max-w-xs transition-
all duration-300 whitespace-nowrap">
  Chatea con un agente
</span>
</a>

{/* BOTÓN CHAT */}
<button
  onClick={() => setChatAbierto(!chatAbierto)}
  className="fixed bottom-6 right-6 z-50 bg-[#0056B3] hover:bg-[#FF2A39] text-white p-4
rounded-full shadow-2xl transition-all duration-300 hover:scale-110"
>
  {chatAbierto ? (
    <svg className="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M6 18L18 6M6 6l12
12" />
    </svg>
  ) : (
    <svg className="w-6 h-6" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M8 12h.01M12
12h.01M16 12h.01M21 12c0 4.418-4.03 8-9 8a9.863 9.863 0 01-4.255-.949L3 20l1.395-3.72C3.512 15.042 3
13.574 3 12c0-4.418 4.03-8 9-8s9 3.582 9 8z" />
    </svg>
  )}
</button>

{/* PANEL CHAT */}
{chatAbierto && (
  <div className="fixed bottom-24 right-6 z-50 bg-white rounded-2xl shadow-2xl w-80 overflow-
hidden border border-gray-100">
    {/* HEADER */}
    <div className="bg-[#0056B3] p-4 flex items-center gap-3">
      <div className="w-10 h-10 bg-white/20 rounded-full flex items-center justify-center">
        <svg className="w-5 h-5 text-white" fill="none" stroke="currentColor" viewBox="0 0 24
24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M16 7a4 4 0 11-
8 0 4 4 0 018 0zM12 14a7 7 0 00-7 7h14a7 7 0 00-7-7z" />
        </svg>
      </div>
      <div>
        <p className="text-white font-bold text-sm">Agente DINCO</p>
        <div className="flex items-center gap-1">
          <div className="w-2 h-2 bg-green-400 rounded-full" />
          <p className="text-white/70 text-xs">En línea ahora</p>
        </div>
      </div>
    </div>

    {/* MENSAJE */}
    <div className="p-4 bg-gray-50">
      <div className="bg-white rounded-xl p-3 shadow-sm">
        <p className="text-gray-700 text-sm">
          ¡Hola! 🤖 Soy tu agente DINCO. ¿En qué región te interesa una propiedad?
        </p>
        <p className="text-gray-400 text-xs mt-1">Ahora mismo</p>
      </div>
    </div>
  </div>
)

```

```

    </div>
  </div>

  { /* OPCIONES RÁPIDAS */ }
  <div className="p-4 space-y-2">
    { ['Puerto Plata', 'Cabarete', 'Sosúa', 'Santo Domingo'].map((region) => (
      <a
        key={region}
        href={`https://wa.me/18091234567?text=Me interesa una propiedad en ${region}`}
        target="_blank"
        rel="noopener noreferrer"
        className="block w-full text-left text-sm text-[#0056B3] border border-[#0056B3] px-4
py-2 rounded-xl hover:bg-[#0056B3] hover:text-white transition-all duration-200"
      >
        {region}
      </a>
    ))}
  </div>
</div>
))}
</>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\property\CatalogoRegion.tsx ---

```

import Navbar from '@components/layout/Navbar'
import Footer from '@components/layout/Footer'
import Link from 'next/link'

const propiedadesEjemplo = [
  { id: 1, titulo: 'Villa frente al mar', precio: 'US$ 285,000', tipo: 'Venta', habitaciones: 4,
    banos: 3, metros: 320, imagen: 'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?
w=800&q=80', destacada: true },
  { id: 2, titulo: 'Apartamento moderno', precio: 'US$ 145,000', tipo: 'Venta', habitaciones: 2,
    banos: 2, metros: 95, imagen: 'https://images.unsplash.com/photo-1560448204-e02f11c3d0e2?w=800&q=80',
    destacada: false },
  { id: 3, titulo: 'Casa con jardín', precio: 'US$ 1,800 / mes', tipo: 'Renta', habitaciones: 3,
    banos: 2, metros: 180, imagen: 'https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?
w=800&q=80', destacada: false },
  { id: 4, titulo: 'Penthouse ejecutivo', precio: 'US$ 3,500 / mes', tipo: 'Renta', habitaciones: 3,
    banos: 2, metros: 210, imagen: 'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?
w=800&q=80', destacada: false },
  { id: 5, titulo: 'Villa de lujo', precio: 'US$ 420,000', tipo: 'Venta', habitaciones: 5, banos: 4,
    metros: 480, imagen: 'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=800&q=80',
    destacada: true },
  { id: 6, titulo: 'Terreno residencial', precio: 'US$ 89,000', tipo: 'Venta', habitaciones: 0,
    banos: 0, metros: 1200, imagen: 'https://images.unsplash.com/photo-1500382017468-9049fed747ef?
w=800&q=80', destacada: false },
]

const filtros = ['Todas', 'Venta', 'Renta', 'Casas', 'Apartamentos', 'Villas', 'Terrenos']

interface Props {
  nombre: string
  descripcion: string
  imagen: string
  propiedades: number
  slug: string
}

export default function CatalogoRegion({ nombre, descripcion, imagen, propiedades }: Props) {
  return (
    <main>
      <Navbar />

```

```

{ /* HERO REGIÓN */ }
<section
  className="relative h-80 bg-cover bg-center flex items-end"
  style={{ backgroundImage: `url(${imagen})` }}
>
  <div className="absolute inset-0 bg-linear-to-t from-black/80 to-black/20" />
  <div className="relative z-10 max-w-7xl mx-auto px-6 pb-10 w-full">
    <div className="flex items-center gap-2 text-white/60 text-sm mb-2">
      <Link href="/" className="hover:text-white transition-colors">Inicio</Link>
      <span>/</span>
      <span className="text-white">{nombre}</span>
    </div>
    <h1 className="text-5xl font-black text-white">{nombre}</h1>
    <p className="text-white/75 mt-2">{propiedades} propiedades disponibles · {descripcion}</p>
  </div>
</section>

{ /* FILTROS */ }
<section className="bg-white border-b border-gray-100 sticky top-0 z-40 shadow-sm">
  <div className="max-w-7xl mx-auto px-6 py-4 flex flex-wrap gap-3">
    {filtros.map((filtro) => (
      <button
        key={filtro}
        className={`px-4 py-2 rounded-full text-sm font-semibold transition-all duration-200 ${
          filtro === 'Todas'
            ? 'bg-[#0056B3] text-white'
            : 'bg-gray-100 text-gray-600 hover:bg-[#0056B3] hover:text-white'
        }`}
      >
        {filtro}
      </button>
    ))}
  </div>
</section>

{ /* CATÁLOGO */ }
<section className="py-12 px-6 bg-gray-50">
  <div className="max-w-7xl mx-auto">
    <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
      {propiedadesEjemplo.map((p) => (
        <div
          key={p.id}
          className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden border border-gray-100"
        >
          <div className="relative overflow-hidden h-52">
            <div
              className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
              style={{ backgroundImage: `url(${p.imagen})` }}
            />
            <div className="absolute top-4 left-4 flex gap-2">
              <span className={`text-xs font-bold px-3 py-1 rounded-full text-white ${
                p.tipo === 'Venta' ? 'bg-[#0056B3]' : 'bg-[#FF2A39]'
              }`} >
                {p.tipo}
              </span>
              {p.destacada && (
                <span className="text-xs font-bold px-3 py-1 rounded-full bg-yellow-400 text-
yellow-900">
                  Destacada
                </span>
              )}
            </div>
          </div>
        </div>
      ))}
    </div>
  </div>
</section>

```

```

        <button className="absolute top-4 right-4 bg-white/90 p-2 rounded-full hover:bg-
white transition-colors">
            <svg className="w-4 h-4 text-gray-400 hover:text-[#FF2A39]" fill="none"
stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318
6.318a4.5 4.5 0 00 6.364L12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5
4.5 0 00-6.364 0z" />
            </svg>
        </button>
    </div>

    <div className="p-5">
        <h3 className="text-gray-900 font-bold text-lg mb-1">{p.titulo}</h3>
        <div className="flex items-center gap-1 text-gray-400 text-sm mb-3">
            <svg className="w-4 h-4 text-[#FF2A39]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17.657
16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0z" />
            </svg>
            {nombre}
        </div>

        <div className="flex items-center gap-4 text-gray-500 text-sm mb-4 pb-4 border-b
border-gray-100">
            {p.habitaciones} > 0 && <span>{p.habitaciones}</span> hab.</span>
            {p.banos} > 0 && <span>{p.banos}</span> baños</span>
            <span>{p.metros}</span> m²</span>
        </div>

        <div className="flex items-center justify-between">
            <p className="text-[#0056B3] font-black text-xl">{p.precio}</p>
            <Link
                href={` /propiedades/${p.id}`}
                className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-4
py-2 rounded-xl transition-colors duration-300"
            >
                Ver detalles
            </Link>
        </div>
    </div>
</div>
    )})
</div>
</div>
</section>

    <Footer />
</main>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\property\PropiedadesDestacadas.tsx ---

```

import Link from 'next/link'

const propiedades = [
  {
    id: 1,
    titulo: 'Villa frente al mar',
    ubicacion: 'Puerto Plata',
    precio: 'US$ 285,000',
    tipo: 'Venta',
    habitaciones: 4,
    banos: 3,
    metros: 320,
  },

```

```

    imagen: 'https://images.unsplash.com/photo-1512917774080-9991f1c4c750?w=800&q=80',
    destacada: true,
  },
  {
    id: 2,
    titulo: 'Apartamento beachfront',
    ubicacion: 'Cabarete',
    precio: 'US$ 145,000',
    tipo: 'Venta',
    habitaciones: 2,
    banos: 2,
    metros: 95,
    imagen: 'https://images.unsplash.com/photo-1560448204-e02f11c3d0e2?w=800&q=80',
    destacada: false,
  },
  {
    id: 3,
    titulo: 'Villa de lujo con piscina',
    ubicacion: 'Sosúa',
    precio: 'US$ 420,000',
    tipo: 'Venta',
    habitaciones: 5,
    banos: 4,
    metros: 480,
    imagen: 'https://images.unsplash.com/photo-1613490493576-7fde63acd811?w=800&q=80',
    destacada: true,
  },
  {
    id: 4,
    titulo: 'Penthouse ejecutivo',
    ubicacion: 'Santo Domingo',
    precio: 'US$ 3,500 / mes',
    tipo: 'Renta',
    habitaciones: 3,
    banos: 2,
    metros: 210,
    imagen: 'https://images.unsplash.com/photo-1522708323590-d24dbb6b0267?w=800&q=80',
    destacada: false,
  },
  {
    id: 5,
    titulo: 'Casa colonial restaurada',
    ubicacion: 'Samaná',
    precio: 'US$ 195,000',
    tipo: 'Venta',
    habitaciones: 3,
    banos: 2,
    metros: 180,
    imagen: 'https://images.unsplash.com/photo-1600596542815-ffad4c1539a9?w=800&q=80',
    destacada: false,
  },
  {
    id: 6,
    titulo: 'Terreno frente al mar',
    ubicacion: 'Monte Cristi',
    precio: 'US$ 89,000',
    tipo: 'Venta',
    habitaciones: 0,
    banos: 0,
    metros: 1200,
    imagen: 'https://images.unsplash.com/photo-1500382017468-9049fed747ef?w=800&q=80',
    destacada: false,
  },
]

```

```

export default function PropiedadesDestacadas() {
  return (
    <section className="py-20 px-6 bg-white">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}
        <div className="flex flex-col md:flex-row md:items-end justify-between mb-14">
          <div>
            <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
              Selección exclusiva
            </span>
            <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-3">
              Propiedades destacadas
            </h2>
            <p className="text-gray-500 text-lg max-w-xl">
              Las mejores oportunidades de inversión seleccionadas por nuestros expertos
            </p>
          </div>
          <Link
            href="/propiedades"
            className="mt-6 md:mt-0 inline-flex items-center gap-2 text-[#0056B3] font-bold border-2
border-[#0056B3] px-6 py-3 rounded-xl hover:bg-[#0056B3] hover:text-white transition-all duration-
300"
          >
            Ver todas
            <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
              <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4 4m0 0l-4
4m4-4H3" />
            </svg>
          </Link>
        </div>

        {/* GRID */}
        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-8">
          {propiedades.map((p) => (
            <div
              key={p.id}
              className="group bg-white rounded-2xl shadow-md hover:shadow-2xl transition-all
duration-300 overflow-hidden border border-gray-100"
            >
              {/* IMAGEN */}
              <div className="relative overflow-hidden h-52">
                <div
                  className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
                  style={{ backgroundImage: `url(${p.imagen})` }}
                />
              </div>
              {/* BADGES */}
              <div className="absolute top-4 left-4 flex gap-2">
                <span className={`text-xs font-bold px-3 py-1 rounded-full text-white ${
                  p.tipo === 'Venta' ? 'bg-[#0056B3]' : 'bg-[#FF2A39]'
                }`}>
                  {p.tipo}
                </span>
                {p.destacada && (
                  <span className="text-xs font-bold px-3 py-1 rounded-full bg-yellow-400 text-
yellow-900">
                    Destacada
                  </span>
                )}
              </div>
              {/* FAVORITO */}
              <button className="absolute top-4 right-4 bg-white/90 p-2 rounded-full hover:bg-white
transition-colors duration-200">
                <svg className="w-4 h-4 text-gray-400 hover:text-[#FF2A39]" fill="none"

```

```

stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4.318
6.318a4.5 4.5 0 00 6.364L12 20.364l7.682-7.682a4.5 4.5 0 00-6.364-6.364L12 7.636l-1.318-1.318a4.5
4.5 0 00-6.364 0z" />
</svg>
</button>
</div>

{/* CONTENIDO */}
<div className="p-5">
    <div className="flex items-start justify-between mb-2">
        <h3 className="text-gray-900 font-bold text-lg leading-tight">
            {p.titulo}
        </h3>
    </div>

    {/* UBICACIÓN */}
    <div className="flex items-center gap-1 text-gray-400 text-sm mb-3">
        <svg className="w-4 h-4 text-[#FF2A39]" fill="none" stroke="currentColor"
viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17.657
16.657L13.414 20.9a1.998 1.998 0 01-2.827 0l-4.244-4.243a8 8 0 1111.314 0z" />
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 11a3 3
0 11-6 0 3 3 0 016 0z" />
        </svg>
        {p.ubicacion}
    </div>

    {/* CARACTERÍSTICAS */}
    <div className="flex items-center gap-4 text-gray-500 text-sm mb-4 pb-4 border-b
border-gray-100">
        {p.habitaciones > 0 && (
            <span className="flex items-center gap-1">
                <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M3
12l2-2m0 0l7-7 7 7M5 10v10a1 1 0 01 1h3m10-11l2 2m-2-2v10a1 1 0 01-1 1h-3m-6 0a1 1 0 001-1v-4a1 1 0
011-1h2a1 1 0 011 1v4a1 1 0 001 1m-6 0h6" />
                </svg>
                {p.habitaciones} hab.
            </span>
        )}
        {p.banos > 0 && (
            <span className="flex items-center gap-1">
                <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M8
14v3m4-3v3m4-3v3M3 21h18M3 10h18M3 7l9-4 9 4M4 10h16v11H4V10z" />
                </svg>
                {p.banos} baños
            </span>
        )}
        <span className="flex items-center gap-1">
            <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
                <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M4 8V4m0
0h4M4 4l5 5m11-1V4m0 0h4m4 0l5 5M4 16v4m0 0h4m-4 0l5-5m11 5l-5-5m5 5v-4m0 4h-4" />
            </svg>
            {p.metros} m2
        </span>
    </div>

    {/* PRECIO Y ACCIÓN */}
    <div className="flex items-center justify-between">
        <p className="text-[#0056B3] font-black text-xl">
            {p.precio}
        </p>
        <Link

```



```

        href={` /propiedades/${p.id}`}
        className="bg-[#FF2A39] hover:bg-[#0056B3] text-white text-sm font-bold px-4 py-2
rounded-xl transition-colors duration-300"
      >
        Ver detalles
      </Link>
    </div>
  </div>
</div>
))}
</div>
</div>
</section>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\ui\Hero.tsx ---

```

'use client'
import { useState, useEffect, useCallback } from 'react'
import Link from 'next/link'

const REGIONES = [
  {
    nombre: 'Puerto Plata',
    descripcion: 'Villas y residencias frente al mar Caribe',
    tagline: 'Costa Norte · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=1920&q=80',
    propiedades: 124,
    slug: 'puerto-plata',
    color: 'from-blue-900/70',
  },
  {
    nombre: 'Cabarete',
    descripcion: 'El paraíso del surf y la vida costera',
    tagline: 'Capital del Surf · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=1920&q=80',
    propiedades: 86,
    slug: 'cabarete',
    color: 'from-teal-900/70',
  },
  {
    nombre: 'Sosúa',
    descripcion: 'Playas cristalinas y propiedades de lujo',
    tagline: 'Costa Norte · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1590523741831-ab7e8b8f9c7f?w=1920&q=80',
    propiedades: 98,
    slug: 'sosua',
    color: 'from-cyan-900/70',
  },
  {
    nombre: 'Santo Domingo',
    descripcion: 'La capital – centro de negocios e inversión',
    tagline: 'Capital · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1486325212027-8081e485255e?w=1920&q=80',
    propiedades: 215,
    slug: 'santo-domingo',
    color: 'from-gray-900/80',
  },
  {
    nombre: 'Samaná',
    descripcion: 'Naturaleza exuberante y exclusividad tropical',
    tagline: 'Noroeste · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1501854140801-50d01698950b?w=1920&q=80',
    propiedades: 67,
  },

```

```

    slug: 'samana',
    color: 'from-green-900/70',
  },
  {
    nombre: 'Monte Cristi',
    descripcion: 'Tierra de oportunidades y paisajes únicos',
    tagline: 'Noroeste · República Dominicana',
    imagen: 'https://images.unsplash.com/photo-1499793983690-e29da59ef1c2?w=1920&q=80',
    propiedades: 43,
    slug: 'monte-cristi',
    color: 'from-amber-900/70',
  },
]

const TIPOS_OPERACION = ['Venta', 'Renta', 'Promoción']
const TIPOS_PROPIEDAD = ['Casa', 'Apartamento', 'Villa', 'Penthouse', 'Local', 'Terreno']

export default function Hero() {
  const [actual, setActual] = useState(0)
  const [prev, setPrev] = useState<number | null>(null)
  const [transitioning, setTransitioning] = useState(false)

  const goTo = useCallback((idx: number) => {
    if (transitioning || idx === actual) return
    setPrev(actual)
    setTransitioning(true)
    setTimeout(() => {
      setActual(idx)
      setTransitioning(false)
      setPrev(null)
    }, 700)
  }, [actual, transitioning])

  useEffect(() => {
    const t = setInterval(() => goTo((actual + 1) % REGIONES.length), 6000)
    return () => clearInterval(t)
  }, [actual, goTo])

  const region = REGIONES[actual]

  return (
    <section className="relative w-full h-screen min-h-[600px] overflow-hidden">

      {/* FONDO ANTERIOR (salida) */}
      {prev !== null && (
        <div
          className="absolute inset-0 bg-cover bg-center transition-opacity duration-700 opacity-0"
          style={{ backgroundImage: `url(${REGIONES[prev].imagen})` }}
        />
      )}

      {/* FONDO ACTUAL */}
      <div
        className="absolute inset-0 bg-cover bg-center transition-opacity duration-700"
        style={{ backgroundImage: `url(${region.imagen})` }}
      />

      {/* GRADIENTES */}
      <div className={`absolute inset-0 bg-gradient-to-t ${region.color} via-black/30 to-black/10
transition-all duration-700`} />
      <div className="absolute inset-0 bg-gradient-to-r from-black/50 via-transparent to-transparent"
    />

      {/* CONTENIDO */}
      <div className="relative z-10 h-full flex flex-col items-center justify-center text-white px-6

```

pt-20"&gt;

```

    { /* BADGE */ }
    <div className={`transition-all duration-500 ${transitioning ? 'opacity-0 scale-95' :
'opacity-100 scale-100'}`}>
      <span className="inline-flex items-center gap-2 bg-[#FF2A39]/90 backdrop-blur-sm text-white
text-xs font-bold px-5 py-2 rounded-full tracking-widest uppercase mb-6">
        <span className="w-1.5 h-1.5 bg-white rounded-full animate-pulse" />
        {region.tagline}
      </span>
    </div>

    { /* TÍTULO */ }
    <div className={`text-center transition-all duration-500 ${transitioning ? 'opacity-0
translate-y-4' : 'opacity-100 translate-y-0'}`}>
      <h1
        className="text-6xl md:text-8xl lg:text-9xl font-black mb-4 leading-none tracking-tight
drop-shadow-2xl"
        style={{ fontFamily: "'Playfair Display', Georgia, serif" }}
      >
        {region.nombre}
      </h1>
      <p className="text-xl md:text-2xl text-white/80 mb-2 font-light max-w-2xl mx-auto">
        {region.descripcion}
      </p>
      <p className="text-[#FF2A39] font-bold text-sm tracking-widest uppercase mb-10">
        {region.propiedades} propiedades disponibles
      </p>
    </div>

    { /* BUSCADOR */ }
    <div className="w-full max-w-4xl glass rounded-2xl p-3 mb-8">
      <div className="flex flex-col md:flex-row gap-2">
        <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3.5 text-sm font-
semibold outline-none cursor-pointer">
          <option value="">Tipo de operación</option>
          {TIPOS_OPERACION.map(t => <option key={t} value={t.toLowerCase()}>{t}</option>)}
        </select>
        <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3.5 text-sm font-
semibold outline-none cursor-pointer">
          <option value="">Tipo de propiedad</option>
          {TIPOS_PROPIEDAD.map(t => <option key={t} value={t.toLowerCase()}>{t}</option>)}
        </select>
        <select className="flex-1 bg-white text-gray-700 rounded-xl px-4 py-3.5 text-sm font-
semibold outline-none cursor-pointer">
          <option value="">Región</option>
          {REGIONES.map(r => <option key={r.slug} value={r.slug}>{r.nombre}</option>)}
        </select>
        <Link
          href="/propiedades"
          className="bg-[#FF2A39] hover:bg-[#0056B3] text-white font-black px-10 py-3.5 rounded-
xl transition-all duration-300 flex items-center justify-center gap-2 whitespace-nowrap shadow-lg"
        >
          <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
            <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2.5} d="M21 21l-6-
6m2-5a7 7 0 11-14 0 7 7 0 0114 0z" />
          </svg>
          Buscar
        </Link>
      </div>
    </div>

    { /* ESTADÍSTICAS */ }
    <div className="flex items-center gap-6 md:gap-10 mb-8">
      [

```

```

    { num: '+600', label: 'Propiedades' },
    { num: '6', label: 'Regiones' },
    { num: '+12', label: 'Años' },
    { num: '+800', label: 'Clientes' },
  ].map((s, i) => (
    <div key={s.label} className="flex items-center gap-6">
      <div className="text-center">
        <p className="text-2xl md:text-3xl font-black text-white leading-none">{s.num}</p>
        <p className="text-white/50 text-xs tracking-widest uppercase mt-0.5">{s.label}</p>
      </div>
      {i < 3 && <div className="w-px h-8 bg-white/20" />}
    </div>
  )))
</div>

{/* INDICADORES */}
<div className="flex items-center gap-3 flex-wrap justify-center">
  {REGIONES.map((r, i) => (
    <button
      key={r.slug}
      onClick={() => goTo(i)}
      className="group flex flex-col items-center gap-1.5"
    >
      <span className={`text-xs font-bold transition-all duration-300 ${
        i === actual ? 'text-white' : 'text-white/35 group-hover:text-white/65'
      }`} >
        {r.nombre}
      </span>
      <span className={`block h-0.5 rounded-full transition-all duration-400 ${
        i === actual
          ? 'bg-[#FF2A39] w-10'
          : 'bg-white/25 w-3 group-hover:w-6 group-hover:bg-white/50'
        }`} />
    </button>
  )))
</div>
</div>

{/* SCROLL INDICATOR */}
<div className="absolute bottom-8 left-1/2 -translate-x-1/2 z-10 flex flex-col items-center gap-1 animate-bounce">
  <span className="text-white/40 text-xs tracking-widest uppercase">Explorar</span>
  <svg className="w-5 h-5 text-white/40" fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 9l-7 7-7-7" />
  </svg>
</div>

</section>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\ui\SeccionAgentes.tsx ---

```

import Link from 'next/link'

const agentes = [
  {
    id: 1,
    nombre: 'Carlos Durán',
    cargo: 'Agente Senior',
    region: 'Puerto Plata',
    idiomas: ['Español', 'Inglés'],
    propiedades: 48,
    foto: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=400&q=80',
    whatsapp: '18091234567',
  },

```

```

    email: 'carlos@dinco.com',
  },
  {
    id: 2,
    nombre: 'María González',
    cargo: 'Agente Inmobiliaria',
    region: 'Cabarete',
    idiomas: ['Español', 'Inglés', 'Francés'],
    propiedades: 35,
    foto: 'https://images.unsplash.com/photo-1494790108377-be9c29b29330?w=400&q=80',
    whatsapp: '18097654321',
    email: 'maria@dinco.com',
  },
  {
    id: 3,
    nombre: 'Roberto Méndez',
    cargo: 'Agente Comercial',
    region: 'Santo Domingo',
    idiomas: ['Español', 'Inglés', 'Alemán'],
    propiedades: 62,
    foto: 'https://images.unsplash.com/photo-1472099645785-5658abf4ff4e?w=400&q=80',
    whatsapp: '18099876543',
    email: 'roberto@dinco.com',
  },
  {
    id: 4,
    nombre: 'Ana Martínez',
    cargo: 'Agente de Lujo',
    region: 'Sosúa',
    idiomas: ['Español', 'Inglés', 'Italiano'],
    propiedades: 29,
    foto: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=400&q=80',
    whatsapp: '18091112233',
    email: 'ana@dinco.com',
  },
]

export default function SeccionAgentes() {
  return (
    <section className="py-20 px-6 bg-gray-50">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}
        <div className="text-center mb-14">
          <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
            Nuestro equipo
          </span>
          <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-4">
            Agentes especializados
          </h2>
          <p className="text-gray-500 text-lg max-w-2xl mx-auto">
            Expertos en cada región listos para asesorarte y encontrar la propiedad ideal
          </p>
        </div>

        {/* GRID AGENTES */}
        <div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-4 gap-6">
          {agentes.map((agente) => (
            <div
              key={agente.id}
              className="bg-white rounded-2xl shadow-md hover:shadow-xl transition-all duration-300
overflow-hidden group"
            >
              {/* FOTO */}
              <div className="relative h-56 overflow-hidden">

```

```

<div
  className="h-full bg-cover bg-center transition-transform duration-500 group-
hover:scale-105"
  style={{ backgroundImage: `url(${agente.foto})` }}
/>
<div className="absolute inset-0 bg-linear-to-t from-black/60 to-transparent" />
<div className="absolute bottom-4 left-4">
  <span className="bg-[#FF2A39] text-white text-xs font-bold px-3 py-1 rounded-full">
    {agente.region}
  </span>
</div>
</div>

{/* CONTENIDO */}
<div className="p-5">
  <h3 className="text-gray-900 font-black text-lg">{agente.nombre}</h3>
  <p className="text-[#0056B3] text-sm font-semibold mb-2">{agente.cargo}</p>

  {/* IDIOMAS */}
  <div className="flex flex-wrap gap-1 mb-3">
    {agente.idiomas.map((idioma) => (
      <span key={idioma} className="text-xs bg-blue-50 text-[#0056B3] px-2 py-0.5
rounded-full">
        {idioma}
      </span>
    ))}
  </div>

  {/* PROPIEDADES */}
  <p className="text-gray-400 text-sm mb-4">
    <span className="text-[#0056B3] font-black text-lg">{agente.propiedades}</span>
    propiedades activas
  </p>

  {/* BOTONES CONTACTO */}
  <div className="flex gap-2">

    <a
      href={`https://wa.me/${agente.whatsapp}`}
      target="_blank"
      rel="noopener noreferrer"
      className="flex-1 bg-green-500 hover:bg-green-600 text-white text-xs font-bold py-2.5 rounded-xl
flex items-center justify-center gap-1.5 transition-colors duration-300"
    >
      <svg className="w-4 h-4" fill="currentColor" viewBox="0 0 24 24">
        <path d="M17.472 14.382c-.297-.149-1.758-.867-
2.03-.967-.273-.099-.471-.148-.67.15-.197.297-.767.966-.94 1.164-.173.199-.347.223-.644.075-.297-.15-
1.255-.463-2.39-1.475-.883-.788-1.48-1.761-1.653-
2.059-.173-.297-.018-.458.13-.606.134-.133.298-.347.446-.52.149-.174.198-.298.298-.497.099-.198.05-.3
71-.025-.52-.075-.149-.669-1.612-.916-
2.207-.242-.579-.487-.5-.669-.51-.173-.008-.371-.01-.57-.01-.198 0-.52.074-.792.372-.272.297-1.04
1.016-1.04 2.479 0 1.462 1.065 2.875 1.213 3.074.149.198 2.096 3.2 5.077 4.487.709.306 1.262.489
1.694.625.712.227 1.36.195 1.871.118.571-.085 1.758-.719 2.006-1.413.248-.694.248-1.289.173-
1.413-.074-.124-.272-.198-.57-.347m-5.421 7.403h-.004a9.87 9.87 0 01-5.031-1.378l-.361-.214-
3.741.982.998-3.648-.235-.374a9.86 9.86 0 01-1.51-5.26c.001-5.45 4.436-9.884 9.888-9.884 2.64 0 5.122
1.03 6.988 2.898a9.825 9.825 0 012.893 6.994c-.003 5.45-4.437 9.884-9.885 9.884m8.413-18.297A11.815
11.815 0 0012.05 0C5.495 0 .16 5.335.157 11.892c0 2.096.547 4.142 1.588 5.945L.057 24.16.305-
1.654a11.882 11.882 0 005.683 1.448h.005c6.554 0 11.89-5.335 11.893-11.893a11.821 11.821 0 00-3.48-
8.413z"/>
      </svg>

      WhatsApp
    </a>

    <a

```

```
import Link from 'next/link'

export default function SeccionPostulacion() {
  return (
    <section className="py-20 px-6 bg-[#0056B3] relative overflow-hidden">

      {/* FONDO DECORATIVO */}
      <div className="absolute inset-0 opacity-10">
        <div className="absolute top-0 right-0 w-96 h-96 bg-white rounded-full -translate-y-1/2
translate-x-1/2" />
        <div className="absolute bottom-0 left-0 w-64 h-64 bg-[#FF2A39] rounded-full translate-y-1/2
-translate-x-1/2" />
      </div>

      <div className="max-w-7xl mx-auto relative z-10">
        <div className="grid grid-cols-1 lg:grid-cols-2 gap-16 items-center">

          {/* TEXTO */}
          <div>
            <span className="inline-block bg-[#FF2A39] text-white text-xs font-bold px-4 py-1.5">

```

```

rounded-full tracking-widest uppercase mb-6">
  Propietarios internacionales
</span>
<h2 className="text-4xl md:text-5xl font-black text-white mb-6 leading-tight">
  ¿Tienes una propiedad fuera de República Dominicana?
</h2>
<p className="text-white/75 text-lg mb-8 leading-relaxed">
  Publica, vende, renta o promociona tu propiedad a través de DINCO y llega a miles de
compradores e inversores en todo el mundo. Nuestros agentes especializados te guiarán en cada paso.
</p>

{/* BENEFICIOS */}
<div className="space-y-4 mb-10">
  {[
    'Asignación automática al catálogo de tu región',
    'Agente DINCO dedicado para tu zona',
    'Visibilidad internacional sin comisión adelantada',
    'Proceso 100% digital desde cualquier país',
  ].map((item) => (
    <div key={item} className="flex items-center gap-3">
      <div className="w-5 h-5 rounded-full bg-[#FF2A39] flex items-center justify-center
shrink-0">
        <svg className="w-3 h-3 text-white" fill="none" stroke="currentColor" viewBox="0
0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={3} d="M5 13l4
4 19 7" />
        </svg>
      </div>
      <p className="text-white/85 font-medium">{item}</p>
    </div>
  )]}
</div>

<Link
  href="/postulacion"
  className="inline-flex items-center gap-3 bg-white text-[#0056B3] font-black px-8 py-4
rounded-xl hover:bg-[#FF2A39] hover:text-white transition-all duration-300 shadow-xl text-lg"
  >
  Publicar mi propiedad
  <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
    <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4 4m0 0l-
4 4m4-4H3" />
  </svg>
</Link>
</div>

{/* PASOS */}
<div className="grid grid-cols-1 gap-4">
  {[
    { paso: '01', titulo: 'Selecciona tu país', desc: 'Elige el país donde está ubicada tu
propiedad' },
    { paso: '02', titulo: 'Tipo de operación', desc: 'Indica si deseas vender, rentar o
promocionar' },
    { paso: '03', titulo: 'Datos de la propiedad', desc: 'Completa el formulario con los
detalles y fotos' },
    { paso: '04', titulo: 'Agente asignado', desc: 'DINCO te asigna un agente experto en tu
región' },
  ].map((item) => (
    <div key={item.paso} className="bg-white/10 backdrop-blur-sm border border-white/20
rounded-2xl p-5 flex items-center gap-5 hover:bg-white/20 transition-all duration-300">
      <span className="text-4xl font-black text-white/20 w-14 shrink-0">{item.paso}</span>
      <div>
        <h3 className="text-white font-black text-lg">{item.titulo}</h3>
        <p className="text-white/65 text-sm">{item.desc}</p>
      </div>
    </div>
  )

```



```

        </div>
      )}}
    </div>

  </div>
</div>
</section>
)
}

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\ui\SeccionRegiones.tsx ---

```

import Link from 'next/link'

const regiones = [
  {
    nombre: 'Puerto Plata',
    descripcion: 'Villas, casas y locales frente al mar Caribe',
    imagen: 'https://images.unsplash.com/photo-1506905925346-21bda4d32df4?w=800&q=80',
    propiedades: 124,
    slug: 'puerto-plata',
  },
  {
    nombre: 'Cabarete',
    descripcion: 'Apartamentos y villas en la capital del surf',
    imagen: 'https://images.unsplash.com/photo-1507525428034-b723cf961d3e?w=800&q=80',
    propiedades: 86,
    slug: 'cabarete',
  },
  {
    nombre: 'Sosúa',
    descripcion: 'Residencias de lujo y propiedades comerciales',
    imagen: 'https://images.unsplash.com/photo-1590523741831-ab7e8b8f9c7f?w=800&q=80',
    propiedades: 98,
    slug: 'sosua',
  },
  {
    nombre: 'Santo Domingo',
    descripcion: 'Inversión y negocios en la capital del país',
    imagen: 'https://images.unsplash.com/photo-1486325212027-8081e485255e?w=800&q=80',
    propiedades: 215,
    slug: 'santo-domingo',
  },
  {
    nombre: 'Samaná',
    descripcion: 'Naturaleza tropical y exclusividad costera',
    imagen: 'https://images.unsplash.com/photo-1501854140801-50d01698950b?w=800&q=80',
    propiedades: 67,
    slug: 'samana',
  },
  {
    nombre: 'Monte Cristi',
    descripcion: 'Oportunidades únicas en el norte del país',
    imagen: 'https://images.unsplash.com/photo-1499793983690-e29da59ef1c2?w=800&q=80',
    propiedades: 43,
    slug: 'monte-cristi',
  },
]

export default function SeccionRegiones() {
  return (
    <section className="py-20 px-6 bg-gray-50">
      <div className="max-w-7xl mx-auto">

        {/* ENCABEZADO */}

```

```

<div className="text-center mb-14">
  <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
    República Dominicana
  </span>
  <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-4">
    Explora por región
  </h2>
  <p className="text-gray-500 text-lg max-w-2xl mx-auto">
    Encuentra la propiedad perfecta en las mejores zonas del país
  </p>
</div>

{/* GRID DE REGIONES */}
<div className="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
  {regiones.map((region) => (
    <Link
      key={region.slug}
      href={`/${region.slug}`}
      className="group relative overflow-hidden rounded-2xl shadow-lg hover:shadow-2xl
transition-all duration-300 cursor-pointer"
    >
      {/* IMAGEN */}
      <div
        className="h-64 bg-cover bg-center transition-transform duration-500 group-
hover:scale-110"
        style={{ backgroundImage: `url(${region.imagen})` }}
      />

      {/* CAPA OSCURA */}
      <div className="absolute inset-0 bg-linear-to-t from-black/80 via-black/20 to-
transparent" />

      {/* CONTENIDO */}
      <div className="absolute bottom-0 left-0 right-0 p-6">
        <div className="flex items-end justify-between">
          <div>
            <h3 className="text-white text-2xl font-black mb-1">
              {region.nombre}
            </h3>
            <p className="text-white/70 text-sm">
              {region.descripcion}
            </p>
          </div>
          <div className="text-right ml-4">
            <p className="text-[#FF2A39] text-2xl font-black">
              {region.propiedades}
            </p>
            <p className="text-white/60 text-xs uppercase tracking-wider">
              propiedades
            </p>
          </div>
        </div>
      </div>

      {/* BOTÓN */}
      <div className="mt-4 flex items-center gap-2 text-white text-sm font-semibold
opacity-0 group-hover:opacity-100 transition-opacity duration-300">
        <span>Ver propiedades</span>
        <svg className="w-4 h-4" fill="none" stroke="currentColor" viewBox="0 0 24 24">
          <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M17 8l4 4m0
0 4 4m4-4H3" />
        </svg>
      </div>
    </Link>
  ))}

```

```

    </div>
  </div>
</section>
)
}

```

```

--- ARCHIVO: C:\Users\Dell\dinco-web\components\ui\Testimonios.tsx ---

```

```

'use client'
import { useState } from 'react'

const testimonios = [
  {
    id: 1,
    nombre: 'Michael Johnson',
    pais: 'Estados Unidos',
    bandera: 'us',
    texto: 'Compré mi villa en Cabarete a través de DINCO y fue una experiencia increíble. El agente me guió en cada paso del proceso desde Nueva York. En menos de 3 meses todo estaba cerrado.',
    propiedad: 'Villa en Cabarete',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1500648767791-00dcc994a43e?w=200&q=80',
  },
  {
    id: 2,
    nombre: 'Sophie Müller',
    pais: 'Alemania',
    bandera: 'DE',
    texto: 'Publiqué mi apartamento en Sosúa con DINCO y en dos semanas ya tenía inquilinos. El proceso fue completamente digital, nunca tuve que viajar a República Dominicana.',
    propiedad: 'Apartamento en Sosúa',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1544005313-94ddf0286df2?w=200&q=80',
  },
  {
    id: 3,
    nombre: 'Jean-Pierre Dubois',
    pais: 'Francia',
    bandera: 'FR',
    texto: 'Invertí en un terreno en Puerto Plata gracias a DINCO. La asesoría fue excelente y el precio superó mis expectativas. Ya estoy planificando mi segunda inversión.',
    propiedad: 'Terreno en Puerto Plata',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1507003211169-0a1dd7228f2d?w=200&q=80',
  },
  {
    id: 4,
    nombre: 'Isabella Rossi',
    pais: 'Italia',
    bandera: 'IT',
    texto: 'El equipo de DINCO es profesional y transparente. Me ayudaron a encontrar el penthouse perfecto en Santo Domingo. La comunicación fue impecable en todo momento.',
    propiedad: 'Penthouse en Santo Domingo',
    calificacion: 5,
    foto: 'https://images.unsplash.com/photo-1438761681033-6461ffad8d80?w=200&q=80',
  },
]

export default function Testimonios() {
  const [actual, setActual] = useState(0)

  const anterior = () => setActual((prev) => (prev === 0 ? testimonios.length - 1 : prev - 1))
  const siguiente = () => setActual((prev) => (prev === testimonios.length - 1 ? 0 : prev + 1))

```

```

return (
  <section className="py-20 px-6 bg-white">
    <div className="max-w-7xl mx-auto">

      {/* ENCABEZADO */}
      <div className="text-center mb-14">
        <span className="text-[#FF2A39] text-sm font-bold tracking-widest uppercase">
          Lo que dicen nuestros clientes
        </span>
        <h2 className="text-4xl md:text-5xl font-black text-[#0056B3] mt-2 mb-4">
          Historias de éxito
        </h2>
        <p className="text-gray-500 text-lg max-w-2xl mx-auto">
          Clientes de todo el mundo confían en DINCO para sus inversiones inmobiliarias
        </p>
      </div>

      {/* ESTADÍSTICAS */}
      <div className="grid grid-cols-2 md:grid-cols-4 gap-6 mb-16">
        {[
          { numero: '98%', label: 'Clientes satisfechos' },
          { numero: '+800', label: 'Transacciones cerradas' },
          { numero: '+40', label: 'Países representados' },
          { numero: '12', label: 'Años de experiencia' },
        ].map((stat) => (
          <div key={stat.label} className="text-center p-6 bg-gray-50 rounded-2xl">
            <p className="text-4xl font-black text-[#0056B3] mb-1">{stat.numero}</p>
            <p className="text-gray-500 text-sm">{stat.label}</p>
          </div>
        ))}
      </div>

      {/* CAROUSEL */}
      <div className="relative max-w-4xl mx-auto">
        <div className="bg-gray-50 rounded-3xl p-8 md:p-12">
          <div className="flex flex-col md:flex-row gap-8 items-center">

            {/* FOTO */}
            <div className="shrink-0">
              <div
                className="w-24 h-24 rounded-full bg-cover bg-center border-4 border-[#0056B3]"
                style={{ backgroundImage: `url(${testimonios[actual].foto})` }}
              />
            </div>

            {/* CONTENIDO */}
            <div className="flex-1">
              {/* ESTRELLAS */}
              <div className="flex gap-1 mb-4">
                {[...Array(testimonios[actual].calificacion)].map((_, i) => (
                  <svg key={i} className="w-5 h-5 text-yellow-400" fill="currentColor" viewBox="0 0
20 20">
                    <path d="M9.049 2.927c.3-.921 1.603-.921 1.902 0l1.07 3.292a1 1 0
00.95.69h3.462c.969 0 1.371 1.24.588 1.81l-2.8 2.034a1 1 0 00-.364 1.118l1.07 3.292c.3.921-.755
1.688-1.54 1.118l-2.8-2.034a1 1 0 00-1.175 0l-2.8 2.034c-.784.57-1.838-.197-1.539-1.118l1.07-3.292a1
1 0 00-.364-1.118l2.98 8.72c-.783-.57-.38-1.81.588-1.81h3.461a1 1 0 00.951-.69l1.07-3.292z" />
                </svg>
              </div>
              <p className="text-gray-700 text-lg leading-relaxed mb-6 italic">
                &quot;{testimonios[actual].texto}&quot;
              </p>
            </div>
          </div>
        </div>
      </div>

```

```

        <p className="font-black text-gray-900 text-lg">
          {testimonios[actual].nombre} {testimonios[actual].bandera}
        </p>
        <p className="text-[#0056B3] text-sm font-semibold">
          {testimonios[actual].propiedad} · {testimonios[actual].pais}
        </p>
      </div>
    </div>
  </div>
</div>

{/* CONTROLES */}
<div className="flex items-center justify-center gap-4 mt-8">
  <button
    onClick={anterior}
    className="w-12 h-12 bg-gray-100 hover:bg-[#0056B3] hover:text-white text-gray-600
rounded-full flex items-center justify-center transition-all duration-300"
  >
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M15 19l-7-7 7-7" />
    </svg>
  </button>

  <div className="flex gap-2">
    {testimonios.map((_, i) => (
      <button
        key={i}
        onClick={() => setActual(i)}
        className={`rounded-full transition-all duration-300 ${
          i === actual ? 'bg-[#FF2A39] w-8 h-3' : 'bg-gray-200 w-3 h-3'
        }`}
      />
    ))}
  </div>

  <button
    onClick={siguiente}
    className="w-12 h-12 bg-gray-100 hover:bg-[#0056B3] hover:text-white text-gray-600
rounded-full flex items-center justify-center transition-all duration-300"
  >
    <svg className="w-5 h-5" fill="none" stroke="currentColor" viewBox="0 0 24 24">
      <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M9 5l7 7 7-7" />
    </svg>
  </button>
</div>
</div>
</div>
</section>
)
}

```

```
--- ARCHIVO: C:\Users\Dell\dinco-web\docs\arquitectura\backend-servicios.md ---
```

## # SERVICIOS BACKEND

## ## SERVICIOS PRINCIPALES

```
### AUTH
```

## Autenticaci3n y autorizaci3n.

### ### USERS

Gesti<sup>o</sup>n de usuarios.

### PROPERTIES

Gesti<sup>o</sup>n de propiedades.

### CRM

Gesti<sup>o</sup>n de clientes y leads.

### DOCUMENTS

Gesti<sup>o</sup>n documental.

### NOTIFICATIONS

Correos y alertas.

### AI

Automatizaci<sup>o</sup>n futura.

## REGLAS

- separar l<sup>o</sup>gica por dominio
- validar entradas
- centralizar autenticaci<sup>o</sup>n
- evitar dependencias innecesarias

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\arquitectura\estructura-backend.md ---

# ESTRUCTURA BACKEND

## OBJETIVO

El backend controla:

- autenticaci<sup>o</sup>n
- base de datos
- CRM
- l<sup>o</sup>gica del negocio
- documentos
- automatizaci<sup>o</sup>n

## REGLAS

- API organizada
- Validaciones obligatorias
- Seguridad centralizada

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\arquitectura\estructura-frontend.md ---

# ESTRUCTURA FRONTEND

## OBJETIVO

El frontend controla:

- experiencia visual
- navegaci<sup>o</sup>n
- interacci<sup>o</sup>n
- cat<sup>o</sup>logo

- branding

## ## REGLAS

- Componentes reutilizables
- Responsive obligatorio
- SEO optimizado

## GUIA DE ARQUITECTURA DE CLOUDE, RECUERDA CLOUDE! QUE TENEMOS UN ARQUITECTURA PARA LA FASES DE LANZAMIENTO.

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\arquitectura\flujo-de-datos.md ---

## # FLUJO DE DATOS

Usuario ? Frontend ? API ? Backend ? Base de datos ? Frontend

## ## REGLAS

- Todo pasa por API
- Backend valida toda entrada
- Frontend no accede directo a DB

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\arquitectura\frontend-modulos.md ---

## # MÓDULOS FRONTEND

### ## MÓDULOS PRINCIPALES

#### ### HOME

Landing principal del sistema.

#### ### CATÁLOGO

Listado dinámico de propiedades.

#### ### DETALLE DE PROPIEDAD

Vista individual de inmueble.

#### ### DASHBOARD

Paneles administrativos y operativos.

#### ### FORMULARIOS

Captura de leads y publicación.

#### ### SISTEMA DE FILTROS

Búsqueda avanzada de propiedades.

## ## REGLAS

- mantener separación por módulos
- evitar componentes gigantes
- reutilizar UI
- mantener escalabilidad

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\arquitectura\vision-general.md ---

## # DINCO - VISIÓN GENERAL DEL SISTEMA

### ## TIPO DE PROYECTO

DINCO es una plataforma inmobiliaria escalable orientada a:

- Venta de propiedades
- Renta de propiedades
- Publicación internacional de inmuebles
- CRM inmobiliario
- Gestión documental
- Automatización futura con IA

## ## PRINCIPIOS

- Arquitectura modular
- Escalabilidad
- Componentes reutilizables
- Separación frontend/backend
- Sistema multirol

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\ia\flujo-de-trabajo-ia.md ---

## # FLUJO DE TRABAJO CON IA

### ## CLAUDE

Responsable de:

- construcción de módulos
- generación de componentes
- estructuras grandes

### ## CHATGPT

Responsable de:

- revisión arquitectónica
- optimización
- escalabilidad
- UX
- organización

### ## COPILOT

Responsable de:

- corrección rápida
- asistencia dentro del código
- autocompletado

### ## REGLA GENERAL

Ninguna IA debe alterar arquitectura sin validación humana.

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\ia\instrucciones-claude.md ---

## # INSTRUCCIONES PARA CLAUDE

Claude debe:

- generar módulos
- mantener estructura
- evitar romper arquitectura
- reutilizar componentes

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\ia\instrucciones-copilot.md ---



## # INSTRUCCIONES PARA COPILOT

Copilot debe:

- asistir en errores rápidos
- ayudar dentro del código
- no modificar arquitectura

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\ia\rol-chatgpt.md ---

## # ROL DE CHATGPT

ChatGPT debe:

- revisar arquitectura
- detectar errores estructurales
- optimizar escalabilidad
- mejorar UX

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\marca\colores.md ---

## # COLORES

### ## PRINCIPIOS

- elegancia
- claridad
- contraste
- coherencia visual

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\marca\guia-de-marca.md ---

## # GUÍA DE MARCA

DINCO debe transmitir:

- profesionalismo
- exclusividad
- presencia internacional
- confianza

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\marca\sistema-visual.md ---

## # SISTEMA VISUAL

### ## OBJETIVO

Mantener coherencia visual en todo DINCO.

### ## ELEMENTOS

- paleta de colores
- tipografía
- espaciados
- iconografía
- botones
- cards
- banners
- galerías

### ## REGLAS

- mantener consistencia
- evitar estilos aleatorios
- usar jerarquía visual clara
- mantener sensación premium

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\marca\tipografia.md ---

## # TIPOGRAFÍA

### ## OBJETIVO

Transmitir:

- claridad
- lujo
- profesionalismo

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\recursos\ analisis-de-competencia.md ---

## # ANÁLISIS DE COMPETENCIA

### ## OBJETIVO

Analizar plataformas inmobiliarias relevantes para:

- identificar fortalezas
- detectar debilidades
- mejorar experiencia
- encontrar oportunidades

### ## ENFOQUE

- UX
- velocidad
- catálogo
- filtros
- dashboards
- experiencia visual
- escalabilidad

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\reglas\escalabilidad.md ---

## # REGLAS DE ESCALABILIDAD

### ## OBJETIVO

Preparar DINCO para crecimiento futuro.

### ## PRINCIPIOS

- arquitectura modular
- desacoplamiento
- reutilización
- separación de responsabilidades

### ## REGLAS

- evitar dependencias innecesarias
- no duplicar lógica
- mantener APIs organizadas

- crear componentes reutilizables

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\reglas\estandares-de-codigo.md ---

## # ESTÁNDARES DE CÓDIGO

- nombres claros
- componentes pequeños
- reutilización obligatoria
- estructura limpia

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\reglas\estructura-de-carpetas.md ---

## # ESTRUCTURA DE CARPETAS

### ## REGLAS

- separar por dominio
- mantener modularidad
- no mezclar responsabilidades

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\reglas\reglas-del-proyecto.md ---

## # REGLAS DEL PROYECTO

- Mantener modularidad
- No romper arquitectura
- Evitar duplicación
- Mantener separación frontend/backend
- Usar TypeScript

--- ARCHIVO: C:\Users\Dell\dinco-web\docs\ux-ui\experiencia-usuario.md ---

## # EXPERIENCIA DE USUARIO

### ## OBJETIVO

Crear una experiencia:

- intuitiva
- moderna
- fluida
- premium
- visualmente atractiva

### ## PRINCIPIOS

- navegación clara
- mínima fricción
- carga rápida
- imágenes protagonistas
- interacción natural

### ## REGLAS

- evitar saturación visual
- priorizar accesibilidad
- mantener consistencia
- optimizar responsive