

Wijdan Andra Fulvian


6706223137

D3IF 46-04

## Praktikum 5

### 1. Screenshot Struktur tabel Users dan Collections (Opsional)


- Users



#	column_name	data_type	character_set	collation	is_nullable	column_default	extra	foreign_key	comment
1	id	bigint(20) unsigned	utf8mb4	utf8mb4_unicode_ci	NO	NULL	auto_increment	EMPTY	→ EMPTY
2	fullName	varchar(255)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
3	email	varchar(255)	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
4	email_verified_at	timestamp	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
5	password	varchar(255)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
6	remember_token	varchar(100)	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
7	created_at	timestamp	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
8	updated_at	timestamp	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
9	username	varchar(100)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
10	address	varchar(1000)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
11	phoneNumber	varchar(20)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
12	birthdate	date	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
13	agama	varchar(20)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
14	jenis_kelamin	tinyint(4)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY

Wijdan Andra Fulvian 6706223137 46-04


- Collections



#	column_name	data_type	character_set	collation	is_nullable	column_default	extra	foreign_key	comment
1	id	bigint(20) unsigned	utf8mb4	utf8mb4_unicode_ci	NO	NULL	auto_increment	EMPTY	→ EMPTY
2	namaKoleksi	varchar(100)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
3	jenisKoleksi	tinyint(4)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ 1: Buku, 2: Majalah, 3: Cakram Digital
4	jumlahKoleksi	int(11)	utf8mb4	utf8mb4_unicode_ci	NO	NULL	EMPTY	EMPTY	→ EMPTY
5	created_at	timestamp	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY
6	updated_at	timestamp	utf8mb4	utf8mb4_unicode_ci	YES	NULL	EMPTY	EMPTY	→ EMPTY

Wijdan Andra Fulvian 6706223137 46-04


## 2. Screenshot File kelas routes/web.php



```
1 <?php
2 use App\Http\Controllers\CollectionController;
3 use App\Http\Controllers\ProfileController;
4 use App\Http\Controllers\UserController;
5 use Illuminate\Support\Facades\Route;
6
7 /*
8 |-----
9 | Web Routes
10 |-----
11 |
12 | Here is where you can register web routes for your application. These
13 | routes are loaded by the RouteServiceProvider and all of them will
14 | be assigned to the "web" middleware group. Make something great!
15 |
16 | */
17
18 Route::get(uri: '/', action: function () {
19     return view('welcome');
20 });
21
22 Route::get(uri: '/dashboard', action: function () {
23     return view('dashboard');
24 })->middleware(middleware: ['auth', 'verified'])->name(name: 'dashboard');
25
26 Route::middleware(middleware: 'auth')->group(callback: function () {
27     Route::get(uri: '/profile', action: [ProfileController::class, 'edit'])->name(name: 'profile.edit');
28     Route::patch(uri: '/profile', action: [ProfileController::class, 'update'])->name(name: 'profile.update');
29     Route::delete(uri: '/profile', action: [ProfileController::class, 'destroy'])->name(name: 'profile.destroy');
30
31     Route::get(uri: '/user', action: [UserController::class, 'index'])->name(name: 'user.daftarPengguna');
32     Route::get(uri: '/userRegistration', action: [UserController::class, 'create'])->name(name: 'user.registrasi');
33     Route::post(uri: '/userStore', action: [UserController::class, 'store'])->name(name: 'user.storePengguna');
34     Route::get(uri: '/userView/{user}', action: [UserController::class, 'show'])->name(name: 'user.infoPengguna');
35     Route::get(uri: '/userEdit/{user}', action: [UserController::class, 'edit'])->name(name: 'user.editPengguna');
36     Route::post(uri: '/userUpdate', action: [UserController::class, 'update'])->name(name: 'user.updatePengguna');
37
38     Route::get(uri: '/koleksi', action: [CollectionController::class, 'index'])->name(name: 'koleksi.daftarKoleksi');
39     Route::get(uri: '/koleksiTambah', action: [CollectionController::class, 'create'])->name(name: 'koleksi.registrasi');
40
41     Route::post(uri: '/koleksiStore', action: [CollectionController::class, 'store'])->name(name: 'koleksi.storeKoleksi');
42     Route::get(uri: '/koleksiView/{collection}', action: [CollectionController::class, 'show'])->name(name: 'koleksi.infoKoleksi');
43     Route::get(uri: '/koleksiEdit/{collection}', action: [CollectionController::class, 'edit'])->name(name: 'koleksi.editKoleksi');
44     Route::put(uri: '/koleksiUpdate', action: [CollectionController::class, 'update'])->name(name: 'koleksi.updateKoleksi');
45
46 });
47
48 require __DIR__ . '/auth.php';
49
50 // Wijdan Andra Fulvian 6706223137 46-04
```

## 3. Screenshot Kelas controller UserController dan CollectionController

- UserController



```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\User;
6 use Illuminate\Http\Request;
7 use App\Http\Controllers\Controller;
8
9
10 use Illuminate\Http\RedirectResponse;
11
12
13 use Illuminate\Support\Facades\Hash;
14 use Illuminate\Validation\Rules;
15 use App\DataTables\UsersDataTable;
16
17
18 7 references | 0 implementations
19 class UserController extends Controller
20 {
21     /**
22      * Display a listing of the resource.
23      */
24     1 reference | 0 overrides
25     public function index(UsersDataTable $dataTable)
26     {
27         return $dataTable->render(view: 'user.daftarPengguna');
28     }
29
30     /**
31      * Show the form for creating a new resource.
32      */
33     1 reference | 0 overrides
34     public function create()
35     {
36         return view('user.registrasi');
37     }
38
39     /**
40      * Store a newly created resource in storage.
41      */
42 }
```

```
File Edit Selection View Go Run Terminal Help Wizz
app > Http > Controllers > UserController.php > ...
38 //
39 // reference | 0 overrides
40 public function store(Request $request): RedirectResponse
41 {
42     $request->validate($rules: [
43         'username' => ['required', 'string', 'max:100'],
44         'fullname' => ['required', 'string', 'max:100'],
45         'email' => ['required', 'string', 'email', 'max:255', 'unique:'.User::class],
46         'password' => ['required', 'confirmed', Rules::password::defaults()],
47         'address' => ['required', 'string', 'max:1000'],
48         'birthdate' => ['required', 'date'],
49         'phoneNumber' => ['required', 'string', 'max:20'],
50         'agama' => ['required', 'string', 'max:20'],
51         'jeniskelamin' => ['required', 'numeric', 'in:0,1'],
52     ]);
53
54     $user = User::create([
55         'username' => $request->username,
56         'fullname' => $request->fullname,
57         'email' => $request->email,
58         'password' => Hash::make($request->password),
59         'address' => $request->address,
60         'birthdate' => $request->birthdate,
61         'phoneNumber' => $request->phoneNumber,
62         'agama' => $request->agama,
63         'jeniskelamin' => $request->jeniskelamin,
64     ]);
65
66     //Auth::login($user);
67
68     return redirect()->route('user.daftarPengguna');
69 }
70
71 /**
72  * Display the specified resource.
73  */
74 // reference | 0 overrides
75 public function show($id)
76 {
77     //
78 }
79
80 /**
81  * Show the form for editing the specified resource.
82  */
83 // reference | 0 overrides
84 public function edit($id)
85 {
86     //
87 }
88
89 /**
90  * Update the specified resource in storage.
91  */
92 // reference | 0 overrides
93 public function update(Request $request)
94 {
95     //
96 }
97
98 /**
99  * Update the specified resource in storage.
100  */
101 // reference | 0 overrides
102 public function update(Request $request)
103 {
104     $updateUser = $request->validate($rules: [
105         'username' => ['required', 'string', 'max:100'],
106         'fullName' => ['required', 'string', 'max:100'],
107         'email' => ['required', 'string', 'email', 'max:255', 'unique:users,email,.'. $request->id],
108         'address' => ['required', 'string', 'max:1000'],
109         'birthdate' => ['required', 'date'],
110         'phoneNumber' => ['required', 'string', 'max:20'],
111         'agama' => ['required', 'string', 'max:20'],
112         'jeniskelamin' => ['required', 'numeric', 'in:0,1'],
113     ]);
114
115     User::findOrFail($request->id)->update([
116         'username' => $request->username,
117         'fullName' => $request->fullName,
118         'email' => $request->email,
119         'address' => $request->address,
120         'birthdate' => $request->birthdate,
121         'phoneNumber' => $request->phoneNumber,
122         'agama' => $request->agama,
123         'jeniskelamin' => $request->jeniskelamin,
124     ]);
125     return redirect()->route('user.daftarPengguna');
126 }
127
128 /**
129  * Remove the specified resource from storage.
130  */
131 // reference | 0 overrides
132 public function destroy($id)
133 {
134     //
135 }
136
137 // Wijdan Andra Fulvian 6706223137 46-04
```


- CollectionController

```
File Edit Selection View Go Run Terminal Help
CollectionController.php 1 x daftarKoleksi.blade.php registrasi.blade.php ...koleksi infoKoleksi.blade.php editKoleksi.blade.php daftarPengguna.blade.php registrasi.blade.php ...

app > Http > Controllers > CollectionController.php > ...
1 <?php
2 namespace App\Http\Controllers;
3
4 use App\Models\Collection;
5 use App\Http\Requests\UpdateCollectionRequest;
6 use Illuminate\Http\Request;
7 use App\Http\Controllers\Controller;
8 use App\DataTables\CollectionsDataTable;
9 use Illuminate\Support\Facades\DB;
10
11 7 references | 0 implementations
12 class CollectionController extends Controller
13 {
14     /**
15      * Display a listing of the resource.
16      */
17     1 reference | 0 overrides
18     public function index(CollectionsDataTable $dataTable)
19     {
20         return $dataTable->render(view: 'koleksi.daftarKoleksi');
21     }
22
23     /**
24      * Show the form for creating a new resource.
25      */
26     1 reference | 0 overrides
27     public function create()
28     {
29         return view(view: 'koleksi.registrasi');
30     }
31
32     /**
33      * Store a newly created resource in storage.
34      */
35     1 reference | 0 overrides
36     public function store(Request $request)
37     {
38         $request->validate(rules: [
39             'namaKoleksi' => ['required', 'string', 'max:255', 'unique:collections'],
40             'jenisKoleksi' => ['required', 'gt:0'],
41         ]);
42
43         $collection = Collection::create([
44             'namaKoleksi' => $request->namaKoleksi,
45             'jenisKoleksi' => $request->jenisKoleksi,
46             'jumlahKoleksi' => $request->jumlahKoleksi
47         ]);
48         // Assuming CollectionsDataTable has a static insert method
49
50         DB::table('collections')->insert(values: $collection);
51         return redirect()->route(route: 'koleksi.daftarKoleksi');
52     }
53
54     /**
55      * Display the specified resource.
56      */
57     1 reference | 0 overrides
58     public function show(Collection $collection)
59     {
60         return view(view: 'koleksi.infoKoleksi', data: compact(var_name: 'collection'));
61     }
62
63     /**
64      * Show the form for editing the specified resource.
65      */
66     1 reference | 0 overrides
67     public function edit(Collection $collection)
68     {
69         // Your logic to show the edit form or perform other actions
70         return view(view: 'koleksi.editKoleksi', data: compact(var_name: 'collection'));
71     }
72
73     /**
74      * Update the specified resource in storage.
75      */
76     1 reference | 0 overrides
77     public function update(Request $request, Collection $collection)
78     {
79         // dd($request->all());
80         $request->validate(rules: [
81             'namaKoleksi' => ['required', 'string'],
82             'jenisKoleksi' => ['required'],
83             'jumlahKoleksi' => ['required']
84         ]);
85
86         DB::table('collections')->where(column: 'id', operator: $request->id)->update(values: [
87             'namaKoleksi' => $request->namaKoleksi,
88             'jenisKoleksi' => $request->jenisKoleksi,
89             'jumlahKoleksi' => $request->jumlahKoleksi,
90         ]);
91
92         return redirect()->route(route: 'koleksi.daftarKoleksi')->with(key: 'success', value: 'Koleksi Sudah Terupdate.');
```


#### 4. Screenshot Kelas model User dan Collection (Opsional)

- User



```
1 <?php
2 namespace App\Models;
3
4 // use Illuminate\Contracts\Auth\MustVerifyEmail;
5 use Illuminate\Database\Eloquent\Factories\HasFactory;
6 use Illuminate\Foundation\Auth\User as Authenticatable;
7 use Illuminate\Notifications\Notifiable;
8 use Laravel\Sanctum\HasApiTokens;
9
10 49 references | 0 implementations
11 class User extends Authenticatable
12 {
13     use HasApiTokens, HasFactory, Notifiable;
14
15     /**
16      * The attributes that are mass assignable.
17      *
18      * @var array<int, string>
19      */
20     protected $fillable = [
21         'username',
22         'fullname',
23         'email',
24         'password',
25         'address',
26         'phoneNumber',
27         'birthdate',
28         'agama',
29         'jeniskelamin'
30     ];
31
32     /**
33      * The attributes that should be hidden for serialization.
34      *
35      * @var array<int, string>
36      */
37     protected $hidden = [
38         'password',
39         'remember_token',
40     ];
41
42     /**
43      * The attributes that should be cast.
44      *
45      * @var array<string, string>
46      */
47     protected $casts = [
48         'email_verified_at' => 'datetime',
49         'password' => 'hashed',
50     ];
51 }
52
53 // Wijdan Andra Fulvian 6706223137 46-04
```


- Collection



```
1 <?php
2 namespace App\Models;
3
4 use Illuminate\Database\Eloquent\Factories\HasFactory;
5 use Illuminate\Database\Eloquent\Model;
6
7 class Collection extends Model
8 {
9     use HasFactory;
10
11     protected $table = 'collections';
12
13     protected $fillable = [
14         'namakoleksi',
15         'jeniskoleksi',
16         'jumlahkoleksi',
17     ];
18 }
19
20 // Wijdan Andra Fulvian 6706223137 46-04
```

## 5. Screenshot Kelas View

- daftarPengguna.blade.php



```
1 <div class="flex justify-between items-center">
2     <h2 class="font-semibold text-xl text-gray-800 dark:text-gray-200 leading-tight">
3         {{ __('Daftar Pengguna') }}
4     </h2>
5     <a href="{{ route('user.registrasi') }}">
6         <button type="button" class="text-white bg-blue-700 hover:bg-blue-800 focus:ring-4 focus:ring-blue-300 font-medium rounded-lg text-sm px-5 py-2.5 mr-2 mb-2 dark:bg-blue-500 dark:hover:bg-blue-600 dark:focus:ring-blue-700">
7             Registrasi
8         </button>
9     </a>
10 </div>
11
12 <div class="py-12">
13     <div class="max-w-7xl mx-auto sm:px-6 lg:px-8">
14         <div class="bg-white dark:bg-gray-800 overflow-hidden shadow-sm sm:rounded-lg">
15             <div class="p-6 text-gray-900 dark:text-gray-100">
16                 <div class="w-full">
17                     {{ $dataTable->table() }}
18                 </div>
19             </div>
20         </div>
21     </div>
22 </div>
23
24 @push('scripts')
25     {{ $dataTable->scripts(attributes: ['type' => 'module']) }}
26 @endpush
27 </x-app-layout>
28
29 {{!-- Wijdan Andra Fulvian 6706223137 46-04 --}}
```

- registrasi.blade.php

```
File Edit Selection View Go Run Terminal Help
Wizz

resources > views > user > registrasi.blade.php > ...
1 <form method="POST" action="{{ route('user.storePengguna') }}" >
2 @csrf
3
4 <!-- Username -->
5 <div class="mt-4">
6 <input-label for="username" :value="__('Username')"/>
7 <input id="username" class="block mt-1 w-full" type="text" name="username" :value="old('username')" required autofocus autocomplete="username" />
8 <input-error :messages="$errors->get('username')" class="mt-2" />
9 </div>
10
11 <!-- Fullname -->
12 <div class="mt-4">
13 <input-label for="fullname" :value="__('Fullname')"/>
14 <input id="fullname" class="block mt-1 w-full" type="text" name="fullname" :value="old('fullname')" required autocomplete="name" />
15 <input-error :messages="$errors->get('fullname')" class="mt-2" />
16 </div>
17
18 <!-- Email Address -->
19 <div class="mt-4">
20 <input-label for="email" :value="__('Email')"/>
21 <input id="email" class="block mt-1 w-full" type="email" name="email" :value="old('email')" required autocomplete="email" />
22 <input-error :messages="$errors->get('email')" class="mt-2" />
23 </div>
24
25 <!-- Password -->
26 <div class="mt-4">
27 <input-label for="password" :value="__('Password')"/>
28 <input id="password" class="block mt-1 w-full" type="password" name="password" required autocomplete="new-password" />
29 <input-error :messages="$errors->get('password')" class="mt-2" />
30 </div>
31
32 <!-- Confirm Password -->
33 <div class="mt-4">
34 <input-label for="password_confirmation" :value="__('Confirm Password')"/>
35 <input id="password_confirmation" class="block mt-1 w-full" type="password" name="password_confirmation" required autocomplete="new-password" />
36 <input-error :messages="$errors->get('password_confirmation')" class="mt-2" />
37 </div>
38
39 <!-- Alamat -->
40 <div class="mt-4">
41 <input-label for="address" :value="__('Alamat')"/>
42 <input id="address" class="block mt-1 w-full" type="text" name="address" :value="old('address')" required autocomplete="address" />
43 <input-error :messages="$errors->get('address')" class="mt-2" />
44 </div>
45
46 <!-- Tanggal Lahir -->
47 <div class="mt-4">
48 <input-label for="birthdate" :value="__('Tanggal Lahir')"/>
49 <input id="birthdate" class="block mt-1 w-full" type="date" name="birthdate" :value="old('birthdate')" required />
50 <input-error :messages="$errors->get('birthdate')" class="mt-2" />
51 </div>
52
53 <!-- No Telepon -->
54 <div class="mt-4">
55 <input-label for="phone" :value="__('No Telepon')"/>
56 <input id="phone" class="block mt-1 w-full" type="tel" name="phoneNumber" :value="old('phone')" required autocomplete="tel" />
57 <input-error :messages="$errors->get('phone')" class="mt-2" />
58 </div>
59
60 <!-- Agama -->
61 <div class="mt-4">
62 <input-label for="agama" :value="__('Agama')"/>
63 <input id="agama" class="block mt-1 w-full" type="text" name="agama" :value="old('agama')" required autocomplete="off" />
64 <input-error :messages="$errors->get('agama')" class="mt-2" />
65 </div>
66
67 <!-- Jenis Kelamin -->
68 <div class="mt-4 flex flex-col justify-center items-center">
69 <input-label for="jenis_kelamin" :value="__('Jenis Kelamin')"/>
70 <div>
71 <label for="0" class="text-white">Pria</label>
72 <input id="jenis_kelamin" type="radio" name="jenis_kelamin" required value="0" />
73 </div>
74 <div>
75 <label for="1" class="text-white">Wanita</label>
76 <input id="jenis_kelamin" type="radio" name="jenis_kelamin" required value="1" />
77 </div>
78 <input-error :messages="$errors->get('jenis_kelamin')" class="mt-2" />
79 </div>
80
81 <div class="flex items-center justify-end mt-4">
82 <a class="underline text-sm text-gray-600 dark:text-gray-400 hover:text-gray-900 dark:hover:text-gray-100 rounded-md focus:outline-none focus:ring-2 focus:ring-offset-2 focus:ring-blue-500" href="#">{{ __('Already registered?') }}</a>
83
84 <input type="button" value="Register" />
85 </div>
86 </form>
87 </x-guest-layout>
88
89 {{ __('Wijdan Andra Fulvian 6706223137 46-04') }}
```

- infoPengguna.blade.php



```
File Edit Selection View Go Run Terminal Help
infoPengguna.blade.php x editPengguna.blade.php User.php Collection.php web.php RegisteredUserCon

resources > views > user > infoPengguna.blade.php > ...
1 <@slot name="header">
2 <h2 class="font-semibold text-xl text-gray-800 dark:text-gray-200 leading-tight">
3 {{ __('Dashboard') }}
4 </h2>
5 </@slot>
6
7
8 <div class="py-12">
9 <div class="max-w-7xl mx-auto sm:px-6 lg:px-8">
10 <div class="bg-white dark:bg-gray-800 overflow-hidden shadow-sm sm:rounded-lg">
11 <div class="p-6 text-gray-900 dark:text-gray-100">
12 <div class="relative overflow-x-auto shadow-md sm:rounded-lg">
13 <table class="w-full text-sm text-left text-gray-500 dark:text-gray-400">
14 <tr>
15 <th class="p-4">Full Name</th>
16 <td class="p-4">{{ $user->fullName }}</td>
17 </tr>
18 <tr>
19 <th class="p-4">Email</th>
20 <td class="p-4">{{ $user->email }}</td>
21 </tr>
22 <tr>
23 <th class="p-4">Username</th>
24 <td class="p-4">{{ $user->username }}</td>
25 </tr>
26 <tr>
27 <th class="p-4">Address</th>
28 <td class="p-4">{{ $user->address }}</td>
29 </tr>
30 <tr>
31 <th class="p-4">Phone Number</th>
32 <td class="p-4">{{ $user->phoneNumber }}</td>
33 </tr>
34 <tr>
35 <th class="p-4">Birthdate</th>
36 <td class="p-4">{{ $user->birthdate }}</td>
37 </tr>
38 <tr>
39 <th class="p-4">Agama</th>
40 <td class="p-4">{{ $user->agama }}</td>
41 </tr>
42 <tr>
43 <th class="p-4">Gender</th>
44 <td class="p-4">@if ( $user->jenisKelamin == 0 )
45 <span>Pria</span>
46 @else
47 <span>Manita</span>
48 @endif</td>
49 </tr>
50 </table>
51 </div>
52 </div>
53 </div>
54 </div>
55 </@slot>
56 </x-app-layout>
57
58 {{!-- Wijdan Andra Fulvian 6706223137 46-04 --}}
```

- daftarKoleksi.blade.php

```
File Edit Selection View Go Run Terminal Help
daftarKoleksi.blade.php x infoKoleksi.blade.php editKoleksi.blade.php daftarPengguna.blade.php registrasi.blade.php ...user infoPengguna.blade.php

resources > views > koleksi > daftarKoleksi.blade.php > ...
1 <@slot name="header">
2 <div class="flex justify-between items-center">
3 <h2 class="font-semibold text-xl text-gray-800 dark:text-gray-200 leading-tight">
4 {{ __('Daftar Koleksi') }}
5 </h2>
6 <a href="{{ route('koleksi.registrasi') }}">
7 <button type="button" class="text-white bg-blue-700 hover:bg-blue-800 focus:ring-4 focus:ring-blue-300 font-medium rounded-lg text-sm px-5 py-2.5 mr-2 mb-2 dark:bg-blue-600 dark:hover:bg-blue-700 dark:focus:ring-blue-800">Daftar Koleksi
8 </a>
9 </div>
10 </@slot>
11
12
13 <div class="py-12">
14 <div class="max-w-7xl mx-auto sm:px-6 lg:px-8">
15 <div class="bg-white dark:bg-gray-800 overflow-hidden shadow-sm sm:rounded-lg">
16 <div class="p-6 text-gray-900 dark:text-gray-100">
17 <div class="w-full">
18 <{{ $dataTable->table() }}
19 </div>
20 </div>
21 </div>
22 </div>
23 </div>
24 @push('scripts')
25 <{{ $dataTable->scripts(attributes: ['type' => 'module']) }}>
26 @endpush
27 </x-app-layout>
28
29 {{!-- Wijdan Andra Fulvian 6706223137 46-04 --}}
```

- registrasi.blade.php



