

Language Manager

Documentation

A language tag manager editor extension from TekkTech. Build by Tekk.

[-Online How To-](#)



Contents

Englisch	3
Introduction	3
How To Use	4
Tags and Content	4
Languages	4
CSV Options	5
In Code Usage	6
UITextSetter Utility	7
Deutsch	9
Einleitung	9


Englisch

Introduction

The Language Manager allows you to create language tags for your project, so that you can access them at any time in the code and select them in text components, with the specially created MonoBehaviour, and you will always get the correct translation presented.

How To Use

Tags and Content




First, you can create new tags using the "New Tag" button. These are displayed in the list on the left. Using the drop-down menu, you can select the various categories that have been created. In the right area you can insert the localized text for each tag.

To save the tags and the text, press the "Save Files" button.

This will create a tag

Languages



To support multiple languages, there is the possibility to create new ones via the text field in the "Language" tab. These will appear at the bottom as being added.

If an error has occurred, it is possible to select a language from the dropdown menu and then remove it.

Caution: This will also delete the internal localized file with all content in it.

CSV Options

Language Tag Control

Tags & Content Languages CSV Options

Language must be created **beforehand**.
CSV file needs at least 3 columns (Category, Tag, LocalisedText)
The csv import will create new tags if they aren't found in the default language.
Also it will **override** the LanguageFile if it already exists.

Excel path: **D:/Unity Projekte/LanguageManager-Localization.csv**

Select csv file Generate

▼ Advanced settings

Ignore first row (Header) ☒
Seperator char
String combiner char

Analyse LanguageManager-Localization.csv Import LanguageManager-Localization.csv

Please define the header - Example column

Category	Tag	English	Deutsch	Francais	Espanol
Category ▼	Tag ▼	English ▼	Deutsch ▼	None ▼	Espanol ▼
MainMenu	OptionsButton	Options	Optionen		Opciones


In the third tab, "CSV Options", there is the option of importing a previously created CSV file (from Google Spreadsheets, MS Excel or Libre Office) or creating a fresh one from the existing tags and content entries.

For the generation, the separators stored in the "Advanced Settings" are used.

When analysing a CSV, the generated drop-down menus must be set to match the loaded CSV. At least the columns category, tags and a language must be assigned. When all required assignments are set, the "Import" button is selectable and the CSV is loaded and overwrites all tag contents if they already exist.


In Code Usage

```
1 using UnityEngine;
2
3 Unity-Skript | 0 Verweise
4 public class InCodeUsageTest : MonoBehaviour
5 {
6     3 Verweise
7     private struct MyWeapon
8     {
9         public LocalizedString weaponName;
10        int damage;
11
12        2 Verweise
13        public MyWeapon(LanguageTags _tag, int _dmg)
14        {
15            weaponName = _tag; 1
16            damage = _dmg;
17        }
18    }
19
20    Unity-Nachricht | 0 Verweise
21    void Start()
22    {
23        //Sets the weapon name to the tag
24        MyWeapon myBow = new MyWeapon(LanguageTags.Items_Bow, 10);
25        MyWeapon mySword = new MyWeapon(LanguageTags.Items_Sword, 10); 2
26
27        //Displays the names localized in the console
28        Debug.Log(myBow.weaponName);
29        Debug.Log(mySword.weaponName); 3
30    }
31 }
```



1. A LanguageTag can be implicitly assigned to the localised string.
2. The tags can be selected from the generated enum "LanguageTags".
3. To access the localised content you can simply use it like a string. The currently set language is used automatically.

UITextSetter Utility



The UITextSetter script can be used for TMP text fields that will be automatically localised. The corresponding tag can be set in the inspector.

```
7 [RequireComponent(typeof(TextMeshProUGUI))]
8 public class UITextSetter : MonoBehaviour
9 {
10     public LocalizedString LocalizedText;
11
12     private TextMeshProUGUI uiText;
13
14     private void Start()
15     {
16         LocalizedText.SetAction(SetText); 1
17         uiText = this.GetComponent<TextMeshProUGUI>();
18         SetText();
19     }
20
21     public void SetText()
22     {
23         if(uiText is null)
24             uiText = this.GetComponent<TextMeshProUGUI>();
25
26         uiText.text = LocalizedText; 2
27     }
28 }
29
```

1. In the UISetter, the localised text is first given the UnityAction that is triggered by a LanguageSwitch. This is needed to be able to react in real time to a language change.
2. Here you can see how the TMP text field is set in the UnityAction method.


Deutsch

Einleitung

Der Language Manager erlaubt es Ihnen für ihr Projekt Sprach-Tags anzulegen, sodass Sie jederzeit im Code darauf zurückgreifen und in Text-Components, mit dem eigens dafür erstellten MonoBehaviour, diese auswählen können und sie dann immer die korrekte Übersetzung angezeigt bekommen.

Verwendung


Tags und Inhalt



Als ersten kann man über den "New Tag"-Button neue tags anlegen. Diese werden in der Liste Links angezeigt. Über das Drop-Down Menü kann man die verschiedenen angelegten Kategorien auswählen.

Im rechten Bereich lässt sich zu jedem tag der lokalisierte Text einfügen. Damit die Tags und der Text gespeichert werden, muss auf den "Save Files"-Button gedrückt werden.

Sprachen



Um mehrere Sprachen zu unterstützen, gibt es im "Language" Reiter die Möglichkeit über das Textfeld welche anzulegen. Diese tauchen unten als hinzugefügt auf. Wenn ein Fehler passiert ist, ist es möglich eine Sprache aus dem Dropdown Menü auszuwählen und dann zu entfernen.

Achtung: Hierbei wird auch das interne lokalisierte File mit allen Inhalten dazu gelöscht.

CSV Optionen

Language Tag Control

Tags & Content Languages CSV Options

Language must be created **beforehand**.
CSV file needs at least 3 columns (Category, Tag, LocalisedText)
The csv import will create new tags if they aren't found in the default language.
Also it will **override** the LanguageFile if it already exists.

Excel path: D:/Unity Projekte/LanguageManager-Localization.csv

Select csv file Generate

▼ Advanced settings

Ignore first row (Header) ☒
Seperator char ,
String combiner char "

Analyse LanguageManager-Localization.csv Import LanguageManager-Localization.csv


Please define the header - Example column

Category	Tag	English	Deutsch	Francais	Espanol
Category	Tag	English	Deutsch	None	Espanol
MainMenu	OptionsButton	Options	Optionen		Opciones

Im dritten Reiter "CSV Options" gibt es die Möglichkeit eine vorher erstellte CSV Datei (aus Google Spreadsheets, MS Excel oder Libre Office etc) zu importieren oder eine frische aus den vorhandenen Tags und Content Einträgen zu erstellen. Für die Generierung werden die in den "Advanced Settings" hinterlegten Trennzeichen genutzt. Beim analysieren einer CSV muss man die generierten DropDown Menus so setzen wie es zu der geladenen CSV passt. Hierbei müssen mindestens die Kategorie, Tags und eine Sprache belegt werden. Wenn alle erforderlichen Zuordnungen gesetzt sind, wird der "Import"-Button auswählbar und die CSV wird geladen und überschreibt alle Tag Inhalte, wenn diese bereits bestehen.

Nutzung im Code


```
1 using UnityEngine;
2
3 Unity-Skript | 0 Verweise
4 public class InCodeUsageTest : MonoBehaviour
5 {
6     3 Verweise
7     private struct MyWeapon
8     {
9         public LocalizedString weaponName;
10        int damage;
11
12        2 Verweise
13        public MyWeapon(LanguageTags _tag, int _dmg)
14        {
15            weaponName = _tag; 1
16            damage = _dmg;
17        }
18    }
19
20    Unity-Nachricht | 0 Verweise
21    void Start()
22    {
23        //Sets the weapon name to the tag
24        MyWeapon myBow = new MyWeapon(LanguageTags.Items_Bow, 10);
25        MyWeapon mySword = new MyWeapon(LanguageTags.Items_Sword, 10); 2
26
27        //Displays the names localized in the console
28        Debug.Log(myBow.weaponName);
29        Debug.Log(mySword.weaponName); 3
30    }
31 }
```



The screenshot shows a C# script in the Unity editor. The script defines a struct `MyWeapon` with a `LocalizedString` property `weaponName` and an `int` property `damage`. The `Start` method creates two `MyWeapon` instances, `myBow` and `mySword`, using `LanguageTags.Items_Bow` and `LanguageTags.Items_Sword` respectively. The script also logs the localized names of these weapons. Three red circles with numbers 1, 2, and 3 highlight specific parts of the code: 1 points to the assignment of `LanguageTags.Items_Bow` to `myBow.weaponName`; 2 points to the selection of `LanguageTags.Items_Sword` from the `LanguageTags` enum; 3 points to the access of `mySword.weaponName` in the `Debug.Log` statement. A dropdown menu is visible next to `LanguageTags.Items_Sword`, showing the available options: `Items_Bow`, `Items_Sword`, and `None`. The `LanguageTags.Items_Sword` option is selected, and the value `LanguageTags.Items_Sword = 6` is displayed next to it.

1. Dem lokalisierte string kann implizit ein LanguageTag zugeordnet werden.
2. Die Tags können aus dem generierten Enum "LanguageTags" ausgewählt werden.
3. Um auf den lokalisierten Inhalt zuzugreifen, kann man ihn einfach wie einen String nutzen. Die aktuell eingestellte Sprache wird automatisch herangezogen.

UITextSetter Utility



Der UITextSetter Skript kann für TMP Pro Text Felder genutzt werden, die automatisch lokalisiert werden sollen. Im Inspektor kann der zugehörige Tag gesetzt werden.

```
7 [RequireComponent(typeof(TextMeshProUGUI))]
8 public class UITextSetter : MonoBehaviour
9 {
10     public LocalizedString LocalizedText;
11
12     private TextMeshProUGUI uiText;
13
14     private void Start()
15     {
16         LocalizedText.SetAction(SetText); 1
17         uiText = this.GetComponent<TextMeshProUGUI>();
18         SetText();
19     }
20
21     public void SetText()
22     {
23         if(uiText is null)
24             uiText = this.GetComponent<TextMeshProUGUI>();
25
26         uiText.text = LocalizedText; 2
27     }
28 }
29
```

1. Im UISetter wird zunächst dem Lokalised Text die UnityAction mitgegeben, die bei einem LanguageSwitch ausgelöst wird. Das wird benötigt, um in realtime auf eine Sprachänderung reagieren zu können.
2. Hier kann man sehen, wie in der UnityAction Methode das TMP Textfeld gesetzt wird.